

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	63,200	7.1	6.6 - 7.7	44,200	5.0	4.5 - 5.4	781,500	87.9	87.2 - 88.6	888,900
2001-2003	59,200	6.6	6.0 - 7.1	51,500	5.7	5.2 - 6.2	793,500	87.8	87.0 - 88.5	904,200
2002-2004	62,500	6.9	6.2 - 7.5	57,000	6.3	5.6 - 7.0	790,900	86.9	85.9 - 87.8	910,300
2003-2005	66,000	7.1	6.4 - 7.7	57,800	6.2	5.5 - 6.9	808,900	86.7	85.8 - 87.7	932,700
2004-2006	74,700	7.9	7.2 - 8.6	62,800	6.6	5.9 - 7.3	810,400	85.5	84.6 - 86.4	947,900
2005-2007	76,400	7.9	7.3 - 8.4	62,600	6.4	5.9 - 6.9	833,200	85.7	85.0 - 86.4	972,200
2006-2008	84,000	8.6	8.0 - 9.1	63,300	6.5	5.9 - 7.0	833,300	85.0	84.2 - 85.7	980,600
2007-2009	89,300	9.0	8.4 - 9.6	62,900	6.4	5.8 - 6.9	838,000	84.6	83.9 - 85.4	990,200
2008-2010	94,400	9.5	8.9 - 10.1	70,300	7.0	6.5 - 7.6	832,500	83.5	82.7 - 84.3	997,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	94,400	9.5	8.9 - 10.1	70,300	7.0	6.5 - 7.6	832,500	83.5	82.7 - 84.3	997,100

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,100	11.8	10.5 - 13.1	9,700	7.1	6.0 - 8.2	111,100	81.1	79.5 - 82.7	136,900
Honolulu	63,600	9.1	8.3 - 9.9	50,600	7.2	6.4 - 8.0	586,100	83.7	82.6 - 84.7	700,300
Kauai	3,500	7.2	5.7 - 8.7	3,500	7.2	5.4 - 9.0	41,800	85.7	83.4 - 87.9	48,700
Maui	11,200	10.1	8.7 - 11.4	6,400	5.8	4.8 - 6.8	93,500	84.1	82.5 - 85.8	111,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,100	11.8	10.5 - 13.1	9,700	7.1	6.0 - 8.2	111,100	81.1	79.5 - 82.7	136,900
Kauai	3,500	7.2	5.7 - 8.7	3,500	7.2	5.4 - 9.0	41,800	85.7	83.4 - 87.9	48,700
Lanai	200	8.8	5.9 - 11.8	100	3.6	1.8 - 5.4	1,500	87.6	84.1 - 91.0	1,700
Maui	10,200	10.0	8.6 - 11.5	5,900	5.8	4.7 - 7.0	85,500	84.1	82.4 - 85.9	101,700
Molokai	800	11.0	7.9 - 14.0	400	5.4	3.2 - 7.6	6,500	83.7	80.0 - 87.3	7,700
Oahu	63,600	9.1	8.3 - 9.9	50,600	7.2	6.4 - 8.0	586,100	83.7	82.6 - 84.7	700,300

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,800	9.1	6.6 - 11.6	4,500	7.0	4.7 - 9.3	53,400	83.9	80.6 - 87.1	63,700
Ala Moana	2,100	8.0	4.2 - 11.9	1,100	4.1	1.6 - 6.6	23,500	87.9	83.4 - 92.3	26,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,500	7.6	5.2 - 10.0	1,400	6.8	4.1 - 9.4	17,200	85.6	82.2 - 89.0	20,000
Hilo	5,300	12.9	10.4 - 15.4	3,300	8.0	5.6 - 10.3	32,700	79.2	76.0 - 82.3	41,300
Kaaawa/ Kahaluu/ Kaneohe	3,500	7.1	4.6 - 9.6	3,100	6.2	3.4 - 9.0	43,500	86.7	83.2 - 90.3	50,100
Kahului	3,900	11.3	8.3 - 14.2	1,700	4.8	3.3 - 6.4	29,000	83.9	80.7 - 87.1	34,600
Kailua/ Waimanalo	7,000	13.8	10.2 - 17.5	3,400	6.6	4.0 - 9.3	40,300	79.5	75.3 - 83.7	50,700
Kaimuki/ Palolo/ Waikiki	4,300	7.6	5.4 - 9.8	4,600	8.1	5.5 - 10.7	47,800	84.2	81.0 - 87.5	56,800
Kona	3,300	11.3	8.8 - 13.9	2,000	6.7	4.4 - 8.9	24,100	82.0	78.8 - 85.2	29,300
Lahaina/ Wailuku	2,600	8.0	5.9 - 10.1	2,700	8.0	5.5 - 10.4	27,900	84.1	81.0 - 87.1	33,200
Lanai	200	8.8	5.9 - 11.8	100	3.6	1.8 - 5.4	1,500	87.6	84.1 - 91.0	1,700
Lihue-Waimea	2,000	6.8	4.9 - 8.7	2,200	7.5	5.1 - 9.9	24,600	85.7	82.7 - 88.6	28,700
Manoa/ Upper Makiki	4,600	9.3	6.4 - 12.2	3,600	7.3	4.3 - 10.2	41,000	83.4	79.5 - 87.3	49,200
Mililani/ Wahiawa	7,600	10.2	7.9 - 12.6	5,500	7.3	5.0 - 9.6	61,700	82.5	79.4 - 85.6	74,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	800	11.0	7.9 - 14.0	400	5.4	3.2 - 7.6	6,500	83.7	80.0 - 87.3	7,700
Nanakuli/ Waianae	4,400	12.6	8.4 - 16.8	3,200	9.2	4.2 - 14.2	27,600	78.2	72.1 - 84.4	35,300
N.Hawaii	3,400	12.7	9.5 - 15.8	2,000	7.3	4.5 - 10.1	21,500	80.0	76.1 - 84.0	26,900
N.Shore/ Laie	2,900	12.8	7.0 - 18.6	1,500	6.6	2.4 - 10.7	18,200	80.6	73.9 - 87.3	22,500
Nuuanu/ Kalihi/ Moanalua	6,000	8.8	6.1 - 11.5	4,100	6.0	3.5 - 8.5	58,400	85.2	81.7 - 88.7	68,500
Puna/ Kau	4,100	10.4	8.0 - 12.7	2,500	6.4	4.6 - 8.1	32,800	83.3	80.5 - 86.0	39,400
Salt Lake/ Foster Village	2,400	6.6	4.1 - 9.2	2,700	7.4	4.0 - 10.7	31,400	86.0	82.0 - 90.0	36,600
Upcountry/ Hana	3,700	10.8	8.5 - 13.1	1,600	4.8	3.1 - 6.4	28,600	84.4	81.7 - 87.1	33,900
Waialae/ Kahala/ Hawaii Kai	2,600	5.7	3.7 - 7.8	3,300	7.2	4.6 - 9.9	39,800	87.0	83.8 - 90.2	45,800
Waipahu/ Kapolei/ Ewa	10,100	8.4	6.5 - 10.3	10,100	8.4	6.3 - 10.5	99,500	83.2	80.5 - 85.8	119,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	16,500	13.8	11.0 - 16.6	15,200	12.7	9.8 - 15.6	88,200	73.5	69.8 - 77.2	120,000
25-34	16,600	9.3	7.6 - 10.9	15,800	8.9	7.0 - 10.7	146,300	81.9	79.5 - 84.2	178,700
35-44	14,900	8.5	7.2 - 9.8	10,200	5.8	4.7 - 6.9	150,100	85.7	84.0 - 87.3	175,100
45-54	18,400	10.4	9.1 - 11.6	10,500	5.9	5.0 - 6.8	149,000	83.7	82.2 - 85.2	177,900
55-64	14,600	9.6	8.5 - 10.8	10,100	6.7	5.6 - 7.7	126,800	83.7	82.2 - 85.1	151,500
65-74	7,600	8.3	7.0 - 9.6	4,100	4.5	3.6 - 5.3	80,200	87.2	85.7 - 88.7	92,000
75+	5,400	5.6	4.6 - 6.7	4,000	4.2	3.0 - 5.3	87,500	90.2	88.7 - 91.7	97,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	28,400	8.9	8.0 - 9.8	17,800	5.6	4.8 - 6.4	273,300	85.5	84.4 - 86.6	319,600
Native Hawaiian	19,800	15.3	13.2 - 17.5	13,800	10.7	8.6 - 12.8	95,500	73.9	71.2 - 76.7	129,200
Chinese	6,200	10.1	7.7 - 12.5	5,000	8.1	5.4 - 10.8	50,500	81.8	78.5 - 85.2	61,700
Filipino	12,800	8.1	6.6 - 9.7	9,700	6.2	4.8 - 7.6	134,500	85.7	83.6 - 87.7	157,000
Japanese	17,300	7.5	6.4 - 8.7	17,100	7.4	6.1 - 8.7	196,400	85.1	83.4 - 86.7	230,800
Black	1,200	8.0	4.0 - 12.1	900	6.0	2.2 - 9.8	12,700	85.9	80.6 - 91.3	14,800
Native Alaskan/ American Indian	700	15.3	6.7 - 23.9	200	4.4	0.0 - 11.7	3,800	80.3	69.8 - 90.9	4,800
Other Asian	1,700	7.0	3.4 - 10.5	1,800	7.1	3.7 - 10.5	21,400	85.9	81.1 - 90.7	24,900
Other Pacific Islander	1,100	3.7	1.0 - 6.4	1,900	6.4	2.0 - 10.9	26,900	89.9	84.8 - 95.0	30,000
Other	4,600	21.4	14.8 - 28.0	1,800	8.5	3.1 - 13.8	14,900	70.1	62.7 - 77.6	21,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	34,700	7.0	6.2 - 7.8	40,800	8.2	7.3 - 9.2	420,700	84.8	83.6 - 86.0	496,200
Female	59,700	11.9	11.0 - 12.8	29,400	5.9	5.2 - 6.5	411,700	82.2	81.2 - 83.2	500,900

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	6.6	2.8 - 10.3	700	5.8	0.6 - 11.0	10,300	87.6	81.5 - 93.7	11,800
Grades 9 thru 11 (Some High School)	5,400	13.7	9.7 - 17.7	2,600	6.7	3.5 - 9.8	31,300	79.6	74.9 - 84.4	39,400
Grades 12 or GED (High School Grad)	32,100	11.1	9.9 - 12.4	18,900	6.6	5.5 - 7.7	237,400	82.3	80.7 - 83.9	288,400
College 1 to 3 years (Some College/ Tech)	26,200	9.1	8.0 - 10.2	25,100	8.8	7.4 - 10.1	235,000	82.1	80.5 - 83.7	286,300
College 4 years or more (College Grad)	30,000	8.1	7.2 - 8.9	23,000	6.2	5.4 - 6.9	317,500	85.7	84.6 - 86.8	370,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	57,300	9.3	8.6 - 10.1	44,200	7.2	6.5 - 7.9	512,400	83.5	82.4 - 84.5	614,000
Unemployed	5,900	9.7	6.9 - 12.5	5,100	8.3	5.7 - 11.0	49,800	82.0	78.3 - 85.6	60,700
Retired/Unable to work	19,600	9.1	8.2 - 10.1	10,500	4.9	4.1 - 5.7	184,900	86.0	84.8 - 87.2	215,000
Student/Homemaker	11,600	10.9	8.6 - 13.2	10,500	9.8	7.2 - 12.5	84,300	79.3	76.0 - 82.5	106,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,300	13.9	10.6 - 17.1	1,800	5.8	2.7 - 8.9	25,100	80.3	76.1 - 84.6	31,200
\$10,000 to \$14,999	3,200	12.9	8.8 - 17.0	1,500	5.9	3.2 - 8.7	20,100	81.1	76.4 - 85.9	24,800
\$15,000 to \$19,999	5,200	10.8	8.0 - 13.6	3,900	8.0	4.7 - 11.3	39,000	81.2	77.2 - 85.2	48,100
\$20,000 to \$24,999	5,900	9.7	7.2 - 12.2	4,700	7.9	5.3 - 10.4	49,700	82.4	79.0 - 85.8	60,300
\$25,000 to \$34,999	9,200	9.2	7.5 - 11.0	5,200	5.2	3.8 - 6.5	85,200	85.6	83.4 - 87.8	99,500
\$35,000 to \$49,999	16,500	11.2	9.5 - 13.0	10,500	7.2	5.6 - 8.7	120,000	81.6	79.4 - 83.8	147,000
\$50,000 to \$74,999	14,800	8.6	7.3 - 9.9	14,300	8.3	6.8 - 9.8	143,200	83.1	81.3 - 85.0	172,300
\$75,000 or more	24,300	7.7	6.8 - 8.6	21,900	7.0	6.0 - 8.0	268,800	85.3	84.0 - 86.6	315,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	24,500	11.9	10.4 - 13.5	14,600	7.1	5.7 - 8.5	165,900	80.9	78.9 - 83.0	205,000
131-185%	14,000	10.3	8.7 - 12.0	10,900	8.1	6.2 - 9.9	110,700	81.6	79.3 - 83.9	135,700
186+%	44,800	8.0	7.4 - 8.7	38,300	6.9	6.2 - 7.6	474,200	85.1	84.2 - 86.0	557,300

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	48,700	8.4	7.7 - 9.0	33,900	5.8	5.2 - 6.4	500,200	85.8	85.0 - 86.7	582,800
Unmarried Couple	3,600	11.6	8.0 - 15.2	3,300	10.4	6.4 - 14.4	24,400	78.0	72.9 - 83.1	31,300
Widowed	4,800	8.3	6.8 - 9.8	3,000	5.2	3.2 - 7.3	50,500	86.5	84.1 - 88.9	58,400
Other	37,200	11.5	10.2 - 12.8	30,000	9.2	7.9 - 10.6	257,300	79.3	77.5 - 81.0	324,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	49,600	8.3	7.7 - 9.0	34,400	5.8	5.2 - 6.4	510,000	85.9	85.0 - 86.7	594,000
No	44,500	11.1	10.0 - 12.2	35,800	8.9	7.8 - 10.1	320,900	80.0	78.5 - 81.5	401,200

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	88,300	9.5	8.9 - 10.1	65,000	7.0	6.4 - 7.6	774,300	83.5	82.7 - 84.3	927,600
No	6,100	9.0	6.3 - 11.8	5,000	7.4	4.4 - 10.4	56,400	83.6	79.8 - 87.4	67,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	89,300	9.0	8.4 - 9.6	62,900	6.4	5.8 - 6.9	838,000	84.6	83.9 - 85.4	990,200

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,600	10.2	9.0 - 11.4	8,900	6.7	5.6 - 7.8	110,600	83.1	81.5 - 84.6	133,100
Honolulu	61,700	8.8	8.0 - 9.6	44,000	6.3	5.6 - 7.0	594,200	84.9	83.9 - 85.9	699,900
Kauai	3,600	7.4	5.9 - 9.0	3,600	7.4	5.7 - 9.2	40,900	85.1	82.9 - 87.4	48,000
Maui	10,400	9.5	8.2 - 10.7	6,400	5.9	4.9 - 6.9	92,400	84.6	83.1 - 86.2	109,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,600	10.2	9.0 - 11.4	8,900	6.7	5.6 - 7.8	110,600	83.1	81.5 - 84.6	133,100
Kauai	3,600	7.4	5.9 - 9.0	3,600	7.4	5.7 - 9.2	40,900	85.1	82.9 - 87.4	48,000
Lanai	200	10.0	7.1 - 12.9	100	5.3	2.9 - 7.7	1,600	84.7	81.0 - 88.3	1,900
Maui	9,200	9.2	7.9 - 10.6	5,900	5.9	4.8 - 7.0	84,200	84.8	83.1 - 86.5	99,300
Molokai	1,000	12.3	9.0 - 15.7	400	5.6	3.4 - 7.7	6,600	82.1	78.3 - 85.9	8,000
Oahu	61,700	8.8	8.0 - 9.6	44,000	6.3	5.6 - 7.0	594,200	84.9	83.9 - 85.9	699,900

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,000	9.4	6.7 - 12.2	4,200	6.7	4.3 - 9.0	53,400	83.9	80.5 - 87.4	63,600
Ala Moana	2,100	7.1	3.6 - 10.7	1,100	3.8	1.4 - 6.2	26,400	89.0	84.9 - 93.1	29,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,300	6.7	4.5 - 9.0	1,600	8.3	5.3 - 11.3	16,800	85.0	81.4 - 88.5	19,800
Hilo	4,400	11.2	8.8 - 13.6	2,600	6.6	4.5 - 8.7	32,400	82.1	79.2 - 85.1	39,400
Kaaawa/ Kahaluu/ Kaneohe	3,300	6.8	4.6 - 9.0	3,300	6.8	3.9 - 9.8	41,900	86.4	82.9 - 89.9	48,500
Kahului	3,300	9.6	7.1 - 12.2	1,800	5.3	3.6 - 7.1	28,900	85.0	82.1 - 88.0	34,000
Kailua/ Waimanalo	6,500	12.7	9.2 - 16.2	2,700	5.4	3.1 - 7.6	42,000	81.9	78.0 - 85.9	51,300
Kaimuki/ Palolo/ Waikiki	4,100	7.2	5.0 - 9.4	2,700	4.8	3.0 - 6.6	50,000	88.0	85.3 - 90.7	56,800
Kona	2,600	9.1	7.0 - 11.1	1,600	5.8	3.9 - 7.6	24,100	85.1	82.5 - 87.8	28,300
Lahaina/ Wailuku	2,300	7.1	5.3 - 9.0	2,500	7.8	5.4 - 10.2	27,100	85.1	82.2 - 87.9	31,900
Lanai	200	10.0	7.1 - 12.9	100	5.3	2.9 - 7.7	1,600	84.7	81.0 - 88.3	1,900
Lihue-Waimea	2,200	7.9	5.9 - 10.0	1,900	6.8	4.7 - 8.9	24,000	85.3	82.5 - 88.1	28,200
Manoa/ Upper Makiki	3,300	7.2	4.8 - 9.7	3,500	7.5	4.9 - 10.2	39,200	85.2	81.8 - 88.7	46,000
Mililani/ Wahiawa	6,700	8.9	6.7 - 11.1	5,300	7.0	4.7 - 9.2	63,900	84.2	81.2 - 87.2	75,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,000	12.3	9.0 - 15.7	400	5.6	3.4 - 7.7	6,600	82.1	78.3 - 85.9	8,000
Nanakuli/ Waianae	4,800	13.9	9.4 - 18.5	1,500	4.4	2.2 - 6.5	28,300	81.7	76.8 - 86.6	34,600
N.Hawaii	3,200	11.6	8.6 - 14.6	2,200	7.8	5.0 - 10.6	22,600	80.6	76.8 - 84.4	28,000
N.Shore/ Laie	3,100	14.1	8.6 - 19.5	1,400	6.3	2.3 - 10.4	17,300	79.6	73.2 - 86.0	21,700
Nuuanu/ Kalihi/ Moanalua	5,500	8.0	5.4 - 10.6	4,300	6.2	3.5 - 8.8	59,400	85.8	82.3 - 89.3	69,200
Puna/ Kau	3,400	9.0	6.9 - 11.1	2,500	6.7	4.8 - 8.5	31,500	84.3	81.7 - 87.0	37,400
Salt Lake/ Foster Village	2,300	6.7	4.1 - 9.3	1,900	5.6	2.6 - 8.6	30,400	87.7	83.9 - 91.6	34,600
Upcountry/ Hana	3,600	10.9	8.4 - 13.4	1,600	4.8	3.2 - 6.4	28,200	84.3	81.5 - 87.2	33,400
Waialae/ Kahala/ Hawaii Kai	2,200	4.8	3.1 - 6.5	3,800	8.1	5.1 - 11.1	40,400	87.1	83.8 - 90.4	46,300
Waipahu/ Kapolei/ Ewa	11,700	9.6	7.5 - 11.8	8,300	6.8	5.0 - 8.5	101,700	83.6	81.0 - 86.2	121,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	17,900	14.8	11.8 - 17.8	14,000	11.6	9.0 - 14.1	89,400	73.7	70.1 - 77.3	121,300
25-34	13,600	8.0	6.5 - 9.4	12,600	7.3	5.7 - 9.0	145,000	84.7	82.6 - 86.8	171,200
35-44	13,800	7.9	6.7 - 9.0	9,600	5.5	4.4 - 6.5	152,500	86.7	85.2 - 88.2	175,900
45-54	17,600	9.8	8.6 - 11.0	9,700	5.4	4.5 - 6.2	153,200	84.9	83.4 - 86.3	180,500
55-64	14,200	9.4	8.2 - 10.5	9,500	6.2	5.2 - 7.2	128,600	84.4	83.0 - 85.9	152,300
65-74	6,600	7.5	6.2 - 8.8	3,500	3.9	3.0 - 4.8	78,100	88.6	87.1 - 90.1	88,200
75+	5,100	5.3	4.2 - 6.4	3,900	4.0	2.8 - 5.2	87,100	90.7	89.1 - 92.2	96,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	27,000	8.5	7.6 - 9.3	16,900	5.3	4.5 - 6.0	275,400	86.3	85.2 - 87.4	319,300
Native Hawaiian	19,000	14.6	12.5 - 16.6	12,900	9.9	8.0 - 11.7	98,600	75.5	73.0 - 78.1	130,500
Chinese	5,300	8.8	6.6 - 10.9	3,700	6.1	3.7 - 8.4	51,800	85.2	82.2 - 88.2	60,900
Filipino	13,300	8.3	6.6 - 10.0	8,600	5.4	4.1 - 6.7	138,300	86.3	84.2 - 88.4	160,300
Japanese	16,300	7.3	6.1 - 8.4	15,100	6.7	5.6 - 7.8	193,400	86.0	84.5 - 87.6	224,700
Black	1,200	8.1	3.4 - 12.7	500	3.5	0.8 - 6.3	13,600	88.4	83.1 - 93.6	15,300
Native Alaskan/ American Indian	1,000	17.0	8.9 - 25.1	200	3.7	0.0 - 9.9	4,500	79.3	69.7 - 88.8	5,700
Other Asian	1,500	6.3	2.7 - 10.0	1,500	6.3	3.2 - 9.4	20,500	87.4	82.7 - 92.0	23,400
Other Pacific Islander	700	2.8	0.8 - 4.9	1,500	5.9	2.0 - 9.9	23,500	91.2	86.9 - 95.6	25,700
Other	3,700	17.7	11.7 - 23.7	1,900	8.8	4.0 - 13.5	15,500	73.5	66.6 - 80.4	21,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	34,200	7.0	6.1 - 7.8	36,000	7.3	6.5 - 8.2	420,400	85.7	84.5 - 86.9	490,500
Female	55,100	11.0	10.2 - 11.8	27,000	5.4	4.8 - 6.0	417,600	83.6	82.6 - 84.6	499,700

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	900	6.9	3.4 - 10.5	500	4.1	0.0 - 8.6	11,600	89.0	83.5 - 94.5	13,000
Grades 9 thru 11 (Some High School)	5,400	14.1	10.1 - 18.0	2,900	7.7	4.5 - 10.8	29,800	78.3	73.6 - 83.0	38,100
Grades 12 or GED (High School Grad)	31,100	10.6	9.3 - 11.8	17,400	5.9	5.0 - 6.9	246,200	83.5	82.0 - 85.1	294,800
College 1 to 3 years (Some College/ Tech)	25,900	9.0	7.9 - 10.1	20,900	7.3	6.2 - 8.4	240,400	83.7	82.2 - 85.2	287,200
College 4 years or more (College Grad)	26,100	7.3	6.5 - 8.1	21,100	5.9	5.1 - 6.7	308,800	86.8	85.7 - 87.8	355,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	55,100	8.8	8.0 - 9.5	40,700	6.5	5.8 - 7.2	531,300	84.7	83.8 - 85.7	627,200
Unemployed	5,800	12.0	8.5 - 15.5	4,100	8.6	5.5 - 11.7	38,200	79.4	75.0 - 83.8	48,100
Retired/Unable to work	18,000	8.2	7.3 - 9.1	9,600	4.4	3.6 - 5.2	191,300	87.4	86.3 - 88.6	218,800
Student/Homemaker	10,400	11.0	8.7 - 13.3	8,400	8.8	6.4 - 11.3	76,100	80.2	77.1 - 83.3	95,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,900	14.6	10.7 - 18.4	1,600	6.0	2.5 - 9.5	21,200	79.4	74.6 - 84.2	26,600
\$10,000 to \$14,999	3,100	12.1	8.4 - 15.9	1,100	4.3	2.2 - 6.4	21,300	83.6	79.4 - 87.8	25,400
\$15,000 to \$19,999	4,700	10.5	7.6 - 13.4	2,900	6.6	4.2 - 8.9	36,800	83.0	79.4 - 86.5	44,400
\$20,000 to \$24,999	5,900	10.1	7.4 - 12.9	4,100	7.0	4.6 - 9.4	48,200	82.8	79.4 - 86.3	58,200
\$25,000 to \$34,999	8,200	7.9	6.3 - 9.4	5,900	5.7	4.2 - 7.1	89,700	86.5	84.4 - 88.5	103,800
\$35,000 to \$49,999	15,400	10.0	8.4 - 11.5	11,000	7.1	5.5 - 8.6	128,600	83.0	80.9 - 85.0	155,000
\$50,000 to \$74,999	14,400	8.1	6.8 - 9.4	12,600	7.1	5.8 - 8.4	150,400	84.8	83.0 - 86.6	177,400
\$75,000 or more	23,400	7.7	6.7 - 8.6	18,700	6.1	5.2 - 7.1	262,900	86.2	84.9 - 87.4	305,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,500	11.6	10.0 - 13.2	11,600	6.0	4.7 - 7.2	159,800	82.4	80.5 - 84.3	193,800
131-185%	12,200	9.6	7.9 - 11.4	10,600	8.4	6.3 - 10.4	104,400	82.0	79.5 - 84.5	127,300
186+%	44,200	7.7	7.0 - 8.3	35,700	6.2	5.6 - 6.8	494,800	86.1	85.2 - 87.0	574,700

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	46,000	7.9	7.2 - 8.5	31,700	5.4	4.8 - 6.0	507,400	86.7	85.9 - 87.5	585,100
Unmarried Couple	3,100	10.8	7.5 - 14.2	3,200	11.0	6.8 - 15.3	22,300	78.1	73.0 - 83.2	28,600
Widowed	4,600	7.9	6.3 - 9.4	3,100	5.3	3.4 - 7.2	50,600	86.8	84.5 - 89.1	58,300
Other	35,500	11.2	9.8 - 12.5	25,000	7.9	6.7 - 9.0	257,800	81.0	79.3 - 82.7	318,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	47,300	7.9	7.3 - 8.6	32,100	5.4	4.8 - 6.0	515,900	86.7	85.8 - 87.5	595,300
No	41,900	10.6	9.5 - 11.8	30,800	7.8	6.8 - 8.9	320,600	81.5	80.1 - 83.0	393,200

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	82,800	9.0	8.4 - 9.6	57,700	6.2	5.7 - 6.8	783,600	84.8	84.0 - 85.6	924,100
No	6,400	10.0	6.9 - 13.2	4,900	7.6	5.0 - 10.1	53,000	82.4	78.5 - 86.2	64,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	84,000	8.6	8.0 - 9.1	63,300	6.5	5.9 - 7.0	833,300	85.0	84.2 - 85.7	980,600

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	12,000	9.4	8.2 - 10.5	8,800	6.9	5.8 - 8.0	106,800	83.7	82.2 - 85.2	127,600
Honolulu	58,400	8.4	7.6 - 9.1	44,000	6.3	5.6 - 7.0	595,300	85.3	84.4 - 86.3	697,700
Kauai	3,800	8.1	6.4 - 9.7	3,600	7.7	5.8 - 9.5	40,100	84.3	82.0 - 86.6	47,600
Maui	9,800	9.1	7.8 - 10.4	6,900	6.4	5.3 - 7.4	91,100	84.5	83.0 - 86.1	107,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	12,000	9.4	8.2 - 10.5	8,800	6.9	5.8 - 8.0	106,800	83.7	82.2 - 85.2	127,600
Kauai	3,800	8.1	6.4 - 9.7	3,600	7.7	5.8 - 9.5	40,100	84.3	82.0 - 86.6	47,600
Lanai	200	9.5	6.9 - 12.1	100	5.4	3.1 - 7.7	1,800	85.1	81.7 - 88.4	2,100
Maui	8,800	8.9	7.6 - 10.3	6,300	6.4	5.3 - 7.6	83,100	84.6	82.9 - 86.3	98,100
Molokai	800	10.9	7.7 - 14.1	400	5.9	3.3 - 8.4	6,200	83.2	79.3 - 87.1	7,500
Oahu	58,400	8.4	7.6 - 9.1	44,000	6.3	5.6 - 7.0	595,300	85.3	84.4 - 86.3	697,700

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,400	8.2	5.6 - 10.7	3,900	5.9	3.7 - 8.1	56,600	85.9	82.7 - 89.1	66,000
Ala Moana	2,200	7.1	4.2 - 9.9	1,400	4.4	2.0 - 6.8	27,900	88.5	84.9 - 92.1	31,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,400	6.9	4.7 - 9.1	1,500	7.6	4.8 - 10.3	17,100	85.6	82.2 - 88.9	20,000
Hilo	4,300	11.5	9.0 - 14.0	2,600	6.9	4.8 - 9.0	30,700	81.6	78.5 - 84.6	37,600
Kaaawa/ Kahaluu/ Kaneohe	3,900	8.0	5.6 - 10.4	3,800	7.9	4.7 - 11.1	40,600	84.1	80.3 - 87.9	48,300
Kahului	3,200	9.7	7.0 - 12.5	1,600	4.8	3.2 - 6.4	28,100	85.5	82.4 - 88.5	32,900
Kailua/ Waimanalo	6,100	12.1	8.8 - 15.3	3,200	6.3	3.9 - 8.8	41,400	81.6	77.8 - 85.4	50,800
Kaimuki/ Palolo/ Waikiki	3,300	5.8	3.9 - 7.8	2,800	4.8	3.0 - 6.7	51,000	89.3	86.7 - 92.0	57,100
Kona	1,900	6.9	5.1 - 8.6	1,700	6.2	4.3 - 8.0	24,400	87.0	84.5 - 89.4	28,000
Lahaina/ Wailuku	2,700	8.2	6.1 - 10.2	2,500	7.7	5.5 - 10.0	27,300	84.1	81.2 - 87.0	32,500
Lanai	200	9.5	6.9 - 12.1	100	5.4	3.1 - 7.7	1,800	85.1	81.7 - 88.4	2,100
Lihue-Waimea	2,500	8.9	6.6 - 11.2	2,100	7.7	5.3 - 10.2	23,000	83.3	80.2 - 86.5	27,600
Manoa/ Upper Makiki	3,300	7.1	4.7 - 9.5	3,700	7.8	5.5 - 10.1	40,000	85.1	82.0 - 88.3	47,000
Mililani/ Wahiawa	5,800	8.2	6.1 - 10.4	5,600	8.0	5.7 - 10.3	58,700	83.8	80.8 - 86.8	70,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	800	10.9	7.7 - 14.1	400	5.9	3.3 - 8.4	6,200	83.2	79.3 - 87.1	7,500
Nanakuli/ Waianae	5,100	14.6	10.2 - 19.1	2,100	6.1	3.3 - 8.8	27,500	79.3	74.2 - 84.4	34,700
N.Hawaii	3,000	10.9	8.1 - 13.8	2,200	8.1	5.2 - 11.1	22,100	81.0	77.2 - 84.8	27,300
N.Shore/ Laie	2,400	10.2	5.8 - 14.7	1,800	7.7	3.7 - 11.8	19,300	82.0	76.3 - 87.7	23,500
Nuuanu/ Kalihi/ Moanalua	5,000	7.3	4.9 - 9.7	3,100	4.5	2.3 - 6.7	60,600	88.2	85.1 - 91.3	68,700
Puna/ Kau	2,800	7.9	6.1 - 9.8	2,200	6.5	4.6 - 8.4	29,700	85.6	83.0 - 88.1	34,700
Salt Lake/ Foster Village	2,800	8.3	4.9 - 11.7	1,800	5.4	2.6 - 8.3	29,000	86.3	82.1 - 90.6	33,600
Upcountry/ Hana	2,900	8.9	6.5 - 11.3	2,200	6.8	4.8 - 8.7	27,600	84.3	81.4 - 87.3	32,700
Waialae/ Kahala/ Hawaii Kai	2,100	5.1	3.1 - 7.0	2,600	6.1	3.6 - 8.5	37,500	88.9	85.8 - 91.9	42,200
Waipahu/ Kapolei/ Ewa	11,000	8.8	6.8 - 10.9	8,300	6.7	4.8 - 8.5	105,000	84.5	81.9 - 87.1	124,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	15,300	12.5	9.8 - 15.1	14,000	11.4	8.9 - 13.9	93,300	76.1	72.8 - 79.5	122,600
25-34	14,800	8.9	7.4 - 10.5	12,800	7.8	6.1 - 9.4	137,900	83.3	81.2 - 85.5	165,500
35-44	13,600	7.7	6.5 - 8.9	9,500	5.4	4.4 - 6.4	153,000	86.8	85.3 - 88.3	176,100
45-54	15,700	8.7	7.6 - 9.9	10,500	5.9	4.9 - 6.8	153,800	85.4	84.0 - 86.9	180,100
55-64	13,400	8.9	7.7 - 10.2	9,700	6.5	5.4 - 7.5	126,800	84.6	83.1 - 86.1	149,900
65-74	6,100	7.1	5.9 - 8.4	3,600	4.2	3.2 - 5.1	75,800	88.7	87.2 - 90.2	85,400
75+	4,700	4.9	3.8 - 6.0	2,800	2.9	2.1 - 3.8	87,400	92.2	90.8 - 93.5	94,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	26,200	8.2	7.3 - 9.0	18,600	5.8	5.1 - 6.6	274,700	86.0	84.9 - 87.1	319,500
Native Hawaiian	18,300	14.1	12.1 - 16.1	12,100	9.3	7.6 - 11.0	99,700	76.6	74.2 - 79.1	130,100
Chinese	4,800	8.5	6.3 - 10.7	3,700	6.7	4.1 - 9.3	47,300	84.8	81.5 - 88.0	55,800
Filipino	12,000	7.6	6.0 - 9.3	9,100	5.8	4.3 - 7.3	135,500	86.5	84.4 - 88.7	156,600
Japanese	13,900	6.4	5.4 - 7.5	13,900	6.5	5.4 - 7.5	187,800	87.1	85.7 - 88.5	215,600
Black	1,200	7.8	3.3 - 12.3	500	3.4	0.5 - 6.3	13,100	88.8	83.5 - 94.0	14,800
Native Alaskan/ American Indian	800	14.1	6.7 - 21.6	300	4.9	0.0 - 11.5	4,700	80.9	71.6 - 90.2	5,800
Other Asian	1,000	4.2	1.2 - 7.2	900	3.5	1.4 - 5.5	23,100	92.4	88.8 - 95.9	25,000
Other Pacific Islander	1,500	6.1	2.6 - 9.6	900	3.7	0.9 - 6.5	21,700	90.2	85.8 - 94.6	24,100
Mixed Ethnicity	600	8.0	3.3 - 12.7	700	8.4	1.8 - 15.0	6,500	83.6	75.7 - 91.4	7,800
Other	3,600	16.7	11.1 - 22.3	2,300	10.4	4.7 - 16.2	15,700	72.8	65.7 - 80.0	21,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	32,200	6.7	5.8 - 7.5	34,400	7.1	6.2 - 8.0	417,700	86.2	85.1 - 87.4	484,400
Female	51,800	10.4	9.7 - 11.2	28,900	5.8	5.2 - 6.4	415,600	83.7	82.8 - 84.7	496,200

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	900	6.7	3.1 - 10.3	400	2.6	0.4 - 4.8	12,400	90.7	86.6 - 94.8	13,700
Grades 9 thru 11 (Some High School)	4,400	11.2	8.0 - 14.4	2,900	7.5	4.5 - 10.6	31,800	81.3	77.1 - 85.4	39,100
Grades 12 or GED (High School Grad)	28,000	9.4	8.2 - 10.7	18,800	6.3	5.3 - 7.4	249,800	84.2	82.7 - 85.7	296,700
College 1 to 3 years (Some College/ Tech)	24,400	8.6	7.5 - 9.7	20,400	7.2	6.1 - 8.2	238,900	84.2	82.8 - 85.6	283,700
College 4 years or more (College Grad)	26,300	7.6	6.8 - 8.4	20,800	6.0	5.2 - 6.8	299,100	86.4	85.3 - 87.5	346,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	51,700	8.2	7.5 - 9.0	41,400	6.6	5.9 - 7.2	534,600	85.2	84.2 - 86.1	627,700
Unemployed	4,800	12.8	8.9 - 16.8	5,000	13.4	8.9 - 17.9	27,400	73.8	68.3 - 79.3	37,100
Retired/Unable to work	17,800	8.0	7.1 - 8.9	9,000	4.0	3.3 - 4.8	196,900	88.0	86.9 - 89.1	223,700
Student/Homemaker	9,800	10.8	8.5 - 13.0	7,800	8.6	6.3 - 10.9	73,200	80.6	77.6 - 83.7	90,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,700	13.9	10.2 - 17.7	1,600	6.0	2.9 - 9.1	21,100	80.1	75.5 - 84.6	26,300
\$10,000 to \$14,999	3,100	11.8	8.1 - 15.5	1,300	5.0	2.7 - 7.2	21,600	83.2	79.0 - 87.4	26,000
\$15,000 to \$19,999	4,200	9.8	7.2 - 12.4	2,400	5.5	3.5 - 7.6	36,500	84.7	81.5 - 87.9	43,100
\$20,000 to \$24,999	5,300	8.8	6.3 - 11.4	4,100	6.9	4.5 - 9.2	50,800	84.3	81.0 - 87.6	60,300
\$25,000 to \$34,999	9,100	8.6	6.9 - 10.3	5,800	5.5	4.0 - 6.9	91,500	86.0	83.8 - 88.1	106,500
\$35,000 to \$49,999	13,800	9.3	7.8 - 10.8	11,300	7.6	6.1 - 9.1	123,200	83.1	81.1 - 85.1	148,300
\$50,000 to \$74,999	12,700	7.5	6.2 - 8.7	11,700	6.9	5.6 - 8.2	146,100	85.7	84.0 - 87.4	170,500
\$75,000 or more	20,400	7.3	6.3 - 8.2	17,600	6.2	5.4 - 7.1	243,700	86.5	85.2 - 87.7	281,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	20,300	11.0	9.5 - 12.6	10,400	5.7	4.4 - 6.9	153,800	83.3	81.4 - 85.2	184,500
131-185%	11,600	10.0	8.0 - 12.0	9,900	8.5	6.5 - 10.5	94,700	81.5	78.8 - 84.1	116,300
186+%	40,400	7.2	6.6 - 7.8	35,400	6.3	5.7 - 6.9	485,900	86.5	85.7 - 87.3	561,700

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	44,100	7.6	6.9 - 8.2	33,100	5.7	5.1 - 6.3	503,700	86.7	85.9 - 87.6	580,900
Unmarried Couple	3,000	10.6	7.2 - 14.1	3,800	13.3	8.2 - 18.5	21,700	76.1	70.3 - 81.8	28,500
Widowed	4,500	7.8	6.3 - 9.4	2,800	4.9	3.4 - 6.4	49,600	87.2	85.1 - 89.3	56,800
Other	32,400	10.3	9.1 - 11.6	23,600	7.5	6.4 - 8.6	258,400	82.2	80.6 - 83.8	314,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	45,500	7.7	7.1 - 8.4	33,700	5.7	5.1 - 6.3	511,800	86.6	85.8 - 87.4	591,100
No	38,400	9.9	8.8 - 11.0	29,500	7.6	6.6 - 8.6	319,900	82.5	81.1 - 83.9	387,800

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	77,100	8.5	7.9 - 9.0	58,700	6.4	5.9 - 7.0	775,900	85.1	84.4 - 85.9	911,600
No	6,800	10.1	7.1 - 13.1	4,500	6.7	4.5 - 8.8	55,900	83.2	79.7 - 86.7	67,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	76,400	7.9	7.3 - 8.4	62,600	6.4	5.9 - 6.9	833,200	85.7	85.0 - 86.4	972,200

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,900	8.1	7.1 - 9.1	7,800	6.4	5.4 - 7.3	105,000	85.5	84.2 - 86.8	122,800
Honolulu	53,400	7.7	7.0 - 8.4	44,000	6.3	5.6 - 7.0	599,500	86.0	85.1 - 86.9	696,900
Kauai	3,800	8.0	6.4 - 9.6	3,900	8.4	6.6 - 10.3	39,100	83.5	81.2 - 85.8	46,800
Maui	9,300	8.8	7.6 - 10.0	6,800	6.5	5.3 - 7.6	89,600	84.8	83.2 - 86.3	105,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,900	8.1	7.1 - 9.1	7,800	6.4	5.4 - 7.3	105,000	85.5	84.2 - 86.8	122,800
Kauai	3,800	8.0	6.4 - 9.6	3,900	8.4	6.6 - 10.3	39,100	83.5	81.2 - 85.8	46,800
Lanai	200	7.9	5.4 - 10.4	100	6.1	2.8 - 9.4	1,900	86.0	82.1 - 90.0	2,300
Maui	8,400	8.6	7.4 - 9.9	6,400	6.6	5.3 - 7.8	82,100	84.8	83.1 - 86.5	96,800
Molokai	700	11.1	7.9 - 14.3	300	5.2	2.9 - 7.4	5,600	83.7	80.0 - 87.5	6,700
Oahu	53,400	7.7	7.0 - 8.4	44,000	6.3	5.6 - 7.0	599,500	86.0	85.1 - 86.9	696,900

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,800	7.0	4.6 - 9.4	4,000	6.0	3.8 - 8.1	59,100	87.0	84.0 - 90.1	67,900
Ala Moana	2,200	7.0	4.5 - 9.5	1,800	5.7	3.2 - 8.1	27,800	87.3	84.0 - 90.7	31,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,400	7.0	5.0 - 9.0	1,500	7.8	5.3 - 10.2	16,900	85.3	82.3 - 88.2	19,800
Hilo	3,000	8.5	6.7 - 10.4	2,100	6.0	4.3 - 7.7	30,300	85.5	83.1 - 87.9	35,400
Kaaawa/ Kahaluu/ Kaneohe	4,800	9.6	7.0 - 12.3	3,100	6.3	3.9 - 8.6	41,800	84.1	80.7 - 87.5	49,700
Kahului	2,800	8.4	6.3 - 10.5	2,000	6.0	4.2 - 7.8	28,200	85.6	82.9 - 88.3	33,000
Kailua/ Waimanalo	4,900	9.8	6.9 - 12.7	3,400	6.7	4.0 - 9.4	41,800	83.5	79.8 - 87.2	50,100
Kaimuki/ Palolo/ Waikiki	3,500	5.9	4.1 - 7.8	3,200	5.3	3.4 - 7.3	52,800	88.7	86.2 - 91.3	59,400
Kona	2,000	7.1	5.2 - 9.0	1,800	6.5	4.6 - 8.3	24,700	86.4	83.9 - 89.0	28,600
Lahaina/ Wailuku	2,700	8.5	6.4 - 10.6	1,900	6.1	4.1 - 8.0	27,000	85.4	82.7 - 88.2	31,600
Lanai	200	7.9	5.4 - 10.4	100	6.1	2.8 - 9.4	1,900	86.0	82.1 - 90.0	2,300
Lihue-Waimea	2,400	8.8	6.5 - 11.2	2,400	8.9	6.3 - 11.6	22,200	82.3	79.0 - 85.6	27,000
Manoa/ Upper Makiki	2,800	6.1	4.1 - 8.0	3,500	7.6	5.1 - 10.1	39,400	86.3	83.3 - 89.4	45,600
Mililani/ Wahiawa	4,400	6.2	4.5 - 8.0	5,300	7.5	5.4 - 9.6	60,500	86.3	83.6 - 88.9	70,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	700	11.1	7.9 - 14.3	300	5.2	2.9 - 7.4	5,600	83.7	80.0 - 87.5	6,700
Nanakuli/ Waianae	3,600	10.7	6.7 - 14.6	2,400	7.2	3.8 - 10.6	27,600	82.1	77.2 - 87.1	33,600
N.Hawaii	2,400	9.0	6.4 - 11.5	1,800	6.9	4.7 - 9.1	22,100	84.2	81.0 - 87.4	26,300
N.Shore/ Laie	2,700	12.0	7.7 - 16.3	1,300	6.0	3.0 - 9.0	18,300	82.0	77.0 - 87.1	22,300
Nuuanu/ Kalihi/ Moanalua	5,100	7.3	4.8 - 9.8	3,600	5.1	2.9 - 7.3	61,300	87.6	84.4 - 90.8	70,000
Puna/ Kau	2,600	7.8	6.0 - 9.6	2,000	6.3	4.5 - 8.1	27,900	85.9	83.4 - 88.3	32,500
Salt Lake/ Foster Village	2,600	8.2	4.6 - 11.7	1,800	5.7	2.9 - 8.4	27,700	86.2	81.9 - 90.5	32,200
Upcountry/ Hana	2,900	9.0	6.5 - 11.4	2,500	7.6	5.1 - 10.2	26,900	83.4	80.0 - 86.7	32,200
Waiialae/ Kahala/ Hawaii Kai	2,100	4.9	2.9 - 7.0	2,800	6.7	4.0 - 9.4	36,600	88.3	85.0 - 91.6	41,400
Waipahu/ Kapolei/ Ewa	10,000	8.2	6.3 - 10.1	7,800	6.4	4.6 - 8.1	104,800	85.4	83.0 - 87.9	122,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	11,800	9.7	7.4 - 12.1	13,200	10.9	8.5 - 13.4	96,000	79.3	76.1 - 82.5	121,000
25-34	14,800	9.1	7.6 - 10.6	12,000	7.4	5.9 - 8.9	135,200	83.5	81.5 - 85.5	162,000
35-44	11,800	6.7	5.6 - 7.7	9,900	5.6	4.6 - 6.6	155,700	87.8	86.4 - 89.2	177,500
45-54	13,900	7.7	6.6 - 8.7	11,300	6.2	5.2 - 7.2	156,700	86.1	84.7 - 87.5	182,000
55-64	13,400	9.1	7.9 - 10.4	9,000	6.1	5.1 - 7.2	124,600	84.7	83.2 - 86.3	147,000
65-74	5,500	6.6	5.4 - 7.7	3,900	4.6	3.5 - 5.6	74,800	88.9	87.3 - 90.4	84,200
75+	4,800	5.2	4.1 - 6.4	2,700	2.9	2.1 - 3.7	85,200	91.9	90.5 - 93.3	92,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	24,300	7.6	6.8 - 8.5	17,900	5.6	4.9 - 6.4	275,900	86.7	85.7 - 87.8	318,100
Native Hawaiian	16,500	13.4	11.5 - 15.3	11,400	9.2	7.6 - 10.9	95,400	77.4	75.1 - 79.7	123,300
Chinese	3,500	6.7	4.8 - 8.6	3,100	6.0	3.9 - 8.2	45,500	87.3	84.5 - 90.1	52,200
Filipino	12,300	7.6	6.0 - 9.3	10,500	6.5	5.0 - 8.1	138,200	85.8	83.7 - 88.0	161,000
Japanese	11,800	5.6	4.7 - 6.6	14,000	6.7	5.6 - 7.7	184,000	87.7	86.3 - 89.1	209,800
Black	1,000	5.9	2.1 - 9.7	600	3.6	0.8 - 6.3	15,200	90.6	86.0 - 95.1	16,800
Native Alaskan/ American Indian	700	13.7	5.4 - 22.0	200	3.7	0.3 - 7.1	4,500	82.5	73.8 - 91.3	5,400
Other Asian	500	2.0	0.7 - 3.2	500	2.3	0.5 - 4.1	22,500	95.7	93.5 - 97.9	23,500
Other Pacific Islander	1,800	7.3	3.6 - 11.0	1,100	4.4	1.9 - 6.9	21,600	88.3	83.9 - 92.7	24,500
Mixed Ethnicity	600	8.0	3.3 - 12.7	700	8.4	1.8 - 15.0	6,500	83.6	75.7 - 91.4	7,800
Other	3,200	12.6	8.4 - 16.8	2,100	8.3	3.6 - 12.9	20,100	79.2	73.4 - 84.9	25,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	27,400	5.7	4.9 - 6.5	31,800	6.6	5.8 - 7.4	421,200	87.7	86.6 - 88.8	480,400
Female	49,100	10.0	9.2 - 10.7	30,800	6.3	5.6 - 6.9	412,000	83.8	82.8 - 84.7	491,900

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,600	9.4	4.7 - 14.1	500	2.8	0.8 - 4.7	15,300	87.9	82.9 - 92.8	17,400
Grades 9 thru 11 (Some High School)	3,900	9.9	7.1 - 12.7	2,900	7.3	4.3 - 10.3	32,500	82.8	78.9 - 86.7	39,200
Grades 12 or GED (High School Grad)	22,900	7.9	6.8 - 8.9	20,300	7.0	5.9 - 8.0	248,400	85.2	83.8 - 86.6	291,600
College 1 to 3 years (Some College/ Tech)	24,000	8.5	7.5 - 9.6	18,400	6.5	5.6 - 7.5	239,700	84.9	83.6 - 86.3	282,200
College 4 years or more (College Grad)	23,800	7.0	6.2 - 7.8	20,400	6.0	5.2 - 6.8	295,900	87.0	85.9 - 88.1	340,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	47,800	7.6	6.9 - 8.3	42,300	6.8	6.1 - 7.4	535,900	85.6	84.7 - 86.5	626,100
Unemployed	3,400	11.7	7.6 - 15.9	3,500	12.3	7.4 - 17.2	21,700	76.0	70.1 - 81.8	28,600
Retired/Unable to work	17,200	7.6	6.7 - 8.5	9,900	4.4	3.6 - 5.1	198,200	88.0	86.8 - 89.1	225,300
Student/Homemaker	8,000	8.8	6.9 - 10.8	6,600	7.3	5.4 - 9.3	76,000	83.8	81.2 - 86.5	90,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,000	11.0	7.6 - 14.4	1,200	4.5	2.7 - 6.2	23,000	84.5	80.8 - 88.3	27,300
\$10,000 to \$14,999	3,000	10.6	7.4 - 13.7	1,200	4.2	2.3 - 6.1	23,800	85.2	81.6 - 88.8	27,900
\$15,000 to \$19,999	4,000	8.6	6.6 - 10.7	2,900	6.3	4.2 - 8.4	39,400	85.0	82.2 - 87.9	46,300
\$20,000 to \$24,999	5,900	9.4	7.0 - 11.9	4,000	6.4	4.2 - 8.5	52,300	84.2	81.1 - 87.3	62,200
\$25,000 to \$34,999	7,900	7.4	5.9 - 9.0	6,400	6.0	4.5 - 7.6	91,800	86.5	84.4 - 88.6	106,100
\$35,000 to \$49,999	12,400	8.3	6.9 - 9.6	11,300	7.5	6.1 - 8.9	126,100	84.2	82.4 - 86.1	149,700
\$50,000 to \$74,999	11,500	6.8	5.5 - 8.0	11,400	6.7	5.5 - 8.0	146,200	86.5	84.8 - 88.2	169,100
\$75,000 or more	17,400	6.9	6.0 - 7.8	15,600	6.2	5.3 - 7.1	218,700	86.9	85.6 - 88.2	251,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	18,000	10.0	8.5 - 11.4	9,900	5.5	4.3 - 6.6	152,500	84.5	82.8 - 86.3	180,400
131-185%	9,600	8.9	6.9 - 10.9	8,800	8.2	6.2 - 10.1	89,100	82.9	80.3 - 85.5	107,500
186+%	37,400	6.8	6.2 - 7.4	35,200	6.4	5.8 - 7.0	479,800	86.9	86.0 - 87.7	552,400

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	41,900	7.2	6.6 - 7.9	33,100	5.7	5.2 - 6.3	503,600	87.0	86.2 - 87.9	578,600
Unmarried Couple	2,600	9.4	5.9 - 12.9	3,900	14.2	8.6 - 19.8	21,300	76.4	70.4 - 82.5	27,900
Widowed	4,300	7.6	6.0 - 9.1	2,600	4.5	3.3 - 5.7	50,000	88.0	86.1 - 89.8	56,900
Other	27,600	8.9	7.8 - 10.1	23,000	7.4	6.4 - 8.5	258,300	83.6	82.1 - 85.1	308,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	43,100	7.3	6.7 - 7.9	33,900	5.8	5.2 - 6.3	512,000	86.9	86.1 - 87.7	589,000
No	33,200	8.7	7.7 - 9.7	28,400	7.5	6.5 - 8.4	320,000	83.8	82.5 - 85.2	381,700

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	70,200	7.8	7.3 - 8.4	56,900	6.3	5.8 - 6.9	771,600	85.9	85.1 - 86.6	898,700
No	6,100	8.5	6.0 - 11.0	5,700	7.9	5.6 - 10.3	59,900	83.6	80.3 - 86.8	71,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	74,700	7.9	7.2 - 8.6	62,800	6.6	5.9 - 7.3	810,400	85.5	84.6 - 86.4	947,900

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,500	8.5	7.2 - 9.8	7,400	6.0	4.9 - 7.1	105,600	85.5	83.9 - 87.2	123,500
Honolulu	51,000	7.5	6.7 - 8.4	45,800	6.8	5.8 - 7.7	580,600	85.7	84.5 - 86.9	677,400
Kauai	4,000	9.0	7.1 - 10.9	3,500	7.9	6.0 - 9.7	37,100	83.1	80.6 - 85.7	44,600
Maui	9,200	9.0	7.2 - 10.8	6,100	6.0	4.6 - 7.4	87,100	85.0	82.9 - 87.2	102,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,500	8.5	7.2 - 9.8	7,400	6.0	4.9 - 7.1	105,600	85.5	83.9 - 87.2	123,500
Kauai	4,000	9.0	7.1 - 10.9	3,500	7.9	6.0 - 9.7	37,100	83.1	80.6 - 85.7	44,600
Lanai	200	7.4	4.5 - 10.4	100	5.1	1.7 - 8.5	1,800	87.5	83.2 - 91.8	2,100
Maui	8,700	9.2	7.2 - 11.1	5,700	6.1	4.6 - 7.6	80,000	84.8	82.4 - 87.1	94,400
Molokai	400	6.6	4.1 - 9.1	300	4.5	1.9 - 7.2	5,300	88.9	85.3 - 92.5	5,900
Oahu	51,000	7.5	6.7 - 8.4	45,800	6.8	5.8 - 7.7	580,600	85.7	84.5 - 86.9	677,400

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,000	6.1	3.4 - 8.7	3,200	4.8	2.6 - 7.1	58,900	89.1	85.8 - 92.5	66,100
Ala Moana	2,100	6.6	4.0 - 9.2	2,400	7.3	4.3 - 10.3	27,900	86.1	82.2 - 90.0	32,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,800	9.9	6.8 - 13.1	1,000	5.3	3.5 - 7.1	15,700	84.7	81.3 - 88.2	18,600
Hilo	3,000	8.7	6.6 - 10.8	2,200	6.4	4.3 - 8.4	29,300	84.9	82.1 - 87.8	34,600
Kaaawa/ Kahaluu/ Kaneohe	4,500	9.5	6.4 - 12.5	4,400	9.2	5.6 - 12.9	38,800	81.3	76.7 - 85.8	47,700
Kahului	2,700	8.2	5.6 - 10.7	2,000	6.0	3.6 - 8.4	28,000	85.8	82.5 - 89.2	32,700
Kailua/ Waimanalo	4,100	8.7	5.7 - 11.7	2,900	6.3	3.3 - 9.3	39,400	85.0	80.9 - 89.1	46,400
Kaimuki/ Palolo/ Waikiki	3,700	6.1	3.8 - 8.3	3,100	5.1	3.1 - 7.1	54,100	88.8	85.9 - 91.8	60,900
Kona	1,900	6.6	4.5 - 8.6	2,100	7.5	5.0 - 10.0	24,400	85.9	82.8 - 89.0	28,400
Lahaina/ Wailuku	2,900	9.4	6.4 - 12.3	1,600	5.1	2.6 - 7.7	26,300	85.5	81.7 - 89.2	30,800
Lanai	200	7.4	4.5 - 10.4	100	5.1	1.7 - 8.5	1,800	87.5	83.2 - 91.8	2,100
Lihue-Waimea	2,200	8.3	5.9 - 10.8	2,500	9.7	6.8 - 12.6	21,300	82.0	78.4 - 85.5	26,000
Manoa/ Upper Makiki	2,100	4.7	2.8 - 6.6	3,200	7.1	3.8 - 10.3	40,600	88.3	84.6 - 91.9	46,000
Mililani/ Wahiawa	5,300	8.1	5.4 - 10.8	6,300	9.5	4.3 - 14.8	54,100	82.4	76.9 - 87.9	65,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	400	6.6	4.1 - 9.1	300	4.5	1.9 - 7.2	5,300	88.9	85.3 - 92.5	5,900
Nanakuli/ Waianae	3,400	10.5	4.4 - 16.6	2,700	8.3	3.8 - 12.8	26,100	81.2	74.0 - 88.3	32,200
N.Hawaii	2,000	8.1	5.7 - 10.6	1,200	4.7	2.8 - 6.7	21,300	87.1	84.1 - 90.2	24,500
N.Shore/ Laie	2,000	9.2	4.9 - 13.6	1,500	7.0	2.5 - 11.4	18,000	83.8	77.8 - 89.8	21,500
Nuuanu/ Kalihi/ Moanalua	4,800	7.0	4.3 - 9.7	3,900	5.6	2.4 - 8.8	60,000	87.4	83.4 - 91.4	68,700
Puna/ Kau	3,600	10.0	6.7 - 13.3	1,900	5.2	3.2 - 7.3	30,600	84.8	81.1 - 88.5	36,000
Salt Lake/ Foster Village	2,300	6.7	3.2 - 10.2	2,000	5.9	2.8 - 9.0	29,500	87.4	82.8 - 92.0	33,800
Upcountry/ Hana	3,100	10.0	5.6 - 14.4	2,200	7.1	4.1 - 10.1	25,700	82.9	78.0 - 87.8	31,000
Waialae/ Kahala/ Hawaii Kai	2,300	5.8	2.9 - 8.6	2,600	6.6	3.5 - 9.7	34,900	87.6	83.5 - 91.6	39,900
Waipahu/ Kapolei/ Ewa	10,500	9.0	6.3 - 11.7	7,600	6.6	4.5 - 8.6	98,200	84.4	81.2 - 87.7	116,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,800	7.6	5.5 - 9.8	13,000	11.3	7.4 - 15.1	93,600	81.1	76.9 - 85.2	115,400
25-34	15,200	9.2	7.4 - 11.0	13,000	7.9	6.1 - 9.6	137,000	82.9	80.5 - 85.3	165,200
35-44	14,700	8.3	6.6 - 10.0	9,500	5.4	4.1 - 6.7	153,300	86.4	84.3 - 88.4	177,600
45-54	12,900	7.3	5.8 - 8.8	11,500	6.5	5.3 - 7.8	151,600	86.1	84.3 - 88.0	176,000
55-64	11,700	8.6	7.1 - 10.1	8,900	6.5	5.1 - 8.0	115,800	84.8	82.9 - 86.8	136,500
65-74	6,000	7.1	5.0 - 9.2	3,900	4.6	3.3 - 5.9	74,100	88.3	85.9 - 90.7	83,900
75+	4,900	5.7	3.8 - 7.7	2,100	2.4	1.6 - 3.2	78,700	91.9	89.8 - 94.0	85,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	25,300	8.1	7.0 - 9.2	18,600	6.0	5.0 - 6.9	267,900	85.9	84.5 - 87.3	311,800
Native Hawaiian	15,600	13.1	10.6 - 15.6	8,900	7.5	5.8 - 9.1	94,700	79.4	76.5 - 82.3	119,200
Chinese	2,900	5.7	3.5 - 7.9	2,700	5.3	3.1 - 7.5	45,000	89.0	85.9 - 92.0	50,600
Filipino	10,900	7.2	5.3 - 9.0	10,400	6.9	5.1 - 8.7	130,400	85.9	83.4 - 88.4	151,700
Japanese	11,900	5.9	4.7 - 7.2	14,100	7.0	5.6 - 8.4	175,300	87.1	85.3 - 88.9	201,300
Black	500	3.4	0.9 - 5.9	500	3.5	0.5 - 6.6	13,400	93.1	89.2 - 97.0	14,400
Native Alaskan/ American Indian	500	9.5	1.2 - 17.7	200	3.9	0.2 - 7.5	4,500	86.7	77.7 - 95.7	5,200
Other Asian	700	2.9	0.0 - 6.4	600	2.6	0.5 - 4.6	22,200	94.5	90.5 - 98.5	23,500
Other Pacific Islander	1,700	6.7	3.0 - 10.4	3,300	12.9	0.0 - 26.4	20,400	80.4	67.4 - 93.5	25,400
Mixed Ethnicity	600	8.0	3.3 - 12.7	700	8.4	1.8 - 15.0	6,500	83.6	75.7 - 91.4	7,800
Other	3,300	13.1	8.5 - 17.7	2,400	9.3	3.6 - 15.1	19,600	77.6	70.9 - 84.3	25,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	25,400	5.4	4.6 - 6.3	33,400	7.2	5.9 - 8.4	407,700	87.4	85.9 - 88.8	466,600
Female	49,300	10.2	9.2 - 11.3	29,300	6.1	5.4 - 6.8	402,700	83.7	82.5 - 84.9	481,300

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,500	9.4	4.0 - 14.8	500	3.5	1.3 - 5.7	13,700	87.1	81.3 - 92.8	15,700
Grades 9 thru 11 (Some High School)	4,500	12.3	7.5 - 17.0	2,000	5.3	2.5 - 8.2	30,500	82.4	77.1 - 87.7	37,000
Grades 12 or GED (High School Grad)	22,000	7.8	6.5 - 9.1	20,700	7.3	6.0 - 8.7	239,600	84.9	83.1 - 86.7	282,300
College 1 to 3 years (Some College/ Tech)	22,500	7.9	6.8 - 9.1	19,400	6.8	5.3 - 8.4	240,900	85.2	83.4 - 87.0	282,700
College 4 years or more (College Grad)	24,100	7.3	6.2 - 8.4	20,100	6.1	5.1 - 7.1	284,500	86.6	85.1 - 88.0	328,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	45,400	7.4	6.7 - 8.2	44,500	7.3	6.3 - 8.3	519,400	85.3	84.0 - 86.5	609,200
Unemployed	3,000	11.3	6.6 - 16.0	2,200	8.2	3.9 - 12.6	21,500	80.5	74.4 - 86.6	26,700
Retired/Unable to work	18,200	8.4	6.9 - 9.9	9,700	4.5	3.6 - 5.4	187,800	87.1	85.4 - 88.8	215,700
Student/Homemaker	8,200	8.6	6.2 - 11.0	6,200	6.6	4.7 - 8.5	79,900	84.7	81.8 - 87.7	94,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,300	10.1	6.6 - 13.5	1,100	4.5	2.5 - 6.5	19,900	85.4	81.4 - 89.4	23,300
\$10,000 to \$14,999	2,500	9.6	6.4 - 12.8	1,900	7.3	3.8 - 10.8	22,200	83.1	78.6 - 87.7	26,700
\$15,000 to \$19,999	5,200	11.0	6.4 - 15.6	1,800	3.8	2.3 - 5.3	40,100	85.2	80.5 - 89.9	47,100
\$20,000 to \$24,999	4,900	7.5	5.2 - 9.8	3,700	5.7	3.5 - 7.9	56,700	86.8	83.7 - 89.9	65,300
\$25,000 to \$34,999	7,900	7.4	5.4 - 9.5	4,800	4.5	3.1 - 5.8	94,100	88.1	85.7 - 90.5	106,800
\$35,000 to \$49,999	11,000	7.8	6.2 - 9.4	11,100	7.8	5.9 - 9.8	119,600	84.4	82.0 - 86.8	141,800
\$50,000 to \$74,999	15,900	7.7	6.1 - 9.2	14,500	7.0	5.0 - 9.0	177,200	85.4	83.0 - 87.8	207,500
\$75,000 or more	16,000	7.1	5.8 - 8.4	16,600	7.4	6.0 - 8.8	193,400	85.5	83.7 - 87.4	226,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	16,500	9.9	7.9 - 11.9	8,500	5.1	3.8 - 6.4	141,200	85.0	82.7 - 87.3	166,100
131-185%	8,500	7.9	5.8 - 10.0	9,200	8.5	4.8 - 12.2	90,500	83.6	79.6 - 87.6	108,200
186+%	40,900	7.2	6.4 - 8.0	37,800	6.6	5.8 - 7.4	491,400	86.2	85.1 - 87.3	570,100

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	43,000	7.7	6.8 - 8.6	32,700	5.8	5.1 - 6.6	484,200	86.5	85.4 - 87.6	560,000
Unmarried Couple	2,300	8.8	5.1 - 12.5	3,100	11.8	6.4 - 17.2	21,100	79.4	73.2 - 85.6	26,500
Widowed	4,400	7.9	5.3 - 10.5	3,100	5.5	3.5 - 7.4	48,600	86.6	83.5 - 89.7	56,100
Other	24,900	8.2	7.0 - 9.4	23,800	7.8	6.2 - 9.4	256,600	84.0	82.1 - 86.0	305,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	43,700	7.7	6.8 - 8.5	33,900	5.9	5.2 - 6.7	492,800	86.4	85.3 - 87.5	570,400
No	30,900	8.2	7.2 - 9.3	28,700	7.7	6.3 - 9.0	315,600	84.1	82.4 - 85.8	375,100

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	68,400	7.9	7.2 - 8.6	58,000	6.7	5.9 - 7.5	738,400	85.4	84.4 - 86.4	864,800
No	6,100	7.7	5.4 - 9.9	4,800	6.0	4.0 - 8.0	69,100	86.3	83.4 - 89.3	80,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	66,000	7.1	6.4 - 7.7	57,800	6.2	5.5 - 6.9	808,900	86.7	85.8 - 87.7	932,700

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,300	7.6	6.3 - 8.9	6,900	5.7	4.6 - 6.8	105,700	86.7	85.1 - 88.4	121,800
Honolulu	45,000	6.7	5.9 - 7.6	41,000	6.1	5.2 - 7.1	581,800	87.1	85.9 - 88.3	667,700
Kauai	3,600	8.4	6.4 - 10.3	3,300	7.7	5.8 - 9.6	36,400	83.9	81.4 - 86.5	43,300
Maui	8,100	8.1	6.3 - 9.9	6,600	6.6	5.0 - 8.3	85,100	85.3	82.9 - 87.6	99,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,300	7.6	6.3 - 8.9	6,900	5.7	4.6 - 6.8	105,700	86.7	85.1 - 88.4	121,800
Kauai	3,600	8.4	6.4 - 10.3	3,300	7.7	5.8 - 9.6	36,400	83.9	81.4 - 86.5	43,300
Lanai	100	5.3	2.4 - 8.2	100	6.6	0.0 - 14.0	1,900	88.0	80.4 - 95.6	2,100
Maui	7,700	8.4	6.5 - 10.4	6,200	6.8	5.0 - 8.5	77,800	84.8	82.3 - 87.3	91,800
Molokai	200	4.1	1.8 - 6.4	300	4.4	2.0 - 6.8	5,400	91.5	88.2 - 94.9	5,900
Oahu	45,000	6.7	5.9 - 7.6	41,000	6.1	5.2 - 7.1	581,800	87.1	85.9 - 88.3	667,700

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,200	5.3	2.5 - 8.0	2,900	4.8	2.5 - 7.0	55,500	90.0	86.5 - 93.4	61,600
Ala Moana	1,300	4.1	1.9 - 6.2	2,300	7.2	3.9 - 10.4	28,000	88.8	84.9 - 92.6	31,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,700	9.7	6.4 - 13.1	1,000	5.5	3.4 - 7.6	15,000	84.8	81.0 - 88.6	17,700
Hilo	2,500	7.2	5.2 - 9.1	2,100	6.0	3.8 - 8.1	30,200	86.9	84.1 - 89.7	34,800
Kaaawa/ Kahaluu/ Kaneohe	4,200	8.9	5.8 - 11.9	4,000	8.5	5.0 - 12.0	39,000	82.6	78.1 - 87.1	47,200
Kahului	2,200	6.7	4.3 - 9.0	2,500	7.7	4.6 - 10.8	28,000	85.6	81.9 - 89.3	32,700
Kailua/ Waimanalo	4,500	9.6	6.4 - 12.7	3,400	7.2	3.9 - 10.4	39,000	83.3	79.0 - 87.6	46,800
Kaimuki/ Palolo/ Waikiki	3,900	6.2	4.0 - 8.4	3,600	5.7	3.5 - 7.8	56,200	88.2	85.2 - 91.1	63,700
Kona	2,000	7.1	4.7 - 9.4	2,000	6.9	4.5 - 9.3	24,600	86.0	82.8 - 89.3	28,600
Lahaina/ Wailuku	2,500	8.6	5.5 - 11.7	1,800	6.0	3.2 - 8.8	25,000	85.4	81.3 - 89.5	29,200
Lanai	100	5.3	2.4 - 8.2	100	6.6	0.0 - 14.0	1,900	88.0	80.4 - 95.6	2,100
Lihue-Waimea	1,900	7.4	5.1 - 9.7	2,400	9.2	6.4 - 12.1	21,400	83.3	79.9 - 86.8	25,700
Manoa/ Upper Makiki	1,700	3.6	2.0 - 5.3	3,300	6.9	3.6 - 10.1	42,900	89.5	85.9 - 93.1	47,900
Mililani/ Wahiawa	4,900	7.4	4.7 - 10.0	4,900	7.3	2.1 - 12.5	56,700	85.3	79.8 - 90.7	66,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	200	4.1	1.8 - 6.4	300	4.4	2.0 - 6.8	5,400	91.5	88.2 - 94.9	5,900
Nanakuli/ Waianae	3,200	10.1	3.7 - 16.5	2,000	6.4	2.1 - 10.7	26,500	83.5	76.3 - 90.8	31,800
N.Hawaii	1,600	6.5	4.2 - 8.8	900	3.9	2.2 - 5.6	21,500	89.6	86.8 - 92.4	24,000
N.Shore/ Laie	1,800	8.2	4.0 - 12.4	1,500	6.9	2.5 - 11.4	18,400	84.8	78.9 - 90.8	21,600
Nuuanu/ Kalihi/ Moanalua	3,700	5.5	3.0 - 8.0	3,500	5.1	2.1 - 8.2	61,000	89.4	85.6 - 93.2	68,300
Puna/ Kau	3,200	9.3	5.9 - 12.8	1,900	5.5	3.3 - 7.7	29,300	85.1	81.2 - 89.0	34,500
Salt Lake/ Foster Village	1,400	3.9	1.3 - 6.5	1,600	4.5	1.8 - 7.1	33,700	91.7	88.0 - 95.3	36,800
Upcountry/ Hana	3,000	10.2	5.7 - 14.7	1,900	6.5	3.4 - 9.7	24,900	83.3	78.1 - 88.4	29,800
Waiialae/ Kahala/ Hawaii Kai	1,700	4.6	1.6 - 7.6	2,500	6.8	3.4 - 10.1	33,400	88.6	84.3 - 93.0	37,700
Waipahu/ Kapolei/ Ewa	9,400	8.8	5.9 - 11.7	5,400	5.1	3.3 - 6.8	91,500	86.1	82.9 - 89.4	106,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	7,900	7.0	4.9 - 9.0	11,400	10.1	6.3 - 13.8	94,100	83.0	78.9 - 87.0	113,400
25-34	14,100	8.5	6.7 - 10.3	10,800	6.5	5.0 - 8.0	141,100	85.0	82.7 - 87.3	166,000
35-44	13,200	7.4	5.7 - 9.0	10,000	5.6	4.3 - 6.9	155,800	87.0	85.0 - 89.1	179,100
45-54	11,100	6.4	4.9 - 7.8	10,900	6.2	5.0 - 7.5	152,700	87.4	85.6 - 89.3	174,600
55-64	9,700	7.5	6.0 - 9.1	7,900	6.1	4.6 - 7.7	111,100	86.4	84.3 - 88.5	128,700
65-74	4,800	5.7	3.6 - 7.8	4,000	4.7	3.2 - 6.2	75,600	89.5	87.0 - 92.0	84,400
75+	4,800	5.9	3.8 - 8.0	2,200	2.7	1.6 - 3.7	73,800	91.4	89.1 - 93.7	80,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	24,300	7.6	6.5 - 8.7	18,100	5.6	4.7 - 6.6	278,000	86.8	85.4 - 88.2	320,400
Native Hawaiian	12,400	11.6	8.9 - 14.3	7,600	7.1	5.3 - 8.9	86,600	81.3	78.2 - 84.4	106,600
Chinese	2,800	3.9	2.3 - 5.4	3,600	5.0	3.2 - 6.9	65,500	91.1	88.7 - 93.4	71,900
Filipino	9,200	6.2	4.4 - 8.1	8,400	5.7	4.2 - 7.3	130,000	88.0	85.7 - 90.4	147,600
Japanese	11,100	5.9	4.6 - 7.2	13,200	7.0	5.4 - 8.5	164,800	87.1	85.2 - 89.1	189,100
Black	800	5.9	1.4 - 10.4	500	3.4	0.7 - 6.1	12,500	90.7	85.5 - 95.9	13,700
Native Alaskan/ American Indian	600	12.4	1.5 - 23.3	400	7.7	0.5 - 14.8	4,000	80.0	67.3 - 92.7	5,100
Other Asian	900	4.4	0.1 - 8.8	500	2.4	0.0 - 4.8	17,900	93.2	88.3 - 98.1	19,200
Other Pacific Islander	800	3.6	0.9 - 6.3	3,400	16.1	0.3 - 31.9	16,900	80.3	64.9 - 95.7	21,100
Other	2,500	9.5	5.5 - 13.6	1,700	6.5	2.2 - 10.9	21,900	84.0	78.3 - 89.6	26,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	22,400	4.9	4.0 - 5.8	30,800	6.7	5.5 - 7.9	406,400	88.4	87.0 - 89.9	459,600
Female	43,500	9.2	8.2 - 10.2	27,000	5.7	5.0 - 6.4	402,500	85.1	83.9 - 86.3	473,100

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,300	8.9	3.3 - 14.5	500	3.3	0.5 - 6.1	13,100	87.8	81.7 - 93.9	15,000
Grades 9 thru 11 (Some High School)	4,600	13.0	7.9 - 18.1	1,700	4.8	2.3 - 7.2	28,900	82.2	76.7 - 87.7	35,200
Grades 12 or GED (High School Grad)	19,500	7.0	5.7 - 8.3	18,300	6.6	5.3 - 7.9	240,500	86.4	84.7 - 88.2	278,300
College 1 to 3 years (Some College/ Tech)	20,000	7.2	6.0 - 8.3	18,600	6.7	5.1 - 8.2	240,700	86.2	84.3 - 88.0	279,300
College 4 years or more (College Grad)	20,400	6.3	5.2 - 7.4	18,700	5.8	4.8 - 6.8	284,200	87.9	86.5 - 89.3	323,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	40,700	6.8	6.0 - 7.6	39,800	6.6	5.6 - 7.6	521,300	86.6	85.4 - 87.8	601,900
Unemployed	2,600	10.3	5.0 - 15.5	800	3.1	0.8 - 5.4	21,800	86.7	81.1 - 92.3	25,200
Retired/Unable to work	15,300	7.3	5.8 - 8.9	10,600	5.1	4.0 - 6.2	182,600	87.6	85.7 - 89.4	208,600
Student/Homemaker	7,300	7.7	5.4 - 9.9	6,500	6.9	4.9 - 8.8	81,600	85.5	82.6 - 88.3	95,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,500	8.1	5.1 - 11.0	1,400	4.7	2.5 - 6.9	26,600	87.2	83.6 - 90.9	30,500
\$10,000 to \$14,999	2,900	8.4	5.5 - 11.2	2,100	5.9	3.0 - 8.7	30,100	85.8	81.9 - 89.7	35,100
\$15,000 to \$19,999	4,900	10.0	5.4 - 14.6	2,000	4.0	2.3 - 5.8	42,400	86.0	81.2 - 90.7	49,400
\$20,000 to \$24,999	4,900	7.9	5.4 - 10.4	2,900	4.6	2.6 - 6.6	54,300	87.5	84.4 - 90.6	62,100
\$25,000 to \$34,999	5,700	5.7	3.7 - 7.7	4,900	4.9	3.5 - 6.3	89,100	89.4	87.0 - 91.8	99,700
\$35,000 to \$49,999	9,000	6.2	4.8 - 7.7	10,500	7.3	5.4 - 9.1	125,300	86.5	84.2 - 88.8	144,800
\$50,000 to \$74,999	14,600	7.3	5.7 - 8.9	12,600	6.3	4.2 - 8.3	174,000	86.5	84.0 - 88.9	201,200
\$75,000 or more	13,900	7.0	5.5 - 8.4	13,400	6.7	5.2 - 8.2	171,600	86.3	84.3 - 88.3	198,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	15,400	9.0	7.0 - 10.9	7,900	4.6	3.4 - 5.8	148,300	86.4	84.2 - 88.6	171,600
131-185%	5,700	5.8	3.8 - 7.9	7,300	7.5	3.5 - 11.4	84,800	86.7	82.5 - 90.9	97,800
186+%	37,300	6.8	5.9 - 7.6	34,500	6.2	5.4 - 7.1	480,400	87.0	85.9 - 88.1	552,200

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	37,100	6.8	5.9 - 7.7	29,800	5.5	4.7 - 6.2	479,300	87.7	86.6 - 88.9	546,300
Unmarried Couple	1,900	8.7	4.0 - 13.5	2,400	10.9	5.8 - 16.0	17,600	80.4	73.8 - 86.9	21,900
Widowed	4,300	7.2	4.7 - 9.7	3,100	5.2	3.2 - 7.2	52,600	87.6	84.5 - 90.7	60,100
Other	22,600	7.4	6.2 - 8.6	22,500	7.4	5.8 - 9.0	259,300	85.2	83.3 - 87.1	304,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	37,700	6.8	5.9 - 7.6	30,600	5.5	4.8 - 6.2	488,700	87.7	86.6 - 88.8	557,000
No	28,100	7.5	6.5 - 8.6	27,000	7.2	5.9 - 8.6	318,600	85.2	83.6 - 86.9	373,700

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	61,100	7.2	6.5 - 7.9	52,600	6.2	5.4 - 6.9	738,900	86.7	85.7 - 87.7	852,600
No	4,900	6.3	4.2 - 8.4	5,200	6.8	4.6 - 8.9	67,600	87.0	84.0 - 89.9	77,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	62,500	6.9	6.2 - 7.5	57,000	6.3	5.6 - 7.0	790,900	86.9	85.9 - 87.8	910,300

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,800	7.4	6.1 - 8.8	6,700	5.6	4.5 - 6.8	103,100	86.9	85.2 - 88.7	118,600
Honolulu	43,200	6.6	5.7 - 7.5	41,300	6.3	5.4 - 7.3	568,100	87.1	85.8 - 88.3	652,500
Kauai	3,300	7.9	6.0 - 9.8	2,800	6.7	4.9 - 8.4	35,900	85.4	82.9 - 87.9	42,100
Maui	7,200	7.4	5.6 - 9.2	6,200	6.4	4.9 - 8.0	83,700	86.2	83.9 - 88.5	97,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,800	7.4	6.1 - 8.8	6,700	5.6	4.5 - 6.8	103,100	86.9	85.2 - 88.7	118,600
Kauai	3,300	7.9	6.0 - 9.8	2,800	6.7	4.9 - 8.4	35,900	85.4	82.9 - 87.9	42,100
Lanai	100	4.5	2.1 - 7.0	200	8.3	2.2 - 14.4	2,200	87.1	80.7 - 93.5	2,600
Maui	6,700	7.7	5.7 - 9.7	5,800	6.6	4.9 - 8.2	75,400	85.8	83.3 - 88.3	87,900
Molokai	300	4.6	2.2 - 7.0	300	4.1	1.7 - 6.4	6,100	91.4	88.1 - 94.7	6,700
Oahu	43,200	6.6	5.7 - 7.5	41,300	6.3	5.4 - 7.3	568,100	87.1	85.8 - 88.3	652,500

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,900	6.5	3.6 - 9.4	3,200	5.3	2.9 - 7.7	53,000	88.1	84.5 - 91.8	60,100
Ala Moana	1,100	3.4	1.5 - 5.4	2,500	7.9	4.5 - 11.2	28,400	88.7	84.9 - 92.6	32,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,700	9.7	6.3 - 13.0	900	5.4	3.2 - 7.7	14,700	84.9	81.1 - 88.8	17,300
Hilo	2,200	6.3	4.5 - 8.2	2,500	7.2	4.9 - 9.5	29,900	86.4	83.5 - 89.3	34,600
Kaaawa/ Kahaluu/ Kaneohe	2,900	6.9	3.9 - 9.9	4,000	9.3	5.4 - 13.2	35,800	83.9	79.1 - 88.6	42,700
Kahului	2,100	6.7	4.2 - 9.1	2,200	7.0	4.0 - 10.1	26,700	86.3	82.5 - 90.1	30,900
Kailua/ Waimanalo	3,900	8.3	5.4 - 11.3	2,700	5.8	3.0 - 8.6	39,800	85.9	82.0 - 89.8	46,400
Kaimuki/ Palolo/ Waikiki	3,800	5.9	3.8 - 8.0	3,500	5.4	3.4 - 7.3	57,100	88.7	85.9 - 91.6	64,300
Kona	1,900	6.6	4.4 - 8.7	1,700	6.0	3.8 - 8.3	25,100	87.4	84.4 - 90.4	28,700
Lahaina/ Wailuku	2,100	7.4	4.3 - 10.4	1,900	6.9	4.0 - 9.8	24,200	85.7	81.6 - 89.8	28,200
Lanai	100	4.5	2.1 - 7.0	200	8.3	2.2 - 14.4	2,200	87.1	80.7 - 93.5	2,600
Lihue-Waimea	1,700	6.7	4.5 - 8.9	1,900	7.6	5.0 - 10.1	21,200	85.7	82.5 - 89.0	24,700
Manoa/ Upper Makiki	2,300	4.5	2.6 - 6.3	3,400	6.5	3.6 - 9.4	46,700	89.0	85.7 - 92.3	52,500
Mililani/ Wahiawa	5,000	7.9	4.9 - 10.9	5,300	8.4	2.9 - 13.9	53,200	83.7	77.9 - 89.5	63,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	300	4.6	2.2 - 7.0	300	4.1	1.7 - 6.4	6,100	91.4	88.1 - 94.7	6,700
Nanakuli/ Waianae	3,600	12.3	5.4 - 19.1	1,300	4.6	0.7 - 8.4	24,500	83.2	75.7 - 90.6	29,400
N.Hawaii	1,600	6.7	4.3 - 9.2	900	4.0	1.9 - 6.1	20,800	89.3	86.1 - 92.4	23,400
N.Shore/ Laie	1,100	5.1	1.9 - 8.4	1,300	6.2	1.8 - 10.5	18,700	88.7	83.3 - 94.0	21,100
Nuuanu/ Kalihi/ Moanalua	3,100	4.6	2.4 - 6.8	5,300	7.8	4.4 - 11.3	58,800	87.6	83.7 - 91.5	67,100
Puna/ Kau	3,200	9.9	6.2 - 13.6	1,500	4.7	2.5 - 7.0	27,300	85.4	81.2 - 89.6	32,000
Salt Lake/ Foster Village	1,400	3.5	1.2 - 5.9	1,500	4.0	1.7 - 6.3	35,400	92.4	89.2 - 95.7	38,300
Upcountry/ Hana	2,600	9.0	4.5 - 13.6	1,600	5.7	3.1 - 8.3	24,500	85.3	80.3 - 90.2	28,700
Waiialae/ Kahala/ Hawaii Kai	1,900	4.9	2.0 - 7.8	2,600	6.6	3.4 - 9.8	34,600	88.5	84.3 - 92.7	39,100
Waipahu/ Kapolei/ Ewa	9,100	9.5	6.3 - 12.7	4,700	4.9	3.1 - 6.7	82,100	85.6	82.1 - 89.2	95,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	7,700	6.9	4.9 - 8.9	9,600	8.6	4.9 - 12.3	94,400	84.5	80.5 - 88.5	111,800
25-34	12,700	7.7	6.1 - 9.4	10,000	6.1	4.6 - 7.6	141,800	86.2	84.0 - 88.3	164,600
35-44	13,900	7.8	6.1 - 9.4	10,800	6.0	4.7 - 7.4	154,800	86.2	84.2 - 88.3	179,500
45-54	10,200	5.9	4.5 - 7.3	12,100	7.0	5.7 - 8.4	149,400	87.0	85.2 - 88.9	171,700
55-64	8,800	7.4	5.8 - 9.0	7,900	6.6	4.9 - 8.3	102,300	86.0	83.7 - 88.3	118,900
65-74	4,500	5.5	3.3 - 7.6	4,000	4.9	3.3 - 6.4	73,600	89.7	87.1 - 92.2	82,100
75+	4,200	5.5	3.1 - 7.8	2,100	2.8	1.6 - 3.9	70,300	91.8	89.2 - 94.3	76,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	24,300	7.7	6.5 - 8.8	18,500	5.8	5.0 - 6.7	273,400	86.5	85.1 - 87.9	316,200
Native Hawaiian	11,600	11.0	8.4 - 13.7	7,100	6.7	4.9 - 8.6	86,800	82.2	79.1 - 85.4	105,600
Chinese	2,900	3.8	2.3 - 5.3	3,400	4.5	2.9 - 6.2	69,300	91.7	89.5 - 93.8	75,700
Filipino	8,200	5.8	4.1 - 7.6	7,600	5.3	3.8 - 6.9	125,400	88.8	86.5 - 91.1	141,200
Japanese	10,600	5.9	4.5 - 7.2	13,400	7.4	5.8 - 9.0	157,100	86.7	84.7 - 88.7	181,100
Black	1,000	7.7	2.3 - 13.2	500	4.0	0.9 - 7.2	11,100	88.2	82.1 - 94.4	12,500
Native Alaskan/ American Indian	300	5.6	0.0 - 13.9	300	5.6	0.0 - 13.0	4,100	88.8	77.9 - 99.7	4,600
Other Asian	900	4.5	0.1 - 8.8	700	3.4	0.6 - 6.1	18,000	92.2	87.1 - 97.3	19,500
Other Pacific Islander	300	1.7	0.0 - 3.8	3,300	16.8	0.0 - 33.7	15,900	81.5	64.8 - 98.2	19,500
Other	1,800	7.8	3.7 - 11.9	2,000	8.5	3.4 - 13.6	19,300	83.7	77.5 - 89.9	23,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	21,400	4.8	3.9 - 5.6	30,800	6.9	5.6 - 8.1	396,400	88.4	86.9 - 89.8	448,600
Female	41,100	8.9	7.9 - 9.9	26,100	5.7	4.9 - 6.4	394,500	85.4	84.2 - 86.6	461,800

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	3.9	0.8 - 7.0	600	4.2	0.9 - 7.5	13,100	91.9	87.4 - 96.4	14,300
Grades 9 thru 11 (Some High School)	3,700	11.0	5.8 - 16.2	1,600	4.7	2.4 - 7.0	28,100	84.3	78.8 - 89.8	33,300
Grades 12 or GED (High School Grad)	21,000	7.3	5.9 - 8.6	17,800	6.1	5.0 - 7.3	251,100	86.6	84.9 - 88.3	289,900
College 1 to 3 years (Some College/ Tech)	18,800	6.9	5.7 - 8.0	18,800	6.9	5.3 - 8.5	236,000	86.3	84.4 - 88.1	273,600
College 4 years or more (College Grad)	18,400	6.2	5.1 - 7.3	18,100	6.1	5.0 - 7.2	261,600	87.8	86.3 - 89.2	298,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	37,900	6.4	5.7 - 7.2	39,200	6.7	5.7 - 7.6	511,500	86.9	85.7 - 88.1	588,600
Unemployed	3,200	9.8	5.4 - 14.2	2,000	6.2	3.3 - 9.1	27,100	84.0	78.9 - 89.1	32,300
Retired/Unable to work	14,000	7.3	5.6 - 9.0	9,200	4.8	3.7 - 5.9	168,300	87.9	86.0 - 89.8	191,400
Student/Homemaker	7,400	7.6	5.4 - 9.8	6,600	6.8	4.8 - 8.7	83,000	85.6	82.8 - 88.4	97,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,900	8.9	6.0 - 11.8	1,300	4.0	2.1 - 6.0	28,600	87.1	83.6 - 90.5	32,900
\$10,000 to \$14,999	3,000	7.9	5.1 - 10.6	3,000	7.9	4.6 - 11.3	31,700	84.2	80.0 - 88.4	37,600
\$15,000 to \$19,999	4,600	9.9	5.0 - 14.8	1,700	3.7	2.0 - 5.5	40,000	86.3	81.3 - 91.4	46,300
\$20,000 to \$24,999	3,900	7.1	4.5 - 9.6	2,600	4.7	2.6 - 6.8	49,300	88.2	85.0 - 91.4	55,900
\$25,000 to \$34,999	6,000	6.6	4.3 - 8.9	4,400	4.8	3.4 - 6.2	81,200	88.6	86.0 - 91.3	91,600
\$35,000 to \$49,999	8,000	5.9	4.4 - 7.4	9,700	7.2	5.2 - 9.1	117,700	86.9	84.5 - 89.3	135,500
\$50,000 to \$74,999	13,100	7.2	5.5 - 8.8	10,400	5.7	3.5 - 7.8	158,700	87.1	84.5 - 89.7	182,100
\$75,000 or more	11,600	6.9	5.2 - 8.7	12,600	7.6	5.8 - 9.4	142,600	85.5	83.1 - 87.8	166,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	14,400	8.9	6.8 - 10.9	7,900	4.9	3.6 - 6.2	140,200	86.3	83.9 - 88.6	162,500
131-185%	5,800	6.4	4.3 - 8.6	6,700	7.5	3.2 - 11.7	77,600	86.1	81.6 - 90.6	90,200
186+%	33,000	6.6	5.7 - 7.5	31,100	6.3	5.4 - 7.1	431,900	87.1	85.9 - 88.3	496,000

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	34,400	6.5	5.6 - 7.4	29,900	5.6	4.9 - 6.4	465,800	87.9	86.7 - 89.0	530,100
Unmarried Couple	1,800	8.9	4.2 - 13.6	1,900	9.1	4.3 - 13.9	17,100	82.0	75.6 - 88.4	20,800
Widowed	4,200	7.1	4.3 - 9.9	3,200	5.3	3.2 - 7.4	52,100	87.6	84.3 - 90.9	59,400
Other	22,000	7.3	6.2 - 8.5	22,100	7.4	5.8 - 8.9	255,900	85.3	83.5 - 87.2	299,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	35,000	6.5	5.6 - 7.4	30,500	5.6	4.9 - 6.4	475,200	87.9	86.8 - 89.0	540,700
No	27,400	7.4	6.4 - 8.5	26,400	7.2	5.8 - 8.5	314,100	85.4	83.7 - 87.0	367,900

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,000	7.0	6.3 - 7.7	52,400	6.3	5.6 - 7.1	719,300	86.7	85.7 - 87.7	829,700
No	4,400	5.6	3.6 - 7.7	4,600	5.9	4.1 - 7.7	69,300	88.5	85.8 - 91.2	78,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	59,200	6.6	6.0 - 7.1	51,500	5.7	5.2 - 6.2	793,500	87.8	87.0 - 88.5	904,200

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,400	7.6	6.5 - 8.8	5,700	5.2	4.2 - 6.1	96,600	87.2	85.8 - 88.6	110,800
Honolulu	41,500	6.3	5.7 - 7.0	37,400	5.7	5.1 - 6.4	575,100	87.9	87.0 - 88.8	654,100
Kauai	3,100	7.3	5.7 - 8.9	2,600	6.1	4.5 - 7.7	36,500	86.6	84.5 - 88.8	42,100
Maui	6,200	6.4	5.3 - 7.5	5,800	5.9	4.7 - 7.1	85,300	87.7	86.1 - 89.3	97,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,400	7.6	6.5 - 8.8	5,700	5.2	4.2 - 6.1	96,600	87.2	85.8 - 88.6	110,800
Kauai	3,100	7.3	5.7 - 8.9	2,600	6.1	4.5 - 7.7	36,500	86.6	84.5 - 88.8	42,100
Lanai	200	5.6	2.8 - 8.4	300	8.6	3.1 - 14.1	2,500	85.8	79.9 - 91.7	2,900
Maui	5,600	6.3	5.2 - 7.5	5,300	6.0	4.7 - 7.3	77,100	87.7	86.0 - 89.4	88,000
Molokai	500	7.4	4.3 - 10.5	200	3.9	1.8 - 6.0	5,600	88.7	85.0 - 92.4	6,300
Oahu	41,500	6.3	5.7 - 7.0	37,400	5.7	5.1 - 6.4	575,100	87.9	87.0 - 88.8	654,100

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,200	5.3	3.4 - 7.3	3,300	5.5	3.3 - 7.7	53,900	89.2	86.4 - 92.1	60,400
Ala Moana	1,400	4.5	2.2 - 6.8	2,100	6.8	3.8 - 9.8	27,000	88.7	85.0 - 92.3	30,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,300	7.5	5.1 - 10.0	1,100	6.2	3.8 - 8.5	15,200	86.3	83.1 - 89.6	17,600
Hilo	2,100	6.3	4.5 - 8.0	2,500	7.5	5.4 - 9.6	29,200	86.2	83.6 - 88.9	33,800
Kaaawa/ Kahaluu/ Kaneohe	3,000	7.1	4.3 - 9.9	2,600	6.4	3.5 - 9.2	36,000	86.5	82.7 - 90.4	41,600
Kahului	2,000	6.3	4.3 - 8.2	1,700	5.4	3.0 - 7.8	27,900	88.4	85.4 - 91.4	31,500
Kailua/ Waimanalo	4,000	8.1	5.5 - 10.7	3,000	6.0	3.6 - 8.5	42,300	85.8	82.4 - 89.2	49,200
Kaimuki/ Palolo/ Waikiki	4,400	6.4	4.6 - 8.3	3,900	5.7	3.8 - 7.6	59,800	87.9	85.3 - 90.5	68,100
Kona	2,300	7.7	5.5 - 9.9	1,300	4.2	2.8 - 5.6	26,400	88.0	85.5 - 90.6	30,000
Lahaina/ Wailuku	2,000	6.9	4.6 - 9.3	2,000	7.0	4.8 - 9.1	24,700	86.1	83.0 - 89.2	28,600
Lanai	200	5.6	2.8 - 8.4	300	8.6	3.1 - 14.1	2,500	85.8	79.9 - 91.7	2,900
Lihue-Waimea	1,700	7.1	5.1 - 9.2	1,500	6.0	3.9 - 8.2	21,300	86.9	84.0 - 89.7	24,500
Manoa/ Upper Makiki	2,900	5.3	3.4 - 7.1	3,800	6.9	4.5 - 9.3	48,700	87.8	84.9 - 90.8	55,500
Mililani/ Wahiawa	4,000	6.4	4.0 - 8.8	3,300	5.3	3.3 - 7.4	55,000	88.3	85.2 - 91.4	62,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	7.4	4.3 - 10.5	200	3.9	1.8 - 6.0	5,600	88.7	85.0 - 92.4	6,300
Nanakuli/ Waianae	3,700	13.3	7.8 - 18.8	1,000	3.5	0.9 - 6.2	23,000	83.2	77.3 - 89.1	27,600
N.Hawaii	2,100	9.1	6.0 - 12.1	1,000	4.2	2.2 - 6.2	20,400	86.7	83.2 - 90.3	23,500
N.Shore/ Laie	1,900	8.2	3.7 - 12.6	1,300	5.8	2.4 - 9.1	19,800	86.1	80.7 - 91.5	23,100
Nuuanu/ Kalihi/ Moanalua	2,800	4.1	2.3 - 5.9	4,600	6.8	4.5 - 9.1	60,000	89.1	86.2 - 92.0	67,300
Puna/ Kau	1,900	8.0	5.4 - 10.5	900	4.0	2.4 - 5.7	20,700	88.0	85.0 - 91.0	23,500
Salt Lake/ Foster Village	1,900	4.8	2.1 - 7.6	1,300	3.4	1.7 - 5.0	35,700	91.8	88.7 - 94.9	38,800
Upcountry/ Hana	1,600	5.8	4.0 - 7.6	1,600	5.6	3.6 - 7.7	24,600	88.6	85.9 - 91.3	27,800
Waialae/ Kahala/ Hawaii Kai	1,700	4.2	2.0 - 6.4	2,600	6.6	3.7 - 9.5	35,400	89.2	85.6 - 92.7	39,700
Waipahu/ Kapolei/ Ewa	6,900	7.6	5.5 - 9.7	4,600	5.2	3.6 - 6.7	78,600	87.2	84.7 - 89.8	90,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,600	7.7	5.9 - 9.6	9,000	8.1	6.0 - 10.2	93,800	84.2	81.5 - 86.9	111,500
25-34	11,100	6.8	5.5 - 8.1	8,500	5.1	4.1 - 6.2	144,900	88.1	86.4 - 89.7	164,500
35-44	12,800	7.0	5.7 - 8.3	10,300	5.6	4.6 - 6.7	159,200	87.3	85.7 - 88.9	182,300
45-54	10,700	6.4	5.3 - 7.5	12,000	7.2	5.9 - 8.4	145,000	86.4	84.9 - 88.0	167,700
55-64	8,400	7.1	5.7 - 8.6	6,300	5.3	3.9 - 6.7	103,300	87.6	85.6 - 89.5	118,000
65-74	3,800	4.5	3.3 - 5.8	3,400	4.0	2.8 - 5.3	76,700	91.4	89.6 - 93.2	83,900
75+	3,600	4.9	3.2 - 6.7	1,900	2.7	1.6 - 3.8	66,700	92.4	90.4 - 94.4	72,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	22,400	7.0	6.1 - 7.9	18,300	5.7	5.0 - 6.5	277,600	87.2	86.1 - 88.4	318,300
Native Hawaiian	10,600	10.2	8.4 - 12.1	7,000	6.7	5.0 - 8.5	85,900	83.0	80.6 - 85.4	103,400
Chinese	3,600	4.7	3.1 - 6.2	4,200	5.4	3.7 - 7.1	69,600	89.9	87.6 - 92.2	77,400
Filipino	7,200	5.3	4.1 - 6.5	6,300	4.6	3.3 - 5.9	122,300	90.1	88.4 - 91.8	135,700
Japanese	9,500	5.3	4.2 - 6.4	12,000	6.7	5.4 - 7.9	158,100	88.0	86.4 - 89.7	179,700
Black	1,000	6.6	2.0 - 11.1	800	5.2	1.4 - 9.0	13,300	88.2	82.5 - 94.0	15,100
Native Alaskan/ American Indian	700	15.8	3.9 - 27.7	300	6.3	0.0 - 14.3	3,200	77.9	64.5 - 91.4	4,100
Other Asian	1,000	4.5	1.7 - 7.4	500	2.5	0.3 - 4.7	19,700	93.0	89.4 - 96.6	21,100
Other Pacific Islander	900	5.2	0.0 - 10.8	800	4.3	0.8 - 7.8	16,000	90.5	84.2 - 96.9	17,700
Other	2,300	8.5	3.9 - 13.0	1,200	4.4	2.3 - 6.6	23,500	87.1	82.2 - 92.0	27,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	21,700	4.8	4.1 - 5.5	26,600	5.9	5.1 - 6.7	402,200	89.3	88.2 - 90.3	450,500
Female	37,600	8.3	7.5 - 9.1	24,900	5.5	4.8 - 6.1	391,300	86.2	85.3 - 87.2	453,700

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	4.1	1.7 - 6.5	600	3.8	0.9 - 6.7	15,000	92.1	88.5 - 95.8	16,200
Grades 9 thru 11 (Some High School)	2,600	7.3	4.6 - 9.9	2,100	5.9	3.4 - 8.3	31,000	86.8	83.3 - 90.4	35,700
Grades 12 or GED (High School Grad)	20,600	7.0	6.0 - 8.0	16,700	5.7	4.7 - 6.6	257,500	87.3	86.0 - 88.7	294,800
College 1 to 3 years (Some College/ Tech)	18,400	6.9	5.8 - 7.9	17,100	6.4	5.4 - 7.3	232,900	86.8	85.4 - 88.1	268,400
College 4 years or more (College Grad)	16,900	5.9	5.0 - 6.7	14,900	5.2	4.4 - 6.0	255,500	88.9	87.8 - 90.1	287,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	36,400	6.2	5.5 - 6.8	34,800	5.9	5.3 - 6.5	518,800	87.9	87.1 - 88.8	590,000
Unemployed	3,800	11.4	6.9 - 15.9	2,100	6.4	3.6 - 9.3	27,200	82.2	77.1 - 87.2	33,000
Retired/Unable to work	11,600	6.2	5.1 - 7.3	7,700	4.1	3.2 - 5.0	168,800	89.7	88.4 - 91.1	188,100
Student/Homemaker	7,500	8.1	6.1 - 10.0	6,900	7.5	5.4 - 9.5	78,100	84.5	81.8 - 87.1	92,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,500	8.8	6.2 - 11.5	1,900	4.7	2.6 - 6.7	34,600	86.5	83.2 - 89.8	40,000
\$10,000 to \$14,999	3,700	8.6	5.5 - 11.6	2,200	5.0	2.7 - 7.4	37,200	86.4	82.7 - 90.1	43,100
\$15,000 to \$19,999	3,300	7.6	4.9 - 10.2	2,000	4.5	2.6 - 6.5	38,300	87.9	84.7 - 91.1	43,600
\$20,000 to \$24,999	4,300	8.1	5.7 - 10.5	2,100	4.1	2.5 - 5.7	45,900	87.8	84.9 - 90.6	52,300
\$25,000 to \$34,999	5,400	6.5	4.6 - 8.3	4,400	5.3	3.9 - 6.8	73,300	88.2	85.9 - 90.5	83,100
\$35,000 to \$49,999	8,700	6.6	5.2 - 7.9	9,200	6.9	5.5 - 8.4	115,400	86.5	84.6 - 88.4	133,400
\$50,000 to \$74,999	7,000	5.5	4.3 - 6.6	5,500	4.3	3.2 - 5.4	115,900	90.2	88.7 - 91.8	128,500
\$75,000 or more	8,300	6.0	4.6 - 7.4	8,300	6.0	4.6 - 7.3	121,800	88.0	86.2 - 89.9	138,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	13,300	8.4	6.9 - 9.9	6,900	4.4	3.3 - 5.5	137,700	87.2	85.4 - 89.0	157,900
131-185%	6,500	7.4	5.5 - 9.4	4,600	5.2	3.6 - 6.8	76,000	87.3	84.9 - 89.8	87,000
186+%	24,500	5.9	5.2 - 6.6	24,100	5.8	5.1 - 6.5	368,800	88.4	87.4 - 89.3	417,400

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	29,700	5.7	5.0 - 6.3	26,200	5.0	4.4 - 5.6	467,300	89.3	88.5 - 90.2	523,100
Unmarried Couple	1,600	9.5	4.2 - 14.8	1,600	9.9	4.4 - 15.3	13,200	80.7	73.6 - 87.7	16,400
Widowed	3,900	6.8	4.6 - 8.9	2,200	3.8	2.2 - 5.4	50,900	89.4	86.8 - 92.0	56,900
Other	24,100	7.8	6.8 - 8.9	21,500	7.0	6.0 - 8.0	262,100	85.2	83.8 - 86.6	307,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	31,400	5.8	5.2 - 6.5	26,800	5.0	4.4 - 5.6	478,100	89.2	88.3 - 90.0	536,300
No	27,800	7.6	6.7 - 8.5	24,700	6.7	5.8 - 7.6	314,500	85.7	84.5 - 86.9	366,900

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	54,500	6.6	6.0 - 7.1	47,300	5.7	5.2 - 6.2	729,300	87.7	87.0 - 88.5	831,100
No	4,700	6.6	4.4 - 8.7	4,200	5.8	4.1 - 7.6	63,000	87.6	84.9 - 90.3	71,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

State	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	63,200	7.1	6.6 - 7.7	44,200	5.0	4.5 - 5.4	781,500	87.9	87.2 - 88.6	888,900

County	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,600	8.1	7.0 - 9.2	5,100	4.8	3.9 - 5.6	92,900	87.1	85.8 - 88.5	106,600
Honolulu	45,100	7.0	6.3 - 7.7	32,400	5.0	4.4 - 5.6	569,800	88.0	87.1 - 88.9	647,300
Kauai	3,100	7.5	6.0 - 8.9	2,300	5.7	4.3 - 7.0	35,900	86.9	85.0 - 88.8	41,300
Maui	6,300	6.8	5.7 - 7.9	4,300	4.6	3.8 - 5.5	82,900	88.6	87.2 - 89.9	93,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Island	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,600	8.1	7.0 - 9.2	5,100	4.8	3.9 - 5.6	92,900	87.1	85.8 - 88.5	106,600
Kauai	3,100	7.5	6.0 - 8.9	2,300	5.7	4.3 - 7.0	35,900	86.9	85.0 - 88.8	41,300
Lanai	200	7.5	4.2 - 10.8	200	7.3	4.2 - 10.4	2,400	85.3	80.9 - 89.7	2,900
Maui	5,600	6.7	5.5 - 7.8	3,900	4.6	3.7 - 5.6	75,200	88.7	87.2 - 90.2	84,800
Molokai	500	8.1	5.2 - 11.1	200	3.1	1.2 - 5.1	5,300	88.7	85.2 - 92.2	6,000
Oahu	45,100	7.0	6.3 - 7.7	32,400	5.0	4.4 - 5.6	569,800	88.0	87.1 - 88.9	647,300

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,400	7.0	4.7 - 9.3	3,200	5.1	3.1 - 7.1	55,600	87.9	84.9 - 90.9	63,300
Ala Moana	1,800	6.0	3.2 - 8.8	1,600	5.3	2.9 - 7.8	26,700	88.7	85.1 - 92.2	30,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,400	8.1	5.7 - 10.4	1,100	6.1	3.9 - 8.3	15,000	85.8	82.7 - 88.9	17,500
Hilo	2,500	7.3	5.6 - 9.1	2,100	6.4	4.6 - 8.2	28,900	86.3	83.9 - 88.7	33,500
Kaaawa/ Kahaluu/ Kaneohe	3,100	7.8	4.9 - 10.7	2,100	5.2	2.5 - 7.8	34,800	87.0	83.2 - 90.8	40,000
Kahului	2,100	7.1	5.1 - 9.1	1,000	3.2	1.8 - 4.5	27,100	89.8	87.4 - 92.2	30,200
Kailua/ Waimanalo	3,300	7.0	4.4 - 9.5	1,900	4.0	2.2 - 5.9	42,900	89.0	86.0 - 92.1	48,100
Kaimuki/ Palolo/ Waikiki	4,500	6.9	5.0 - 8.8	3,100	4.7	3.0 - 6.3	57,900	88.4	86.0 - 90.9	65,500
Kona	2,300	7.8	5.9 - 9.8	1,200	3.9	2.6 - 5.2	26,000	88.3	86.0 - 90.5	29,500
Lahaina/ Wailuku	1,600	5.7	3.7 - 7.8	1,700	6.1	4.3 - 8.0	24,900	88.1	85.5 - 90.8	28,300
Lanai	200	7.5	4.2 - 10.8	200	7.3	4.2 - 10.4	2,400	85.3	80.9 - 89.7	2,900
Lihue-Waimea	1,700	7.0	5.1 - 8.9	1,300	5.3	3.7 - 7.0	20,900	87.7	85.3 - 90.1	23,800
Manoa/ Upper Makiki	4,000	7.1	4.8 - 9.3	3,000	5.4	3.3 - 7.5	49,300	87.5	84.6 - 90.5	56,400
Mililani/ Wahiawa	4,300	7.1	4.7 - 9.6	3,300	5.5	3.5 - 7.4	52,800	87.4	84.4 - 90.4	60,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Community	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	8.1	5.2 - 11.1	200	3.1	1.2 - 5.1	5,300	88.7	85.2 - 92.2	6,000
Nanakuli/ Waianae	4,000	14.0	8.6 - 19.5	900	3.2	0.5 - 5.9	23,300	82.8	76.9 - 88.6	28,100
N.Hawaii	2,100	9.5	6.4 - 12.5	900	4.0	2.1 - 6.0	19,300	86.5	83.0 - 89.9	22,300
N.Shore/ Laie	2,200	9.8	5.1 - 14.5	1,100	4.9	1.7 - 8.1	18,800	85.3	79.9 - 90.7	22,100
Nuuanu/ Kalihi/ Moanalua	2,800	4.3	2.7 - 6.0	5,000	7.6	5.1 - 10.2	57,600	88.0	85.0 - 91.0	65,400
Puna/ Kau	1,800	8.3	5.8 - 10.7	900	4.3	2.7 - 5.9	18,600	87.5	84.7 - 90.3	21,300
Salt Lake/ Foster Village	2,100	5.6	2.9 - 8.4	1,000	2.7	1.2 - 4.2	34,000	91.7	88.6 - 94.8	37,100
Upcountry/ Hana	1,900	7.2	5.2 - 9.2	1,200	4.7	3.1 - 6.4	23,100	88.1	85.6 - 90.6	26,200
Waialae/ Kahala/ Hawaii Kai	2,000	4.8	2.7 - 6.9	1,900	4.6	2.2 - 7.0	37,900	90.6	87.5 - 93.6	41,900
Waipahu/ Kapolei/ Ewa	6,500	7.3	5.3 - 9.3	4,300	4.8	3.2 - 6.4	78,100	87.9	85.4 - 90.3	88,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,800	8.1	6.2 - 10.0	8,500	7.9	5.9 - 9.9	91,100	84.0	81.4 - 86.7	108,400
25-34	10,800	6.5	5.4 - 7.6	8,800	5.3	4.2 - 6.4	147,100	88.2	86.7 - 89.8	166,700
35-44	14,800	8.1	6.7 - 9.4	8,200	4.5	3.6 - 5.3	160,500	87.5	85.9 - 89.0	183,500
45-54	11,400	7.1	6.0 - 8.3	9,700	6.0	4.9 - 7.1	139,100	86.8	85.3 - 88.4	160,100
55-64	8,000	7.0	5.5 - 8.4	4,700	4.1	2.9 - 5.3	102,600	89.0	87.1 - 90.8	115,300
65-74	5,800	6.6	4.9 - 8.4	2,800	3.3	2.1 - 4.4	78,000	90.1	88.0 - 92.1	86,600
75+	3,300	5.3	3.4 - 7.1	1,300	2.1	1.1 - 3.0	59,000	92.7	90.6 - 94.8	63,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	21,000	7.2	6.3 - 8.1	13,600	4.7	4.0 - 5.4	258,100	88.2	87.1 - 89.3	292,800
Native Hawaiian	13,900	11.3	9.5 - 13.1	8,200	6.7	5.2 - 8.2	100,800	82.0	79.8 - 84.3	122,900
Chinese	3,400	6.2	4.0 - 8.4	2,500	4.5	2.8 - 6.2	49,900	89.3	86.6 - 92.0	55,900
Filipino	7,900	5.9	4.7 - 7.1	6,900	5.2	3.8 - 6.6	118,600	88.9	87.1 - 90.7	133,400
Japanese	10,100	5.4	4.4 - 6.4	9,900	5.3	4.2 - 6.3	168,700	89.4	88.0 - 90.8	188,700
Black	600	4.1	1.1 - 7.2	600	3.9	0.6 - 7.2	14,400	92.0	87.6 - 96.4	15,700
Native Alaskan/ American Indian	700	18.3	7.2 - 29.4	<50	0.5	0.0 - 1.4	2,900	81.2	70.1 - 92.4	3,600
Other Asian	1,200	5.5	2.2 - 8.7	500	2.1	0.4 - 3.9	19,700	92.4	88.7 - 96.1	21,300
Other Pacific Islander	1,100	6.4	0.5 - 12.3	600	3.3	0.2 - 6.4	15,400	90.3	83.8 - 96.8	17,000
Mixed Ethnicity	400	4.8	1.6 - 8.0	100	1.5	0.0 - 3.0	7,000	93.6	90.1 - 97.2	7,500
Other	2,900	10.7	5.8 - 15.5	1,000	3.9	1.9 - 5.8	22,800	85.4	80.4 - 90.5	26,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	23,700	5.3	4.6 - 6.1	24,400	5.5	4.8 - 6.2	396,800	89.2	88.2 - 90.2	444,900
Female	39,500	8.9	8.1 - 9.7	19,700	4.4	3.9 - 5.0	384,700	86.7	85.7 - 87.6	444,000

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,400	7.5	4.3 - 10.6	500	2.5	0.7 - 4.2	17,000	90.1	86.4 - 93.7	18,900
Grades 9 thru 11 (Some High School)	2,100	5.4	3.3 - 7.4	2,200	5.5	2.9 - 8.2	34,900	89.1	85.8 - 92.4	39,200
Grades 12 or GED (High School Grad)	24,200	8.1	7.1 - 9.2	15,600	5.2	4.4 - 6.1	257,700	86.6	85.3 - 88.0	297,400
College 1 to 3 years (Some College/ Tech)	18,100	6.9	5.9 - 7.9	14,300	5.4	4.6 - 6.3	230,900	87.7	86.4 - 89.0	263,400
College 4 years or more (College Grad)	17,400	6.5	5.5 - 7.4	11,600	4.3	3.6 - 5.0	239,700	89.2	88.1 - 90.3	268,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	37,900	6.4	5.8 - 7.1	31,700	5.4	4.8 - 6.0	518,500	88.2	87.3 - 89.0	588,100
Unemployed	4,100	12.8	8.2 - 17.4	1,900	6.0	3.1 - 8.8	26,100	81.2	76.1 - 86.4	32,100
Retired/Unable to work	13,700	7.6	6.3 - 8.8	5,300	2.9	2.2 - 3.7	161,800	89.5	88.1 - 91.0	180,700
Student/Homemaker	7,400	8.5	6.5 - 10.5	5,200	6.0	4.1 - 7.9	74,700	85.5	82.9 - 88.1	87,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,700	9.6	6.9 - 12.3	1,800	4.8	2.7 - 6.9	32,500	85.6	82.3 - 88.8	38,000
\$10,000 to \$14,999	4,200	10.1	6.9 - 13.3	2,400	5.8	3.2 - 8.4	34,700	84.1	80.2 - 87.9	41,300
\$15,000 to \$19,999	3,000	7.4	5.1 - 9.7	1,400	3.4	1.8 - 5.0	36,200	89.2	86.5 - 92.0	40,600
\$20,000 to \$24,999	4,400	8.0	5.8 - 10.2	1,500	2.8	1.6 - 3.9	49,300	89.2	86.8 - 91.7	55,200
\$25,000 to \$34,999	6,500	7.0	5.2 - 8.7	3,500	3.8	2.8 - 4.8	82,800	89.2	87.3 - 91.2	92,800
\$35,000 to \$49,999	10,100	7.3	5.9 - 8.7	7,900	5.7	4.4 - 7.0	119,400	86.9	85.1 - 88.8	137,300
\$50,000 to \$74,999	7,900	6.4	5.1 - 7.6	5,900	4.7	3.5 - 5.9	110,600	88.9	87.2 - 90.6	124,500
\$75,000 or more	7,900	6.1	4.7 - 7.5	6,700	5.2	4.0 - 6.4	113,900	88.7	86.9 - 90.5	128,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	12,000	9.2	7.4 - 10.9	5,800	4.4	3.2 - 5.6	113,600	86.5	84.4 - 88.5	131,300
131-185%	8,400	8.6	6.7 - 10.5	3,500	3.6	2.3 - 4.8	85,700	87.8	85.7 - 90.0	97,600
186+%	27,200	6.3	5.7 - 7.0	21,800	5.1	4.4 - 5.7	380,200	88.6	87.7 - 89.5	429,200

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	32,300	6.3	5.6 - 6.9	21,600	4.2	3.7 - 4.7	461,900	89.6	88.7 - 90.4	515,700
Unmarried Couple	1,100	7.8	3.7 - 11.9	1,300	9.4	3.6 - 15.2	11,500	82.8	76.1 - 89.5	13,800
Widowed	3,600	7.3	4.9 - 9.6	1,600	3.1	1.8 - 4.4	44,900	89.6	87.0 - 92.3	50,100
Other	26,200	8.5	7.4 - 9.5	19,700	6.4	5.4 - 7.3	263,300	85.1	83.8 - 86.5	309,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Married	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	34,100	6.4	5.8 - 7.1	22,200	4.2	3.7 - 4.7	472,600	89.3	88.5 - 90.2	528,900
No	29,100	8.1	7.2 - 9.0	21,900	6.1	5.2 - 7.0	307,800	85.8	84.6 - 87.0	358,800

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,300	7.1	6.6 - 7.7	41,400	5.1	4.6 - 5.5	720,300	87.8	87.1 - 88.6	820,000
No	4,900	7.2	4.9 - 9.5	2,700	4.0	2.6 - 5.4	60,200	88.8	86.2 - 91.4	67,700