

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents; If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension

This report displays weighted numbers, percentages and confidence intervals for BRFSS Health Indicators. Respondents are aged 18 or older. The trend analysis page shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the estimated adult population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access BRFSS documentation](#)

[Click here to access Hawaii Data Guide](#)

[Click here to access Poverty Level methodology](#)

**For questions on this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(808)946-5899 x15

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Year	4 or more times			2 or 3 times			Once			None			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2003-2005	13,785	7.1	4.2 - 10.0	24,593	12.7	9.3 - 16.1	31,288	16.2	11.7 - 20.6	123,956	64.0	58.7 - 69.4	193,622



During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Year Total	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
State	123,956	64.0	58.7 - 69.4	31,288	16.2	11.7 - 20.6	24,593	12.7	9.3 - 16.1	13,785	7.1	4.2 - 10.0	193,622

County	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,613	67.4	58.2 - 76.6	3,923	13.5	6.0 - 20.9	3,639	12.5	6.7 - 18.3	1,917	6.6	2.1 - 11.1	29,092
Honolulu	80,433	63.0	55.6 - 70.5	20,228	15.8	9.6 - 22.1	16,969	13.3	8.5 - 18.1	10,033	7.9	3.7 - 12.0	127,663
Kauai	5,500	54.1	40.1 - 68.1	2,381	23.4	11.2 - 35.7	1,637	16.1	6.8 - 25.5	648	6.4	.0 - 12.9	10,166
Maui	16,458	69.2	58.2 - 80.1	3,807	16.0	7.4 - 24.6	2,348	9.9	3.7 - 16.0	1,186	5.0	.7 - 9.3	23,799

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

BRFSS Age Group	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	15,643	63.4	48.5 - 78.3	3,399	13.8	4.4 - 23.1	4,307	17.5	5.6 - 29.3	1,315	5.3	.1 - 10.6	24,664
25-34	24,956	58.1	46.6 - 69.6	6,433	15.0	7.2 - 22.7	7,495	17.4	8.3 - 26.6	4,068	9.5	2.3 - 16.6	42,952
35-44	23,742	64.4	50.5 - 78.3	9,437	25.6	11.6 - 39.6	3,372	9.1	2.2 - 16.0	312	0.8	.0 - 2.2	36,863
45-54	19,391	59.0	45.7 - 72.2	6,541	19.9	6.7 - 33.1	4,072	12.4	5.0 - 19.8	2,877	8.7	2.8 - 14.7	32,881
55-64	19,326	66.2	53.8 - 78.5	3,355	11.5	4.2 - 18.8	3,405	11.7	5.4 - 17.9	3,117	10.7	.0 - 22.0	29,203
65-74	8,986	66.6	48.5 - 84.7	1,244	9.2	1.4 - 17.0	1,579	11.7	.5 - 22.9	1,686	12.5	.0 - 26.1	13,495
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,528

DOH Race -Ethnicity	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
---------------------	------	--	--	------	--	--	--------------	--	--	-----------------	--	--	----------------------------

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,783
Filipino	19,232	75.4	62.3 - 88.6	2,364	9.3	2.4 - 16.1	2,464	9.7	.7 - 18.6	1,434	5.6	.0 - 13.8	25,494
Japanese	27,004	75.2	65.0 - 85.5	5,947	16.6	7.9 - 25.2	1,754	4.9	.8 - 9.0	1,193	3.3	.0 - 8.5	35,898
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Hawaiian	18,384	54.4	39.4 - 69.3	7,751	22.9	7.9 - 38.0	5,758	17.0	6.9 - 27.2	1,928	5.7	.0 - 14.1	33,821
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,717
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
White	39,091	56.6	48.1 - 65.1	11,158	16.2	8.6 - 23.7	10,776	15.6	9.8 - 21.4	8,056	11.7	6.3 - 17.0	69,081

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Gender	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	80,018	62.1	55.7 - 68.4	21,298	16.5	10.8 - 22.2	18,437	14.3	10.1 - 18.5	9,201	7.1	4.1 - 10.2	128,954
Male	43,937	67.9	58.3 - 77.6	9,989	15.4	8.3 - 22.6	6,156	9.5	3.7 - 15.4	4,584	7.1	.9 - 13.3	64,666

County and Community	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii-Hilo	6,368	75.0	62.8 - 87.2	606	7.1	.6 - 13.6	1,191	14.0	3.9 - 24.1	325	3.8	.0 - 8.3	8,490
Hawaii-Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,327
Hawaii-N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,691
Hawaii-Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,585

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

County and Community	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,191
Honolulu-Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu-Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,790
Honolulu-Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,034
Honolulu-Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,131
Honolulu-Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,395
Honolulu-Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,951
Honolulu-Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,062
Honolulu-N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

County and Community	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,353
Honolulu-Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu-Waiialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu-Waipahu/ Kapolei/ Ewa	14,147	50.3	31.9 - 68.7	6,951	24.7	7.8 - 41.6	3,444	12.2	2.5 - 22.0	3,580	12.7	.0 - 25.7	28,122
Kauai-Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,855
Kauai-Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,312
Maui-Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,209
Maui-Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,866
Maui-Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	340

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

County and Community	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Maui-Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui-Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,690

Employment Status(Grouped)	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	75,570	63.2	56.6 - 69.8	20,242	16.9	11.4 - 22.4	15,966	13.4	9.0 - 17.8	7,805	6.5	3.1 - 9.9	119,583
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,797
Student/Homemaker	16,999	73.1	59.3 - 87.0	785	3.4	.1 - 6.6	3,356	14.4	3.3 - 25.5	2,104	9.1	.0 - 18.4	23,244
Retired/Unable to work	27,191	64.7	52.1 - 77.4	6,547	15.6	3.9 - 27.3	4,607	11.0	4.6 - 17.4	3,653	8.7	1.3 - 16.0	41,998

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Education Level	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	13,380
Grades 12 or GED (High School Grad)	35,827	64.0	53.1 - 74.9	11,495	20.5	10.5 - 30.6	5,601	10.0	3.9 - 16.1	3,045	5.4	.7 - 10.2	55,968
College 1 to 3 years (Some College/ Tech)	37,095	63.1	54.5 - 71.7	9,181	15.6	9.5 - 21.8	8,249	14.0	7.8 - 20.3	4,248	7.2	2.6 - 11.9	58,773
College 4 years or more (College Grad)	40,786	67.2	57.9 - 76.4	8,595	14.2	6.2 - 22.1	7,645	12.6	6.9 - 18.3	3,687	6.1	1.5 - 10.6	60,713
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Household Income	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,680
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,228
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,244
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,524
\$25,000 to \$34,999	12,526	65.2	49.8 - 80.6	2,697	14.0	4.1 - 23.9	3,138	16.3	5.1 - 27.6	846	4.4	.0 - 10.1	19,207
\$35,000 to \$49,999	15,263	57.9	44.2 - 71.6	3,925	14.9	5.3 - 24.4	5,782	21.9	9.6 - 34.2	1,391	5.3	.3 - 10.3	26,361
\$50,000 to \$74,999	31,607	75.7	65.7 - 85.7	5,837	14.0	6.1 - 21.9	2,335	5.6	.2 - 11.0	1,976	4.7	.1 - 9.4	41,755
\$75,000 or more	24,614	61.5	49.3 - 73.7	9,104	22.7	10.9 - 34.6	3,198	8.0	3.1 - 12.9	3,107	7.8	.6 - 14.9	40,023

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Island	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,613	67.4	58.3 - 76.5	3,923	13.5	6.1 - 20.9	3,639	12.5	6.7 - 18.3	1,917	6.6	2.1 - 11.1	29,092
Kauai	5,500	54.1	40.3 - 67.9	2,381	23.4	11.4 - 35.5	1,637	16.1	6.9 - 25.3	648	6.4	.0 - 12.8	10,166
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	340
Maui	15,910	69.9	58.7 - 81.1	3,612	15.9	7.0 - 24.7	2,193	9.6	3.3 - 15.9	1,051	4.6	.2 - 9.0	22,766
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	80,433	63.0	55.6 - 70.4	20,228	15.8	9.6 - 22.1	16,969	13.3	8.5 - 18.1	10,033	7.9	3.7 - 12.0	127,663

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Marital Status(Grouped)	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	38,779	60.7	51.6 - 69.7	11,476	17.9	11.1 - 24.8	8,378	13.1	7.4 - 18.8	5,305	8.3	2.8 - 13.8	63,938
Married	72,026	65.0	57.7 - 72.4	19,294	17.4	10.8 - 24.1	12,559	11.3	7.1 - 15.5	6,864	6.2	2.5 - 9.9	110,743
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,852
Widowed	9,475	72.4	55.4 - 89.3	263	2.0	.0 - 4.1	2,114	16.1	.5 - 31.8	1,238	9.5	1.2 - 17.7	13,090

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Poverty Level	None			Once			2 or 3 times			4 or more times			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
1-50%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	13,500
51-100%	11,412	59.6	41.8 - 77.4	2,714	14.2	2.8 - 25.5	3,425	17.9	3.9 - 31.8	1,592	8.3	.0 - 17.0	19,143
101-120%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,226
121-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,227
131-150%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
151-170%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,241
171-180%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
181-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	74,616	68.4	61.7 - 75.1	18,291	16.8	11.0 - 22.6	9,848	9.0	5.5 - 12.6	6,288	5.8	2.4 - 9.1	109,043

During the Past 12 Months, How Many Times Did You See a Doctor, Nurse or Other Health Professional for Urgent Treatment of Worsening Asthma Symptoms (Among Those Who Currently Have Asthma) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2003-2005

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005