

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	109,600	12.3	11.6 - 13.0	781,500	87.7	87.0 - 88.4	891,100
2001-2003	112,900	12.5	11.7 - 13.2	793,500	87.5	86.8 - 88.3	906,400
2002-2004	121,100	13.3	12.3 - 14.2	790,900	86.7	85.8 - 87.7	912,000
2003-2005	126,100	13.5	12.6 - 14.4	808,900	86.5	85.6 - 87.4	935,000
2004-2006	141,600	14.9	13.9 - 15.8	810,400	85.1	84.2 - 86.1	952,000
2005-2007	143,100	14.7	13.9 - 15.4	833,200	85.3	84.6 - 86.1	976,300
2006-2008	150,800	15.3	14.6 - 16.1	833,300	84.7	83.9 - 85.4	984,000
2007-2009	155,600	15.7	14.9 - 16.4	838,000	84.3	83.6 - 85.1	993,600
2008-2010	168,800	16.9	16.1 - 17.7	832,500	83.1	82.3 - 83.9	1,001,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	168,800	16.9	16.1 - 17.7	832,500	83.1	82.3 - 83.9	1,001,300

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	26,500	19.3	17.6 - 20.9	111,100	80.7	79.1 - 82.4	137,600
Honolulu	117,300	16.7	15.6 - 17.7	586,100	83.3	82.3 - 84.4	703,500
Kauai	7,100	14.5	12.3 - 16.7	41,800	85.5	83.3 - 87.7	48,800
Maui	17,900	16.1	14.5 - 17.7	93,500	83.9	82.3 - 85.5	111,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	26,500	19.3	17.6 - 20.9	111,100	80.7	79.1 - 82.4	137,600
Kauai	7,100	14.5	12.3 - 16.7	41,800	85.5	83.3 - 87.7	48,800
Lanai	200	12.5	9.1 - 15.9	1,500	87.5	84.1 - 90.9	1,700
Maui	16,400	16.1	14.3 - 17.8	85,500	83.9	82.2 - 85.7	101,900
Molokai	1,300	17.0	13.4 - 20.7	6,500	83.0	79.3 - 86.6	7,800
Oahu	117,300	16.7	15.6 - 17.7	586,100	83.3	82.3 - 84.4	703,500

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,500	16.4	13.1 - 19.6	53,400	83.6	80.4 - 86.9	63,900
Ala Moana	3,200	12.1	7.7 - 16.6	23,500	87.9	83.4 - 92.3	26,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	3,000	14.7	11.3 - 18.1	17,200	85.3	81.9 - 88.7	20,100
Hilo	8,800	21.2	18.0 - 24.3	32,700	78.8	75.7 - 82.0	41,500
Kaaawa/ Kahaluu/ Kaneohe	6,700	13.3	9.8 - 16.9	43,500	86.7	83.1 - 90.2	50,200
Kahului	5,600	16.1	12.9 - 19.4	29,000	83.9	80.6 - 87.1	34,600
Kailua/ Waimanalo	10,600	20.8	16.6 - 25.1	40,300	79.2	74.9 - 83.4	50,900
Kaimuki/ Palolo/ Waikiki	9,200	16.2	12.9 - 19.4	47,800	83.8	80.6 - 87.1	57,100
Kona	5,500	18.5	15.3 - 21.7	24,100	81.5	78.3 - 84.7	29,500
Lahaina/ Wailuku	5,400	16.3	13.2 - 19.4	27,900	83.7	80.6 - 86.8	33,400
Lanai	200	12.5	9.1 - 15.9	1,500	87.5	84.1 - 90.9	1,700
Lihue-Waimea	4,100	14.3	11.4 - 17.3	24,600	85.7	82.7 - 88.6	28,700
Manoa/ Upper Makiki	8,400	17.0	13.1 - 20.9	41,000	83.0	79.1 - 86.9	49,400
Mililani/ Wahiawa	13,600	18.0	14.8 - 21.2	61,700	82.0	78.8 - 85.2	75,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,300	17.0	13.4 - 20.7	6,500	83.0	79.3 - 86.6	7,800
Nanakuli/ Waianae	7,800	22.0	15.8 - 28.2	27,600	78.0	71.8 - 84.2	35,400
N.Hawaii	5,500	20.3	16.4 - 24.3	21,500	79.7	75.7 - 83.6	27,000
N.Shore/ Laie	4,400	19.4	12.7 - 26.1	18,200	80.6	73.9 - 87.3	22,500
Nuuanu/ Kalihi/ Moanalua	10,800	15.6	11.9 - 19.2	58,400	84.4	80.8 - 88.1	69,100
Puna/ Kau	6,800	17.1	14.3 - 19.9	32,800	82.9	80.1 - 85.7	39,600
Salt Lake/ Foster Village	5,200	14.1	10.1 - 18.2	31,400	85.9	81.8 - 89.9	36,600
Upcountry/ Hana	5,300	15.7	13.0 - 18.5	28,600	84.3	81.5 - 87.0	33,900
Waialae/ Kahala/ Hawaii Kai	6,200	13.5	10.2 - 16.8	39,800	86.5	83.2 - 89.8	46,100
Waipahu/ Kapolei/ Ewa	20,800	17.3	14.6 - 20.0	99,500	82.7	80.0 - 85.4	120,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	33,000	27.2	23.5 - 30.9	88,200	72.8	69.1 - 76.5	121,200
25-34	33,300	18.5	16.2 - 20.9	146,300	81.5	79.1 - 83.8	179,600
35-44	25,900	14.7	13.1 - 16.4	150,100	85.3	83.6 - 86.9	176,000
45-54	29,500	16.5	15.0 - 18.0	149,000	83.5	82.0 - 85.0	178,500
55-64	25,000	16.5	15.0 - 17.9	126,800	83.5	82.1 - 85.0	151,800
65-74	11,900	13.0	11.4 - 14.5	80,200	87.0	85.5 - 88.6	92,100
75+	9,700	10.0	8.4 - 11.5	87,500	90.0	88.5 - 91.6	97,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	47,000	14.7	13.5 - 15.8	273,300	85.3	84.2 - 86.5	320,300
Native Hawaiian	34,800	26.7	23.9 - 29.5	95,500	73.3	70.5 - 76.1	130,400
Chinese	11,700	18.8	15.3 - 22.2	50,500	81.2	77.8 - 84.7	62,200
Filipino	23,200	14.7	12.6 - 16.8	134,500	85.3	83.2 - 87.4	157,600
Japanese	35,500	15.3	13.7 - 16.9	196,400	84.7	83.1 - 86.3	231,900
Black	2,100	14.1	8.7 - 19.4	12,700	85.9	80.6 - 91.3	14,800
Native Alaskan/ American Indian	900	19.8	9.2 - 30.3	3,800	80.2	69.7 - 90.8	4,800
Other Asian	3,500	14.1	9.3 - 18.9	21,400	85.9	81.1 - 90.7	24,900
Other Pacific Islander	3,200	10.5	5.4 - 15.6	26,900	89.5	84.4 - 94.6	30,100
Other	6,400	29.9	22.4 - 37.3	14,900	70.1	62.7 - 77.6	21,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	77,100	15.5	14.3 - 16.7	420,700	84.5	83.3 - 85.7	497,800
Female	91,700	18.2	17.2 - 19.3	411,700	81.8	80.7 - 82.8	503,500

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,500	12.4	6.3 - 18.5	10,300	87.6	81.5 - 93.7	11,800
Grades 9 thru 11 (Some High School)	8,200	20.7	15.9 - 25.4	31,300	79.3	74.6 - 84.1	39,500
Grades 12 or GED (High School Grad)	52,500	18.1	16.5 - 19.7	237,400	81.9	80.3 - 83.5	289,900
College 1 to 3 years (Some College/ Tech)	52,800	18.3	16.7 - 20.0	235,000	81.7	80.0 - 83.3	287,800
College 4 years or more (College Grad)	53,900	14.5	13.4 - 15.6	317,500	85.5	84.4 - 86.6	371,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	104,200	16.9	15.9 - 17.9	512,400	83.1	82.1 - 84.1	616,600
Unemployed	11,400	18.7	14.9 - 22.5	49,800	81.3	77.5 - 85.1	61,200
Retired/Unable to work	30,700	14.2	13.0 - 15.4	184,900	85.8	84.6 - 87.0	215,600
Student/Homemaker	22,500	21.1	17.8 - 24.3	84,300	78.9	75.7 - 82.2	106,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,100	19.7	15.4 - 24.0	25,100	80.3	76.0 - 84.6	31,200
\$10,000 to \$14,999	4,700	19.1	14.3 - 23.8	20,100	80.9	76.2 - 85.7	24,800
\$15,000 to \$19,999	9,400	19.4	15.4 - 23.4	39,000	80.6	76.6 - 84.6	48,400
\$20,000 to \$24,999	10,900	17.9	14.5 - 21.3	49,700	82.1	78.7 - 85.5	60,500
\$25,000 to \$34,999	15,100	15.1	12.8 - 17.3	85,200	84.9	82.7 - 87.2	100,300
\$35,000 to \$49,999	27,300	18.5	16.3 - 20.7	120,000	81.5	79.3 - 83.7	147,300
\$50,000 to \$74,999	30,500	17.6	15.7 - 19.5	143,200	82.4	80.5 - 84.3	173,700
\$75,000 or more	46,900	14.8	13.5 - 16.2	268,800	85.2	83.8 - 86.5	315,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	40,100	19.5	17.4 - 21.5	165,900	80.5	78.5 - 82.6	206,000
131-185%	25,800	18.9	16.5 - 21.2	110,700	81.1	78.8 - 83.5	136,500
186+%	85,000	15.2	14.3 - 16.1	474,200	84.8	83.9 - 85.7	559,200

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	84,200	14.4	13.6 - 15.3	500,200	85.6	84.7 - 86.4	584,400
Unmarried Couple	7,200	22.9	17.5 - 28.2	24,400	77.1	71.8 - 82.5	31,700
Widowed	8,000	13.7	11.3 - 16.1	50,500	86.3	83.9 - 88.7	58,500
Other	69,300	21.2	19.4 - 23.0	257,300	78.8	77.0 - 80.6	326,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	85,800	14.4	13.5 - 15.3	510,000	85.6	84.7 - 86.5	595,900
No	82,600	20.5	18.9 - 22.0	320,900	79.5	78.0 - 81.1	403,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	156,600	16.8	16.0 - 17.6	774,300	83.2	82.4 - 84.0	930,900
No	11,700	17.2	13.3 - 21.1	56,400	82.8	78.9 - 86.7	68,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	155,600	15.7	14.9 - 16.4	838,000	84.3	83.6 - 85.1	993,600

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,100	17.3	15.8 - 18.8	110,600	82.7	81.2 - 84.2	133,700
Honolulu	108,200	15.4	14.4 - 16.4	594,200	84.6	83.6 - 85.6	702,400
Kauai	7,200	15.0	12.8 - 17.2	40,900	85.0	82.8 - 87.2	48,100
Maui	17,100	15.6	14.0 - 17.1	92,400	84.4	82.9 - 86.0	109,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,100	17.3	15.8 - 18.8	110,600	82.7	81.2 - 84.2	133,700
Kauai	7,200	15.0	12.8 - 17.2	40,900	85.0	82.8 - 87.2	48,100
Lanai	300	15.4	11.8 - 19.0	1,600	84.6	81.0 - 88.2	1,900
Maui	15,300	15.4	13.7 - 17.0	84,200	84.6	83.0 - 86.3	99,500
Molokai	1,500	18.4	14.6 - 22.2	6,600	81.6	77.8 - 85.4	8,100
Oahu	108,200	15.4	14.4 - 16.4	594,200	84.6	83.6 - 85.6	702,400

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,300	16.2	12.7 - 19.6	53,400	83.8	80.4 - 87.3	63,600
Ala Moana	3,200	11.0	6.9 - 15.1	26,400	89.0	84.9 - 93.1	29,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	3,000	15.3	11.7 - 18.9	16,800	84.7	81.1 - 88.3	19,900
Hilo	7,200	18.3	15.3 - 21.2	32,400	81.7	78.8 - 84.7	39,600
Kaaawa/ Kahaluu/ Kaneohe	6,700	13.7	10.2 - 17.2	41,900	86.3	82.8 - 89.8	48,600
Kahului	5,100	15.0	12.1 - 17.9	28,900	85.0	82.1 - 87.9	34,100
Kailua/ Waimanalo	9,600	18.6	14.6 - 22.6	42,000	81.4	77.4 - 85.4	51,600
Kaimuki/ Palolo/ Waikiki	6,900	12.1	9.3 - 14.8	50,000	87.9	85.2 - 90.7	56,900
Kona	4,300	15.2	12.6 - 17.9	24,100	84.8	82.1 - 87.4	28,400
Lahaina/ Wailuku	4,900	15.2	12.3 - 18.1	27,100	84.8	81.9 - 87.7	32,000
Lanai	300	15.4	11.8 - 19.0	1,600	84.6	81.0 - 88.2	1,900
Lihue-Waimea	4,200	14.8	12.0 - 17.6	24,000	85.2	82.4 - 88.0	28,200
Manoa/ Upper Makiki	7,000	15.2	11.8 - 18.7	39,200	84.8	81.3 - 88.2	46,300
Mililani/ Wahiawa	12,300	16.1	13.1 - 19.1	63,900	83.9	80.9 - 86.9	76,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,500	18.4	14.6 - 22.2	6,600	81.6	77.8 - 85.4	8,100
Nanakuli/ Waianae	6,300	18.3	13.4 - 23.2	28,300	81.7	76.8 - 86.6	34,600
N.Hawaii	5,500	19.7	15.9 - 23.5	22,600	80.3	76.5 - 84.1	28,100
N.Shore/ Laie	4,400	20.4	14.0 - 26.8	17,300	79.6	73.2 - 86.0	21,700
Nuuanu/ Kalihi/ Moanalua	10,400	14.9	11.2 - 18.5	59,400	85.1	81.5 - 88.8	69,700
Puna/ Kau	6,000	16.0	13.3 - 18.7	31,500	84.0	81.3 - 86.7	37,500
Salt Lake/ Foster Village	4,300	12.3	8.4 - 16.1	30,400	87.7	83.9 - 91.6	34,600
Upcountry/ Hana	5,300	15.9	13.1 - 18.8	28,200	84.1	81.2 - 86.9	33,500
Waiialae/ Kahala/ Hawaii Kai	6,200	13.3	9.9 - 16.7	40,400	86.7	83.3 - 90.1	46,600
Waipahu/ Kapolei/ Ewa	20,600	16.9	14.2 - 19.5	101,700	83.1	80.5 - 85.8	122,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	33,200	27.1	23.4 - 30.7	89,400	72.9	69.3 - 76.6	122,600
25-34	27,000	15.7	13.6 - 17.8	145,000	84.3	82.2 - 86.4	172,000
35-44	23,800	13.5	12.0 - 15.1	152,500	86.5	84.9 - 88.0	176,300
45-54	27,600	15.3	13.9 - 16.7	153,200	84.7	83.3 - 86.1	180,800
55-64	24,100	15.8	14.3 - 17.3	128,600	84.2	82.7 - 85.7	152,800
65-74	10,200	11.5	10.0 - 13.1	78,100	88.5	86.9 - 90.0	88,300
75+	9,100	9.4	7.9 - 11.0	87,100	90.6	89.0 - 92.1	96,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	44,500	13.9	12.8 - 15.0	275,400	86.1	85.0 - 87.2	320,000
Native Hawaiian	32,900	25.0	22.5 - 27.6	98,600	75.0	72.4 - 77.5	131,500
Chinese	9,400	15.3	12.2 - 18.4	51,800	84.7	81.6 - 87.8	61,200
Filipino	22,500	14.0	11.8 - 16.1	138,300	86.0	83.9 - 88.2	160,800
Japanese	32,100	14.2	12.7 - 15.8	193,400	85.8	84.2 - 87.3	225,400
Black	1,800	11.6	6.4 - 16.9	13,600	88.4	83.1 - 93.6	15,300
Native Alaskan/ American Indian	1,200	20.8	11.2 - 30.3	4,500	79.2	69.7 - 88.8	5,700
Other Asian	3,000	12.6	8.0 - 17.3	20,500	87.4	82.7 - 92.0	23,400
Other Pacific Islander	2,400	9.2	4.8 - 13.6	23,500	90.8	86.4 - 95.2	25,800
Other	5,700	26.8	19.9 - 33.7	15,500	73.2	66.3 - 80.1	21,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	71,600	14.6	13.4 - 15.7	420,400	85.4	84.3 - 86.6	492,000
Female	84,000	16.7	15.7 - 17.7	417,600	83.3	82.3 - 84.3	501,600

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,400	11.0	5.5 - 16.5	11,600	89.0	83.5 - 94.5	13,000
Grades 9 thru 11 (Some High School)	8,400	22.0	17.3 - 26.7	29,800	78.0	73.3 - 82.7	38,200
Grades 12 or GED (High School Grad)	49,800	16.8	15.3 - 18.4	246,200	83.2	81.6 - 84.7	296,000
College 1 to 3 years (Some College/ Tech)	48,100	16.7	15.2 - 18.2	240,400	83.3	81.8 - 84.8	288,500
College 4 years or more (College Grad)	47,800	13.4	12.4 - 14.5	308,800	86.6	85.5 - 87.6	356,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	98,000	15.6	14.6 - 16.5	531,300	84.4	83.5 - 85.4	629,300
Unemployed	10,400	21.3	16.8 - 25.9	38,200	78.7	74.1 - 83.2	48,500
Retired/Unable to work	28,000	12.8	11.6 - 13.9	191,300	87.2	86.1 - 88.4	219,300
Student/Homemaker	19,200	20.1	17.0 - 23.3	76,100	79.9	76.7 - 83.0	95,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,500	20.6	15.8 - 25.4	21,200	79.4	74.6 - 84.2	26,700
\$10,000 to \$14,999	4,300	16.7	12.5 - 20.9	21,300	83.3	79.1 - 87.5	25,500
\$15,000 to \$19,999	7,900	17.7	14.1 - 21.3	36,800	82.3	78.7 - 85.9	44,700
\$20,000 to \$24,999	10,200	17.5	14.1 - 20.9	48,200	82.5	79.1 - 85.9	58,400
\$25,000 to \$34,999	14,600	14.0	11.9 - 16.1	89,700	86.0	83.9 - 88.1	104,300
\$35,000 to \$49,999	26,600	17.2	15.1 - 19.2	128,600	82.8	80.8 - 84.9	155,200
\$50,000 to \$74,999	27,900	15.6	13.8 - 17.4	150,400	84.4	82.6 - 86.2	178,300
\$75,000 or more	42,800	14.0	12.7 - 15.3	262,900	86.0	84.7 - 87.3	305,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	35,000	18.0	16.0 - 19.9	159,800	82.0	80.1 - 84.0	194,800
131-185%	23,500	18.4	15.9 - 20.9	104,400	81.6	79.1 - 84.1	127,900
186+%	81,200	14.1	13.2 - 15.0	494,800	85.9	85.0 - 86.8	576,000

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	78,900	13.5	12.6 - 14.3	507,400	86.5	85.7 - 87.4	586,200
Unmarried Couple	6,700	23.1	17.8 - 28.5	22,300	76.9	71.5 - 82.2	29,000
Widowed	7,800	13.4	11.1 - 15.7	50,600	86.6	84.3 - 88.9	58,400
Other	62,200	19.4	17.7 - 21.1	257,800	80.6	78.9 - 82.3	320,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	80,700	13.5	12.7 - 14.4	515,900	86.5	85.6 - 87.3	596,700
No	74,600	18.9	17.4 - 20.3	320,600	81.1	79.7 - 82.6	395,200

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	143,000	15.4	14.7 - 16.2	783,600	84.6	83.8 - 85.3	926,600
No	12,100	18.6	14.6 - 22.5	53,000	81.4	77.5 - 85.4	65,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	150,800	15.3	14.6 - 16.1	833,300	84.7	83.9 - 85.4	984,000

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	21,400	16.7	15.2 - 18.2	106,800	83.3	81.8 - 84.8	128,200
Honolulu	104,900	15.0	14.0 - 16.0	595,300	85.0	84.0 - 86.0	700,200
Kauai	7,600	15.9	13.6 - 18.3	40,100	84.1	81.7 - 86.4	47,700
Maui	16,900	15.7	14.1 - 17.3	91,100	84.3	82.7 - 85.9	108,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	21,400	16.7	15.2 - 18.2	106,800	83.3	81.8 - 84.8	128,200
Kauai	7,600	15.9	13.6 - 18.3	40,100	84.1	81.7 - 86.4	47,700
Lanai	300	15.5	12.0 - 18.9	1,800	84.5	81.1 - 88.0	2,100
Maui	15,300	15.5	13.8 - 17.3	83,100	84.5	82.7 - 86.2	98,400
Molokai	1,300	17.2	13.3 - 21.1	6,200	82.8	78.9 - 86.7	7,500
Oahu	104,900	15.0	14.0 - 16.0	595,300	85.0	84.0 - 86.0	700,200

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,400	14.2	11.0 - 17.4	56,600	85.8	82.6 - 89.0	66,000
Ala Moana	3,600	11.5	7.9 - 15.1	27,900	88.5	84.9 - 92.1	31,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	3,000	14.7	11.4 - 18.1	17,100	85.3	81.9 - 88.6	20,000
Hilo	7,200	18.9	15.9 - 22.0	30,700	81.1	78.0 - 84.1	37,800
Kaaawa/ Kahaluu/ Kaneohe	7,800	16.2	12.4 - 20.0	40,600	83.8	80.0 - 87.6	48,500
Kahului	4,800	14.7	11.7 - 17.7	28,100	85.3	82.3 - 88.3	33,000
Kailua/ Waimanalo	9,500	18.6	14.8 - 22.4	41,400	81.4	77.6 - 85.2	50,900
Kaimuki/ Palolo/ Waikiki	6,300	11.0	8.3 - 13.6	51,000	89.0	86.4 - 91.7	57,300
Kona	3,800	13.4	10.9 - 15.9	24,400	86.6	84.1 - 89.1	28,200
Lahaina/ Wailuku	5,200	16.1	13.1 - 19.0	27,300	83.9	81.0 - 86.9	32,600
Lanai	300	15.5	12.0 - 18.9	1,800	84.5	81.1 - 88.0	2,100
Lihue-Waimea	4,700	16.8	13.6 - 20.0	23,000	83.2	80.0 - 86.4	27,700
Manoa/ Upper Makiki	7,000	15.0	11.8 - 18.1	40,000	85.0	81.9 - 88.2	47,000
Mililani/ Wahiawa	11,900	16.8	13.8 - 19.8	58,700	83.2	80.2 - 86.2	70,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,300	17.2	13.3 - 21.1	6,200	82.8	78.9 - 86.7	7,500
Nanakuli/ Waianae	7,200	20.7	15.6 - 25.8	27,500	79.3	74.2 - 84.4	34,700
N.Hawaii	5,300	19.3	15.6 - 23.1	22,100	80.7	76.9 - 84.4	27,400
N.Shore/ Laie	4,200	18.0	12.3 - 23.7	19,300	82.0	76.3 - 87.7	23,500
Nuuanu/ Kalihi/ Moanalua	8,600	12.4	9.2 - 15.5	60,600	87.6	84.5 - 90.8	69,200
Puna/ Kau	5,100	14.8	12.2 - 17.4	29,700	85.2	82.6 - 87.8	34,800
Salt Lake/ Foster Village	5,000	14.8	10.2 - 19.4	29,000	85.2	80.6 - 89.8	34,100
Upcountry/ Hana	5,200	15.9	12.9 - 18.8	27,600	84.1	81.2 - 87.1	32,800
Waiialae/ Kahala/ Hawaii Kai	4,800	11.3	8.3 - 14.4	37,500	88.7	85.6 - 91.7	42,300
Waipahu/ Kapolei/ Ewa	19,600	15.7	13.1 - 18.3	105,000	84.3	81.7 - 86.9	124,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	29,900	24.3	20.9 - 27.7	93,300	75.7	72.3 - 79.1	123,300
25-34	28,500	17.1	15.0 - 19.3	137,900	82.9	80.7 - 85.0	166,400
35-44	23,800	13.5	11.9 - 15.0	153,000	86.5	85.0 - 88.1	176,700
45-54	26,500	14.7	13.3 - 16.1	153,800	85.3	83.9 - 86.7	180,400
55-64	23,800	15.8	14.2 - 17.3	126,800	84.2	82.7 - 85.8	150,600
65-74	9,700	11.4	9.9 - 12.9	75,800	88.6	87.1 - 90.1	85,500
75+	7,600	8.0	6.7 - 9.4	87,400	92.0	90.6 - 93.3	95,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	45,800	14.3	13.2 - 15.4	274,700	85.7	84.6 - 86.8	320,500
Native Hawaiian	31,100	23.8	21.3 - 26.2	99,700	76.2	73.8 - 78.7	130,700
Chinese	8,700	15.5	12.2 - 18.7	47,300	84.5	81.3 - 87.8	55,900
Filipino	21,600	13.7	11.6 - 15.9	135,500	86.3	84.1 - 88.4	157,100
Japanese	28,500	13.2	11.7 - 14.6	187,800	86.8	85.4 - 88.3	216,300
Black	1,700	11.4	6.1 - 16.6	13,100	88.6	83.4 - 93.9	14,800
Native Alaskan/ American Indian	1,100	19.1	9.8 - 28.4	4,700	80.9	71.6 - 90.2	5,800
Other Asian	1,900	7.6	4.1 - 11.2	23,100	92.4	88.8 - 95.9	25,000
Other Pacific Islander	2,400	9.8	5.4 - 14.2	21,700	90.2	85.8 - 94.6	24,100
Mixed Ethnicity	1,500	19.1	10.7 - 27.4	6,500	80.9	72.6 - 89.3	8,100
Other	5,900	27.4	20.4 - 34.5	15,700	72.6	65.5 - 79.6	21,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	68,300	14.1	12.9 - 15.2	417,700	85.9	84.8 - 87.1	486,000
Female	82,400	16.6	15.6 - 17.5	415,600	83.4	82.5 - 84.4	498,000

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,300	9.7	5.6 - 13.8	12,400	90.3	86.2 - 94.4	13,800
Grades 9 thru 11 (Some High School)	7,400	19.0	14.8 - 23.1	31,800	81.0	76.9 - 85.2	39,200
Grades 12 or GED (High School Grad)	47,900	16.1	14.6 - 17.6	249,800	83.9	82.4 - 85.4	297,700
College 1 to 3 years (Some College/ Tech)	46,100	16.2	14.7 - 17.6	238,900	83.8	82.4 - 85.3	284,900
College 4 years or more (College Grad)	48,000	13.8	12.8 - 14.9	299,100	86.2	85.1 - 87.2	347,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	95,600	15.2	14.2 - 16.1	534,600	84.8	83.9 - 85.8	630,300
Unemployed	9,800	26.3	20.8 - 31.7	27,400	73.7	68.3 - 79.2	37,200
Retired/Unable to work	27,200	12.2	11.0 - 13.3	196,900	87.8	86.7 - 89.0	224,100
Student/Homemaker	18,000	19.7	16.7 - 22.8	73,200	80.3	77.2 - 83.3	91,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,300	20.0	15.5 - 24.6	21,100	80.0	75.4 - 84.5	26,300
\$10,000 to \$14,999	4,400	16.9	12.7 - 21.1	21,600	83.1	78.9 - 87.3	26,000
\$15,000 to \$19,999	6,700	15.5	12.3 - 18.7	36,500	84.5	81.3 - 87.7	43,200
\$20,000 to \$24,999	9,700	16.0	12.8 - 19.3	50,800	84.0	80.7 - 87.2	60,500
\$25,000 to \$34,999	15,200	14.3	12.1 - 16.4	91,500	85.7	83.6 - 87.9	106,800
\$35,000 to \$49,999	25,400	17.1	15.1 - 19.1	123,200	82.9	80.9 - 84.9	148,600
\$50,000 to \$74,999	24,700	14.5	12.8 - 16.2	146,100	85.5	83.8 - 87.2	170,800
\$75,000 or more	38,800	13.7	12.5 - 15.0	243,700	86.3	85.0 - 87.5	282,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	31,400	17.0	15.1 - 18.9	153,800	83.0	81.1 - 84.9	185,200
131-185%	21,700	18.7	16.0 - 21.3	94,700	81.3	78.7 - 84.0	116,500
186+%	77,000	13.7	12.9 - 14.5	485,900	86.3	85.5 - 87.1	562,900

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	79,200	13.6	12.7 - 14.4	503,700	86.4	85.6 - 87.3	582,900
Unmarried Couple	6,900	24.3	18.6 - 30.0	21,700	75.7	70.0 - 81.4	28,600
Widowed	7,300	12.9	10.8 - 15.0	49,600	87.1	85.0 - 89.2	56,900
Other	57,200	18.1	16.6 - 19.7	258,400	81.9	80.3 - 83.4	315,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	81,500	13.7	12.9 - 14.6	511,800	86.3	85.4 - 87.1	593,300
No	69,100	17.8	16.4 - 19.1	319,900	82.2	80.9 - 83.6	388,900

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	139,000	15.2	14.4 - 16.0	775,900	84.8	84.0 - 85.6	914,800
No	11,500	17.0	13.5 - 20.5	55,900	83.0	79.5 - 86.5	67,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	143,100	14.7	13.9 - 15.4	833,200	85.3	84.6 - 86.1	976,300

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	15.0	13.6 - 16.3	105,000	85.0	83.7 - 86.4	123,500
Honolulu	100,400	14.3	13.4 - 15.3	599,500	85.7	84.7 - 86.6	699,800
Kauai	7,800	16.6	14.3 - 18.9	39,100	83.4	81.1 - 85.7	46,900
Maui	16,400	15.5	13.9 - 17.1	89,600	84.5	82.9 - 86.1	106,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	15.0	13.6 - 16.3	105,000	85.0	83.7 - 86.4	123,500
Kauai	7,800	16.6	14.3 - 18.9	39,100	83.4	81.1 - 85.7	46,900
Lanai	300	14.4	10.4 - 18.4	1,900	85.6	81.6 - 89.6	2,300
Maui	15,000	15.4	13.7 - 17.2	82,100	84.6	82.8 - 86.3	97,100
Molokai	1,100	16.6	12.8 - 20.3	5,600	83.4	79.7 - 87.2	6,700
Oahu	100,400	14.3	13.4 - 15.3	599,500	85.7	84.7 - 86.6	699,800

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,100	13.3	10.2 - 16.4	59,100	86.7	83.6 - 89.8	68,100
Ala Moana	4,100	12.7	9.4 - 16.1	27,800	87.3	83.9 - 90.6	31,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,900	14.8	11.8 - 17.8	16,900	85.2	82.2 - 88.2	19,800
Hilo	5,300	15.0	12.6 - 17.4	30,300	85.0	82.6 - 87.4	35,600
Kaaawa/ Kahaluu/ Kaneohe	8,000	16.1	12.7 - 19.5	41,800	83.9	80.5 - 87.3	49,800
Kahului	4,900	14.7	12.0 - 17.4	28,200	85.3	82.6 - 88.0	33,100
Kailua/ Waimanalo	8,500	16.9	13.2 - 20.6	41,800	83.1	79.4 - 86.8	50,300
Kaimuki/ Palolo/ Waikiki	7,000	11.7	9.1 - 14.4	52,800	88.3	85.6 - 90.9	59,800
Kona	4,000	13.9	11.3 - 16.4	24,700	86.1	83.6 - 88.7	28,700
Lahaina/ Wailuku	4,700	14.9	12.1 - 17.7	27,000	85.1	82.3 - 87.9	31,800
Lanai	300	14.4	10.4 - 18.4	1,900	85.6	81.6 - 89.6	2,300
Lihue-Waimea	4,900	18.0	14.7 - 21.3	22,200	82.0	78.7 - 85.3	27,100
Manoa/ Upper Makiki	6,300	13.8	10.7 - 16.9	39,400	86.2	83.1 - 89.3	45,700
Mililani/ Wahiawa	10,100	14.3	11.6 - 16.9	60,500	85.7	83.1 - 88.4	70,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,100	16.6	12.8 - 20.3	5,600	83.4	79.7 - 87.2	6,700
Nanakuli/ Waianae	6,000	17.9	12.9 - 22.8	27,600	82.1	77.2 - 87.1	33,600
N.Hawaii	4,200	16.0	12.8 - 19.2	22,100	84.0	80.8 - 87.2	26,300
N.Shore/ Laie	4,100	18.2	13.1 - 23.2	18,300	81.8	76.8 - 86.9	22,300
Nuuanu/ Kalihi/ Moanalua	9,000	12.8	9.6 - 16.0	61,300	87.2	84.0 - 90.4	70,300
Puna/ Kau	5,000	15.1	12.4 - 17.8	27,900	84.9	82.2 - 87.6	32,900
Salt Lake/ Foster Village	5,000	15.3	10.6 - 20.0	27,700	84.7	80.0 - 89.4	32,700
Upcountry/ Hana	5,400	16.8	13.5 - 20.2	26,900	83.2	79.8 - 86.5	32,300
Waialae/ Kahala/ Hawaii Kai	4,900	11.9	8.5 - 15.2	36,600	88.1	84.8 - 91.5	41,500
Waipahu/ Kapolei/ Ewa	18,300	14.9	12.4 - 17.4	104,800	85.1	82.6 - 87.6	123,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	26,200	21.4	18.2 - 24.7	96,000	78.6	75.3 - 81.8	122,200
25-34	27,400	16.9	14.9 - 18.9	135,200	83.1	81.1 - 85.1	162,700
35-44	22,400	12.6	11.2 - 14.0	155,700	87.4	86.0 - 88.8	178,200
45-54	25,700	14.1	12.7 - 15.5	156,700	85.9	84.5 - 87.3	182,500
55-64	23,200	15.7	14.1 - 17.3	124,600	84.3	82.7 - 85.9	147,800
65-74	9,400	11.2	9.7 - 12.7	74,800	88.8	87.3 - 90.3	84,300
75+	7,600	8.2	6.8 - 9.6	85,200	91.8	90.4 - 93.2	92,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,600	13.6	12.5 - 14.7	275,900	86.4	85.3 - 87.5	319,500
Native Hawaiian	28,500	23.0	20.7 - 25.4	95,400	77.0	74.6 - 79.3	123,900
Chinese	6,700	12.8	10.0 - 15.6	45,500	87.2	84.4 - 90.0	52,200
Filipino	23,300	14.5	12.3 - 16.6	138,200	85.5	83.4 - 87.7	161,500
Japanese	26,800	12.7	11.3 - 14.1	184,000	87.3	85.9 - 88.7	210,700
Black	1,600	9.6	5.0 - 14.1	15,200	90.4	85.9 - 95.0	16,800
Native Alaskan/ American Indian	900	17.5	8.7 - 26.2	4,500	82.5	73.8 - 91.3	5,400
Other Asian	1,000	4.4	2.2 - 6.6	22,500	95.6	93.4 - 97.8	23,500
Other Pacific Islander	3,000	12.1	7.7 - 16.5	21,600	87.9	83.5 - 92.3	24,600
Mixed Ethnicity	1,500	19.1	10.7 - 27.4	6,500	80.9	72.6 - 89.3	8,100
Other	5,400	21.1	15.4 - 26.8	20,100	78.9	73.2 - 84.6	25,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	61,800	12.8	11.7 - 13.9	421,200	87.2	86.1 - 88.3	482,900
Female	81,300	16.5	15.6 - 17.4	412,000	83.5	82.6 - 84.4	493,400

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,200	12.4	7.4 - 17.4	15,300	87.6	82.6 - 92.6	17,400
Grades 9 thru 11 (Some High School)	6,800	17.3	13.4 - 21.1	32,500	82.7	78.9 - 86.6	39,300
Grades 12 or GED (High School Grad)	44,500	15.2	13.7 - 16.6	248,400	84.8	83.4 - 86.3	292,900
College 1 to 3 years (Some College/ Tech)	44,200	15.6	14.2 - 16.9	239,700	84.4	83.1 - 85.8	283,900
College 4 years or more (College Grad)	45,200	13.3	12.2 - 14.3	295,900	86.7	85.7 - 87.8	341,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	93,600	14.9	13.9 - 15.8	535,900	85.1	84.2 - 86.1	629,500
Unemployed	6,900	24.1	18.3 - 30.0	21,700	75.9	70.0 - 81.7	28,600
Retired/Unable to work	27,400	12.1	11.0 - 13.3	198,200	87.9	86.7 - 89.0	225,600
Student/Homemaker	15,000	16.5	13.8 - 19.2	76,000	83.5	80.8 - 86.2	91,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,300	15.6	11.9 - 19.4	23,000	84.4	80.6 - 88.1	27,300
\$10,000 to \$14,999	4,200	14.9	11.3 - 18.5	23,800	85.1	81.5 - 88.7	28,000
\$15,000 to \$19,999	7,000	15.2	12.3 - 18.0	39,400	84.8	82.0 - 87.7	46,400
\$20,000 to \$24,999	10,000	16.1	13.0 - 19.2	52,300	83.9	80.8 - 87.0	62,400
\$25,000 to \$34,999	14,700	13.8	11.7 - 15.9	91,800	86.2	84.1 - 88.3	106,500
\$35,000 to \$49,999	24,200	16.1	14.2 - 18.0	126,100	83.9	82.0 - 85.8	150,300
\$50,000 to \$74,999	23,000	13.6	11.9 - 15.3	146,200	86.4	84.7 - 88.1	169,300
\$75,000 or more	33,900	13.4	12.2 - 14.7	218,700	86.6	85.3 - 87.8	252,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	28,600	15.8	14.0 - 17.6	152,500	84.2	82.4 - 86.0	181,100
131-185%	18,700	17.4	14.7 - 20.0	89,100	82.6	80.0 - 85.3	107,900
186+%	74,100	13.4	12.6 - 14.2	479,800	86.6	85.8 - 87.4	553,800

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	77,500	13.3	12.5 - 14.2	503,600	86.7	85.8 - 87.5	581,100
Unmarried Couple	7,000	24.8	18.7 - 30.9	21,300	75.2	69.1 - 81.3	28,300
Widowed	6,900	12.2	10.3 - 14.0	50,000	87.8	86.0 - 89.7	57,000
Other	51,700	16.7	15.2 - 18.2	258,300	83.3	81.8 - 84.8	309,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	79,500	13.4	12.6 - 14.3	512,000	86.6	85.7 - 87.4	591,500
No	63,200	16.5	15.2 - 17.8	320,000	83.5	82.2 - 84.8	383,300

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	131,000	14.5	13.8 - 15.2	771,600	85.5	84.8 - 86.2	902,600
No	12,000	16.6	13.4 - 19.9	59,900	83.4	80.1 - 86.6	71,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	141,600	14.9	13.9 - 15.8	810,400	85.1	84.2 - 86.1	952,000

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,400	14.8	13.2 - 16.5	105,600	85.2	83.5 - 86.8	124,000
Honolulu	99,900	14.7	13.5 - 15.9	580,600	85.3	84.1 - 86.5	680,600
Kauai	7,600	17.0	14.5 - 19.6	37,100	83.0	80.4 - 85.5	44,700
Maui	15,600	15.2	13.0 - 17.4	87,100	84.8	82.6 - 87.0	102,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,400	14.8	13.2 - 16.5	105,600	85.2	83.5 - 86.8	124,000
Kauai	7,600	17.0	14.5 - 19.6	37,100	83.0	80.4 - 85.5	44,700
Lanai	300	13.0	8.6 - 17.4	1,800	87.0	82.6 - 91.4	2,100
Maui	14,700	15.5	13.2 - 17.9	80,000	84.5	82.1 - 86.8	94,700
Molokai	700	11.2	7.6 - 14.9	5,300	88.8	85.1 - 92.4	5,900
Oahu	99,900	14.7	13.5 - 15.9	580,600	85.3	84.1 - 86.5	680,600

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,400	11.1	7.8 - 14.5	58,900	88.9	85.5 - 92.2	66,300
Ala Moana	4,500	14.0	10.0 - 17.9	27,900	86.0	82.1 - 90.0	32,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,800	15.3	11.8 - 18.8	15,700	84.7	81.2 - 88.2	18,600
Hilo	5,400	15.4	12.6 - 18.3	29,300	84.6	81.7 - 87.4	34,700
Kaaawa/ Kahaluu/ Kaneohe	9,100	18.9	14.4 - 23.5	38,800	81.1	76.5 - 85.6	47,800
Kahului	4,700	14.4	11.1 - 17.8	28,000	85.6	82.2 - 88.9	32,800
Kailua/ Waimanalo	7,100	15.2	11.2 - 19.3	39,400	84.8	80.7 - 88.8	46,500
Kaimuki/ Palolo/ Waikiki	7,100	11.6	8.6 - 14.6	54,100	88.4	85.4 - 91.4	61,200
Kona	4,000	14.2	11.1 - 17.3	24,400	85.8	82.7 - 88.9	28,400
Lahaina/ Wailuku	4,600	14.9	11.1 - 18.6	26,300	85.1	81.4 - 88.9	30,900
Lanai	300	13.0	8.6 - 17.4	1,800	87.0	82.6 - 91.4	2,100
Lihue-Waimea	4,800	18.3	14.7 - 21.8	21,300	81.7	78.2 - 85.3	26,100
Manoa/ Upper Makiki	5,400	11.8	8.1 - 15.5	40,600	88.2	84.5 - 91.9	46,000
Mililani/ Wahiawa	12,000	18.1	12.6 - 23.5	54,100	81.9	76.5 - 87.4	66,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	700	11.2	7.6 - 14.9	5,300	88.8	85.1 - 92.4	5,900
Nanakuli/ Waianae	6,300	19.4	12.3 - 26.6	26,100	80.6	73.4 - 87.7	32,400
N.Hawaii	3,200	13.1	10.0 - 16.1	21,300	86.9	83.9 - 90.0	24,500
N.Shore/ Laie	3,500	16.4	10.4 - 22.4	18,000	83.6	77.6 - 89.6	21,600
Nuuanu/ Kalihi/ Moanalua	9,000	13.0	9.0 - 17.0	60,000	87.0	83.0 - 91.0	69,000
Puna/ Kau	5,800	16.0	12.2 - 19.8	30,600	84.0	80.2 - 87.8	36,400
Salt Lake/ Foster Village	4,800	14.0	9.1 - 19.0	29,500	86.0	81.0 - 90.9	34,300
Upcountry/ Hana	5,400	17.4	12.4 - 22.3	25,700	82.6	77.7 - 87.6	31,100
Waialae/ Kahala/ Hawaii Kai	5,300	13.1	8.9 - 17.2	34,900	86.9	82.8 - 91.1	40,200
Waipahu/ Kapolei/ Ewa	18,500	15.9	12.6 - 19.1	98,200	84.1	80.9 - 87.4	116,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	23,200	19.9	15.7 - 24.1	93,600	80.1	75.9 - 84.3	116,800
25-34	28,800	17.4	15.0 - 19.7	137,000	82.6	80.3 - 85.0	165,700
35-44	24,900	14.0	11.9 - 16.0	153,300	86.0	84.0 - 88.1	178,200
45-54	25,100	14.2	12.3 - 16.1	151,600	85.8	83.9 - 87.7	176,700
55-64	21,300	15.5	13.5 - 17.5	115,800	84.5	82.5 - 86.5	137,100
65-74	9,800	11.7	9.3 - 14.2	74,100	88.3	85.8 - 90.7	83,900
75+	7,100	8.3	6.2 - 10.4	78,700	91.7	89.6 - 93.8	85,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	45,500	14.5	13.1 - 15.9	267,900	85.5	84.1 - 86.9	313,400
Native Hawaiian	25,200	21.0	18.1 - 23.9	94,700	79.0	76.1 - 81.9	119,900
Chinese	5,600	11.1	8.0 - 14.1	45,000	88.9	85.9 - 92.0	50,700
Filipino	22,000	14.4	11.9 - 16.9	130,400	85.6	83.1 - 88.1	152,300
Japanese	26,800	13.3	11.5 - 15.1	175,300	86.7	84.9 - 88.5	202,100
Black	1,000	7.1	3.1 - 11.0	13,400	92.9	89.0 - 96.9	14,400
Native Alaskan/ American Indian	700	13.3	4.3 - 22.3	4,500	86.7	77.7 - 95.7	5,200
Other Asian	1,300	5.6	1.6 - 9.6	22,200	94.4	90.4 - 98.4	23,500
Other Pacific Islander	5,100	19.9	6.9 - 32.9	20,400	80.1	67.1 - 93.1	25,500
Mixed Ethnicity	1,500	19.1	10.7 - 27.4	6,500	80.9	72.6 - 89.3	8,100
Other	5,700	22.4	15.7 - 29.1	19,600	77.6	70.9 - 84.3	25,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	61,300	13.1	11.6 - 14.5	407,700	86.9	85.5 - 88.4	469,100
Female	80,300	16.6	15.4 - 17.8	402,700	83.4	82.2 - 84.6	482,900

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,100	13.2	7.5 - 19.0	13,700	86.8	81.0 - 92.5	15,800
Grades 9 thru 11 (Some High School)	6,500	17.7	12.3 - 23.0	30,500	82.3	77.0 - 87.7	37,000
Grades 12 or GED (High School Grad)	44,100	15.5	13.7 - 17.4	239,600	84.5	82.6 - 86.3	283,700
College 1 to 3 years (Some College/ Tech)	43,400	15.3	13.4 - 17.1	240,900	84.7	82.9 - 86.6	284,300
College 4 years or more (College Grad)	45,300	13.7	12.3 - 15.1	284,500	86.3	84.9 - 87.7	329,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	93,200	15.2	14.0 - 16.4	519,400	84.8	83.6 - 86.0	612,600
Unemployed	5,200	19.6	13.5 - 25.7	21,500	80.4	74.3 - 86.5	26,700
Retired/Unable to work	28,100	13.0	11.3 - 14.7	187,800	87.0	85.3 - 88.7	215,900
Student/Homemaker	14,900	15.7	12.7 - 18.8	79,900	84.3	81.2 - 87.3	94,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,400	14.7	10.7 - 18.7	19,900	85.3	81.3 - 89.3	23,300
\$10,000 to \$14,999	4,500	16.9	12.4 - 21.5	22,200	83.1	78.5 - 87.6	26,700
\$15,000 to \$19,999	7,000	14.9	10.2 - 19.6	40,100	85.1	80.4 - 89.8	47,100
\$20,000 to \$24,999	8,700	13.3	10.3 - 16.4	56,700	86.7	83.6 - 89.7	65,400
\$25,000 to \$34,999	13,300	12.4	9.9 - 14.8	94,100	87.6	85.2 - 90.1	107,400
\$35,000 to \$49,999	22,700	16.0	13.5 - 18.4	119,600	84.0	81.6 - 86.5	142,300
\$50,000 to \$74,999	30,600	14.7	12.3 - 17.1	177,200	85.3	82.9 - 87.7	207,800
\$75,000 or more	33,700	14.8	13.0 - 16.7	193,400	85.2	83.3 - 87.0	227,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	25,400	15.3	13.0 - 17.6	141,200	84.7	82.4 - 87.0	166,600
131-185%	18,300	16.8	12.8 - 20.8	90,500	83.2	79.2 - 87.2	108,800
186+%	80,300	14.0	13.0 - 15.1	491,400	86.0	84.9 - 87.0	571,700

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	78,500	14.0	12.8 - 15.1	484,200	86.0	84.9 - 87.2	562,800
Unmarried Couple	5,800	21.6	15.4 - 27.9	21,100	78.4	72.1 - 84.6	26,900
Widowed	7,600	13.5	10.4 - 16.6	48,600	86.5	83.4 - 89.6	56,100
Other	49,700	16.2	14.3 - 18.1	256,600	83.8	81.9 - 85.7	306,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	80,300	14.0	12.9 - 15.1	492,800	86.0	84.9 - 87.1	573,200
No	61,000	16.2	14.5 - 17.9	315,600	83.8	82.1 - 85.5	376,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	130,500	15.0	14.0 - 16.0	738,400	85.0	84.0 - 86.0	868,900
No	11,000	13.7	10.8 - 16.6	69,100	86.3	83.4 - 89.2	80,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	126,100	13.5	12.6 - 14.4	808,900	86.5	85.6 - 87.4	935,000

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,500	13.5	11.8 - 15.2	105,700	86.5	84.8 - 88.2	122,200
Honolulu	87,500	13.1	11.9 - 14.3	581,800	86.9	85.7 - 88.1	669,200
Kauai	7,100	16.3	13.7 - 18.9	36,400	83.7	81.1 - 86.3	43,500
Maui	15,000	15.0	12.7 - 17.3	85,100	85.0	82.7 - 87.3	100,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,500	13.5	11.8 - 15.2	105,700	86.5	84.8 - 88.2	122,200
Kauai	7,100	16.3	13.7 - 18.9	36,400	83.7	81.1 - 86.3	43,500
Lanai	300	12.0	4.4 - 19.6	1,900	88.0	80.4 - 95.6	2,100
Maui	14,300	15.5	13.0 - 18.0	77,800	84.5	82.0 - 87.0	92,100
Molokai	500	8.5	5.1 - 11.8	5,400	91.5	88.2 - 94.9	5,900
Oahu	87,500	13.1	11.9 - 14.3	581,800	86.9	85.7 - 88.1	669,200

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,400	10.3	6.8 - 13.8	55,500	89.7	86.2 - 93.2	61,800
Ala Moana	3,600	11.3	7.5 - 15.1	28,000	88.7	84.9 - 92.5	31,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,800	15.6	11.8 - 19.5	15,000	84.4	80.5 - 88.2	17,800
Hilo	4,600	13.2	10.3 - 16.0	30,200	86.8	84.0 - 89.7	34,800
Kaaawa/ Kahaluu/ Kaneohe	8,200	17.4	12.9 - 21.9	39,000	82.6	78.1 - 87.1	47,200
Kahului	4,800	14.6	10.9 - 18.4	28,000	85.4	81.6 - 89.1	32,800
Kailua/ Waimanalo	7,900	16.9	12.6 - 21.2	39,000	83.1	78.8 - 87.4	46,900
Kaimuki/ Palolo/ Waikiki	7,700	12.0	9.0 - 15.0	56,200	88.0	85.0 - 91.0	63,800
Kona	4,000	14.0	10.7 - 17.2	24,600	86.0	82.8 - 89.3	28,600
Lahaina/ Wailuku	4,400	14.9	10.8 - 19.0	25,000	85.1	81.0 - 89.2	29,300
Lanai	300	12.0	4.4 - 19.6	1,900	88.0	80.4 - 95.6	2,100
Lihue-Waimea	4,300	16.8	13.3 - 20.3	21,400	83.2	79.7 - 86.7	25,700
Manoa/ Upper Makiki	5,100	10.6	7.0 - 14.2	42,900	89.4	85.8 - 93.0	48,000
Mililani/ Wahiawa	9,900	14.9	9.4 - 20.3	56,700	85.1	79.7 - 90.6	66,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	8.5	5.1 - 11.8	5,400	91.5	88.2 - 94.9	5,900
Nanakuli/ Waianae	5,500	17.1	9.8 - 24.4	26,500	82.9	75.6 - 90.2	32,000
N.Hawaii	2,500	10.4	7.6 - 13.2	21,500	89.6	86.8 - 92.4	24,000
N.Shore/ Laie	3,300	15.4	9.4 - 21.3	18,400	84.6	78.7 - 90.6	21,700
Nuuanu/ Kalihi/ Moanalua	7,200	10.6	6.8 - 14.4	61,000	89.4	85.6 - 93.2	68,300
Puna/ Kau	5,500	15.7	11.6 - 19.7	29,300	84.3	80.3 - 88.4	34,800
Salt Lake/ Foster Village	3,300	9.0	5.3 - 12.8	33,700	91.0	87.2 - 94.7	37,000
Upcountry/ Hana	5,100	17.0	11.9 - 22.2	24,900	83.0	77.8 - 88.1	30,000
Waialae/ Kahala/ Hawaii Kai	4,500	11.8	7.4 - 16.3	33,400	88.2	83.7 - 92.6	37,900
Waipahu/ Kapolei/ Ewa	14,900	14.0	10.7 - 17.3	91,500	86.0	82.7 - 89.3	106,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	20,300	17.8	13.7 - 21.8	94,100	82.2	78.2 - 86.3	114,500
25-34	25,000	15.0	12.8 - 17.3	141,100	85.0	82.7 - 87.2	166,000
35-44	23,600	13.2	11.1 - 15.2	155,800	86.8	84.8 - 88.9	179,500
45-54	22,600	12.9	11.0 - 14.7	152,700	87.1	85.3 - 89.0	175,200
55-64	17,800	13.8	11.7 - 15.9	111,100	86.2	84.1 - 88.3	128,900
65-74	8,800	10.5	8.0 - 13.0	75,600	89.5	87.0 - 92.0	84,400
75+	6,900	8.6	6.3 - 10.9	73,800	91.4	89.1 - 93.7	80,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,400	13.5	12.1 - 14.9	278,000	86.5	85.1 - 87.9	321,400
Native Hawaiian	20,300	19.0	15.9 - 22.1	86,600	81.0	77.9 - 84.1	106,900
Chinese	6,400	8.9	6.6 - 11.3	65,500	91.1	88.7 - 93.4	71,900
Filipino	18,000	12.1	9.8 - 14.5	130,000	87.9	85.5 - 90.2	147,900
Japanese	24,800	13.1	11.1 - 15.0	164,800	86.9	85.0 - 88.9	189,600
Black	1,300	9.3	4.1 - 14.5	12,500	90.7	85.5 - 95.9	13,700
Native Alaskan/ American Indian	1,000	20.0	7.3 - 32.7	4,000	80.0	67.3 - 92.7	5,100
Other Asian	1,300	6.9	2.0 - 11.9	17,900	93.1	88.1 - 98.0	19,200
Other Pacific Islander	4,300	20.1	4.8 - 35.4	16,900	79.9	64.6 - 95.2	21,200
Other	4,200	16.0	10.4 - 21.7	21,900	84.0	78.3 - 89.6	26,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	54,600	11.8	10.4 - 13.3	406,400	88.2	86.7 - 89.6	461,100
Female	71,500	15.1	13.9 - 16.3	402,500	84.9	83.7 - 86.1	474,000

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,800	12.2	6.1 - 18.3	13,100	87.8	81.7 - 93.9	15,000
Grades 9 thru 11 (Some High School)	6,300	17.8	12.3 - 23.3	28,900	82.2	76.7 - 87.7	35,200
Grades 12 or GED (High School Grad)	38,700	13.9	12.1 - 15.6	240,500	86.1	84.4 - 87.9	279,200
College 1 to 3 years (Some College/ Tech)	39,400	14.1	12.2 - 15.9	240,700	85.9	84.1 - 87.8	280,100
College 4 years or more (College Grad)	39,600	12.2	10.8 - 13.7	284,200	87.8	86.3 - 89.2	323,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	82,400	13.6	12.4 - 14.8	521,300	86.4	85.2 - 87.6	603,700
Unemployed	3,400	13.4	7.8 - 19.0	21,800	86.6	81.0 - 92.2	25,200
Retired/Unable to work	26,000	12.5	10.6 - 14.3	182,600	87.5	85.7 - 89.4	208,600
Student/Homemaker	14,300	14.9	12.0 - 17.8	81,600	85.1	82.2 - 88.0	95,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,900	12.8	9.2 - 16.4	26,600	87.2	83.6 - 90.8	30,500
\$10,000 to \$14,999	5,000	14.2	10.3 - 18.1	30,100	85.8	81.9 - 89.7	35,100
\$15,000 to \$19,999	7,000	14.1	9.4 - 18.9	42,400	85.9	81.1 - 90.6	49,400
\$20,000 to \$24,999	7,800	12.6	9.5 - 15.7	54,300	87.4	84.3 - 90.5	62,100
\$25,000 to \$34,999	11,000	11.0	8.6 - 13.4	89,100	89.0	86.6 - 91.4	100,100
\$35,000 to \$49,999	19,800	13.7	11.4 - 15.9	125,300	86.3	84.1 - 88.6	145,100
\$50,000 to \$74,999	27,300	13.6	11.1 - 16.0	174,000	86.4	84.0 - 88.9	201,300
\$75,000 or more	27,800	14.0	11.9 - 16.0	171,600	86.0	84.0 - 88.1	199,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	23,400	13.6	11.4 - 15.8	148,300	86.4	84.2 - 88.6	171,700
131-185%	13,400	13.7	9.4 - 17.9	84,800	86.3	82.1 - 90.6	98,200
186+%	72,900	13.2	12.1 - 14.3	480,400	86.8	85.7 - 87.9	553,300

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	68,300	12.5	11.4 - 13.6	479,300	87.5	86.4 - 88.6	547,700
Unmarried Couple	4,600	20.9	14.2 - 27.5	17,600	79.1	72.5 - 85.8	22,300
Widowed	7,500	12.5	9.4 - 15.6	52,600	87.5	84.4 - 90.6	60,100
Other	45,600	15.0	13.1 - 16.9	259,300	85.0	83.1 - 86.9	304,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2005

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	69,800	12.5	11.4 - 13.6	488,700	87.5	86.4 - 88.6	558,500
No	56,000	15.0	13.3 - 16.6	318,600	85.0	83.4 - 86.7	374,600

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	115,800	13.5	12.6 - 14.5	738,900	86.5	85.5 - 87.4	854,700
No	10,300	13.3	10.3 - 16.2	67,600	86.7	83.8 - 89.7	77,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	121,100	13.3	12.3 - 14.2	790,900	86.7	85.8 - 87.7	912,000

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,600	13.1	11.4 - 14.8	103,100	86.9	85.2 - 88.6	118,700
Honolulu	85,600	13.1	11.9 - 14.3	568,100	86.9	85.7 - 88.1	653,600
Kauai	6,300	15.0	12.5 - 17.5	35,900	85.0	82.5 - 87.5	42,200
Maui	13,700	14.0	11.7 - 16.3	83,700	86.0	83.7 - 88.3	97,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,600	13.1	11.4 - 14.8	103,100	86.9	85.2 - 88.6	118,700
Kauai	6,300	15.0	12.5 - 17.5	35,900	85.0	82.5 - 87.5	42,200
Lanai	300	12.9	6.5 - 19.3	2,200	87.1	80.7 - 93.5	2,600
Maui	12,700	14.5	12.0 - 17.0	75,400	85.5	83.0 - 88.0	88,100
Molokai	600	8.6	5.3 - 11.9	6,100	91.4	88.1 - 94.7	6,700
Oahu	85,600	13.1	11.9 - 14.3	568,100	86.9	85.7 - 88.1	653,600

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,200	12.0	8.3 - 15.7	53,000	88.0	84.3 - 91.7	60,200
Ala Moana	3,600	11.3	7.4 - 15.1	28,400	88.7	84.9 - 92.6	32,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,700	15.5	11.6 - 19.4	14,700	84.5	80.6 - 88.4	17,400
Hilo	4,800	13.8	10.9 - 16.7	29,900	86.2	83.3 - 89.1	34,700
Kaaawa/ Kahaluu/ Kaneohe	6,900	16.1	11.4 - 20.9	35,800	83.9	79.1 - 88.6	42,700
Kahului	4,300	13.8	10.0 - 17.6	26,700	86.2	82.4 - 90.0	31,000
Kailua/ Waimanalo	6,600	14.1	10.2 - 18.1	39,800	85.9	81.9 - 89.8	46,400
Kaimuki/ Palolo/ Waikiki	7,300	11.3	8.4 - 14.1	57,100	88.7	85.9 - 91.6	64,300
Kona	3,600	12.6	9.6 - 15.6	25,100	87.4	84.4 - 90.4	28,700
Lahaina/ Wailuku	4,100	14.5	10.3 - 18.6	24,200	85.5	81.4 - 89.7	28,300
Lanai	300	12.9	6.5 - 19.3	2,200	87.1	80.7 - 93.5	2,600
Lihue-Waimea	3,600	14.6	11.4 - 17.8	21,200	85.4	82.2 - 88.6	24,800
Manoa/ Upper Makiki	6,000	11.4	8.0 - 14.8	46,700	88.6	85.2 - 92.0	52,700
Mililani/ Wahiawa	10,400	16.3	10.5 - 22.1	53,200	83.7	77.9 - 89.5	63,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	600	8.6	5.3 - 11.9	6,100	91.4	88.1 - 94.7	6,700
Nanakuli/ Waianae	5,200	17.5	10.0 - 25.0	24,500	82.5	75.0 - 90.0	29,600
N.Hawaii	2,500	10.7	7.6 - 13.9	20,800	89.3	86.1 - 92.4	23,400
N.Shore/ Laie	2,400	11.3	6.0 - 16.7	18,700	88.7	83.3 - 94.0	21,100
Nuuanu/ Kalihi/ Moanalua	8,300	12.4	8.5 - 16.3	58,800	87.6	83.7 - 91.5	67,100
Puna/ Kau	4,700	14.6	10.5 - 18.8	27,300	85.4	81.2 - 89.5	32,000
Salt Lake/ Foster Village	3,200	8.3	5.0 - 11.6	35,400	91.7	88.4 - 95.0	38,600
Upcountry/ Hana	4,400	15.1	10.2 - 20.1	24,500	84.9	79.9 - 89.8	28,900
Waialae/ Kahala/ Hawaii Kai	4,700	12.0	7.7 - 16.3	34,600	88.0	83.7 - 92.3	39,300
Waipahu/ Kapolei/ Ewa	13,800	14.4	10.9 - 17.9	82,100	85.6	82.1 - 89.1	95,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	18,200	16.1	12.1 - 20.1	94,400	83.9	79.9 - 87.9	112,600
25-34	23,000	13.9	11.8 - 16.1	141,800	86.1	83.9 - 88.2	164,800
35-44	24,700	13.8	11.7 - 15.8	154,800	86.2	84.2 - 88.3	179,500
45-54	22,600	13.2	11.3 - 15.1	149,400	86.8	84.9 - 88.7	172,100
55-64	16,800	14.1	11.8 - 16.4	102,300	85.9	83.6 - 88.2	119,100
65-74	8,600	10.5	7.9 - 13.1	73,600	89.5	86.9 - 92.1	82,300
75+	6,300	8.3	5.7 - 10.8	70,300	91.7	89.2 - 94.3	76,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,500	13.7	12.3 - 15.1	273,400	86.3	84.9 - 87.7	317,000
Native Hawaiian	18,800	17.8	14.7 - 20.9	86,800	82.2	79.1 - 85.3	105,600
Chinese	6,300	8.4	6.2 - 10.5	69,300	91.6	89.5 - 93.8	75,700
Filipino	16,100	11.4	9.1 - 13.7	125,400	88.6	86.3 - 90.9	141,600
Japanese	24,400	13.5	11.4 - 15.5	157,100	86.5	84.5 - 88.6	181,500
Black	1,600	12.3	6.1 - 18.6	11,100	87.7	81.4 - 93.9	12,600
Native Alaskan/ American Indian	500	11.2	0.3 - 22.1	4,100	88.8	77.9 - 99.7	4,600
Other Asian	1,500	7.8	2.7 - 12.9	18,000	92.2	87.1 - 97.3	19,500
Other Pacific Islander	3,600	18.5	1.8 - 35.2	15,900	81.5	64.8 - 98.2	19,500
Other	3,800	16.3	10.1 - 22.5	19,300	83.7	77.5 - 89.9	23,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	53,100	11.8	10.4 - 13.3	396,400	88.2	86.7 - 89.6	449,500
Female	68,000	14.7	13.5 - 15.9	394,500	85.3	84.1 - 86.5	462,500

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,200	8.1	3.6 - 12.6	13,100	91.9	87.4 - 96.4	14,300
Grades 9 thru 11 (Some High School)	5,300	15.8	10.3 - 21.3	28,100	84.2	78.7 - 89.7	33,300
Grades 12 or GED (High School Grad)	39,500	13.6	11.9 - 15.3	251,100	86.4	84.7 - 88.1	290,600
College 1 to 3 years (Some College/ Tech)	38,000	13.9	12.0 - 15.7	236,000	86.1	84.3 - 88.0	274,000
College 4 years or more (College Grad)	37,100	12.4	10.9 - 13.9	261,600	87.6	86.1 - 89.1	298,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	78,200	13.3	12.1 - 14.5	511,500	86.7	85.5 - 87.9	589,700
Unemployed	5,200	16.0	10.9 - 21.1	27,100	84.0	78.9 - 89.1	32,300
Retired/Unable to work	23,300	12.2	10.2 - 14.1	168,300	87.8	85.9 - 89.8	191,600
Student/Homemaker	14,400	14.8	11.9 - 17.6	83,000	85.2	82.4 - 88.1	97,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,300	13.1	9.7 - 16.6	28,600	86.9	83.4 - 90.3	32,900
\$10,000 to \$14,999	5,900	15.8	11.6 - 20.0	31,700	84.2	80.0 - 88.4	37,600
\$15,000 to \$19,999	6,300	13.7	8.7 - 18.7	40,000	86.3	81.3 - 91.3	46,300
\$20,000 to \$24,999	6,600	11.8	8.6 - 15.0	49,300	88.2	85.0 - 91.4	55,900
\$25,000 to \$34,999	10,700	11.7	9.0 - 14.3	81,200	88.3	85.7 - 91.0	91,900
\$35,000 to \$49,999	17,800	13.1	10.8 - 15.5	117,700	86.9	84.5 - 89.2	135,600
\$50,000 to \$74,999	23,900	13.1	10.5 - 15.7	158,700	86.9	84.3 - 89.5	182,600
\$75,000 or more	24,500	14.7	12.3 - 17.0	142,600	85.3	83.0 - 87.7	167,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,400	13.8	11.4 - 16.1	140,200	86.2	83.9 - 88.6	162,600
131-185%	12,800	14.1	9.6 - 18.6	77,600	85.9	81.4 - 90.4	90,400
186+%	65,000	13.1	11.9 - 14.3	431,900	86.9	85.7 - 88.1	496,900

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	65,300	12.3	11.2 - 13.4	465,800	87.7	86.6 - 88.8	531,100
Unmarried Couple	3,800	18.2	11.8 - 24.6	17,100	81.8	75.4 - 88.2	20,800
Widowed	7,400	12.5	9.1 - 15.8	52,100	87.5	84.2 - 90.9	59,500
Other	44,700	14.9	13.0 - 16.7	255,900	85.1	83.3 - 87.0	300,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2004

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	66,500	12.3	11.1 - 13.4	475,200	87.7	86.6 - 88.9	541,700
No	54,500	14.8	13.1 - 16.4	314,100	85.2	83.6 - 86.9	368,600

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	111,800	13.5	12.4 - 14.5	719,300	86.5	85.5 - 87.6	831,100
No	9,300	11.9	9.2 - 14.6	69,300	88.1	85.4 - 90.8	78,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	112,900	12.5	11.7 - 13.2	793,500	87.5	86.8 - 88.3	906,400

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,400	13.0	11.5 - 14.4	96,600	87.0	85.6 - 88.5	111,000
Honolulu	80,600	12.3	11.4 - 13.2	575,100	87.7	86.8 - 88.6	655,700
Kauai	5,800	13.7	11.6 - 15.9	36,500	86.3	84.1 - 88.4	42,300
Maui	12,100	12.4	10.8 - 14.0	85,300	87.6	86.0 - 89.2	97,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,400	13.0	11.5 - 14.4	96,600	87.0	85.6 - 88.5	111,000
Kauai	5,800	13.7	11.6 - 15.9	36,500	86.3	84.1 - 88.4	42,300
Lanai	400	14.2	8.3 - 20.1	2,500	85.8	79.9 - 91.7	2,900
Maui	11,000	12.4	10.7 - 14.2	77,100	87.6	85.8 - 89.3	88,100
Molokai	700	11.3	7.6 - 15.0	5,600	88.7	85.0 - 92.4	6,300
Oahu	80,600	12.3	11.4 - 13.2	575,100	87.7	86.8 - 88.6	655,700

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,600	10.9	8.1 - 13.8	53,900	89.1	86.2 - 91.9	60,500
Ala Moana	3,500	11.3	7.7 - 15.0	27,000	88.7	85.0 - 92.3	30,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,500	14.2	10.9 - 17.4	15,200	85.8	82.6 - 89.1	17,700
Hilo	4,800	14.2	11.5 - 16.9	29,200	85.8	83.1 - 88.5	34,000
Kaaawa/ Kahaluu/ Kaneohe	5,800	13.9	10.0 - 17.8	36,000	86.1	82.2 - 90.0	41,800
Kahului	3,700	11.7	8.7 - 14.8	27,900	88.3	85.2 - 91.3	31,600
Kailua/ Waimanalo	7,000	14.2	10.8 - 17.6	42,300	85.8	82.4 - 89.2	49,300
Kaimuki/ Palolo/ Waikiki	8,200	12.1	9.5 - 14.7	59,800	87.9	85.3 - 90.5	68,100
Kona	3,600	12.1	9.5 - 14.6	26,400	87.9	85.4 - 90.5	30,000
Lahaina/ Wailuku	4,000	14.1	11.0 - 17.2	24,700	85.9	82.8 - 89.0	28,700
Lanai	400	14.2	8.3 - 20.1	2,500	85.8	79.9 - 91.7	2,900
Lihue-Waimea	3,300	13.4	10.6 - 16.3	21,300	86.6	83.7 - 89.4	24,600
Manoa/ Upper Makiki	7,200	12.9	9.9 - 16.0	48,700	87.1	84.0 - 90.1	56,000
Mililani/ Wahiawa	7,300	11.7	8.6 - 14.8	55,000	88.3	85.2 - 91.4	62,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	700	11.3	7.6 - 15.0	5,600	88.7	85.0 - 92.4	6,300
Nanakuli/ Waianae	4,700	16.8	10.9 - 22.7	23,000	83.2	77.3 - 89.1	27,600
N.Hawaii	3,100	13.3	9.7 - 16.8	20,400	86.7	83.2 - 90.3	23,500
N.Shore/ Laie	3,200	13.9	8.5 - 19.3	19,800	86.1	80.7 - 91.5	23,100
Nuuanu/ Kalihi/ Moanalua	7,800	11.5	8.5 - 14.4	60,000	88.5	85.6 - 91.5	67,700
Puna/ Kau	2,800	12.0	9.1 - 15.0	20,700	88.0	85.0 - 90.9	23,500
Salt Lake/ Foster Village	3,500	8.9	5.7 - 12.2	35,700	91.1	87.8 - 94.3	39,100
Upcountry/ Hana	3,200	11.5	8.8 - 14.2	24,600	88.5	85.8 - 91.2	27,800
Waialae/ Kahala/ Hawaii Kai	4,300	10.8	7.3 - 14.4	35,400	89.2	85.6 - 92.7	39,700
Waipahu/ Kapolei/ Ewa	11,500	12.8	10.2 - 15.3	78,600	87.2	84.7 - 89.8	90,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	18,400	16.4	13.7 - 19.1	93,800	83.6	80.9 - 86.3	112,300
25-34	19,900	12.1	10.4 - 13.7	144,900	87.9	86.3 - 89.6	164,800
35-44	23,400	12.8	11.2 - 14.4	159,200	87.2	85.6 - 88.8	182,600
45-54	23,000	13.7	12.1 - 15.3	145,000	86.3	84.7 - 87.9	167,900
55-64	15,000	12.7	10.7 - 14.6	103,300	87.3	85.4 - 89.3	118,300
65-74	7,400	8.8	7.0 - 10.6	76,700	91.2	89.4 - 93.0	84,100
75+	5,500	7.6	5.6 - 9.6	66,700	92.4	90.4 - 94.4	72,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	41,600	13.0	11.9 - 14.2	277,600	87.0	85.8 - 88.1	319,200
Native Hawaiian	17,700	17.1	14.7 - 19.5	85,900	82.9	80.5 - 85.3	103,600
Chinese	7,800	10.1	7.8 - 12.4	69,600	89.9	87.6 - 92.2	77,400
Filipino	13,700	10.1	8.3 - 11.8	122,300	89.9	88.2 - 91.7	136,000
Japanese	22,000	12.2	10.6 - 13.9	158,100	87.8	86.1 - 89.4	180,200
Black	1,900	12.6	6.8 - 18.4	13,300	87.4	81.6 - 93.2	15,200
Native Alaskan/ American Indian	900	22.1	8.6 - 35.5	3,200	77.9	64.5 - 91.4	4,100
Other Asian	1,600	7.7	3.9 - 11.5	19,700	92.3	88.5 - 96.1	21,300
Other Pacific Islander	1,700	9.5	3.1 - 15.8	16,000	90.5	84.2 - 96.9	17,700
Other	3,500	13.0	8.1 - 17.9	23,500	87.0	82.1 - 91.9	27,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	49,600	11.0	9.9 - 12.0	402,200	89.0	88.0 - 90.1	451,800
Female	63,300	13.9	12.9 - 14.9	391,300	86.1	85.1 - 87.1	454,600

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,300	7.9	4.2 - 11.5	15,000	92.1	88.5 - 95.8	16,200
Grades 9 thru 11 (Some High School)	4,700	13.3	9.7 - 16.8	31,000	86.7	83.2 - 90.3	35,800
Grades 12 or GED (High School Grad)	38,100	12.9	11.6 - 14.2	257,500	87.1	85.8 - 88.4	295,600
College 1 to 3 years (Some College/ Tech)	36,300	13.5	12.1 - 14.9	232,900	86.5	85.1 - 87.9	269,200
College 4 years or more (College Grad)	32,300	11.2	10.1 - 12.4	255,500	88.8	87.6 - 89.9	287,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	72,600	12.3	11.4 - 13.1	518,800	87.7	86.9 - 88.6	591,500
Unemployed	6,000	18.0	12.9 - 23.0	27,200	82.0	77.0 - 87.1	33,100
Retired/Unable to work	19,500	10.4	9.0 - 11.8	168,800	89.6	88.2 - 91.0	188,300
Student/Homemaker	14,800	15.9	13.2 - 18.6	78,100	84.1	81.4 - 86.8	92,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,500	13.6	10.4 - 16.9	34,600	86.4	83.1 - 89.6	40,100
\$10,000 to \$14,999	5,900	13.6	9.9 - 17.3	37,200	86.4	82.7 - 90.1	43,100
\$15,000 to \$19,999	5,400	12.4	9.2 - 15.7	38,300	87.6	84.3 - 90.8	43,800
\$20,000 to \$24,999	6,500	12.3	9.5 - 15.2	45,900	87.7	84.8 - 90.5	52,400
\$25,000 to \$34,999	9,800	11.8	9.5 - 14.1	73,300	88.2	85.9 - 90.5	83,100
\$35,000 to \$49,999	18,400	13.7	11.8 - 15.7	115,400	86.3	84.3 - 88.2	133,700
\$50,000 to \$74,999	13,000	10.1	8.5 - 11.7	115,900	89.9	88.3 - 91.5	128,900
\$75,000 or more	16,700	12.0	10.2 - 13.9	121,800	88.0	86.1 - 89.8	138,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	20,500	12.9	11.1 - 14.8	137,700	87.1	85.2 - 88.9	158,100
131-185%	11,100	12.8	10.3 - 15.2	76,000	87.2	84.8 - 89.7	87,100
186+%	49,500	11.8	10.9 - 12.8	368,800	88.2	87.2 - 89.1	418,300

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	56,400	10.8	9.9 - 11.6	467,300	89.2	88.4 - 90.1	523,700
Unmarried Couple	3,200	19.6	12.5 - 26.7	13,200	80.4	73.3 - 87.5	16,400
Widowed	6,100	10.6	8.0 - 13.2	50,900	89.4	86.8 - 92.0	57,000
Other	47,200	15.3	13.9 - 16.7	262,100	84.7	83.3 - 86.1	309,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,800	10.9	10.1 - 11.8	478,100	89.1	88.2 - 89.9	536,900
No	54,100	14.7	13.4 - 15.9	314,500	85.3	84.1 - 86.6	368,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	103,400	12.4	11.7 - 13.2	729,300	87.6	86.8 - 88.3	832,700
No	9,500	13.1	10.4 - 15.8	63,000	86.9	84.2 - 89.6	72,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	109,600	12.3	11.6 - 13.0	781,500	87.7	87.0 - 88.4	891,100

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,100	13.1	11.8 - 14.5	92,900	86.9	85.5 - 88.2	106,900
Honolulu	79,200	12.2	11.3 - 13.1	569,800	87.8	86.9 - 88.7	649,000
Kauai	5,600	13.5	11.6 - 15.4	35,900	86.5	84.6 - 88.4	41,500
Maui	10,800	11.5	10.1 - 12.9	82,900	88.5	87.1 - 89.9	93,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,100	13.1	11.8 - 14.5	92,900	86.9	85.5 - 88.2	106,900
Kauai	5,600	13.5	11.6 - 15.4	35,900	86.5	84.6 - 88.4	41,500
Lanai	400	14.7	10.3 - 19.1	2,400	85.3	80.9 - 89.7	2,900
Maui	9,700	11.4	9.9 - 12.9	75,200	88.6	87.1 - 90.1	84,900
Molokai	700	11.3	7.8 - 14.8	5,300	88.7	85.2 - 92.2	6,000
Oahu	79,200	12.2	11.3 - 13.1	569,800	87.8	86.9 - 88.7	649,000

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,800	12.2	9.2 - 15.2	55,600	87.8	84.8 - 90.8	63,400
Ala Moana	3,500	11.6	8.0 - 15.2	26,700	88.4	84.8 - 92.0	30,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,500	14.3	11.2 - 17.4	15,000	85.7	82.6 - 88.8	17,500
Hilo	4,900	14.4	12.0 - 16.9	28,900	85.6	83.1 - 88.0	33,800
Kaaawa/ Kahaluu/ Kaneohe	5,400	13.4	9.6 - 17.3	34,800	86.6	82.7 - 90.4	40,200
Kahului	3,100	10.2	7.8 - 12.6	27,100	89.8	87.4 - 92.2	30,200
Kailua/ Waimanalo	5,300	11.0	8.0 - 14.1	42,900	89.0	85.9 - 92.0	48,200
Kaimuki/ Palolo/ Waikiki	7,600	11.6	9.1 - 14.0	57,900	88.4	86.0 - 90.9	65,500
Kona	3,500	11.8	9.6 - 14.1	26,000	88.2	85.9 - 90.4	29,500
Lahaina/ Wailuku	3,400	12.1	9.4 - 14.8	24,900	87.9	85.2 - 90.6	28,400
Lanai	400	14.7	10.3 - 19.1	2,400	85.3	80.9 - 89.7	2,900
Lihue-Waimea	3,100	12.9	10.5 - 15.3	20,900	87.1	84.7 - 89.5	24,000
Manoa/ Upper Makiki	7,600	13.3	10.2 - 16.4	49,300	86.7	83.6 - 89.8	56,900
Mililani/ Wahiawa	7,700	12.7	9.7 - 15.8	52,800	87.3	84.2 - 90.3	60,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	700	11.3	7.8 - 14.8	5,300	88.7	85.2 - 92.2	6,000
Nanakuli/ Waianae	4,900	17.2	11.4 - 23.1	23,300	82.8	76.9 - 88.6	28,100
N.Hawaii	3,000	13.5	10.1 - 17.0	19,300	86.5	83.0 - 89.9	22,300
N.Shore/ Laie	3,200	14.7	9.3 - 20.1	18,800	85.3	79.9 - 90.7	22,100
Nuuanu/ Kalihi/ Moanalua	8,300	12.6	9.5 - 15.6	57,600	87.4	84.4 - 90.5	65,900
Puna/ Kau	2,700	12.6	9.7 - 15.4	18,600	87.4	84.6 - 90.3	21,300
Salt Lake/ Foster Village	3,200	8.7	5.6 - 11.8	34,000	91.3	88.2 - 94.4	37,200
Upcountry/ Hana	3,200	12.0	9.5 - 14.5	23,100	88.0	85.5 - 90.5	26,300
Waialae/ Kahala/ Hawaii Kai	4,000	9.4	6.4 - 12.5	37,900	90.6	87.5 - 93.6	41,900
Waipahu/ Kapolei/ Ewa	10,800	12.2	9.7 - 14.6	78,100	87.8	85.4 - 90.3	89,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	18,000	16.5	13.9 - 19.2	91,100	83.5	80.8 - 86.1	109,100
25-34	19,900	11.9	10.4 - 13.5	147,100	88.1	86.5 - 89.6	167,100
35-44	23,500	12.8	11.2 - 14.3	160,500	87.2	85.7 - 88.8	184,000
45-54	21,300	13.3	11.8 - 14.8	139,100	86.7	85.2 - 88.2	160,400
55-64	13,000	11.2	9.4 - 13.0	102,600	88.8	87.0 - 90.6	115,500
65-74	8,800	10.2	8.1 - 12.2	78,000	89.8	87.8 - 91.9	86,900
75+	4,700	7.3	5.2 - 9.4	59,000	92.7	90.6 - 94.8	63,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	35,500	12.1	11.0 - 13.2	258,100	87.9	86.8 - 89.0	293,600
Native Hawaiian	22,300	18.1	15.9 - 20.4	100,800	81.9	79.6 - 84.1	123,100
Chinese	6,000	10.7	8.0 - 13.4	49,900	89.3	86.6 - 92.0	55,900
Filipino	14,900	11.2	9.3 - 13.0	118,600	88.8	87.0 - 90.7	133,500
Japanese	20,800	11.0	9.5 - 12.4	168,700	89.0	87.6 - 90.5	189,400
Black	1,400	8.9	4.3 - 13.4	14,400	91.1	86.6 - 95.7	15,800
Native Alaskan/ American Indian	700	18.8	7.6 - 29.9	2,900	81.2	70.1 - 92.4	3,600
Other Asian	1,800	8.3	4.4 - 12.1	19,700	91.7	87.9 - 95.6	21,500
Other Pacific Islander	1,700	9.7	3.2 - 16.2	15,400	90.3	83.8 - 96.8	17,000
Mixed Ethnicity	500	6.4	2.8 - 9.9	7,000	93.6	90.1 - 97.2	7,500
Other	4,000	14.8	9.7 - 19.8	22,800	85.2	80.2 - 90.3	26,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	49,600	11.1	10.1 - 12.1	396,800	88.9	87.9 - 89.9	446,400
Female	60,100	13.5	12.6 - 14.5	384,700	86.5	85.5 - 87.4	444,800

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,900	9.9	6.3 - 13.6	17,000	90.1	86.4 - 93.7	18,900
Grades 9 thru 11 (Some High School)	4,300	11.0	7.7 - 14.3	34,900	89.0	85.7 - 92.3	39,200
Grades 12 or GED (High School Grad)	40,500	13.6	12.3 - 14.9	257,700	86.4	85.1 - 87.7	298,200
College 1 to 3 years (Some College/ Tech)	33,300	12.6	11.3 - 13.9	230,900	87.4	86.1 - 88.7	264,300
College 4 years or more (College Grad)	29,600	11.0	9.8 - 12.1	239,700	89.0	87.9 - 90.2	269,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	71,200	12.1	11.2 - 12.9	518,500	87.9	87.1 - 88.8	589,700
Unemployed	6,100	19.1	13.9 - 24.2	26,100	80.9	75.8 - 86.1	32,200
Retired/Unable to work	19,200	10.6	9.2 - 12.1	161,800	89.4	87.9 - 90.8	181,000
Student/Homemaker	12,900	14.7	12.1 - 17.4	74,700	85.3	82.6 - 87.9	87,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,600	14.8	11.5 - 18.1	32,500	85.2	81.9 - 88.5	38,200
\$10,000 to \$14,999	6,600	15.9	12.1 - 19.8	34,700	84.1	80.2 - 87.9	41,300
\$15,000 to \$19,999	4,600	11.2	8.4 - 14.1	36,200	88.8	85.9 - 91.6	40,800
\$20,000 to \$24,999	6,000	10.8	8.4 - 13.3	49,300	89.2	86.7 - 91.6	55,300
\$25,000 to \$34,999	10,000	10.8	8.8 - 12.8	82,800	89.2	87.2 - 91.2	92,900
\$35,000 to \$49,999	18,300	13.3	11.4 - 15.1	119,400	86.7	84.9 - 88.6	137,600
\$50,000 to \$74,999	14,400	11.5	9.8 - 13.3	110,600	88.5	86.7 - 90.2	125,100
\$75,000 or more	14,600	11.4	9.6 - 13.2	113,900	88.6	86.8 - 90.4	128,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	18,100	13.8	11.7 - 15.8	113,600	86.2	84.2 - 88.3	131,700
131-185%	12,000	12.3	10.1 - 14.4	85,700	87.7	85.6 - 89.9	97,700
186+%	50,100	11.6	10.7 - 12.6	380,200	88.4	87.4 - 89.3	430,300

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	54,500	10.5	9.7 - 11.4	461,900	89.5	88.6 - 90.3	516,300
Unmarried Couple	2,400	17.5	10.7 - 24.2	11,500	82.5	75.8 - 89.3	13,900
Widowed	5,200	10.4	7.7 - 13.0	44,900	89.6	87.0 - 92.3	50,100
Other	47,500	15.3	13.9 - 16.7	263,300	84.7	83.3 - 86.1	310,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	57,000	10.8	9.9 - 11.6	472,600	89.2	88.4 - 90.1	529,600
No	52,600	14.6	13.4 - 15.8	307,800	85.4	84.2 - 86.6	360,400

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	101,700	12.4	11.6 - 13.1	720,300	87.6	86.9 - 88.4	821,900
No	7,900	11.6	9.0 - 14.3	60,200	88.4	85.7 - 91.0	68,100