

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	63,600	7.3	6.3 - 8.2	33,800	3.9	3.2 - 4.5	778,500	88.9	87.8 - 90.0	875,900
2001	63,700	7.2	6.1 - 8.2	40,800	4.6	3.7 - 5.4	784,200	88.2	86.9 - 89.6	888,600
2002	62,400	6.9	6.1 - 7.8	57,800	6.4	5.5 - 7.3	781,900	86.7	85.5 - 87.8	902,100
2003	51,700	5.6	4.7 - 6.5	55,900	6.1	5.2 - 7.0	814,400	88.3	87.1 - 89.5	922,000
2004	73,400	8.1	6.4 - 9.7	57,200	6.3	4.6 - 8.0	776,300	85.6	83.3 - 87.9	906,900
2005	72,900	7.5	6.7 - 8.4	60,300	6.2	5.4 - 7.1	836,000	86.3	85.1 - 87.4	969,300
2006	77,900	8.1	7.1 - 9.0	70,700	7.3	6.3 - 8.3	818,900	84.6	83.4 - 85.9	967,500
2007	78,500	8.0	7.0 - 9.0	56,600	5.8	5.0 - 6.6	844,800	86.2	85.0 - 87.5	979,900
2008	95,700	9.6	8.6 - 10.7	62,600	6.3	5.4 - 7.2	836,200	84.1	82.8 - 85.4	994,400
2009	93,700	9.4	8.4 - 10.4	69,600	7.0	6.0 - 8.0	833,100	83.6	82.3 - 85.0	996,300
2010	93,800	9.4	8.3 - 10.4	78,700	7.9	6.7 - 9.0	828,100	82.8	81.3 - 84.2	1,000,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	93,800	9.4	8.3 - 10.4	78,700	7.9	6.7 - 9.0	828,100	82.8	81.3 - 84.2	1,000,600

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,700	12.0	9.6 - 14.3	11,200	8.0	6.0 - 10.0	111,800	80.0	77.2 - 82.9	139,600
Honolulu	62,400	8.9	7.6 - 10.3	56,200	8.0	6.6 - 9.5	579,900	83.0	81.1 - 84.9	698,500
Kauai	2,800	5.6	3.6 - 7.6	3,800	7.7	4.5 - 11.0	42,800	86.7	83.0 - 90.4	49,400
Maui	12,000	10.6	8.2 - 13.0	7,400	6.6	4.7 - 8.5	93,600	82.8	79.8 - 85.8	113,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,700	12.0	9.6 - 14.3	11,200	8.0	6.0 - 10.0	111,800	80.0	77.2 - 82.9	139,600
Kauai	2,800	5.6	3.6 - 7.6	3,800	7.7	4.5 - 11.0	42,800	86.7	83.0 - 90.4	49,400
Lanai	100	7.2	2.3 - 12.1	<50	1.9	0.0 - 3.8	1,400	90.9	85.6 - 96.2	1,500
Maui	11,200	10.7	8.1 - 13.3	7,100	6.8	4.8 - 8.9	86,000	82.4	79.2 - 85.7	104,300
Molokai	700	9.7	5.1 - 14.3	300	3.8	1.3 - 6.3	6,300	86.5	81.4 - 91.7	7,300
Oahu	62,400	8.9	7.6 - 10.3	56,200	8.0	6.6 - 9.5	579,900	83.0	81.1 - 84.9	698,500

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,400	9.5	5.0 - 14.0	4,900	7.3	3.8 - 10.8	56,100	83.2	77.7 - 88.7	67,400
Ala Moana	1,400	6.6	2.6 - 10.6	600	3.1	0.2 - 6.0	18,500	90.3	85.3 - 95.3	20,500
Hanalei/ Kapaa	1,700	8.0	4.4 - 11.6	1,500	7.1	3.4 - 10.8	17,700	84.9	79.8 - 89.9	20,800
Hilo	5,200	12.3	8.4 - 16.3	3,700	8.9	4.7 - 13.1	32,900	78.8	73.4 - 84.2	41,800
Kaaawa/ Kahaluu/ Kaneohe	4,600	8.7	3.3 - 14.1	2,300	4.2	1.4 - 7.1	46,400	87.0	81.1 - 93.0	53,300
Kahului	4,600	13.5	7.8 - 19.1	1,900	5.6	2.6 - 8.6	27,500	80.9	74.8 - 87.0	34,000
Kailua/ Waimanalo	7,400	14.7	8.2 - 21.2	4,700	9.3	3.5 - 15.2	38,400	75.9	68.0 - 83.9	50,600
Kaimuki/ Palolo/ Waikiki	4,100	7.3	3.5 - 11.2	6,800	12.3	6.3 - 18.3	44,600	80.4	73.6 - 87.1	55,500
Kona	4,000	13.1	7.8 - 18.3	2,800	9.3	4.4 - 14.2	23,500	77.6	71.0 - 84.2	30,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,900	8.3	4.2 - 12.3	2,900	8.3	4.0 - 12.6	29,100	83.4	77.7 - 89.1	34,900
Lanai	100	7.2	2.3 - 12.1	<50	1.9	0.0 - 3.8	1,400	90.9	85.6 - 96.2	1,500
Lihue-Waimea	1,100	3.8	1.7 - 5.9	2,400	8.2	3.3 - 13.2	25,100	88.0	82.7 - 93.3	28,600
Manoa/ Upper Makiki	6,500	11.8	6.5 - 17.1	3,800	6.9	1.5 - 12.3	44,700	81.3	74.2 - 88.4	55,000
Mililani/ Wahiawa	7,000	9.9	5.9 - 13.9	5,800	8.2	4.0 - 12.4	57,800	81.9	76.4 - 87.3	70,600
Molokai	700	9.7	5.1 - 14.3	300	3.8	1.3 - 6.3	6,300	86.5	81.4 - 91.7	7,300
Nanakuli/ Waianae	3,800	9.1	3.3 - 14.8	6,600	15.9	4.4 - 27.5	31,100	75.0	62.8 - 87.2	41,400
N.Hawaii	2,900	11.3	5.7 - 17.0	1,700	6.7	2.6 - 10.7	20,700	82.0	75.4 - 88.6	25,300
N.Shore/ Laie	2,200	8.9	0.0 - 18.2	1,400	5.7	0.4 - 10.9	21,300	85.5	75.2 - 95.7	24,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	5,400	8.3	4.0 - 12.5	3,800	5.8	1.7 - 9.9	56,100	85.9	80.3 - 91.6	65,300
Puna/ Kau	4,700	11.1	6.9 - 15.4	2,900	7.0	4.0 - 10.0	34,600	81.9	76.9 - 86.8	42,200
Salt Lake/ Foster Village	2,700	7.8	2.3 - 13.2	3,700	10.8	4.2 - 17.4	28,000	81.4	73.3 - 89.5	34,400
Upcountry/ Hana	3,700	10.5	6.8 - 14.1	2,300	6.6	3.2 - 10.0	29,400	82.9	78.1 - 87.8	35,400
Waialae/ Kahala/ Hawaii Kai	2,700	7.4	2.4 - 12.3	1,700	4.7	2.0 - 7.4	32,400	88.0	82.4 - 93.5	36,900
Waipahu/ Kapolei/ Ewa	8,200	6.7	4.0 - 9.4	10,000	8.2	4.3 - 12.0	104,400	85.1	80.6 - 89.6	122,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	11,300	9.5	5.6 - 13.5	16,500	13.8	8.2 - 19.5	91,400	76.6	70.2 - 83.1	119,300
25-34	21,100	11.7	8.3 - 15.0	17,800	9.8	6.3 - 13.3	141,900	78.5	73.9 - 83.1	180,800
35-44	14,200	8.2	5.9 - 10.5	11,200	6.5	4.3 - 8.7	146,800	85.3	82.2 - 88.3	172,200
45-54	18,600	10.5	8.0 - 12.9	12,100	6.8	5.1 - 8.5	147,000	82.7	79.9 - 85.6	177,700
55-64	14,300	9.4	7.7 - 11.1	11,300	7.4	5.7 - 9.2	126,400	83.2	80.9 - 85.5	151,900
65-74	8,000	8.4	6.4 - 10.5	5,200	5.5	4.0 - 7.0	81,600	86.0	83.5 - 88.5	94,900
75+	6,200	6.2	4.4 - 8.0	4,200	4.2	2.6 - 5.8	88,900	89.6	87.2 - 91.9	99,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	28,300	9.1	7.4 - 10.7	16,200	5.2	4.1 - 6.3	268,100	85.8	83.8 - 87.7	312,600
Native Hawaiian	19,300	14.9	11.2 - 18.6	17,100	13.2	8.8 - 17.6	93,400	71.9	66.8 - 77.1	129,900
Chinese	6,500	11.3	6.3 - 16.2	5,800	10.1	5.1 - 15.1	45,100	78.7	72.2 - 85.1	57,300
Filipino	12,600	7.7	5.3 - 10.2	11,900	7.3	4.6 - 9.9	138,400	85.0	81.5 - 88.5	162,800
Japanese	16,200	7.0	5.2 - 8.8	20,200	8.7	6.2 - 11.1	195,800	84.3	81.5 - 87.2	232,200
Black	1,400	9.3	2.0 - 16.6	1,300	9.0	0.9 - 17.0	12,000	81.7	71.2 - 92.2	14,700
Other Asian	1,300	4.9	1.4 - 8.5	1,300	5.1	0.0 - 10.5	23,500	90.0	83.6 - 96.4	26,200
Other Pacific Islander	1,800	5.2	0.0 - 10.9	2,900	8.1	0.0 - 16.4	30,800	86.7	77.0 - 96.5	35,500
Other	5,200	22.8	10.9 - 34.6	1,900	8.2	0.0 - 18.6	15,600	69.0	55.2 - 82.8	22,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	33,100	6.6	5.3 - 8.0	44,100	8.8	7.0 - 10.7	423,000	84.6	82.4 - 86.8	500,200
Female	60,700	12.1	10.6 - 13.7	34,600	6.9	5.7 - 8.2	405,100	80.9	79.1 - 82.8	500,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	6.2	1.3 - 11.2	400	3.7	0.0 - 9.1	10,600	90.0	82.9 - 97.2	11,800
Grades 9 thru 11 (Some High School)	3,800	9.1	3.7 - 14.5	2,600	6.2	0.8 - 11.6	35,100	84.7	77.3 - 92.1	41,400
Grades 12 or GED (High School Grad)	30,400	10.5	8.4 - 12.6	21,900	7.6	5.4 - 9.7	237,100	81.9	79.1 - 84.8	289,400
College 1 to 3 years (Some College/ Tech)	26,500	9.3	7.4 - 11.2	28,700	10.1	7.4 - 12.8	229,100	80.6	77.5 - 83.6	284,400
College 4 years or more (College Grad)	32,300	8.7	7.1 - 10.3	25,000	6.7	5.5 - 8.0	315,500	84.6	82.7 - 86.6	372,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	57,100	9.6	8.2 - 11.0	46,500	7.8	6.4 - 9.2	489,400	82.5	80.7 - 84.4	592,900
Unemployed	4,200	6.0	2.5 - 9.5	6,700	9.6	5.0 - 14.2	59,100	84.4	78.8 - 90.0	70,000
Retired/Unable to work	20,900	9.7	8.0 - 11.4	11,800	5.5	4.2 - 6.7	182,800	84.8	82.8 - 86.8	215,600
Student/Homemaker	11,600	9.5	5.8 - 13.2	13,700	11.2	6.3 - 16.2	96,600	79.3	73.6 - 85.0	121,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,800	11.5	6.7 - 16.4	1,400	3.3	0.9 - 5.7	35,600	85.2	79.8 - 90.6	41,800
\$10,000 to \$14,999	3,700	13.1	5.4 - 20.7	2,100	7.4	1.9 - 12.8	22,400	79.6	70.6 - 88.6	28,100
\$15,000 to \$19,999	5,800	10.4	6.6 - 14.3	6,300	11.4	4.2 - 18.6	43,400	78.2	70.7 - 85.6	55,500
\$20,000 to \$24,999	6,300	9.6	5.2 - 14.0	5,600	8.5	4.0 - 13.0	54,000	81.9	76.0 - 87.9	65,900
\$25,000 to \$34,999	9,800	9.8	6.2 - 13.4	5,600	5.6	3.1 - 8.0	84,500	84.6	80.4 - 88.8	99,900
\$35,000 to \$49,999	16,100	11.4	8.2 - 14.6	10,200	7.2	4.6 - 9.9	115,100	81.4	77.5 - 85.3	141,400
\$50,000 to \$74,999	13,700	8.9	6.5 - 11.3	15,400	10.0	7.1 - 12.9	125,000	81.1	77.5 - 84.6	154,100
\$75,000 or more	23,500	7.5	6.0 - 9.0	23,700	7.6	5.7 - 9.4	267,100	85.0	82.7 - 87.2	314,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	26,500	11.3	8.7 - 14.0	19,900	8.5	5.8 - 11.3	187,700	80.2	76.6 - 83.8	234,200
131-185%	14,900	10.5	7.7 - 13.4	10,200	7.2	4.5 - 9.8	116,400	82.3	78.6 - 86.0	141,500
186+%	42,300	8.0	6.9 - 9.2	40,300	7.7	6.4 - 9.0	442,800	84.3	82.6 - 86.0	525,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	48,800	8.5	7.3 - 9.6	36,100	6.3	5.3 - 7.3	492,100	85.3	83.8 - 86.8	577,000
Unmarried Couple	4,300	12.4	5.5 - 19.4	4,000	11.4	3.7 - 19.1	26,500	76.2	66.4 - 86.0	34,800
Widowed	4,800	8.2	5.7 - 10.6	2,900	5.0	1.4 - 8.6	50,600	86.8	82.7 - 90.9	58,300
Other	35,900	10.9	8.7 - 13.1	35,700	10.8	8.1 - 13.5	258,800	78.3	75.1 - 81.5	330,400

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	49,300	8.4	7.2 - 9.5	36,600	6.2	5.2 - 7.2	504,000	85.4	84.0 - 86.9	589,900
No	44,000	10.8	8.9 - 12.6	42,000	10.3	8.0 - 12.6	323,100	79.0	76.2 - 81.7	409,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	89,100	9.6	8.5 - 10.6	72,800	7.8	6.7 - 8.9	769,100	82.6	81.2 - 84.1	931,000
No	4,700	6.9	2.5 - 11.2	5,900	8.7	2.0 - 15.4	57,300	84.4	76.9 - 92.0	67,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	93,700	9.4	8.4 - 10.4	69,600	7.0	6.0 - 8.0	833,100	83.6	82.3 - 85.0	996,300

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,300	11.2	9.1 - 13.3	7,900	5.8	4.2 - 7.3	114,000	83.1	80.6 - 85.6	137,200
Honolulu	64,400	9.2	7.9 - 10.6	53,200	7.6	6.2 - 9.0	582,300	83.2	81.4 - 85.0	700,000
Kauai	3,300	6.8	4.2 - 9.3	3,000	6.2	3.5 - 8.8	42,200	87.1	83.5 - 90.6	48,500
Maui	10,600	9.6	7.7 - 11.4	5,400	4.9	3.4 - 6.5	94,700	85.5	83.2 - 87.9	110,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,300	11.2	9.1 - 13.3	7,900	5.8	4.2 - 7.3	114,000	83.1	80.6 - 85.6	137,200
Kauai	3,300	6.8	4.2 - 9.3	3,000	6.2	3.5 - 8.8	42,200	87.1	83.5 - 90.6	48,500
Lanai	100	8.5	2.7 - 14.3	100	4.8	1.0 - 8.5	1,400	86.7	80.1 - 93.4	1,600
Maui	9,200	9.2	7.2 - 11.1	5,100	5.0	3.3 - 6.7	86,500	85.8	83.3 - 88.3	100,900
Molokai	1,200	14.8	8.9 - 20.8	300	3.4	1.2 - 5.6	6,700	81.8	75.5 - 88.0	8,200
Oahu	64,400	9.2	7.9 - 10.6	53,200	7.6	6.2 - 9.0	582,300	83.2	81.4 - 85.0	700,000

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,600	9.5	5.0 - 14.0	5,700	9.6	4.1 - 15.0	47,900	80.9	74.2 - 87.6	59,300
Ala Moana	3,300	11.9	3.6 - 20.2	1,900	6.8	1.5 - 12.1	22,300	81.2	71.9 - 90.5	27,500
Hanalei/ Kapaa	1,300	6.7	2.7 - 10.8	1,200	6.2	1.8 - 10.6	17,200	87.1	81.4 - 92.8	19,700
Hilo	3,700	9.3	6.0 - 12.7	2,600	6.6	3.2 - 10.0	33,500	84.1	79.6 - 88.6	39,800
Kaaawa/ Kahaluu/ Kaneohe	1,900	3.8	1.5 - 6.2	2,600	5.3	1.6 - 8.9	44,100	90.9	86.6 - 95.2	48,500
Kahului	3,100	8.5	5.5 - 11.4	2,300	6.4	3.4 - 9.4	30,700	85.2	81.0 - 89.3	36,100
Kailua/ Waimanalo	6,000	11.8	5.3 - 18.3	1,900	3.7	0.8 - 6.6	43,000	84.5	77.6 - 91.3	50,900
Kaimuki/ Palolo/ Waikiki	5,300	9.4	5.3 - 13.5	3,400	6.0	2.6 - 9.5	47,500	84.6	79.4 - 89.7	56,100
Kona	3,200	10.6	6.9 - 14.2	1,400	4.7	1.7 - 7.7	25,600	84.7	80.2 - 89.3	30,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,400	7.7	4.4 - 11.0	1,900	6.1	2.2 - 10.1	26,600	86.2	81.2 - 91.1	30,800
Lanai	100	8.5	2.7 - 14.3	100	4.8	1.0 - 8.5	1,400	86.7	80.1 - 93.4	1,600
Lihue-Waimea	1,900	6.8	3.5 - 10.0	1,800	6.2	2.9 - 9.5	25,000	87.0	82.5 - 91.5	28,700
Manoa/ Upper Makiki	2,900	6.4	2.5 - 10.4	3,200	7.1	1.4 - 12.8	39,000	86.5	79.8 - 93.1	45,100
Mililani/ Wahiawa	7,800	9.5	5.6 - 13.3	6,200	7.5	3.4 - 11.5	68,500	83.0	77.8 - 88.3	82,500
Molokai	1,200	14.8	8.9 - 20.8	300	3.4	1.2 - 5.6	6,700	81.8	75.5 - 88.0	8,200
Nanakuli/ Waianae	3,400	12.2	4.3 - 20.0	800	3.0	0.5 - 5.6	23,700	84.8	76.6 - 93.0	28,000
N.Hawaii	3,800	13.7	8.0 - 19.4	1,600	5.9	2.5 - 9.2	22,300	80.4	74.1 - 86.7	27,700
N.Shore/ Laie	3,700	19.6	8.5 - 30.7	100	0.7	0.0 - 2.2	15,100	79.7	68.5 - 90.8	18,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	7,500	10.0	5.0 - 15.1	7,200	9.6	4.0 - 15.1	60,100	80.4	73.4 - 87.3	74,800
Puna/ Kau	4,600	11.7	7.4 - 16.0	2,200	5.6	3.0 - 8.3	32,700	82.6	77.8 - 87.5	39,500
Salt Lake/ Foster Village	2,800	7.2	3.2 - 11.3	2,600	6.8	1.5 - 12.2	33,000	85.9	79.4 - 92.5	38,400
Upcountry/ Hana	3,800	11.2	7.3 - 15.1	900	2.6	1.2 - 4.1	29,300	86.2	82.0 - 90.3	34,000
Waialae/ Kahala/ Hawaii Kai	3,100	5.7	2.7 - 8.8	6,400	11.7	5.9 - 17.5	45,400	82.6	76.2 - 88.9	54,900
Waipahu/ Kapolei/ Ewa	11,100	9.7	6.2 - 13.1	11,200	9.8	5.9 - 13.6	92,700	80.6	75.7 - 85.4	115,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	19,600	16.7	11.2 - 22.2	14,200	12.1	7.2 - 17.0	83,500	71.2	64.4 - 78.0	117,300
25-34	12,000	6.8	4.6 - 8.9	14,600	8.2	5.2 - 11.3	150,500	85.0	81.4 - 88.6	177,100
35-44	14,200	8.1	6.1 - 10.1	11,000	6.3	4.2 - 8.4	150,700	85.6	82.8 - 88.4	175,900
45-54	18,900	10.5	8.4 - 12.6	10,500	5.8	4.3 - 7.4	151,100	83.7	81.2 - 86.2	180,500
55-64	15,900	10.4	8.3 - 12.5	10,200	6.6	4.8 - 8.5	127,300	83.0	80.3 - 85.6	153,400
65-74	7,500	8.2	5.9 - 10.5	3,500	3.8	2.5 - 5.1	80,500	88.0	85.4 - 90.6	91,500
75+	5,300	5.5	3.8 - 7.1	5,400	5.6	2.9 - 8.3	86,400	89.0	85.9 - 92.0	97,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	28,000	8.8	7.3 - 10.3	17,800	5.6	4.2 - 7.0	271,900	85.6	83.6 - 87.6	317,600
Native Hawaiian	19,900	16.4	12.7 - 20.2	10,900	9.0	5.7 - 12.3	90,300	74.6	70.0 - 79.2	121,100
Chinese	5,000	8.1	4.6 - 11.6	3,800	6.2	3.0 - 9.4	52,800	85.7	81.0 - 90.3	61,700
Filipino	15,200	9.2	6.5 - 12.0	9,800	6.0	3.4 - 8.5	139,600	84.8	81.2 - 88.4	164,600
Japanese	17,700	7.6	5.5 - 9.7	18,900	8.1	5.7 - 10.5	197,000	84.3	81.3 - 87.3	233,700
Black	1,000	6.4	0.0 - 13.4	900	5.8	0.0 - 12.5	14,000	87.8	78.4 - 97.2	16,000
Other Asian	1,600	6.5	1.1 - 12.0	3,000	12.7	4.8 - 20.5	19,400	80.8	71.6 - 90.0	24,000
Other Pacific Islander	600	2.0	0.0 - 5.4	2,100	6.8	0.0 - 14.2	27,800	91.2	83.2 - 99.3	30,500
Other	3,900	19.1	8.4 - 29.8	2,300	11.1	1.8 - 20.5	14,100	69.8	57.4 - 82.1	20,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	32,400	6.5	5.2 - 7.9	40,800	8.2	6.6 - 9.9	422,800	85.2	83.2 - 87.2	496,000
Female	61,200	12.2	10.7 - 13.8	28,700	5.7	4.6 - 6.9	410,400	82.0	80.2 - 83.9	500,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	500	3.6	0.6 - 6.6	1,400	10.2	0.0 - 21.9	11,900	86.2	74.4 - 98.0	13,900
Grades 9 thru 11 (Some High School)	6,200	16.7	8.5 - 24.9	3,200	8.6	2.1 - 15.1	28,000	74.7	65.3 - 84.2	37,500
Grades 12 or GED (High School Grad)	31,000	11.0	8.9 - 13.0	18,800	6.6	4.7 - 8.6	233,400	82.4	79.7 - 85.1	283,300
College 1 to 3 years (Some College/ Tech)	30,400	10.5	8.4 - 12.6	22,200	7.7	5.6 - 9.8	237,300	81.9	79.1 - 84.6	289,900
College 4 years or more (College Grad)	25,500	6.9	5.6 - 8.1	23,800	6.4	5.0 - 7.8	321,800	86.7	84.9 - 88.5	371,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	57,000	9.2	7.9 - 10.5	47,800	7.7	6.3 - 9.0	515,800	83.1	81.3 - 84.9	620,600
Unemployed	7,500	10.9	6.1 - 15.8	3,000	4.4	1.7 - 7.1	57,800	84.7	79.3 - 90.1	68,300
Retired/Unable to work	17,900	8.8	7.2 - 10.4	10,400	5.1	3.6 - 6.6	175,800	86.1	84.0 - 88.2	204,100
Student/Homemaker	11,200	11.0	6.9 - 15.1	8,400	8.2	4.0 - 12.4	82,600	80.8	75.3 - 86.3	102,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,900	14.4	8.8 - 20.0	1,300	4.6	0.0 - 10.7	22,000	81.0	73.4 - 88.6	27,200
\$10,000 to \$14,999	2,400	9.9	5.4 - 14.3	700	2.9	0.4 - 5.5	21,000	87.2	82.0 - 92.4	24,100
\$15,000 to \$19,999	5,100	10.7	5.6 - 15.9	4,200	8.7	4.1 - 13.3	38,500	80.6	74.1 - 87.0	47,800
\$20,000 to \$24,999	6,900	11.6	7.1 - 16.0	5,300	8.9	4.2 - 13.6	47,100	79.5	73.5 - 85.5	59,300
\$25,000 to \$34,999	8,100	8.3	5.7 - 11.0	6,000	6.1	3.5 - 8.8	83,200	85.5	81.9 - 89.2	97,300
\$35,000 to \$49,999	17,300	11.3	8.4 - 14.3	10,300	6.8	3.8 - 9.7	124,900	81.9	78.0 - 85.8	152,500
\$50,000 to \$74,999	14,100	8.0	5.9 - 10.2	13,300	7.6	5.3 - 9.8	148,700	84.4	81.4 - 87.4	176,100
\$75,000 or more	23,000	7.4	5.9 - 9.0	22,500	7.2	5.3 - 9.1	265,400	85.4	83.0 - 87.7	310,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	24,400	12.1	9.4 - 14.9	14,100	7.0	4.7 - 9.3	162,800	80.9	77.5 - 84.3	201,200
131-185%	13,800	9.4	7.1 - 11.6	12,900	8.7	5.3 - 12.2	120,900	81.9	78.0 - 85.8	147,600
186+%	42,700	7.8	6.7 - 9.0	36,600	6.7	5.5 - 7.9	467,200	85.5	83.9 - 87.1	546,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	50,100	8.6	7.4 - 9.7	34,300	5.9	4.8 - 6.9	500,500	85.6	84.1 - 87.0	584,900
Unmarried Couple	3,400	10.5	5.2 - 15.8	2,100	6.5	1.3 - 11.6	26,800	83.1	75.9 - 90.2	32,200
Widowed	4,700	7.9	5.4 - 10.3	3,300	5.6	1.8 - 9.3	51,300	86.6	82.4 - 90.8	59,300
Other	35,600	11.1	8.8 - 13.4	29,900	9.3	7.0 - 11.7	254,600	79.6	76.5 - 82.6	320,000

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	50,600	8.5	7.4 - 9.6	34,900	5.9	4.8 - 6.9	509,500	85.6	84.2 - 87.1	594,900
No	42,700	10.7	8.7 - 12.6	34,700	8.7	6.7 - 10.7	322,400	80.7	78.1 - 83.2	399,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	87,300	9.5	8.4 - 10.5	63,400	6.9	5.9 - 7.9	770,800	83.6	82.3 - 85.0	921,600
No	6,200	8.7	4.3 - 13.1	5,600	7.8	3.1 - 12.6	60,000	83.5	77.3 - 89.7	71,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	95,700	9.6	8.6 - 10.7	62,600	6.3	5.4 - 7.2	836,200	84.1	82.8 - 85.4	994,400

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,400	12.2	9.9 - 14.5	10,100	7.5	5.3 - 9.8	107,500	80.3	77.3 - 83.3	134,000
Honolulu	63,900	9.1	7.7 - 10.4	42,500	6.0	4.9 - 7.2	596,200	84.9	83.2 - 86.6	702,500
Kauai	4,400	9.1	6.0 - 12.3	3,700	7.6	4.4 - 10.8	40,300	83.2	79.0 - 87.4	48,400
Maui	11,000	10.1	7.5 - 12.6	6,400	5.8	4.0 - 7.6	92,200	84.1	81.2 - 87.1	109,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	16,400	12.2	9.9 - 14.5	10,100	7.5	5.3 - 9.8	107,500	80.3	77.3 - 83.3	134,000
Kauai	4,400	9.1	6.0 - 12.3	3,700	7.6	4.4 - 10.8	40,300	83.2	79.0 - 87.4	48,400
Lanai	200	10.3	5.6 - 15.0	100	3.9	0.9 - 6.9	1,800	85.8	80.3 - 91.3	2,100
Maui	10,200	10.2	7.5 - 13.0	5,600	5.6	3.7 - 7.6	84,000	84.2	81.0 - 87.4	99,800
Molokai	600	8.0	2.9 - 13.2	700	9.0	3.4 - 14.6	6,400	83.0	75.9 - 90.1	7,700
Oahu	63,900	9.1	7.7 - 10.4	42,500	6.0	4.9 - 7.2	596,200	84.9	83.2 - 86.6	702,500

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,400	8.4	4.5 - 12.4	2,800	4.3	1.6 - 7.0	56,100	87.3	82.6 - 91.9	64,300
Ala Moana	1,800	5.6	0.0 - 11.4	800	2.4	0.0 - 6.1	29,600	91.9	85.3 - 98.6	32,200
Hanalei/ Kapaa	1,600	8.1	3.2 - 13.0	1,400	7.0	1.5 - 12.4	16,600	84.9	78.1 - 91.8	19,600
Hilo	7,100	16.7	11.5 - 22.0	3,500	8.3	3.9 - 12.7	31,600	74.9	68.7 - 81.1	42,200
Kaaawa/ Kahaluu/ Kaneohe	4,100	8.5	4.2 - 12.8	4,500	9.3	2.3 - 16.2	39,900	82.2	74.6 - 89.9	48,600
Kahului	4,000	12.0	5.9 - 18.1	800	2.4	0.4 - 4.5	28,800	85.6	79.2 - 91.9	33,700
Kailua/ Waimanalo	7,600	15.0	9.0 - 21.0	3,500	6.9	2.4 - 11.4	39,400	78.1	71.2 - 85.1	50,400
Kaimuki/ Palolo/ Waikiki	3,700	6.2	2.7 - 9.8	3,600	6.2	2.6 - 9.8	51,400	87.6	82.7 - 92.5	58,700
Kona	2,800	10.3	6.2 - 14.3	1,600	5.9	2.6 - 9.1	23,100	83.8	78.9 - 88.8	27,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,700	7.9	4.6 - 11.2	3,200	9.3	5.0 - 13.6	28,100	82.8	77.6 - 88.0	34,000
Lanai	200	10.3	5.6 - 15.0	100	3.9	0.9 - 6.9	1,800	85.8	80.3 - 91.3	2,100
Lihue-Waimea	2,800	9.8	5.8 - 13.9	2,300	8.1	4.2 - 12.0	23,600	82.0	76.7 - 87.4	28,800
Manoa/ Upper Makiki	4,400	9.3	4.0 - 14.6	3,700	7.8	3.8 - 11.9	39,300	82.9	76.6 - 89.2	47,500
Mililani/ Wahiawa	8,100	11.4	7.0 - 15.8	4,400	6.2	2.3 - 10.0	58,900	82.4	76.9 - 87.9	71,500
Molokai	600	8.0	2.9 - 13.2	700	9.0	3.4 - 14.6	6,400	83.0	75.9 - 90.1	7,700
Nanakuli/ Waianae	6,200	16.9	8.7 - 25.0	2,300	6.3	1.7 - 10.9	28,000	76.8	67.6 - 86.1	36,500
N.Hawaii	3,600	12.9	7.9 - 17.8	2,600	9.3	2.8 - 15.8	21,600	77.8	70.5 - 85.2	27,800
N.Shore/ Laie	2,700	11.6	1.5 - 21.6	2,900	12.2	2.2 - 22.1	18,100	76.3	63.4 - 89.1	23,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	5,200	7.9	3.3 - 12.4	1,500	2.2	0.5 - 4.0	59,000	89.9	85.1 - 94.7	65,600
Puna/ Kau	2,900	8.0	4.7 - 11.3	2,400	6.5	3.0 - 9.9	31,200	85.5	81.0 - 90.1	36,400
Salt Lake/ Foster Village	1,800	5.0	1.3 - 8.7	1,700	4.7	0.0 - 10.1	33,300	90.3	84.0 - 96.7	36,900
Upcountry/ Hana	3,500	10.7	6.5 - 15.0	1,600	5.0	1.8 - 8.3	27,100	84.2	79.1 - 89.3	32,200
Waialae/ Kahala/ Hawaii Kai	2,000	4.5	1.8 - 7.2	1,800	4.0	1.5 - 6.5	41,700	91.6	87.9 - 95.2	45,500
Waipahu/ Kapolei/ Ewa	10,800	8.9	5.3 - 12.5	9,000	7.4	4.2 - 10.6	101,300	83.6	79.1 - 88.2	121,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	18,600	15.1	10.3 - 19.9	15,000	12.2	8.0 - 16.4	89,700	72.7	66.8 - 78.6	123,400
25-34	16,600	9.3	6.4 - 12.2	15,100	8.5	5.4 - 11.5	146,500	82.2	78.2 - 86.2	178,200
35-44	16,400	9.2	6.9 - 11.6	8,200	4.6	3.1 - 6.1	152,700	86.1	83.4 - 88.8	177,300
45-54	17,800	10.1	8.1 - 12.1	9,000	5.1	3.6 - 6.7	148,900	84.8	82.3 - 87.2	175,700
55-64	13,600	9.1	7.1 - 11.1	8,900	6.0	4.2 - 7.7	126,700	84.9	82.4 - 87.5	149,200
65-74	7,400	8.3	5.8 - 10.8	3,600	4.0	2.5 - 5.6	78,400	87.7	84.8 - 90.5	89,500
75+	4,900	5.2	3.1 - 7.2	2,500	2.7	1.2 - 4.1	87,300	92.2	89.8 - 94.6	94,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	29,000	8.8	7.4 - 10.3	19,500	5.9	4.5 - 7.4	280,000	85.2	83.2 - 87.2	328,600
Native Hawaiian	20,300	14.8	11.2 - 18.5	13,500	9.9	6.7 - 13.1	102,900	75.3	70.8 - 79.8	136,700
Chinese	7,200	10.9	6.8 - 14.9	5,400	8.1	2.8 - 13.4	53,600	81.0	74.9 - 87.2	66,100
Filipino	10,500	7.3	4.4 - 10.2	7,500	5.2	3.3 - 7.2	125,500	87.5	84.1 - 90.9	143,400
Japanese	18,100	8.0	5.9 - 10.1	12,300	5.4	3.8 - 7.0	196,400	86.6	84.1 - 89.2	226,700
Black	1,200	8.6	1.8 - 15.4	400	3.1	0.0 - 6.7	12,200	88.3	80.7 - 95.9	13,800
Other Asian	2,400	9.6	1.2 - 18.1	900	3.9	0.3 - 7.4	21,300	86.5	77.6 - 95.4	24,600
Other Pacific Islander	900	3.6	0.0 - 7.4	900	3.6	0.0 - 9.8	22,200	92.8	85.7 - 100.0	24,000
Other	4,700	22.2	10.8 - 33.6	1,300	6.1	0.0 - 13.4	15,000	71.7	59.4 - 84.0	21,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	38,500	7.8	6.3 - 9.3	37,600	7.6	6.1 - 9.2	416,300	84.5	82.5 - 86.6	492,400
Female	57,200	11.4	9.9 - 12.8	25,000	5.0	4.0 - 6.0	419,800	83.6	81.9 - 85.3	502,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	11.2	0.2 - 22.3	200	2.0	0.0 - 5.8	8,300	86.8	75.4 - 98.2	9,600
Grades 9 thru 11 (Some High School)	6,200	15.7	9.1 - 22.4	2,100	5.3	1.0 - 9.5	31,000	79.0	71.5 - 86.5	39,200
Grades 12 or GED (High School Grad)	34,800	11.9	9.5 - 14.3	16,000	5.5	3.9 - 7.1	241,700	82.6	79.9 - 85.4	292,500
College 1 to 3 years (Some College/ Tech)	21,600	7.6	5.9 - 9.2	24,300	8.6	6.4 - 10.7	238,700	83.9	81.3 - 86.4	284,600
College 4 years or more (College Grad)	32,000	8.7	7.2 - 10.2	20,000	5.4	4.2 - 6.7	315,300	85.8	83.9 - 87.7	367,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	57,900	9.2	7.9 - 10.6	38,500	6.1	5.0 - 7.2	532,100	84.7	83.0 - 86.3	628,500
Unemployed	6,000	13.6	7.2 - 20.1	5,500	12.5	5.5 - 19.5	32,400	73.9	65.0 - 82.7	43,800
Retired/Unable to work	19,900	8.8	7.2 - 10.5	9,400	4.2	2.7 - 5.6	196,100	87.0	84.9 - 89.1	225,400
Student/Homemaker	11,900	12.5	8.2 - 16.8	9,300	9.8	5.6 - 14.0	73,700	77.7	72.2 - 83.2	94,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,300	17.3	10.4 - 24.1	2,800	11.2	2.7 - 19.7	17,600	71.5	61.9 - 81.1	24,700
\$10,000 to \$14,999	3,500	16.0	7.9 - 24.1	1,600	7.4	2.0 - 12.9	16,900	76.6	67.4 - 85.7	22,100
\$15,000 to \$19,999	4,600	11.3	5.5 - 17.2	1,100	2.7	0.2 - 5.2	35,200	86.0	79.8 - 92.2	41,000
\$20,000 to \$24,999	4,400	7.9	3.8 - 11.9	3,300	6.0	1.9 - 10.0	48,000	86.2	80.7 - 91.6	55,600
\$25,000 to \$34,999	9,600	9.5	6.7 - 12.3	3,900	3.9	1.9 - 5.8	87,800	86.6	83.3 - 90.0	101,400
\$35,000 to \$49,999	16,000	10.9	7.9 - 13.9	11,100	7.5	5.0 - 10.1	120,100	81.6	77.9 - 85.3	147,200
\$50,000 to \$74,999	16,500	8.8	6.7 - 11.0	14,100	7.6	5.1 - 10.1	155,900	83.6	80.5 - 86.7	186,500
\$75,000 or more	26,300	8.2	6.6 - 9.9	19,600	6.1	4.6 - 7.7	273,800	85.6	83.5 - 87.8	319,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,600	12.6	9.7 - 15.4	9,800	5.4	3.3 - 7.6	147,300	82.0	78.6 - 85.4	179,700
131-185%	13,300	11.3	7.7 - 14.9	9,800	8.3	4.8 - 11.8	95,000	80.4	75.7 - 85.1	118,100
186+%	49,300	8.2	7.1 - 9.3	38,000	6.3	5.2 - 7.4	512,700	85.4	83.9 - 86.9	600,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	47,200	8.0	6.9 - 9.2	31,400	5.4	4.3 - 6.4	507,900	86.6	85.1 - 88.1	586,500
Unmarried Couple	3,200	11.8	5.6 - 18.0	3,800	14.0	6.6 - 21.4	20,000	74.2	65.3 - 83.2	27,000
Widowed	5,100	8.8	5.8 - 11.8	2,900	5.1	1.8 - 8.4	49,600	86.1	81.9 - 90.3	57,600
Other	40,200	12.4	10.1 - 14.8	24,500	7.6	5.7 - 9.5	258,600	80.0	77.1 - 82.8	323,400

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	48,900	8.2	7.0 - 9.3	31,700	5.3	4.3 - 6.3	516,700	86.5	85.0 - 88.0	597,200
No	46,800	11.9	9.9 - 13.8	30,700	7.8	6.1 - 9.5	317,100	80.4	77.9 - 82.8	394,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	88,300	9.5	8.4 - 10.6	58,800	6.3	5.4 - 7.3	783,200	84.2	82.8 - 85.6	930,300
No	7,300	11.7	6.3 - 17.2	3,400	5.4	2.3 - 8.5	51,800	82.8	76.7 - 88.9	62,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	78,500	8.0	7.0 - 9.0	56,600	5.8	5.0 - 6.6	844,800	86.2	85.0 - 87.5	979,900

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,100	7.1	5.5 - 8.7	8,800	6.9	5.1 - 8.6	110,200	86.0	83.7 - 88.3	128,100
Honolulu	56,900	8.2	6.8 - 9.5	36,300	5.2	4.2 - 6.3	604,100	86.6	85.0 - 88.3	697,300
Kauai	3,000	6.4	4.3 - 8.5	4,000	8.4	5.3 - 11.6	40,100	85.2	81.5 - 88.8	47,100
Maui	9,500	8.8	6.8 - 10.9	7,500	7.0	5.1 - 8.9	90,300	84.2	81.5 - 86.8	107,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,100	7.1	5.5 - 8.7	8,800	6.9	5.1 - 8.6	110,200	86.0	83.7 - 88.3	128,100
Kauai	3,000	6.4	4.3 - 8.5	4,000	8.4	5.3 - 11.6	40,100	85.2	81.5 - 88.8	47,100
Lanai	200	11.0	6.2 - 15.9	100	7.3	1.9 - 12.7	1,500	81.7	74.9 - 88.5	1,900
Maui	8,100	8.4	6.2 - 10.6	7,000	7.2	5.2 - 9.3	82,200	84.4	81.5 - 87.3	97,300
Molokai	1,100	13.9	7.8 - 19.9	400	4.5	1.7 - 7.3	6,600	81.7	75.3 - 88.1	8,100
Oahu	56,900	8.2	6.8 - 9.5	36,300	5.2	4.2 - 6.3	604,100	86.6	85.0 - 88.3	697,300

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,900	10.3	4.7 - 15.8	4,300	6.3	2.5 - 10.2	56,000	83.4	77.0 - 89.7	67,200
Ala Moana	1,200	4.3	1.2 - 7.4	700	2.6	0.0 - 5.9	27,100	93.2	88.7 - 97.7	29,100
Hanalei/ Kapaa	1,100	5.4	2.7 - 8.0	2,300	11.6	6.0 - 17.3	16,700	83.0	77.0 - 89.0	20,100
Hilo	2,500	6.8	4.2 - 9.5	1,700	4.7	2.0 - 7.4	32,100	88.4	84.8 - 92.1	36,300
Kaaawa/ Kahaluu/ Kaneohe	3,900	8.0	3.7 - 12.4	2,900	6.0	2.2 - 9.7	41,700	86.0	80.5 - 91.5	48,400
Kahului	2,700	8.4	5.1 - 11.8	2,300	7.2	3.6 - 10.8	27,300	84.3	79.6 - 89.0	32,400
Kailua/ Waimanalo	6,000	11.5	5.7 - 17.3	2,900	5.5	1.3 - 9.6	43,600	83.0	76.3 - 89.8	52,500
Kaimuki/ Palolo/ Waikiki	3,400	6.1	2.4 - 9.9	1,100	2.0	0.1 - 4.0	51,100	91.9	87.7 - 96.0	55,700
Kona	1,700	6.2	3.7 - 8.7	1,900	6.9	3.4 - 10.4	23,600	86.9	82.7 - 91.1	27,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	1,800	5.7	3.1 - 8.4	2,400	7.8	3.8 - 11.8	26,600	86.5	81.8 - 91.2	30,800
Lanai	200	11.0	6.2 - 15.9	100	7.3	1.9 - 12.7	1,500	81.7	74.9 - 88.5	1,900
Lihue-Waimea	1,900	7.1	4.0 - 10.2	1,600	6.1	2.5 - 9.7	23,500	86.8	82.2 - 91.4	27,100
Manoa/ Upper Makiki	2,700	5.9	3.1 - 8.7	3,500	7.7	3.9 - 11.4	39,400	86.5	81.9 - 91.1	45,500
Mililani/ Wahiawa	4,200	5.8	2.8 - 8.7	5,200	7.1	3.4 - 10.8	64,200	87.1	82.5 - 91.8	73,700
Molokai	1,100	13.9	7.8 - 19.9	400	4.5	1.7 - 7.3	6,600	81.7	75.3 - 88.1	8,100
Nanakuli/ Waianae	4,900	12.5	5.0 - 20.0	1,400	3.5	0.2 - 6.9	33,200	84.0	76.0 - 92.0	39,500
N.Hawaii	2,400	8.3	3.5 - 13.2	2,400	8.3	4.2 - 12.4	23,800	83.4	77.4 - 89.3	28,500
N.Shore/ Laie	2,700	12.0	5.4 - 18.7	1,100	4.8	0.8 - 8.9	18,700	83.1	75.4 - 90.9	22,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	3,900	5.8	2.3 - 9.3	4,200	6.2	1.4 - 11.0	59,100	87.9	82.3 - 93.6	67,200
Puna/ Kau	2,600	7.1	4.3 - 9.8	2,900	8.0	4.3 - 11.6	30,700	85.0	80.5 - 89.4	36,200
Salt Lake/ Foster Village	2,300	8.1	2.0 - 14.2	1,500	5.2	0.9 - 9.4	24,900	86.8	79.6 - 93.9	28,700
Upcountry/ Hana	3,600	10.7	5.9 - 15.4	2,300	6.7	3.6 - 9.8	28,200	82.7	77.3 - 88.0	34,200
Waialae/ Kahala/ Hawaii Kai	1,500	3.9	0.7 - 7.0	3,000	7.9	2.0 - 13.8	34,000	88.2	81.8 - 94.7	38,600
Waipahu/ Kapolei/ Ewa	13,200	10.2	6.2 - 14.2	4,500	3.5	1.7 - 5.4	111,200	86.3	82.0 - 90.5	128,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	15,500	12.5	7.3 - 17.8	12,900	10.4	6.4 - 14.5	95,000	77.0	70.9 - 83.1	123,300
25-34	12,300	7.8	5.4 - 10.1	8,000	5.0	3.0 - 7.1	138,000	87.2	84.2 - 90.2	158,200
35-44	10,900	6.2	4.4 - 8.0	9,500	5.4	3.6 - 7.3	154,200	88.3	85.9 - 90.8	174,600
45-54	16,200	8.8	6.6 - 10.9	9,500	5.1	3.6 - 6.6	159,500	86.1	83.6 - 88.6	185,200
55-64	13,200	8.6	6.7 - 10.4	9,400	6.1	4.5 - 7.7	131,900	85.3	83.0 - 87.7	154,500
65-74	4,900	5.8	4.0 - 7.6	3,300	4.0	2.2 - 5.7	75,400	90.2	87.7 - 92.7	83,600
75+	5,100	5.3	3.3 - 7.3	3,700	3.8	2.0 - 5.6	87,700	90.9	88.3 - 93.5	96,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	24,000	7.7	6.2 - 9.2	13,300	4.3	3.2 - 5.3	274,500	88.1	86.3 - 89.8	311,700
Native Hawaiian	17,000	12.7	9.4 - 15.9	14,200	10.6	7.5 - 13.7	102,700	76.7	72.5 - 80.9	133,900
Chinese	3,800	6.9	3.4 - 10.4	1,900	3.4	1.1 - 5.7	49,100	89.7	85.6 - 93.8	54,800
Filipino	14,300	8.3	5.1 - 11.5	8,600	5.0	2.7 - 7.2	150,000	86.8	83.0 - 90.5	172,900
Japanese	13,100	6.1	4.3 - 7.9	14,000	6.6	4.8 - 8.3	186,700	87.3	84.9 - 89.7	213,900
Black	1,500	9.3	0.0 - 18.8	300	1.7	0.0 - 4.1	14,400	89.1	79.3 - 98.8	16,200
Other Asian	500	2.4	0.0 - 4.9	400	2.0	0.0 - 4.7	20,700	95.6	91.9 - 99.2	21,700
Other Pacific Islander	700	3.1	0.0 - 6.7	1,700	7.3	1.4 - 13.3	20,300	89.5	82.7 - 96.4	22,700
Other	2,700	12.2	3.4 - 20.9	2,000	9.2	1.3 - 17.1	17,500	78.7	67.8 - 89.5	22,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	31,600	6.5	4.9 - 8.2	29,500	6.1	4.8 - 7.4	422,000	87.4	85.4 - 89.3	483,100
Female	46,900	9.4	8.2 - 10.7	27,100	5.5	4.5 - 6.5	422,800	85.1	83.6 - 86.6	496,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	7.2	2.5 - 11.9	0	0.0	--	14,400	92.8	88.1 - 97.5	15,500
Grades 9 thru 11 (Some High School)	3,700	9.7	4.4 - 15.1	3,500	9.2	3.8 - 14.7	30,400	81.0	73.8 - 88.2	37,600
Grades 12 or GED (High School Grad)	27,500	8.9	6.7 - 11.1	17,500	5.7	4.2 - 7.1	263,600	85.4	82.9 - 88.0	308,600
College 1 to 3 years (Some College/ Tech)	25,600	8.9	7.0 - 10.9	16,300	5.7	4.2 - 7.2	245,300	85.4	83.1 - 87.8	287,200
College 4 years or more (College Grad)	20,600	6.3	5.0 - 7.5	19,400	5.9	4.5 - 7.3	289,400	87.8	86.1 - 89.6	329,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	50,400	8.0	6.6 - 9.3	36,000	5.7	4.7 - 6.7	546,100	86.3	84.8 - 87.9	632,600
Unemployed	3,900	12.0	3.9 - 20.1	3,900	12.3	4.2 - 20.3	24,200	75.7	65.3 - 86.1	32,000
Retired/Unable to work	16,000	7.1	5.6 - 8.5	9,000	4.0	2.8 - 5.1	201,900	89.0	87.2 - 90.8	226,900
Student/Homemaker	8,200	9.3	5.8 - 12.8	7,500	8.6	4.4 - 12.7	72,200	82.1	77.0 - 87.3	87,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,500	12.3	5.0 - 19.7	800	2.8	0.7 - 4.9	23,900	84.8	77.3 - 92.4	28,100
\$10,000 to \$14,999	3,300	11.1	4.7 - 17.4	900	3.0	0.2 - 5.9	25,900	85.9	79.1 - 92.7	30,100
\$15,000 to \$19,999	4,200	9.4	5.2 - 13.6	3,500	7.8	3.3 - 12.4	36,700	82.8	76.9 - 88.6	44,400
\$20,000 to \$24,999	6,500	10.8	5.5 - 16.2	3,600	6.1	2.3 - 9.9	49,500	83.1	76.9 - 89.3	59,600
\$25,000 to \$34,999	6,700	6.0	3.6 - 8.3	7,800	7.0	4.2 - 9.7	98,200	87.1	83.6 - 90.6	112,700
\$35,000 to \$49,999	13,000	7.9	5.7 - 10.0	11,500	6.9	4.5 - 9.4	140,800	85.2	82.1 - 88.3	165,300
\$50,000 to \$74,999	12,500	7.4	5.0 - 9.8	10,400	6.1	4.1 - 8.1	146,700	86.5	83.5 - 89.5	169,600
\$75,000 or more	20,900	7.3	5.8 - 8.9	14,100	5.0	3.7 - 6.2	249,400	87.7	85.7 - 89.6	284,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	20,500	10.2	7.6 - 12.9	10,800	5.4	3.4 - 7.4	169,200	84.4	81.2 - 87.5	200,600
131-185%	9,600	8.2	5.0 - 11.5	9,200	7.9	4.6 - 11.3	97,300	83.8	79.4 - 88.3	116,100
186+%	40,400	7.0	6.0 - 8.0	32,600	5.6	4.7 - 6.6	504,600	87.4	86.0 - 88.7	577,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	40,800	7.0	5.9 - 8.0	29,400	5.0	4.2 - 5.9	513,700	88.0	86.7 - 89.3	583,800
Unmarried Couple	2,700	10.4	4.4 - 16.3	3,600	13.6	4.2 - 23.1	20,100	76.0	65.7 - 86.3	26,500
Widowed	4,100	7.0	4.4 - 9.6	3,000	5.3	2.8 - 7.7	50,900	87.7	84.2 - 91.2	58,000
Other	30,900	9.9	7.5 - 12.3	20,600	6.6	4.8 - 8.4	260,100	83.5	80.7 - 86.3	311,500

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	42,400	7.1	6.1 - 8.2	29,700	5.0	4.2 - 5.8	521,600	87.9	86.5 - 89.2	593,600
No	36,100	9.4	7.4 - 11.3	26,900	7.0	5.4 - 8.6	322,200	83.6	81.2 - 86.1	385,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	72,700	7.9	6.9 - 8.9	51,000	5.5	4.7 - 6.4	796,800	86.6	85.3 - 87.8	920,600
No	5,700	9.8	3.1 - 16.6	5,600	9.6	4.6 - 14.6	47,000	80.5	72.8 - 88.2	58,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	77,900	8.1	7.1 - 9.0	70,700	7.3	6.3 - 8.3	818,900	84.6	83.4 - 85.9	967,500

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,500	8.7	6.8 - 10.6	7,400	6.2	4.6 - 7.7	102,700	85.1	82.8 - 87.5	120,700
Honolulu	54,500	7.9	6.7 - 9.0	53,300	7.7	6.4 - 9.0	585,600	84.5	82.8 - 86.1	693,400
Kauai	4,100	8.6	5.5 - 11.7	3,300	6.9	3.8 - 10.0	39,900	84.5	80.4 - 88.6	47,200
Maui	8,900	8.4	6.3 - 10.4	6,700	6.3	4.5 - 8.0	90,700	85.4	82.8 - 87.9	106,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,500	8.7	6.8 - 10.6	7,400	6.2	4.6 - 7.7	102,700	85.1	82.8 - 87.5	120,700
Kauai	4,100	8.6	5.5 - 11.7	3,300	6.9	3.8 - 10.0	39,900	84.5	80.4 - 88.6	47,200
Lanai	200	7.6	3.6 - 11.5	100	5.3	1.8 - 8.8	2,100	87.1	82.0 - 92.3	2,400
Maui	8,000	8.2	6.0 - 10.4	6,300	6.5	4.6 - 8.4	83,000	85.3	82.5 - 88.1	97,300
Molokai	700	10.7	5.7 - 15.7	300	4.0	0.0 - 8.5	5,600	85.3	78.9 - 91.7	6,600
Oahu	54,500	7.9	6.7 - 9.0	53,300	7.7	6.4 - 9.0	585,600	84.5	82.8 - 86.1	693,400

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,900	5.8	2.6 - 9.1	4,700	7.1	2.5 - 11.7	57,800	87.1	81.7 - 92.4	66,400
Ala Moana	3,600	10.9	5.7 - 16.1	2,600	7.9	2.9 - 12.9	26,900	81.2	74.4 - 87.9	33,200
Hanalei/ Kapaa	1,500	7.2	3.7 - 10.7	800	4.1	1.8 - 6.3	18,000	88.8	84.7 - 92.8	20,300
Hilo	3,500	10.1	6.2 - 14.0	2,600	7.5	4.4 - 10.6	28,300	82.4	77.7 - 87.1	34,300
Kaaawa/ Kahaluu/ Kaneohe	3,600	7.5	3.5 - 11.5	4,100	8.5	3.1 - 13.9	40,300	84.1	77.7 - 90.5	47,900
Kahului	2,800	8.7	4.8 - 12.6	1,600	4.8	2.3 - 7.3	28,300	86.5	82.0 - 91.0	32,700
Kailua/ Waimanalo	4,800	9.7	5.0 - 14.4	3,300	6.7	2.7 - 10.7	41,300	83.7	77.8 - 89.5	49,400
Kaimuki/ Palolo/ Waikiki	2,900	5.1	2.3 - 7.9	3,500	6.2	2.6 - 9.9	50,400	88.7	84.2 - 93.1	56,900
Kona	1,300	4.3	2.1 - 6.4	1,700	5.8	2.9 - 8.7	26,500	90.0	86.4 - 93.5	29,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	3,500	10.7	6.5 - 14.9	2,000	6.0	2.6 - 9.4	27,200	83.3	78.2 - 88.4	32,700
Lanai	200	7.6	3.6 - 11.5	100	5.3	1.8 - 8.8	2,100	87.1	82.0 - 92.3	2,400
Lihue-Waimea	2,600	9.7	5.0 - 14.4	2,400	9.0	3.9 - 14.2	21,900	81.3	74.9 - 87.7	26,900
Manoa/ Upper Makiki	2,900	6.1	2.4 - 9.7	3,800	7.9	3.9 - 12.0	41,300	86.0	80.7 - 91.3	48,000
Mililani/ Wahiawa	4,900	7.6	4.0 - 11.1	7,100	10.9	6.4 - 15.3	53,100	81.6	76.2 - 87.0	65,100
Molokai	700	10.7	5.7 - 15.7	300	4.0	0.0 - 8.5	5,600	85.3	78.9 - 91.7	6,600
Nanakuli/ Waianae	4,200	14.8	7.2 - 22.3	2,600	9.3	2.8 - 15.8	21,400	75.9	66.5 - 85.3	28,200
N.Hawaii	3,000	11.7	6.7 - 16.7	1,700	6.7	2.4 - 11.0	20,800	81.6	75.5 - 87.8	25,500
N.Shore/ Laie	1,800	7.3	1.7 - 12.8	1,500	6.1	1.2 - 10.9	21,100	86.7	79.5 - 93.8	24,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	5,900	8.1	3.8 - 12.3	3,700	5.0	1.1 - 9.0	63,700	86.9	81.4 - 92.5	73,300
Puna/ Kau	2,800	8.9	5.2 - 12.6	1,500	4.7	2.5 - 7.0	27,100	86.4	82.2 - 90.6	31,400
Salt Lake/ Foster Village	4,200	11.9	4.7 - 19.2	2,200	6.3	1.6 - 11.1	28,900	81.7	73.6 - 89.9	35,300
Upcountry/ Hana	1,700	5.2	2.0 - 8.4	2,800	8.6	4.8 - 12.5	27,500	86.2	81.4 - 90.9	31,900
Waialae/ Kahala/ Hawaii Kai	2,900	6.8	2.7 - 10.8	2,900	6.7	2.5 - 10.9	36,800	86.5	80.9 - 92.1	42,500
Waipahu/ Kapolei/ Ewa	9,000	7.3	4.6 - 10.1	11,300	9.2	5.2 - 13.2	102,700	83.5	78.8 - 88.1	123,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	11,700	9.7	6.2 - 13.2	14,000	11.6	6.8 - 16.3	95,300	78.8	73.3 - 84.3	121,000
25-34	15,400	9.6	7.0 - 12.2	15,500	9.7	6.6 - 12.8	129,200	80.7	76.9 - 84.5	160,100
35-44	13,700	7.8	5.7 - 9.8	10,900	6.2	4.4 - 8.0	151,900	86.1	83.5 - 88.7	176,500
45-54	13,100	7.3	5.4 - 9.1	13,100	7.3	5.4 - 9.2	153,100	85.4	82.8 - 88.0	179,300
55-64	13,400	9.2	6.8 - 11.6	10,800	7.4	5.5 - 9.4	121,800	83.4	80.5 - 86.3	146,100
65-74	6,000	7.3	5.1 - 9.4	3,700	4.5	2.9 - 6.1	73,400	88.3	85.7 - 90.8	83,200
75+	4,000	4.2	2.7 - 5.8	2,200	2.3	1.2 - 3.4	87,200	93.4	91.6 - 95.3	93,400

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
--------------------	----------------	--	--	---------------	--	--	------------------	--	--	----------------------

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	25,500	8.0	6.6 - 9.5	23,100	7.2	5.8 - 8.7	269,600	84.7	82.8 - 86.7	318,100
Native Hawaiian	17,600	14.7	11.3 - 18.2	8,600	7.2	4.9 - 9.5	93,400	78.1	74.1 - 82.0	119,600
Chinese	3,300	7.1	3.6 - 10.7	4,000	8.6	3.7 - 13.5	39,000	84.3	78.5 - 90.0	46,300
Filipino	11,100	7.2	4.7 - 9.7	11,300	7.4	4.1 - 10.7	131,100	85.4	81.5 - 89.4	153,500
Japanese	10,400	5.1	3.5 - 6.6	15,500	7.5	5.4 - 9.6	180,400	87.4	84.9 - 89.9	206,300
Black	800	5.5	0.0 - 11.2	800	5.7	0.0 - 13.3	12,800	88.9	79.6 - 98.2	14,400
Other Asian	200	0.8	0.0 - 2.1	1,200	4.2	0.3 - 8.1	27,200	95.0	90.8 - 99.1	28,700
Other Pacific Islander	2,800	11.1	2.7 - 19.4	100	0.6	0.0 - 1.7	22,600	88.4	79.9 - 96.8	25,500
Mixed Ethnicity	1,900	8.0	3.3 - 12.7	2,000	8.4	1.8 - 15.0	19,600	83.6	75.7 - 91.4	23,500
Other	3,400	16.0	7.5 - 24.6	3,400	16.0	2.9 - 29.1	14,600	68.0	54.7 - 81.3	21,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	26,700	5.6	4.4 - 6.8	36,200	7.6	6.0 - 9.2	414,700	86.8	84.9 - 88.8	477,600
Female	51,300	10.5	9.1 - 11.8	34,500	7.0	5.9 - 8.2	404,200	82.5	80.8 - 84.2	489,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	3.5	0.0 - 7.6	900	5.5	0.4 - 10.6	14,600	90.9	84.5 - 97.4	16,000
Grades 9 thru 11 (Some High School)	3,300	8.2	4.0 - 12.3	3,300	8.1	2.1 - 14.1	33,900	83.7	76.8 - 90.6	40,500
Grades 12 or GED (High School Grad)	21,800	7.6	6.0 - 9.1	22,900	7.9	5.7 - 10.1	244,100	84.5	81.9 - 87.1	288,800
College 1 to 3 years (Some College/ Tech)	26,100	9.4	7.4 - 11.3	20,500	7.3	5.6 - 9.1	232,600	83.3	80.8 - 85.8	279,200
College 4 years or more (College Grad)	26,100	7.6	6.2 - 9.0	23,000	6.7	5.4 - 8.1	292,800	85.6	83.8 - 87.5	341,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	46,700	7.5	6.4 - 8.6	49,600	8.0	6.7 - 9.3	525,600	84.5	82.9 - 86.1	622,000
Unemployed	4,400	12.5	6.5 - 18.5	5,500	15.5	7.1 - 23.9	25,600	72.0	62.7 - 81.4	35,500
Retired/Unable to work	17,500	8.0	6.4 - 9.6	8,700	4.0	2.9 - 5.1	192,700	88.0	86.1 - 89.9	218,900
Student/Homemaker	9,200	10.3	6.4 - 14.3	6,700	7.4	4.0 - 10.8	73,600	82.2	77.3 - 87.2	89,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,300	12.5	7.5 - 17.4	1,200	4.5	1.4 - 7.6	21,700	83.0	77.2 - 88.8	26,100
\$10,000 to \$14,999	2,300	9.1	4.3 - 13.8	1,300	5.0	1.7 - 8.4	22,100	85.9	80.2 - 91.6	25,700
\$15,000 to \$19,999	3,800	8.7	5.4 - 11.9	2,600	5.9	2.7 - 9.1	37,600	85.5	81.0 - 89.9	44,000
\$20,000 to \$24,999	5,200	7.9	4.3 - 11.4	5,400	8.3	4.0 - 12.6	55,000	83.8	78.6 - 89.1	65,600
\$25,000 to \$34,999	11,100	10.5	7.1 - 13.9	5,700	5.4	2.6 - 8.2	88,500	84.1	79.9 - 88.3	105,300
\$35,000 to \$49,999	12,300	9.3	6.5 - 12.1	11,300	8.5	5.7 - 11.4	108,700	82.2	78.4 - 85.9	132,300
\$50,000 to \$74,999	9,200	5.9	4.3 - 7.5	10,700	6.9	4.7 - 9.1	135,600	87.3	84.6 - 89.9	155,500
\$75,000 or more	14,100	5.9	4.3 - 7.5	19,100	7.9	6.1 - 9.8	207,800	86.2	83.9 - 88.6	241,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	17,800	10.3	7.8 - 12.8	10,700	6.2	3.8 - 8.5	144,800	83.5	80.3 - 86.8	173,300
131-185%	12,000	10.5	7.1 - 13.8	10,700	9.4	5.8 - 12.9	91,900	80.2	75.6 - 84.7	114,600
186+%	31,400	6.2	5.2 - 7.2	35,800	7.1	5.9 - 8.2	440,400	86.8	85.3 - 88.2	507,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	44,300	7.7	6.6 - 8.9	38,500	6.7	5.6 - 7.9	489,400	85.5	84.0 - 87.1	572,300
Unmarried Couple	3,200	9.8	4.0 - 15.6	4,000	12.5	3.2 - 21.9	24,900	77.6	67.4 - 87.8	32,000
Widowed	4,200	7.7	5.3 - 10.1	2,400	4.4	2.5 - 6.2	48,200	87.9	84.9 - 90.9	54,800
Other	26,200	8.5	6.7 - 10.2	25,800	8.4	6.3 - 10.4	256,400	83.1	80.6 - 85.7	308,400

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	45,400	7.8	6.7 - 8.9	39,800	6.8	5.7 - 8.0	497,200	85.4	83.8 - 86.9	582,300
No	32,300	8.4	6.9 - 9.9	30,800	8.0	6.2 - 9.9	320,400	83.5	81.3 - 85.8	383,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	70,100	7.9	7.0 - 8.9	66,300	7.5	6.5 - 8.6	747,600	84.6	83.2 - 85.9	884,000
No	7,300	9.1	5.3 - 12.9	4,400	5.4	2.5 - 8.4	68,800	85.5	80.8 - 90.1	80,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	72,900	7.5	6.7 - 8.4	60,300	6.2	5.4 - 7.1	836,000	86.3	85.1 - 87.4	969,300

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,200	8.6	6.9 - 10.2	7,200	6.0	4.5 - 7.5	102,100	85.4	83.3 - 87.6	119,500
Honolulu	49,000	7.0	5.9 - 8.1	42,300	6.0	4.9 - 7.1	608,700	87.0	85.5 - 88.5	699,900
Kauai	4,200	9.2	6.2 - 12.2	4,600	9.9	6.7 - 13.2	37,300	80.9	76.7 - 85.1	46,100
Maui	9,500	9.2	7.0 - 11.3	6,300	6.1	3.8 - 8.4	88,000	84.8	81.8 - 87.7	103,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,200	8.6	6.9 - 10.2	7,200	6.0	4.5 - 7.5	102,100	85.4	83.3 - 87.6	119,500
Kauai	4,200	9.2	6.2 - 12.2	4,600	9.9	6.7 - 13.2	37,300	80.9	76.7 - 85.1	46,100
Lanai	100	5.8	1.6 - 10.1	200	6.0	0.0 - 13.3	2,200	88.2	80.1 - 96.2	2,500
Maui	9,000	9.3	7.1 - 11.6	5,700	6.0	3.5 - 8.4	81,200	84.7	81.5 - 87.8	95,900
Molokai	400	7.4	3.1 - 11.6	400	7.7	2.8 - 12.6	4,600	84.9	78.6 - 91.2	5,400
Oahu	49,000	7.0	5.9 - 8.1	42,300	6.0	4.9 - 7.1	608,700	87.0	85.5 - 88.5	699,900

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,500	5.0	2.1 - 7.9	3,200	4.5	1.8 - 7.3	63,400	90.5	86.6 - 94.4	70,100
Ala Moana	1,800	5.5	1.5 - 9.5	2,000	6.1	2.3 - 9.9	29,300	88.4	83.0 - 93.7	33,200
Hanalei/ Kapaa	1,600	8.5	4.5 - 12.5	1,500	7.6	3.8 - 11.4	16,100	83.9	78.6 - 89.2	19,100
Hilo	3,100	8.7	5.8 - 11.6	2,100	5.9	2.9 - 8.9	30,400	85.4	81.4 - 89.4	35,600
Kaaawa/ Kahaluu/ Kaneohe	6,900	13.1	8.1 - 18.1	2,400	4.5	1.4 - 7.6	43,500	82.4	76.7 - 88.1	52,900
Kahului	2,800	8.2	4.5 - 11.9	2,000	5.9	2.7 - 9.1	29,100	85.9	81.2 - 90.6	33,800
Kailua/ Waimanalo	3,900	8.0	3.8 - 12.3	3,900	8.1	2.5 - 13.8	40,600	83.8	77.1 - 90.5	48,500
Kaimuki/ Palolo/ Waikiki	4,300	6.5	3.6 - 9.4	4,800	7.3	3.5 - 11.1	56,700	86.2	81.5 - 90.8	65,800
Kona	3,200	10.8	6.4 - 15.2	2,000	6.8	3.5 - 10.0	24,100	82.4	77.2 - 87.6	29,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,800	8.9	5.3 - 12.5	1,400	4.4	1.7 - 7.1	27,200	86.7	82.3 - 91.1	31,400
Lanai	100	5.8	1.6 - 10.1	200	6.0	0.0 - 13.3	2,200	88.2	80.1 - 96.2	2,500
Lihue-Waimea	2,600	9.7	5.4 - 14.0	3,100	11.6	6.7 - 16.4	21,200	78.7	72.7 - 84.8	26,900
Manoa/ Upper Makiki	2,700	6.3	2.8 - 9.7	3,100	7.2	1.8 - 12.6	37,500	86.6	80.4 - 92.7	43,300
Mililani/ Wahiawa	4,000	5.6	3.0 - 8.2	3,500	4.8	2.4 - 7.3	64,200	89.6	86.1 - 93.1	71,700
Molokai	400	7.4	3.1 - 11.6	400	7.7	2.8 - 12.6	4,600	84.9	78.6 - 91.2	5,400
Nanakuli/ Waianae	1,700	5.0	0.6 - 9.4	3,200	9.8	2.2 - 17.4	28,100	85.2	76.7 - 93.7	33,000
N.Hawaii	1,700	6.9	4.1 - 9.6	1,300	5.4	2.8 - 8.0	21,700	87.7	84.0 - 91.4	24,800
N.Shore/ Laie	3,500	17.6	7.8 - 27.5	1,400	7.1	0.4 - 13.9	15,100	75.2	64.2 - 86.3	20,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	5,500	7.9	2.9 - 13.0	2,800	4.0	1.8 - 6.3	61,100	88.0	82.6 - 93.4	69,400
Puna/ Kau	2,300	7.7	4.8 - 10.5	1,800	5.9	2.8 - 8.9	25,900	86.5	82.4 - 90.5	29,900
Salt Lake/ Foster Village	1,400	4.2	0.1 - 8.3	1,700	5.3	0.3 - 10.4	29,400	90.5	84.1 - 96.8	32,500
Upcountry/ Hana	3,400	11.1	6.6 - 15.5	2,400	7.7	1.5 - 13.8	24,900	81.3	74.3 - 88.3	30,600
Waialae/ Kahala/ Hawaii Kai	1,800	4.1	0.8 - 7.4	2,400	5.7	1.5 - 9.8	39,000	90.2	85.1 - 95.4	43,300
Waipahu/ Kapolei/ Ewa	8,000	6.9	4.1 - 9.6	7,600	6.6	3.8 - 9.3	100,600	86.6	82.8 - 90.3	116,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,100	6.8	4.0 - 9.7	12,900	10.8	6.6 - 15.1	97,600	82.3	77.4 - 87.2	118,600
25-34	16,600	9.9	7.1 - 12.7	12,500	7.5	5.1 - 9.8	138,500	82.6	79.2 - 86.1	167,600
35-44	10,900	6.0	4.4 - 7.6	9,200	5.1	3.6 - 6.6	161,100	88.9	86.7 - 91.1	181,200
45-54	12,500	6.9	5.2 - 8.5	11,400	6.3	4.6 - 8.0	157,600	86.8	84.6 - 89.1	181,500
55-64	13,600	9.7	7.3 - 12.1	6,800	4.9	3.2 - 6.6	120,000	85.4	82.6 - 88.3	140,500
65-74	5,700	6.6	4.5 - 8.7	4,500	5.3	3.3 - 7.3	75,700	88.1	85.3 - 91.0	85,900
75+	5,400	6.1	3.7 - 8.6	2,100	2.4	1.3 - 3.5	80,600	91.4	88.8 - 94.1	88,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	23,500	7.2	5.9 - 8.5	17,300	5.3	3.9 - 6.8	283,800	87.4	85.6 - 89.3	324,600
Native Hawaiian	14,900	12.8	9.7 - 15.9	11,300	9.7	6.8 - 12.6	90,200	77.5	73.5 - 81.5	116,300
Chinese	3,400	6.1	3.1 - 9.1	3,600	6.5	2.7 - 10.3	48,500	87.5	82.7 - 92.2	55,400
Filipino	11,400	7.3	4.6 - 10.0	11,700	7.5	5.0 - 10.0	133,400	85.2	81.7 - 88.8	156,500
Japanese	11,900	5.7	4.1 - 7.3	12,500	6.0	4.2 - 7.7	184,900	88.4	86.0 - 90.7	209,200
Black	700	3.4	0.0 - 6.8	700	3.6	0.1 - 7.1	18,400	93.0	88.2 - 97.9	19,700
Other Asian	600	3.0	0.2 - 5.8	0	0.0	--	19,600	97.0	94.2 - 99.8	20,200
Other Pacific Islander	1,900	7.3	1.8 - 12.9	1,400	5.6	0.9 - 10.3	22,000	87.1	80.0 - 94.3	25,200
Other	3,400	10.6	5.1 - 16.0	800	2.6	0.8 - 4.4	28,300	86.9	81.2 - 92.6	32,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	23,900	5.0	3.8 - 6.2	29,600	6.2	4.8 - 7.5	426,900	88.9	87.1 - 90.6	480,400
Female	49,100	10.0	8.8 - 11.3	30,700	6.3	5.2 - 7.3	409,200	83.7	82.1 - 85.2	488,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,200	15.6	5.1 - 26.1	600	2.7	0.0 - 5.3	16,800	81.7	71.0 - 92.4	20,600
Grades 9 thru 11 (Some High School)	4,700	11.9	6.9 - 16.9	1,800	4.6	0.9 - 8.2	33,100	83.5	77.5 - 89.5	39,600
Grades 12 or GED (High School Grad)	19,400	7.0	5.5 - 8.5	20,500	7.4	5.6 - 9.2	237,500	85.6	83.3 - 87.9	277,400
College 1 to 3 years (Some College/ Tech)	20,400	7.3	5.8 - 8.7	18,600	6.6	5.0 - 8.3	241,200	86.1	84.0 - 88.2	280,200
College 4 years or more (College Grad)	24,800	7.1	5.6 - 8.6	18,800	5.4	4.1 - 6.7	305,400	87.5	85.6 - 89.4	349,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	46,300	7.4	6.3 - 8.5	41,400	6.6	5.5 - 7.8	536,000	85.9	84.4 - 87.5	623,600
Unemployed	1,800	9.7	3.6 - 15.9	1,100	6.1	0.0 - 13.2	15,300	84.2	75.3 - 93.0	18,200
Retired/Unable to work	18,100	7.9	6.2 - 9.5	11,900	5.2	3.6 - 6.7	200,100	87.0	84.8 - 89.1	230,100
Student/Homemaker	6,700	7.0	4.3 - 9.8	5,800	6.1	3.5 - 8.7	82,300	86.9	83.2 - 90.6	94,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,300	8.3	3.6 - 12.9	1,700	6.1	2.3 - 9.9	23,500	85.6	79.7 - 91.5	27,500
\$10,000 to \$14,999	3,200	11.4	6.8 - 16.0	1,300	4.7	1.0 - 8.4	23,500	83.9	78.1 - 89.8	28,000
\$15,000 to \$19,999	4,000	7.9	4.7 - 11.1	2,700	5.4	2.4 - 8.4	43,800	86.7	82.4 - 91.0	50,600
\$20,000 to \$24,999	6,000	9.8	6.0 - 13.5	2,800	4.6	1.9 - 7.3	52,500	85.6	81.2 - 90.1	61,300
\$25,000 to \$34,999	5,900	5.8	3.7 - 8.0	5,700	5.7	3.3 - 8.1	88,600	88.4	85.3 - 91.6	100,200
\$35,000 to \$49,999	11,800	7.8	5.6 - 10.0	11,000	7.2	5.2 - 9.3	128,800	85.0	82.1 - 87.9	151,600
\$50,000 to \$74,999	12,700	7.0	4.7 - 9.3	13,200	7.2	5.0 - 9.5	156,400	85.8	82.7 - 88.9	182,300
\$75,000 or more	17,100	7.5	5.9 - 9.1	13,600	5.9	4.2 - 7.6	198,800	86.6	84.4 - 88.9	229,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	15,600	9.3	7.2 - 11.4	8,200	4.9	3.2 - 6.5	143,500	85.8	83.2 - 88.5	167,200
131-185%	7,100	7.8	3.9 - 11.6	6,500	7.1	4.2 - 9.9	78,200	85.2	80.6 - 89.7	91,900
186+%	40,300	7.0	6.0 - 8.0	37,400	6.5	5.4 - 7.6	494,300	86.4	85.0 - 87.9	571,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	40,600	7.0	6.0 - 8.0	31,300	5.4	4.5 - 6.3	507,800	87.6	86.3 - 88.9	579,600
Unmarried Couple	2,000	7.8	1.3 - 14.3	4,200	16.8	6.6 - 27.0	18,900	75.4	64.4 - 86.4	25,100
Widowed	4,600	7.9	5.1 - 10.8	2,200	3.9	2.1 - 5.6	51,000	88.2	84.9 - 91.5	57,800
Other	25,800	8.4	6.6 - 10.2	22,600	7.4	5.5 - 9.2	258,300	84.2	81.7 - 86.7	306,700

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	41,600	7.0	6.0 - 8.0	32,300	5.5	4.6 - 6.4	517,100	87.5	86.2 - 88.8	591,000
No	31,200	8.3	6.7 - 9.9	27,600	7.3	5.7 - 9.0	317,600	84.4	82.2 - 86.6	376,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	67,700	7.6	6.7 - 8.5	53,300	6.0	5.1 - 6.8	770,500	86.4	85.2 - 87.6	891,400
No	5,300	6.9	4.1 - 9.7	7,100	9.3	4.9 - 13.7	63,800	83.8	78.9 - 88.8	76,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	73,400	8.1	6.4 - 9.7	57,200	6.3	4.6 - 8.0	776,300	85.6	83.3 - 87.9	906,900

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,700	8.2	5.3 - 11.1	7,500	5.8	3.4 - 8.1	112,000	86.0	82.4 - 89.7	130,200
Honolulu	49,700	7.8	5.7 - 9.9	41,700	6.5	4.2 - 8.9	547,500	85.7	82.7 - 88.7	639,000
Kauai	3,800	9.3	5.2 - 13.3	2,700	6.7	3.4 - 9.9	34,100	84.1	79.1 - 89.1	40,500
Maui	9,200	9.5	4.8 - 14.2	5,400	5.5	2.3 - 8.7	82,700	85.0	79.6 - 90.5	97,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,700	8.2	5.3 - 11.1	7,500	5.8	3.4 - 8.1	112,000	86.0	82.4 - 89.7	130,200
Kauai	3,800	9.3	5.2 - 13.3	2,700	6.7	3.4 - 9.9	34,100	84.1	79.1 - 89.1	40,500
Lanai	100	10.2	1.4 - 19.0	<50	3.0	0.0 - 7.2	1,100	86.8	77.2 - 96.5	1,300
Maui	9,000	10.0	4.9 - 15.1	5,200	5.7	2.3 - 9.2	75,900	84.2	78.4 - 90.1	90,100
Molokai	100	1.3	0.0 - 3.8	100	2.3	0.0 - 6.7	5,700	96.4	91.3 - 100.0	5,900
Oahu	49,700	7.8	5.7 - 9.9	41,700	6.5	4.2 - 8.9	547,500	85.7	82.7 - 88.7	639,000

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,600	7.5	0.5 - 14.5	1,700	2.7	0.0 - 6.8	55,500	89.8	81.8 - 97.7	61,800
Ala Moana	1,000	3.2	0.0 - 7.1	2,400	7.8	1.2 - 14.5	27,400	89.0	81.2 - 96.7	30,800
Hanalei/ Kapaa	2,500	15.1	6.7 - 23.5	700	4.2	1.0 - 7.4	13,200	80.7	72.0 - 89.5	16,300
Hilo	2,500	7.3	3.2 - 11.4	1,900	5.7	1.2 - 10.2	29,400	87.0	81.0 - 92.9	33,800
Kaaawa/ Kahaluu/ Kaneohe	3,100	7.2	0.6 - 13.8	6,800	16.0	5.8 - 26.2	32,500	76.8	64.9 - 88.6	42,400
Kahului	2,400	7.6	2.1 - 13.1	2,300	7.3	1.3 - 13.3	26,800	85.1	77.1 - 93.0	31,500
Kailua/ Waimanalo	3,500	8.4	1.6 - 15.2	1,500	3.5	0.0 - 9.3	36,400	88.0	79.4 - 96.7	41,400
Kaimuki/ Palolo/ Waikiki	3,900	6.5	1.2 - 11.7	1,000	1.6	0.0 - 4.3	55,100	91.9	86.1 - 97.8	60,000
Kona	1,200	4.5	0.9 - 8.0	2,700	10.2	3.9 - 16.6	22,600	85.3	78.2 - 92.4	26,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,400	8.4	1.2 - 15.7	1,400	5.0	0.0 - 11.6	24,500	86.6	77.1 - 96.1	28,300
Lanai	100	10.2	1.4 - 19.0	<50	3.0	0.0 - 7.2	1,100	86.8	77.2 - 96.5	1,300
Lihue-Waimea	1,300	5.4	1.9 - 8.8	2,000	8.3	3.4 - 13.3	20,900	86.3	80.4 - 92.2	24,200
Manoa/ Upper Makiki	800	1.8	0.0 - 4.3	2,800	6.1	0.0 - 13.1	43,000	92.2	84.8 - 99.6	46,600
Mililani/ Wahiawa	7,000	11.7	4.3 - 19.0	8,200	13.6	0.0 - 29.3	45,100	74.7	59.2 - 90.3	60,400
Molokai	100	1.3	0.0 - 3.8	100	2.3	0.0 - 6.7	5,700	96.4	91.3 - 100.0	5,900
N.Hawaii	1,300	5.6	1.0 - 10.2	400	1.9	0.0 - 4.6	21,400	92.5	87.2 - 97.8	23,200
Nuuanu/ Kalihi/ Moanalua	2,900	4.6	0.1 - 9.2	5,100	8.1	0.0 - 17.1	55,300	87.3	77.6 - 97.1	63,300
Puna/ Kau	5,700	12.2	5.4 - 19.1	2,400	5.2	1.2 - 9.2	38,700	82.6	75.0 - 90.2	46,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	4,200	14.0	2.2 - 25.8	1,500	4.8	0.0 - 10.1	24,600	81.2	69.0 - 93.4	30,300
Waialae/ Kahala/ Hawaii Kai	2,300	6.7	0.0 - 14.3	2,600	7.8	0.0 - 15.8	29,000	85.5	74.8 - 96.2	33,900
Waipahu/ Kapolei/ Ewa	14,400	13.1	5.8 - 20.5	3,900	3.5	0.1 - 7.0	91,500	83.3	75.4 - 91.2	109,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	6,700	6.3	1.6 - 10.9	12,200	11.5	1.2 - 21.7	87,800	82.3	71.6 - 93.0	106,700
25-34	13,600	8.1	4.4 - 11.8	11,000	6.6	3.2 - 10.0	143,200	85.3	80.4 - 90.2	167,800
35-44	19,400	11.1	6.7 - 15.5	8,500	4.9	1.8 - 8.0	146,900	84.0	78.9 - 89.2	174,900
45-54	13,100	7.8	4.0 - 11.6	10,000	6.0	3.3 - 8.7	144,100	86.2	81.7 - 90.7	167,200
55-64	8,200	6.7	3.5 - 9.9	9,100	7.4	3.8 - 11.0	105,600	85.9	81.3 - 90.6	122,900
65-74	6,200	7.5	1.7 - 13.2	3,300	4.0	1.0 - 7.0	73,100	88.6	82.2 - 94.9	82,500
75+	5,300	7.1	1.3 - 12.8	1,900	2.5	0.3 - 4.7	68,300	90.4	84.4 - 96.5	75,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	27,000	9.2	6.4 - 12.1	15,400	5.2	3.3 - 7.2	250,400	85.5	82.2 - 88.9	292,800
Native Hawaiian	14,400	11.8	5.9 - 17.8	6,800	5.6	2.5 - 8.7	100,500	82.6	76.1 - 89.0	121,700
Chinese	2,000	3.9	0.0 - 8.5	500	1.1	0.0 - 3.2	47,600	95.0	90.0 - 100.0	50,100
Filipino	10,100	7.0	2.6 - 11.3	8,300	5.7	2.3 - 9.2	126,600	87.3	81.9 - 92.7	145,000
Japanese	13,400	7.1	4.0 - 10.2	14,200	7.6	4.2 - 10.9	160,600	85.3	80.9 - 89.7	188,200
Other	3,100	14.0	3.0 - 25.1	2,800	12.9	0.0 - 26.9	15,900	73.1	57.1 - 89.1	21,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	25,700	5.8	3.7 - 7.9	34,500	7.8	4.6 - 11.0	381,600	86.4	82.7 - 90.0	441,800
Female	47,600	10.2	7.7 - 12.7	22,800	4.9	3.4 - 6.4	394,700	84.9	82.1 - 87.7	465,000

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	5,600	18.1	3.5 - 32.7	800	2.7	0.0 - 7.1	24,500	79.2	64.2 - 94.2	30,900
Grades 12 or GED (High School Grad)	24,900	8.9	5.5 - 12.2	18,600	6.6	3.7 - 9.5	237,200	84.5	80.3 - 88.7	280,700
College 1 to 3 years (Some College/ Tech)	20,900	7.2	4.8 - 9.6	19,000	6.6	2.7 - 10.5	248,700	86.2	81.9 - 90.5	288,600
College 4 years or more (College Grad)	21,300	7.2	4.5 - 9.9	18,600	6.3	3.8 - 8.8	255,300	86.5	83.0 - 90.0	295,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	43,100	7.4	5.6 - 9.3	42,400	7.3	4.8 - 9.8	496,500	85.3	82.3 - 88.3	582,000
Unemployed	2,900	10.8	0.0 - 21.8	0	0.0	--	23,700	89.2	78.2 - 100.0	26,500
Retired/Unable to work	18,800	9.5	5.3 - 13.7	8,500	4.3	2.1 - 6.5	170,800	86.2	81.6 - 90.8	198,100
Student/Homemaker	8,600	8.7	3.5 - 13.9	6,300	6.4	2.6 - 10.2	83,900	84.9	78.7 - 91.2	98,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,500	9.2	0.0 - 19.0	300	1.9	0.0 - 4.5	14,500	89.0	78.8 - 99.2	16,200
\$10,000 to \$14,999	2,100	8.1	1.1 - 15.1	3,200	12.3	3.1 - 21.4	20,900	79.6	68.6 - 90.6	26,300
\$15,000 to \$19,999	7,700	16.6	3.9 - 29.2	100	0.2	0.0 - 0.7	38,900	83.2	70.6 - 95.9	46,700
\$20,000 to \$24,999	3,600	5.1	0.9 - 9.4	2,900	4.2	0.2 - 8.2	62,500	90.6	84.9 - 96.4	69,000
\$25,000 to \$34,999	6,800	5.9	1.5 - 10.3	2,900	2.5	0.8 - 4.1	105,200	91.6	87.0 - 96.3	114,900
\$35,000 to \$49,999	9,000	6.4	3.1 - 9.7	11,100	7.8	3.1 - 12.5	121,300	85.8	80.3 - 91.3	141,400
\$50,000 to \$74,999	25,800	9.1	6.1 - 12.0	19,500	6.9	2.9 - 10.8	239,500	84.1	79.4 - 88.7	284,800
\$75,000 or more	16,800	8.1	4.7 - 11.5	17,300	8.3	4.8 - 11.9	173,400	83.6	78.9 - 88.3	207,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	16,000	10.1	4.9 - 15.3	6,600	4.2	1.7 - 6.6	135,300	85.7	80.1 - 91.4	157,800
131-185%	6,500	5.5	1.8 - 9.2	10,400	8.8	0.0 - 18.0	101,300	85.7	76.2 - 95.2	118,300
186+%	50,900	8.1	6.2 - 9.9	40,300	6.4	4.7 - 8.0	539,600	85.5	83.2 - 87.9	630,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	44,200	8.4	6.1 - 10.7	28,400	5.4	3.7 - 7.1	455,500	86.2	83.5 - 89.0	528,100
Unmarried Couple	1,900	8.4	1.1 - 15.6	1,200	5.2	0.0 - 11.3	19,400	86.4	77.1 - 95.8	22,400
Widowed	4,500	8.1	1.2 - 15.1	4,600	8.2	3.0 - 13.5	46,500	83.6	75.4 - 91.9	55,600
Other	22,700	7.6	5.0 - 10.1	23,100	7.7	3.6 - 11.8	254,900	84.8	80.2 - 89.3	300,800

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	44,300	8.2	6.0 - 10.5	29,400	5.5	3.8 - 7.2	464,200	86.3	83.6 - 89.0	537,900
No	29,100	8.0	5.6 - 10.4	27,700	7.6	4.1 - 11.0	308,800	84.5	80.5 - 88.4	365,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	67,500	8.2	6.5 - 10.0	54,300	6.6	4.7 - 8.5	697,200	85.1	82.7 - 87.6	818,900
No	5,900	7.1	2.4 - 11.7	3,000	3.5	0.7 - 6.4	74,600	89.4	84.0 - 94.8	83,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	51,700	5.6	4.7 - 6.5	55,900	6.1	5.2 - 7.0	814,400	88.3	87.1 - 89.5	922,000

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,000	6.0	4.1 - 7.9	6,000	5.2	3.5 - 6.9	102,900	88.8	86.4 - 91.3	115,800
Honolulu	36,200	5.5	4.4 - 6.5	39,000	5.9	4.7 - 7.0	589,000	88.7	87.2 - 90.2	664,200
Kauai	2,900	6.7	3.7 - 9.6	2,700	6.3	3.0 - 9.6	37,800	87.0	82.8 - 91.3	43,400
Maui	5,600	5.6	3.6 - 7.6	8,200	8.3	5.4 - 11.3	84,700	86.0	82.6 - 89.4	98,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,000	6.0	4.1 - 7.9	6,000	5.2	3.5 - 6.9	102,900	88.8	86.4 - 91.3	115,800
Kauai	2,900	6.7	3.7 - 9.6	2,700	6.3	3.0 - 9.6	37,800	87.0	82.8 - 91.3	43,400
Maui	5,200	5.9	3.7 - 8.0	7,800	8.7	5.5 - 11.8	76,400	85.5	81.8 - 89.2	89,400
Molokai	300	4.0	0.0 - 8.7	200	3.5	0.3 - 6.7	6,000	92.5	86.8 - 98.1	6,500
Oahu	36,200	5.5	4.4 - 6.5	39,000	5.9	4.7 - 7.0	589,000	88.7	87.2 - 90.2	664,200

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,600	3.0	0.0 - 6.0	4,000	7.5	2.6 - 12.4	47,500	89.5	83.9 - 95.1	53,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,000	3.3	0.4 - 6.2	2,300	7.6	1.3 - 14.0	27,400	89.0	82.2 - 95.8	30,700
Hanalei/ Kapaa	1,100	6.1	1.7 - 10.4	800	4.4	0.8 - 8.1	15,700	89.5	84.0 - 95.0	17,600
Hilo	1,900	5.5	2.6 - 8.3	2,200	6.2	2.5 - 10.0	30,900	88.3	83.7 - 92.9	35,000
Kaaawa/ Kahaluu/ Kaneohe	2,500	5.5	1.4 - 9.6	2,900	6.2	2.1 - 10.3	40,800	88.3	82.7 - 93.9	46,200
Kahului	1,400	4.2	1.5 - 7.0	3,300	9.9	3.7 - 16.2	28,200	85.8	79.2 - 92.4	32,900
Kailua/ Waimanalo	6,000	11.9	6.7 - 17.1	4,600	9.2	3.8 - 14.5	40,000	78.9	72.0 - 85.9	50,700
Kaimuki/ Palolo/ Waikiki	3,600	5.6	2.6 - 8.6	5,100	7.7	3.6 - 11.9	56,700	86.7	81.7 - 91.7	65,400
Kona	1,700	5.7	1.7 - 9.7	1,200	4.1	1.6 - 6.6	27,100	90.2	85.7 - 94.8	30,000
Lahaina/ Wailuku	2,300	8.4	3.3 - 13.4	2,500	8.8	3.8 - 13.8	23,200	82.8	76.0 - 89.7	28,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	1,800	7.1	3.1 - 11.0	2,000	7.6	2.6 - 12.5	22,100	85.4	79.3 - 91.4	25,900
Manoa/ Upper Makiki	1,700	3.1	0.6 - 5.6	3,900	7.3	2.9 - 11.8	48,300	89.6	84.5 - 94.6	53,900
Mililani/ Wahiawa	3,700	5.4	2.1 - 8.8	2,900	4.4	1.2 - 7.6	60,700	90.2	85.7 - 94.7	67,300
Molokai	300	4.0	0.0 - 8.7	200	3.5	0.3 - 6.7	6,000	92.5	86.8 - 98.1	6,500
Nanakuli/ Waianae	3,600	13.5	3.9 - 23.0	700	2.6	0.0 - 5.6	22,700	84.0	74.1 - 93.8	27,100
N.Hawaii	1,700	6.9	2.6 - 11.3	1,000	4.3	0.9 - 7.8	21,500	88.7	83.4 - 94.1	24,200
N.Shore/ Laie	1,200	4.7	0.0 - 9.4	1,500	6.0	1.0 - 11.1	22,100	89.3	82.5 - 96.1	24,800
Nuuanu/ Kalihi/ Moanalua	2,700	3.8	0.7 - 6.9	2,600	3.7	1.1 - 6.2	66,800	92.5	88.6 - 96.5	72,100
Puna/ Kau	1,700	6.2	1.9 - 10.5	1,500	5.8	2.3 - 9.2	23,400	88.0	82.7 - 93.4	26,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Salt Lake/ Foster Village	1,700	3.8	0.0 - 7.7	1,200	2.7	0.3 - 5.1	41,400	93.5	89.0 - 98.0	44,300
Upcountry/ Hana	1,500	5.2	1.9 - 8.6	2,000	7.1	2.4 - 11.8	25,100	87.6	82.0 - 93.2	28,600
Waialae/ Kahala/ Hawaii Kai	1,200	3.2	0.0 - 7.8	2,600	7.1	1.7 - 12.6	32,300	89.7	82.8 - 96.5	36,000
Waipahu/ Kapolei/ Ewa	5,700	6.1	3.1 - 9.2	4,600	4.9	2.4 - 7.5	82,400	88.9	85.0 - 92.8	92,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,900	7.7	4.7 - 10.8	9,200	8.0	4.6 - 11.4	97,000	84.3	79.8 - 88.7	115,100
25-34	12,200	7.5	4.8 - 10.2	8,700	5.4	3.5 - 7.3	141,600	87.1	84.0 - 90.3	162,500
35-44	9,300	5.1	3.3 - 7.0	12,400	6.8	4.8 - 8.9	159,400	88.0	85.3 - 90.7	181,100
45-54	7,700	4.4	2.9 - 5.9	11,300	6.4	4.3 - 8.6	156,300	89.2	86.6 - 91.7	175,300
55-64	7,200	5.9	3.6 - 8.2	7,700	6.2	3.7 - 8.8	107,700	87.9	84.6 - 91.2	122,600
65-74	2,700	3.2	1.4 - 4.9	4,200	4.9	2.3 - 7.5	77,900	91.9	88.8 - 95.0	84,700
75+	3,500	4.5	2.4 - 6.6	2,500	3.2	1.1 - 5.3	72,400	92.3	89.4 - 95.3	78,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	22,400	6.5	5.0 - 8.0	21,600	6.3	4.9 - 7.7	299,800	87.2	85.3 - 89.2	343,700
Native Hawaiian	7,900	9.7	6.0 - 13.4	4,600	5.6	2.7 - 8.5	69,100	84.7	80.2 - 89.2	81,600
Chinese	3,000	2.8	1.2 - 4.3	6,800	6.1	3.3 - 9.0	100,300	91.1	87.9 - 94.3	110,100
Filipino	6,100	4.3	2.5 - 6.2	5,300	3.7	1.9 - 5.5	130,000	91.9	89.4 - 94.5	141,400
Japanese	8,100	4.8	2.7 - 6.8	12,800	7.5	5.0 - 10.1	148,900	87.7	84.5 - 90.9	169,800
Black	1,700	13.9	1.0 - 26.9	700	5.6	0.0 - 12.4	10,100	80.4	66.6 - 94.3	12,500
Other Asian	700	4.6	0.5 - 8.8	800	4.9	0.0 - 11.7	14,200	90.5	82.6 - 98.3	15,700
Other	1,000	4.0	0.0 - 8.2	1,500	6.1	1.8 - 10.4	21,400	89.9	84.0 - 95.8	23,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	17,700	3.9	2.7 - 5.1	28,200	6.2	4.8 - 7.5	410,800	89.9	88.2 - 91.7	456,700
Female	33,900	7.3	6.1 - 8.5	27,700	6.0	4.8 - 7.2	403,600	86.8	85.1 - 88.4	465,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	100	0.8	0.0 - 2.0	700	5.2	0.0 - 13.0	12,900	94.0	86.2 - 100.0	13,700
Grades 9 thru 11 (Some High School)	3,500	9.8	4.2 - 15.5	2,400	6.8	2.3 - 11.2	29,300	83.4	76.4 - 90.4	35,100
Grades 12 or GED (High School Grad)	14,000	5.1	3.6 - 6.6	15,900	5.7	4.1 - 7.4	246,800	89.2	87.0 - 91.4	276,700
College 1 to 3 years (Some College/ Tech)	18,800	7.0	5.1 - 8.9	18,100	6.7	5.0 - 8.5	232,100	86.3	83.7 - 88.8	269,100
College 4 years or more (College Grad)	15,000	4.6	3.5 - 5.8	18,700	5.7	4.3 - 7.2	292,000	89.6	87.8 - 91.4	325,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	32,700	5.5	4.4 - 6.5	35,600	5.9	4.8 - 7.0	531,600	88.6	87.1 - 90.1	599,900
Unemployed	3,100	10.1	2.2 - 18.0	1,200	4.0	0.5 - 7.4	26,500	86.0	77.6 - 94.3	30,800
Retired/Unable to work	9,000	4.6	3.3 - 5.9	11,500	5.8	3.9 - 7.8	177,000	89.6	87.3 - 91.9	197,600
Student/Homemaker	6,800	7.3	4.3 - 10.2	7,600	8.1	4.8 - 11.5	78,700	84.6	80.3 - 88.9	93,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,600	7.6	3.9 - 11.3	2,300	4.8	1.3 - 8.3	41,800	87.6	82.6 - 92.5	47,700
\$10,000 to \$14,999	3,500	6.8	2.9 - 10.7	1,600	3.2	0.5 - 5.8	45,900	90.0	85.3 - 94.7	51,000
\$15,000 to \$19,999	3,000	6.0	1.4 - 10.6	3,200	6.2	2.3 - 10.1	44,600	87.8	82.0 - 93.6	50,800
\$20,000 to \$24,999	5,200	9.3	4.5 - 14.0	2,900	5.2	2.0 - 8.3	47,900	85.6	80.1 - 91.0	55,900
\$25,000 to \$34,999	4,400	5.2	2.7 - 7.7	6,100	7.3	4.0 - 10.5	73,500	87.5	83.5 - 91.5	84,000
\$35,000 to \$49,999	6,300	4.4	2.6 - 6.3	9,500	6.7	4.4 - 9.0	125,700	88.9	86.0 - 91.8	141,400
\$50,000 to \$74,999	5,200	3.8	2.2 - 5.5	5,000	3.7	2.0 - 5.4	126,100	92.5	90.1 - 94.8	136,400
\$75,000 or more	7,700	4.8	2.7 - 6.9	9,200	5.8	3.6 - 8.0	142,700	89.4	86.4 - 92.3	159,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	14,700	7.7	5.4 - 10.1	8,900	4.7	2.8 - 6.6	166,200	87.6	84.6 - 90.5	189,800
131-185%	3,400	4.1	1.8 - 6.4	5,000	6.0	3.3 - 8.8	74,800	89.9	86.3 - 93.5	83,200
186+%	20,800	4.6	3.5 - 5.6	25,900	5.7	4.5 - 6.9	407,200	89.7	88.1 - 91.3	453,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	26,700	5.0	4.0 - 6.1	29,700	5.6	4.5 - 6.7	474,800	89.4	87.9 - 90.9	531,100
Unmarried Couple	1,900	10.5	0.0 - 21.8	1,800	9.8	2.4 - 17.1	14,500	79.7	67.2 - 92.3	18,200
Widowed	3,900	5.8	3.4 - 8.2	2,600	3.9	0.8 - 6.9	60,400	90.3	86.6 - 94.1	66,900
Other	19,200	6.3	4.6 - 7.9	21,900	7.2	5.4 - 8.9	264,700	86.6	84.3 - 88.9	305,800

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	27,400	5.1	4.0 - 6.1	30,100	5.5	4.4 - 6.7	484,700	89.4	87.9 - 90.9	542,200
No	24,100	6.4	4.9 - 7.8	25,700	6.8	5.3 - 8.3	329,400	86.9	84.8 - 88.9	379,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	48,100	5.7	4.8 - 6.6	50,200	5.9	5.0 - 6.9	749,100	88.4	87.1 - 89.7	847,400
No	3,500	4.8	2.0 - 7.6	5,700	7.8	4.3 - 11.3	64,300	87.4	83.1 - 91.8	73,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	62,400	6.9	6.1 - 7.8	57,800	6.4	5.5 - 7.3	781,900	86.7	85.5 - 87.8	902,100

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,800	8.0	6.3 - 9.7	6,600	6.0	4.2 - 7.7	94,600	86.0	83.7 - 88.4	109,900
Honolulu	43,500	6.6	5.6 - 7.7	43,100	6.6	5.5 - 7.7	567,600	86.8	85.3 - 88.3	654,200
Kauai	3,300	7.9	5.2 - 10.6	3,000	7.1	4.5 - 9.7	35,900	85.0	81.4 - 88.6	42,200
Maui	6,700	7.0	5.3 - 8.8	5,200	5.4	4.0 - 6.8	83,800	87.6	85.4 - 89.8	95,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	8,800	8.0	6.3 - 9.7	6,600	6.0	4.2 - 7.7	94,600	86.0	83.7 - 88.4	109,900
Kauai	3,300	7.9	5.2 - 10.6	3,000	7.1	4.5 - 9.7	35,900	85.0	81.4 - 88.6	42,200
Lanai	200	4.1	1.1 - 7.1	400	9.6	4.5 - 14.6	3,300	86.3	80.4 - 92.2	3,900
Maui	6,000	7.1	5.2 - 9.0	4,300	5.2	3.7 - 6.7	73,800	87.7	85.3 - 90.1	84,100
Molokai	600	7.6	3.2 - 11.9	500	5.8	1.7 - 10.0	6,700	86.6	80.8 - 92.4	7,800
Oahu	43,500	6.6	5.6 - 7.7	43,100	6.6	5.5 - 7.7	567,600	86.8	85.3 - 88.3	654,200

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,600	8.5	4.7 - 12.3	3,900	6.0	2.4 - 9.6	56,000	85.5	80.5 - 90.5	65,500
Ala Moana	1,300	3.7	0.4 - 7.0	2,800	8.1	3.4 - 12.8	30,300	88.2	82.7 - 93.8	34,400
Hanalei/ Kapaa	1,500	8.3	4.6 - 12.1	1,400	7.5	3.0 - 12.0	15,300	84.2	78.7 - 89.8	18,200
Hilo	2,200	6.3	3.8 - 8.8	3,400	9.7	5.8 - 13.5	29,400	84.1	79.7 - 88.4	34,900
Kaaawa/ Kahaluu/ Kaneohe	3,200	8.0	3.4 - 12.7	2,200	5.7	1.3 - 10.0	34,100	86.3	80.2 - 92.4	39,500
Kahului	2,400	8.5	4.5 - 12.4	1,000	3.4	1.4 - 5.4	25,100	88.1	83.8 - 92.5	28,500
Kailua/ Waimanalo	2,000	4.4	1.6 - 7.1	1,900	4.1	1.1 - 7.1	43,100	91.6	87.6 - 95.6	47,000
Kaimuki/ Palolo/ Waikiki	3,900	5.7	3.1 - 8.4	4,300	6.4	3.5 - 9.3	59,400	87.8	84.0 - 91.6	67,600
Kona	2,800	9.3	5.6 - 13.0	1,300	4.3	2.2 - 6.4	25,700	86.4	82.3 - 90.6	29,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	1,500	5.4	2.8 - 7.9	2,000	6.9	4.0 - 9.9	24,900	87.7	83.8 - 91.6	28,400
Lanai	200	4.1	1.1 - 7.1	400	9.6	4.5 - 14.6	3,300	86.3	80.4 - 92.2	3,900
Lihue-Waimea	1,800	7.6	3.8 - 11.4	1,600	6.8	3.8 - 9.8	20,600	85.6	80.9 - 90.2	24,000
Manoa/ Upper Makiki	4,600	8.0	4.1 - 11.9	3,500	6.1	2.7 - 9.5	48,800	85.9	80.9 - 90.9	56,900
Mililani/ Wahiawa	4,400	7.0	2.4 - 11.6	4,800	7.7	3.3 - 12.1	53,800	85.3	79.2 - 91.4	63,000
Molokai	600	7.6	3.2 - 11.9	500	5.8	1.7 - 10.0	6,700	86.6	80.8 - 92.4	7,800
Nanakuli/ Waianae	2,900	11.1	5.0 - 17.1	1,200	4.5	0.1 - 8.8	21,900	84.5	77.2 - 91.7	25,900
N.Hawaii	1,700	7.7	4.1 - 11.2	1,300	5.8	1.3 - 10.4	19,700	86.5	81.0 - 92.0	22,700
N.Shore/ Laie	1,500	7.9	1.6 - 14.1	800	4.6	0.0 - 10.3	16,200	87.6	79.3 - 95.8	18,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	3,600	5.5	1.9 - 9.0	8,000	12.2	7.0 - 17.3	54,400	82.4	76.4 - 88.3	66,000
Puna/ Kau	2,100	9.4	5.0 - 13.7	600	2.6	0.3 - 4.9	19,900	88.0	83.2 - 92.9	22,600
Salt Lake/ Foster Village	1,200	3.1	0.5 - 5.8	1,400	3.9	1.0 - 6.7	34,600	93.0	89.2 - 96.9	37,200
Upcountry/ Hana	2,000	7.5	4.1 - 10.8	1,400	5.2	2.4 - 8.0	23,800	87.3	83.1 - 91.6	27,300
Waialae/ Kahala/ Hawaii Kai	2,300	4.8	1.6 - 8.1	2,600	5.4	1.7 - 9.2	42,600	89.7	84.9 - 94.6	47,400
Waipahu/ Kapolei/ Ewa	7,200	8.5	5.0 - 11.9	5,600	6.5	3.5 - 9.6	72,400	85.0	80.6 - 89.4	85,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	7,700	6.8	4.2 - 9.3	7,400	6.5	3.2 - 9.9	98,400	86.7	82.7 - 90.7	113,500
25-34	12,400	7.6	5.4 - 9.7	10,300	6.3	4.2 - 8.5	140,600	86.1	83.2 - 89.0	163,300
35-44	13,100	7.2	5.4 - 8.9	11,500	6.3	4.6 - 8.0	158,000	86.5	84.2 - 88.9	182,600
45-54	9,700	5.6	4.0 - 7.2	14,900	8.7	6.6 - 10.7	147,900	85.7	83.3 - 88.2	172,500
55-64	11,000	9.8	6.9 - 12.7	6,900	6.2	3.8 - 8.5	93,500	84.0	80.4 - 87.6	111,400
65-74	4,600	5.8	3.7 - 8.0	4,600	5.8	3.4 - 8.2	69,900	88.4	85.3 - 91.5	79,100
75+	3,800	5.0	1.4 - 8.5	1,900	2.6	1.1 - 4.0	70,100	92.5	88.7 - 96.2	75,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	23,400	7.5	5.9 - 9.1	18,500	5.9	4.7 - 7.2	270,100	86.6	84.6 - 88.5	312,000
Native Hawaiian	12,600	11.1	8.3 - 13.9	9,900	8.7	5.5 - 12.0	90,900	80.1	76.1 - 84.2	113,400
Chinese	3,600	5.5	2.8 - 8.2	3,000	4.5	2.2 - 6.7	60,100	90.1	86.6 - 93.5	66,700
Filipino	8,500	6.2	4.1 - 8.2	9,100	6.6	4.1 - 9.1	119,800	87.2	84.1 - 90.3	137,300
Japanese	10,200	5.5	3.9 - 7.2	13,300	7.2	5.2 - 9.2	161,700	87.3	84.8 - 89.8	185,200
Black	1,200	7.2	0.4 - 14.0	800	5.0	0.0 - 10.0	14,100	87.8	79.5 - 96.0	16,100
Other Asian	700	3.2	0.0 - 7.0	600	2.8	0.0 - 6.5	19,800	94.0	88.8 - 99.2	21,100
Other Pacific Islander	500	2.7	0.0 - 7.2	1,100	5.2	0.0 - 10.4	19,000	92.2	85.4 - 99.0	20,600
Other	1,400	6.0	1.5 - 10.4	1,600	6.9	1.5 - 12.2	20,700	87.2	80.4 - 93.9	23,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	20,600	4.6	3.6 - 5.6	29,900	6.7	5.3 - 8.1	396,700	88.7	87.0 - 90.4	447,100
Female	41,800	9.2	7.8 - 10.5	27,900	6.1	5.1 - 7.2	385,300	84.7	83.1 - 86.3	455,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	900	4.7	0.5 - 8.9	900	4.8	0.2 - 9.4	16,700	90.5	84.4 - 96.7	18,500
Grades 9 thru 11 (Some High School)	1,900	5.7	2.8 - 8.6	1,500	4.4	1.5 - 7.4	30,400	89.9	85.8 - 94.0	33,800
Grades 12 or GED (High School Grad)	24,200	7.7	6.1 - 9.4	19,000	6.1	4.6 - 7.5	269,200	86.2	84.1 - 88.3	312,400
College 1 to 3 years (Some College/ Tech)	16,600	6.3	4.9 - 7.8	19,300	7.3	5.6 - 9.0	227,200	86.4	84.2 - 88.5	263,100
College 4 years or more (College Grad)	18,800	6.9	5.4 - 8.4	17,100	6.3	4.7 - 7.8	237,400	86.9	84.8 - 88.9	273,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	38,000	6.5	5.5 - 7.5	39,500	6.8	5.7 - 7.9	506,400	86.7	85.3 - 88.1	583,900
Unemployed	3,500	8.9	4.1 - 13.8	4,800	12.1	5.8 - 18.5	31,200	78.9	71.4 - 86.4	39,600
Retired/Unable to work	14,000	7.8	5.6 - 10.1	7,600	4.3	3.0 - 5.6	157,100	87.9	85.4 - 90.4	178,700
Student/Homemaker	6,900	6.9	4.4 - 9.4	5,900	5.9	3.0 - 8.8	86,500	87.2	83.5 - 90.8	99,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,700	10.6	6.0 - 15.1	1,400	4.0	1.5 - 6.6	29,700	85.4	80.3 - 90.5	34,700
\$10,000 to \$14,999	3,300	9.2	4.9 - 13.4	4,100	11.6	4.5 - 18.7	28,200	79.2	71.6 - 86.9	35,600
\$15,000 to \$19,999	3,000	7.3	3.5 - 11.2	1,900	4.7	1.5 - 7.9	36,500	88.0	83.0 - 93.0	41,500
\$20,000 to \$24,999	3,100	7.2	4.1 - 10.4	2,100	4.9	1.9 - 7.9	37,600	87.8	83.6 - 92.1	42,800
\$25,000 to \$34,999	6,900	9.1	5.1 - 13.2	4,300	5.6	3.0 - 8.2	64,800	85.3	80.7 - 89.8	75,900
\$35,000 to \$49,999	8,700	7.1	4.9 - 9.2	8,600	7.0	4.5 - 9.4	106,200	86.0	82.8 - 89.1	123,500
\$50,000 to \$74,999	8,300	6.6	4.6 - 8.6	6,500	5.2	3.4 - 7.0	110,400	88.2	85.6 - 90.9	125,200
\$75,000 or more	10,200	7.7	5.2 - 10.1	11,400	8.5	5.8 - 11.2	111,700	83.8	80.3 - 87.3	133,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	12,500	9.0	6.7 - 11.2	8,200	5.9	3.5 - 8.3	119,200	85.2	82.0 - 88.3	140,000
131-185%	7,500	10.8	6.1 - 15.5	4,800	6.9	3.8 - 10.1	56,800	82.3	77.0 - 87.6	69,100
186+%	27,200	6.7	5.6 - 7.9	27,300	6.8	5.5 - 8.0	349,000	86.5	84.8 - 88.2	403,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	32,400	6.1	5.1 - 7.1	31,500	5.9	4.9 - 6.9	467,200	88.0	86.6 - 89.3	531,200
Unmarried Couple	1,800	8.1	2.1 - 14.0	2,800	12.6	2.5 - 22.8	17,300	79.3	68.4 - 90.2	21,800
Widowed	4,300	7.6	3.0 - 12.3	2,300	4.2	2.2 - 6.2	49,300	88.2	83.3 - 93.1	55,900
Other	23,900	8.2	6.5 - 9.8	21,200	7.2	5.5 - 9.0	248,200	84.6	82.3 - 86.9	293,300

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	33,400	6.2	5.2 - 7.1	31,900	5.9	4.9 - 6.9	476,700	87.9	86.6 - 89.3	542,000
No	29,000	8.1	6.5 - 9.6	25,900	7.2	5.6 - 8.8	304,200	84.7	82.6 - 86.8	359,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,500	7.1	6.2 - 8.0	52,700	6.4	5.5 - 7.3	711,700	86.5	85.3 - 87.7	822,900
No	3,800	4.9	2.5 - 7.3	5,200	6.6	3.5 - 9.7	69,100	88.5	84.7 - 92.3	78,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	63,700	7.2	6.1 - 8.2	40,800	4.6	3.7 - 5.4	784,200	88.2	86.9 - 89.6	888,600

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,500	8.9	6.6 - 11.3	4,700	4.4	3.0 - 5.8	92,500	86.7	84.0 - 89.3	106,700
Honolulu	44,800	7.0	5.6 - 8.3	30,300	4.7	3.6 - 5.8	568,600	88.3	86.6 - 90.1	643,700
Kauai	3,000	7.3	4.7 - 9.8	2,000	4.8	2.7 - 6.9	35,900	87.9	84.7 - 91.1	40,800
Maui	6,300	6.5	4.6 - 8.4	3,900	4.0	2.6 - 5.4	87,200	89.5	87.2 - 91.9	97,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,500	8.9	6.6 - 11.3	4,700	4.4	3.0 - 5.8	92,500	86.7	84.0 - 89.3	106,700
Kauai	3,000	7.3	4.7 - 9.8	2,000	4.8	2.7 - 6.9	35,900	87.9	84.7 - 91.1	40,800
Lanai	300	11.2	3.3 - 19.1	200	6.6	0.9 - 12.2	2,000	82.2	72.9 - 91.6	2,400
Maui	5,500	6.1	4.1 - 8.1	3,700	4.1	2.6 - 5.6	81,200	89.9	87.4 - 92.3	90,300
Molokai	600	11.9	4.0 - 19.8	<50	1.0	0.0 - 3.1	4,100	87.1	78.9 - 95.2	4,700
Oahu	44,800	7.0	5.6 - 8.3	30,300	4.7	3.6 - 5.8	568,600	88.3	86.6 - 90.1	643,700

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,500	3.9	0.9 - 7.0	2,000	3.2	0.4 - 6.0	58,200	92.8	88.8 - 96.9	62,600
Ala Moana	1,900	7.1	1.3 - 12.8	1,100	4.1	0.2 - 8.1	23,300	88.8	82.0 - 95.6	26,200
Hanalei/ Kapaa	1,400	8.1	3.5 - 12.8	1,100	6.5	2.8 - 10.3	14,600	85.3	79.5 - 91.1	17,100
Hilo	2,200	7.1	3.6 - 10.7	2,100	6.6	3.2 - 9.9	27,200	86.3	81.6 - 91.0	31,500
Kaaawa/ Kahaluu/ Kaneohe	3,100	8.1	2.2 - 14.0	2,800	7.2	1.0 - 13.4	33,000	84.7	76.5 - 92.9	38,900
Kahului	2,100	6.3	3.1 - 9.6	900	2.6	0.9 - 4.3	30,300	91.1	87.3 - 94.8	33,300
Kailua/ Waimanalo	3,900	7.8	2.9 - 12.7	2,400	4.8	1.1 - 8.4	43,700	87.4	81.5 - 93.3	50,000
Kaimuki/ Palolo/ Waikiki	5,600	7.9	4.2 - 11.6	2,200	3.1	0.2 - 5.9	63,400	89.0	84.5 - 93.6	71,200
Kona	2,500	8.2	4.5 - 11.8	1,300	4.3	1.7 - 7.0	26,500	87.5	83.1 - 91.9	30,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,100	7.1	3.1 - 11.2	1,600	5.2	2.1 - 8.4	26,000	87.6	82.7 - 92.6	29,600
Lanai	300	11.2	3.3 - 19.1	200	6.6	0.9 - 12.2	2,000	82.2	72.9 - 91.6	2,400
Lihue-Waimea	1,600	6.7	3.8 - 9.5	800	3.5	1.2 - 5.8	21,300	89.8	86.2 - 93.4	23,700
Manoa/ Upper Makiki	2,500	4.5	1.7 - 7.3	4,100	7.3	2.6 - 12.0	49,100	88.2	82.8 - 93.5	55,700
Mililani/ Wahiawa	3,800	6.8	2.4 - 11.3	2,200	3.8	1.0 - 6.6	50,500	89.4	84.2 - 94.5	56,500
Molokai	600	11.9	4.0 - 19.8	<50	1.0	0.0 - 3.1	4,100	87.1	78.9 - 95.2	4,700
Nanakuli/ Waianae	4,500	15.1	3.9 - 26.3	1,100	3.6	0.0 - 9.3	24,400	81.3	69.3 - 93.4	30,000
N.Hawaii	3,000	12.6	5.6 - 19.7	600	2.5	0.4 - 4.5	20,100	84.9	77.7 - 92.1	23,600
N.Shore/ Laie	3,000	11.7	1.9 - 21.5	1,600	6.4	0.0 - 12.7	21,200	81.9	70.8 - 93.1	25,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	1,900	3.0	0.6 - 5.4	3,100	4.8	0.8 - 8.9	58,700	92.2	87.5 - 96.8	63,700
Puna/ Kau	1,900	8.7	4.0 - 13.4	700	3.4	0.9 - 5.9	18,700	87.9	82.7 - 93.1	21,300
Salt Lake/ Foster Village	2,800	8.0	0.9 - 15.1	1,300	3.7	0.3 - 7.1	30,900	88.3	80.7 - 96.0	35,000
Upcountry/ Hana	1,300	4.7	1.9 - 7.4	1,300	4.6	1.7 - 7.4	24,900	90.8	86.9 - 94.6	27,400
Waialae/ Kahala/ Hawaii Kai	1,500	4.3	0.5 - 8.1	2,700	7.7	1.3 - 14.0	31,300	88.0	80.9 - 95.2	35,600
Waipahu/ Kapolei/ Ewa	7,700	8.3	4.0 - 12.6	3,800	4.1	1.4 - 6.8	81,000	87.6	82.7 - 92.5	92,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	9,300	8.8	4.8 - 12.8	10,400	9.8	5.8 - 13.9	86,100	81.4	76.0 - 86.8	105,800
25-34	8,800	5.3	3.5 - 7.0	6,300	3.8	2.2 - 5.4	152,600	91.0	88.6 - 93.3	167,800
35-44	16,100	8.8	5.8 - 11.7	6,900	3.8	2.2 - 5.4	160,100	87.4	84.2 - 90.7	183,100
45-54	14,800	9.5	6.9 - 12.1	9,800	6.3	4.1 - 8.5	130,700	84.2	80.9 - 87.4	155,300
55-64	7,000	5.8	3.5 - 8.2	4,400	3.7	1.4 - 5.9	108,600	90.5	87.3 - 93.7	119,900
65-74	4,100	4.7	2.1 - 7.3	1,400	1.6	0.0 - 3.3	82,200	93.7	90.6 - 96.7	87,800
75+	3,400	5.5	2.3 - 8.7	1,400	2.2	0.2 - 4.3	57,500	92.3	88.5 - 96.0	62,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	21,400	7.1	5.5 - 8.8	14,800	5.0	3.5 - 6.4	263,000	87.9	85.8 - 90.0	299,200
Native Hawaiian	11,200	9.7	6.5 - 12.9	6,500	5.6	3.0 - 8.2	97,700	84.7	80.7 - 88.7	115,300
Chinese	4,200	7.5	2.8 - 12.3	2,800	5.1	1.7 - 8.6	48,400	87.4	81.7 - 93.0	55,400
Filipino	7,000	5.4	3.2 - 7.7	4,400	3.4	1.1 - 5.8	117,000	91.1	87.9 - 94.3	128,500
Japanese	10,100	5.5	3.5 - 7.6	9,900	5.4	3.4 - 7.4	163,800	89.1	86.3 - 91.9	183,900
Black	100	0.4	0.0 - 1.3	800	5.0	0.0 - 12.6	15,600	94.6	87.0 - 100.0	16,500
Other Asian	1,500	5.6	0.0 - 11.2	200	0.7	0.0 - 2.2	24,900	93.7	87.9 - 99.5	26,600
Other Pacific Islander	2,200	11.2	0.0 - 24.7	600	3.2	0.0 - 9.0	17,000	85.5	71.4 - 99.7	19,900
Other	4,500	13.4	3.6 - 23.2	500	1.5	0.0 - 3.1	28,400	85.1	75.2 - 94.9	33,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	26,700	6.0	4.4 - 7.5	21,900	4.9	3.6 - 6.2	399,100	89.2	87.2 - 91.1	447,600
Female	37,000	8.4	6.9 - 9.9	18,900	4.3	3.2 - 5.4	385,000	87.3	85.5 - 89.1	441,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,000	6.1	1.0 - 11.2	200	1.5	0.0 - 3.5	15,300	92.4	87.0 - 97.9	16,600
Grades 9 thru 11 (Some High School)	2,400	6.4	1.8 - 11.0	2,400	6.3	1.5 - 11.1	33,300	87.3	80.8 - 93.9	38,200
Grades 12 or GED (High School Grad)	23,500	8.0	6.0 - 9.9	15,400	5.2	3.4 - 7.0	256,500	86.9	84.3 - 89.4	295,400
College 1 to 3 years (Some College/ Tech)	19,700	7.2	5.2 - 9.2	13,900	5.1	3.6 - 6.6	239,300	87.7	85.2 - 90.1	272,900
College 4 years or more (College Grad)	17,000	6.5	4.7 - 8.3	8,900	3.4	2.3 - 4.5	237,200	90.1	88.1 - 92.2	263,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	38,400	6.6	5.4 - 7.7	29,200	5.0	4.0 - 6.0	518,500	88.5	86.9 - 90.0	586,200
Unemployed	4,600	16.1	5.4 - 26.8	400	1.2	0.0 - 2.8	23,700	82.7	71.9 - 93.4	28,700
Retired/Unable to work	11,800	6.3	4.2 - 8.3	3,900	2.1	0.9 - 3.3	172,200	91.6	89.3 - 94.0	188,000
Student/Homemaker	8,800	10.4	5.8 - 14.9	7,300	8.5	4.2 - 12.9	69,200	81.1	75.2 - 87.0	85,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,300	8.8	3.1 - 14.6	1,900	5.1	0.9 - 9.2	32,400	86.1	79.3 - 93.0	37,600
\$10,000 to \$14,999	4,400	10.2	3.2 - 17.3	800	1.8	0.4 - 3.3	37,500	87.9	80.9 - 95.0	42,700
\$15,000 to \$19,999	3,800	9.9	4.8 - 15.0	800	2.2	0.2 - 4.2	33,900	88.0	82.5 - 93.5	38,500
\$20,000 to \$24,999	4,500	7.7	3.6 - 11.7	1,400	2.5	0.6 - 4.4	52,400	89.8	85.4 - 94.3	58,300
\$25,000 to \$34,999	4,800	5.4	2.4 - 8.3	2,900	3.3	1.7 - 4.9	81,600	91.3	88.0 - 94.6	89,300
\$35,000 to \$49,999	11,200	8.3	5.5 - 11.1	9,600	7.1	4.3 - 10.0	114,300	84.6	80.8 - 88.4	135,100
\$50,000 to \$74,999	7,600	6.1	3.8 - 8.5	5,000	4.1	1.8 - 6.3	111,200	89.8	86.6 - 93.0	123,800
\$75,000 or more	7,000	5.7	3.0 - 8.4	4,200	3.4	1.7 - 5.2	110,900	90.8	87.6 - 94.0	122,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	12,600	8.7	5.5 - 12.0	3,700	2.5	1.2 - 3.9	127,700	88.7	85.3 - 92.2	143,900
131-185%	8,500	7.9	4.7 - 11.0	3,900	3.6	1.1 - 6.1	96,300	88.6	84.7 - 92.5	108,800
186+%	25,500	6.5	5.1 - 7.8	19,200	4.9	3.6 - 6.1	350,100	88.7	86.9 - 90.5	394,800

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	30,000	5.9	4.7 - 7.2	17,400	3.4	2.5 - 4.3	459,800	90.7	89.2 - 92.2	507,100
Widowed	3,400	7.2	3.2 - 11.2	1,600	3.4	0.3 - 6.5	43,000	89.4	84.5 - 94.4	48,100
Other	29,300	9.0	7.0 - 11.1	21,500	6.6	4.8 - 8.4	273,600	84.3	81.7 - 86.9	324,300

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	33,300	6.3	5.0 - 7.7	18,400	3.5	2.6 - 4.4	473,000	90.1	88.6 - 91.7	524,700
No	30,400	8.4	6.6 - 10.2	22,400	6.2	4.5 - 7.8	309,800	85.4	83.1 - 87.8	362,500

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	56,900	6.9	5.9 - 8.0	39,100	4.8	3.8 - 5.7	727,100	88.3	87.0 - 89.7	823,100
No	6,800	10.6	4.9 - 16.3	1,700	2.7	0.8 - 4.5	55,600	86.7	80.9 - 92.6	64,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	63,600	7.3	6.3 - 8.2	33,800	3.9	3.2 - 4.5	778,500	88.9	87.8 - 90.0	875,900

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,600	7.3	5.8 - 8.9	4,100	3.9	2.8 - 5.1	91,600	88.7	86.9 - 90.6	103,200
Honolulu	47,100	7.3	6.1 - 8.5	23,800	3.7	2.8 - 4.6	573,200	89.0	87.6 - 90.4	644,100
Kauai	2,900	7.1	4.8 - 9.4	2,100	5.1	2.9 - 7.3	36,000	87.8	84.7 - 90.8	41,000
Maui	6,000	6.8	4.9 - 8.8	3,900	4.5	2.8 - 6.2	77,700	88.7	86.2 - 91.2	87,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Island	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,600	7.3	5.8 - 8.9	4,100	3.9	2.8 - 5.1	91,600	88.7	86.9 - 90.6	103,200
Kauai	2,900	7.1	4.8 - 9.4	2,100	5.1	2.9 - 7.3	36,000	87.8	84.7 - 90.8	41,000
Lanai	200	9.1	2.0 - 16.1	100	4.2	0.0 - 9.7	2,000	86.7	78.2 - 95.2	2,300
Maui	5,500	6.8	4.7 - 9.0	3,800	4.7	2.9 - 6.6	70,700	88.4	85.7 - 91.2	79,900
Molokai	300	5.7	2.4 - 9.0	100	1.1	0.0 - 2.6	5,000	93.2	89.6 - 96.9	5,400
Oahu	47,100	7.3	6.1 - 8.5	23,800	3.7	2.8 - 4.6	573,200	89.0	87.6 - 90.4	644,100

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,300	8.6	3.7 - 13.4	3,700	6.0	2.0 - 10.0	52,700	85.4	79.5 - 91.4	61,700
Ala Moana	2,300	7.8	2.2 - 13.5	900	3.1	0.0 - 6.8	26,600	89.0	82.5 - 95.5	29,900
Hanalei/ Kapaa	1,300	7.8	4.1 - 11.5	700	4.3	1.2 - 7.3	15,200	87.9	83.3 - 92.6	17,300
Hilo	2,900	8.7	5.7 - 11.7	1,000	2.8	1.2 - 4.5	30,100	88.5	85.2 - 91.8	34,000
Kaaawa/ Kahaluu/ Kaneohe	3,000	7.3	3.0 - 11.7	1,100	2.8	0.0 - 5.7	37,400	89.9	84.8 - 95.1	41,600
Kahului	1,900	6.6	3.5 - 9.6	1,000	3.5	0.4 - 6.7	26,000	89.9	85.6 - 94.1	29,000
Kailua/ Waimanalo	4,100	8.6	3.6 - 13.6	1,500	3.2	0.5 - 6.0	41,800	88.2	82.6 - 93.7	47,400
Kaimuki/ Palolo/ Waikiki	4,000	7.0	3.5 - 10.6	2,600	4.6	2.0 - 7.2	50,800	88.4	84.1 - 92.7	57,500
Kona	1,700	5.9	3.4 - 8.4	900	3.1	1.2 - 4.9	26,000	91.0	87.9 - 94.1	28,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	1,200	4.6	0.8 - 8.4	1,700	6.3	2.8 - 9.8	24,000	89.1	84.1 - 94.1	26,900
Lanai	200	9.1	2.0 - 16.1	100	4.2	0.0 - 9.7	2,000	86.7	78.2 - 95.2	2,300
Lihue-Waimea	1,600	6.7	3.7 - 9.6	1,400	5.7	2.6 - 8.8	20,800	87.6	83.5 - 91.8	23,700
Manoa/ Upper Makiki	4,900	8.7	4.0 - 13.4	1,500	2.7	0.4 - 5.0	50,000	88.6	83.5 - 93.7	56,500
Mililani/ Wahiawa	4,700	7.6	4.0 - 11.1	2,900	4.7	2.1 - 7.3	54,200	87.7	83.4 - 92.0	61,800
Molokai	300	5.7	2.4 - 9.0	100	1.1	0.0 - 2.6	5,000	93.2	89.6 - 96.9	5,400
Nanakuli/ Waianae	4,500	15.6	6.4 - 24.8	500	1.7	0.0 - 4.9	23,600	82.7	73.2 - 92.2	28,600
N.Hawaii	1,600	7.9	4.2 - 11.5	800	3.9	0.9 - 6.8	18,200	88.3	83.7 - 92.8	20,600
N.Shore/ Laie	2,000	9.2	3.3 - 15.1	800	3.5	0.0 - 7.0	19,000	87.4	80.6 - 94.1	21,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Community	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	2,900	4.4	2.0 - 6.9	3,900	5.9	1.9 - 9.9	59,700	89.7	85.1 - 94.3	66,500
Puna/ Kau	1,300	6.5	3.2 - 9.8	1,400	7.0	3.6 - 10.4	17,400	86.5	81.9 - 91.0	20,100
Salt Lake/ Foster Village	2,300	5.9	2.2 - 9.6	300	0.7	0.0 - 1.7	36,500	93.4	89.5 - 97.2	39,100
Upcountry/ Hana	2,300	9.7	5.4 - 14.0	1,100	4.4	1.5 - 7.4	20,600	85.9	80.9 - 90.9	24,000
Waialae/ Kahala/ Hawaii Kai	2,200	5.3	1.4 - 9.1	500	1.1	0.0 - 2.7	39,800	93.6	89.5 - 97.7	42,600
Waipahu/ Kapolei/ Ewa	4,700	5.3	3.0 - 7.6	3,400	3.9	1.4 - 6.4	81,000	90.8	87.5 - 94.2	89,200

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

BRFSS Age Group	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	9,400	8.9	5.7 - 12.1	7,800	7.4	4.3 - 10.5	88,700	83.7	79.5 - 88.0	106,000
25-34	11,200	6.6	4.7 - 8.5	9,700	5.7	3.8 - 7.7	148,200	87.7	85.0 - 90.3	169,100
35-44	15,300	8.3	6.1 - 10.4	6,100	3.3	2.2 - 4.4	163,500	88.4	86.1 - 90.8	184,800
45-54	9,800	6.4	4.7 - 8.2	4,200	2.8	1.6 - 3.9	138,700	90.8	88.8 - 92.9	152,700
55-64	6,100	5.4	3.3 - 7.4	2,900	2.5	1.0 - 4.0	105,600	92.1	89.6 - 94.7	114,600
65-74	8,500	9.2	5.4 - 12.9	2,500	2.7	0.8 - 4.7	81,900	88.1	84.1 - 92.2	92,900
75+	2,800	5.4	2.9 - 7.8	600	1.1	0.0 - 2.2	49,300	93.5	90.9 - 96.2	52,700

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

DOH Race-Ethnicity	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	18,200	6.8	5.3 - 8.3	7,600	2.8	1.9 - 3.8	241,300	90.3	88.6 - 92.0	267,000
Native Hawaiian	17,800	12.7	9.5 - 15.9	8,300	5.9	3.9 - 8.0	113,900	81.4	77.7 - 85.0	140,000
Chinese	2,500	5.6	1.5 - 9.6	1,700	3.8	0.7 - 7.0	41,300	90.6	85.6 - 95.6	45,600
Filipino	8,100	6.0	4.0 - 8.1	7,300	5.5	2.8 - 8.1	119,000	88.5	85.3 - 91.8	134,400
Japanese	10,000	5.1	3.5 - 6.7	6,600	3.3	2.1 - 4.6	180,500	91.6	89.6 - 93.6	197,100
Black	700	5.0	0.0 - 11.1	200	1.4	0.0 - 4.1	13,500	93.6	87.0 - 100.0	14,400
Other Asian	1,300	8.2	0.7 - 15.6	600	3.5	0.0 - 7.6	14,400	88.3	80.0 - 96.5	16,400
Mixed Ethnicity	1,100	4.8	1.6 - 8.0	300	1.5	0.0 - 3.0	21,000	93.6	90.1 - 97.2	22,400
Other	2,700	11.5	4.4 - 18.7	1,000	4.3	1.3 - 7.3	19,400	84.2	76.6 - 91.8	23,000

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Gender	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	23,800	5.4	4.1 - 6.7	21,600	4.9	3.7 - 6.1	394,600	89.7	88.0 - 91.4	440,000
Female	39,800	9.1	7.8 - 10.4	12,300	2.8	2.1 - 3.5	383,900	88.1	86.6 - 89.5	435,900

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Education Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,300	10.9	4.4 - 17.4	300	1.3	0.0 - 2.8	18,900	87.8	81.1 - 94.6	21,600
Grades 9 thru 11 (Some High School)	2,000	4.3	1.3 - 7.4	2,600	5.6	0.6 - 10.7	41,000	90.1	84.3 - 95.8	45,600
Grades 12 or GED (High School Grad)	24,800	8.7	6.8 - 10.6	12,500	4.4	3.1 - 5.6	247,200	86.9	84.7 - 89.1	284,500
College 1 to 3 years (Some College/ Tech)	18,000	7.1	5.6 - 8.6	9,700	3.8	2.6 - 5.0	226,300	89.1	87.2 - 91.0	254,000
College 4 years or more (College Grad)	16,300	6.1	4.6 - 7.5	8,800	3.3	2.2 - 4.3	244,500	90.7	88.9 - 92.4	269,600

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Employment Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	37,200	6.3	5.3 - 7.3	26,400	4.5	3.6 - 5.3	530,400	89.3	88.0 - 90.6	594,100
Unemployed	4,200	14.8	6.2 - 23.5	600	2.1	0.0 - 4.8	23,300	83.1	74.2 - 92.0	28,000
Retired/Unable to work	15,200	8.6	6.3 - 11.0	4,300	2.4	1.1 - 3.7	156,000	88.9	86.3 - 91.5	175,400
Student/Homemaker	6,600	8.5	5.4 - 11.6	2,500	3.3	1.3 - 5.2	68,300	88.2	84.6 - 91.8	77,500

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Household Income	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,000	9.5	6.0 - 13.1	2,200	5.3	1.5 - 9.1	35,500	85.1	80.2 - 90.1	41,700
\$10,000 to \$14,999	4,900	10.8	6.2 - 15.4	2,300	5.0	1.5 - 8.5	38,400	84.2	78.7 - 89.7	45,600
\$15,000 to \$19,999	2,100	5.1	2.4 - 7.8	1,400	3.3	0.2 - 6.3	38,300	91.6	87.6 - 95.6	41,800
\$20,000 to \$24,999	5,700	8.8	5.2 - 12.4	1,000	1.6	0.1 - 3.0	57,800	89.6	85.8 - 93.5	64,500
\$25,000 to \$34,999	7,700	6.8	4.4 - 9.2	3,300	2.9	1.7 - 4.1	102,200	90.3	87.7 - 92.9	113,200
\$35,000 to \$49,999	10,300	6.7	4.5 - 9.0	5,300	3.5	2.2 - 4.7	137,600	89.8	87.2 - 92.4	153,200
\$50,000 to \$74,999	7,900	6.4	4.2 - 8.5	6,200	5.0	2.8 - 7.2	110,200	88.6	85.7 - 91.6	124,400
\$75,000 or more	6,400	4.9	3.0 - 6.9	4,400	3.4	1.8 - 5.0	119,200	91.7	89.2 - 94.1	130,100

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Poverty Level	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	11,000	10.0	6.5 - 13.4	5,400	4.9	2.5 - 7.2	93,800	85.2	81.1 - 89.2	110,100
131-185%	9,200	8.0	5.6 - 10.4	1,800	1.5	0.6 - 2.4	104,100	90.5	88.0 - 93.0	115,000
186+%	29,000	5.9	4.9 - 6.9	19,000	3.9	3.0 - 4.7	441,500	90.2	88.9 - 91.5	489,400

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Marital Status (Grouped)	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	34,400	6.8	5.6 - 8.0	15,900	3.1	2.3 - 3.9	458,600	90.1	88.7 - 91.5	508,800
Unmarried Couple	500	4.7	0.0 - 10.3	800	7.8	0.9 - 14.8	9,300	87.5	78.9 - 96.1	10,700
Widowed	3,200	6.9	3.8 - 10.0	700	1.5	0.3 - 2.7	42,400	91.6	88.3 - 94.8	46,300
Other	25,500	8.2	6.6 - 9.8	16,500	5.3	3.9 - 6.7	268,200	86.5	84.4 - 88.6	310,100

Married	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	35,600	6.9	5.7 - 8.1	16,300	3.1	2.4 - 3.9	468,100	90.0	88.6 - 91.4	520,000
No	27,800	7.8	6.4 - 9.3	17,500	4.9	3.7 - 6.2	309,500	87.2	85.4 - 89.1	354,800

Asthma - adult asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Health Care Coverage	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	59,600	7.3	6.4 - 8.3	32,500	4.0	3.3 - 4.7	722,000	88.7	87.5 - 89.9	814,100
No	4,000	6.6	3.0 - 10.1	1,200	2.0	0.9 - 3.1	55,800	91.5	87.8 - 95.2	61,000