

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(808) 946-5899 x15


During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Total	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2003	14,343	43.8	34.1 - 53.5	11,125	34.0	23.9 - 44.0	3,700	11.3	4.3 - 18.3	1,611	4.9	1.6 - 8.2	1,970	6.0	2.2 - 9.8	32,749
2004	29,152	64.0	52.0 - 75.9	6,083	13.3	5.0 - 21.7	5,135	11.3	2.2 - 20.3	3,863	8.5	2.3 - 14.6	1,349	3.0	.1 - 5.8	45,582
2005	13,700	32.8	22.9 - 42.7	15,624	37.4	26.9 - 47.9	5,067	12.1	5.6 - 18.7	2,101	5.0	1.8 - 8.3	5,266	12.6	3.6 - 21.6	41,758

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents



During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

State	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	14,343	43.8	34.1 - 53.5	11,125	34.0	23.9 - 44.0	3,700	11.3	4.3 - 18.3	1,611	4.9	1.6 - 8.2	1,970	6.0	2.2 - 9.8	32,749

County	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu	9,648	42.9	29.9 - 56.0	8,873	39.5	25.8 - 53.2	2,510	11.2	1.9 - 20.4	566	2.5	.0 - 5.5	881	3.9	.2 - 7.6	22,478
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Island	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	9,648	42.9	30.0 - 55.9	8,873	39.5	25.9 - 53.0	2,510	11.2	2.0 - 20.3	566	2.5	.0 - 5.5	881	3.9	.2 - 7.6	22,478
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Female	9,134	41.0	30.8 - 51.1	7,550	33.9	23.7 - 44.0	2,890	13.0	4.9 - 21.0	1,032	4.6	1.0 - 8.3	1,695	7.6	2.7 - 12.5	22,301

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

DOH Race-Ethnicity	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,004	49.7	35.9 - 63.6	3,642	22.6	11.3 - 33.9	2,760	17.1	4.5 - 29.8	858	5.3	.8 - 9.9	829	5.2	.5 - 9.8	16,093
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

BRFSS Age Group	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
55-64	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Education Level	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
College 1 to 3 years (Some College/ Tech)	5,573	41.9	24.8 - 58.9	5,533	41.6	23.0 - 60.1	1,308	9.8	.0 - 21.4	46	.3	.0 - 1.0	853	6.4	.0 - 12.9	13,313
College 4 years or more (College Grad)	5,681	68.1	53.8 - 82.4	1,122	13.4	3.4 - 23.5	521	6.2	.0 - 13.5	704	8.4	.0 - 17.4	317	3.8	.0 - 8.9	8,345

Employment Status (Grouped)	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,291	47.9	34.6 - 61.2	6,269	32.3	19.2 - 45.5	1,896	9.8	.6 - 19.0	785	4.0	.2 - 7.9	1,150	5.9	.9 - 10.9	19,391
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Marital Status (Grouped)	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,352	60.3	47.1 - 73.4	3,963	25.5	13.7 - 37.4	1,389	8.9	1.5 - 16.4	236	1.5	.0 - 3.7	580	3.7	.0 - 8.3	15,520
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	3,156	24.4	12.2 - 36.5	5,764	44.5	27.7 - 61.4	2,263	17.5	3.0 - 32.0	1,097	8.5	1.5 - 15.4	669	5.2	.0 - 10.5	12,949

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Household Income	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Poverty Level	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	7,625	56.6	41.1 - 72.1	3,601	26.7	10.9 - 42.5	965	7.2	.0 - 15.1	591	4.4	.0 - 9.1	690	5.1	.0 - 10.6	13,472

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Year: 2004

State	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	29,152	64.0	52.0 - 75.9	6,083	13.3	5.0 - 21.7	5,135	11.3	2.2 - 20.3	3,863	8.5	2.3 - 14.6	1,349	3.0	.1 - 5.8	45,582

County	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Female	19,285	61.8	47.9 - 75.6	5,070	16.2	5.3 - 27.2	2,956	9.5	1.4 - 17.5	2,897	9.3	1.9 - 16.6	1,018	3.3	.0 - 7.1	31,226

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	11,031	64.4	46.6 - 82.1	1,949	11.4	.0 - 23.1	1,959	11.4	.0 - 24.5	1,974	11.5	.0 - 23.2	228	1.3	.0 - 3.2	17,141
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Black	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	n/a		n/a	
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
55-64	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Education Level	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
College 4 years or more (College Grad)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Employment Status (Grouped)	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	16,166	67.0	51.8 - 82.3	3,873	16.1	4.0 - 28.1	1,825	7.6	.0 - 17.1	1,917	7.9	.3 - 15.6	331	1.4	.0 - 3.4	24,112
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Marital Status (Grouped)	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	18,628	71.1	56.2 - 85.9	4,818	18.4	5.2 - 31.6	477	1.8	.0 - 4.3	1,976	7.5	.0 - 15.6	318	1.2	.0 - 3.0	26,217
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	19,390	66.7	52.9 - 80.6	3,704	12.8	2.2 - 23.3	2,624	9.0	.4 - 17.7	2,549	8.8	1.2 - 16.3	782	2.7	.0 - 5.7	29,049

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Year: 2005

State	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	13,700	32.8	22.9 - 42.7	15,624	37.4	26.9 - 47.9	5,067	12.1	5.6 - 18.7	2,101	5.0	1.8 - 8.3	5,266	12.6	3.6 - 21.6	41,758

County	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,579	33.8	16.4 - 51.3	2,071	27.2	11.3 - 43.0	1,565	20.5	2.0 - 39.0	827	10.8	.0 - 21.8	582	7.6	.0 - 15.5	7,624
Honolulu	9,518	36.2	21.6 - 50.8	9,810	37.3	22.2 - 52.5	2,473	9.4	1.4 - 17.5	442	1.7	.0 - 4.2	4,034	15.4	1.4 - 29.3	26,277
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

County-Community	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Island	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,579	33.8	16.7 - 51.0	2,071	27.2	11.6 - 42.7	1,565	20.5	2.3 - 38.7	827	10.8	.1 - 21.6	582	7.6	.0 - 15.3	7,624
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	9,518	36.2	21.8 - 50.7	9,810	37.3	22.4 - 52.3	2,473	9.4	1.5 - 17.4	442	1.7	.0 - 4.1	4,034	15.4	1.6 - 29.1	26,277
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Female	12,247	39.7	27.8 - 51.5	10,259	33.2	21.9 - 44.6	3,749	12.1	4.5 - 19.8	1,298	4.2	.7 - 7.7	3,313	10.7	2.1 - 19.3	30,866

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

DOH Race-Ethnicity	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	4,965	34.8	19.8 - 49.9	5,178	36.3	19.8 - 52.9	2,761	19.4	6.4 - 32.4	325	2.3	.0 - 5.2	1,022	7.2	1.1 - 13.3	14,251
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

BRFSS Age Group	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
55-64	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Education Level	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
College 1 to 3 years (Some College/ Tech)	2,581	22.6	9.6 - 35.6	5,674	49.7	31.6 - 67.9	1,119	9.8	.0 - 21.8	793	7.0	.0 - 14.2	1,242	10.9	2.0 - 19.7	11,409
College 4 years or more (College Grad)	5,101	30.2	16.5 - 44.0	6,893	40.9	24.7 - 57.0	2,895	17.2	5.2 - 29.1	535	3.2	.0 - 7.3	1,441	8.5	.0 - 20.4	16,865

Employment Status (Grouped)	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,202	38.2	25.2 - 51.2	11,017	41.3	27.7 - 54.8	3,103	11.6	4.6 - 18.6	1,841	6.9	2.0 - 11.8	535	2.0	.0 - 4.3	26,698
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Marital Status (Grouped)	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	6,334	27.6	16.5 - 38.7	10,620	46.3	32.4 - 60.1	2,760	12.0	3.1 - 20.9	1,363	5.9	1.1 - 10.8	1,878	8.2	.0 - 17.4	22,955
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	4,076	28.1	12.4 - 43.9	4,569	31.5	13.9 - 49.2	2,121	14.6	2.6 - 26.7	738	5.1	.0 - 10.7	2,984	20.6	.7 - 40.5	14,488

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Household Income	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Poverty Level	None			1 or 2 days			3 or 4 days			5 to 10 days			More than 10 days			Estimated Adult Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	9,049	39.9	26.3 - 53.4	9,297	41.0	26.9 - 55.0	2,434	10.7	3.7 - 17.7	959	4.2	.2 - 8.3	957	4.2	.3 - 8.1	22,696	

During the Past 30 Days, How Many Days Did Symptoms of Asthma Make It Difficult for You to Stay Asleep (Among Those Who Currently Have Asthma) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2003, 2004, 2005

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005