

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2005	33,000	11.1	8.5 - 13.7	13,100	4.4	3.0 - 5.9	250,400	84.4	81.5 - 87.3	296,600
2006	37,000	12.4	10.6 - 14.2	21,800	7.3	5.7 - 9.0	238,600	80.2	78.0 - 82.5	297,400
2007	36,800	12.1	10.4 - 13.8	17,700	5.8	4.7 - 7.0	249,300	82.1	80.1 - 84.1	303,800
2008	36,700	12.7	10.9 - 14.5	15,800	5.5	4.2 - 6.7	236,600	81.8	79.7 - 84.0	289,200
2009	31,700	11.3	9.4 - 13.1	17,400	6.2	4.8 - 7.5	232,500	82.6	80.4 - 84.7	281,700
2010	31,300	11.1	9.2 - 13.0	15,400	5.4	4.0 - 6.8	236,000	83.5	81.2 - 85.8	282,800

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	31,300	11.1	9.2 - 13.0	15,400	5.4	4.0 - 6.8	236,000	83.5	81.2 - 85.8	282,800

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	5,800	14.2	10.1 - 18.4	1,800	4.5	2.3 - 6.7	32,900	81.3	76.7 - 85.9	40,500
Honolulu	20,000	10.2	7.7 - 12.7	10,000	5.1	3.2 - 7.0	165,600	84.7	81.7 - 87.7	195,600
Kauai	1,400	10.3	5.3 - 15.3	1,500	10.5	4.7 - 16.4	11,100	79.2	71.9 - 86.5	14,000
Maui	4,100	12.7	8.6 - 16.7	2,100	6.5	3.7 - 9.4	26,400	80.8	76.1 - 85.6	32,700

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	31,700	11.3	9.4 - 13.1	17,400	6.2	4.8 - 7.5	232,500	82.6	80.4 - 84.7	281,700

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,800	17.4	12.7 - 22.0	1,800	4.6	2.3 - 7.0	30,700	78.0	73.0 - 83.0	39,300
Honolulu	19,500	9.9	7.6 - 12.2	12,700	6.4	4.6 - 8.2	164,800	83.7	80.8 - 86.5	197,000
Kauai	1,300	8.9	4.0 - 13.8	1,000	7.2	2.7 - 11.8	12,000	83.9	77.5 - 90.4	14,300
Maui	4,100	13.2	9.1 - 17.4	1,900	6.2	3.4 - 8.9	25,000	80.6	75.9 - 85.3	31,000

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	36,700	12.7	10.9 - 14.5	15,800	5.5	4.2 - 6.7	236,600	81.8	79.7 - 84.0	289,200

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,900	17.0	12.7 - 21.2	2,200	5.4	2.8 - 8.1	31,500	77.6	72.9 - 82.3	40,600
Honolulu	23,800	11.7	9.4 - 14.1	10,800	5.3	3.7 - 6.9	168,400	82.9	80.2 - 85.7	203,100
Kauai	1,400	9.5	4.7 - 14.3	1,400	9.2	3.4 - 15.0	12,000	81.2	74.1 - 88.4	14,700
Maui	4,600	15.1	10.7 - 19.4	1,400	4.4	1.9 - 7.0	24,700	80.5	75.7 - 85.3	30,700

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	36,800	12.1	10.4 - 13.8	17,700	5.8	4.7 - 7.0	249,300	82.1	80.1 - 84.1	303,800

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	7,300	15.4	11.4 - 19.4	3,700	7.8	4.8 - 10.8	36,600	76.8	72.1 - 81.5	47,700
Honolulu	24,200	11.7	9.4 - 13.9	10,400	5.0	3.6 - 6.4	173,200	83.3	80.7 - 85.9	207,800
Kauai	1,600	10.0	5.7 - 14.4	1,300	8.1	3.7 - 12.4	12,700	81.9	76.0 - 87.8	15,500
Maui	3,700	11.2	7.6 - 14.8	2,300	6.9	3.9 - 10.0	26,800	81.8	77.4 - 86.3	32,700

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	37,000	12.4	10.6 - 14.2	21,800	7.3	5.7 - 9.0	238,600	80.2	78.0 - 82.5	297,400

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,800	16.3	11.9 - 20.7	2,600	6.2	3.5 - 8.9	32,200	77.5	72.6 - 82.4	41,500
Honolulu	24,400	11.8	9.5 - 14.1	15,900	7.7	5.5 - 9.9	166,700	80.5	77.6 - 83.5	207,100
Kauai	2,100	14.0	7.5 - 20.6	800	5.4	2.2 - 8.6	12,300	80.6	73.6 - 87.6	15,300
Maui	3,600	10.8	7.0 - 14.6	2,500	7.6	4.5 - 10.7	27,400	81.6	77.0 - 86.2	33,600

Asthma - child asthma status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

State	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	33,000	11.1	8.5 - 13.7	13,100	4.4	3.0 - 5.9	250,400	84.4	81.5 - 87.3	296,600

County	Current asthma			Former asthma			Never had asthma			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,700	11.3	6.3 - 16.3	1,900	4.6	1.9 - 7.4	34,600	84.0	78.5 - 89.5	41,200
Honolulu	23,600	11.4	7.9 - 14.9	9,000	4.3	2.4 - 6.3	174,800	84.3	80.4 - 88.1	207,400
Kauai	2,000	13.5	5.7 - 21.3	900	6.0	1.7 - 10.2	12,100	80.5	71.9 - 89.1	15,000
Maui	2,700	8.1	3.8 - 12.5	1,300	4.0	0.7 - 7.3	29,000	87.9	82.6 - 93.2	32,900