

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	98,600	11.2	10.1 - 12.4	778,500	88.8	87.6 - 89.9	877,100
2001	107,600	12.1	10.7 - 13.4	784,200	87.9	86.6 - 89.3	891,700
2002	122,700	13.6	12.4 - 14.7	781,900	86.4	85.3 - 87.6	904,600
2003	108,400	11.7	10.5 - 13.0	814,400	88.3	87.0 - 89.5	922,800
2004	132,300	14.6	12.3 - 16.8	776,300	85.4	83.2 - 87.7	908,600
2005	137,600	14.1	12.9 - 15.3	836,000	85.9	84.7 - 87.1	973,700
2006	154,900	15.9	14.6 - 17.2	818,900	84.1	82.8 - 85.4	973,800
2007	136,700	13.9	12.7 - 15.2	844,800	86.1	84.8 - 87.3	981,400
2008	160,700	16.1	14.8 - 17.5	836,200	83.9	82.5 - 85.2	996,800
2009	169,400	16.9	15.5 - 18.3	833,100	83.1	81.7 - 84.5	1,002,500
2010	176,300	17.6	16.1 - 19.0	828,100	82.4	81.0 - 83.9	1,004,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	176,300	17.6	16.1 - 19.0	828,100	82.4	81.0 - 83.9	1,004,400

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,500	20.3	17.4 - 23.2	111,800	79.7	76.8 - 82.6	140,300
Honolulu	121,500	17.3	15.4 - 19.2	579,900	82.7	80.8 - 84.6	701,400
Kauai	6,600	13.4	9.7 - 17.1	42,800	86.6	82.9 - 90.3	49,400
Maui	19,800	17.5	14.5 - 20.4	93,600	82.5	79.6 - 85.5	113,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,500	20.3	17.4 - 23.2	111,800	79.7	76.8 - 82.6	140,300
Kauai	6,600	13.4	9.7 - 17.1	42,800	86.6	82.9 - 90.3	49,400
Lanai	100	9.1	3.8 - 14.4	1,400	90.9	85.6 - 96.2	1,500
Maui	18,600	17.8	14.6 - 21.0	86,000	82.2	79.0 - 85.4	104,600
Molokai	1,100	14.6	9.1 - 20.1	6,300	85.4	79.9 - 90.9	7,400
Oahu	121,500	17.3	15.4 - 19.2	579,900	82.7	80.8 - 84.6	701,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	11,900	17.5	11.9 - 23.0	56,100	82.5	77.0 - 88.1	68,000
Ala Moana	2,000	9.7	4.7 - 14.7	18,500	90.3	85.3 - 95.3	20,500
Hanalei/ Kapaa	3,200	15.2	10.2 - 20.2	17,700	84.8	79.8 - 89.8	20,800
Hilo	8,900	21.3	15.9 - 26.7	32,900	78.7	73.3 - 84.1	41,900
Kaaawa/ Kahaluu/ Kaneohe	6,900	13.0	7.0 - 18.9	46,400	87.0	81.1 - 93.0	53,300
Kahului	6,500	19.1	13.0 - 25.2	27,500	80.9	74.8 - 87.0	34,000
Kailua/ Waimanalo	12,200	24.1	16.1 - 32.0	38,400	75.9	68.0 - 83.9	50,600
Kaimuki/ Palolo/ Waikiki	11,700	20.7	14.0 - 27.5	44,600	79.3	72.5 - 86.0	56,300
Kona	7,100	23.3	16.7 - 29.8	23,500	76.7	70.2 - 83.3	30,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	5,900	17.0	11.2 - 22.7	29,100	83.0	77.3 - 88.8	35,000
Lanai	100	9.1	3.8 - 14.4	1,400	90.9	85.6 - 96.2	1,500
Lihue-Waimea	3,400	12.0	6.7 - 17.3	25,100	88.0	82.7 - 93.3	28,600
Manoa/ Upper Makiki	10,400	18.8	11.7 - 25.9	44,700	81.2	74.1 - 88.3	55,100
Mililani/ Wahiawa	13,500	18.9	13.4 - 24.5	57,800	81.1	75.5 - 86.6	71,300
Molokai	1,100	14.6	9.1 - 20.1	6,300	85.4	79.9 - 90.9	7,400
Nanakuli/ Waianae	10,700	25.5	13.4 - 37.7	31,100	74.5	62.3 - 86.6	41,700
N.Hawaii	4,600	18.3	11.6 - 24.9	20,700	81.7	75.1 - 88.4	25,400
N.Shore/ Laie	3,600	14.5	4.3 - 24.8	21,300	85.5	75.2 - 95.7	24,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	9,300	14.2	8.5 - 19.8	56,100	85.8	80.2 - 91.5	65,400
Puna/ Kau	7,800	18.4	13.5 - 23.4	34,600	81.6	76.6 - 86.5	42,400
Salt Lake/ Foster Village	6,600	19.0	10.9 - 27.1	28,000	81.0	72.9 - 89.1	34,600
Upcountry/ Hana	6,100	17.3	12.4 - 22.1	29,400	82.7	77.9 - 87.6	35,500
Waialae/ Kahala/ Hawaii Kai	4,700	12.5	6.9 - 18.1	32,400	87.5	81.9 - 93.1	37,100
Waipahu/ Kapolei/ Ewa	18,300	14.9	10.4 - 19.4	104,400	85.1	80.6 - 89.6	122,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	27,900	23.4	16.9 - 29.8	91,400	76.6	70.2 - 83.1	119,300
25-34	39,600	21.8	17.2 - 26.4	141,900	78.2	73.6 - 82.8	181,600
35-44	26,800	15.4	12.3 - 18.5	146,800	84.6	81.5 - 87.7	173,500
45-54	31,500	17.6	14.8 - 20.5	147,000	82.4	79.5 - 85.2	178,500
55-64	25,800	16.9	14.6 - 19.3	126,400	83.1	80.7 - 85.4	152,100
65-74	13,500	14.2	11.7 - 16.7	81,600	85.8	83.3 - 88.3	95,200
75+	10,800	10.8	8.4 - 13.2	88,900	89.2	86.8 - 91.6	99,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	45,400	14.5	12.6 - 16.4	268,100	85.5	83.6 - 87.4	313,500
Native Hawaiian	37,100	28.4	23.3 - 33.5	93,400	71.6	66.5 - 76.7	130,500
Chinese	12,500	21.7	15.3 - 28.2	45,100	78.3	71.8 - 84.7	57,600
Filipino	25,100	15.3	11.8 - 18.9	138,400	84.7	81.1 - 88.2	163,500
Japanese	37,800	16.2	13.3 - 19.1	195,800	83.8	80.9 - 86.7	233,600
Black	2,700	18.3	7.8 - 28.8	12,000	81.7	71.2 - 92.2	14,700
Other Asian	2,600	10.0	3.6 - 16.4	23,500	90.0	83.6 - 96.4	26,200
Other Pacific Islander	4,700	13.3	3.5 - 23.0	30,800	86.7	77.0 - 96.5	35,500
Other	7,000	31.0	17.2 - 44.8	15,600	69.0	55.2 - 82.8	22,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	78,400	15.6	13.5 - 17.8	423,000	84.4	82.2 - 86.5	501,500
Female	97,900	19.5	17.6 - 21.4	405,100	80.5	78.6 - 82.4	503,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,200	10.1	3.0 - 17.2	10,600	89.9	82.8 - 97.0	11,800
Grades 9 thru 11 (Some High School)	6,300	15.3	7.9 - 22.7	35,100	84.7	77.3 - 92.1	41,400
Grades 12 or GED (High School Grad)	53,900	18.5	15.7 - 21.4	237,100	81.5	78.6 - 84.3	291,000
College 1 to 3 years (Some College/ Tech)	56,200	19.7	16.6 - 22.7	229,100	80.3	77.3 - 83.4	285,300
College 4 years or more (College Grad)	58,700	15.7	13.7 - 17.6	315,500	84.3	82.4 - 86.3	374,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	106,300	17.8	16.0 - 19.7	489,400	82.2	80.3 - 84.0	595,700
Unemployed	11,100	15.8	10.2 - 21.4	59,100	84.2	78.6 - 89.8	70,200
Retired/Unable to work	33,200	15.4	13.4 - 17.4	182,800	84.6	82.6 - 86.6	216,000
Student/Homemaker	25,700	21.0	15.4 - 26.7	96,600	79.0	73.3 - 84.6	122,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,200	14.9	9.5 - 20.3	35,600	85.1	79.7 - 90.5	41,800
\$10,000 to \$14,999	5,700	20.4	11.4 - 29.4	22,400	79.6	70.6 - 88.6	28,100
\$15,000 to \$19,999	12,300	22.0	14.6 - 29.5	43,400	78.0	70.5 - 85.4	55,600
\$20,000 to \$24,999	12,300	18.5	12.5 - 24.5	54,000	81.5	75.5 - 87.5	66,200
\$25,000 to \$34,999	16,200	16.1	11.9 - 20.3	84,500	83.9	79.7 - 88.1	100,700
\$35,000 to \$49,999	26,500	18.7	14.8 - 22.6	115,100	81.3	77.4 - 85.2	141,500
\$50,000 to \$74,999	30,700	19.7	16.1 - 23.3	125,000	80.3	76.7 - 83.9	155,700
\$75,000 or more	47,800	15.2	12.9 - 17.5	267,100	84.8	82.5 - 87.1	314,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	47,100	20.0	16.5 - 23.6	187,700	80.0	76.4 - 83.5	234,800
131-185%	25,800	18.1	14.5 - 21.8	116,400	81.9	78.2 - 85.5	142,200
186+%	84,800	16.1	14.4 - 17.8	442,800	83.9	82.2 - 85.6	527,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	87,200	15.1	13.5 - 16.6	492,100	84.9	83.4 - 86.5	579,300
Unmarried Couple	8,300	23.8	14.0 - 33.6	26,500	76.2	66.4 - 86.0	34,800
Widowed	7,800	13.3	9.2 - 17.4	50,600	86.7	82.6 - 90.8	58,400
Other	73,100	22.0	18.8 - 25.2	258,800	78.0	74.8 - 81.2	331,900

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	88,200	14.9	13.4 - 16.4	504,000	85.1	83.6 - 86.6	592,200
No	87,600	21.3	18.6 - 24.1	323,100	78.7	75.9 - 81.4	410,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	165,600	17.7	16.3 - 19.2	769,100	82.3	80.8 - 83.7	934,600
No	10,800	15.8	8.3 - 23.4	57,300	84.2	76.6 - 91.7	68,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	169,400	16.9	15.5 - 18.3	833,100	83.1	81.7 - 84.5	1,002,500

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,800	17.3	14.8 - 19.8	114,000	82.7	80.2 - 85.2	137,800
Honolulu	123,100	17.5	15.6 - 19.3	582,300	82.5	80.7 - 84.4	705,400
Kauai	6,300	12.9	9.4 - 16.5	42,200	87.1	83.5 - 90.6	48,500
Maui	16,300	14.7	12.3 - 17.0	94,700	85.3	83.0 - 87.7	110,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,800	17.3	14.8 - 19.8	114,000	82.7	80.2 - 85.2	137,800
Kauai	6,300	12.9	9.4 - 16.5	42,200	87.1	83.5 - 90.6	48,500
Lanai	200	13.3	6.6 - 19.9	1,400	86.7	80.1 - 93.4	1,600
Maui	14,500	14.3	11.8 - 16.9	86,500	85.7	83.1 - 88.2	101,000
Molokai	1,600	19.0	12.7 - 25.2	6,700	81.0	74.8 - 87.3	8,300
Oahu	123,100	17.5	15.6 - 19.3	582,300	82.5	80.7 - 84.4	705,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	11,300	19.1	12.4 - 25.8	47,900	80.9	74.2 - 87.6	59,300
Ala Moana	5,200	18.8	9.5 - 28.1	22,300	81.2	71.9 - 90.5	27,500
Hanalei/ Kapaa	2,600	12.9	7.2 - 18.6	17,200	87.1	81.4 - 92.8	19,700
Hilo	6,600	16.5	12.0 - 21.0	33,500	83.5	79.0 - 88.0	40,100
Kaaawa/ Kahaluu/ Kaneohe	4,400	9.1	4.8 - 13.4	44,100	90.9	86.6 - 95.2	48,500
Kahului	5,300	14.8	10.7 - 19.0	30,700	85.2	81.0 - 89.3	36,100
Kailua/ Waimanalo	8,600	16.6	9.6 - 23.7	43,000	83.4	76.3 - 90.4	51,600
Kaimuki/ Palolo/ Waikiki	8,800	15.6	10.4 - 20.7	47,500	84.4	79.3 - 89.6	56,200
Kona	4,700	15.6	11.1 - 20.2	25,600	84.4	79.8 - 88.9	30,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	4,300	14.0	9.0 - 19.0	26,600	86.0	81.0 - 91.0	30,900
Lanai	200	13.3	6.6 - 19.9	1,400	86.7	80.1 - 93.4	1,600
Lihue-Waimea	3,700	13.0	8.5 - 17.5	25,000	87.0	82.5 - 91.5	28,700
Manoa/ Upper Makiki	6,700	14.7	8.0 - 21.5	39,000	85.3	78.5 - 92.0	45,700
Mililani/ Wahiawa	14,000	17.0	11.7 - 22.2	68,500	83.0	77.8 - 88.3	82,500
Molokai	1,600	19.0	12.7 - 25.2	6,700	81.0	74.8 - 87.3	8,300
Nanakuli/ Waianae	4,200	15.2	7.0 - 23.4	23,700	84.8	76.6 - 93.0	28,000
N.Hawaii	5,500	19.9	13.6 - 26.2	22,300	80.1	73.8 - 86.4	27,800
N.Shore/ Laie	3,800	20.3	9.2 - 31.5	15,100	79.7	68.5 - 90.8	18,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	16,000	21.1	13.8 - 28.3	60,100	78.9	71.7 - 86.2	76,100
Puna/ Kau	6,900	17.4	12.6 - 22.3	32,700	82.6	77.7 - 87.4	39,600
Salt Lake/ Foster Village	5,400	14.1	7.5 - 20.6	33,000	85.9	79.4 - 92.5	38,400
Upcountry/ Hana	4,800	14.1	10.0 - 18.2	29,300	85.9	81.8 - 90.0	34,100
Waialae/ Kahala/ Hawaii Kai	10,200	18.4	11.9 - 24.9	45,400	81.6	75.1 - 88.1	55,600
Waipahu/ Kapolei/ Ewa	24,400	20.9	15.8 - 25.9	92,700	79.1	74.1 - 84.2	117,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	37,200	30.8	23.9 - 37.7	83,500	69.2	62.3 - 76.1	120,700
25-34	27,800	15.6	11.9 - 19.3	150,500	84.4	80.7 - 88.1	178,400
35-44	25,600	14.5	11.7 - 17.3	150,700	85.5	82.7 - 88.3	176,200
45-54	30,000	16.6	14.0 - 19.1	151,100	83.4	80.9 - 86.0	181,000
55-64	26,600	17.3	14.6 - 19.9	127,300	82.7	80.1 - 85.4	153,800
65-74	11,200	12.2	9.6 - 14.8	80,500	87.8	85.2 - 90.4	91,700
75+	10,800	11.1	8.1 - 14.2	86,400	88.9	85.8 - 91.9	97,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	46,400	14.6	12.6 - 16.5	271,900	85.4	83.5 - 87.4	318,200
Native Hawaiian	32,600	26.5	21.8 - 31.2	90,300	73.5	68.8 - 78.2	122,800
Chinese	9,500	15.3	10.4 - 20.2	52,800	84.7	79.8 - 89.6	62,300
Filipino	26,500	15.9	12.2 - 19.7	139,600	84.1	80.3 - 87.8	166,000
Japanese	38,000	16.2	13.1 - 19.2	197,000	83.8	80.8 - 86.9	235,000
Black	2,000	12.2	2.8 - 21.6	14,000	87.8	78.4 - 97.2	16,000
Other Asian	4,600	19.2	10.0 - 28.4	19,400	80.8	71.6 - 90.0	24,000
Other Pacific Islander	3,000	9.8	1.7 - 18.0	27,800	90.2	82.0 - 98.3	30,800
Other	6,100	30.2	17.9 - 42.6	14,100	69.8	57.4 - 82.1	20,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	76,300	15.3	13.2 - 17.3	422,800	84.7	82.7 - 86.8	499,000
Female	93,200	18.5	16.6 - 20.4	410,400	81.5	79.6 - 83.4	503,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,900	13.8	2.0 - 25.6	11,900	86.2	74.4 - 98.0	13,900
Grades 9 thru 11 (Some High School)	9,700	25.7	16.3 - 35.0	28,000	74.3	65.0 - 83.7	37,700
Grades 12 or GED (High School Grad)	52,400	18.3	15.5 - 21.1	233,400	81.7	78.9 - 84.5	285,800
College 1 to 3 years (Some College/ Tech)	55,300	18.9	16.0 - 21.7	237,300	81.1	78.3 - 84.0	292,600
College 4 years or more (College Grad)	50,200	13.5	11.7 - 15.3	321,800	86.5	84.7 - 88.3	371,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	108,300	17.3	15.6 - 19.1	515,800	82.7	80.9 - 84.4	624,100
Unemployed	11,700	16.9	10.8 - 22.9	57,800	83.1	77.1 - 89.2	69,600
Retired/Unable to work	29,100	14.2	12.1 - 16.3	175,800	85.8	83.7 - 87.9	204,900
Student/Homemaker	20,300	19.8	14.2 - 25.3	82,600	80.2	74.7 - 85.8	102,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,200	19.0	11.4 - 26.6	22,000	81.0	73.4 - 88.6	27,200
\$10,000 to \$14,999	3,300	13.5	8.2 - 18.7	21,000	86.5	81.3 - 91.8	24,300
\$15,000 to \$19,999	10,000	20.6	14.1 - 27.2	38,500	79.4	72.8 - 85.9	48,500
\$20,000 to \$24,999	12,400	20.8	14.8 - 26.8	47,100	79.2	73.2 - 85.2	59,500
\$25,000 to \$34,999	15,500	15.7	11.5 - 19.9	83,200	84.3	80.1 - 88.5	98,700
\$35,000 to \$49,999	28,200	18.4	14.6 - 22.3	124,900	81.6	77.7 - 85.4	153,100
\$50,000 to \$74,999	29,800	16.7	13.5 - 19.9	148,700	83.3	80.1 - 86.5	178,500
\$75,000 or more	46,300	14.8	12.5 - 17.2	265,400	85.2	82.8 - 87.5	311,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	40,700	20.0	16.5 - 23.5	162,800	80.0	76.5 - 83.5	203,500
131-185%	28,300	19.0	15.0 - 22.9	120,900	81.0	77.1 - 85.0	149,100
186+%	81,600	14.9	13.2 - 16.5	467,200	85.1	83.5 - 86.8	548,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	86,000	14.7	13.2 - 16.1	500,500	85.3	83.9 - 86.8	586,500
Unmarried Couple	6,500	19.5	10.9 - 28.0	26,800	80.5	72.0 - 89.1	33,200
Widowed	8,100	13.7	9.5 - 17.9	51,300	86.3	82.1 - 90.5	59,400
Other	68,800	21.3	18.1 - 24.4	254,600	78.7	75.6 - 81.9	323,400

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	87,100	14.6	13.1 - 16.1	509,500	85.4	83.9 - 86.9	596,600
No	81,900	20.3	17.6 - 22.9	322,400	79.7	77.1 - 82.4	404,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	154,800	16.7	15.3 - 18.1	770,800	83.3	81.9 - 84.7	925,600
No	13,600	18.4	11.8 - 25.0	60,000	81.6	75.0 - 88.2	73,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	160,700	16.1	14.8 - 17.5	836,200	83.9	82.5 - 85.2	996,800

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	27,200	20.2	17.2 - 23.2	107,500	79.8	76.8 - 82.8	134,700
Honolulu	107,500	15.3	13.6 - 17.0	596,200	84.7	83.0 - 86.4	703,600
Kauai	8,300	17.1	12.9 - 21.4	40,300	82.9	78.6 - 87.1	48,600
Maui	17,700	16.1	13.1 - 19.1	92,200	83.9	80.9 - 86.9	109,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	27,200	20.2	17.2 - 23.2	107,500	79.8	76.8 - 82.8	134,700
Kauai	8,300	17.1	12.9 - 21.4	40,300	82.9	78.6 - 87.1	48,600
Lanai	300	14.4	8.9 - 19.9	1,800	85.6	80.1 - 91.1	2,100
Maui	16,000	16.0	12.8 - 19.3	84,000	84.0	80.7 - 87.2	100,100
Molokai	1,300	17.3	10.1 - 24.4	6,400	82.7	75.6 - 89.9	7,800
Oahu	107,500	15.3	13.6 - 17.0	596,200	84.7	83.0 - 86.4	703,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	8,200	12.7	8.1 - 17.4	56,100	87.3	82.6 - 91.9	64,300
Ala Moana	2,600	8.1	1.4 - 14.7	29,600	91.9	85.3 - 98.6	32,200
Hanalei/ Kapaa	3,200	16.0	9.1 - 22.9	16,600	84.0	77.1 - 90.9	19,800
Hilo	10,800	25.4	19.2 - 31.6	31,600	74.6	68.4 - 80.8	42,400
Kaaawa/ Kahaluu/ Kaneohe	8,800	18.0	10.4 - 25.6	39,900	82.0	74.4 - 89.6	48,700
Kahului	4,900	14.5	8.2 - 20.8	28,800	85.5	79.2 - 91.8	33,700
Kailua/ Waimanalo	11,000	21.9	14.9 - 28.8	39,400	78.1	71.2 - 85.1	50,400
Kaimuki/ Palolo/ Waikiki	7,300	12.4	7.5 - 17.3	51,400	87.6	82.7 - 92.5	58,700
Kona	4,500	16.4	11.4 - 21.3	23,100	83.6	78.7 - 88.6	27,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	6,100	17.7	12.5 - 23.0	28,100	82.3	77.0 - 87.5	34,200
Lanai	300	14.4	8.9 - 19.9	1,800	85.6	80.1 - 91.1	2,100
Lihue-Waimea	5,200	18.0	12.6 - 23.3	23,600	82.0	76.7 - 87.4	28,800
Manoa/ Upper Makiki	8,100	17.1	10.8 - 23.4	39,300	82.9	76.6 - 89.2	47,500
Mililani/ Wahiawa	13,200	18.3	12.7 - 23.9	58,900	81.7	76.1 - 87.3	72,100
Molokai	1,300	17.3	10.1 - 24.4	6,400	82.7	75.6 - 89.9	7,800
Nanakuli/ Waianae	8,400	23.2	13.9 - 32.4	28,000	76.8	67.6 - 86.1	36,500
N.Hawaii	6,300	22.6	15.3 - 30.0	21,600	77.4	70.0 - 84.7	28,000
N.Shore/ Laie	5,600	23.7	10.9 - 36.6	18,100	76.3	63.4 - 89.1	23,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	7,000	10.6	5.7 - 15.4	59,000	89.4	84.6 - 94.3	66,000
Puna/ Kau	5,600	15.2	10.5 - 19.9	31,200	84.8	80.1 - 89.5	36,700
Salt Lake/ Foster Village	3,600	9.7	3.3 - 16.0	33,300	90.3	84.0 - 96.7	36,900
Upcountry/ Hana	5,100	15.8	10.7 - 20.9	27,100	84.2	79.1 - 89.3	32,200
Waialae/ Kahala/ Hawaii Kai	3,800	8.4	4.8 - 12.1	41,700	91.6	87.9 - 95.2	45,500
Waipahu/ Kapolei/ Ewa	19,800	16.4	11.8 - 20.9	101,300	83.6	79.1 - 88.2	121,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	33,900	27.4	21.6 - 33.3	89,700	72.6	66.7 - 78.4	123,600
25-34	32,400	18.1	14.1 - 22.1	146,500	81.9	77.9 - 85.9	178,900
35-44	25,400	14.3	11.5 - 17.0	152,700	85.7	83.0 - 88.5	178,100
45-54	27,000	15.4	12.9 - 17.8	148,900	84.6	82.2 - 87.1	175,900
55-64	22,700	15.2	12.6 - 17.8	126,700	84.8	82.2 - 87.4	149,400
65-74	11,100	12.4	9.6 - 15.3	78,400	87.6	84.7 - 90.4	89,500
75+	7,500	7.9	5.5 - 10.3	87,300	92.1	89.7 - 94.5	94,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	49,100	14.9	12.9 - 16.9	280,000	85.1	83.1 - 87.1	329,100
Native Hawaiian	34,900	25.3	20.8 - 29.8	102,900	74.7	70.2 - 79.2	137,800
Chinese	12,900	19.4	13.3 - 25.6	53,600	80.6	74.4 - 86.7	66,500
Filipino	18,000	12.5	9.1 - 15.9	125,500	87.5	84.1 - 90.9	143,400
Japanese	30,700	13.5	11.0 - 16.1	196,400	86.5	83.9 - 89.0	227,100
Black	1,600	11.7	4.1 - 19.3	12,200	88.3	80.7 - 95.9	13,800
Other Asian	3,300	13.5	4.6 - 22.4	21,300	86.5	77.6 - 95.4	24,600
Other Pacific Islander	1,700	7.2	0.0 - 14.3	22,200	92.8	85.7 - 100.0	24,000
Other	5,900	28.3	16.0 - 40.6	15,000	71.7	59.4 - 84.0	21,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	76,600	15.5	13.5 - 17.6	416,300	84.5	82.4 - 86.5	492,900
Female	84,100	16.7	15.0 - 18.4	419,800	83.3	81.6 - 85.0	503,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,300	13.2	1.8 - 24.6	8,300	86.8	75.4 - 98.2	9,600
Grades 9 thru 11 (Some High School)	8,500	21.5	14.0 - 29.0	31,000	78.5	71.0 - 86.0	39,400
Grades 12 or GED (High School Grad)	51,300	17.5	14.8 - 20.2	241,700	82.5	79.8 - 85.2	293,000
College 1 to 3 years (Some College/ Tech)	46,900	16.4	13.8 - 19.0	238,700	83.6	81.0 - 86.2	285,500
College 4 years or more (College Grad)	52,800	14.3	12.5 - 16.2	315,300	85.7	83.8 - 87.5	368,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	98,100	15.6	13.9 - 17.2	532,100	84.4	82.8 - 86.1	630,200
Unemployed	11,500	26.1	17.3 - 35.0	32,400	73.9	65.0 - 82.7	43,800
Retired/Unable to work	29,700	13.2	11.0 - 15.3	196,100	86.8	84.7 - 89.0	225,800
Student/Homemaker	21,400	22.5	17.0 - 28.1	73,700	77.5	71.9 - 83.0	95,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	7,000	28.5	18.9 - 38.1	17,600	71.5	61.9 - 81.1	24,700
\$10,000 to \$14,999	5,200	23.4	14.3 - 32.6	16,900	76.6	67.4 - 85.7	22,100
\$15,000 to \$19,999	5,900	14.3	8.1 - 20.5	35,200	85.7	79.5 - 91.9	41,100
\$20,000 to \$24,999	7,900	14.2	8.8 - 19.6	48,000	85.8	80.4 - 91.2	55,900
\$25,000 to \$34,999	13,600	13.4	10.1 - 16.8	87,800	86.6	83.2 - 89.9	101,500
\$35,000 to \$49,999	27,200	18.4	14.8 - 22.1	120,100	81.6	77.9 - 85.2	147,200
\$50,000 to \$74,999	31,000	16.6	13.5 - 19.7	155,900	83.4	80.3 - 86.5	186,900
\$75,000 or more	46,500	14.5	12.3 - 16.7	273,800	85.5	83.3 - 87.7	320,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	32,600	18.1	14.7 - 21.5	147,300	81.9	78.5 - 85.3	179,900
131-185%	23,300	19.7	15.0 - 24.4	95,000	80.3	75.6 - 85.0	118,200
186+%	88,400	14.7	13.2 - 16.2	512,700	85.3	83.8 - 86.8	601,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	79,500	13.5	12.0 - 15.0	507,900	86.5	85.0 - 88.0	587,500
Unmarried Couple	7,000	25.8	16.9 - 34.8	20,000	74.2	65.2 - 83.1	27,000
Widowed	8,100	14.1	9.9 - 18.3	49,600	85.9	81.7 - 90.1	57,700
Other	66,100	20.3	17.5 - 23.2	258,600	79.7	76.8 - 82.5	324,700

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	82,200	13.7	12.2 - 15.2	516,700	86.3	84.8 - 87.8	598,900
No	78,300	19.8	17.4 - 22.3	317,100	80.2	77.7 - 82.6	395,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	149,400	16.0	14.7 - 17.4	783,200	84.0	82.6 - 85.3	932,500
No	10,800	17.3	11.2 - 23.4	51,800	82.7	76.6 - 88.8	62,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	136,700	13.9	12.7 - 15.2	844,800	86.1	84.8 - 87.3	981,400

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,300	14.3	12.0 - 16.5	110,200	85.7	83.5 - 88.0	128,500
Honolulu	94,000	13.5	11.8 - 15.1	604,100	86.5	84.9 - 88.2	698,100
Kauai	7,100	15.0	11.3 - 18.6	40,100	85.0	81.4 - 88.7	47,200
Maui	17,300	16.1	13.4 - 18.7	90,300	83.9	81.3 - 86.6	107,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,300	14.3	12.0 - 16.5	110,200	85.7	83.5 - 88.0	128,500
Kauai	7,100	15.0	11.3 - 18.6	40,100	85.0	81.4 - 88.7	47,200
Lanai	300	18.3	11.5 - 25.1	1,500	81.7	74.9 - 88.5	1,900
Maui	15,400	15.8	12.9 - 18.7	82,200	84.2	81.3 - 87.1	97,500
Molokai	1,500	18.9	12.5 - 25.3	6,600	81.1	74.7 - 87.5	8,100
Oahu	94,000	13.5	11.8 - 15.1	604,100	86.5	84.9 - 88.2	698,100

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	11,400	16.9	10.5 - 23.2	56,000	83.1	76.8 - 89.5	67,400
Ala Moana	2,000	6.8	2.3 - 11.3	27,100	93.2	88.7 - 97.7	29,100
Hanalei/ Kapaa	3,400	17.0	11.0 - 23.0	16,700	83.0	77.0 - 89.0	20,100
Hilo	4,300	11.8	8.2 - 15.5	32,100	88.2	84.5 - 91.8	36,400
Kaaawa/ Kahaluu/ Kaneohe	6,800	14.0	8.5 - 19.5	41,700	86.0	80.5 - 91.5	48,400
Kahului	5,100	15.7	11.0 - 20.4	27,300	84.3	79.6 - 89.0	32,400
Kailua/ Waimanalo	9,200	17.4	10.7 - 24.1	43,600	82.6	75.9 - 89.3	52,700
Kaimuki/ Palolo/ Waikiki	4,600	8.2	4.1 - 12.4	51,100	91.8	87.6 - 95.9	55,700
Kona	3,700	13.7	9.4 - 18.0	23,600	86.3	82.0 - 90.6	27,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	4,200	13.5	8.8 - 18.2	26,600	86.5	81.8 - 91.2	30,800
Lanai	300	18.3	11.5 - 25.1	1,500	81.7	74.9 - 88.5	1,900
Lihue-Waimea	3,700	13.5	8.9 - 18.0	23,500	86.5	82.0 - 91.1	27,100
Manoa/ Upper Makiki	6,300	13.8	9.2 - 18.3	39,400	86.2	81.7 - 90.8	45,700
Mililani/ Wahiawa	9,600	13.0	8.4 - 17.6	64,200	87.0	82.4 - 91.6	73,800
Molokai	1,500	18.9	12.5 - 25.3	6,600	81.1	74.7 - 87.5	8,100
Nanakuli/ Waianae	6,300	16.0	8.0 - 24.0	33,200	84.0	76.0 - 92.0	39,500
N.Hawaii	4,700	16.6	10.7 - 22.6	23,800	83.4	77.4 - 89.3	28,500
N.Shore/ Laie	3,800	16.9	9.1 - 24.6	18,700	83.1	75.4 - 90.9	22,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	8,100	12.1	6.4 - 17.7	59,100	87.9	82.3 - 93.6	67,200
Puna/ Kau	5,500	15.2	10.8 - 19.7	30,700	84.8	80.3 - 89.2	36,300
Salt Lake/ Foster Village	3,800	13.2	6.1 - 20.4	24,900	86.8	79.6 - 93.9	28,700
Upcountry/ Hana	6,100	17.9	12.4 - 23.3	28,200	82.1	76.7 - 87.6	34,400
Waialae/ Kahala/ Hawaii Kai	4,500	11.8	5.3 - 18.2	34,000	88.2	81.8 - 94.7	38,600
Waipahu/ Kapolei/ Ewa	17,700	13.7	9.5 - 18.0	111,200	86.3	82.0 - 90.5	128,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	28,500	23.1	16.9 - 29.2	95,000	76.9	70.8 - 83.1	123,400
25-34	20,700	13.0	10.0 - 16.1	138,000	87.0	83.9 - 90.0	158,600
35-44	20,500	11.7	9.2 - 14.2	154,200	88.3	85.8 - 90.8	174,700
45-54	25,900	14.0	11.5 - 16.5	159,500	86.0	83.5 - 88.5	185,500
55-64	23,100	14.9	12.5 - 17.3	131,900	85.1	82.7 - 87.5	155,000
65-74	8,200	9.9	7.4 - 12.3	75,400	90.1	87.7 - 92.6	83,600
75+	8,900	9.2	6.6 - 11.8	87,700	90.8	88.2 - 93.4	96,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	38,100	12.2	10.4 - 13.9	274,500	87.8	86.1 - 89.6	312,500
Native Hawaiian	31,300	23.4	19.2 - 27.5	102,700	76.6	72.5 - 80.8	134,000
Chinese	5,700	10.3	6.2 - 14.4	49,100	89.7	85.6 - 93.8	54,800
Filipino	22,900	13.2	9.5 - 17.0	150,000	86.8	83.0 - 90.5	172,900
Japanese	27,500	12.8	10.4 - 15.2	186,700	87.2	84.8 - 89.6	214,200
Black	1,800	10.9	1.2 - 20.7	14,400	89.1	79.3 - 98.8	16,200
Other Asian	1,000	4.4	0.8 - 8.1	20,700	95.6	91.9 - 99.2	21,700
Other Pacific Islander	2,400	10.5	3.6 - 17.3	20,300	89.5	82.7 - 96.4	22,700
Other	5,000	22.3	11.5 - 33.0	17,500	77.7	67.0 - 88.5	22,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	62,100	12.8	10.8 - 14.8	422,000	87.2	85.2 - 89.2	484,100
Female	74,600	15.0	13.5 - 16.5	422,800	85.0	83.5 - 86.5	497,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	7.2	2.5 - 11.9	14,400	92.8	88.1 - 97.5	15,500
Grades 9 thru 11 (Some High School)	7,100	19.0	11.8 - 26.2	30,400	81.0	73.8 - 88.2	37,600
Grades 12 or GED (High School Grad)	45,700	14.8	12.2 - 17.3	263,600	85.2	82.7 - 87.8	309,300
College 1 to 3 years (Some College/ Tech)	42,200	14.7	12.3 - 17.0	245,300	85.3	83.0 - 87.7	287,500
College 4 years or more (College Grad)	40,600	12.3	10.5 - 14.1	289,400	87.7	85.9 - 89.5	329,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	87,600	13.8	12.2 - 15.4	546,100	86.2	84.6 - 87.8	633,700
Unemployed	7,900	24.5	14.1 - 34.9	24,200	75.5	65.1 - 85.9	32,100
Retired/Unable to work	25,300	11.1	9.3 - 12.9	201,900	88.9	87.1 - 90.7	227,200
Student/Homemaker	15,800	17.9	12.8 - 23.0	72,200	82.1	77.0 - 87.2	88,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,300	15.3	7.8 - 22.8	23,900	84.7	77.2 - 92.2	28,200
\$10,000 to \$14,999	4,300	14.4	7.5 - 21.2	25,900	85.6	78.8 - 92.5	30,200
\$15,000 to \$19,999	7,900	17.7	11.8 - 23.5	36,700	82.3	76.5 - 88.2	44,600
\$20,000 to \$24,999	10,400	17.3	11.1 - 23.5	49,500	82.7	76.5 - 88.9	59,900
\$25,000 to \$34,999	14,700	13.0	9.5 - 16.5	98,200	87.0	83.5 - 90.5	112,800
\$35,000 to \$49,999	24,500	14.8	11.7 - 18.0	140,800	85.2	82.0 - 88.3	165,400
\$50,000 to \$74,999	22,900	13.5	10.5 - 16.5	146,700	86.5	83.5 - 89.5	169,600
\$75,000 or more	35,500	12.5	10.5 - 14.4	249,400	87.5	85.6 - 89.5	284,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	31,800	15.8	12.7 - 19.0	169,200	84.2	81.0 - 87.3	201,100
131-185%	19,000	16.3	11.9 - 20.8	97,300	83.7	79.2 - 88.1	116,300
186+%	73,700	12.7	11.4 - 14.1	504,600	87.3	85.9 - 88.6	578,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	71,100	12.2	10.8 - 13.5	513,700	87.8	86.5 - 89.2	584,700
Unmarried Couple	6,700	24.9	14.7 - 35.2	20,100	75.1	64.8 - 85.3	26,800
Widowed	7,200	12.4	8.9 - 15.9	50,900	87.6	84.1 - 91.1	58,100
Other	51,700	16.6	13.8 - 19.4	260,100	83.4	80.6 - 86.2	311,800

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	73,000	12.3	10.9 - 13.6	521,600	87.7	86.4 - 89.1	594,500
No	63,600	16.5	14.1 - 18.9	322,200	83.5	81.1 - 85.9	385,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	124,900	13.5	12.3 - 14.8	796,800	86.5	85.2 - 87.7	921,700
No	11,800	20.1	12.4 - 27.7	47,000	79.9	72.3 - 87.6	58,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	154,900	15.9	14.6 - 17.2	818,900	84.1	82.8 - 85.4	973,800

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	15.3	13.0 - 17.7	102,700	84.7	82.3 - 87.0	121,300
Honolulu	113,100	16.2	14.5 - 17.9	585,600	83.8	82.1 - 85.5	698,800
Kauai	7,400	15.7	11.6 - 19.8	39,900	84.3	80.2 - 88.4	47,300
Maui	15,800	14.8	12.2 - 17.4	90,700	85.2	82.6 - 87.8	106,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	15.3	13.0 - 17.7	102,700	84.7	82.3 - 87.0	121,300
Kauai	7,400	15.7	11.6 - 19.8	39,900	84.3	80.2 - 88.4	47,300
Lanai	300	14.1	8.5 - 19.7	2,100	85.9	80.3 - 91.5	2,400
Maui	14,500	14.8	12.0 - 17.6	83,000	85.2	82.4 - 88.0	97,500
Molokai	1,000	15.0	8.6 - 21.4	5,600	85.0	78.6 - 91.4	6,600
Oahu	113,100	16.2	14.5 - 17.9	585,600	83.8	82.1 - 85.5	698,800

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	8,600	12.9	7.6 - 18.3	57,800	87.1	81.7 - 92.4	66,400
Ala Moana	6,200	18.8	12.1 - 25.6	26,900	81.2	74.4 - 87.9	33,200
Hanalei/ Kapaa	2,300	11.2	7.2 - 15.3	18,000	88.8	84.7 - 92.8	20,300
Hilo	6,400	18.5	13.7 - 23.2	28,300	81.5	76.8 - 86.3	34,700
Kaaawa/ Kahaluu/ Kaneohe	8,000	16.5	10.1 - 23.0	40,300	83.5	77.0 - 89.9	48,200
Kahului	4,600	13.9	9.4 - 18.4	28,300	86.1	81.6 - 90.6	32,800
Kailua/ Waimanalo	8,100	16.5	10.6 - 22.4	41,300	83.5	77.6 - 89.4	49,500
Kaimuki/ Palolo/ Waikiki	7,000	12.2	7.5 - 16.9	50,400	87.8	83.1 - 92.5	57,400
Kona	3,000	10.3	6.7 - 13.9	26,500	89.7	86.1 - 93.3	29,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	5,500	16.7	11.6 - 21.8	27,200	83.3	78.2 - 88.4	32,700
Lanai	300	14.1	8.5 - 19.7	2,100	85.9	80.3 - 91.5	2,400
Lihue-Waimea	5,100	19.0	12.6 - 25.4	21,900	81.0	74.6 - 87.4	27,000
Manoa/ Upper Makiki	6,700	14.0	8.7 - 19.3	41,300	86.0	80.7 - 91.3	48,000
Mililani/ Wahiawa	12,800	19.4	13.9 - 24.9	53,100	80.6	75.1 - 86.1	65,900
Molokai	1,000	15.0	8.6 - 21.4	5,600	85.0	78.6 - 91.4	6,600
Nanakuli/ Waianae	6,800	24.1	14.7 - 33.5	21,400	75.9	66.5 - 85.3	28,200
N.Hawaii	4,800	18.8	12.6 - 25.0	20,800	81.2	75.0 - 87.4	25,600
N.Shore/ Laie	3,200	13.4	6.2 - 20.5	21,100	86.7	79.5 - 93.8	24,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	10,600	14.3	8.6 - 20.0	63,700	85.7	80.0 - 91.4	74,300
Puna/ Kau	4,300	13.8	9.5 - 18.0	27,100	86.2	82.0 - 90.5	31,500
Salt Lake/ Foster Village	7,800	21.2	12.0 - 30.4	28,900	78.8	69.6 - 88.0	36,600
Upcountry/ Hana	4,400	13.8	9.1 - 18.6	27,500	86.2	81.4 - 90.9	31,900
Waialae/ Kahala/ Hawaii Kai	6,000	14.0	8.4 - 19.7	36,800	86.0	80.3 - 91.6	42,800
Waipahu/ Kapolei/ Ewa	21,300	17.2	12.5 - 21.8	102,700	82.8	78.2 - 87.5	124,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	27,400	22.3	16.6 - 28.0	95,300	77.7	72.0 - 83.4	122,700
25-34	32,400	20.0	16.2 - 23.9	129,200	80.0	76.1 - 83.8	161,600
35-44	25,500	14.4	11.7 - 17.0	151,900	85.6	83.0 - 88.3	177,400
45-54	26,600	14.8	12.2 - 17.4	153,100	85.2	82.6 - 87.8	179,700
55-64	25,500	17.3	14.3 - 20.3	121,800	82.7	79.7 - 85.7	147,300
65-74	9,900	11.8	9.2 - 14.4	73,400	88.2	85.6 - 90.8	83,300
75+	6,500	6.9	5.0 - 8.8	87,200	93.1	91.2 - 95.0	93,700

DOH Race-Ethnicity	Yes	No	Estimated Population
--------------------	-----	----	----------------------

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	50,300	15.7	13.7 - 17.7	269,600	84.3	82.3 - 86.3	319,900
Native Hawaiian	27,100	22.5	18.5 - 26.5	93,400	77.5	73.5 - 81.5	120,400
Chinese	7,400	15.9	10.2 - 21.7	39,000	84.1	78.3 - 89.8	46,400
Filipino	23,900	15.4	11.4 - 19.4	131,100	84.6	80.6 - 88.6	155,000
Japanese	27,200	13.1	10.5 - 15.6	180,400	86.9	84.4 - 89.5	207,500
Black	1,700	11.5	2.2 - 20.9	12,800	88.5	79.1 - 97.8	14,500
Other Asian	1,400	5.0	0.9 - 9.2	27,200	95.0	90.8 - 99.1	28,700
Other Pacific Islander	3,000	11.6	3.2 - 20.1	22,600	88.4	79.9 - 96.8	25,500
Mixed Ethnicity	4,600	19.1	10.7 - 27.4	19,600	80.9	72.6 - 89.3	24,300
Other	6,900	32.0	18.7 - 45.3	14,600	68.0	54.7 - 81.3	21,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	66,300	13.8	11.8 - 15.8	414,700	86.2	84.2 - 88.2	481,100
Female	88,600	18.0	16.3 - 19.7	404,200	82.0	80.3 - 83.7	492,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,600	10.0	3.6 - 16.5	14,600	90.0	83.5 - 96.4	16,200
Grades 9 thru 11 (Some High School)	6,700	16.5	9.6 - 23.3	33,900	83.5	76.7 - 90.4	40,600
Grades 12 or GED (High School Grad)	46,600	16.0	13.4 - 18.7	244,100	84.0	81.3 - 86.6	290,800
College 1 to 3 years (Some College/ Tech)	49,100	17.4	14.9 - 20.0	232,600	82.6	80.0 - 85.1	281,700
College 4 years or more (College Grad)	50,700	14.8	12.9 - 16.6	292,800	85.2	83.4 - 87.1	343,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	101,200	16.2	14.5 - 17.8	525,600	83.8	82.2 - 85.5	626,900
Unemployed	9,900	28.0	18.6 - 37.3	25,600	72.0	62.7 - 81.4	35,500
Retired/Unable to work	26,800	12.2	10.3 - 14.1	192,700	87.8	85.9 - 89.7	219,400
Student/Homemaker	16,800	18.6	13.5 - 23.6	73,600	81.4	76.4 - 86.5	90,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,500	17.2	11.4 - 23.0	21,700	82.8	77.0 - 88.6	26,200
\$10,000 to \$14,999	3,700	14.3	8.6 - 20.0	22,100	85.7	80.0 - 91.4	25,700
\$15,000 to \$19,999	6,400	14.5	10.1 - 19.0	37,600	85.5	81.0 - 89.9	44,000
\$20,000 to \$24,999	10,800	16.4	11.2 - 21.7	55,000	83.6	78.3 - 88.8	65,800
\$25,000 to \$34,999	17,400	16.4	12.2 - 20.7	88,500	83.6	79.3 - 87.8	106,000
\$35,000 to \$49,999	24,500	18.4	14.6 - 22.2	108,700	81.6	77.8 - 85.4	133,100
\$50,000 to \$74,999	20,200	13.0	10.3 - 15.6	135,600	87.0	84.4 - 89.7	155,800
\$75,000 or more	34,400	14.2	11.8 - 16.6	207,800	85.8	83.4 - 88.2	242,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	29,900	17.1	13.8 - 20.4	144,800	82.9	79.6 - 86.2	174,700
131-185%	23,000	20.0	15.5 - 24.5	91,900	80.0	75.5 - 84.5	114,900
186+%	69,000	13.5	12.1 - 15.0	440,400	86.5	85.0 - 87.9	509,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	87,100	15.1	13.5 - 16.7	489,400	84.9	83.3 - 86.5	576,500
Unmarried Couple	7,200	22.4	12.2 - 32.6	24,900	77.6	67.4 - 87.8	32,000
Widowed	6,700	12.2	9.2 - 15.2	48,200	87.8	84.8 - 90.8	54,900
Other	54,000	17.4	14.8 - 20.0	256,400	82.6	80.0 - 85.2	310,400

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	89,400	15.2	13.7 - 16.8	497,200	84.8	83.2 - 86.3	586,500
No	65,200	16.9	14.7 - 19.2	320,400	83.1	80.8 - 85.3	385,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	142,700	16.0	14.7 - 17.4	747,600	84.0	82.6 - 85.3	890,200
No	11,800	14.6	9.9 - 19.2	68,800	85.4	80.8 - 90.1	80,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	137,600	14.1	12.9 - 15.3	836,000	85.9	84.7 - 87.1	973,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	15.3	13.0 - 17.7	102,100	84.7	82.3 - 87.0	120,600
Honolulu	94,000	13.4	11.9 - 14.9	608,700	86.6	85.1 - 88.1	702,600
Kauai	8,900	19.3	15.1 - 23.5	37,300	80.7	76.5 - 84.9	46,200
Maui	16,300	15.6	12.6 - 18.6	88,000	84.4	81.4 - 87.4	104,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	15.3	13.0 - 17.7	102,100	84.7	82.3 - 87.0	120,600
Kauai	8,900	19.3	15.1 - 23.5	37,300	80.7	76.5 - 84.9	46,200
Lanai	300	11.8	3.8 - 19.9	2,200	88.2	80.1 - 96.2	2,500
Maui	15,200	15.7	12.5 - 18.9	81,200	84.3	81.1 - 87.5	96,400
Molokai	800	15.1	8.8 - 21.4	4,600	84.9	78.6 - 91.2	5,400
Oahu	94,000	13.4	11.9 - 14.9	608,700	86.6	85.1 - 88.1	702,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,200	10.2	6.1 - 14.3	63,400	89.8	85.7 - 93.9	70,600
Ala Moana	3,900	11.8	6.5 - 17.2	29,300	88.2	82.8 - 93.5	33,300
Hanalei/ Kapaa	3,100	16.2	10.9 - 21.4	16,100	83.8	78.6 - 89.1	19,200
Hilo	5,300	14.7	10.7 - 18.8	30,400	85.3	81.2 - 89.3	35,600
Kaaawa/ Kahaluu/ Kaneohe	9,300	17.6	11.9 - 23.3	43,500	82.4	76.7 - 88.1	52,900
Kahului	4,900	14.5	9.7 - 19.2	29,100	85.5	80.8 - 90.3	34,000
Kailua/ Waimanalo	8,200	16.8	10.0 - 23.5	40,600	83.2	76.5 - 90.0	48,800
Kaimuki/ Palolo/ Waikiki	9,400	14.3	9.6 - 18.9	56,700	85.7	81.1 - 90.4	66,100
Kona	5,100	17.6	12.4 - 22.8	24,100	82.4	77.2 - 87.6	29,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	4,500	14.2	9.7 - 18.8	27,200	85.8	81.2 - 90.3	31,800
Lanai	300	11.8	3.8 - 19.9	2,200	88.2	80.1 - 96.2	2,500
Lihue-Waimea	5,800	21.5	15.4 - 27.5	21,200	78.5	72.5 - 84.6	27,000
Manoa/ Upper Makiki	5,900	13.7	7.5 - 19.8	37,500	86.3	80.2 - 92.5	43,400
Mililani/ Wahiawa	7,800	10.9	7.2 - 14.5	64,200	89.1	85.5 - 92.8	72,100
Molokai	800	15.1	8.8 - 21.4	4,600	84.9	78.6 - 91.2	5,400
Nanakuli/ Waianae	4,900	14.8	6.3 - 23.3	28,100	85.2	76.7 - 93.7	33,000
N.Hawaii	3,100	12.4	8.7 - 16.0	21,700	87.6	84.0 - 91.3	24,800
N.Shore/ Laie	5,100	25.4	14.4 - 36.4	15,100	74.6	63.6 - 85.6	20,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	8,300	12.0	6.6 - 17.4	61,100	88.0	82.6 - 93.4	69,400
Puna/ Kau	5,000	16.3	10.8 - 21.8	25,900	83.7	78.2 - 89.2	30,900
Salt Lake/ Foster Village	3,500	10.5	3.9 - 17.1	29,400	89.5	82.9 - 96.1	32,900
Upcountry/ Hana	5,700	18.7	11.7 - 25.7	24,900	81.3	74.3 - 88.3	30,600
Waialae/ Kahala/ Hawaii Kai	4,200	9.8	4.6 - 14.9	39,000	90.2	85.1 - 95.4	43,300
Waipahu/ Kapolei/ Ewa	16,100	13.8	10.0 - 17.5	100,600	86.2	82.5 - 90.0	116,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	22,700	18.9	13.9 - 23.9	97,600	81.1	76.1 - 86.1	120,300
25-34	29,300	17.5	14.0 - 20.9	138,500	82.5	79.1 - 86.0	167,800
35-44	21,300	11.7	9.5 - 13.9	161,100	88.3	86.1 - 90.5	182,400
45-54	24,600	13.5	11.2 - 15.9	157,600	86.5	84.1 - 88.8	182,200
55-64	21,000	14.9	12.0 - 17.8	120,000	85.1	82.2 - 88.0	141,000
65-74	10,200	11.9	9.0 - 14.7	75,700	88.1	85.3 - 91.0	85,900
75+	7,500	8.6	5.9 - 11.2	80,600	91.4	88.8 - 94.1	88,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	42,300	13.0	11.1 - 14.9	283,800	87.0	85.1 - 88.9	326,100
Native Hawaiian	27,200	23.2	19.1 - 27.2	90,200	76.8	72.8 - 80.9	117,400
Chinese	7,000	12.5	7.8 - 17.3	48,500	87.5	82.7 - 92.2	55,400
Filipino	23,300	14.8	11.3 - 18.4	133,400	85.2	81.6 - 88.7	156,600
Japanese	25,600	12.2	9.8 - 14.5	184,900	87.8	85.5 - 90.2	210,500
Black	1,400	7.0	2.1 - 11.8	18,400	93.0	88.2 - 97.9	19,700
Other Asian	700	3.4	0.5 - 6.3	19,600	96.6	93.7 - 99.5	20,200
Other Pacific Islander	3,600	14.0	6.6 - 21.5	22,000	86.0	78.5 - 93.4	25,600
Other	4,300	13.1	7.4 - 18.8	28,300	86.9	81.2 - 92.6	32,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	56,800	11.7	10.0 - 13.5	426,900	88.3	86.5 - 90.0	483,700
Female	80,800	16.5	14.9 - 18.0	409,200	83.5	82.0 - 85.1	489,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,800	18.3	7.6 - 29.0	16,800	81.7	71.0 - 92.4	20,600
Grades 9 thru 11 (Some High School)	6,500	16.5	10.5 - 22.5	33,100	83.5	77.5 - 89.5	39,600
Grades 12 or GED (High School Grad)	41,100	14.8	12.5 - 17.1	237,500	85.2	82.9 - 87.5	278,600
College 1 to 3 years (Some College/ Tech)	41,300	14.6	12.4 - 16.8	241,200	85.4	83.2 - 87.6	282,500
College 4 years or more (College Grad)	44,500	12.7	10.8 - 14.6	305,400	87.3	85.4 - 89.2	349,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	91,900	14.6	13.1 - 16.2	536,000	85.4	83.8 - 86.9	627,900
Unemployed	2,900	15.9	7.1 - 24.8	15,300	84.1	75.2 - 92.9	18,200
Retired/Unable to work	30,100	13.1	10.9 - 15.2	200,100	86.9	84.8 - 89.1	230,200
Student/Homemaker	12,400	13.1	9.4 - 16.8	82,300	86.9	83.2 - 90.6	94,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,000	14.5	8.6 - 20.4	23,500	85.5	79.6 - 91.4	27,500
\$10,000 to \$14,999	4,500	16.1	10.2 - 21.9	23,500	83.9	78.1 - 89.8	28,000
\$15,000 to \$19,999	6,900	13.6	9.2 - 17.9	43,800	86.4	82.1 - 90.8	50,700
\$20,000 to \$24,999	8,900	14.5	10.0 - 19.0	52,500	85.5	81.0 - 90.0	61,400
\$25,000 to \$34,999	12,100	12.0	8.8 - 15.1	88,600	88.0	84.9 - 91.2	100,700
\$35,000 to \$49,999	23,600	15.5	12.5 - 18.4	128,800	84.5	81.6 - 87.5	152,400
\$50,000 to \$74,999	26,000	14.2	11.2 - 17.3	156,400	85.8	82.7 - 88.8	182,300
\$75,000 or more	31,800	13.8	11.5 - 16.1	198,800	86.2	83.9 - 88.5	230,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	23,900	14.3	11.6 - 16.9	143,500	85.7	83.1 - 88.4	167,400
131-185%	14,200	15.4	10.8 - 20.0	78,200	84.6	80.0 - 89.2	92,500
186+%	79,600	13.9	12.4 - 15.3	494,300	86.1	84.7 - 87.6	573,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	74,200	12.7	11.4 - 14.1	507,800	87.3	85.9 - 88.6	581,900
Unmarried Couple	7,200	27.6	16.4 - 38.7	18,900	72.4	61.3 - 83.6	26,100
Widowed	6,900	11.9	8.6 - 15.2	51,000	88.1	84.8 - 91.4	57,900
Other	49,400	16.0	13.6 - 18.5	258,300	84.0	81.5 - 86.4	307,700

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	76,300	12.9	11.5 - 14.2	517,100	87.1	85.8 - 88.5	593,400
No	60,900	16.1	13.9 - 18.3	317,600	83.9	81.7 - 86.1	378,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	125,300	14.0	12.8 - 15.2	770,500	86.0	84.8 - 87.2	895,800
No	12,300	16.2	11.2 - 21.1	63,800	83.8	78.9 - 88.8	76,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	132,300	14.6	12.3 - 16.8	776,300	85.4	83.2 - 87.7	908,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,200	14.0	10.3 - 17.6	112,000	86.0	82.4 - 89.7	130,200
Honolulu	92,700	14.5	11.5 - 17.5	547,500	85.5	82.5 - 88.5	640,300
Kauai	6,500	16.0	11.0 - 21.1	34,100	84.0	78.9 - 89.0	40,600
Maui	14,900	15.3	9.8 - 20.7	82,700	84.7	79.3 - 90.2	97,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,200	14.0	10.3 - 17.6	112,000	86.0	82.4 - 89.7	130,200
Kauai	6,500	16.0	11.0 - 21.1	34,100	84.0	78.9 - 89.0	40,600
Lanai	200	13.2	3.5 - 22.8	1,100	86.8	77.2 - 96.5	1,300
Maui	14,500	16.1	10.2 - 21.9	75,900	83.9	78.1 - 89.8	90,400
Molokai	200	3.6	0.0 - 8.7	5,700	96.4	91.3 - 100.0	5,900
Oahu	92,700	14.5	11.5 - 17.5	547,500	85.5	82.5 - 88.5	640,300

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,300	10.2	2.3 - 18.2	55,500	89.8	81.8 - 97.7	61,800
Ala Moana	3,400	11.0	3.3 - 18.8	27,400	89.0	81.2 - 96.7	30,800
Hanalei/ Kapaa	3,100	19.3	10.5 - 28.0	13,200	80.7	72.0 - 89.5	16,300
Hilo	4,400	13.0	7.1 - 19.0	29,400	87.0	81.0 - 92.9	33,800
Kaaawa/ Kahaluu/ Kaneohe	9,900	23.2	11.4 - 35.1	32,500	76.8	64.9 - 88.6	42,400
Kahului	4,700	14.9	7.0 - 22.9	26,800	85.1	77.1 - 93.0	31,500
Kailua/ Waimanalo	5,000	12.0	3.3 - 20.6	36,400	88.0	79.4 - 96.7	41,400
Kaimuki/ Palolo/ Waikiki	4,800	8.1	2.2 - 13.9	55,100	91.9	86.1 - 97.8	60,000
Kona	3,900	14.7	7.6 - 21.8	22,600	85.3	78.2 - 92.4	26,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	3,800	13.4	3.9 - 22.9	24,500	86.6	77.1 - 96.1	28,300
Lanai	200	13.2	3.5 - 22.8	1,100	86.8	77.2 - 96.5	1,300
Lihue-Waimea	3,400	13.9	8.0 - 19.8	20,900	86.1	80.2 - 92.0	24,300
Manoa/ Upper Makiki	3,600	7.8	0.4 - 15.2	43,000	92.2	84.8 - 99.6	46,600
Mililani/ Wahiawa	15,200	25.3	9.7 - 40.8	45,100	74.7	59.2 - 90.3	60,400
Molokai	200	3.6	0.0 - 8.7	5,700	96.4	91.3 - 100.0	5,900
N.Hawaii	1,700	7.5	2.2 - 12.8	21,400	92.5	87.2 - 97.8	23,200
Nuuanu/ Kalihi/ Moanalua	8,000	12.7	2.9 - 22.4	55,300	87.3	77.6 - 97.1	63,300
Puna/ Kau	8,100	17.4	9.8 - 25.0	38,700	82.6	75.0 - 90.2	46,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	6,000	19.7	7.6 - 31.8	24,600	80.3	68.2 - 92.4	30,600
Waialae/ Kahala/ Hawaii Kai	5,500	16.0	5.1 - 27.0	29,000	84.0	73.0 - 94.9	34,500
Waipahu/ Kapolei/ Ewa	18,300	16.7	8.8 - 24.6	91,500	83.3	75.4 - 91.2	109,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	19,600	18.3	7.6 - 28.9	87,800	81.7	71.1 - 92.4	107,400
25-34	24,700	14.7	9.8 - 19.6	143,200	85.3	80.4 - 90.2	167,800
35-44	27,900	16.0	10.8 - 21.1	146,900	84.0	78.9 - 89.2	174,900
45-54	24,000	14.3	9.8 - 18.8	144,100	85.7	81.2 - 90.2	168,100
55-64	17,300	14.1	9.4 - 18.7	105,600	85.9	81.3 - 90.6	122,900
65-74	9,400	11.4	5.1 - 17.8	73,100	88.6	82.2 - 94.9	82,500
75+	7,300	9.6	3.6 - 15.7	68,300	90.4	84.3 - 96.4	75,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,800	14.9	11.5 - 18.2	250,400	85.1	81.8 - 88.5	294,200
Native Hawaiian	21,200	17.4	11.0 - 23.9	100,500	82.6	76.1 - 89.0	121,700
Chinese	2,500	5.0	0.0 - 10.0	47,600	95.0	90.0 - 100.0	50,100
Filipino	18,700	12.9	7.5 - 18.3	126,600	87.1	81.7 - 92.5	145,300
Japanese	27,600	14.7	10.3 - 19.1	160,600	85.3	80.9 - 89.7	188,200
Other	5,900	26.9	10.9 - 42.9	15,900	73.1	57.1 - 89.1	21,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	60,800	13.8	10.1 - 17.4	381,600	86.2	82.6 - 89.9	442,500
Female	71,500	15.3	12.5 - 18.1	394,700	84.7	81.9 - 87.5	466,100

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	6,400	20.8	5.8 - 35.8	24,500	79.2	64.2 - 94.2	30,900
Grades 12 or GED (High School Grad)	44,500	15.8	11.6 - 20.0	237,200	84.2	80.0 - 88.4	281,700
College 1 to 3 years (Some College/ Tech)	39,900	13.8	9.5 - 18.1	248,700	86.2	81.9 - 90.5	288,600
College 4 years or more (College Grad)	40,600	13.7	10.2 - 17.2	255,300	86.3	82.8 - 89.8	295,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	86,500	14.8	11.9 - 17.8	496,500	85.2	82.2 - 88.1	582,900
Unemployed	2,900	10.8	0.0 - 21.8	23,700	89.2	78.2 - 100.0	26,500
Retired/Unable to work	27,400	13.8	9.2 - 18.4	170,800	86.2	81.6 - 90.8	198,100
Student/Homemaker	15,600	15.7	9.3 - 22.0	83,900	84.3	78.0 - 90.7	99,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,800	11.0	0.8 - 21.2	14,500	89.0	78.8 - 99.2	16,200
\$10,000 to \$14,999	5,400	20.4	9.4 - 31.4	20,900	79.6	68.6 - 90.6	26,300
\$15,000 to \$19,999	7,800	16.8	4.1 - 29.4	38,900	83.2	70.6 - 95.9	46,700
\$20,000 to \$24,999	6,500	9.4	3.6 - 15.1	62,500	90.6	84.9 - 96.4	69,000
\$25,000 to \$34,999	10,400	9.0	4.2 - 13.7	105,200	91.0	86.3 - 95.8	115,600
\$35,000 to \$49,999	20,100	14.2	8.7 - 19.7	121,300	85.8	80.3 - 91.3	141,400
\$50,000 to \$74,999	45,700	16.0	11.4 - 20.7	239,500	84.0	79.3 - 88.6	285,200
\$75,000 or more	34,700	16.7	12.0 - 21.4	173,400	83.3	78.6 - 88.0	208,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,500	14.3	8.6 - 19.9	135,300	85.7	80.1 - 91.4	157,800
131-185%	17,600	14.8	5.4 - 24.3	101,300	85.2	75.7 - 94.6	119,000
186+%	92,100	14.6	12.2 - 16.9	539,600	85.4	83.1 - 87.8	631,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	74,300	14.0	11.3 - 16.8	455,500	86.0	83.2 - 88.7	529,800
Unmarried Couple	3,000	13.6	4.2 - 22.9	19,400	86.4	77.1 - 95.8	22,400
Widowed	9,100	16.4	8.1 - 24.7	46,500	83.6	75.3 - 91.9	55,600
Other	45,800	15.2	10.7 - 19.8	254,900	84.8	80.2 - 89.3	300,800

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	75,300	14.0	11.2 - 16.7	464,200	86.0	83.3 - 88.8	539,600
No	56,800	15.5	11.6 - 19.5	308,800	84.5	80.5 - 88.4	365,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	123,500	15.0	12.6 - 17.5	697,200	85.0	82.5 - 87.4	820,700
No	8,800	10.6	5.2 - 16.0	74,600	89.4	84.0 - 94.8	83,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	108,400	11.7	10.5 - 13.0	814,400	88.3	87.0 - 89.5	922,800

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	12,900	11.2	8.7 - 13.6	102,900	88.8	86.4 - 91.3	115,800
Honolulu	75,700	11.4	9.9 - 12.9	589,000	88.6	87.1 - 90.1	664,700
Kauai	5,900	13.5	9.2 - 17.7	37,800	86.5	82.3 - 90.8	43,700
Maui	13,900	14.1	10.7 - 17.5	84,700	85.9	82.5 - 89.3	98,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	12,900	11.2	8.7 - 13.6	102,900	88.8	86.4 - 91.3	115,800
Kauai	5,900	13.5	9.2 - 17.7	37,800	86.5	82.3 - 90.8	43,700
Maui	13,100	14.6	10.9 - 18.3	76,400	85.4	81.7 - 89.1	89,600
Molokai	500	7.5	1.9 - 13.2	6,000	92.5	86.8 - 98.1	6,500
Oahu	75,700	11.4	9.9 - 12.9	589,000	88.6	87.1 - 90.1	664,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,600	10.5	4.9 - 16.1	47,500	89.5	83.9 - 95.1	53,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	3,400	11.0	4.2 - 17.8	27,400	89.0	82.2 - 95.8	30,700
Hanalei/ Kapaa	2,100	11.8	6.1 - 17.5	15,700	88.2	82.5 - 93.9	17,800
Hilo	4,100	11.7	7.1 - 16.3	30,900	88.3	83.7 - 92.9	35,000
Kaaawa/ Kahaluu/ Kaneohe	5,400	11.7	6.1 - 17.3	40,800	88.3	82.7 - 93.9	46,200
Kahului	4,800	14.5	7.9 - 21.1	28,200	85.5	78.9 - 92.1	33,000
Kailua/ Waimanalo	10,700	21.1	14.1 - 28.0	40,000	78.9	72.0 - 85.9	50,700
Kaimuki/ Palolo/ Waikiki	8,700	13.3	8.3 - 18.3	56,700	86.7	81.7 - 91.7	65,400
Kona	2,900	9.8	5.2 - 14.3	27,100	90.2	85.7 - 94.8	30,000
Lahaina/ Wailuku	4,800	17.2	10.3 - 24.0	23,200	82.8	76.0 - 89.7	28,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	3,800	14.6	8.6 - 20.7	22,100	85.4	79.3 - 91.4	25,900
Manoa/ Upper Makiki	5,600	10.4	5.4 - 15.5	48,300	89.6	84.5 - 94.6	53,900
Mililani/ Wahiawa	6,600	9.8	5.3 - 14.3	60,700	90.2	85.7 - 94.7	67,300
Molokai	500	7.5	1.9 - 13.2	6,000	92.5	86.8 - 98.1	6,500
Nanakuli/ Waianae	4,300	16.0	6.2 - 25.9	22,700	84.0	74.1 - 93.8	27,100
N.Hawaii	2,700	11.3	5.9 - 16.6	21,500	88.7	83.4 - 94.1	24,200
N.Shore/ Laie	2,600	10.7	3.9 - 17.5	22,100	89.3	82.5 - 96.1	24,800
Nuuanu/ Kalihi/ Moanalua	5,400	7.5	3.5 - 11.4	66,800	92.5	88.6 - 96.5	72,100
Puna/ Kau	3,200	12.0	6.6 - 17.3	23,400	88.0	82.7 - 93.4	26,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Salt Lake/ Foster Village	3,300	7.5	2.6 - 12.3	41,400	92.5	87.7 - 97.4	44,800
Upcountry/ Hana	3,500	12.4	6.8 - 18.0	25,100	87.6	82.0 - 93.2	28,600
Waialae/ Kahala/ Hawaii Kai	3,700	10.3	3.5 - 17.2	32,300	89.7	82.8 - 96.5	36,000
Waipahu/ Kapolei/ Ewa	10,300	11.1	7.2 - 15.0	82,400	88.9	85.0 - 92.8	92,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	18,700	16.2	11.7 - 20.7	97,000	83.8	79.3 - 88.3	115,700
25-34	20,900	12.9	9.7 - 16.0	141,600	87.1	84.0 - 90.3	162,500
35-44	21,700	12.0	9.3 - 14.7	159,400	88.0	85.3 - 90.7	181,100
45-54	19,000	10.8	8.3 - 13.4	156,300	89.2	86.6 - 91.7	175,300
55-64	15,100	12.3	8.9 - 15.6	107,700	87.7	84.4 - 91.1	122,800
65-74	6,800	8.1	5.0 - 11.2	77,900	91.9	88.8 - 95.0	84,700
75+	6,000	7.7	4.7 - 10.6	72,400	92.3	89.4 - 95.3	78,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	44,100	12.8	10.9 - 14.8	299,800	87.2	85.2 - 89.1	343,900
Native Hawaiian	12,500	15.3	10.8 - 19.8	69,100	84.7	80.2 - 89.2	81,600
Chinese	9,800	8.9	5.7 - 12.1	100,300	91.1	87.9 - 94.3	110,100
Filipino	11,900	8.4	5.7 - 11.0	130,000	91.6	89.0 - 94.3	141,800
Japanese	21,100	12.4	9.2 - 15.6	148,900	87.6	84.4 - 90.8	170,000
Black	2,500	19.6	5.7 - 33.4	10,100	80.4	66.6 - 94.3	12,500
Other Asian	1,500	9.5	1.7 - 17.4	14,200	90.5	82.6 - 98.3	15,700
Other	2,400	10.1	4.2 - 16.0	21,400	89.9	84.0 - 95.8	23,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	46,200	10.1	8.3 - 11.9	410,800	89.9	88.1 - 91.7	457,000
Female	62,200	13.4	11.7 - 15.0	403,600	86.6	85.0 - 88.3	465,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	6.0	0.0 - 13.8	12,900	94.0	86.2 - 100.0	13,700
Grades 9 thru 11 (Some High School)	5,800	16.6	9.6 - 23.6	29,300	83.4	76.4 - 90.4	35,100
Grades 12 or GED (High School Grad)	30,500	11.0	8.8 - 13.2	246,800	89.0	86.8 - 91.2	277,300
College 1 to 3 years (Some College/ Tech)	37,100	13.8	11.3 - 16.3	232,100	86.2	83.7 - 88.7	269,200
College 4 years or more (College Grad)	33,800	10.4	8.6 - 12.2	292,000	89.6	87.8 - 91.4	325,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	68,700	11.4	9.9 - 13.0	531,600	88.6	87.0 - 90.1	600,300
Unemployed	4,300	14.1	5.7 - 22.4	26,500	86.0	77.6 - 94.3	30,800
Retired/Unable to work	20,600	10.4	8.1 - 12.7	177,000	89.6	87.3 - 91.9	197,600
Student/Homemaker	14,800	15.8	11.5 - 20.2	78,700	84.2	79.8 - 88.5	93,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,900	12.4	7.5 - 17.4	41,800	87.6	82.6 - 92.5	47,700
\$10,000 to \$14,999	5,100	10.0	5.3 - 14.7	45,900	90.0	85.3 - 94.7	51,000
\$15,000 to \$19,999	6,200	12.2	6.4 - 18.0	44,600	87.8	82.0 - 93.6	50,800
\$20,000 to \$24,999	8,100	14.4	9.0 - 19.9	47,900	85.6	80.1 - 91.0	55,900
\$25,000 to \$34,999	10,600	12.6	8.6 - 16.6	73,500	87.4	83.4 - 91.4	84,100
\$35,000 to \$49,999	15,900	11.2	8.3 - 14.1	125,700	88.8	85.9 - 91.7	141,600
\$50,000 to \$74,999	10,300	7.5	5.2 - 9.9	126,100	92.5	90.1 - 94.8	136,400
\$75,000 or more	17,000	10.6	7.7 - 13.6	142,700	89.4	86.4 - 92.3	159,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	23,700	12.5	9.5 - 15.4	166,200	87.5	84.6 - 90.5	189,900
131-185%	8,400	10.1	6.5 - 13.7	74,800	89.9	86.3 - 93.5	83,200
186+%	46,800	10.3	8.8 - 11.9	407,200	89.7	88.1 - 91.2	454,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	56,600	10.6	9.1 - 12.1	474,800	89.4	87.9 - 90.9	531,300
Unmarried Couple	3,700	20.3	7.7 - 32.8	14,500	79.7	67.2 - 92.3	18,200
Widowed	6,500	9.7	5.9 - 13.4	60,400	90.3	86.6 - 94.1	66,900
Other	41,700	13.6	11.3 - 15.9	264,700	86.4	84.1 - 88.7	306,400

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	57,700	10.6	9.2 - 12.1	484,700	89.4	87.9 - 90.8	542,400
No	50,400	13.3	11.2 - 15.3	329,400	86.7	84.7 - 88.8	379,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	98,500	11.6	10.4 - 12.9	749,100	88.4	87.1 - 89.6	847,600
No	9,900	13.3	8.8 - 17.8	64,300	86.7	82.2 - 91.2	74,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	122,700	13.6	12.4 - 14.7	781,900	86.4	85.3 - 87.6	904,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,700	14.2	11.9 - 16.6	94,600	85.8	83.4 - 88.1	110,300
Honolulu	88,300	13.5	11.9 - 15.0	567,600	86.5	85.0 - 88.1	655,900
Kauai	6,600	15.5	11.9 - 19.1	35,900	84.5	80.9 - 88.1	42,500
Maui	12,200	12.7	10.5 - 14.9	83,800	87.3	85.1 - 89.5	96,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,700	14.2	11.9 - 16.6	94,600	85.8	83.4 - 88.1	110,300
Kauai	6,600	15.5	11.9 - 19.1	35,900	84.5	80.9 - 88.1	42,500
Lanai	500	13.7	7.8 - 19.6	3,300	86.3	80.4 - 92.2	3,900
Maui	10,600	12.6	10.1 - 15.0	73,800	87.4	85.0 - 89.9	84,400
Molokai	1,000	13.4	7.6 - 19.2	6,700	86.6	80.8 - 92.4	7,800
Oahu	88,300	13.5	11.9 - 15.0	567,600	86.5	85.0 - 88.1	655,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,800	14.9	9.8 - 19.9	56,000	85.1	80.1 - 90.2	65,800
Ala Moana	4,100	11.8	6.2 - 17.3	30,300	88.2	82.7 - 93.8	34,400
Hanalei/ Kapaa	2,900	15.8	10.2 - 21.3	15,300	84.2	78.7 - 89.8	18,200
Hilo	5,900	16.6	12.2 - 21.0	29,400	83.4	79.0 - 87.8	35,200
Kaaawa/ Kahaluu/ Kaneohe	5,400	13.7	7.6 - 19.8	34,100	86.3	80.2 - 92.4	39,500
Kahului	3,400	11.9	7.5 - 16.2	25,100	88.1	83.8 - 92.5	28,500
Kailua/ Waimanalo	4,000	8.6	4.6 - 12.6	43,100	91.4	87.4 - 95.4	47,100
Kaimuki/ Palolo/ Waikiki	8,200	12.2	8.4 - 16.0	59,400	87.8	84.0 - 91.6	67,600
Kona	4,000	13.6	9.4 - 17.7	25,700	86.4	82.3 - 90.6	29,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	3,700	12.9	8.8 - 16.9	24,900	87.1	83.1 - 91.2	28,500
Lanai	500	13.7	7.8 - 19.6	3,300	86.3	80.4 - 92.2	3,900
Lihue-Waimea	3,700	15.3	10.6 - 20.0	20,600	84.7	80.0 - 89.4	24,300
Manoa/ Upper Makiki	8,700	15.2	9.9 - 20.5	48,800	84.8	79.5 - 90.1	57,600
Mililani/ Wahiawa	9,300	14.7	8.6 - 20.8	53,800	85.3	79.2 - 91.4	63,000
Molokai	1,000	13.4	7.6 - 19.2	6,700	86.6	80.8 - 92.4	7,800
Nanakuli/ Waianae	4,000	15.5	8.3 - 22.8	21,900	84.5	77.2 - 91.7	25,900
N.Hawaii	3,100	13.5	8.0 - 19.0	19,700	86.5	81.0 - 92.0	22,700
N.Shore/ Laie	2,300	12.4	4.2 - 20.7	16,200	87.6	79.3 - 95.8	18,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	11,600	17.6	11.7 - 23.6	54,400	82.4	76.4 - 88.3	66,000
Puna/ Kau	2,700	12.1	7.3 - 16.9	19,900	87.9	83.1 - 92.7	22,600
Salt Lake/ Foster Village	3,100	8.1	4.0 - 12.3	34,600	91.9	87.7 - 96.0	37,700
Upcountry/ Hana	3,500	13.0	8.7 - 17.2	23,800	87.0	82.8 - 91.3	27,400
Waialae/ Kahala/ Hawaii Kai	4,900	10.3	5.4 - 15.1	42,600	89.7	84.9 - 94.6	47,400
Waipahu/ Kapolei/ Ewa	12,900	15.1	10.7 - 19.5	72,400	84.9	80.5 - 89.3	85,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	16,200	14.1	10.0 - 18.2	98,400	85.9	81.8 - 90.0	114,600
25-34	23,300	14.2	11.3 - 17.2	140,600	85.8	82.8 - 88.7	164,000
35-44	24,600	13.5	11.1 - 15.8	158,000	86.5	84.2 - 88.9	182,600
45-54	24,900	14.4	11.9 - 16.9	147,900	85.6	83.1 - 88.1	172,800
55-64	18,000	16.1	12.6 - 19.7	93,500	83.9	80.3 - 87.4	111,500
65-74	9,600	12.1	8.9 - 15.2	69,900	87.9	84.8 - 91.1	79,500
75+	5,700	7.5	3.8 - 11.3	70,100	92.5	88.7 - 96.2	75,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	42,600	13.6	11.7 - 15.6	270,100	86.4	84.4 - 88.3	312,800
Native Hawaiian	22,700	20.0	16.0 - 24.1	90,900	80.0	75.9 - 84.0	113,600
Chinese	6,700	10.0	6.5 - 13.5	60,100	90.0	86.5 - 93.5	66,800
Filipino	17,800	12.9	9.8 - 16.0	119,800	87.1	84.0 - 90.2	137,600
Japanese	24,500	13.2	10.6 - 15.7	161,700	86.8	84.3 - 89.4	186,200
Black	2,200	13.5	5.0 - 22.1	14,100	86.5	77.9 - 95.0	16,400
Other Asian	1,300	6.0	0.8 - 11.2	19,800	94.0	88.8 - 99.2	21,100
Other Pacific Islander	1,600	7.8	1.0 - 14.6	19,000	92.2	85.4 - 99.0	20,600
Other	3,000	12.8	6.1 - 19.6	20,700	87.2	80.4 - 93.9	23,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	52,400	11.7	10.0 - 13.4	396,700	88.3	86.6 - 90.0	449,000
Female	70,300	15.4	13.8 - 17.1	385,300	84.6	82.9 - 86.2	455,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,800	9.5	3.3 - 15.6	16,700	90.5	84.4 - 96.7	18,500
Grades 9 thru 11 (Some High School)	3,600	10.5	6.3 - 14.6	30,400	89.5	85.4 - 93.7	34,000
Grades 12 or GED (High School Grad)	43,600	13.9	11.8 - 16.0	269,200	86.1	84.0 - 88.2	312,800
College 1 to 3 years (Some College/ Tech)	36,900	14.0	11.8 - 16.2	227,200	86.0	83.8 - 88.2	264,100
College 4 years or more (College Grad)	36,900	13.5	11.4 - 15.5	237,400	86.5	84.5 - 88.6	274,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	79,500	13.6	12.1 - 15.0	506,400	86.4	85.0 - 87.9	585,900
Unemployed	8,300	21.1	13.6 - 28.6	31,200	78.9	71.4 - 86.4	39,600
Retired/Unable to work	22,100	12.3	9.8 - 14.9	157,100	87.7	85.1 - 90.2	179,200
Student/Homemaker	12,800	12.9	9.2 - 16.5	86,500	87.1	83.5 - 90.8	99,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,300	15.1	9.9 - 20.2	29,700	84.9	79.8 - 90.1	34,900
\$10,000 to \$14,999	7,400	20.8	13.1 - 28.4	28,200	79.2	71.6 - 86.9	35,600
\$15,000 to \$19,999	5,000	12.1	7.1 - 17.1	36,500	87.9	82.9 - 92.9	41,500
\$20,000 to \$24,999	5,200	12.2	7.9 - 16.4	37,600	87.8	83.6 - 92.1	42,800
\$25,000 to \$34,999	11,200	14.7	10.2 - 19.3	64,800	85.3	80.7 - 89.8	75,900
\$35,000 to \$49,999	17,500	14.1	11.0 - 17.3	106,200	85.9	82.7 - 89.0	123,700
\$50,000 to \$74,999	15,800	12.5	9.7 - 15.3	110,400	87.5	84.7 - 90.3	126,200
\$75,000 or more	21,900	16.4	12.9 - 19.9	111,700	83.6	80.1 - 87.1	133,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	21,000	15.0	11.8 - 18.1	119,200	85.0	81.9 - 88.2	140,200
131-185%	12,300	17.8	12.5 - 23.1	56,800	82.2	76.9 - 87.5	69,100
186+%	56,000	13.8	12.1 - 15.5	349,000	86.2	84.5 - 87.9	404,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	65,000	12.2	10.8 - 13.6	467,200	87.8	86.4 - 89.2	532,200
Unmarried Couple	4,600	21.2	10.4 - 32.1	17,300	78.8	67.9 - 89.6	21,900
Widowed	6,600	11.8	6.9 - 16.8	49,300	88.2	83.2 - 93.1	55,900
Other	46,500	15.8	13.5 - 18.1	248,200	84.2	81.9 - 86.5	294,700

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	66,400	12.2	10.9 - 13.6	476,700	87.8	86.4 - 89.1	543,100
No	56,300	15.6	13.5 - 17.7	304,200	84.4	82.3 - 86.5	360,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	113,400	13.7	12.5 - 15.0	711,700	86.3	85.0 - 87.5	825,100
No	9,300	11.9	8.1 - 15.7	69,100	88.1	84.3 - 91.9	78,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	107,600	12.1	10.7 - 13.4	784,200	87.9	86.6 - 89.3	891,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,600	13.6	10.9 - 16.3	92,500	86.4	83.7 - 89.1	107,000
Honolulu	77,800	12.0	10.3 - 13.8	568,600	88.0	86.2 - 89.7	646,400
Kauai	5,000	12.2	9.0 - 15.4	35,900	87.8	84.6 - 91.0	40,800
Maui	10,200	10.5	8.1 - 12.8	87,200	89.5	87.2 - 91.9	97,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,600	13.6	10.9 - 16.3	92,500	86.4	83.7 - 89.1	107,000
Kauai	5,000	12.2	9.0 - 15.4	35,900	87.8	84.6 - 91.0	40,800
Lanai	400	17.8	8.4 - 27.1	2,000	82.2	72.9 - 91.6	2,400
Maui	9,200	10.2	7.7 - 12.6	81,200	89.9	87.4 - 92.3	90,300
Molokai	600	12.9	4.8 - 21.1	4,100	87.1	78.9 - 95.2	4,700
Oahu	77,800	12.0	10.3 - 13.8	568,600	88.0	86.2 - 89.7	646,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,500	7.2	3.1 - 11.2	58,200	92.8	88.8 - 96.9	62,600
Ala Moana	2,900	11.2	4.4 - 18.0	23,300	88.8	82.0 - 95.6	26,200
Hanalei/ Kapaa	2,600	14.9	9.2 - 20.7	14,600	85.1	79.3 - 90.8	17,100
Hilo	4,500	14.2	9.5 - 19.0	27,200	85.8	81.0 - 90.5	31,800
Kaaawa/ Kahaluu/ Kaneohe	6,600	16.6	8.4 - 24.9	33,000	83.4	75.1 - 91.6	39,600
Kahului	3,000	8.9	5.2 - 12.7	30,300	91.1	87.3 - 94.8	33,300
Kailua/ Waimanalo	6,300	12.6	6.7 - 18.5	43,700	87.4	81.5 - 93.3	50,000
Kaimuki/ Palolo/ Waikiki	7,800	11.0	6.4 - 15.5	63,400	89.0	84.5 - 93.6	71,200
Kona	3,900	12.8	8.4 - 17.3	26,500	87.2	82.7 - 91.6	30,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	3,700	12.4	7.4 - 17.3	26,000	87.6	82.7 - 92.6	29,600
Lanai	400	17.8	8.4 - 27.1	2,000	82.2	72.9 - 91.6	2,400
Lihue-Waimea	2,400	10.2	6.6 - 13.8	21,300	89.8	86.2 - 93.4	23,700
Manoa/ Upper Makiki	7,400	13.0	7.4 - 18.7	49,100	87.0	81.3 - 92.6	56,500
Mililani/ Wahiawa	6,000	10.6	5.5 - 15.8	50,500	89.4	84.2 - 94.5	56,500
Molokai	600	12.9	4.8 - 21.1	4,100	87.1	78.9 - 95.2	4,700
Nanakuli/ Waianae	5,600	18.7	6.6 - 30.7	24,400	81.3	69.3 - 93.4	30,000
N.Hawaii	3,600	15.1	7.9 - 22.3	20,100	84.9	77.7 - 92.1	23,600
N.Shore/ Laie	4,700	18.1	6.9 - 29.2	21,200	81.9	70.8 - 93.1	25,900

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	6,300	9.7	4.4 - 15.0	58,700	90.3	85.0 - 95.6	65,000
Puna/ Kau	2,600	12.1	6.9 - 17.3	18,700	87.9	82.7 - 93.1	21,300
Salt Lake/ Foster Village	4,100	11.7	4.0 - 19.3	30,900	88.3	80.7 - 96.0	35,000
Upcountry/ Hana	2,500	9.2	5.4 - 13.1	24,900	90.8	86.9 - 94.6	27,400
Waialae/ Kahala/ Hawaii Kai	4,300	12.0	4.8 - 19.1	31,300	88.0	80.9 - 95.2	35,600
Waipahu/ Kapolei/ Ewa	11,400	12.4	7.5 - 17.3	81,000	87.6	82.7 - 92.5	92,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	20,400	19.2	13.7 - 24.6	86,100	80.8	75.4 - 86.3	106,500
25-34	15,400	9.2	6.8 - 11.5	152,600	90.8	88.5 - 93.2	168,000
35-44	24,000	13.0	9.7 - 16.3	160,100	87.0	83.7 - 90.3	184,100
45-54	25,100	16.1	12.8 - 19.4	130,700	83.9	80.6 - 87.2	155,700
55-64	11,800	9.8	6.6 - 13.1	108,600	90.2	86.9 - 93.4	120,400
65-74	5,800	6.6	3.5 - 9.6	82,200	93.4	90.4 - 96.5	88,000
75+	4,800	7.7	4.0 - 11.5	57,500	92.3	88.5 - 96.0	62,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	37,900	12.6	10.5 - 14.7	263,000	87.4	85.3 - 89.5	300,900
Native Hawaiian	17,800	15.4	11.5 - 19.4	97,700	84.6	80.6 - 88.5	115,500
Chinese	7,000	12.6	7.0 - 18.3	48,400	87.4	81.7 - 93.0	55,400
Filipino	11,400	8.9	5.7 - 12.1	117,000	91.1	87.9 - 94.3	128,500
Japanese	20,500	11.1	8.3 - 13.9	163,800	88.9	86.1 - 91.7	184,300
Black	1,100	6.4	0.0 - 14.2	15,600	93.6	85.8 - 100.0	16,700
Other Asian	2,200	7.9	1.4 - 14.5	24,900	92.1	85.5 - 98.6	27,100
Other Pacific Islander	2,900	14.5	0.3 - 28.6	17,000	85.5	71.4 - 99.7	19,900
Other	5,100	15.2	5.4 - 25.0	28,400	84.8	75.0 - 94.6	33,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	50,300	11.2	9.2 - 13.1	399,100	88.8	86.9 - 90.8	449,400
Female	57,300	13.0	11.1 - 14.8	385,000	87.0	85.2 - 88.9	442,300

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,300	7.6	2.1 - 13.0	15,300	92.4	87.0 - 97.9	16,600
Grades 9 thru 11 (Some High School)	4,800	12.7	6.1 - 19.2	33,300	87.3	80.8 - 93.9	38,200
Grades 12 or GED (High School Grad)	40,300	13.6	11.0 - 16.2	256,500	86.4	83.8 - 89.0	296,800
College 1 to 3 years (Some College/ Tech)	35,100	12.8	10.3 - 15.3	239,300	87.2	84.7 - 89.7	274,300
College 4 years or more (College Grad)	26,100	9.9	7.9 - 12.0	237,200	90.1	88.0 - 92.1	263,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	69,700	11.8	10.3 - 13.4	518,500	88.2	86.6 - 89.7	588,200
Unemployed	5,200	17.9	7.3 - 28.6	23,700	82.1	71.4 - 92.7	28,900
Retired/Unable to work	16,000	8.5	6.2 - 10.8	172,200	91.5	89.2 - 93.8	188,200
Student/Homemaker	16,700	19.5	13.5 - 25.4	69,200	80.5	74.6 - 86.5	86,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,200	13.9	7.0 - 20.7	32,400	86.1	79.3 - 93.0	37,600
\$10,000 to \$14,999	5,100	12.1	5.0 - 19.1	37,500	87.9	80.9 - 95.0	42,700
\$15,000 to \$19,999	5,100	13.1	7.3 - 18.9	33,900	86.9	81.1 - 92.7	39,000
\$20,000 to \$24,999	6,100	10.4	5.9 - 14.9	52,400	89.6	85.1 - 94.1	58,500
\$25,000 to \$34,999	7,700	8.7	5.4 - 12.0	81,600	91.3	88.0 - 94.6	89,300
\$35,000 to \$49,999	21,700	16.0	12.1 - 19.8	114,300	84.0	80.2 - 87.9	136,000
\$50,000 to \$74,999	12,900	10.4	7.3 - 13.6	111,200	89.6	86.4 - 92.7	124,100
\$75,000 or more	11,200	9.2	6.0 - 12.4	110,900	90.8	87.6 - 94.0	122,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	16,700	11.6	8.0 - 15.1	127,700	88.4	84.9 - 92.0	144,400
131-185%	12,700	11.7	7.8 - 15.5	96,300	88.3	84.5 - 92.2	109,000
186+%	45,700	11.6	9.7 - 13.4	350,100	88.4	86.6 - 90.3	395,900

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	47,800	9.4	7.9 - 10.9	459,800	90.6	89.1 - 92.1	507,500
Widowed	5,100	10.6	5.6 - 15.5	43,000	89.4	84.5 - 94.4	48,100
Other	53,400	16.3	13.7 - 19.0	273,600	83.7	81.0 - 86.3	327,000

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	52,200	9.9	8.4 - 11.5	473,000	90.1	88.5 - 91.6	525,100
No	55,400	15.2	12.8 - 17.5	309,800	84.8	82.5 - 87.2	365,200

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	98,300	11.9	10.5 - 13.3	727,100	88.1	86.7 - 89.5	825,500
No	9,200	14.2	8.3 - 20.2	55,600	85.8	79.8 - 91.7	64,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	98,600	11.2	10.1 - 12.4	778,500	88.8	87.6 - 89.9	877,100

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	11,900	11.5	9.6 - 13.4	91,600	88.5	86.6 - 90.4	103,500
Honolulu	71,500	11.1	9.7 - 12.5	573,200	88.9	87.5 - 90.3	644,700
Kauai	5,200	12.7	9.5 - 15.8	36,000	87.3	84.2 - 90.5	41,200
Maui	9,900	11.3	8.8 - 13.8	77,700	88.7	86.2 - 91.2	87,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	11,900	11.5	9.6 - 13.4	91,600	88.5	86.6 - 90.4	103,500
Kauai	5,200	12.7	9.5 - 15.8	36,000	87.3	84.2 - 90.5	41,200
Lanai	300	13.3	4.8 - 21.8	2,000	86.7	78.2 - 95.2	2,300
Maui	9,300	11.6	8.8 - 14.3	70,700	88.4	85.7 - 91.2	79,900
Molokai	400	6.8	3.1 - 10.4	5,000	93.2	89.6 - 96.9	5,400
Oahu	71,500	11.1	9.7 - 12.5	573,200	88.9	87.5 - 90.3	644,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,000	14.6	8.6 - 20.5	52,700	85.4	79.5 - 91.4	61,700
Ala Moana	3,600	11.8	5.3 - 18.4	26,600	88.2	81.6 - 94.7	30,200
Hanalei/ Kapaa	2,100	12.1	7.4 - 16.7	15,200	87.9	83.3 - 92.6	17,300
Hilo	4,200	12.3	8.8 - 15.8	30,100	87.7	84.2 - 91.2	34,300
Kaaawa/ Kahaluu/ Kaneohe	4,200	10.1	4.9 - 15.2	37,400	89.9	84.8 - 95.1	41,600
Kahului	2,900	10.1	5.9 - 14.4	26,000	89.9	85.6 - 94.1	29,000
Kailua/ Waimanalo	5,600	11.8	6.3 - 17.4	41,800	88.2	82.6 - 93.7	47,400
Kaimuki/ Palolo/ Waikiki	6,700	11.6	7.3 - 15.9	50,800	88.4	84.1 - 92.7	57,500
Kona	2,600	9.0	5.9 - 12.1	26,000	91.0	87.9 - 94.1	28,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	2,900	10.9	5.9 - 15.9	24,000	89.1	84.1 - 94.1	26,900
Lanai	300	13.3	4.8 - 21.8	2,000	86.7	78.2 - 95.2	2,300
Lihue-Waimea	3,100	13.1	8.9 - 17.3	20,800	86.9	82.7 - 91.1	23,900
Manoa/ Upper Makiki	6,600	11.6	6.5 - 16.7	50,000	88.4	83.3 - 93.5	56,600
Mililani/ Wahiawa	7,800	12.6	8.3 - 17.0	54,200	87.4	83.0 - 91.7	62,100
Molokai	400	6.8	3.1 - 10.4	5,000	93.2	89.6 - 96.9	5,400
Nanakuli/ Waianae	4,900	17.3	7.8 - 26.8	23,600	82.7	73.2 - 92.2	28,600
N.Hawaii	2,400	11.7	7.2 - 16.3	18,200	88.3	83.7 - 92.8	20,600
N.Shore/ Laie	2,800	12.6	5.9 - 19.4	19,000	87.4	80.6 - 94.1	21,800

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	6,900	10.3	5.7 - 14.9	59,700	89.7	85.1 - 94.3	66,500
Puna/ Kau	2,700	13.5	9.0 - 18.1	17,400	86.5	81.9 - 91.0	20,100
Salt Lake/ Foster Village	2,600	6.6	2.8 - 10.5	36,500	93.4	89.5 - 97.2	39,100
Upcountry/ Hana	3,400	14.1	9.1 - 19.1	20,600	85.9	80.9 - 90.9	24,000
Waialae/ Kahala/ Hawaii Kai	2,700	6.4	2.3 - 10.5	39,800	93.6	89.5 - 97.7	42,600
Waipahu/ Kapolei/ Ewa	8,200	9.2	5.8 - 12.5	81,000	90.8	87.5 - 94.2	89,200

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	17,500	16.5	12.3 - 20.7	88,700	83.5	79.3 - 87.7	106,300
25-34	21,100	12.4	9.8 - 15.1	148,200	87.6	84.9 - 90.2	169,300
35-44	21,900	11.8	9.4 - 14.2	163,500	88.2	85.8 - 90.6	185,400
45-54	14,000	9.2	7.1 - 11.2	138,700	90.8	88.8 - 92.9	152,700
55-64	9,000	7.9	5.3 - 10.4	105,600	92.1	89.6 - 94.7	114,600
65-74	11,200	12.0	7.9 - 16.1	81,900	88.0	83.9 - 92.1	93,000
75+	3,400	6.5	3.8 - 9.1	49,300	93.5	90.9 - 96.2	52,700

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	25,900	9.7	8.0 - 11.4	241,300	90.3	88.6 - 92.0	267,200
Native Hawaiian	26,400	18.8	15.2 - 22.5	113,900	81.2	77.5 - 84.8	140,300
Chinese	4,300	9.4	4.4 - 14.4	41,300	90.6	85.6 - 95.6	45,600
Filipino	15,500	11.5	8.3 - 14.8	119,000	88.5	85.2 - 91.7	134,500
Japanese	17,200	8.7	6.7 - 10.7	180,500	91.3	89.3 - 93.3	197,700
Black	900	6.4	0.0 - 13.0	13,500	93.6	87.0 - 100.0	14,400
Other Asian	1,900	11.7	3.5 - 20.0	14,400	88.3	80.0 - 96.5	16,400
Mixed Ethnicity	1,400	6.4	2.8 - 9.9	21,000	93.6	90.1 - 97.2	22,400
Other	3,700	16.1	8.5 - 23.7	19,400	83.9	76.3 - 91.5	23,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	46,100	10.5	8.8 - 12.1	394,600	89.5	87.9 - 91.2	440,700
Female	52,500	12.0	10.6 - 13.5	383,900	88.0	86.5 - 89.4	436,400

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,600	12.2	5.4 - 18.9	18,900	87.8	81.1 - 94.6	21,600
Grades 9 thru 11 (Some High School)	4,500	9.9	4.2 - 15.7	41,000	90.1	84.3 - 95.8	45,600
Grades 12 or GED (High School Grad)	37,700	13.2	11.0 - 15.4	247,200	86.8	84.6 - 89.0	284,900
College 1 to 3 years (Some College/ Tech)	28,000	11.0	9.1 - 12.9	226,300	89.0	87.1 - 90.9	254,300
College 4 years or more (College Grad)	25,700	9.5	7.7 - 11.3	244,500	90.5	88.7 - 92.3	270,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	64,500	10.8	9.5 - 12.1	530,400	89.2	87.9 - 90.5	594,900
Unemployed	4,900	17.4	8.5 - 26.3	23,300	82.6	73.7 - 91.5	28,200
Retired/Unable to work	19,600	11.1	8.5 - 13.8	156,000	88.9	86.2 - 91.5	175,500
Student/Homemaker	9,200	11.9	8.3 - 15.5	68,300	88.1	84.5 - 91.7	77,600

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,500	15.4	10.4 - 20.4	35,500	84.6	79.6 - 89.6	41,900
\$10,000 to \$14,999	7,200	15.8	10.3 - 21.3	38,400	84.2	78.7 - 89.7	45,600
\$15,000 to \$19,999	3,600	8.7	4.6 - 12.7	38,300	91.3	87.3 - 95.4	42,000
\$20,000 to \$24,999	6,700	10.4	6.5 - 14.2	57,800	89.6	85.8 - 93.5	64,500
\$25,000 to \$34,999	11,200	9.9	7.2 - 12.5	102,200	90.1	87.5 - 92.8	113,400
\$35,000 to \$49,999	15,600	10.2	7.6 - 12.8	137,600	89.8	87.2 - 92.4	153,200
\$50,000 to \$74,999	14,600	11.7	8.7 - 14.7	110,200	88.3	85.3 - 91.3	124,800
\$75,000 or more	10,900	8.3	5.9 - 10.8	119,200	91.7	89.2 - 94.1	130,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	16,700	15.2	11.1 - 19.2	93,800	84.8	80.8 - 88.9	110,500
131-185%	10,900	9.5	7.0 - 12.0	104,100	90.5	88.0 - 93.0	115,000
186+%	48,600	9.9	8.6 - 11.2	441,500	90.1	88.8 - 91.4	490,100

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	50,700	10.0	8.6 - 11.4	458,600	90.0	88.6 - 91.4	509,300
Unmarried Couple	1,300	12.5	3.9 - 21.1	9,300	87.5	78.9 - 96.1	10,700
Widowed	3,900	8.4	5.2 - 11.7	42,400	91.6	88.3 - 94.8	46,300
Other	42,600	13.7	11.6 - 15.8	268,200	86.3	84.2 - 88.4	310,800

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	52,500	10.1	8.7 - 11.5	468,100	89.9	88.5 - 91.3	520,600
No	46,000	12.9	11.1 - 14.8	309,500	87.1	85.2 - 88.9	355,500

Asthma - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	93,200	11.4	10.3 - 12.6	722,000	88.6	87.4 - 89.7	815,200
No	5,200	8.5	4.8 - 12.2	55,800	91.5	87.8 - 95.2	61,000