

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	51,100	5.7	5.2 - 6.3	828,800	93.0	92.5 - 93.6	n/a	n/a	n/a	10,900	1.2	1.0 - 1.4	890,800
2001-2003	58,800	6.5	5.9 - 7.1	836,900	92.4	91.8 - 93.0	n/a	n/a	n/a	10,000	1.1	0.9 - 1.3	905,700
2004-2006	70,700	7.4	6.8 - 8.1	856,400	89.9	89.1 - 90.6	15,000	1.6	1.2 - 1.9	10,900	1.1	0.8 - 1.4	953,000
2005-2007	75,700	7.7	7.2 - 8.2	877,800	89.6	89.1 - 90.2	18,500	1.9	1.7 - 2.1	7,500	0.8	0.6 - 0.9	979,500
2006-2008	79,300	8.0	7.5 - 8.5	878,300	89.0	88.4 - 89.5	22,300	2.3	2.0 - 2.5	7,200	0.7	0.6 - 0.9	987,200
2007-2009	81,000	8.1	7.6 - 8.6	884,000	88.6	88.1 - 89.2	24,000	2.4	2.2 - 2.7	8,300	0.8	0.7 - 1.0	997,300
2008-2010	83,600	8.3	7.8 - 8.8	889,300	88.6	88.0 - 89.1	23,100	2.3	2.1 - 2.5	8,200	0.8	0.6 - 1.0	1,004,200

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

State	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	83,600	8.3	7.8 - 8.8	889,300	88.6	88.0 - 89.1	23,100	2.3	2.1 - 2.5	8,200	0.8	0.6 - 1.0	1,004,200

County	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	11,100	8.1	7.1 - 9.0	122,300	88.6	87.5 - 89.7	3,400	2.5	1.9 - 3.0	1,100	0.8	0.5 - 1.2	138,000
Honolulu	60,200	8.5	7.9 - 9.2	623,400	88.3	87.6 - 89.1	16,200	2.3	2.0 - 2.6	6,000	0.8	0.6 - 1.1	705,700
Kauai	3,500	7.2	6.0 - 8.4	44,000	90.0	88.6 - 91.5	1,000	2.1	1.4 - 2.8	400	0.7	0.3 - 1.2	48,900
Maui	8,800	7.9	6.8 - 8.9	99,600	89.2	88.0 - 90.5	2,600	2.3	1.7 - 2.9	700	0.6	0.2 - 1.0	111,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Island	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	11,100	8.1	7.1 - 9.0	122,300	88.6	87.5 - 89.7	3,400	2.5	1.9 - 3.0	1,100	0.8	0.5 - 1.2	138,000
Kauai	3,500	7.2	6.0 - 8.4	44,000	90.0	88.6 - 91.5	1,000	2.1	1.4 - 2.8	400	0.7	0.3 - 1.2	48,900
Lanai	100	8.6	6.1 - 11.0	1,500	88.2	85.4 - 91.1	<50	2.3	1.1 - 3.5	<50	0.9	0.0 - 1.8	1,700
Maui	7,800	7.6	6.5 - 8.8	91,400	89.5	88.1 - 90.8	2,400	2.3	1.7 - 2.9	600	0.6	0.1 - 1.0	102,100
Molokai	800	10.8	8.1 - 13.6	6,700	86.3	83.2 - 89.5	100	1.9	0.8 - 3.0	100	0.9	0.0 - 2.3	7,800
Oahu	60,200	8.5	7.9 - 9.2	623,400	88.3	87.6 - 89.1	16,200	2.3	2.0 - 2.6	6,000	0.8	0.6 - 1.1	705,700

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,700	10.4	8.0 - 12.8	54,700	85.4	82.6 - 88.2	1,900	3.0	1.8 - 4.2	800	1.2	0.2 - 2.3	64,000
Ala Moana	2,200	8.2	5.6 - 10.7	23,700	88.3	85.2 - 91.4	700	2.5	1.1 - 3.9	300	1.0	0.0 - 2.2	26,800

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,100	5.4	3.7 - 7.0	18,600	92.4	90.4 - 94.4	300	1.6	0.6 - 2.5	100	0.7	0.0 - 1.4	20,100
Hilo	3,400	8.2	6.6 - 9.8	36,600	87.7	85.8 - 89.7	1,300	3.1	2.0 - 4.1	400	1.0	0.3 - 1.7	41,700
Kaaawa/ Kahaluu/ Kaneohe	3,400	6.8	4.8 - 8.8	45,600	90.5	87.9 - 93.1	800	1.6	0.6 - 2.5	600	1.1	0.0 - 2.7	50,400
Kahului	2,300	6.8	5.1 - 8.4	31,100	89.6	87.4 - 91.8	900	2.7	1.5 - 4.0	300	0.9	0.2 - 1.7	34,700
Kailua/ Waimanalo	4,900	9.7	7.1 - 12.3	44,900	88.3	85.6 - 91.1	700	1.5	0.6 - 2.4	200	0.5	0.0 - 1.0	50,800
Kaimuki/ Palolo/ Waikiki	5,400	9.4	7.4 - 11.5	50,100	87.7	85.4 - 90.1	1,000	1.7	0.8 - 2.6	700	1.2	0.3 - 2.0	57,200
Kona	2,200	7.3	5.2 - 9.4	26,400	89.2	86.8 - 91.7	900	3.1	1.7 - 4.4	100	0.4	0.0 - 0.8	29,600
Lahaina/ Wailuku	3,200	9.7	7.3 - 12.0	29,300	87.4	84.7 - 90.2	800	2.3	1.3 - 3.2	200	0.6	0.0 - 1.9	33,500
Lanai	100	8.6	6.1 - 11.0	1,500	88.2	85.4 - 91.1	<50	2.3	1.1 - 3.5	<50	0.9	0.0 - 1.8	1,700
Lihue-Waimea	2,400	8.5	6.7 - 10.2	25,400	88.4	86.3 - 90.4	700	2.4	1.4 - 3.4	200	0.8	0.2 - 1.4	28,800
Manoa/ Upper Makiki	3,600	7.3	5.5 - 9.1	44,500	89.9	87.7 - 92.1	1,300	2.7	1.5 - 3.9	<50	0.1	0.0 - 0.2	49,500
Mililani/ Wahiawa	6,400	8.5	6.7 - 10.4	66,500	88.1	85.9 - 90.3	1,800	2.4	1.4 - 3.4	700	1.0	0.2 - 1.7	75,500

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	800	10.8	8.1 - 13.6	6,700	86.3	83.2 - 89.5	100	1.9	0.8 - 3.0	100	0.9	0.0 - 2.3	7,800
Nanakuli/ Waianae	4,000	11.3	7.6 - 15.0	30,300	85.4	81.3 - 89.6	1,000	2.8	1.1 - 4.6	200	0.5	0.0 - 1.0	35,500
N.Hawaii	2,000	7.6	5.3 - 9.8	24,300	89.7	87.1 - 92.3	400	1.6	0.8 - 2.3	300	1.2	0.1 - 2.2	27,100
N.Shore/ Laie	1,100	4.8	2.3 - 7.3	20,600	91.6	88.2 - 94.9	800	3.3	1.2 - 5.5	100	0.3	0.0 - 0.9	22,500
Nuuanu/ Kalihi/ Moanalua	6,200	8.8	6.5 - 11.2	61,500	88.2	85.6 - 90.9	1,400	2.1	1.2 - 2.9	600	0.9	0.0 - 1.8	69,700
Puna/ Kau	3,500	8.9	7.1 - 10.6	35,000	88.4	86.4 - 90.4	800	2.0	1.1 - 2.9	300	0.7	0.2 - 1.2	39,500
Salt Lake/ Foster Village	1,500	4.0	2.6 - 5.5	33,900	92.5	90.1 - 94.8	900	2.4	1.0 - 3.8	400	1.1	0.0 - 2.3	36,600
Upcountry/ Hana	2,200	6.6	4.9 - 8.2	31,000	91.4	89.5 - 93.2	700	2.0	1.1 - 2.8	<50	0.1	0.0 - 0.3	33,900
Waialae/ Kahala/ Hawaii Kai	2,500	5.4	3.1 - 7.6	43,100	92.8	90.4 - 95.3	800	1.7	0.7 - 2.7	100	0.1	0.0 - 0.4	46,500
Waipahu/ Kapolei/ Ewa	12,300	10.2	8.3 - 12.1	104,000	86.1	84.0 - 88.2	3,000	2.5	1.7 - 3.3	1,400	1.1	0.6 - 1.7	120,800

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

BRFSS Age Group	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,000	0.8	0.0 - 1.7	120,300	98.7	97.6 - 99.8	0	0.0	--	500	0.4	0.0 - 1.1	121,800
25-34	3,200	1.8	1.0 - 2.5	171,500	95.5	94.4 - 96.6	1,400	0.8	0.3 - 1.2	3,500	2.0	1.2 - 2.7	179,600
35-44	9,100	5.1	4.0 - 6.3	163,000	92.2	90.9 - 93.5	2,300	1.3	0.8 - 1.7	2,500	1.4	0.9 - 1.9	176,800
45-54	14,600	8.2	7.0 - 9.4	159,200	89.0	87.7 - 90.3	4,000	2.3	1.7 - 2.8	1,100	0.6	0.3 - 0.9	178,900
55-64	20,700	13.6	12.2 - 15.0	125,500	82.4	80.9 - 83.9	5,600	3.7	2.9 - 4.4	500	0.3	0.1 - 0.6	152,300
65-74	16,800	18.2	16.4 - 20.0	70,900	76.8	74.8 - 78.7	4,700	5.1	4.0 - 6.1	0	0.0	--	92,300
75+	17,600	18.0	16.0 - 19.9	75,000	76.8	74.7 - 78.9	5,100	5.2	4.1 - 6.3	<50	0.0	0.0 - 0.0	97,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

DOH Race-Ethnicity	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,500	5.1	4.5 - 5.7	296,900	92.6	91.9 - 93.4	5,800	1.8	1.4 - 2.2	1,300	0.4	0.2 - 0.6	320,500
Native Hawaiian	15,200	11.6	10.0 - 13.3	110,500	84.6	82.7 - 86.5	3,100	2.4	1.7 - 3.0	1,800	1.4	0.6 - 2.2	130,600
Chinese	5,500	8.8	6.9 - 10.7	55,100	88.2	86.0 - 90.4	1,500	2.4	1.4 - 3.4	400	0.6	0.0 - 1.2	62,400
Filipino	16,800	10.6	8.9 - 12.3	135,900	85.7	83.8 - 87.5	3,900	2.5	1.8 - 3.1	2,000	1.2	0.7 - 1.8	158,600
Japanese	22,800	9.8	8.8 - 10.8	201,300	86.4	85.2 - 87.5	7,400	3.2	2.6 - 3.7	1,600	0.7	0.4 - 1.0	233,100
Black	900	6.1	2.6 - 9.7	13,300	89.7	85.1 - 94.2	300	2.1	0.0 - 4.2	300	2.1	0.0 - 4.3	14,800
Native Alaskan/ American Indian	600	12.0	2.3 - 21.8	4,200	87.0	77.2 - 96.7	<50	0.8	0.0 - 1.7	<50	0.2	0.0 - 0.7	4,800
Other Asian	1,300	5.0	2.7 - 7.4	23,200	92.9	90.0 - 95.9	300	1.2	0.0 - 2.5	200	0.9	0.0 - 2.1	24,900
Other Pacific Islander	2,100	6.9	3.8 - 10.1	27,500	91.8	88.4 - 95.2	200	0.6	0.0 - 1.2	200	0.7	0.0 - 1.7	30,000
Other	1,900	8.7	5.4 - 12.0	18,500	87.1	82.7 - 91.4	600	2.7	0.8 - 4.6	300	1.5	0.0 - 3.8	21,300

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Gender	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	40,500	8.1	7.4 - 8.8	448,300	89.8	89.0 - 90.6	10,500	2.1	1.8 - 2.4	0	0.0	--	499,300
Female	43,100	8.5	7.9 - 9.2	441,000	87.4	86.5 - 88.2	12,600	2.5	2.2 - 2.8	8,200	1.6	1.2 - 2.0	504,900

Education Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,300	19.8	13.6 - 26.1	9,200	77.9	71.5 - 84.3	300	2.3	0.9 - 3.7	0	0.0	--	11,800
Grades 9 thru 11 (Some High School)	4,600	11.7	8.5 - 14.9	33,100	83.8	79.9 - 87.7	1,100	2.7	1.3 - 4.1	700	1.8	0.0 - 3.8	39,500
Grades 12 or GED (High School Grad)	28,400	9.8	8.8 - 10.8	252,600	86.9	85.7 - 88.1	7,900	2.7	2.2 - 3.2	1,800	0.6	0.3 - 0.9	290,700
College 1 to 3 years (Some College/ Tech)	24,100	8.4	7.4 - 9.3	256,100	88.7	87.6 - 89.7	6,500	2.3	1.8 - 2.7	2,000	0.7	0.4 - 1.0	288,700
College 4 years or more (College Grad)	24,000	6.4	5.8 - 7.1	337,500	90.6	89.8 - 91.4	7,400	2.0	1.6 - 2.3	3,600	1.0	0.7 - 1.3	372,500

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Employment Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	35,200	5.7	5.1 - 6.2	567,100	91.7	91.0 - 92.3	10,600	1.7	1.5 - 2.0	5,700	0.9	0.7 - 1.2	618,600
Unemployed	5,500	8.9	6.2 - 11.6	54,300	88.5	85.6 - 91.4	1,400	2.3	1.1 - 3.4	200	0.3	0.0 - 0.7	61,400
Retired/Unable to work	38,600	17.9	16.6 - 19.1	167,300	77.4	76.0 - 78.8	9,800	4.5	3.8 - 5.2	500	0.2	0.0 - 0.5	216,200
Student/Homemaker	4,300	4.0	2.9 - 5.1	99,500	93.1	91.7 - 94.5	1,300	1.2	0.7 - 1.8	1,800	1.6	0.8 - 2.5	106,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Household Income	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,100	9.9	7.0 - 12.9	26,800	85.9	82.4 - 89.3	1,200	3.7	1.8 - 5.6	100	0.5	0.0 - 1.0	31,200
\$10,000 to \$14,999	3,800	15.2	11.3 - 19.1	20,200	81.2	77.0 - 85.4	700	2.6	1.3 - 3.9	200	1.0	0.0 - 2.3	24,900
\$15,000 to \$19,999	6,300	13.1	10.4 - 15.7	40,500	83.6	80.8 - 86.5	1,200	2.4	1.5 - 3.3	400	0.9	0.1 - 1.7	48,400
\$20,000 to \$24,999	6,400	10.6	8.4 - 12.8	52,000	85.9	83.4 - 88.3	1,600	2.7	1.8 - 3.7	500	0.8	0.1 - 1.4	60,500
\$25,000 to \$34,999	10,000	9.9	8.2 - 11.6	87,800	86.8	84.9 - 88.7	2,700	2.7	1.9 - 3.4	700	0.7	0.2 - 1.1	101,100
\$35,000 to \$49,999	13,700	9.3	7.9 - 10.7	127,400	86.3	84.6 - 87.9	4,400	3.0	2.3 - 3.7	2,100	1.4	0.7 - 2.1	147,700
\$50,000 to \$74,999	13,100	7.5	6.4 - 8.6	156,000	89.6	88.3 - 90.8	4,100	2.4	1.7 - 3.0	1,000	0.5	0.3 - 0.8	174,100
\$75,000 or more	19,500	6.2	5.4 - 6.9	289,300	91.4	90.6 - 92.3	5,000	1.6	1.2 - 1.9	2,500	0.8	0.5 - 1.1	316,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Poverty Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	19,900	9.6	8.3 - 10.9	180,400	87.3	85.8 - 88.7	3,900	1.9	1.4 - 2.4	2,500	1.2	0.7 - 1.8	206,800
131-185%	13,000	9.5	8.1 - 11.0	117,900	86.2	84.5 - 87.9	4,700	3.4	2.6 - 4.3	1,100	0.8	0.4 - 1.3	136,700
186+%	43,000	7.7	7.1 - 8.3	501,500	89.4	88.8 - 90.1	12,200	2.2	1.9 - 2.5	3,900	0.7	0.5 - 0.9	560,700

Marital Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	52,000	8.9	8.2 - 9.5	513,300	87.5	86.8 - 88.3	14,900	2.5	2.2 - 2.9	6,100	1.0	0.8 - 1.3	586,400
Unmarried Couple	900	3.0	1.7 - 4.2	30,200	95.4	93.5 - 97.4	200	0.5	0.0 - 1.2	300	1.1	0.0 - 2.4	31,700
Widowed	9,900	16.9	14.6 - 19.2	45,500	77.7	75.2 - 80.3	3,100	5.4	4.0 - 6.7	<50	0.0	0.0 - 0.1	58,500
Other	20,800	6.3	5.5 - 7.1	300,300	91.7	90.7 - 92.6	4,900	1.5	1.2 - 1.8	1,700	0.5	0.2 - 0.8	327,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Married	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	53,400	8.9	8.3 - 9.6	522,800	87.4	86.7 - 88.2	15,400	2.6	2.2 - 2.9	6,200	1.0	0.8 - 1.3	597,900
No	30,100	7.4	6.7 - 8.2	364,600	90.2	89.3 - 91.0	7,700	1.9	1.6 - 2.2	1,900	0.5	0.2 - 0.7	404,400

Health Care Coverage	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	81,100	8.7	8.2 - 9.2	822,500	88.1	87.5 - 88.7	22,400	2.4	2.1 - 2.7	7,800	0.8	0.6 - 1.0	933,800
No	2,500	3.6	2.1 - 5.2	64,600	94.8	93.1 - 96.5	700	1.0	0.4 - 1.7	400	0.5	0.0 - 1.0	68,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

State	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	81,000	8.1	7.6 - 8.6	884,000	88.6	88.1 - 89.2	24,000	2.4	2.2 - 2.7	8,300	0.8	0.7 - 1.0	997,300

County	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,300	7.7	6.8 - 8.6	119,500	89.2	88.2 - 90.3	3,000	2.3	1.8 - 2.7	1,100	0.8	0.5 - 1.1	134,000
Honolulu	58,400	8.3	7.6 - 8.9	623,500	88.4	87.6 - 89.1	17,500	2.5	2.2 - 2.8	6,100	0.9	0.6 - 1.1	705,500
Kauai	3,600	7.5	6.2 - 8.8	43,000	89.3	87.8 - 90.9	1,000	2.0	1.3 - 2.7	600	1.2	0.6 - 1.8	48,100
Maui	8,700	8.0	6.9 - 9.0	97,900	89.3	88.1 - 90.5	2,500	2.2	1.7 - 2.8	500	0.5	0.2 - 0.8	109,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Island	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,300	7.7	6.8 - 8.6	119,500	89.2	88.2 - 90.3	3,000	2.3	1.8 - 2.7	1,100	0.8	0.5 - 1.1	134,000
Kauai	3,600	7.5	6.2 - 8.8	43,000	89.3	87.8 - 90.9	1,000	2.0	1.3 - 2.7	600	1.2	0.6 - 1.8	48,100
Lanai	200	9.8	7.2 - 12.4	1,600	86.6	83.6 - 89.6	100	2.8	1.4 - 4.1	<50	0.9	0.0 - 1.7	1,800
Maui	7,800	7.8	6.6 - 9.0	89,400	89.5	88.3 - 90.8	2,200	2.2	1.6 - 2.8	400	0.4	0.2 - 0.7	99,800
Molokai	800	9.5	7.0 - 12.0	7,000	87.0	83.9 - 90.0	200	2.6	1.2 - 4.0	100	0.9	0.0 - 2.2	8,000
Oahu	58,400	8.3	7.6 - 8.9	623,500	88.4	87.6 - 89.1	17,500	2.5	2.2 - 2.8	6,100	0.9	0.6 - 1.1	705,500

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,300	9.8	7.4 - 12.2	54,800	85.4	82.4 - 88.3	2,000	3.1	1.8 - 4.4	1,100	1.7	0.4 - 3.0	64,200
Ala Moana	2,700	8.9	6.1 - 11.8	26,100	87.9	84.7 - 91.2	700	2.2	1.1 - 3.3	300	0.9	0.0 - 2.0	29,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,100	5.7	3.9 - 7.4	18,000	90.3	87.8 - 92.7	500	2.6	1.2 - 4.0	300	1.4	0.4 - 2.5	19,900
Hilo	3,100	7.8	6.3 - 9.4	34,800	87.8	85.8 - 89.8	1,300	3.2	2.1 - 4.3	500	1.2	0.4 - 1.9	39,700
Kaaawa/ Kahaluu/ Kaneohe	3,500	7.1	5.0 - 9.3	44,800	91.2	88.9 - 93.4	700	1.4	0.6 - 2.2	100	0.3	0.0 - 0.6	49,200
Kahului	2,400	7.0	5.2 - 8.7	30,400	88.9	86.7 - 91.1	1,100	3.2	2.0 - 4.4	300	0.9	0.2 - 1.6	34,200
Kailua/ Waimanalo	4,200	8.2	6.1 - 10.3	45,900	89.0	86.6 - 91.5	1,000	2.0	0.9 - 3.0	400	0.8	0.1 - 1.5	51,500
Kaimuki/ Palolo/ Waikiki	4,900	8.5	6.5 - 10.6	50,400	88.2	85.8 - 90.6	1,200	2.0	1.0 - 3.0	700	1.3	0.4 - 2.2	57,200
Kona	2,100	7.5	5.3 - 9.6	25,700	89.6	87.3 - 92.0	700	2.4	1.4 - 3.3	200	0.5	0.1 - 1.0	28,600
Lahaina/ Wailuku	2,900	9.1	6.7 - 11.5	28,600	89.1	86.6 - 91.7	500	1.5	0.7 - 2.2	100	0.3	0.0 - 0.7	32,100
Lanai	200	9.8	7.2 - 12.4	1,600	86.6	83.6 - 89.6	100	2.8	1.4 - 4.1	<50	0.9	0.0 - 1.7	1,800
Lihue-Waimea	2,500	8.7	6.9 - 10.5	25,000	88.7	86.6 - 90.7	400	1.6	0.8 - 2.3	300	1.0	0.3 - 1.7	28,200
Manoa/ Upper Makiki	3,200	6.9	5.1 - 8.8	41,500	89.6	87.3 - 91.9	1,600	3.4	1.9 - 4.8	<50	0.1	0.0 - 0.2	46,300
Mililani/ Wahiawa	6,800	8.8	6.8 - 10.9	67,000	87.5	85.1 - 89.8	1,900	2.5	1.5 - 3.5	900	1.2	0.5 - 2.0	76,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	800	9.5	7.0 - 12.0	7,000	87.0	83.9 - 90.0	200	2.6	1.2 - 4.0	100	0.9	0.0 - 2.2	8,000
Nanakuli/ Waianae	4,900	14.2	10.2 - 18.2	28,600	82.2	77.9 - 86.6	900	2.6	1.0 - 4.3	300	0.9	0.0 - 1.8	34,700
N.Hawaii	2,300	8.3	6.0 - 10.6	25,000	88.9	86.3 - 91.4	500	1.9	0.9 - 2.9	300	1.0	0.1 - 1.8	28,200
N.Shore/ Laie	1,100	5.0	2.0 - 8.0	19,700	91.0	87.2 - 94.7	700	3.5	1.2 - 5.7	100	0.6	0.0 - 1.4	21,700
Nuuanu/ Kalihi/ Moanalua	5,500	7.9	5.7 - 10.1	61,900	88.3	85.8 - 90.8	2,300	3.3	2.1 - 4.4	300	0.5	0.0 - 1.0	70,000
Puna/ Kau	2,700	7.2	5.6 - 8.8	34,000	90.7	88.9 - 92.5	600	1.5	0.8 - 2.2	200	0.6	0.1 - 1.0	37,500
Salt Lake/ Foster Village	1,300	3.6	2.2 - 5.1	32,300	93.1	90.8 - 95.4	700	2.0	0.6 - 3.4	400	1.3	0.1 - 2.4	34,600
Upcountry/ Hana	2,500	7.4	5.6 - 9.2	30,400	90.6	88.6 - 92.6	600	1.9	1.0 - 2.8	<50	0.1	0.0 - 0.3	33,500
Waialae/ Kahala/ Hawaii Kai	2,800	6.0	3.5 - 8.4	42,700	91.5	88.7 - 94.2	1,100	2.5	1.1 - 3.8	100	0.1	0.0 - 0.4	46,700
Waipahu/ Kapolei/ Ewa	11,300	9.2	7.4 - 10.9	107,900	87.7	85.7 - 89.6	2,700	2.2	1.4 - 3.0	1,200	0.9	0.4 - 1.5	123,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

BRFSS Age Group	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	900	0.7	0.0 - 1.5	122,600	99.2	98.4 - 100.0	0	0.0	--	200	0.1	0.0 - 0.3	123,600
25-34	3,500	2.0	1.2 - 2.8	164,300	95.3	94.2 - 96.4	1,400	0.8	0.4 - 1.3	3,200	1.9	1.2 - 2.5	172,400
35-44	7,400	4.2	3.2 - 5.2	164,800	93.1	91.9 - 94.2	1,900	1.1	0.7 - 1.5	3,000	1.7	1.1 - 2.3	177,100
45-54	15,600	8.6	7.4 - 9.8	159,500	88.0	86.7 - 89.4	4,700	2.6	2.0 - 3.2	1,400	0.8	0.4 - 1.1	181,200
55-64	20,000	13.1	11.6 - 14.5	126,600	82.6	81.0 - 84.2	6,200	4.0	3.2 - 4.8	500	0.3	0.1 - 0.5	153,300
65-74	16,900	19.1	17.1 - 21.1	67,200	75.9	73.8 - 78.1	4,400	4.9	3.9 - 6.0	0	0.0	--	88,500
75+	16,200	16.9	14.9 - 18.8	74,900	77.7	75.5 - 79.9	5,200	5.4	4.3 - 6.6	0	0.0	--	96,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

DOH Race-Ethnicity	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	15,600	4.9	4.3 - 5.4	297,400	92.9	92.2 - 93.6	5,600	1.8	1.4 - 2.1	1,700	0.5	0.3 - 0.7	320,300
Native Hawaiian	15,400	11.6	10.0 - 13.2	112,200	84.8	83.0 - 86.6	3,300	2.5	1.8 - 3.1	1,400	1.1	0.5 - 1.6	132,300
Chinese	6,100	9.9	7.7 - 12.1	52,900	86.1	83.5 - 88.6	2,300	3.7	2.3 - 5.1	200	0.3	0.0 - 0.7	61,500
Filipino	15,800	9.8	8.2 - 11.3	140,200	86.6	84.9 - 88.3	4,100	2.6	1.9 - 3.2	1,700	1.1	0.6 - 1.6	161,900
Japanese	21,700	9.6	8.5 - 10.6	195,600	86.4	85.2 - 87.6	7,400	3.2	2.6 - 3.8	1,800	0.8	0.5 - 1.1	226,400
Black	1,000	6.6	3.1 - 10.2	13,900	90.3	86.0 - 94.7	200	1.0	0.0 - 2.7	300	2.0	0.0 - 4.1	15,400
Native Alaskan/ American Indian	600	10.4	1.8 - 19.0	5,000	88.4	79.8 - 97.0	100	1.1	0.0 - 2.2	<50	0.2	0.0 - 0.6	5,700
Other Asian	1,100	4.7	2.2 - 7.1	21,800	93.0	89.9 - 96.2	300	1.3	0.0 - 2.9	200	0.9	0.0 - 2.3	23,500
Other Pacific Islander	2,000	7.6	4.1 - 11.1	23,300	90.7	86.9 - 94.5	100	0.4	0.0 - 0.9	300	1.3	0.0 - 2.7	25,700
Other	1,700	8.2	4.9 - 11.4	18,300	86.3	81.7 - 90.8	600	2.7	0.5 - 4.9	600	2.9	0.1 - 5.6	21,200

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Gender	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	38,900	7.9	7.2 - 8.6	443,700	89.8	89.0 - 90.6	11,500	2.3	2.0 - 2.7	0	0.0	--	494,100
Female	42,200	8.4	7.7 - 9.0	440,300	87.5	86.7 - 88.3	12,500	2.5	2.1 - 2.8	8,300	1.6	1.3 - 2.0	503,200

Education Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,500	19.3	13.3 - 25.4	9,700	74.7	67.9 - 81.4	600	5.0	1.7 - 8.3	100	1.0	0.0 - 2.7	13,000
Grades 9 thru 11 (Some High School)	4,700	12.1	9.1 - 15.1	32,400	84.4	81.0 - 87.7	1,000	2.7	1.3 - 4.2	300	0.8	0.1 - 1.5	38,400
Grades 12 or GED (High School Grad)	27,800	9.4	8.4 - 10.4	258,900	87.2	86.0 - 88.3	8,300	2.8	2.3 - 3.3	1,900	0.6	0.3 - 0.9	297,000
College 1 to 3 years (Some College/ Tech)	24,700	8.5	7.5 - 9.5	257,000	88.6	87.6 - 89.7	6,300	2.2	1.8 - 2.6	1,900	0.7	0.4 - 0.9	289,900
College 4 years or more (College Grad)	21,300	6.0	5.3 - 6.6	324,900	90.8	90.0 - 91.6	7,600	2.1	1.7 - 2.5	4,000	1.1	0.8 - 1.5	357,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Employment Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	35,200	5.6	5.0 - 6.1	579,600	91.8	91.2 - 92.4	11,400	1.8	1.5 - 2.1	5,300	0.8	0.6 - 1.0	631,400
Unemployed	4,400	9.1	6.0 - 12.2	43,100	88.7	85.4 - 92.1	900	1.9	0.6 - 3.1	100	0.3	0.0 - 0.6	48,600
Retired/Unable to work	38,100	17.3	16.0 - 18.6	171,000	77.8	76.3 - 79.2	10,400	4.7	4.0 - 5.5	300	0.2	0.0 - 0.3	219,900
Student/Homemaker	3,400	3.5	2.4 - 4.6	89,100	92.6	91.0 - 94.2	1,300	1.3	0.7 - 1.9	2,500	2.6	1.6 - 3.6	96,300

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Household Income	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,800	10.5	7.6 - 13.5	22,600	84.6	81.0 - 88.1	1,100	4.0	2.0 - 6.0	200	0.9	0.0 - 1.8	26,700
\$10,000 to \$14,999	3,900	15.3	11.6 - 19.0	20,500	80.2	76.0 - 84.4	900	3.7	1.9 - 5.4	200	0.8	0.0 - 2.0	25,600
\$15,000 to \$19,999	5,700	12.7	10.1 - 15.4	37,300	83.5	80.6 - 86.4	1,100	2.5	1.5 - 3.6	600	1.2	0.3 - 2.2	44,700
\$20,000 to \$24,999	6,600	11.3	9.1 - 13.6	49,600	84.9	82.4 - 87.4	1,900	3.2	2.1 - 4.4	300	0.5	0.0 - 1.1	58,400
\$25,000 to \$34,999	10,400	9.9	8.1 - 11.6	91,400	86.5	84.6 - 88.5	2,800	2.6	1.9 - 3.4	1,000	0.9	0.4 - 1.5	105,600
\$35,000 to \$49,999	13,300	8.5	7.3 - 9.8	136,100	87.5	86.0 - 89.0	4,600	3.0	2.3 - 3.7	1,600	1.0	0.6 - 1.5	155,500
\$50,000 to \$74,999	13,000	7.3	6.2 - 8.4	160,000	89.5	88.3 - 90.8	4,500	2.5	1.9 - 3.1	1,200	0.7	0.4 - 1.0	178,700
\$75,000 or more	18,100	5.9	5.1 - 6.6	280,800	91.5	90.6 - 92.4	4,800	1.6	1.2 - 1.9	3,100	1.0	0.6 - 1.4	306,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Poverty Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	19,900	10.2	8.8 - 11.5	169,300	86.4	84.9 - 87.9	4,400	2.2	1.7 - 2.8	2,400	1.2	0.7 - 1.7	196,000
131-185%	10,800	8.5	7.1 - 9.8	111,800	87.4	85.7 - 89.1	4,100	3.2	2.3 - 4.1	1,200	0.9	0.4 - 1.5	127,900
186+%	43,100	7.5	6.9 - 8.0	517,000	89.5	88.8 - 90.1	13,200	2.3	2.0 - 2.6	4,600	0.8	0.6 - 1.0	577,800

Marital Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	49,100	8.3	7.7 - 9.0	517,100	87.9	87.2 - 88.7	15,400	2.6	2.3 - 3.0	6,600	1.1	0.9 - 1.4	588,200
Unmarried Couple	1,000	3.5	1.9 - 5.1	27,600	95.2	93.4 - 97.1	300	1.0	0.1 - 1.9	100	0.3	0.0 - 0.8	29,000
Widowed	10,100	17.3	15.0 - 19.5	44,800	76.5	74.0 - 79.1	3,600	6.1	4.7 - 7.6	<50	0.1	0.0 - 0.2	58,500
Other	20,800	6.5	5.7 - 7.3	294,500	91.6	90.7 - 92.5	4,700	1.5	1.1 - 1.8	1,500	0.5	0.2 - 0.7	321,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Married	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	50,500	8.4	7.8 - 9.1	525,800	87.8	87.1 - 88.6	15,600	2.6	2.3 - 3.0	6,700	1.1	0.9 - 1.4	598,600
No	30,400	7.7	6.9 - 8.4	356,500	89.8	89.0 - 90.7	8,400	2.1	1.8 - 2.5	1,600	0.4	0.2 - 0.6	396,900

Health Care Coverage	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	78,600	8.4	7.9 - 9.0	820,800	88.2	87.6 - 88.8	23,100	2.5	2.2 - 2.7	7,800	0.8	0.7 - 1.0	930,300
No	2,400	3.8	2.3 - 5.2	61,200	94.1	92.3 - 95.9	900	1.4	0.6 - 2.3	500	0.7	0.1 - 1.3	65,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

State	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	79,300	8.0	7.5 - 8.5	878,300	89.0	88.4 - 89.5	22,300	2.3	2.0 - 2.5	7,200	0.7	0.6 - 0.9	987,200

County	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,200	7.2	6.3 - 8.0	115,900	90.1	89.1 - 91.1	2,400	1.9	1.4 - 2.3	1,100	0.9	0.5 - 1.2	128,600
Honolulu	57,800	8.2	7.6 - 8.9	622,800	88.7	87.9 - 89.4	17,000	2.4	2.1 - 2.7	5,000	0.7	0.5 - 0.9	702,500
Kauai	4,100	8.4	7.1 - 9.8	42,300	88.2	86.5 - 89.8	1,000	2.2	1.3 - 3.0	600	1.2	0.6 - 1.8	48,000
Maui	8,300	7.7	6.6 - 8.7	97,400	90.1	88.9 - 91.2	1,900	1.8	1.3 - 2.3	500	0.5	0.2 - 0.8	108,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Island	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,200	7.2	6.3 - 8.0	115,900	90.1	89.1 - 91.1	2,400	1.9	1.4 - 2.3	1,100	0.9	0.5 - 1.2	128,600
Kauai	4,100	8.4	7.1 - 9.8	42,300	88.2	86.5 - 89.8	1,000	2.2	1.3 - 3.0	600	1.2	0.6 - 1.8	48,000
Lanai	200	9.2	6.7 - 11.6	1,800	87.9	85.0 - 90.7	<50	2.1	1.0 - 3.2	<50	0.9	0.1 - 1.7	2,100
Maui	7,400	7.5	6.4 - 8.6	88,900	90.2	89.0 - 91.5	1,700	1.7	1.2 - 2.3	500	0.5	0.2 - 0.8	98,500
Molokai	700	9.3	6.8 - 11.7	6,600	88.2	85.4 - 91.0	200	2.1	0.8 - 3.5	<50	0.4	0.0 - 0.9	7,500
Oahu	57,800	8.2	7.6 - 8.9	622,800	88.7	87.9 - 89.4	17,000	2.4	2.1 - 2.7	5,000	0.7	0.5 - 0.9	702,500

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,700	8.6	6.5 - 10.7	57,700	86.9	84.3 - 89.5	2,100	3.2	2.0 - 4.5	900	1.3	0.3 - 2.3	66,500
Ala Moana	3,300	10.4	7.4 - 13.4	27,400	86.6	83.3 - 89.8	700	2.1	1.0 - 3.2	300	1.0	0.0 - 1.9	31,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,500	7.3	5.3 - 9.4	17,800	87.7	84.9 - 90.5	700	3.5	1.8 - 5.3	300	1.4	0.4 - 2.4	20,300
Hilo	3,100	8.2	6.6 - 9.8	33,300	88.0	86.0 - 90.0	1,000	2.7	1.8 - 3.7	400	1.1	0.3 - 1.8	37,800
Kaaawa/ Kahaluu/ Kaneohe	3,600	7.4	5.2 - 9.6	44,200	90.3	87.8 - 92.7	900	1.8	0.9 - 2.7	300	0.5	0.0 - 1.1	48,900
Kahului	2,500	7.6	5.8 - 9.5	29,400	89.0	86.7 - 91.2	800	2.5	1.4 - 3.6	300	0.9	0.2 - 1.6	33,100
Kailua/ Waimanalo	4,200	8.2	6.0 - 10.4	45,300	89.2	86.7 - 91.7	800	1.6	0.7 - 2.6	500	1.0	0.1 - 1.9	50,800
Kaimuki/ Palolo/ Waikiki	4,200	7.4	5.4 - 9.4	51,600	89.8	87.6 - 92.1	1,200	2.1	1.1 - 3.0	400	0.7	0.1 - 1.3	57,400
Kona	1,600	5.6	4.1 - 7.1	26,200	92.1	90.4 - 93.9	400	1.3	0.6 - 2.0	300	1.0	0.3 - 1.7	28,400
Lahaina/ Wailuku	2,700	8.2	6.0 - 10.3	29,500	90.5	88.3 - 92.7	300	1.0	0.4 - 1.6	100	0.3	0.0 - 0.7	32,600
Lanai	200	9.2	6.7 - 11.6	1,800	87.9	85.0 - 90.7	<50	2.1	1.0 - 3.2	<50	0.9	0.1 - 1.7	2,100
Lihue-Waimea	2,600	9.2	7.4 - 11.1	24,500	88.5	86.4 - 90.5	300	1.2	0.5 - 1.8	300	1.1	0.4 - 1.8	27,700
Manoa/ Upper Makiki	3,700	7.8	5.6 - 9.9	42,000	89.2	86.8 - 91.7	1,400	2.9	1.6 - 4.2	100	0.1	0.0 - 0.3	47,000
Mililani/ Wahiawa	5,900	8.3	6.2 - 10.4	63,200	89.0	86.7 - 91.3	1,300	1.8	0.9 - 2.8	600	0.8	0.3 - 1.4	71,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	700	9.3	6.8 - 11.7	6,600	88.2	85.4 - 91.0	200	2.1	0.8 - 3.5	<50	0.4	0.0 - 0.9	7,500
Nanakuli/ Waianae	5,200	14.9	10.9 - 18.8	28,300	81.3	76.9 - 85.7	900	2.6	0.9 - 4.2	400	1.2	0.2 - 2.3	34,800
N.Hawaii	2,200	7.9	5.7 - 10.1	24,600	89.2	86.7 - 91.7	600	2.1	1.0 - 3.1	200	0.9	0.0 - 1.7	27,600
N.Shore/ Laie	1,400	5.8	2.6 - 9.1	21,300	90.5	86.6 - 94.4	600	2.7	0.7 - 4.6	200	1.0	0.0 - 2.1	23,500
Nuuanu/ Kalihi/ Moanalua	5,300	7.6	5.4 - 9.7	61,900	89.1	86.7 - 91.5	2,200	3.1	1.9 - 4.3	200	0.2	0.0 - 0.5	69,500
Puna/ Kau	2,400	6.8	5.2 - 8.3	31,800	91.3	89.6 - 93.1	400	1.2	0.6 - 1.9	200	0.7	0.1 - 1.2	34,800
Salt Lake/ Foster Village	1,400	4.0	2.1 - 5.8	31,000	91.1	88.0 - 94.2	1,100	3.4	1.1 - 5.6	500	1.5	0.3 - 2.8	34,100
Upcountry/ Hana	2,200	6.7	4.9 - 8.5	29,900	91.3	89.3 - 93.2	600	1.8	0.9 - 2.7	100	0.3	0.0 - 0.6	32,800
Waialae/ Kahala/ Hawaii Kai	2,900	6.7	4.2 - 9.3	38,500	90.8	88.0 - 93.7	900	2.2	0.9 - 3.5	100	0.2	0.0 - 0.6	42,400
Waipahu/ Kapolei/ Ewa	11,200	8.9	7.3 - 10.6	110,500	88.4	86.5 - 90.2	2,800	2.3	1.5 - 3.1	500	0.4	0.1 - 0.8	125,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

BRFSS Age Group	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	500	0.4	0.0 - 0.7	123,400	99.3	98.9 - 99.8	0	0.0	--	300	0.3	0.0 - 0.5	124,200
25-34	2,800	1.7	1.0 - 2.4	160,600	96.2	95.2 - 97.1	1,000	0.6	0.2 - 0.9	2,600	1.6	1.1 - 2.1	166,900
35-44	6,800	3.8	2.9 - 4.7	165,400	93.3	92.2 - 94.5	2,400	1.4	0.8 - 1.9	2,600	1.5	0.9 - 2.0	177,200
45-54	15,700	8.7	7.5 - 9.9	160,100	88.5	87.2 - 89.8	4,100	2.3	1.7 - 2.8	1,000	0.6	0.3 - 0.8	180,900
55-64	21,100	14.0	12.4 - 15.6	123,600	81.8	80.0 - 83.5	5,900	3.9	3.1 - 4.8	500	0.3	0.1 - 0.6	151,200
65-74	16,200	18.9	16.9 - 21.0	65,100	76.1	73.9 - 78.3	4,200	4.9	3.8 - 6.0	<50	0.0	0.0 - 0.1	85,600
75+	15,800	16.6	14.6 - 18.6	74,600	78.5	76.3 - 80.6	4,600	4.8	3.7 - 5.9	100	0.1	0.0 - 0.3	95,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

DOH Race-Ethnicity	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,100	5.0	4.4 - 5.6	298,000	92.9	92.2 - 93.6	4,900	1.5	1.2 - 1.9	1,900	0.6	0.4 - 0.8	321,000
Native Hawaiian	14,600	11.1	9.5 - 12.6	112,500	85.5	83.7 - 87.2	3,100	2.4	1.7 - 3.0	1,500	1.1	0.5 - 1.7	131,700
Chinese	5,700	10.2	7.8 - 12.5	48,500	86.1	83.5 - 88.8	1,800	3.3	1.9 - 4.6	200	0.4	0.0 - 0.9	56,300
Filipino	15,400	9.8	8.2 - 11.4	136,800	86.8	85.0 - 88.5	4,100	2.6	1.9 - 3.3	1,300	0.8	0.4 - 1.2	157,600
Japanese	20,000	9.2	8.2 - 10.2	188,700	86.9	85.7 - 88.1	6,900	3.2	2.6 - 3.8	1,500	0.7	0.4 - 1.0	217,100
Black	1,000	6.6	2.5 - 10.7	13,700	91.6	87.0 - 96.2	100	0.9	0.0 - 2.5	100	1.0	0.0 - 2.5	14,900
Native Alaskan/ American Indian	700	11.6	3.0 - 20.2	5,000	87.4	78.8 - 96.0	<50	0.8	0.0 - 1.8	<50	0.2	0.0 - 0.5	5,800
Other Asian	1,400	5.6	2.8 - 8.4	23,400	93.2	90.1 - 96.4	300	1.2	0.0 - 2.6	0	0.0	--	25,100
Other Pacific Islander	2,000	8.4	4.8 - 12.0	21,400	89.4	85.1 - 93.7	300	1.4	0.0 - 3.7	200	0.8	0.0 - 1.7	24,000
Mixed Ethnicity	500	6.6	1.8 - 11.3	7,400	92.0	87.0 - 97.1	<50	0.2	0.0 - 0.7	100	1.1	0.0 - 2.8	8,100
Other	1,600	7.5	4.2 - 10.8	19,200	88.5	84.6 - 92.5	500	2.5	0.7 - 4.2	300	1.5	0.0 - 3.0	21,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Gender	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	38,600	7.9	7.2 - 8.7	438,000	89.8	89.0 - 90.6	11,100	2.3	1.9 - 2.6	0	0.0	--	487,700
Female	40,700	8.1	7.5 - 8.8	440,300	88.2	87.4 - 88.9	11,300	2.3	1.9 - 2.6	7,200	1.4	1.2 - 1.7	499,500

Education Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,900	21.3	15.6 - 27.0	10,000	73.0	66.7 - 79.3	600	4.7	1.6 - 7.8	100	1.0	0.0 - 2.6	13,700
Grades 9 thru 11 (Some High School)	4,100	10.5	7.9 - 13.2	33,900	85.8	82.8 - 88.9	1,200	3.0	1.5 - 4.4	300	0.7	0.0 - 1.4	39,500
Grades 12 or GED (High School Grad)	26,900	9.0	8.0 - 10.0	262,600	87.9	86.8 - 89.0	7,400	2.5	2.0 - 3.0	1,900	0.6	0.4 - 0.9	298,800
College 1 to 3 years (Some College/ Tech)	24,600	8.6	7.6 - 9.6	253,800	88.7	87.7 - 89.8	5,700	2.0	1.6 - 2.4	1,900	0.7	0.4 - 0.9	286,000
College 4 years or more (College Grad)	20,700	5.9	5.3 - 6.6	316,800	91.0	90.2 - 91.9	7,400	2.1	1.7 - 2.5	3,100	0.9	0.6 - 1.2	348,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Employment Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	33,800	5.3	4.8 - 5.9	583,000	92.2	91.6 - 92.8	11,100	1.8	1.5 - 2.1	4,300	0.7	0.5 - 0.9	632,200
Unemployed	3,000	8.2	5.0 - 11.4	33,600	90.3	86.9 - 93.6	300	0.8	0.1 - 1.5	300	0.7	0.0 - 1.6	37,200
Retired/Unable to work	39,600	17.6	16.3 - 19.0	174,200	77.6	76.1 - 79.0	10,100	4.5	3.8 - 5.2	700	0.3	0.1 - 0.5	224,500
Student/Homemaker	2,900	3.2	2.2 - 4.1	86,400	93.8	92.4 - 95.2	800	0.9	0.4 - 1.4	2,000	2.1	1.3 - 3.0	92,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Household Income	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,000	11.3	8.3 - 14.2	22,500	85.4	82.1 - 88.7	700	2.8	1.5 - 4.1	100	0.5	0.0 - 1.2	26,400
\$10,000 to \$14,999	4,000	15.5	11.7 - 19.4	21,000	80.4	76.3 - 84.6	900	3.4	1.7 - 5.1	200	0.6	0.0 - 1.5	26,100
\$15,000 to \$19,999	4,700	10.9	8.6 - 13.3	36,700	84.9	82.1 - 87.6	1,400	3.2	1.9 - 4.4	400	1.0	0.2 - 1.8	43,200
\$20,000 to \$24,999	6,600	11.0	8.8 - 13.1	52,100	86.0	83.5 - 88.4	1,700	2.9	1.7 - 4.0	100	0.2	0.0 - 0.5	60,600
\$25,000 to \$34,999	10,000	9.3	7.6 - 10.9	93,900	87.2	85.4 - 89.1	2,700	2.5	1.7 - 3.4	1,000	1.0	0.5 - 1.4	107,600
\$35,000 to \$49,999	14,100	9.4	8.0 - 10.9	129,500	87.0	85.4 - 88.6	4,100	2.8	2.1 - 3.5	1,200	0.8	0.4 - 1.2	148,900
\$50,000 to \$74,999	13,200	7.7	6.6 - 8.9	152,000	88.8	87.5 - 90.2	4,500	2.6	1.9 - 3.3	1,500	0.9	0.5 - 1.2	171,100
\$75,000 or more	15,100	5.3	4.6 - 6.1	262,100	92.5	91.6 - 93.4	3,800	1.4	1.0 - 1.7	2,300	0.8	0.5 - 1.2	283,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Poverty Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	19,400	10.4	9.0 - 11.8	160,300	86.1	84.6 - 87.7	4,600	2.5	1.8 - 3.1	1,800	1.0	0.6 - 1.4	186,100
131-185%	9,200	7.9	6.4 - 9.4	103,100	88.4	86.6 - 90.2	3,000	2.6	1.7 - 3.5	1,200	1.1	0.4 - 1.7	116,600
186+%	42,000	7.4	6.9 - 8.0	506,200	89.7	89.0 - 90.4	12,300	2.2	1.9 - 2.5	3,900	0.7	0.5 - 0.9	564,400

Marital Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	49,700	8.5	7.8 - 9.2	515,000	88.1	87.4 - 88.9	14,600	2.5	2.1 - 2.9	5,200	0.9	0.7 - 1.1	584,400
Unmarried Couple	800	2.6	1.2 - 4.1	27,300	95.5	93.6 - 97.4	300	1.0	0.2 - 1.8	300	0.9	0.0 - 1.8	28,600
Widowed	9,600	16.8	14.6 - 19.1	43,800	76.9	74.4 - 79.5	3,400	6.0	4.5 - 7.4	200	0.3	0.0 - 0.7	56,900
Other	19,300	6.1	5.4 - 6.8	292,200	92.1	91.3 - 92.9	4,100	1.3	1.0 - 1.6	1,600	0.5	0.3 - 0.8	317,300

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Married	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	50,800	8.5	7.9 - 9.2	523,900	88.1	87.3 - 88.8	14,800	2.5	2.1 - 2.8	5,400	0.9	0.7 - 1.1	594,900
No	28,400	7.3	6.6 - 8.0	352,800	90.3	89.5 - 91.1	7,500	1.9	1.6 - 2.2	1,900	0.5	0.3 - 0.7	390,600

Health Care Coverage	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	76,000	8.3	7.8 - 8.8	813,600	88.6	88.0 - 89.2	21,400	2.3	2.1 - 2.6	7,000	0.8	0.6 - 0.9	918,000
No	3,300	4.9	3.3 - 6.5	62,900	93.4	91.5 - 95.2	900	1.3	0.5 - 2.1	300	0.4	0.0 - 0.8	67,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

State	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	75,700	7.7	7.2 - 8.2	877,800	89.6	89.1 - 90.2	18,500	1.9	1.7 - 2.1	7,500	0.8	0.6 - 0.9	979,500

County	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,900	8.0	7.1 - 8.8	111,200	89.7	88.8 - 90.7	1,900	1.5	1.2 - 1.9	900	0.8	0.4 - 1.1	123,900
Honolulu	54,400	7.7	7.1 - 8.4	628,300	89.5	88.8 - 90.2	13,900	2.0	1.7 - 2.3	5,400	0.8	0.6 - 1.0	702,000
Kauai	4,000	8.4	7.0 - 9.8	41,600	88.2	86.5 - 89.9	1,100	2.2	1.4 - 3.1	500	1.1	0.6 - 1.7	47,200
Maui	7,500	7.1	6.1 - 8.0	96,700	90.8	89.7 - 91.9	1,600	1.5	1.1 - 2.0	600	0.5	0.2 - 0.8	106,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Island	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,900	8.0	7.1 - 8.8	111,200	89.7	88.8 - 90.7	1,900	1.5	1.2 - 1.9	900	0.8	0.4 - 1.1	123,900
Kauai	4,000	8.4	7.0 - 9.8	41,600	88.2	86.5 - 89.9	1,100	2.2	1.4 - 3.1	500	1.1	0.6 - 1.7	47,200
Lanai	200	8.8	6.3 - 11.3	2,000	89.8	87.1 - 92.4	<50	1.2	0.4 - 2.0	<50	0.3	0.0 - 0.6	2,300
Maui	6,600	6.8	5.8 - 7.8	88,800	91.1	90.0 - 92.3	1,500	1.5	1.0 - 2.0	500	0.5	0.2 - 0.8	97,400
Molokai	700	10.2	7.4 - 12.9	5,800	86.8	83.6 - 90.0	100	1.8	0.6 - 3.0	100	1.3	0.0 - 2.6	6,700
Oahu	54,400	7.7	7.1 - 8.4	628,300	89.5	88.8 - 90.2	13,900	2.0	1.7 - 2.3	5,400	0.8	0.6 - 1.0	702,000

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,000	7.2	5.3 - 9.2	60,900	88.8	86.4 - 91.2	1,700	2.5	1.5 - 3.5	1,000	1.5	0.4 - 2.6	68,600
Ala Moana	3,300	10.4	7.1 - 13.7	27,800	87.2	83.7 - 90.7	500	1.5	0.6 - 2.4	300	0.9	0.0 - 2.0	31,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,500	7.3	5.2 - 9.4	17,600	87.6	84.8 - 90.4	700	3.7	1.9 - 5.5	300	1.4	0.4 - 2.4	20,100
Hilo	3,400	9.5	7.8 - 11.3	31,000	87.2	85.2 - 89.3	700	2.1	1.3 - 2.9	400	1.1	0.3 - 1.9	35,500
Kaaawa/ Kahaluu/ Kaneohe	3,500	7.1	4.8 - 9.3	45,400	90.3	87.8 - 92.8	1,000	2.1	1.0 - 3.2	300	0.5	0.0 - 1.1	50,300
Kahului	2,200	6.7	5.1 - 8.4	30,100	90.3	88.3 - 92.4	700	2.2	1.2 - 3.3	200	0.7	0.1 - 1.2	33,300
Kailua/ Waimanalo	4,300	8.5	6.1 - 11.0	45,200	89.7	87.1 - 92.3	500	1.1	0.3 - 1.9	300	0.7	0.0 - 1.4	50,300
Kaimuki/ Palolo/ Waikiki	3,500	5.9	4.2 - 7.6	54,900	91.7	89.8 - 93.7	1,100	1.8	0.9 - 2.7	300	0.6	0.1 - 1.1	59,900
Kona	1,700	5.9	4.3 - 7.4	26,600	92.0	90.2 - 93.8	300	1.1	0.5 - 1.8	300	1.0	0.3 - 1.7	28,900
Lahaina/ Wailuku	2,300	7.4	5.4 - 9.3	29,000	91.2	89.0 - 93.3	300	0.9	0.2 - 1.5	200	0.6	0.0 - 1.3	31,800
Lanai	200	8.8	6.3 - 11.3	2,000	89.8	87.1 - 92.4	<50	1.2	0.4 - 2.0	<50	0.3	0.0 - 0.6	2,300
Lihue-Waimea	2,500	9.2	7.2 - 11.2	24,000	88.7	86.5 - 90.8	300	1.1	0.5 - 1.7	300	1.0	0.4 - 1.6	27,100
Manoa/ Upper Makiki	4,200	9.3	6.3 - 12.2	40,500	88.3	85.2 - 91.4	1,000	2.2	1.0 - 3.4	100	0.2	0.0 - 0.6	45,900
Mililani/ Wahiawa	5,500	7.7	5.7 - 9.7	63,300	89.4	87.1 - 91.6	1,400	2.0	1.0 - 3.0	600	0.9	0.3 - 1.4	70,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	700	10.2	7.4 - 12.9	5,800	86.8	83.6 - 90.0	100	1.8	0.6 - 3.0	100	1.3	0.0 - 2.6	6,700
Nanakuli/ Waianae	4,700	14.1	10.1 - 18.1	27,700	82.5	78.1 - 86.9	600	1.8	0.3 - 3.3	500	1.6	0.3 - 2.9	33,600
N.Hawaii	2,200	8.2	6.4 - 9.9	23,800	89.7	87.6 - 91.7	500	1.7	0.7 - 2.7	100	0.5	0.1 - 0.9	26,500
N.Shore/ Laie	1,600	7.2	3.6 - 10.7	20,300	90.7	86.8 - 94.5	300	1.5	0.2 - 2.7	200	0.7	0.0 - 1.8	22,400
Nuuanu/ Kalihi/ Moanalua	4,800	6.7	4.7 - 8.7	63,200	89.6	87.1 - 92.0	2,200	3.1	1.8 - 4.4	400	0.6	0.0 - 1.2	70,600
Puna/ Kau	2,600	7.9	6.1 - 9.7	29,900	90.5	88.6 - 92.4	400	1.2	0.5 - 1.9	100	0.4	0.0 - 0.8	33,000
Salt Lake/ Foster Village	1,200	3.6	1.6 - 5.6	30,500	93.0	90.0 - 96.0	700	2.1	0.1 - 4.1	400	1.3	0.1 - 2.4	32,800
Upcountry/ Hana	2,100	6.4	4.6 - 8.1	29,700	92.0	90.0 - 93.9	500	1.5	0.7 - 2.2	100	0.2	0.0 - 0.5	32,300
Waialae/ Kahala/ Hawaii Kai	3,300	7.9	5.3 - 10.5	37,400	90.0	87.2 - 92.9	800	1.9	0.7 - 3.1	100	0.2	0.0 - 0.7	41,500
Waipahu/ Kapolei/ Ewa	9,400	7.7	6.0 - 9.3	111,200	90.1	88.3 - 91.9	2,000	1.6	1.0 - 2.3	800	0.6	0.2 - 1.1	123,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

BRFSS Age Group	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	600	0.5	0.1 - 0.9	122,100	98.9	98.3 - 99.5	100	0.1	0.0 - 0.2	600	0.5	0.1 - 0.9	123,500
25-34	2,800	1.7	1.0 - 2.4	157,300	96.3	95.4 - 97.2	700	0.4	0.2 - 0.7	2,600	1.6	1.0 - 2.1	163,300
35-44	6,100	3.4	2.6 - 4.2	167,100	93.6	92.5 - 94.7	2,600	1.4	0.9 - 2.0	2,800	1.5	1.0 - 2.1	178,500
45-54	15,900	8.7	7.5 - 9.9	162,100	88.7	87.3 - 90.0	3,800	2.1	1.5 - 2.6	1,100	0.6	0.3 - 0.9	182,800
55-64	20,000	13.5	11.8 - 15.1	123,300	83.2	81.4 - 85.0	4,600	3.1	2.3 - 3.9	300	0.2	0.0 - 0.3	148,200
65-74	15,600	18.5	16.4 - 20.6	65,700	77.9	75.7 - 80.1	3,000	3.5	2.6 - 4.5	<50	0.0	0.0 - 0.1	84,400
75+	14,500	15.7	13.6 - 17.8	74,600	80.4	78.1 - 82.6	3,600	3.9	2.9 - 4.9	100	0.1	0.0 - 0.3	92,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

DOH Race-Ethnicity	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,600	5.2	4.6 - 5.8	298,100	93.2	92.5 - 93.9	3,400	1.1	0.8 - 1.3	1,800	0.6	0.3 - 0.8	320,000
Native Hawaiian	14,600	11.7	10.0 - 13.4	105,800	84.8	82.9 - 86.7	2,900	2.3	1.6 - 3.1	1,500	1.2	0.6 - 1.8	124,800
Chinese	4,900	9.4	7.0 - 11.9	45,400	86.6	83.7 - 89.4	1,700	3.2	1.8 - 4.7	400	0.8	0.1 - 1.5	52,400
Filipino	14,100	8.7	7.2 - 10.2	142,500	87.9	86.2 - 89.5	3,900	2.4	1.7 - 3.1	1,700	1.0	0.6 - 1.5	162,100
Japanese	17,800	8.4	7.4 - 9.4	186,900	88.4	87.2 - 89.6	5,300	2.5	1.9 - 3.0	1,500	0.7	0.4 - 1.0	211,400
Black	1,100	6.8	2.5 - 11.0	15,700	93.2	89.0 - 97.5	0	0.0	--	0	0.0	--	16,900
Native Alaskan/ American Indian	500	9.1	3.0 - 15.1	4,900	90.4	84.3 - 96.5	<50	0.6	0.0 - 1.4	0	0.0	--	5,400
Other Asian	1,700	7.3	2.7 - 11.8	21,800	91.8	87.2 - 96.4	200	0.9	0.0 - 1.8	0	0.0	--	23,700
Other Pacific Islander	2,100	8.7	5.1 - 12.3	21,800	88.9	84.6 - 93.2	500	1.9	0.0 - 4.3	100	0.6	0.0 - 1.3	24,500
Mixed Ethnicity	500	6.6	1.8 - 11.3	7,400	92.0	87.0 - 97.1	<50	0.2	0.0 - 0.7	100	1.1	0.0 - 2.8	8,100
Other	1,400	5.3	3.0 - 7.6	23,400	91.0	88.0 - 94.1	600	2.5	0.8 - 4.1	300	1.2	0.0 - 2.4	25,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Gender	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	38,400	7.9	7.2 - 8.7	438,000	90.3	89.5 - 91.2	8,500	1.7	1.4 - 2.1	0	0.0	--	484,900
Female	37,300	7.5	6.9 - 8.2	439,800	88.9	88.2 - 89.7	10,000	2.0	1.7 - 2.4	7,500	1.5	1.2 - 1.8	494,600

Education Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,300	18.9	13.4 - 24.5	13,100	76.2	70.2 - 82.2	700	4.1	1.5 - 6.8	100	0.8	0.0 - 2.0	17,300
Grades 9 thru 11 (Some High School)	4,800	12.2	9.2 - 15.2	33,100	83.9	80.5 - 87.3	1,300	3.2	1.7 - 4.7	300	0.7	0.0 - 1.4	39,400
Grades 12 or GED (High School Grad)	27,700	9.4	8.4 - 10.4	259,200	88.1	86.9 - 89.2	5,700	1.9	1.5 - 2.4	1,700	0.6	0.4 - 0.8	294,300
College 1 to 3 years (Some College/ Tech)	21,500	7.6	6.7 - 8.4	256,000	89.8	88.8 - 90.8	5,100	1.8	1.4 - 2.2	2,300	0.8	0.5 - 1.1	284,900
College 4 years or more (College Grad)	18,400	5.4	4.7 - 6.0	314,900	92.1	91.3 - 92.9	5,700	1.7	1.3 - 2.0	2,900	0.8	0.5 - 1.1	341,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Employment Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	33,100	5.2	4.7 - 5.8	584,000	92.5	91.9 - 93.2	10,000	1.6	1.3 - 1.9	4,000	0.6	0.5 - 0.8	631,000
Unemployed	1,900	6.4	3.9 - 9.0	26,500	91.9	89.0 - 94.7	100	0.2	0.0 - 0.4	400	1.5	0.2 - 2.8	28,900
Retired/Unable to work	37,600	16.6	15.3 - 18.0	179,700	79.5	78.0 - 80.9	7,900	3.5	2.9 - 4.1	900	0.4	0.2 - 0.7	226,100
Student/Homemaker	3,100	3.4	2.3 - 4.5	86,100	93.6	92.1 - 95.1	600	0.6	0.2 - 1.1	2,100	2.3	1.4 - 3.3	92,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Household Income	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,000	11.0	8.2 - 13.9	23,400	86.2	83.0 - 89.4	600	2.2	1.0 - 3.4	200	0.6	0.0 - 1.3	27,200
\$10,000 to \$14,999	4,900	17.5	13.3 - 21.6	22,200	79.1	74.8 - 83.5	800	2.8	1.4 - 4.2	200	0.6	0.0 - 1.4	28,100
\$15,000 to \$19,999	5,100	11.1	8.5 - 13.6	39,600	85.1	82.3 - 88.0	1,400	3.0	1.8 - 4.1	400	0.8	0.1 - 1.5	46,500
\$20,000 to \$24,999	6,600	10.5	8.4 - 12.7	54,300	86.6	84.2 - 89.0	1,500	2.4	1.3 - 3.4	300	0.5	0.0 - 0.9	62,700
\$25,000 to \$34,999	9,300	8.7	7.1 - 10.4	94,200	87.9	86.0 - 89.8	2,600	2.4	1.5 - 3.3	1,000	1.0	0.5 - 1.4	107,100
\$35,000 to \$49,999	12,100	8.0	6.7 - 9.4	134,100	89.1	87.6 - 90.6	3,100	2.0	1.4 - 2.6	1,300	0.9	0.4 - 1.3	150,600
\$50,000 to \$74,999	11,900	7.0	5.9 - 8.1	153,100	90.4	89.1 - 91.6	2,900	1.7	1.2 - 2.2	1,500	0.9	0.5 - 1.3	169,400
\$75,000 or more	12,300	4.9	4.1 - 5.6	235,700	93.1	92.2 - 94.0	3,200	1.3	0.9 - 1.6	2,000	0.8	0.4 - 1.1	253,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Poverty Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	19,900	10.9	9.5 - 12.4	156,000	85.7	84.1 - 87.3	4,300	2.3	1.7 - 3.0	1,900	1.0	0.6 - 1.4	182,000
131-185%	8,400	7.7	6.2 - 9.3	95,700	88.6	86.8 - 90.5	2,400	2.2	1.4 - 3.1	1,500	1.4	0.6 - 2.1	107,900
186+%	37,100	6.7	6.1 - 7.2	505,000	91.0	90.4 - 91.6	9,200	1.7	1.4 - 1.9	3,500	0.6	0.5 - 0.8	554,800

Marital Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	48,200	8.3	7.6 - 9.0	516,900	88.8	88.0 - 89.6	11,800	2.0	1.7 - 2.4	5,200	0.9	0.7 - 1.1	582,200
Unmarried Couple	900	3.3	1.5 - 5.1	26,900	94.9	92.7 - 97.0	300	1.0	0.1 - 1.8	300	0.9	0.0 - 1.8	28,300
Widowed	9,000	15.8	13.6 - 18.1	45,100	79.2	76.7 - 81.7	2,600	4.6	3.4 - 5.8	200	0.3	0.0 - 0.7	56,900
Other	17,600	5.6	4.9 - 6.4	288,900	92.6	91.7 - 93.4	3,800	1.2	0.9 - 1.5	1,800	0.6	0.3 - 0.9	312,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Married	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	49,100	8.3	7.6 - 9.0	526,100	88.8	88.0 - 89.5	12,100	2.0	1.7 - 2.4	5,300	0.9	0.7 - 1.1	592,600
No	26,500	6.9	6.2 - 7.6	350,200	90.9	90.1 - 91.7	6,400	1.7	1.4 - 2.0	2,100	0.6	0.3 - 0.8	385,300

Health Care Coverage	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	72,300	8.0	7.5 - 8.5	808,600	89.3	88.7 - 89.9	17,600	1.9	1.7 - 2.2	7,200	0.8	0.6 - 1.0	905,700
No	3,400	4.8	3.4 - 6.1	67,400	93.7	92.1 - 95.3	900	1.2	0.5 - 2.0	200	0.3	0.0 - 0.7	71,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

State	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	70,700	7.4	6.8 - 8.1	856,400	89.9	89.1 - 90.6	15,000	1.6	1.2 - 1.9	10,900	1.1	0.8 - 1.4	953,000

County	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,400	7.6	6.6 - 8.6	111,400	89.6	88.2 - 91.0	1,700	1.4	0.8 - 2.0	1,700	1.4	0.6 - 2.2	124,300
Honolulu	51,100	7.5	6.6 - 8.4	610,600	89.7	88.7 - 90.7	11,000	1.6	1.2 - 2.0	8,200	1.2	0.8 - 1.6	680,900
Kauai	3,900	8.7	7.0 - 10.4	39,800	88.9	87.0 - 90.8	600	1.4	0.7 - 2.1	400	0.9	0.4 - 1.5	44,800
Maui	6,200	6.1	4.9 - 7.2	94,600	91.8	90.0 - 93.7	1,600	1.6	0.1 - 3.0	600	0.5	0.2 - 0.9	103,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Island	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	9,400	7.6	6.6 - 8.6	111,400	89.6	88.2 - 91.0	1,700	1.4	0.8 - 2.0	1,700	1.4	0.6 - 2.2	124,300
Kauai	3,900	8.7	7.0 - 10.4	39,800	88.9	87.0 - 90.8	600	1.4	0.7 - 2.1	400	0.9	0.4 - 1.5	44,800
Lanai	200	8.6	5.5 - 11.8	1,900	90.7	87.5 - 93.8	<50	0.4	0.0 - 0.9	<50	0.3	0.0 - 0.7	2,100
Maui	5,500	5.8	4.6 - 7.0	87,400	92.0	90.1 - 94.0	1,600	1.7	0.1 - 3.3	500	0.5	0.2 - 0.8	95,000
Molokai	600	9.4	6.0 - 12.8	5,300	89.0	85.3 - 92.7	<50	0.3	0.0 - 0.6	100	1.3	0.0 - 2.8	6,000
Oahu	51,100	7.5	6.6 - 8.4	610,600	89.7	88.7 - 90.7	11,000	1.6	1.2 - 2.0	8,200	1.2	0.8 - 1.6	680,900

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,300	8.0	5.3 - 10.8	59,200	89.4	86.3 - 92.5	900	1.3	0.6 - 2.1	800	1.2	0.0 - 2.5	66,200
Ala Moana	2,600	8.0	4.9 - 11.1	29,300	90.4	87.1 - 93.7	200	0.7	0.0 - 1.3	300	0.9	0.0 - 1.9	32,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,300	7.0	4.7 - 9.2	16,700	89.6	86.8 - 92.4	400	2.3	0.8 - 3.9	200	1.1	0.2 - 2.1	18,700
Hilo	2,700	7.9	6.1 - 9.6	31,100	89.6	87.5 - 91.7	400	1.1	0.5 - 1.7	500	1.4	0.3 - 2.4	34,700
Kaaawa/ Kahaluu/ Kaneohe	3,100	6.5	3.9 - 9.1	42,700	89.7	86.2 - 93.1	1,300	2.7	0.8 - 4.6	500	1.1	0.0 - 2.5	47,600
Kahului	2,000	6.2	4.1 - 8.3	30,400	92.2	89.9 - 94.5	300	1.0	0.3 - 1.7	200	0.6	0.0 - 1.1	32,900
Kailua/ Waimanalo	4,200	8.9	5.8 - 12.0	42,100	90.0	86.8 - 93.3	100	0.3	0.0 - 0.7	400	0.8	0.0 - 1.6	46,800
Kaimuki/ Palolo/ Waikiki	3,700	6.0	3.6 - 8.4	55,100	90.1	86.9 - 93.2	1,400	2.3	0.6 - 4.0	900	1.6	0.1 - 3.0	61,200
Kona	1,600	5.7	3.9 - 7.4	26,200	92.3	90.2 - 94.3	300	1.0	0.2 - 1.8	300	1.0	0.3 - 1.8	28,400
Lahaina/ Wailuku	2,200	7.2	4.6 - 9.7	27,600	89.2	84.1 - 94.2	1,000	3.2	0.0 - 7.9	100	0.5	0.0 - 1.1	31,000
Lanai	200	8.6	5.5 - 11.8	1,900	90.7	87.5 - 93.8	<50	0.4	0.0 - 0.9	<50	0.3	0.0 - 0.7	2,100
Lihue-Waimea	2,600	10.0	7.5 - 12.4	23,100	88.5	85.9 - 91.0	200	0.8	0.3 - 1.3	200	0.8	0.2 - 1.4	26,100
Manoa/ Upper Makiki	3,500	7.7	4.6 - 10.8	40,400	87.9	83.2 - 92.6	1,600	3.4	0.0 - 7.2	400	1.0	0.0 - 2.1	45,900
Millilani/ Wahiawa	3,800	5.7	3.8 - 7.7	60,900	92.1	89.8 - 94.4	1,000	1.5	0.5 - 2.5	400	0.6	0.0 - 1.3	66,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	600	9.4	6.0 - 12.8	5,300	89.0	85.3 - 92.7	<50	0.3	0.0 - 0.6	100	1.3	0.0 - 2.8	6,000
Nanakuli/ Waianae	5,800	17.8	10.2 - 25.3	25,700	79.3	71.5 - 87.1	200	0.7	0.0 - 1.9	700	2.2	0.0 - 4.8	32,400
N.Hawaii	2,000	8.1	5.8 - 10.3	22,000	89.4	86.8 - 92.0	500	2.1	0.8 - 3.3	100	0.5	0.0 - 1.1	24,600
N.Shore/ Laie	2,100	9.6	3.9 - 15.2	19,200	89.0	83.2 - 94.7	200	1.0	0.0 - 2.1	100	0.5	0.0 - 1.3	21,600
Nuuanu/ Kalihi/ Moanalua	4,400	6.4	4.1 - 8.7	62,000	89.8	86.7 - 92.9	1,300	1.9	0.7 - 3.1	1,300	1.9	0.0 - 3.7	69,100
Puna/ Kau	3,100	8.6	6.2 - 10.9	32,000	87.6	84.1 - 91.2	500	1.5	0.0 - 3.3	800	2.3	0.0 - 4.7	36,600
Salt Lake/ Foster Village	1,200	3.5	1.3 - 5.6	32,100	93.5	90.3 - 96.6	500	1.5	0.0 - 3.3	500	1.6	0.0 - 3.1	34,400
Upcountry/ Hana	1,200	4.0	2.4 - 5.5	29,400	94.7	92.9 - 96.4	300	0.9	0.3 - 1.4	100	0.5	0.0 - 1.0	31,100
Waialae/ Kahala/ Hawaii Kai	2,600	6.6	3.8 - 9.4	36,900	91.9	88.8 - 95.0	300	0.8	0.1 - 1.5	300	0.7	0.0 - 1.8	40,200
Waipahu/ Kapolei/ Ewa	8,800	7.5	5.2 - 9.9	104,900	89.6	86.9 - 92.3	1,900	1.6	0.7 - 2.6	1,400	1.2	0.2 - 2.2	117,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

BRFSS Age Group	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	500	0.5	0.1 - 0.8	115,500	98.7	98.1 - 99.4	100	0.1	0.0 - 0.3	800	0.7	0.1 - 1.3	117,000
25-34	2,500	1.5	0.8 - 2.1	158,500	95.6	94.1 - 97.0	1,800	1.1	0.0 - 2.1	3,100	1.9	1.0 - 2.7	165,900
35-44	8,300	4.6	2.9 - 6.3	164,700	92.0	90.1 - 94.0	2,400	1.4	0.7 - 2.0	3,500	1.9	1.1 - 2.8	178,900
45-54	15,100	8.5	6.9 - 10.1	157,300	88.9	87.0 - 90.9	2,800	1.6	0.5 - 2.7	1,700	0.9	0.3 - 1.6	176,900
55-64	18,600	13.5	11.5 - 15.6	114,600	83.7	81.4 - 85.9	3,500	2.5	1.5 - 3.6	400	0.3	0.0 - 0.6	137,000
65-74	13,100	15.7	13.2 - 18.2	67,300	80.6	77.7 - 83.4	2,000	2.4	1.6 - 3.2	1,100	1.4	0.0 - 2.8	83,500
75+	12,300	14.3	11.6 - 17.0	71,300	82.9	80.2 - 85.7	2,000	2.3	1.6 - 3.1	400	0.4	0.0 - 0.9	85,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

DOH Race-Ethnicity	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	16,000	5.1	4.2 - 5.9	293,300	93.5	92.6 - 94.5	1,700	0.6	0.3 - 0.8	2,700	0.8	0.5 - 1.2	313,700
Native Hawaiian	14,800	12.4	9.7 - 15.0	100,200	83.5	80.3 - 86.7	3,400	2.8	0.9 - 4.8	1,600	1.3	0.5 - 2.1	120,100
Chinese	3,400	6.7	4.2 - 9.1	46,500	91.5	88.9 - 94.2	400	0.7	0.2 - 1.3	600	1.1	0.2 - 2.0	50,800
Filipino	13,700	9.0	7.1 - 10.9	133,100	87.4	85.2 - 89.6	2,700	1.8	1.1 - 2.5	2,800	1.8	0.8 - 2.8	152,300
Japanese	14,700	7.3	6.1 - 8.4	179,400	88.7	87.2 - 90.3	5,700	2.8	1.9 - 3.8	2,400	1.2	0.5 - 1.8	202,200
Black	1,200	8.4	2.1 - 14.7	13,200	91.6	85.3 - 97.9	0	0.0	--	0	0.0	--	14,400
Native Alaskan/ American Indian	400	7.1	1.9 - 12.3	4,900	92.7	87.5 - 97.9	<50	0.2	0.0 - 0.5	0	0.0	--	5,200
Other Asian	1,300	5.6	1.3 - 9.8	21,700	91.5	85.7 - 97.4	100	0.5	0.0 - 1.2	600	2.4	0.0 - 6.5	23,700
Other Pacific Islander	2,500	9.8	4.6 - 15.0	22,500	88.5	82.8 - 94.2	400	1.7	0.0 - 4.1	0	0.0	--	25,400
Mixed Ethnicity	500	6.6	1.8 - 11.3	7,400	92.0	87.0 - 97.1	<50	0.2	0.0 - 0.7	100	1.1	0.0 - 2.8	8,100
Other	1,900	7.4	2.9 - 12.0	22,800	89.7	84.8 - 94.6	500	1.8	0.6 - 3.1	300	1.0	0.0 - 2.6	25,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Gender	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	37,400	8.0	7.0 - 9.0	425,800	90.7	89.7 - 91.8	6,000	1.3	0.8 - 1.8	0	0.0	--	469,200
Female	33,300	6.9	6.0 - 7.7	430,600	89.0	87.9 - 90.1	9,000	1.9	1.3 - 2.4	10,900	2.3	1.7 - 2.8	483,700

Education Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,500	16.3	10.6 - 22.0	12,800	82.2	76.3 - 88.1	200	1.5	0.2 - 2.8	0	0.0	--	15,600
Grades 9 thru 11 (Some High School)	4,100	11.1	7.9 - 14.2	31,900	86.0	82.5 - 89.5	900	2.5	1.2 - 3.9	200	0.4	0.0 - 1.0	37,100
Grades 12 or GED (High School Grad)	27,600	9.7	8.2 - 11.2	249,400	87.7	85.9 - 89.4	4,600	1.6	0.9 - 2.4	2,900	1.0	0.5 - 1.6	284,500
College 1 to 3 years (Some College/ Tech)	19,600	6.9	5.8 - 8.0	256,000	89.9	88.6 - 91.3	4,700	1.6	1.1 - 2.2	4,400	1.5	0.9 - 2.2	284,700
College 4 years or more (College Grad)	16,900	5.1	4.3 - 5.9	305,000	92.5	91.4 - 93.6	4,500	1.4	0.8 - 2.0	3,300	1.0	0.5 - 1.5	329,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Employment Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	31,600	5.2	4.5 - 5.9	565,700	92.3	91.4 - 93.2	8,200	1.3	0.9 - 1.8	7,300	1.2	0.8 - 1.6	612,700
Unemployed	1,600	5.8	3.3 - 8.3	25,000	92.7	89.8 - 95.6	100	0.2	0.0 - 0.5	300	1.3	0.0 - 2.6	27,000
Retired/Unable to work	33,500	15.5	13.7 - 17.3	174,800	80.9	79.0 - 82.9	6,200	2.9	1.9 - 3.8	1,500	0.7	0.2 - 1.2	216,000
Student/Homemaker	4,000	4.2	2.3 - 6.0	89,100	93.4	91.2 - 95.6	600	0.6	0.0 - 1.5	1,700	1.8	0.9 - 2.8	95,300

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Household Income	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,300	9.9	6.7 - 13.1	20,600	88.9	85.6 - 92.3	200	0.9	0.2 - 1.6	100	0.3	0.0 - 0.7	23,200
\$10,000 to \$14,999	3,900	14.4	10.3 - 18.6	21,800	81.4	76.6 - 86.2	800	3.2	0.5 - 5.8	300	1.0	0.0 - 2.1	26,800
\$15,000 to \$19,999	6,200	13.2	8.6 - 17.8	39,600	84.0	79.2 - 88.8	800	1.7	0.8 - 2.6	500	1.1	0.0 - 2.8	47,100
\$20,000 to \$24,999	6,100	9.3	6.6 - 11.9	57,900	88.2	85.2 - 91.2	600	0.9	0.3 - 1.6	1,100	1.6	0.2 - 3.0	65,700
\$25,000 to \$34,999	8,900	8.2	6.0 - 10.4	96,000	89.1	86.7 - 91.5	2,200	2.0	1.0 - 3.0	700	0.7	0.3 - 1.1	107,800
\$35,000 to \$49,999	10,000	7.1	5.5 - 8.6	128,000	90.1	88.0 - 92.1	3,100	2.2	0.8 - 3.5	1,000	0.7	0.3 - 1.1	142,100
\$50,000 to \$74,999	13,100	6.3	5.1 - 7.5	188,000	90.5	88.8 - 92.2	2,500	1.2	0.4 - 2.1	4,100	2.0	1.0 - 2.9	207,800
\$75,000 or more	11,600	5.1	3.9 - 6.3	210,000	92.5	91.1 - 93.9	3,000	1.3	0.7 - 1.9	2,500	1.1	0.5 - 1.7	227,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Poverty Level	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	18,600	11.1	9.0 - 13.3	143,600	86.0	83.7 - 88.3	2,600	1.6	0.9 - 2.3	2,200	1.3	0.5 - 2.0	167,000
131-185%	7,100	6.6	4.9 - 8.2	97,000	89.2	86.4 - 92.0	3,000	2.8	0.6 - 4.9	1,600	1.5	0.5 - 2.4	108,800
186+%	36,300	6.4	5.6 - 7.1	521,300	91.2	90.3 - 92.1	7,600	1.3	1.0 - 1.7	6,500	1.1	0.7 - 1.5	571,700

Marital Status (Grouped)	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	46,400	8.2	7.3 - 9.2	499,800	88.8	87.7 - 89.9	9,100	1.6	1.1 - 2.1	7,700	1.4	0.9 - 1.8	563,000
Unmarried Couple	700	2.6	1.0 - 4.1	25,700	95.8	93.7 - 97.8	200	0.6	0.0 - 1.3	300	1.1	0.1 - 2.1	26,900
Widowed	7,700	13.8	10.9 - 16.7	46,200	82.5	79.3 - 85.7	1,700	3.0	1.6 - 4.4	400	0.7	0.0 - 1.3	56,000
Other	15,900	5.2	4.2 - 6.1	284,600	92.7	91.6 - 93.8	4,000	1.3	0.8 - 1.8	2,500	0.8	0.4 - 1.2	307,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Married	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	47,200	8.2	7.3 - 9.1	509,100	88.8	87.7 - 89.9	9,400	1.6	1.1 - 2.1	7,800	1.4	0.9 - 1.8	573,500
No	23,500	6.2	5.3 - 7.1	345,000	91.5	90.4 - 92.5	5,600	1.5	1.1 - 1.9	3,100	0.8	0.5 - 1.2	377,200

Health Care Coverage	Yes			No			No, pre-diabetes or borderline diabetes			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	67,500	7.8	7.1 - 8.5	777,800	89.4	88.6 - 90.2	14,100	1.6	1.2 - 2.0	10,500	1.2	0.9 - 1.5	869,800
No	3,200	4.0	2.5 - 5.5	75,600	94.5	92.6 - 96.4	900	1.1	0.0 - 2.2	300	0.4	0.0 - 0.9	80,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

State	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	58,800	6.5	5.9 - 7.1	836,900	92.4	91.8 - 93.0	10,000	1.1	0.9 - 1.3	905,700

County	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,900	6.2	5.2 - 7.3	102,200	92.2	91.0 - 93.4	1,700	1.6	1.0 - 2.2	110,900
Honolulu	43,500	6.6	5.9 - 7.3	605,800	92.4	91.7 - 93.2	6,300	1.0	0.7 - 1.2	655,600
Kauai	2,400	5.6	4.2 - 7.0	39,200	92.8	91.3 - 94.4	600	1.5	0.9 - 2.2	42,200
Maui	6,000	6.2	4.1 - 8.3	89,800	92.4	90.3 - 94.5	1,400	1.4	1.0 - 1.8	97,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Island	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,900	6.2	5.2 - 7.3	102,200	92.2	91.0 - 93.4	1,700	1.6	1.0 - 2.2	110,900
Kauai	2,400	5.6	4.2 - 7.0	39,200	92.8	91.3 - 94.4	600	1.5	0.9 - 2.2	42,200
Lanai	200	5.3	2.8 - 7.7	2,700	92.9	90.1 - 95.7	100	1.8	0.6 - 3.1	2,900
Maui	5,300	6.0	3.7 - 8.3	81,500	92.8	90.5 - 95.1	1,100	1.2	0.8 - 1.7	87,900
Molokai	600	9.0	5.4 - 12.5	5,500	87.6	83.6 - 91.6	200	3.5	1.5 - 5.4	6,300
Oahu	43,500	6.6	5.9 - 7.3	605,800	92.4	91.7 - 93.2	6,300	1.0	0.7 - 1.2	655,600

Community	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,000	9.8	7.1 - 12.6	54,100	88.9	86.1 - 91.7	800	1.2	0.4 - 2.1	60,800
Ala Moana	1,600	5.1	2.9 - 7.3	28,700	94.3	92.0 - 96.6	200	0.6	0.0 - 1.4	30,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	700	4.1	2.1 - 6.2	16,700	94.4	92.2 - 96.6	300	1.4	0.6 - 2.3	17,600
Hilo	2,400	6.9	5.2 - 8.7	30,800	90.6	88.3 - 92.9	900	2.5	0.9 - 4.1	34,000
Kaaawa/ Kahaluu/ Kaneohe	3,600	8.6	5.2 - 12.1	37,700	90.3	86.8 - 93.9	400	1.1	0.2 - 1.9	41,700
Kahului	2,900	9.2	3.3 - 15.1	28,100	89.2	83.4 - 95.1	500	1.5	0.7 - 2.4	31,500
Kailua/ Waimanalo	3,600	7.2	4.5 - 10.0	45,200	91.9	89.0 - 94.8	400	0.9	0.0 - 1.7	49,200
Kaimuki/ Palolo/ Waikiki	4,900	7.2	4.9 - 9.5	63,100	92.7	90.4 - 95.0	100	0.1	0.0 - 0.3	68,100
Kona	1,400	4.7	3.1 - 6.2	28,300	94.4	92.7 - 96.0	300	0.9	0.3 - 1.5	30,000
Lahaina/ Wailuku	1,400	4.8	3.1 - 6.5	26,800	93.8	91.9 - 95.7	400	1.4	0.5 - 2.4	28,600
Lanai	200	5.3	2.8 - 7.7	2,700	92.9	90.1 - 95.7	100	1.8	0.6 - 3.1	2,900
Lihue-Waimea	1,600	6.7	4.8 - 8.6	22,500	91.7	89.6 - 93.8	400	1.6	0.7 - 2.5	24,600
Manoa/ Upper Makiki	3,000	5.3	3.1 - 7.6	52,600	93.6	91.2 - 96.0	600	1.1	0.2 - 1.9	56,200
Milliani/ Wahiawa	3,800	6.0	3.6 - 8.5	57,700	92.6	90.1 - 95.2	800	1.3	0.5 - 2.2	62,300

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Community	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	600	9.0	5.4 - 12.5	5,500	87.6	83.6 - 91.6	200	3.5	1.5 - 5.4	6,300
Nanakuli/ Waianae	2,700	9.9	5.2 - 14.6	24,400	88.7	83.7 - 93.6	400	1.4	0.0 - 3.3	27,500
N.Hawaii	1,800	7.5	4.3 - 10.8	21,400	91.7	88.4 - 95.0	200	0.8	0.2 - 1.4	23,400
N.Shore/ Laie	1,600	7.2	3.8 - 10.6	21,200	92.6	89.2 - 96.0	<50	0.2	0.0 - 0.5	22,900
Nuuanu/ Kalihi/ Moanalua	4,700	7.0	4.7 - 9.2	62,300	91.8	89.4 - 94.3	800	1.2	0.2 - 2.2	67,900
Puna/ Kau	1,400	5.9	3.8 - 7.9	21,700	92.3	90.0 - 94.7	400	1.8	0.6 - 3.0	23,500
Salt Lake/ Foster Village	1,400	3.5	1.6 - 5.4	37,500	95.7	93.6 - 97.8	300	0.8	0.0 - 1.7	39,100
Upcountry/ Hana	1,000	3.6	2.2 - 5.0	26,600	95.7	94.2 - 97.2	200	0.7	0.2 - 1.2	27,800
Waialae/ Kahala/ Hawaii Kai	1,500	3.7	1.7 - 5.7	38,100	96.2	94.2 - 98.2	100	0.1	0.0 - 0.4	39,600
Waipahu/ Kapolei/ Ewa	5,200	5.8	4.1 - 7.5	83,200	92.7	90.8 - 94.6	1,400	1.5	0.6 - 2.5	89,800

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

BRFSS Age Group	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,300	1.1	0.0 - 2.9	109,600	97.8	95.9 - 99.6	1,200	1.1	0.5 - 1.8	112,100
25-34	2,200	1.4	0.7 - 2.0	160,700	97.5	96.7 - 98.4	1,800	1.1	0.6 - 1.7	164,800
35-44	5,200	2.8	2.1 - 3.6	174,000	95.4	94.5 - 96.3	3,100	1.7	1.2 - 2.2	182,300
45-54	11,300	6.7	5.4 - 8.1	155,200	92.3	90.9 - 93.7	1,600	1.0	0.6 - 1.4	168,200
55-64	13,700	11.6	9.6 - 13.6	103,100	87.1	85.0 - 89.2	1,500	1.3	0.6 - 2.1	118,400
65-74	14,900	17.8	15.0 - 20.6	68,600	81.8	79.0 - 84.6	300	0.3	0.1 - 0.6	83,800
75+	9,400	13.0	10.6 - 15.4	62,300	86.5	84.1 - 88.9	400	0.5	0.2 - 0.8	72,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

DOH Race-Ethnicity	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,600	3.9	3.2 - 4.6	303,900	95.2	94.5 - 96.0	2,600	0.8	0.5 - 1.1	319,100
Native Hawaiian	9,700	9.4	7.5 - 11.4	92,000	88.9	86.8 - 91.0	1,700	1.7	0.9 - 2.4	103,400
Chinese	5,300	6.9	5.0 - 8.8	71,300	92.1	90.1 - 94.1	800	1.0	0.4 - 1.7	77,400
Filipino	10,200	7.5	5.6 - 9.5	123,400	91.0	88.9 - 93.0	2,000	1.5	0.8 - 2.2	135,700
Japanese	16,600	9.2	7.8 - 10.6	161,800	89.7	88.3 - 91.2	1,800	1.0	0.6 - 1.4	180,200
Black	300	2.2	0.3 - 4.1	14,700	96.7	94.1 - 99.3	200	1.1	0.0 - 2.9	15,200
Native Alaskan/ American Indian	200	5.7	0.0 - 12.6	3,900	94.3	87.4 - 100.0	0	0.0	--	4,100
Other Asian	800	3.7	1.3 - 6.1	20,100	94.5	91.4 - 97.6	400	1.8	0.0 - 3.8	21,200
Other Pacific Islander	1,800	10.2	3.3 - 17.1	15,500	88.5	81.4 - 95.5	200	1.4	0.0 - 3.3	17,600
Other	1,000	3.8	1.7 - 6.0	25,800	95.4	93.1 - 97.7	200	0.7	0.0 - 1.6	27,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Gender	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	28,600	6.3	5.4 - 7.2	422,400	93.7	92.8 - 94.6	0	0.0	--	450,900
Female	30,200	6.6	5.9 - 7.4	414,600	91.2	90.3 - 92.0	10,000	2.2	1.8 - 2.6	454,800

Education Level	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,100	12.8	8.0 - 17.5	14,100	86.7	81.9 - 91.4	100	0.6	0.0 - 1.4	16,200
Grades 9 thru 11 (Some High School)	4,500	12.4	8.7 - 16.1	31,100	86.9	83.2 - 90.6	200	0.7	0.2 - 1.1	35,800
Grades 12 or GED (High School Grad)	21,300	7.2	6.2 - 8.2	270,100	91.4	90.4 - 92.5	4,100	1.4	1.0 - 1.8	295,400
College 1 to 3 years (Some College/ Tech)	16,800	6.3	5.0 - 7.5	248,900	92.7	91.4 - 93.9	2,900	1.1	0.7 - 1.4	268,600
College 4 years or more (College Grad)	14,100	4.9	4.1 - 5.7	271,200	94.2	93.3 - 95.1	2,700	0.9	0.5 - 1.3	288,000

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Employment Status (Grouped)	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	25,300	4.3	3.6 - 4.9	558,900	94.5	93.9 - 95.2	7,000	1.2	0.9 - 1.4	591,200
Unemployed	1,400	4.3	2.0 - 6.5	31,400	94.4	91.9 - 96.9	400	1.3	0.1 - 2.5	33,200
Retired/Unable to work	29,500	15.7	14.0 - 17.5	157,000	83.6	81.8 - 85.4	1,300	0.7	0.2 - 1.1	187,800
Student/Homemaker	2,500	2.7	1.5 - 3.8	89,000	95.8	94.5 - 97.2	1,400	1.5	0.8 - 2.2	92,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Household Income	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,900	9.7	6.7 - 12.7	35,200	87.4	83.8 - 91.0	1,200	2.9	0.7 - 5.1	40,200
\$10,000 to \$14,999	4,700	10.8	7.5 - 14.1	37,800	87.7	84.3 - 91.1	600	1.4	0.5 - 2.3	43,100
\$15,000 to \$19,999	2,400	5.5	3.5 - 7.5	40,800	93.5	91.4 - 95.7	400	1.0	0.2 - 1.8	43,600
\$20,000 to \$24,999	4,500	8.7	4.7 - 12.7	47,200	90.2	86.2 - 94.2	600	1.1	0.4 - 1.8	52,300
\$25,000 to \$34,999	4,700	5.7	4.0 - 7.4	77,800	93.5	91.8 - 95.3	600	0.8	0.3 - 1.2	83,200
\$35,000 to \$49,999	8,700	6.5	5.1 - 7.9	123,500	92.4	90.9 - 93.9	1,400	1.1	0.5 - 1.6	133,600
\$50,000 to \$74,999	7,200	5.6	4.1 - 7.1	120,700	93.6	92.1 - 95.1	1,100	0.8	0.4 - 1.3	129,000
\$75,000 or more	7,600	5.5	4.1 - 6.9	129,700	93.9	92.4 - 95.3	900	0.6	0.3 - 1.0	138,200

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Poverty Level	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	13,100	8.3	6.5 - 10.1	142,400	90.1	88.2 - 92.0	2,600	1.6	1.0 - 2.3	158,100
131-185%	5,400	6.2	4.5 - 8.0	80,900	93.0	91.1 - 94.8	700	0.8	0.3 - 1.3	87,100
186+%	25,200	6.0	5.3 - 6.8	389,200	93.1	92.3 - 93.9	3,500	0.8	0.6 - 1.1	418,000

Marital Status (Grouped)	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	37,100	7.1	6.2 - 7.9	479,500	91.6	90.8 - 92.5	6,800	1.3	1.0 - 1.6	523,300
Unmarried Couple	<50	0.2	0.0 - 0.5	16,100	98.0	95.8 - 100.0	300	1.8	0.0 - 4.0	16,400
Widowed	9,300	16.3	13.2 - 19.4	47,400	83.3	80.2 - 86.4	200	0.4	0.1 - 0.7	56,900
Other	12,400	4.0	3.3 - 4.7	293,900	95.1	94.3 - 95.9	2,800	0.9	0.5 - 1.3	309,100

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2003

Married	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	37,700	7.0	6.2 - 7.8	491,800	91.7	90.8 - 92.5	7,000	1.3	1.0 - 1.6	536,600
No	21,000	5.7	4.9 - 6.5	344,200	93.5	92.6 - 94.3	3,000	0.8	0.5 - 1.1	368,200

Health Care Coverage	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	57,400	6.9	6.3 - 7.5	765,300	92.0	91.3 - 92.6	9,300	1.1	0.9 - 1.3	832,000
No	1,300	1.8	1.0 - 2.7	70,500	97.2	96.2 - 98.2	700	1.0	0.4 - 1.5	72,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

State	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	51,100	5.7	5.2 - 6.3	828,800	93.0	92.5 - 93.6	10,900	1.2	1.0 - 1.4	890,800

County	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,300	5.9	5.0 - 6.7	99,000	92.7	91.7 - 93.6	1,600	1.5	1.0 - 1.9	106,800
Honolulu	36,600	5.6	5.0 - 6.3	605,100	93.2	92.6 - 93.9	7,300	1.1	0.9 - 1.4	649,000
Kauai	2,300	5.6	4.3 - 6.9	38,500	92.9	91.5 - 94.3	600	1.5	0.9 - 2.1	41,400
Maui	6,000	6.4	4.2 - 8.5	86,300	92.2	90.0 - 94.3	1,400	1.5	1.0 - 1.9	93,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Island	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	6,300	5.9	5.0 - 6.7	99,000	92.7	91.7 - 93.6	1,600	1.5	1.0 - 1.9	106,800
Kauai	2,300	5.6	4.3 - 6.9	38,500	92.9	91.5 - 94.3	600	1.5	0.9 - 2.1	41,400
Lanai	200	6.7	4.0 - 9.4	2,600	91.2	88.2 - 94.3	100	2.1	0.8 - 3.3	2,900
Maui	5,300	6.2	3.9 - 8.6	78,400	92.4	90.0 - 94.8	1,200	1.4	0.9 - 1.8	84,800
Molokai	500	8.1	5.1 - 11.2	5,300	88.9	85.5 - 92.4	200	2.9	1.2 - 4.6	6,000
Oahu	36,600	5.6	5.0 - 6.3	605,100	93.2	92.6 - 93.9	7,300	1.1	0.9 - 1.4	649,000

Community	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	5,700	8.9	6.6 - 11.3	57,100	89.9	87.4 - 92.4	800	1.2	0.3 - 2.1	63,500
Ala Moana	1,600	5.4	3.2 - 7.6	28,400	93.9	91.5 - 96.3	200	0.7	0.0 - 1.6	30,300

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Community	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	500	3.1	1.6 - 4.7	16,700	95.7	94.0 - 97.4	200	1.2	0.4 - 1.9	17,500
Hilo	2,400	7.1	5.5 - 8.7	30,800	91.1	89.2 - 93.0	600	1.8	0.8 - 2.8	33,800
Kaaawa/ Kahaluu/ Kaneohe	3,100	7.6	4.4 - 10.9	36,500	90.7	87.3 - 94.1	700	1.6	0.5 - 2.8	40,200
Kahului	2,500	8.4	2.3 - 14.5	27,100	89.6	83.6 - 95.7	600	2.0	1.0 - 3.0	30,200
Kailua/ Waimanalo	2,600	5.4	3.1 - 7.6	44,800	92.7	90.1 - 95.3	900	1.9	0.6 - 3.2	48,300
Kaimuki/ Palolo/ Waikiki	4,700	7.2	5.0 - 9.4	60,400	92.2	90.0 - 94.5	400	0.5	0.1 - 1.0	65,500
Kona	1,500	5.2	3.6 - 6.7	27,600	93.6	91.9 - 95.3	300	1.2	0.5 - 1.9	29,500
Lahaina/ Wailuku	1,600	5.6	3.8 - 7.4	26,400	93.2	91.2 - 95.1	400	1.3	0.5 - 2.0	28,300
Lanai	200	6.7	4.0 - 9.4	2,600	91.2	88.2 - 94.3	100	2.1	0.8 - 3.3	2,900
Lihue-Waimea	1,800	7.4	5.5 - 9.3	21,800	90.9	88.8 - 93.0	400	1.7	0.8 - 2.6	24,000
Manoa/ Upper Makiki	2,300	4.0	2.2 - 5.9	53,900	94.9	92.8 - 96.9	600	1.1	0.2 - 2.0	56,900
Milliani/ Wahiawa	3,100	5.2	3.1 - 7.2	56,600	93.6	91.4 - 95.8	800	1.3	0.5 - 2.1	60,500

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Community	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	500	8.1	5.1 - 11.2	5,300	88.9	85.5 - 92.4	200	2.9	1.2 - 4.6	6,000
Nanakuli/ Waianae	1,700	6.2	2.4 - 10.1	25,700	92.1	87.8 - 96.3	500	1.7	0.0 - 3.7	28,000
N.Hawaii	1,400	6.1	4.2 - 8.1	20,600	92.8	90.7 - 94.9	200	1.1	0.3 - 1.8	22,300
N.Shore/ Laie	1,400	6.4	3.1 - 9.7	20,500	93.2	89.8 - 96.5	100	0.5	0.0 - 1.2	22,000
Nuuanu/ Kalihi/ Moanalua	4,200	6.3	4.3 - 8.3	60,900	92.4	90.1 - 94.6	900	1.3	0.2 - 2.4	66,000
Puna/ Kau	1,000	4.5	2.9 - 6.2	20,000	93.7	91.7 - 95.6	400	1.8	0.7 - 2.9	21,300
Salt Lake/ Foster Village	1,100	2.9	1.3 - 4.5	35,900	96.5	94.7 - 98.2	200	0.6	0.0 - 1.2	37,200
Upcountry/ Hana	1,200	4.4	2.8 - 6.1	24,900	94.8	93.1 - 96.5	200	0.8	0.3 - 1.3	26,200
Waialae/ Kahala/ Hawaii Kai	1,400	3.3	1.5 - 5.2	40,200	96.3	94.4 - 98.2	100	0.3	0.0 - 0.8	41,800
Waipahu/ Kapolei/ Ewa	3,700	4.1	2.8 - 5.5	84,000	94.5	93.0 - 96.1	1,200	1.3	0.6 - 2.1	88,900

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

BRFSS Age Group	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,000	0.9	0.0 - 2.7	107,400	98.5	96.7 - 100.0	600	0.6	0.2 - 1.0	109,100
25-34	2,100	1.3	0.8 - 1.8	162,400	97.4	96.7 - 98.1	2,200	1.3	0.8 - 1.8	166,800
35-44	4,700	2.5	1.9 - 3.2	176,100	95.6	94.8 - 96.4	3,400	1.9	1.3 - 2.4	184,200
45-54	8,400	5.3	4.2 - 6.3	150,200	93.6	92.4 - 94.7	1,900	1.2	0.8 - 1.6	160,500
55-64	12,500	10.8	8.9 - 12.7	101,600	87.9	85.9 - 89.9	1,500	1.3	0.5 - 2.1	115,600
65-74	14,000	16.2	13.7 - 18.6	71,800	82.9	80.4 - 85.4	800	1.0	0.4 - 1.5	86,600
75+	7,900	12.4	9.9 - 14.9	55,200	87.0	84.5 - 89.5	400	0.6	0.2 - 1.0	63,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

DOH Race-Ethnicity	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,700	3.3	2.7 - 3.9	281,000	95.7	95.0 - 96.4	2,900	1.0	0.7 - 1.3	293,600
Native Hawaiian	8,400	6.9	5.4 - 8.3	112,500	91.3	89.8 - 92.9	2,200	1.8	1.1 - 2.5	123,200
Chinese	3,200	5.7	3.8 - 7.5	52,000	93.2	91.3 - 95.2	600	1.1	0.4 - 1.8	55,800
Filipino	9,500	7.1	5.2 - 9.0	121,800	91.2	89.2 - 93.2	2,200	1.6	1.0 - 2.3	133,500
Japanese	16,100	8.5	7.3 - 9.7	171,400	90.5	89.3 - 91.8	1,800	1.0	0.6 - 1.3	189,400
Black	100	0.9	0.0 - 1.9	15,500	97.9	95.8 - 100.0	200	1.2	0.0 - 3.1	15,800
Native Alaskan/ American Indian	500	13.3	2.9 - 23.6	3,100	86.7	76.4 - 97.1	0	0.0	--	3,600
Other Asian	1,100	5.3	2.4 - 8.2	19,800	92.6	89.0 - 96.1	500	2.1	0.0 - 4.2	21,400
Other Pacific Islander	1,000	6.0	0.0 - 12.3	15,700	92.9	86.6 - 99.2	200	1.1	0.0 - 2.2	16,900
Mixed Ethnicity	400	4.7	0.6 - 8.9	7,000	93.8	89.4 - 98.2	100	1.5	0.0 - 3.0	7,500
Other	1,000	3.7	1.7 - 5.7	25,600	95.6	93.3 - 97.8	200	0.8	0.0 - 1.9	26,800

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Gender	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	26,200	5.9	5.1 - 6.7	419,600	94.1	93.3 - 94.9	0	0.0	--	445,700
Female	25,000	5.6	5.0 - 6.3	409,200	91.9	91.2 - 92.7	10,900	2.4	2.0 - 2.9	445,100

Education Level	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,300	12.3	8.2 - 16.4	16,400	87.2	83.0 - 91.4	100	0.5	0.0 - 1.2	18,900
Grades 9 thru 11 (Some High School)	3,300	8.5	5.8 - 11.2	35,200	89.8	86.9 - 92.8	700	1.7	0.4 - 2.9	39,200
Grades 12 or GED (High School Grad)	19,500	6.5	5.7 - 7.4	274,400	92.1	91.1 - 93.0	4,100	1.4	1.0 - 1.7	298,000
College 1 to 3 years (Some College/ Tech)	13,900	5.3	4.1 - 6.4	246,900	93.5	92.3 - 94.7	3,300	1.3	0.9 - 1.6	264,100
College 4 years or more (College Grad)	12,000	4.5	3.8 - 5.2	254,600	94.5	93.7 - 95.3	2,700	1.0	0.6 - 1.4	269,400

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Employment Status (Grouped)	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	22,200	3.8	3.2 - 4.3	560,300	95.0	94.4 - 95.6	7,200	1.2	1.0 - 1.5	589,700
Unemployed	1,000	3.1	1.5 - 4.7	31,100	96.1	94.3 - 97.9	300	0.8	0.0 - 1.6	32,300
Retired/Unable to work	25,900	14.4	12.8 - 16.0	153,000	84.7	83.1 - 86.4	1,600	0.9	0.4 - 1.4	180,500
Student/Homemaker	2,000	2.3	1.3 - 3.3	83,700	95.6	94.4 - 96.9	1,800	2.0	1.3 - 2.8	87,600

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Household Income	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,300	8.7	6.2 - 11.3	34,300	89.8	86.9 - 92.6	600	1.5	0.1 - 2.9	38,300
\$10,000 to \$14,999	3,100	7.5	5.2 - 9.8	37,700	91.2	88.8 - 93.6	500	1.2	0.6 - 1.9	41,300
\$15,000 to \$19,999	2,400	5.8	4.0 - 7.6	37,900	92.9	90.8 - 94.9	600	1.4	0.3 - 2.4	40,800
\$20,000 to \$24,999	4,000	7.2	3.5 - 11.0	50,100	91.0	87.2 - 94.8	1,000	1.8	0.8 - 2.8	55,100
\$25,000 to \$34,999	5,400	5.8	4.2 - 7.4	86,500	93.3	91.6 - 95.0	800	0.9	0.4 - 1.4	92,800
\$35,000 to \$49,999	8,600	6.2	4.9 - 7.5	127,400	92.7	91.4 - 94.1	1,400	1.0	0.5 - 1.5	137,300
\$50,000 to \$74,999	5,200	4.2	3.1 - 5.2	118,700	94.8	93.6 - 95.9	1,300	1.1	0.6 - 1.6	125,200
\$75,000 or more	5,900	4.6	3.3 - 5.9	121,900	94.8	93.5 - 96.1	800	0.6	0.3 - 1.0	128,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Poverty Level	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	9,000	6.9	5.0 - 8.7	120,600	91.6	89.6 - 93.5	2,100	1.6	0.9 - 2.2	131,700
131-185%	6,300	6.5	4.9 - 8.1	90,100	92.4	90.8 - 94.1	1,000	1.1	0.5 - 1.6	97,500
186+%	22,500	5.2	4.6 - 5.9	403,800	93.9	93.2 - 94.6	3,900	0.9	0.7 - 1.1	430,200

Marital Status (Grouped)	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	33,400	6.5	5.7 - 7.2	474,600	92.0	91.2 - 92.8	8,100	1.6	1.3 - 1.9	516,100
Unmarried Couple	<50	0.3	0.0 - 0.6	13,800	99.3	98.6 - 100.0	100	0.4	0.0 - 1.0	13,900
Widowed	7,100	14.1	11.2 - 17.1	42,600	85.0	82.0 - 88.0	400	0.9	0.1 - 1.7	50,100
Other	10,700	3.4	2.9 - 4.0	297,800	95.8	95.2 - 96.5	2,300	0.7	0.4 - 1.1	310,700

Diabetes - prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2002

Married	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	34,000	6.4	5.7 - 7.2	487,200	92.0	91.2 - 92.8	8,300	1.6	1.3 - 1.8	529,400
No	17,200	4.8	4.1 - 5.4	340,500	94.5	93.8 - 95.2	2,600	0.7	0.4 - 1.0	360,200

Health Care Coverage	Yes			No			Gestational			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	50,100	6.1	5.5 - 6.7	761,600	92.7	92.1 - 93.3	9,900	1.2	1.0 - 1.4	821,500
No	1,100	1.6	0.8 - 2.3	66,100	97.0	95.9 - 98.1	1,000	1.4	0.6 - 2.2	68,200