

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents; If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension

This report displays weighted numbers, percentages and confidence intervals for BRFSS Health Indicators. Respondents are aged 18 or older. The trend analysis page shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the estimated adult population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access BRFSS documentation](#)

[Click here to access Hawaii Data Guide](#)

[Click here to access Poverty Level methodology](#)

**For questions on this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(808)946-5899 x15

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Year	Yes			No			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2002	13,300	8.7%	5.9 - 11.5	139,500	91.3%	88.5 - 94.1	50,900
2001-2003	14,100	8.0%	5.4 - 10.6	162,100	92.0%	89.4 - 94.6	58,700
2002-2004	10,200	5.6%	3.6 - 7.7	171,300	94.4%	92.3 - 96.4	60,500
2003-2005	13,900	6.6%	4.2 - 9.0	196,000	93.4%	91.0 - 95.8	70,000
2004-2006	17,700	8.1%	5.8 - 10.4	199,900	91.9%	89.6 - 94.2	72,500
2005-2007	20,400	8.7%	6.7 - 10.8	212,400	91.3%	89.2 - 93.3	77,600



Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	13,268	8.7	5.9 - 11.5	139,500	91.3	88.5 - 94.1	50,923

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,234	11.9	6.9 - 16.9	16,518	88.1	83.1 - 93.1	6,251
Honolulu	9,186	8.4	4.7 - 12.1	100,152	91.6	87.9 - 95.3	36,446
Kauai	535	7.7	2.5 - 13.0	6,369	92.3	87.0 - 97.5	2,301
Maui	1,313	7.4	3.1 - 11.6	16,461	92.6	88.4 - 96.9	5,925

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	4,411	5.9	3.5 - 8.4	70,013	94.1	91.6 - 96.5	24,808
Male	8,857	11.3	6.5 - 16.1	69,487	88.7	83.9 - 93.5	26,115

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,901	10.0	4.8 - 15.1	26,180	90.0	84.9 - 95.2	9,694
Native Hawaiian	1,728	6.8	3.2 - 10.5	23,543	93.2	89.5 - 96.8	8,424
Chinese	1,318	13.9	.0 - 27.8	8,190	86.1	72.2 - 100.0	3,169
Filipino	2,263	7.9	2.7 - 13.2	26,255	92.1	86.8 - 97.3	9,506
Japanese	1,646	3.4	1.6 - 5.3	46,259	96.6	94.7 - 98.4	15,968
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Mixed Ethnicity	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	2,137
35-44	417	3.0	.0 - 6.1	13,549	97.0	93.9 - 100.0	4,655
45-54	3,191	12.6	6.3 - 19.0	22,039	87.4	81.0 - 93.7	8,410
55-64	3,846	10.2	4.2 - 16.3	33,751	89.8	83.7 - 95.8	12,532
65-74	4,467	10.8	3.8 - 17.8	37,044	89.2	82.2 - 96.2	13,837
75+	1,048	4.4	1.3 - 7.6	22,527	95.6	92.4 - 98.7	7,858

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	1,020	14.2	6.4 - 22.0	6,153	85.8	78.0 - 93.6	2,391
Hawaii - Kona	504	11.0	1.3 - 20.7	4,080	89.0	79.3 - 98.7	1,528
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	1,367
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	965

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Aiea/ Pearl City	641	3.8	.0 - 8.2	16,368	96.2	91.8 - 100.0	5,670
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	1,594
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	3,073
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	2,598
Honolulu - Kaimuki/ Palolo/ Waikiki	256	1.8	.0 - 4.4	13,917	98.2	95.6 - 100.0	4,724
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	2,292
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	3,122
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	4,072
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	3,677
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	521

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai - Lihue-Waimea	340	6.4	.8 - 11.9	5,001	93.6	88.1 - 99.2	1,780
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	2,532
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	1,579
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	191
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	473
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	1,149

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	426	6.1	.0 - 12.3	6,540	93.9	87.7 - 100.0	2,322
Grades 9 thru 11 (Some High School)	303	3.1	.0 - 6.8	9,338	96.9	93.2 - 100.0	3,214
Grades 12 or GED (High School Grad)	5,134	8.8	4.8 - 12.8	53,308	91.2	87.2 - 95.2	19,481
College 1 to 3 years (Some College/ Tech)	5,327	12.8	5.1 - 20.5	36,224	87.2	79.5 - 94.9	13,850
College 4 years or more (College Grad)	2,078	5.8	2.4 - 9.2	33,825	94.2	90.8 - 97.6	11,968

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	3,651	5.5	2.9 - 8.2	62,395	94.5	91.8 - 97.1	22,015
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	1,002
Retired/Unable to work	8,882	11.4	6.6 - 16.2	68,722	88.6	83.8 - 93.4	25,868
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	2,037

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	8,610	8.6	4.7 - 12.5	91,139	91.4	87.5 - 95.3	33,250
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	1,416	6.7	1.6 - 11.8	19,792	93.3	88.2 - 98.4	7,069
Other	3,242	10.2	6.2 - 14.3	28,460	89.8	85.7 - 93.8	10,567

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,287	23.2	7.5 - 39.0	7,552	76.8	61.0 - 92.5	3,280
\$10,000 to \$14,999	919	9.9	.8 - 18.9	8,394	90.1	81.1 - 99.2	3,104
\$15,000 to \$19,999	281	4.0	.0 - 10.6	6,756	96.0	89.4 - 100.0	2,346
\$20,000 to \$24,999	354	3.0	.0 - 6.4	11,583	97.0	93.6 - 100.0	3,979
\$25,000 to \$34,999	1,327	8.2	2.3 - 14.1	14,844	91.8	85.9 - 97.7	5,390
\$35,000 to \$49,999	2,369	9.3	2.8 - 15.8	23,216	90.7	84.2 - 97.2	8,528
\$50,000 to \$74,999	1,384	8.9	1.3 - 16.4	14,216	91.1	83.6 - 98.7	5,200
\$75,000 or more	837	4.7	.0 - 9.7	16,964	95.3	90.3 - 100.0	5,934

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2000-2002

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,537	13.1	5.3 - 21.0	23,375	86.9	79.0 - 94.7	8,971
131-185%	675	3.6	.7 - 6.4	18,321	96.4	93.6 - 99.3	6,332
186+%	5,544	8.2	4.7 - 11.7	61,829	91.8	88.3 - 95.3	22,458

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,234	11.9	6.9 - 16.9	16,518	88.1	83.1 - 93.1	6,251
Kauai	535	7.7	2.6 - 12.9	6,369	92.3	87.1 - 97.4	2,301
Maui	728	4.6	.9 - 8.3	15,052	95.4	91.7 - 99.1	5,260
Oahu	9,186	8.4	4.7 - 12.1	100,152	91.6	87.9 - 95.3	36,446
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	473
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	191

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	14,084	8.0	5.4 - 10.6	162,094	92.0	89.4 - 94.6	58,726

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,168	10.5	5.7 - 15.3	18,519	89.5	84.7 - 94.3	6,896
Honolulu	10,340	7.9	4.5 - 11.3	120,092	92.1	88.7 - 95.5	43,477
Kauai	369	5.2	.1 - 10.3	6,735	94.8	89.7 - 99.9	2,368
Maui	1,207	6.7	2.6 - 10.8	16,748	93.3	89.2 - 97.4	5,985

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	5,791	6.4	3.5 - 9.3	84,713	93.6	90.7 - 96.5	30,168
Male	8,294	9.7	5.2 - 14.1	77,381	90.3	85.9 - 94.8	28,558

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	3,859	10.2	4.7 - 15.8	33,832	89.8	84.2 - 95.3	12,564
Native Hawaiian	1,710	5.9	2.5 - 9.2	27,520	94.1	90.8 - 97.5	9,743
Chinese	1,282	8.0	.0 - 16.7	14,745	92.0	83.3 - 100.0	5,342
Filipino	2,272	7.4	2.5 - 12.4	28,377	92.6	87.6 - 97.5	10,216
Japanese	1,608	3.2	.8 - 5.7	48,163	96.8	94.3 - 99.2	16,590
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	2,237
35-44	1,583	10.2	.2 - 20.1	14,002	89.8	79.9 - 99.8	5,195
45-54	3,253	9.6	4.2 - 15.0	30,640	90.4	85.0 - 95.8	11,298
55-64	4,004	9.7	3.9 - 15.5	37,203	90.3	84.5 - 96.1	13,736
65-74	3,926	8.8	2.2 - 15.4	40,716	91.2	84.6 - 97.8	14,881
75+	709	2.5	.4 - 4.6	27,357	97.5	95.4 - 99.6	9,355

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	841	11.9	3.6 - 20.3	6,212	88.1	79.7 - 96.4	2,351
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	1,405
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	1,760
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	1,380

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Aiea/ Pearl City	503	2.8	.0 - 6.7	17,462	97.2	93.3 - 100.0	5,988
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	3,603
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	3,561
Honolulu - Kaimuki/ Palolo/ Waikiki	256	1.7	.0 - 4.2	14,420	98.3	95.8 - 100.0	4,892
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	2,996
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	3,759
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	4,739
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	1,671	10.7	.3 - 21.1	13,964	89.3	78.9 - 99.7	5,212
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	720

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai - Lihue-Waimea	339	6.9	.0 - 14.0	4,606	93.1	86.0 - 100.0	1,648
Maui - Kahului	337	3.9	.0 - 8.2	8,367	96.1	91.8 - 100.0	2,901
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	1,368
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	566
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	995

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	2,073
Grades 9 thru 11 (Some High School)	161	1.2	.0 - 2.8	13,162	98.8	97.2 - 100.0	4,441
Grades 12 or GED (High School Grad)	5,844	9.2	5.1 - 13.2	57,935	90.8	86.8 - 94.9	21,260
College 1 to 3 years (Some College/ Tech)	6,002	11.9	4.8 - 18.9	44,478	88.1	81.1 - 95.2	16,827
College 4 years or more (College Grad)	1,759	4.2	1.5 - 6.9	40,333	95.8	93.1 - 98.5	14,031

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	4,970	6.5	3.5 - 9.5	71,031	93.5	90.5 - 96.5	25,334
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	1,426
Retired/Unable to work	7,301	8.3	4.1 - 12.4	81,170	91.7	87.6 - 95.9	29,490
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	2,476

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,358	8.4	4.6 - 12.2	101,809	91.6	87.8 - 95.4	37,056
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	1,097	3.9	.2 - 7.7	26,718	96.1	92.3 - 99.8	9,272
Other	3,629	9.8	5.4 - 14.1	33,457	90.2	85.9 - 94.6	12,362

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,705	14.8	1.0 - 28.6	9,826	85.2	71.4 - 99.0	3,844
\$10,000 to \$14,999	1,129	8.1	.0 - 17.2	12,879	91.9	82.8 - 100.0	4,669
\$15,000 to \$19,999	281	3.9	.0 - 10.5	6,917	96.1	89.5 - 100.0	2,399
\$20,000 to \$24,999	1,289	9.5	.0 - 20.2	12,346	90.5	79.8 - 100.0	4,545
\$25,000 to \$34,999	1,077	7.6	.0 - 15.4	13,146	92.4	84.6 - 100.0	4,741
\$35,000 to \$49,999	2,824	10.8	4.2 - 17.5	23,298	89.2	82.5 - 95.8	8,707
\$50,000 to \$74,999	1,843	8.5	1.6 - 15.4	19,839	91.5	84.6 - 98.4	7,227
\$75,000 or more	863	3.8	.0 - 7.7	21,940	96.2	92.3 - 100.0	7,601

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,449	11.4	4.5 - 18.2	34,715	88.6	81.8 - 95.5	13,055
131-185%	732	4.5	.0 - 9.2	15,567	95.5	90.8 - 100.0	5,433
186+%	5,830	7.7	4.4 - 11.0	69,909	92.3	89.0 - 95.6	25,246

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,168	10.5	5.7 - 15.3	18,519	89.5	84.7 - 94.3	6,896
Kauai	369	5.2	.1 - 10.3	6,735	94.8	89.7 - 99.9	2,368
Maui	700	4.4	.8 - 8.0	15,094	95.6	92.0 - 99.2	5,265
Oahu	10,340	7.9	4.5 - 11.3	120,092	92.1	88.7 - 95.5	43,477
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	566
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	10,228	5.6	3.6 - 7.7	171,290	94.4	92.3 - 96.4	60,506

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,557	11.5	6.1 - 16.9	19,732	88.5	83.1 - 93.9	7,430
Honolulu	6,245	4.6	2.1 - 7.1	130,047	95.4	92.9 - 97.9	45,431
Kauai	160	2.0	.0 - 5.4	7,646	98.0	94.6 - 100.0	2,602
Maui	1,266	8.4	2.7 - 14.1	13,865	91.6	85.9 - 97.3	5,044

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	4,114	4.5	2.0 - 7.0	87,483	95.5	93.0 - 98.0	30,532
Male	6,115	6.8	3.5 - 10.1	83,807	93.2	89.9 - 96.5	29,974

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	3,554	9.0	3.8 - 14.2	35,926	91.0	85.8 - 96.2	13,160
Native Hawaiian	3,002	8.2	1.9 - 14.6	33,429	91.8	85.4 - 98.1	12,144
Chinese	671	4.9	.0 - 10.9	13,106	95.1	89.1 - 100.0	4,592
Filipino	1,308	4.2	.7 - 7.7	29,930	95.8	92.3 - 99.3	10,413
Japanese	965	2.1	.0 - 4.6	44,278	97.9	95.4 - 100.0	15,081
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	1,583	6.5	.0 - 13.4	22,773	93.5	86.6 - 100.0	8,119
45-54	1,862	4.8	1.6 - 8.1	36,608	95.2	91.9 - 98.4	12,823
55-64	3,714	8.5	2.8 - 14.3	39,923	91.5	85.7 - 97.2	14,546
65-74	2,015	5.2	1.5 - 8.9	36,929	94.8	91.1 - 98.5	12,981
75+	480	1.7	.0 - 3.6	27,513	98.3	96.4 - 100.0	9,331

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	616	11.0	1.5 - 20.4	5,004	89.0	79.6 - 98.5	1,873
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	1,526
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	1,897
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	2,134

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Aiea/ Pearl City	503	2.9	.0 - 7.0	16,957	97.1	93.0 - 100.0	5,820
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	3,421
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	3,462
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	4,466
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	4,105
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	4,449
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	1,671	7.7	.0 - 15.6	20,046	92.3	84.4 - 100.0	7,239
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai - Lihue-Waimea	130	2.3	.0 - 6.8	5,552	97.7	93.2 - 100.0	1,894
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	1,863
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	1,515
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	596
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	947

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	1,341
Grades 9 thru 11 (Some High School)	372	3.5	.0 - 9.7	10,287	96.5	90.3 - 100.0	3,553
Grades 12 or GED (High School Grad)	3,762	5.3	2.6 - 8.1	66,616	94.7	91.9 - 97.4	23,459
College 1 to 3 years (Some College/ Tech)	4,408	8.8	3.1 - 14.6	45,617	91.2	85.4 - 96.9	16,675
College 4 years or more (College Grad)	1,687	3.7	1.5 - 5.9	44,461	96.3	94.1 - 98.5	15,383

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	5,252	6.5	2.9 - 10.0	75,758	93.5	90.0 - 97.1	27,003
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	3,078	3.6	1.7 - 5.4	83,141	96.4	94.6 - 98.3	28,740
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	3,554

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	5,283	4.6	2.4 - 6.8	109,457	95.4	93.2 - 97.6	38,247
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	760	2.7	.0 - 6.0	27,109	97.3	94.0 - 100.0	9,290
Other	4,186	10.8	4.4 - 17.3	34,505	89.2	82.7 - 95.6	12,897

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	627	6.9	1.1 - 12.8	8,414	93.1	87.2 - 98.9	3,014
\$10,000 to \$14,999	651	5.9	.0 - 15.1	10,476	94.1	84.9 - 100.0	3,709
\$15,000 to \$19,999	569	4.4	.0 - 10.6	12,251	95.6	89.4 - 100.0	4,273
\$20,000 to \$24,999	1,289	9.5	.0 - 19.8	12,331	90.5	80.2 - 100.0	4,540
\$25,000 to \$34,999	1,048	5.8	.0 - 12.2	17,054	94.2	87.8 - 100.0	6,034
\$35,000 to \$49,999	1,827	7.4	2.9 - 11.9	22,809	92.6	88.1 - 97.1	8,212
\$50,000 to \$74,999	1,564	4.8	.2 - 9.4	31,042	95.2	90.6 - 99.8	10,869
\$75,000 or more	1,398	4.8	.0 - 11.8	27,656	95.2	88.2 - 100.0	9,685

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,182	7.2	2.3 - 12.1	41,136	92.8	87.9 - 97.7	14,773
131-185%	761	4.7	.0 - 9.6	15,576	95.3	90.4 - 100.0	5,446
186+%	5,031	5.6	2.5 - 8.6	85,322	94.4	91.4 - 97.5	30,118

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,557	11.5	6.1 - 16.9	19,732	88.5	83.1 - 93.9	7,430
Kauai	160	2.0	.0 - 5.4	7,646	98.0	94.6 - 100.0	2,602
Maui	805	6.2	.2 - 12.2	12,170	93.8	87.8 - 99.8	4,325
Oahu	6,245	4.6	2.1 - 7.1	130,047	95.4	92.9 - 97.9	45,431
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	596
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	13,858	6.6	4.2 - 9.0	196,033	93.4	91.0 - 95.8	69,964

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,781	9.9	5.3 - 14.6	25,186	90.1	85.4 - 94.7	9,322
Honolulu	9,197	5.8	2.8 - 8.8	149,139	94.2	91.2 - 97.2	52,779
Kauai	625	6.7	.7 - 12.7	8,698	93.3	87.3 - 99.3	3,108
Maui	1,254	8.8	2.2 - 15.3	13,011	91.2	84.7 - 97.8	4,755

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	9,244	9.4	5.3 - 13.5	89,346	90.6	86.5 - 94.7	32,863
Male	4,614	4.1	1.6 - 6.7	106,687	95.9	93.3 - 98.4	37,100

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	4,441	9.2	4.3 - 14.1	43,782	90.8	85.9 - 95.7	16,074
Native Hawaiian	4,807	10.7	3.1 - 18.3	40,184	89.3	81.7 - 96.9	14,997
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	5,235
Filipino	595	1.6	.0 - 3.8	35,827	98.4	96.2 - 100.0	12,141
Japanese	1,792	4.1	.4 - 7.7	42,274	95.9	92.3 - 99.6	14,689
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	3,336
35-44	1,796	7.1	.0 - 14.6	23,671	92.9	85.4 - 100.0	8,489
45-54	3,373	7.4	1.2 - 13.7	41,921	92.6	86.3 - 98.8	15,098
55-64	3,715	7.3	2.3 - 12.2	47,444	92.7	87.8 - 97.7	17,053
65-74	1,989	4.9	1.4 - 8.4	38,710	95.1	91.6 - 98.6	13,566
75+	1,427	4.1	.5 - 7.8	33,057	95.9	92.2 - 99.5	11,495

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	563	8.1	.0 - 16.6	6,401	91.9	83.4 - 100.0	2,321
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	1,715
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	2,148
Hawaii - Puna/ Kau	969	10.3	2.5 - 18.0	8,446	89.7	82.0 - 97.5	3,138

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	5,196
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	3,496
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	4,065
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	3,907
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	3,983
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	4,154
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	6,138
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	4,662
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	8,755
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	2,222
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	1,721
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	553
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	2,474
Grades 9 thru 11 (Some High School)	430	3.0	.0 - 8.0	13,666	97.0	92.0 - 100.0	4,699
Grades 12 or GED (High School Grad)	3,749	4.6	1.0 - 8.2	77,623	95.4	91.8 - 99.0	27,124
College 1 to 3 years (Some College/ Tech)	6,491	11.7	5.5 - 17.9	48,902	88.3	82.1 - 94.5	18,464
College 4 years or more (College Grad)	2,391	4.6	1.8 - 7.5	49,103	95.4	92.5 - 98.2	17,165

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,761	7.9	3.7 - 12.2	89,977	92.1	87.8 - 96.3	32,579
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	4,454	4.6	2.5 - 6.8	92,040	95.4	93.2 - 97.5	32,165
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	4,133

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	6,598	5.0	2.2 - 7.7	125,887	95.0	92.3 - 97.8	44,162
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	1,350	5.0	1.2 - 8.8	25,848	95.0	91.2 - 98.8	9,066
Other	5,370	11.0	4.8 - 17.2	43,327	89.0	82.8 - 95.2	16,232

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	2,923
\$10,000 to \$14,999	1,920	13.1	.0 - 29.8	12,722	86.9	70.2 - 100.0	4,881
\$15,000 to \$19,999	873	4.5	.0 - 9.5	18,420	95.5	90.5 - 100.0	6,431
\$20,000 to \$24,999	1,280	7.4	.0 - 15.6	16,109	92.6	84.4 - 100.0	5,796
\$25,000 to \$34,999	2,218	9.1	1.0 - 17.1	22,290	90.9	82.9 - 99.0	8,169
\$35,000 to \$49,999	1,803	7.0	2.5 - 11.6	23,832	93.0	88.4 - 97.5	8,545
\$50,000 to \$74,999	2,034	5.4	.5 - 10.4	35,469	94.6	89.6 - 99.5	12,501
\$75,000 or more	2,455	7.6	.3 - 14.8	30,002	92.4	85.2 - 99.7	10,819

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2003-2005

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,290	9.4	3.1 - 15.7	50,975	90.6	84.3 - 96.9	18,755
131-185%	1,074	5.1	.5 - 9.7	20,002	94.9	90.3 - 99.5	7,025
186+%	7,140	6.9	3.7 - 10.2	95,716	93.1	89.8 - 96.3	34,285

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,781	9.9	5.3 - 14.6	25,186	90.1	85.4 - 94.7	9,322
Kauai	625	6.7	.8 - 12.6	8,698	93.3	87.4 - 99.2	3,108
Maui	1,074	8.8	1.6 - 16.1	11,131	91.2	83.9 - 98.4	4,068
Oahu	9,197	5.8	2.9 - 8.8	149,139	94.2	91.2 - 97.1	52,779
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	553
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	17,687	8.1	5.8 - 10.4	199,904	91.9	89.6 - 94.2	72,530

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,345	12.1	7.3 - 16.8	24,344	87.9	83.2 - 92.7	9,230
Honolulu	11,677	7.3	4.3 - 10.2	149,368	92.7	89.8 - 95.7	53,682
Kauai	979	8.4	2.8 - 14.1	10,625	91.6	85.9 - 97.2	3,868
Maui	1,685	9.8	3.9 - 15.6	15,568	90.2	84.4 - 96.1	5,751

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	9,886	9.6	5.9 - 13.3	92,615	90.4	86.7 - 94.1	34,167
Male	7,801	6.8	4.0 - 9.6	107,289	93.2	90.4 - 96.0	38,363

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	5,591	11.3	6.7 - 15.9	44,032	88.7	84.1 - 93.3	16,541
Native Hawaiian	5,638	12.1	4.6 - 19.5	41,083	87.9	80.5 - 95.4	15,574
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	3,868
Filipino	1,611	3.9	1.0 - 6.8	39,758	96.1	93.2 - 99.0	13,790
Japanese	2,182	5.0	1.5 - 8.4	41,743	95.0	91.6 - 98.5	14,642
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Mixed Ethnicity	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	3,156
35-44	1,112	4.6	.0 - 9.7	23,306	95.4	90.3 - 100.0	8,139
45-54	4,866	10.7	4.3 - 17.1	40,688	89.3	82.9 - 95.7	15,185
55-64	4,553	8.0	3.5 - 12.4	52,707	92.0	87.6 - 96.5	19,087
65-74	3,047	7.8	3.7 - 11.8	36,057	92.2	88.2 - 96.3	13,035
75+	2,348	6.0	1.6 - 10.3	36,913	94.0	89.7 - 98.4	13,087

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	580	7.2	.7 - 13.7	7,457	92.8	86.3 - 99.3	2,679
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	1,657
Hawaii - N.Hawaii	722	13.5	.3 - 26.8	4,613	86.5	73.2 - 99.7	1,778
Hawaii - Puna/ Kau	1,432	15.3	6.2 - 24.4	7,915	84.7	75.6 - 93.8	3,116

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	5,585
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	3,119
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	3,046
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	3,862
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	3,582
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	3,822
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	3,813
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	6,358
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	4,481
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	2,880
Honolulu - Waipahu/ Kapolei/ Ewa	774	2.7	.0 - 5.6	28,094	97.3	94.4 - 100.0	9,623
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	1,187

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai - Lihue-Waimea	894	11.1	3.1 - 19.1	7,150	88.9	80.9 - 96.9	2,681
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	1,791
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	1,835
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	172
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	526
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	1,427

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	3,067
Grades 9 thru 11 (Some High School)	961	8.0	1.2 - 14.7	11,099	92.0	85.3 - 98.8	4,020
Grades 12 or GED (High School Grad)	4,468	5.3	1.9 - 8.6	80,003	94.7	91.4 - 98.1	28,157
College 1 to 3 years (Some College/ Tech)	6,895	11.5	6.2 - 16.9	52,947	88.5	83.1 - 93.8	19,947
College 4 years or more (College Grad)	4,181	8.0	4.1 - 12.0	47,836	92.0	88.0 - 95.9	17,339

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,138	9.1	5.0 - 13.3	90,914	90.9	86.7 - 95.0	33,351
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	7,981	7.8	5.2 - 10.5	93,821	92.2	89.5 - 94.8	33,934
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	3,822

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	8,044	5.7	3.2 - 8.1	133,998	94.3	91.9 - 96.8	47,347
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	2,376	10.0	3.6 - 16.3	21,408	90.0	83.7 - 96.4	7,928
Other	6,462	13.0	7.0 - 19.1	43,169	87.0	80.9 - 93.0	16,544

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,256	18.7	6.4 - 31.0	5,463	81.3	69.0 - 93.6	2,240
\$10,000 to \$14,999	1,845	15.2	.0 - 33.7	10,287	84.8	66.3 - 100.0	4,044
\$15,000 to \$19,999	1,290	6.6	1.0 - 12.1	18,320	93.4	87.9 - 99.0	6,537
\$20,000 to \$24,999	1,867	10.1	2.1 - 18.0	16,647	89.9	82.0 - 97.9	6,171
\$25,000 to \$34,999	2,560	9.2	2.6 - 15.8	25,296	90.8	84.2 - 97.4	9,285
\$35,000 to \$49,999	2,298	7.3	3.0 - 11.7	29,022	92.7	88.3 - 97.0	10,440
\$50,000 to \$74,999	2,134	5.5	1.0 - 10.0	36,771	94.5	90.0 - 99.0	12,968
\$75,000 or more	3,148	9.0	2.1 - 15.9	31,824	91.0	84.1 - 97.9	11,657

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2004-2006

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,915	10.3	4.5 - 16.2	51,326	89.7	83.8 - 95.5	19,080
131-185%	1,451	6.3	1.7 - 10.9	21,531	93.7	89.1 - 98.3	7,661
186+%	9,030	8.2	5.1 - 11.3	100,774	91.8	88.7 - 94.9	36,601

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,345	12.1	7.3 - 16.8	24,344	87.9	83.2 - 92.7	9,230
Kauai	979	8.4	2.8 - 14.1	10,625	91.6	85.9 - 97.2	3,868
Maui	1,600	10.6	4.0 - 17.1	13,561	89.4	82.9 - 96.0	5,054
Oahu	11,677	7.3	4.4 - 10.1	149,368	92.7	89.9 - 95.6	53,682
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	526
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	172

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	20,357	8.7	6.7 - 10.8	212,415	91.3	89.2 - 93.3	77,591

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,830	9.8	6.3 - 13.3	26,088	90.2	86.7 - 93.7	9,639
Honolulu	13,864	8.1	5.5 - 10.7	157,133	91.9	89.3 - 94.5	56,999
Kauai	1,379	11.7	5.2 - 18.2	10,392	88.3	81.8 - 94.8	3,924
Maui	2,283	10.8	6.4 - 15.2	18,802	89.2	84.8 - 93.6	7,028

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	10,791	9.4	6.2 - 12.7	103,914	90.6	87.3 - 93.8	38,235
Male	9,566	8.1	5.6 - 10.6	108,501	91.9	89.4 - 94.4	39,356

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	6,085	11.7	7.5 - 15.9	45,795	88.3	84.1 - 92.5	17,293
Native Hawaiian	4,518	9.9	3.8 - 15.9	41,305	90.1	84.1 - 96.2	15,274
Chinese	1,090	6.7	.9 - 12.5	15,189	93.3	87.5 - 99.1	5,426
Filipino	2,829	6.7	2.6 - 10.7	39,664	93.3	89.3 - 97.4	14,164
Japanese	3,184	6.0	2.8 - 9.2	49,963	94.0	90.8 - 97.2	17,716
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Mixed Ethnicity	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	1,259

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	3,470
35-44	1,550	8.7	1.4 - 16.1	16,190	91.3	83.9 - 98.6	5,913
45-54	5,396	11.2	5.2 - 17.2	42,748	88.8	82.8 - 94.8	16,048
55-64	5,764	9.4	5.8 - 13.0	55,599	90.6	87.0 - 94.2	20,454
65-74	3,252	7.0	3.9 - 10.0	43,490	93.0	90.0 - 96.1	15,581
75+	2,775	6.0	2.2 - 9.9	43,172	94.0	90.1 - 97.8	15,316

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	829	8.3	2.7 - 13.9	9,185	91.7	86.1 - 97.3	3,338
Hawaii - Kona	388	7.4	.5 - 14.3	4,842	92.6	85.7 - 99.5	1,743
Hawaii - N.Hawaii	499	8.5	1.4 - 15.6	5,366	91.5	84.4 - 98.6	1,955
Hawaii - Puna/ Kau	1,115	14.3	5.8 - 22.7	6,695	85.7	77.3 - 94.2	2,603

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Aiea/ Pearl City	1,056	6.7	.0 - 14.6	14,678	93.3	85.4 - 100.0	5,245
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	3,840
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	3,491
Honolulu - Kailua/ Waimanalo	2,117	17.3	.0 - 35.4	10,115	82.7	64.6 - 100.0	4,077
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	3,440
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	4,527
Honolulu - Mililani/ Wahiawa	1,731	10.5	1.4 - 19.6	14,746	89.5	80.4 - 98.6	5,492
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	2,041	12.9	1.6 - 24.1	13,802	87.1	75.9 - 98.4	5,281
Honolulu - Nuuanu/ Kalihi/ Moanalua	644	4.5	.0 - 9.1	13,796	95.5	90.9 - 100.0	4,813
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	3,505
Honolulu - Waipahu/ Kapolei/ Ewa	1,857	6.0	1.4 - 10.7	28,886	94.0	89.3 - 98.6	10,248
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	1,356

Report Source: The Hawaii Health Data Warehouse;
Data Source: State of Hawaii, Department of Health,
Behavioral Risk Factor Surveillance System (BRFSS)

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai - Lihue-Waimea	1,269	16.5	7.0 - 26.0	6,433	83.5	74.0 - 93.0	2,567
Maui - Kahului	1,179	19.8	8.1 - 31.4	4,780	80.2	68.6 - 91.9	1,986
Maui - Lahaina/ Wailuku	545	9.3	1.8 - 16.8	5,311	90.7	83.2 - 98.2	1,952
Maui - Lanai	<50	6.2	.8 - 11.5	542	93.8	88.5 - 99.2	193
Maui - Molokai	186	9.6	1.6 - 17.5	1,754	90.4	82.5 - 98.4	647
Maui - Upcountry/ Hana	339	5.0	.4 - 9.6	6,416	95.0	90.4 - 99.6	2,252

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,508	13.3	2.3 - 24.2	9,856	86.7	75.8 - 97.7	3,788
Grades 9 thru 11 (Some High School)	1,259	8.9	3.2 - 14.5	12,929	91.1	85.5 - 96.8	4,729
Grades 12 or GED (High School Grad)	6,013	7.1	3.5 - 10.7	78,765	92.9	89.3 - 96.5	28,259
College 1 to 3 years (Some College/ Tech)	6,921	10.6	6.6 - 14.6	58,590	89.4	85.4 - 93.4	21,837
College 4 years or more (College Grad)	4,655	8.2	4.5 - 11.9	52,191	91.8	88.1 - 95.5	18,949

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,523	9.1	5.5 - 12.7	95,050	90.9	87.3 - 94.5	34,858
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	1,700
Retired/Unable to work	9,602	8.4	6.0 - 10.9	104,408	91.6	89.1 - 94.0	38,003
Student/Homemaker	880	9.7	1.1 - 18.4	8,151	90.3	81.6 - 98.9	3,010

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,997	7.5	4.9 - 10.0	136,508	92.5	90.0 - 95.1	49,168
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	2,629	9.5	4.3 - 14.7	24,969	90.5	85.3 - 95.7	9,199
Other	5,926	10.8	6.7 - 15.0	48,873	89.2	85.0 - 93.3	18,266

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,536	17.3	7.4 - 27.2	7,339	82.7	72.8 - 92.6	2,958
\$10,000 to \$14,999	2,471	16.2	1.1 - 31.2	12,802	83.8	68.8 - 98.9	5,091
\$15,000 to \$19,999	1,109	6.8	1.8 - 11.8	15,308	93.2	88.2 - 98.2	5,472
\$20,000 to \$24,999	2,706	13.5	5.3 - 21.7	17,385	86.5	78.3 - 94.7	6,697
\$25,000 to \$34,999	3,852	13.2	6.0 - 20.5	25,275	86.8	79.5 - 94.0	9,709
\$35,000 to \$49,999	1,962	5.2	2.1 - 8.3	35,551	94.8	91.7 - 97.9	12,504
\$50,000 to \$74,999	2,580	7.3	2.5 - 12.1	32,812	92.7	87.9 - 97.5	11,797
\$75,000 or more	2,617	7.0	3.0 - 11.0	34,827	93.0	89.0 - 97.0	12,481

Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, Gender, DOH Race-Ethnicity, BRFSS Age Group, County-Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Island, for the Years - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2005-2007

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,909	12.9	7.3 - 18.6	53,282	87.1	81.4 - 92.7	20,397
131-185%	1,935	7.3	2.8 - 11.7	24,745	92.7	88.3 - 97.2	8,893
186+%	8,988	8.0	5.6 - 10.5	103,272	92.0	89.5 - 94.4	37,420

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,830	9.8	6.3 - 13.3	26,088	90.2	86.7 - 93.7	9,639
Kauai	1,379	11.7	5.3 - 18.2	10,392	88.3	81.8 - 94.7	3,924
Maui	2,062	11.1	6.2 - 16.0	16,506	88.9	84.0 - 93.8	6,189
Oahu	13,864	8.1	5.5 - 10.7	157,133	91.9	89.3 - 94.5	56,999
Molokai	186	9.6	1.6 - 17.5	1,754	90.4	82.5 - 98.4	647
Lanai	<50	6.2	.8 - 11.5	542	93.8	88.5 - 99.2	193