

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>2000-2002</b>	5,100	10.3	7.7 - 12.9	1,200	2.4	1.3 - 3.5	35,700	72.3	68.2 - 76.3	1,600	3.3	1.9 - 4.7	5,800	11.7	8.6 - 14.7	49,400
<b>2001-2003</b>	6,800	11.9	8.9 - 14.8	2,100	3.7	2.0 - 5.3	41,500	72.7	68.7 - 76.7	1,900	3.3	1.9 - 4.7	4,800	8.5	6.1 - 10.9	57,100
<b>2002-2004</b>	9,500	16.0	11.9 - 20.1	2,100	3.5	1.8 - 5.2	38,900	65.8	60.7 - 71.0	3,100	5.2	2.6 - 7.9	5,600	9.4	6.4 - 12.5	59,100
<b>2003-2005</b>	15,800	23.4	18.5 - 28.3	1,800	2.6	1.2 - 4.1	40,800	60.3	54.9 - 65.8	2,800	4.1	1.7 - 6.5	6,400	9.5	6.2 - 12.7	67,600
<b>2004-2006</b>	18,300	25.9	21.2 - 30.5	1,400	1.9	1.0 - 2.9	40,800	57.7	52.7 - 62.8	2,800	3.9	1.6 - 6.2	7,400	10.5	7.4 - 13.7	70,700
<b>2005-2007</b>	18,900	25.0	21.2 - 28.8	2,200	2.9	1.9 - 4.0	45,000	59.7	55.7 - 63.6	2,300	3.0	1.8 - 4.2	7,100	9.4	7.1 - 11.7	75,500
<b>2006-2008</b>	15,600	20.2	17.6 - 22.9	2,500	3.2	2.1 - 4.3	50,000	64.9	61.8 - 68.0	2,400	3.1	2.0 - 4.3	6,600	8.6	6.9 - 10.2	77,000
<b>2007-2009</b>	13,700	17.6	14.9 - 20.3	2,300	3.0	1.8 - 4.2	51,300	65.9	62.6 - 69.3	2,900	3.7	2.5 - 4.9	7,600	9.7	7.5 - 12.0	77,800
<b>2008-2010</b>	14,700	18.3	15.7 - 20.8	1,900	2.4	1.3 - 3.5	51,400	63.8	60.4 - 67.2	2,700	3.4	2.2 - 4.5	9,800	12.2	9.7 - 14.8	80,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	14,700	18.3	15.7 - 20.8	1,900	2.4	1.3 - 3.5	51,400	63.8	60.4 - 67.2	2,700	3.4	2.2 - 4.5	9,800	12.2	9.7 - 14.8	80,600

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,600	14.1	9.6 - 18.5	100	0.5	0.0 - 1.4	7,700	68.6	62.4 - 74.8	400	3.4	0.4 - 6.4	1,500	13.4	9.2 - 17.6	11,200
Honolulu	10,500	18.3	15.0 - 21.6	1,300	2.3	0.9 - 3.7	36,400	63.6	59.2 - 68.0	1,900	3.3	1.9 - 4.8	7,200	12.5	9.1 - 15.9	57,300
Kauai	700	20.3	12.6 - 27.9	100	3.1	0.0 - 6.2	2,500	69.2	60.6 - 77.8	100	2.8	0.0 - 5.6	200	4.7	1.6 - 7.7	3,700
Maui	1,900	22.6	15.1 - 30.2	400	5.2	0.6 - 9.8	4,800	56.5	48.3 - 64.6	300	4.0	1.3 - 6.7	1,000	11.8	6.8 - 16.8	8,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,600	14.1	9.6 - 18.5	100	0.5	0.0 - 1.4	7,700	68.6	62.4 - 74.8	400	3.4	0.4 - 6.4	1,500	13.4	9.2 - 17.6	11,200
Kauai	700	20.3	12.6 - 27.9	100	3.1	0.0 - 6.2	2,500	69.2	60.6 - 77.8	100	2.8	0.0 - 5.6	200	4.7	1.6 - 7.7	3,700
Lanai	<50	26.0	8.9 - 43.1	<50	0.6	0.0 - 1.7	100	66.7	49.5 - 84.0	<50	1.7	0.0 - 4.1	<50	5.0	0.0 - 12.4	200
Maui	1,700	23.3	14.9 - 31.7	400	5.3	0.1 - 10.5	4,200	56.5	47.4 - 65.6	200	2.9	0.9 - 4.9	900	12.0	6.4 - 17.5	7,500
Molokai	100	16.1	4.1 - 28.1	<50	5.0	0.0 - 10.7	500	54.1	37.3 - 71.0	100	13.3	0.0 - 31.5	100	11.5	3.3 - 19.7	900
Oahu	10,500	18.3	15.0 - 21.6	1,300	2.3	0.9 - 3.7	36,400	63.6	59.2 - 68.0	1,900	3.3	1.9 - 4.8	7,200	12.5	9.1 - 15.9	57,300

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,000	21.9	9.8 - 33.9	<50	0.6	0.0 - 1.7	3,100	68.7	54.9 - 82.4	200	4.8	0.0 - 11.6	200	4.1	0.0 - 11.2	4,500
Hanalei/ Kapaa	200	19.8	6.2 - 33.5	100	5.9	0.0 - 14.2	800	68.1	52.7 - 83.6	0	0.0	--	100	6.1	0.0 - 12.4	1,200

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	500	14.9	8.2 - 21.5	0	0.0	--	2,400	66.1	55.6 - 76.6	200	5.4	0.0 - 12.7	500	13.7	6.6 - 20.7	3,600
Kaaawa/ Kahaluu/ Kaneohe	500	11.8	2.4 - 21.3	0	0.0	--	2,600	64.8	50.3 - 79.4	100	1.9	0.0 - 4.6	900	21.5	8.3 - 34.6	4,000
Kahului	600	28.2	15.6 - 40.9	200	8.1	0.0 - 20.6	1,100	48.0	33.1 - 63.0	200	7.6	1.6 - 13.6	200	8.1	1.4 - 14.8	2,200
Kailua/ Waimanalo	600	17.1	5.9 - 28.4	0	0.0	--	2,500	66.6	52.3 - 80.9	0	0.0	--	600	16.3	6.9 - 25.6	3,700
Kaimuki/ Palolo/ Waikiki	1,100	20.8	10.9 - 30.7	0	0.0	--	3,400	64.8	53.1 - 76.6	300	5.9	0.0 - 11.7	400	8.5	2.1 - 15.0	5,200
Kona	500	22.3	9.1 - 35.4	100	2.3	0.0 - 6.7	1,400	59.7	42.8 - 76.7	<50	0.6	0.0 - 1.7	400	15.2	5.3 - 25.1	2,400
Lahaina/ Wailuku	800	27.5	10.9 - 44.0	100	2.1	0.0 - 5.1	1,700	55.7	39.7 - 71.6	<50	0.8	0.0 - 2.4	400	13.9	3.0 - 24.9	3,000
Lanai	<50	26.0	8.9 - 43.1	<50	0.6	0.0 - 1.7	100	66.7	49.5 - 84.0	<50	1.7	0.0 - 4.1	<50	5.0	0.0 - 12.4	200
Lihue-Waimea	500	20.5	11.3 - 29.6	<50	1.7	0.0 - 3.9	1,700	69.7	59.3 - 80.1	100	4.2	0.1 - 8.4	100	3.9	0.5 - 7.3	2,400
Manoa/ Upper Makiki	900	22.5	12.4 - 32.6	0	0.0	--	2,900	70.7	59.2 - 82.3	100	2.2	0.0 - 4.9	200	4.5	0.0 - 11.2	4,000
Mililani/ Wahiawa	1,600	25.6	13.7 - 37.5	100	1.3	0.0 - 3.2	3,200	51.9	37.7 - 66.1	200	2.8	0.0 - 8.1	1,100	18.4	3.4 - 33.5	6,100
Molokai	100	16.1	4.1 - 28.1	<50	5.0	0.0 - 10.7	500	54.1	37.3 - 71.0	100	13.3	0.0 - 31.5	100	11.5	3.3 - 19.7	900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
N.Hawaii	200	10.4	0.9 - 19.8	0	0.0	--	1,300	78.6	66.4 - 90.8	<50	2.6	0.0 - 5.6	100	8.5	1.0 - 16.0	1,700
Nuuanu/ Kalihi/ Moanalua	1,200	20.5	10.3 - 30.7	500	8.5	0.6 - 16.4	3,100	53.9	39.0 - 68.8	100	1.3	0.0 - 3.7	900	15.8	2.6 - 29.1	5,700
Puna/ Kau	300	9.6	1.7 - 17.5	0	0.0	--	2,600	72.3	61.2 - 83.3	100	3.8	0.0 - 9.3	500	14.4	6.2 - 22.6	3,500
Upcountry/ Hana	300	12.7	2.8 - 22.6	200	6.8	0.0 - 17.6	1,500	66.2	51.5 - 81.0	<50	1.1	0.0 - 2.7	300	13.2	4.1 - 22.3	2,200
Waipahu/ Kapolei/ Ewa	1,600	13.6	6.8 - 20.3	700	6.1	1.0 - 11.1	7,700	65.2	54.2 - 76.3	200	1.7	0.0 - 3.5	1,600	13.4	4.3 - 22.6	11,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	1,700	18.2	8.5 - 27.9	400	4.6	0.0 - 9.5	4,500	49.3	36.3 - 62.3	200	2.7	0.0 - 5.8	2,300	25.2	11.6 - 38.7	9,100
<b>45-54</b>	2,200	16.0	9.7 - 22.3	200	1.4	0.0 - 2.9	9,300	68.8	60.8 - 76.8	400	3.2	0.3 - 6.2	1,400	10.5	5.5 - 15.6	13,500
<b>55-64</b>	3,800	19.5	14.3 - 24.6	600	2.9	0.3 - 5.6	12,300	62.9	56.9 - 69.0	500	2.4	0.7 - 4.2	2,400	12.3	8.6 - 16.0	19,600
<b>65-74</b>	3,000	18.3	13.0 - 23.5	300	1.6	0.0 - 3.3	10,500	64.9	58.7 - 71.1	900	5.3	2.3 - 8.4	1,600	9.9	6.6 - 13.2	16,200
<b>75+</b>	3,300	18.3	13.5 - 23.1	400	2.4	0.0 - 4.9	12,200	67.0	60.3 - 73.7	500	2.9	0.6 - 5.3	1,700	9.3	4.2 - 14.4	18,300



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,200	13.9	9.8 - 18.0	100	0.7	0.0 - 1.6	10,400	66.7	60.8 - 72.7	700	4.2	1.7 - 6.7	2,200	14.4	10.1 - 18.7	15,600
Native Hawaiian	1,900	12.9	7.8 - 18.1	300	2.1	0.0 - 4.3	10,100	68.3	60.9 - 75.7	400	2.6	0.4 - 4.8	2,100	14.0	8.6 - 19.5	14,700
Chinese	1,200	22.8	12.6 - 32.9	100	1.2	0.0 - 3.4	3,200	58.7	46.6 - 70.7	300	6.1	0.0 - 13.0	600	11.3	2.9 - 19.8	5,400
Filipino	2,500	16.2	10.4 - 22.1	700	4.3	0.5 - 8.1	9,900	64.9	56.0 - 73.7	600	3.7	0.4 - 6.9	1,700	10.9	4.1 - 17.7	15,200
Japanese	5,300	22.9	17.8 - 28.0	200	1.0	0.1 - 1.9	13,900	60.3	53.8 - 66.8	800	3.3	1.3 - 5.2	2,900	12.5	6.8 - 18.2	23,100

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	7,800	19.5	15.6 - 23.4	1,500	3.7	1.7 - 5.6	23,400	59.0	53.8 - 64.1	1,500	3.7	1.9 - 5.5	5,600	14.1	10.0 - 18.3	39,700
Female	7,000	17.0	13.7 - 20.4	400	1.1	0.0 - 2.1	28,000	68.5	64.2 - 72.8	1,200	3.1	1.6 - 4.5	4,200	10.3	7.4 - 13.3	40,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	36.0	17.9 - 54.1	200	9.1	0.0 - 25.2	1,200	51.6	33.0 - 70.3	<50	0.6	0.0 - 1.8	100	2.6	0.0 - 6.5	2,300
Grades 9 thru 11 (Some High School)	1,000	23.8	9.2 - 38.4	300	6.8	0.0 - 16.1	2,200	54.2	38.2 - 70.3	200	4.8	0.0 - 10.6	400	10.3	1.8 - 18.8	4,100
Grades 12 or GED (High School Grad)	4,800	17.9	13.6 - 22.2	600	2.1	0.4 - 3.8	17,100	63.2	57.1 - 69.2	1,300	4.8	2.3 - 7.4	3,300	12.1	7.5 - 16.6	27,100
College 1 to 3 years (Some College/ Tech)	3,600	15.5	10.7 - 20.3	200	1.0	0.1 - 1.9	16,400	70.9	64.7 - 77.1	500	2.0	0.8 - 3.3	2,400	10.5	5.7 - 15.3	23,100
College 4 years or more (College Grad)	4,500	18.7	14.3 - 23.1	600	2.6	0.7 - 4.6	14,500	60.4	54.6 - 66.2	700	3.1	1.1 - 5.1	3,700	15.2	10.5 - 20.0	24,000

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	7,200	20.9	16.6 - 25.2	1,200	3.4	1.3 - 5.5	20,500	59.0	53.4 - 64.7	1,000	3.0	1.2 - 4.8	4,800	13.7	9.2 - 18.2	34,700
<b>Unemployed</b>	1,000	20.9	5.0 - 36.8	100	3.1	0.0 - 7.4	3,200	70.7	54.3 - 87.0	0	0.0	--	200	5.4	0.0 - 10.8	4,600
<b>Retired/Unable to work</b>	6,000	16.0	12.8 - 19.1	600	1.6	0.4 - 2.8	25,100	66.6	62.3 - 71.0	1,600	4.2	2.5 - 6.0	4,400	11.7	8.4 - 14.9	37,700
<b>Student/Homemaker</b>	500	13.6	4.0 - 23.2	<50	0.4	0.0 - 1.1	2,600	71.0	59.1 - 82.9	100	2.9	0.0 - 7.1	400	12.1	4.2 - 19.9	3,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	700	22.8	8.6 - 36.9	300	9.9	0.0 - 22.1	1,800	54.9	38.0 - 71.7	100	2.2	0.0 - 5.2	300	10.4	2.1 - 18.6	3,300
<b>\$10,000 to \$14,999</b>	600	15.2	6.5 - 23.9	200	4.6	0.0 - 12.4	2,400	65.9	52.3 - 79.6	100	2.6	0.0 - 7.7	400	11.7	2.1 - 21.3	3,700
<b>\$15,000 to \$19,999</b>	1,100	18.7	8.3 - 29.0	100	1.5	0.0 - 4.3	4,100	67.8	55.8 - 79.8	200	3.3	0.0 - 7.0	500	8.7	1.8 - 15.6	6,100
<b>\$20,000 to \$24,999</b>	1,400	22.4	12.8 - 32.0	100	1.4	0.0 - 2.9	3,400	55.5	42.8 - 68.1	300	5.2	0.7 - 9.7	900	15.5	3.1 - 27.9	6,100
<b>\$25,000 to \$34,999</b>	1,500	16.9	10.4 - 23.3	100	0.6	0.0 - 1.5	6,200	68.1	59.8 - 76.3	500	5.5	0.8 - 10.2	800	8.9	4.5 - 13.2	9,100
<b>\$35,000 to \$49,999</b>	2,000	15.3	9.6 - 21.0	700	4.9	1.0 - 8.8	9,100	67.8	59.7 - 75.9	400	2.7	0.0 - 5.4	1,200	9.3	3.3 - 15.3	13,400
<b>\$50,000 to \$74,999</b>	1,800	14.1	9.1 - 19.1	0	0.0	--	9,100	72.3	65.3 - 79.2	400	3.5	0.0 - 7.2	1,300	10.1	5.8 - 14.4	12,600
<b>\$75,000 or more</b>	3,600	19.1	13.4 - 24.7	500	2.8	0.4 - 5.1	10,900	57.8	50.3 - 65.3	400	2.0	0.6 - 3.4	3,500	18.4	11.5 - 25.3	18,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	3,300	18.1	12.1 - 24.0	600	3.1	0.2 - 6.0	12,200	66.0	58.4 - 73.5	400	2.3	0.5 - 4.2	1,900	10.5	5.1 - 15.9	18,500
<b>131-185%</b>	2,400	19.5	13.4 - 25.5	400	3.4	0.0 - 7.2	6,800	54.7	46.1 - 63.3	1,000	7.9	2.7 - 13.1	1,800	14.6	6.9 - 22.3	12,400
<b>186+%</b>	7,000	16.6	13.4 - 19.8	900	2.2	0.9 - 3.4	27,900	66.4	62.2 - 70.7	1,000	2.3	1.2 - 3.3	5,300	12.5	9.2 - 15.9	42,000

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	9,100	18.0	14.6 - 21.4	1,500	3.0	1.4 - 4.5	32,400	64.3	60.0 - 68.6	1,600	3.2	1.8 - 4.7	5,800	11.5	8.4 - 14.6	50,400
<b>Widowed</b>	1,700	17.4	11.9 - 23.0	200	2.6	0.0 - 6.6	6,200	64.7	55.6 - 73.8	200	2.3	0.3 - 4.4	1,300	13.0	4.4 - 21.6	9,600
<b>Other</b>	3,700	18.7	13.7 - 23.8	200	0.8	0.0 - 1.6	12,300	62.2	55.3 - 69.1	900	4.4	1.8 - 7.1	2,700	13.8	8.5 - 19.1	19,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	9,500	18.3	14.9 - 21.8	1,600	3.0	1.5 - 4.5	33,400	64.2	59.9 - 68.5	1,700	3.2	1.8 - 4.6	5,900	11.3	8.3 - 14.2	52,000
<b>No</b>	5,100	17.9	14.3 - 21.6	400	1.3	0.0 - 2.7	17,900	63.1	57.7 - 68.5	1,000	3.7	1.7 - 5.6	4,000	14.0	9.4 - 18.7	28,400

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	10,000	19.0	16.2 - 21.8	1,200	2.3	1.0 - 3.6	33,400	63.2	59.5 - 66.9	1,500	2.9	1.6 - 4.1	6,700	12.6	9.8 - 15.5	52,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	13,700	17.6	14.9 - 20.3	2,300	3.0	1.8 - 4.2	51,300	65.9	62.6 - 69.3	2,900	3.7	2.5 - 4.9	7,600	9.7	7.5 - 12.0	77,800

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	14.0	9.5 - 18.5	200	2.0	0.2 - 3.8	7,100	68.8	62.4 - 75.3	400	4.2	0.9 - 7.6	1,100	10.9	7.0 - 14.9	10,300
Honolulu	9,700	17.5	14.0 - 21.0	1,300	2.4	1.0 - 3.8	37,000	66.9	62.5 - 71.3	1,900	3.4	1.9 - 4.9	5,400	9.8	6.8 - 12.8	55,400
Kauai	700	19.0	11.4 - 26.6	100	3.1	0.0 - 6.3	2,500	66.2	57.1 - 75.3	100	3.0	0.1 - 6.0	300	8.6	3.6 - 13.7	3,700
Maui	1,900	22.2	14.6 - 29.8	600	7.7	2.3 - 13.1	4,700	56.0	47.6 - 64.3	500	5.4	1.9 - 8.9	700	8.7	4.2 - 13.1	8,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	14.0	9.5 - 18.5	200	2.0	0.2 - 3.8	7,100	68.8	62.4 - 75.3	400	4.2	0.9 - 7.6	1,100	10.9	7.0 - 14.9	10,300
Kauai	700	19.0	11.4 - 26.6	100	3.1	0.0 - 6.3	2,500	66.2	57.1 - 75.3	100	3.0	0.1 - 6.0	300	8.6	3.6 - 13.7	3,700
Lanai	<50	26.6	11.8 - 41.5	<50	4.1	0.0 - 12.1	100	63.9	48.3 - 79.5	<50	0.7	0.0 - 2.2	<50	4.6	0.0 - 9.3	200
Maui	1,700	23.1	14.6 - 31.5	600	8.2	2.2 - 14.3	4,100	55.7	46.4 - 64.9	300	4.7	1.4 - 7.9	600	8.3	3.4 - 13.3	7,400
Molokai	100	13.3	1.0 - 25.5	<50	3.5	0.0 - 8.4	400	56.9	38.7 - 75.1	100	13.6	0.0 - 33.3	100	12.8	3.7 - 21.9	800
Oahu	9,700	17.5	14.0 - 21.0	1,300	2.4	1.0 - 3.8	37,000	66.9	62.5 - 71.3	1,900	3.4	1.9 - 4.9	5,400	9.8	6.8 - 12.8	55,400

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	800	20.2	8.4 - 32.0	200	4.5	0.0 - 11.9	2,800	67.2	52.9 - 81.5	0	0.0	--	300	8.2	0.0 - 16.7	4,200
Hilo	500	13.7	6.9 - 20.4	0	0.0	--	2,300	69.7	59.1 - 80.3	200	7.4	0.0 - 15.6	300	9.2	3.7 - 14.7	3,300



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Kaaawa/ Kahaluu/ Kaneohe</b>	600	15.3	4.6 - 26.1	0	0.0	--	2,800	68.7	54.4 - 83.1	<50	1.0	0.0 - 2.8	600	15.0	3.2 - 26.8	4,100
<b>Kahului</b>	500	23.1	11.3 - 34.8	300	10.9	0.0 - 23.5	1,100	48.9	34.1 - 63.7	300	11.7	3.1 - 20.2	100	5.5	0.6 - 10.3	2,300
<b>Kaimuki/ Palolo/ Waikiki</b>	900	20.1	8.7 - 31.5	<50	1.0	0.0 - 2.9	3,100	65.5	52.0 - 78.9	500	10.0	1.1 - 18.9	200	3.5	0.0 - 7.8	4,700
<b>Kona</b>	600	24.4	10.9 - 37.9	100	3.1	0.0 - 7.9	1,300	57.5	39.8 - 75.2	0	0.0	--	300	15.0	5.0 - 25.1	2,300
<b>Lahaina/ Wailuku</b>	700	27.1	9.1 - 45.2	200	7.1	0.0 - 15.5	1,500	54.5	36.9 - 72.0	0	0.0	--	300	11.3	0.0 - 22.6	2,700
<b>Lanai</b>	<50	26.6	11.8 - 41.5	<50	4.1	0.0 - 12.1	100	63.9	48.3 - 79.5	<50	0.7	0.0 - 2.2	<50	4.6	0.0 - 9.3	200
<b>Lihue-Waimea</b>	500	19.6	10.2 - 29.0	<50	0.8	0.0 - 2.3	1,700	67.6	56.5 - 78.7	100	4.6	0.2 - 9.0	200	7.5	1.5 - 13.4	2,500
<b>Manoa/ Upper Makiki</b>	1,100	29.0	16.1 - 41.9	0	0.0	--	2,500	67.4	54.2 - 80.6	<50	1.2	0.0 - 3.7	100	2.3	0.0 - 5.7	3,600
<b>Mililani/ Wahiawa</b>	1,200	19.5	7.2 - 31.7	100	1.2	0.0 - 3.1	3,800	59.3	44.0 - 74.5	400	5.8	0.0 - 11.8	900	14.2	0.0 - 28.6	6,300
<b>Molokai</b>	100	13.3	1.0 - 25.5	<50	3.5	0.0 - 8.4	400	56.9	38.7 - 75.1	100	13.6	0.0 - 33.3	100	12.8	3.7 - 21.9	800
<b>Nanakuli/ Waianae</b>	500	10.3	0.0 - 22.2	0	0.0	--	3,300	64.3	48.5 - 80.0	500	9.2	0.6 - 17.7	800	16.3	5.0 - 27.5	5,100
<b>N.Hawaii</b>	200	9.7	1.7 - 17.8	<50	2.0	0.0 - 5.8	1,600	79.4	68.3 - 90.6	<50	1.7	0.0 - 4.0	100	7.2	0.3 - 14.1	2,000

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Nuuanu/ Kalihi/ Moanalua</b>	1,000	19.8	8.8 - 30.7	500	10.4	1.3 - 19.5	3,200	61.8	47.2 - 76.3	200	3.0	0.0 - 7.1	300	5.1	0.0 - 12.4	5,100
<b>Puna/ Kau</b>	200	8.8	0.7 - 16.9	100	3.5	0.0 - 8.4	1,900	69.5	56.6 - 82.3	200	5.8	0.0 - 13.0	300	12.4	3.1 - 21.6	2,700
<b>Upcountry/ Hana</b>	400	18.5	7.8 - 29.3	200	6.9	0.0 - 17.1	1,500	63.6	49.3 - 78.0	100	3.1	0.0 - 8.2	200	7.8	0.9 - 14.7	2,400
<b>Waipahu/ Kapolei/ Ewa</b>	1,500	14.0	6.6 - 21.4	400	3.3	0.0 - 7.3	7,900	73.5	63.1 - 83.9	<50	0.3	0.0 - 0.9	1,000	8.9	1.3 - 16.5	10,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
35-44	1,800	24.7	12.2 - 37.2	300	4.6	0.0 - 9.3	4,200	55.7	41.7 - 69.8	100	1.3	0.0 - 3.8	1,000	13.7	1.5 - 25.9	7,500
45-54	2,000	13.6	7.8 - 19.4	600	4.1	1.4 - 6.9	9,900	68.0	60.4 - 75.7	500	3.6	1.2 - 6.0	1,500	10.6	5.9 - 15.4	14,500
55-64	3,400	18.0	12.9 - 23.1	600	3.3	0.8 - 5.8	12,700	66.5	60.3 - 72.7	700	3.5	1.2 - 5.7	1,700	8.8	5.5 - 12.1	19,000
65-74	2,800	17.0	11.7 - 22.3	500	2.9	0.3 - 5.5	11,000	67.5	61.0 - 73.9	700	4.2	1.3 - 7.1	1,400	8.4	5.1 - 11.7	16,400
75+	3,000	17.7	12.6 - 22.9	300	1.6	0.0 - 4.0	11,400	67.8	60.6 - 74.9	700	4.0	1.2 - 6.8	1,500	8.9	3.4 - 14.3	16,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,200	15.2	10.8 - 19.7	100	0.8	0.0 - 1.7	9,900	67.7	61.6 - 73.8	500	3.7	1.3 - 6.1	1,800	12.6	8.3 - 16.8	14,600
Native Hawaiian	2,000	13.7	8.2 - 19.1	500	3.3	0.5 - 6.1	10,000	67.3	59.7 - 75.0	600	3.8	1.0 - 6.6	1,800	11.9	6.4 - 17.3	14,800
Chinese	1,000	16.9	8.3 - 25.4	200	4.0	0.1 - 8.0	3,900	65.6	54.2 - 77.0	400	7.1	0.0 - 14.1	400	6.5	0.5 - 12.5	6,000
Filipino	2,700	18.7	11.5 - 25.8	700	5.2	1.1 - 9.4	9,300	65.4	56.7 - 74.1	600	4.4	1.2 - 7.5	900	6.3	2.5 - 10.1	14,200
Japanese	4,400	20.1	14.9 - 25.3	400	1.7	0.5 - 3.0	14,100	64.5	57.8 - 71.2	700	3.2	1.0 - 5.3	2,300	10.6	5.0 - 16.2	21,900

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	7,700	20.3	16.1 - 24.5	1,400	3.7	1.7 - 5.7	23,800	62.7	57.6 - 67.9	1,500	3.8	2.0 - 5.7	3,600	9.4	6.1 - 12.8	38,000
Female	6,000	15.1	11.7 - 18.4	900	2.3	0.9 - 3.6	27,400	69.0	64.6 - 73.4	1,400	3.6	2.0 - 5.2	4,000	10.0	7.0 - 13.1	39,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	900	22.0	8.0 - 36.1	200	4.6	0.0 - 13.2	2,400	57.6	42.5 - 72.8	200	5.9	0.0 - 12.1	400	9.9	1.8 - 18.0	4,200
Grades 12 or GED (High School Grad)	4,500	17.1	12.6 - 21.5	800	3.1	1.1 - 5.2	17,200	65.2	59.2 - 71.3	1,400	5.3	2.7 - 7.9	2,400	9.2	5.2 - 13.3	26,400
College 1 to 3 years (Some College/ Tech)	3,600	15.2	10.1 - 20.4	500	2.1	0.7 - 3.6	16,800	71.2	64.8 - 77.6	700	2.8	1.2 - 4.4	2,000	8.7	4.2 - 13.1	23,600
College 4 years or more (College Grad)	3,800	17.6	13.1 - 22.2	600	2.8	0.9 - 4.6	13,700	64.4	58.6 - 70.2	600	2.8	0.6 - 5.0	2,600	12.4	8.4 - 16.4	21,300

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,100	20.5	16.0 - 25.1	1,600	4.7	2.6 - 6.9	21,500	62.2	56.7 - 67.7	1,000	2.9	1.2 - 4.7	3,300	9.6	6.1 - 13.2	34,600
Retired/Unable to work	5,900	15.8	12.5 - 19.1	600	1.7	0.3 - 3.1	25,000	67.7	63.2 - 72.2	1,800	4.9	2.9 - 6.8	3,700	9.9	6.6 - 13.1	37,000
Student/Homemaker	200	7.6	0.7 - 14.4	0	0.0	--	2,200	80.0	68.7 - 91.2	<50	0.9	0.0 - 2.8	300	11.5	2.4 - 20.7	2,700

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	500	17.0	7.5 - 26.6	300	8.6	0.0 - 21.6	1,900	64.1	48.3 - 79.8	100	2.9	0.0 - 6.0	200	7.4	0.0 - 14.9	2,900
<b>\$10,000 to \$14,999</b>	400	10.0	3.0 - 17.0	100	1.7	0.0 - 5.1	2,600	70.0	57.8 - 82.2	300	7.5	0.5 - 14.4	400	10.8	2.3 - 19.3	3,700
<b>\$15,000 to \$19,999</b>	1,200	22.0	10.4 - 33.7	100	1.1	0.0 - 2.9	3,300	60.9	47.6 - 74.3	200	3.8	0.0 - 8.1	700	12.1	3.9 - 20.2	5,400
<b>\$20,000 to \$24,999</b>	1,200	18.9	10.5 - 27.3	300	5.3	0.0 - 10.7	3,500	54.9	42.6 - 67.2	200	3.6	0.0 - 7.2	1,100	17.3	4.6 - 29.9	6,300
<b>\$25,000 to \$34,999</b>	1,900	19.9	11.5 - 28.3	100	1.5	0.0 - 3.6	6,400	67.0	57.8 - 76.3	400	4.6	0.1 - 9.0	700	7.0	3.2 - 10.7	9,500
<b>\$35,000 to \$49,999</b>	2,100	16.1	9.8 - 22.5	800	6.3	1.9 - 10.6	9,100	70.5	62.8 - 78.2	400	2.7	0.1 - 5.4	600	4.4	1.7 - 7.0	13,000
<b>\$50,000 to \$74,999</b>	1,700	13.5	8.5 - 18.5	100	0.9	0.0 - 2.1	9,300	75.0	68.2 - 81.8	500	4.0	0.4 - 7.7	800	6.6	3.1 - 10.0	12,400
<b>\$75,000 or more</b>	3,200	18.5	12.6 - 24.4	500	3.0	0.8 - 5.2	10,700	61.3	53.6 - 68.9	400	2.6	0.8 - 4.3	2,500	14.6	8.1 - 21.1	17,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	3,300	17.7	11.6 - 23.8	600	3.4	0.4 - 6.3	12,000	65.2	57.5 - 72.9	600	3.3	1.2 - 5.5	1,900	10.4	4.9 - 15.9	18,400
<b>131-185%</b>	2,000	19.8	13.0 - 26.6	700	6.7	1.2 - 12.1	5,900	57.8	48.8 - 66.8	800	8.2	2.3 - 14.1	800	7.5	3.9 - 11.1	10,200
<b>186+%</b>	6,900	16.3	13.1 - 19.6	1,000	2.4	1.2 - 3.5	28,800	68.6	64.4 - 72.8	1,100	2.6	1.4 - 3.7	4,300	10.1	7.1 - 13.2	42,000

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	7,800	16.5	13.0 - 19.9	1,500	3.3	1.6 - 4.9	31,700	66.9	62.5 - 71.3	1,600	3.3	1.9 - 4.8	4,800	10.0	7.1 - 13.0	47,300
<b>Widowed</b>	1,500	15.2	9.9 - 20.4	200	2.3	0.0 - 6.2	6,600	67.2	58.2 - 76.1	400	4.5	1.5 - 7.5	1,100	10.9	2.4 - 19.3	9,900
<b>Other</b>	4,200	21.2	15.3 - 27.2	500	2.6	0.9 - 4.3	12,600	63.4	56.6 - 70.3	900	4.4	1.5 - 7.2	1,700	8.4	5.0 - 11.7	19,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	8,200	16.8	13.3 - 20.3	1,600	3.3	1.8 - 4.9	32,700	66.8	62.5 - 71.2	1,600	3.2	1.8 - 4.7	4,800	9.8	7.0 - 12.7	49,000
<b>No</b>	5,400	18.7	14.5 - 22.9	700	2.3	0.6 - 4.1	18,500	64.8	59.4 - 70.1	1,300	4.5	2.3 - 6.7	2,800	9.7	5.9 - 13.5	28,600

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	9,200	18.4	15.3 - 21.4	1,500	3.1	1.7 - 4.5	33,500	66.9	63.2 - 70.6	1,700	3.3	2.0 - 4.7	4,200	8.3	6.3 - 10.4	50,000



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	15,600	20.2	17.6 - 22.9	2,500	3.2	2.1 - 4.3	50,000	64.9	61.8 - 68.0	2,400	3.1	2.0 - 4.3	6,600	8.6	6.9 - 10.2	77,000

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,800	19.9	15.1 - 24.7	200	1.8	0.1 - 3.6	6,000	67.2	61.6 - 72.9	200	2.2	0.6 - 3.8	800	8.8	5.7 - 11.9	8,900
Honolulu	11,400	20.3	16.8 - 23.8	1,600	2.9	1.6 - 4.3	37,000	65.6	61.7 - 69.6	1,800	3.1	1.7 - 4.6	4,500	8.0	5.9 - 10.1	56,400
Kauai	800	20.2	13.8 - 26.7	200	3.8	0.6 - 7.1	2,300	59.2	51.0 - 67.5	100	2.1	0.1 - 4.2	600	14.6	8.2 - 20.9	3,900
Maui	1,600	20.1	14.1 - 26.1	500	6.2	2.5 - 10.0	4,700	59.7	52.7 - 66.7	400	4.7	1.6 - 7.8	700	9.2	5.8 - 12.7	7,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,800	19.9	15.1 - 24.7	200	1.8	0.1 - 3.6	6,000	67.2	61.6 - 72.9	200	2.2	0.6 - 3.8	800	8.8	5.7 - 11.9	8,900
Kauai	800	20.2	13.8 - 26.7	200	3.8	0.6 - 7.1	2,300	59.2	51.0 - 67.5	100	2.1	0.1 - 4.2	600	14.6	8.2 - 20.9	3,900
Lanai	<50	20.7	9.2 - 32.2	<50	4.1	0.0 - 12.0	100	65.2	51.7 - 78.8	<50	1.5	0.0 - 3.7	<50	8.4	2.4 - 14.4	200
Maui	1,400	20.1	13.5 - 26.8	500	6.8	2.6 - 10.9	4,200	59.8	52.1 - 67.5	300	4.1	0.9 - 7.4	600	9.2	5.3 - 13.0	7,000
Molokai	100	19.6	9.0 - 30.2	<50	1.5	0.0 - 4.4	400	57.4	43.0 - 71.7	100	11.6	0.0 - 24.9	100	10.0	2.6 - 17.3	700
Oahu	11,400	20.3	16.8 - 23.8	1,600	2.9	1.6 - 4.3	37,000	65.6	61.7 - 69.6	1,800	3.1	1.7 - 4.6	4,500	8.0	5.9 - 10.1	56,400

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,100	20.4	10.3 - 30.5	300	4.9	0.0 - 11.1	3,600	64.5	52.0 - 77.1	<50	0.4	0.0 - 1.3	500	9.7	1.1 - 18.3	5,600
Ala Moana	500	15.8	2.6 - 29.0	100	2.6	0.0 - 6.3	2,200	70.5	55.4 - 85.6	100	4.6	0.0 - 13.4	200	6.5	0.5 - 12.5	3,200

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	200	11.8	3.1 - 20.6	100	4.3	0.0 - 9.5	1,000	66.7	53.5 - 80.0	<50	1.8	0.0 - 5.4	200	15.3	5.2 - 25.4	1,400
Hilo	600	19.8	11.7 - 27.8	0	0.0	--	2,000	68.3	58.9 - 77.7	100	2.5	0.0 - 6.0	300	9.4	3.9 - 15.0	3,000
Kaaawa/ Kahaluu/ Kaneohe	800	20.9	8.3 - 33.5	0	0.0	--	2,700	74.1	60.2 - 88.0	0	0.0	--	200	5.0	0.0 - 13.0	3,600
Kahului	400	16.7	6.5 - 26.9	200	7.9	1.0 - 14.8	1,200	55.4	42.5 - 68.3	200	8.7	0.8 - 16.7	300	11.3	3.5 - 19.2	2,300
Kailua/ Waimanalo	700	17.8	6.7 - 28.8	0	0.0	--	2,900	69.0	56.5 - 81.5	<50	0.8	0.0 - 2.4	500	12.4	5.0 - 19.9	4,200
Kaimuki/ Palolo/ Waikiki	900	21.8	10.2 - 33.3	100	2.6	0.0 - 5.6	2,700	62.6	49.2 - 76.0	300	8.0	0.0 - 16.2	200	5.0	0.0 - 10.3	4,200
Kona	500	34.2	21.4 - 47.0	<50	1.9	0.0 - 4.7	800	51.4	37.6 - 65.2	0	0.0	--	200	12.5	4.8 - 20.2	1,500
Lahaina/ Wailuku	700	25.7	13.1 - 38.4	200	8.3	0.0 - 16.8	1,600	60.2	46.6 - 73.8	<50	0.7	0.0 - 2.1	100	5.1	0.6 - 9.7	2,600
Lanai	<50	20.7	9.2 - 32.2	<50	4.1	0.0 - 12.0	100	65.2	51.7 - 78.8	<50	1.5	0.0 - 3.7	<50	8.4	2.4 - 14.4	200
Lihue-Waimea	600	25.1	16.5 - 33.7	100	3.6	0.0 - 7.7	1,400	54.9	44.6 - 65.2	100	2.3	0.0 - 4.8	400	14.1	5.9 - 22.3	2,500
Manoa/ Upper Makiki	900	30.0	16.3 - 43.7	0	0.0	--	1,900	59.9	45.4 - 74.4	100	3.9	0.0 - 9.4	200	6.2	0.0 - 13.7	3,100
Millilani/ Wahiawa	1,400	24.9	12.1 - 37.7	<50	0.4	0.0 - 1.1	3,700	63.5	50.5 - 76.4	200	4.3	0.4 - 8.2	400	6.9	1.6 - 12.2	5,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	100	19.6	9.0 - 30.2	<50	1.5	0.0 - 4.4	400	57.4	43.0 - 71.7	100	11.6	0.0 - 24.9	100	10.0	2.6 - 17.3	700
Nanakuli/ Waianae	500	9.1	1.7 - 16.4	<50	0.5	0.0 - 1.5	3,300	64.5	50.8 - 78.3	400	8.4	0.0 - 17.9	900	17.6	6.3 - 28.9	5,100
N.Hawaii	300	12.9	4.9 - 20.9	<50	1.9	0.0 - 5.5	1,600	73.1	61.6 - 84.5	<50	1.6	0.0 - 3.8	200	10.6	2.8 - 18.4	2,100
Nuuanu/ Kalihi/ Moanalua	1,400	27.0	12.4 - 41.6	400	8.4	1.7 - 15.1	3,000	57.3	42.4 - 72.1	200	2.9	0.0 - 6.9	200	4.4	0.0 - 11.3	5,300
Puna/ Kau	400	17.0	6.7 - 27.3	100	4.2	0.0 - 9.9	1,600	71.0	59.5 - 82.5	100	3.9	0.0 - 7.8	100	3.9	0.1 - 7.7	2,300
Upcountry/ Hana	300	16.8	6.7 - 26.8	100	3.7	0.0 - 8.0	1,300	64.0	51.1 - 76.8	100	3.6	0.0 - 9.4	200	12.0	4.5 - 19.6	2,100
Waipahu/ Kapolei/ Ewa	2,000	18.1	10.5 - 25.6	600	5.3	0.7 - 9.8	7,600	69.5	60.6 - 78.4	100	1.0	0.0 - 2.5	700	6.2	2.3 - 10.0	10,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	1,800	27.0	15.2 - 38.8	200	2.6	0.0 - 5.5	4,000	61.4	49.2 - 73.7	<50	0.6	0.0 - 1.8	500	8.4	2.3 - 14.4	6,600
<b>45-54</b>	2,500	15.9	10.4 - 21.3	700	4.7	1.9 - 7.4	9,900	64.0	57.1 - 70.9	400	2.6	0.8 - 4.5	2,000	12.9	8.2 - 17.6	15,500
<b>55-64</b>	4,500	21.8	16.1 - 27.5	800	3.9	1.3 - 6.4	13,000	63.4	57.1 - 69.6	700	3.2	0.9 - 5.5	1,600	7.8	4.8 - 10.8	20,600
<b>65-74</b>	2,800	17.8	13.1 - 22.4	400	2.7	0.4 - 5.0	11,000	69.4	63.8 - 75.1	500	2.9	0.4 - 5.5	1,100	7.1	4.3 - 9.9	15,800
<b>75+</b>	3,200	21.3	15.9 - 26.8	300	2.0	0.2 - 3.7	10,200	67.7	61.6 - 73.8	600	3.8	1.5 - 6.1	800	5.2	2.9 - 7.6	15,100

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,500	16.2	12.0 - 20.4	300	1.6	0.2 - 3.0	11,100	71.1	66.0 - 76.3	300	1.8	0.4 - 3.1	1,400	9.3	6.2 - 12.4	15,600
Native Hawaiian	2,200	15.3	9.8 - 20.7	400	3.1	0.9 - 5.3	9,600	67.5	60.4 - 74.6	400	2.6	0.3 - 4.8	1,600	11.6	6.4 - 16.7	14,200
Chinese	600	10.8	5.2 - 16.4	300	5.3	0.7 - 9.8	4,100	71.8	61.8 - 81.8	400	7.9	0.5 - 15.2	200	4.3	0.6 - 8.0	5,700
Filipino	3,900	26.1	17.8 - 34.3	700	4.7	1.5 - 7.9	8,900	59.9	51.4 - 68.4	500	3.0	1.1 - 5.0	900	6.3	2.7 - 9.9	14,900
Japanese	4,900	25.3	20.2 - 30.4	400	2.3	0.8 - 3.7	11,900	61.0	55.3 - 66.7	500	2.6	0.8 - 4.3	1,700	8.8	5.6 - 12.1	19,500

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	8,500	22.7	18.4 - 26.9	1,400	3.7	1.9 - 5.6	24,000	63.7	59.1 - 68.4	800	2.2	0.9 - 3.4	2,900	7.7	5.5 - 9.9	37,600
Female	7,100	17.9	14.6 - 21.2	1,000	2.6	1.4 - 3.9	26,000	66.0	62.0 - 70.0	1,600	4.1	2.2 - 5.9	3,700	9.4	6.9 - 11.9	39,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,200	43.0	27.6 - 58.5	200	6.0	0.0 - 13.7	1,400	49.7	34.6 - 64.9	0	0.0	--	<50	1.2	0.0 - 3.0	2,700
Grades 9 thru 11 (Some High School)	800	19.6	9.8 - 29.5	200	5.6	0.0 - 14.5	2,500	61.0	47.9 - 74.1	100	3.6	0.0 - 8.2	400	10.2	2.1 - 18.2	4,100
Grades 12 or GED (High School Grad)	6,200	23.7	18.5 - 29.0	900	3.3	1.4 - 5.2	15,900	61.1	55.4 - 66.8	1,300	4.9	2.3 - 7.4	1,800	7.0	4.4 - 9.6	26,100
College 1 to 3 years (Some College/ Tech)	4,100	17.0	12.2 - 21.8	500	2.3	0.8 - 3.7	16,900	70.7	65.2 - 76.1	600	2.3	0.8 - 3.9	1,800	7.7	4.8 - 10.7	23,900
College 4 years or more (College Grad)	3,400	16.6	12.6 - 20.5	700	3.3	1.3 - 5.3	13,300	65.8	60.5 - 71.1	400	2.2	0.4 - 3.9	2,500	12.2	8.5 - 15.9	20,300

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,300	22.1	17.4 - 26.7	1,400	4.1	2.4 - 5.8	20,700	62.6	57.6 - 67.6	1,000	3.2	1.3 - 5.0	2,600	8.0	5.7 - 10.4	33,000
Retired/Unable to work	7,400	19.3	15.9 - 22.6	1,100	2.8	1.1 - 4.4	25,000	65.4	61.4 - 69.5	1,300	3.4	1.9 - 4.9	3,500	9.1	6.6 - 11.6	38,200
Student/Homemaker	500	15.7	4.2 - 27.1	<50	1.1	0.0 - 3.3	2,100	73.6	60.4 - 86.9	<50	0.9	0.0 - 2.6	300	8.7	0.9 - 16.6	2,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	700	24.5	13.8 - 35.2	0	0.0	--	1,800	62.9	50.3 - 75.6	100	3.0	0.0 - 6.2	300	9.6	1.3 - 17.9	2,800
\$10,000 to \$14,999	600	15.4	6.3 - 24.6	100	1.7	0.0 - 4.9	2,700	68.1	55.9 - 80.2	200	4.7	0.0 - 9.5	400	10.2	2.0 - 18.3	3,900
\$15,000 to \$19,999	1,000	22.2	11.7 - 32.6	300	7.2	1.3 - 13.1	2,500	54.0	42.3 - 65.7	100	3.2	0.0 - 6.7	600	13.4	4.4 - 22.5	4,600
\$20,000 to \$24,999	1,000	16.4	9.4 - 23.3	400	6.3	0.9 - 11.8	4,300	68.3	58.8 - 77.8	200	2.4	0.2 - 4.5	400	6.6	0.7 - 12.6	6,300
\$25,000 to \$34,999	2,100	21.3	12.9 - 29.7	300	3.2	0.0 - 6.3	6,300	63.5	54.3 - 72.8	400	4.0	0.0 - 8.5	800	8.0	4.1 - 11.9	9,800
\$35,000 to \$49,999	2,600	18.9	11.8 - 26.0	700	5.2	1.5 - 9.0	9,300	67.1	59.2 - 74.9	400	3.1	0.4 - 5.8	800	5.7	2.7 - 8.7	13,900
\$50,000 to \$74,999	2,200	17.4	11.5 - 23.3	200	1.2	0.0 - 2.5	9,000	70.1	63.1 - 77.1	400	3.4	0.2 - 6.5	1,000	7.9	4.3 - 11.5	12,900
\$75,000 or more	2,600	17.5	12.5 - 22.4	400	2.6	0.7 - 4.6	9,600	65.1	58.5 - 71.7	400	2.5	0.6 - 4.5	1,800	12.3	7.4 - 17.2	14,800



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	4,100	22.2	15.8 - 28.6	600	3.4	1.0 - 5.8	11,700	62.6	55.6 - 69.6	700	3.5	1.1 - 5.9	1,600	8.4	4.5 - 12.3	18,700
<b>131-185%</b>	1,600	17.9	11.0 - 24.9	700	7.5	1.7 - 13.2	5,600	62.2	52.8 - 71.6	600	6.4	0.7 - 12.1	500	6.0	2.9 - 9.0	9,100
<b>186+%</b>	7,100	17.3	14.2 - 20.3	1,100	2.6	1.5 - 3.7	28,100	68.1	64.4 - 71.8	1,000	2.3	1.2 - 3.4	4,000	9.7	7.4 - 12.1	41,300

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	9,600	19.8	16.3 - 23.4	1,700	3.5	1.9 - 5.0	31,800	66.0	62.0 - 70.0	1,100	2.3	1.2 - 3.3	4,100	8.4	6.3 - 10.6	48,200
<b>Widowed</b>	1,700	18.0	12.7 - 23.3	200	1.9	0.3 - 3.4	6,400	70.2	63.9 - 76.6	400	4.8	1.8 - 7.7	500	5.2	2.4 - 7.9	9,200
<b>Other</b>	4,300	22.8	17.1 - 28.4	600	3.0	1.1 - 4.9	11,300	59.4	53.2 - 65.7	900	4.7	1.3 - 8.1	1,900	10.1	6.5 - 13.7	19,000

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Married	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	10,100	20.4	16.9 - 23.9	1,700	3.5	2.0 - 5.0	32,300	65.6	61.6 - 69.5	1,100	2.2	1.2 - 3.2	4,100	8.3	6.2 - 10.4	49,300
<b>No</b>	5,500	19.7	15.7 - 23.7	700	2.6	1.3 - 4.0	17,700	63.8	59.1 - 68.6	1,300	4.8	2.3 - 7.3	2,500	9.0	6.3 - 11.7	27,700

Health Care Coverage	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	15,200	20.5	17.8 - 23.3	2,300	3.2	2.1 - 4.3	47,800	64.7	61.6 - 67.9	2,400	3.3	2.1 - 4.4	6,100	8.3	6.6 - 10.0	73,800
<b>No</b>	400	12.8	3.9 - 21.7	100	3.4	0.0 - 9.0	2,200	69.0	54.5 - 83.6	<50	0.6	0.0 - 1.7	500	14.2	3.0 - 25.5	3,200

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	18,900	25.0	21.2 - 28.8	2,200	2.9	1.9 - 4.0	45,000	59.7	55.7 - 63.6	2,300	3.0	1.8 - 4.2	7,100	9.4	7.1 - 11.7	75,500

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,800	18.6	13.7 - 23.5	200	1.7	0.1 - 3.4	6,600	69.5	63.6 - 75.5	200	2.2	0.6 - 3.8	700	7.9	4.7 - 11.1	9,500
Honolulu	14,800	26.7	21.7 - 31.7	1,500	2.7	1.4 - 4.0	32,600	58.9	53.7 - 64.0	1,600	3.0	1.4 - 4.6	4,900	8.8	5.7 - 11.8	55,300
Kauai	600	16.2	9.4 - 22.9	100	2.7	0.0 - 5.5	2,300	60.0	50.0 - 69.9	100	1.7	0.0 - 3.7	800	19.5	10.9 - 28.0	3,900
Maui	1,800	25.6	18.2 - 32.9	400	6.5	2.3 - 10.6	3,600	52.2	44.3 - 60.1	400	5.1	1.5 - 8.7	700	10.7	6.4 - 14.9	6,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,800	18.6	13.7 - 23.5	200	1.7	0.1 - 3.4	6,600	69.5	63.6 - 75.5	200	2.2	0.6 - 3.8	700	7.9	4.7 - 11.1	9,500
Kauai	600	16.2	9.4 - 22.9	100	2.7	0.0 - 5.5	2,300	60.0	50.0 - 69.9	100	1.7	0.0 - 3.7	800	19.5	10.9 - 28.0	3,900
Maui	1,600	26.3	18.1 - 34.5	400	7.2	2.5 - 11.9	3,100	51.8	43.0 - 60.6	300	4.8	1.0 - 8.6	600	10.0	5.4 - 14.5	6,100
Molokai	100	20.3	8.7 - 31.9	0	0.0	--	400	56.5	39.9 - 73.2	100	9.8	0.0 - 23.7	100	13.4	0.5 - 26.3	600
Oahu	14,800	26.7	21.7 - 31.7	1,500	2.7	1.4 - 4.0	32,600	58.9	53.7 - 64.0	1,600	3.0	1.4 - 4.6	4,900	8.8	5.7 - 11.8	55,300

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,700	33.1	16.5 - 49.8	300	6.5	0.0 - 13.9	2,700	50.9	34.9 - 66.9	<50	0.5	0.0 - 1.4	500	9.0	0.6 - 17.4	5,200
Hilo	600	19.4	10.4 - 28.3	0	0.0	--	2,300	70.0	59.6 - 80.3	100	2.3	0.0 - 5.5	300	8.4	2.5 - 14.3	3,300
Kahului	400	19.7	7.7 - 31.7	200	8.2	0.4 - 15.9	1,000	50.4	36.2 - 64.6	200	8.7	0.0 - 17.6	300	13.0	3.9 - 22.1	1,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kailua/ Waimanalo	800	19.8	6.1 - 33.4	0	0.0	--	3,000	74.2	59.8 - 88.5	<50	0.8	0.0 - 2.5	200	5.2	0.0 - 10.5	4,100
Kona	400	25.9	13.4 - 38.4	<50	1.8	0.0 - 4.2	1,100	63.9	49.9 - 78.0	<50	1.5	0.0 - 4.5	100	6.9	0.5 - 13.3	1,700
Lahaina/ Wailuku	700	34.2	18.7 - 49.7	200	11.1	0.0 - 22.3	1,000	50.6	35.2 - 66.0	<50	1.0	0.0 - 2.9	100	3.2	0.0 - 7.6	2,000
Lihue-Waimea	500	19.9	10.8 - 28.9	100	2.7	0.0 - 6.5	1,300	52.9	40.6 - 65.3	<50	1.6	0.0 - 3.7	600	22.8	11.4 - 34.3	2,500
Mililani/ Wahiawa	1,100	21.0	7.7 - 34.4	100	2.3	0.0 - 6.7	3,500	65.3	50.8 - 79.8	200	4.6	0.4 - 8.9	400	6.8	1.3 - 12.2	5,400
Molokai	100	20.3	8.7 - 31.9	0	0.0	--	400	56.5	39.9 - 73.2	100	9.8	0.0 - 23.7	100	13.4	0.5 - 26.3	600
Nanakuli/ Waianae	500	9.6	0.0 - 19.3	<50	0.5	0.0 - 1.4	3,600	68.1	52.1 - 84.1	200	4.6	0.0 - 11.5	900	17.2	4.1 - 30.4	5,300
N.Hawaii	300	16.2	7.3 - 25.1	<50	2.1	0.0 - 6.0	1,400	72.9	62.0 - 83.7	<50	0.9	0.0 - 2.6	200	8.0	1.4 - 14.6	1,900
Nuuanu/ Kalihi/ Moanalua	1,500	31.0	13.8 - 48.2	300	6.3	0.0 - 12.6	2,700	55.9	39.2 - 72.6	200	3.6	0.0 - 8.5	200	3.2	0.0 - 6.9	4,800
Puna/ Kau	400	14.7	5.7 - 23.7	100	3.7	0.0 - 8.8	1,800	70.2	58.0 - 82.4	100	3.5	0.0 - 7.0	200	7.9	1.4 - 14.4	2,600
Upcountry/ Hana	500	25.0	10.7 - 39.2	100	2.7	0.0 - 6.7	1,200	54.2	38.6 - 69.7	100	4.7	0.0 - 11.3	300	13.4	4.6 - 22.2	2,200
Waipahu/ Kapolei/ Ewa	3,300	32.9	18.9 - 46.9	400	3.8	0.3 - 7.3	5,200	51.3	37.8 - 64.9	100	0.7	0.0 - 2.2	1,100	11.3	1.2 - 21.4	10,100

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	2,000	32.6	17.7 - 47.6	200	3.6	0.0 - 7.8	3,300	52.7	37.7 - 67.6	100	1.0	0.0 - 2.6	600	10.1	2.2 - 17.9	6,300
<b>45-54</b>	3,500	22.1	14.2 - 30.1	700	4.4	1.7 - 7.2	8,900	55.9	47.0 - 64.9	300	2.2	0.4 - 3.9	2,500	15.3	8.2 - 22.5	16,000
<b>55-64</b>	5,700	28.0	19.7 - 36.3	500	2.6	0.8 - 4.4	11,500	57.0	48.8 - 65.3	1,000	4.8	1.3 - 8.3	1,500	7.6	3.3 - 11.9	20,200
<b>65-74</b>	2,600	16.9	11.7 - 22.0	300	2.3	0.0 - 4.6	10,800	71.0	64.8 - 77.2	300	1.7	0.3 - 3.0	1,300	8.2	4.9 - 11.6	15,200
<b>75+</b>	3,700	27.4	19.8 - 34.9	400	2.6	0.3 - 4.9	8,600	63.3	55.5 - 71.1	400	2.6	0.6 - 4.6	600	4.1	2.0 - 6.1	13,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,600	15.5	10.8 - 20.1	200	1.3	0.0 - 2.6	11,300	67.5	60.7 - 74.3	500	2.8	0.0 - 6.0	2,200	13.0	7.5 - 18.4	16,800
Native Hawaiian	2,300	15.1	7.6 - 22.5	400	2.7	0.6 - 4.7	10,500	69.6	61.1 - 78.0	400	2.5	0.3 - 4.6	1,500	10.2	5.4 - 15.1	15,100
Chinese	1,800	34.4	17.3 - 51.5	200	4.4	0.0 - 8.9	2,800	53.1	36.7 - 69.6	200	4.5	0.0 - 9.6	200	3.6	0.0 - 7.3	5,400
Filipino	4,600	32.7	22.0 - 43.3	800	5.7	1.8 - 9.5	7,200	51.2	40.7 - 61.7	400	2.7	0.7 - 4.7	1,100	7.8	1.1 - 14.4	14,100
Japanese	5,500	31.9	24.3 - 39.4	400	2.4	0.6 - 4.1	9,700	56.6	49.0 - 64.1	400	2.5	0.6 - 4.3	1,200	6.7	3.4 - 10.0	17,200

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,100	31.6	25.5 - 37.8	1,100	3.0	1.4 - 4.5	21,200	55.4	49.4 - 61.4	800	2.1	0.4 - 3.7	3,100	8.0	5.3 - 10.7	38,200
Female	6,800	18.3	14.4 - 22.1	1,100	2.9	1.5 - 4.2	23,900	64.1	59.0 - 69.1	1,500	4.0	2.2 - 5.8	4,000	10.8	7.0 - 14.6	37,300

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,800	47.1	26.3 - 68.0	200	4.4	0.0 - 10.2	1,700	46.6	26.5 - 66.7	0	0.0	--	100	1.9	0.0 - 4.4	3,700
Grades 9 thru 11 (Some High School)	1,100	25.9	9.4 - 42.3	100	2.9	0.0 - 7.2	2,800	65.1	48.8 - 81.3	100	1.4	0.0 - 4.1	200	4.8	0.8 - 8.7	4,400
Grades 12 or GED (High School Grad)	7,400	26.8	20.6 - 33.1	900	3.4	1.5 - 5.4	16,100	58.7	52.1 - 65.4	900	3.4	1.4 - 5.5	2,100	7.6	4.1 - 11.1	27,400
College 1 to 3 years (Some College/ Tech)	4,200	19.5	13.6 - 25.4	500	2.2	0.6 - 3.9	14,200	66.4	59.8 - 73.0	600	3.0	1.1 - 4.9	1,900	8.9	5.0 - 12.8	21,400
College 4 years or more (College Grad)	4,500	24.1	16.0 - 32.3	500	2.6	0.7 - 4.5	10,100	54.6	46.4 - 62.9	600	3.4	0.1 - 6.7	2,800	15.2	8.9 - 21.6	18,600

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,000	26.0	19.9 - 32.2	1,300	3.7	2.0 - 5.4	19,700	57.0	50.6 - 63.4	1,000	2.8	1.2 - 4.4	3,600	10.5	6.4 - 14.6	34,600
Retired/Unable to work	8,800	24.2	19.1 - 29.2	900	2.4	1.0 - 3.9	22,800	62.9	57.7 - 68.1	1,000	2.7	1.2 - 4.1	2,800	7.8	5.5 - 10.2	36,200
Student/Homemaker	500	17.5	4.8 - 30.1	<50	1.1	0.0 - 3.2	1,800	59.7	39.5 - 79.9	300	9.7	0.0 - 25.8	400	12.0	0.0 - 29.0	3,000



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	600	22.1	11.3 - 32.9	0	0.0	--	1,800	63.5	50.4 - 76.5	100	1.8	0.0 - 4.1	400	12.6	3.6 - 21.6	2,800
<b>\$10,000 to \$14,999</b>	1,100	21.9	7.5 - 36.4	100	1.3	0.0 - 3.9	2,700	54.5	36.6 - 72.3	200	3.7	0.0 - 7.7	900	18.5	1.2 - 35.8	4,900
<b>\$15,000 to \$19,999</b>	1,300	23.1	8.1 - 38.0	400	7.6	1.5 - 13.7	3,000	54.4	37.7 - 71.0	300	5.9	0.0 - 15.0	500	9.1	2.1 - 16.1	5,500
<b>\$20,000 to \$24,999</b>	1,800	27.6	15.9 - 39.3	400	5.4	0.1 - 10.8	3,800	58.4	46.3 - 70.5	100	1.8	0.0 - 3.7	400	6.8	0.8 - 12.8	6,500
<b>\$25,000 to \$34,999</b>	2,600	27.2	15.1 - 39.2	400	4.2	0.2 - 8.3	5,100	53.4	41.5 - 65.4	500	4.9	0.0 - 9.9	1,000	10.3	2.8 - 17.8	9,600
<b>\$35,000 to \$49,999</b>	2,300	18.1	10.3 - 25.9	400	3.4	0.6 - 6.2	8,400	67.5	58.8 - 76.3	400	2.8	0.0 - 5.7	1,000	8.1	3.3 - 12.9	12,500
<b>\$50,000 to \$74,999</b>	2,700	23.2	14.6 - 31.7	200	1.3	0.0 - 2.8	7,300	62.8	53.4 - 72.1	200	1.8	0.0 - 3.6	1,300	10.9	4.8 - 17.0	11,600
<b>\$75,000 or more</b>	2,900	23.1	14.5 - 31.7	300	2.4	0.4 - 4.4	7,900	63.4	54.3 - 72.6	400	3.2	0.8 - 5.6	1,000	7.9	3.2 - 12.6	12,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	5,000	25.3	17.4 - 33.2	700	3.6	1.2 - 6.1	11,200	56.4	47.8 - 65.0	800	4.0	0.7 - 7.3	2,100	10.6	4.8 - 16.5	19,800
<b>131-185%</b>	2,400	26.5	14.6 - 38.3	600	6.7	1.6 - 11.8	4,700	53.1	41.2 - 65.0	400	4.5	0.0 - 9.1	800	9.2	2.6 - 15.7	8,900
<b>186+%</b>	7,800	21.1	16.6 - 25.5	800	2.2	1.1 - 3.3	24,100	64.9	59.9 - 69.8	900	2.4	1.2 - 3.7	3,500	9.5	6.5 - 12.5	37,100

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	11,900	24.9	20.2 - 29.7	1,400	3.0	1.6 - 4.4	28,800	60.6	55.5 - 65.6	900	2.0	1.0 - 3.0	4,500	9.5	6.3 - 12.8	47,600
<b>Widowed</b>	1,700	19.3	11.9 - 26.6	200	2.7	0.2 - 5.1	5,800	66.6	58.2 - 75.0	400	4.1	1.2 - 6.9	700	7.4	3.2 - 11.7	8,800
<b>Other</b>	5,300	29.2	20.3 - 38.0	500	2.9	1.0 - 4.8	9,700	53.1	44.6 - 61.6	1,000	5.3	1.2 - 9.4	1,800	9.6	5.5 - 13.7	18,300

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	12,100	25.1	20.4 - 29.7	1,400	3.0	1.6 - 4.4	29,200	60.5	55.5 - 65.5	900	2.0	1.0 - 2.9	4,600	9.5	6.3 - 12.7	48,300
<b>No</b>	6,700	24.9	18.3 - 31.5	700	2.8	1.2 - 4.3	15,700	58.2	51.6 - 64.7	1,300	4.9	2.0 - 7.8	2,500	9.3	6.1 - 12.5	27,000

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	10,700	22.4	18.7 - 26.1	1,900	3.9	2.5 - 5.4	29,600	62.3	58.3 - 66.3	1,800	3.8	2.3 - 5.4	3,600	7.5	5.6 - 9.4	47,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	18,300	25.9	21.2 - 30.5	1,400	1.9	1.0 - 2.9	40,800	57.7	52.7 - 62.8	2,800	3.9	1.6 - 6.2	7,400	10.5	7.4 - 13.7	70,700

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,600	18.0	12.5 - 23.5	<50	0.4	0.0 - 1.0	6,200	67.3	59.7 - 74.9	500	5.1	0.0 - 10.4	800	9.2	5.0 - 13.4	9,200
Honolulu	14,000	27.0	20.9 - 33.0	1,100	2.0	0.8 - 3.3	29,700	57.2	50.6 - 63.8	2,000	3.8	0.9 - 6.7	5,200	10.0	5.9 - 14.0	52,000
Kauai	800	20.5	11.9 - 29.2	100	3.5	0.2 - 6.9	2,100	55.1	43.7 - 66.5	200	4.0	0.0 - 10.2	600	16.8	8.1 - 25.6	3,800
Maui	1,800	32.3	20.7 - 43.9	100	2.5	0.0 - 4.9	2,800	48.8	38.0 - 59.6	200	2.8	0.2 - 5.4	800	13.6	6.6 - 20.7	5,700

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,600	18.0	12.5 - 23.5	<50	0.4	0.0 - 1.0	6,200	67.3	59.7 - 74.9	500	5.1	0.0 - 10.4	800	9.2	5.0 - 13.4	9,200
Kauai	800	20.5	11.9 - 29.2	100	3.5	0.2 - 6.9	2,100	55.1	43.7 - 66.5	200	4.0	0.0 - 10.2	600	16.8	8.1 - 25.6	3,800
Maui	1,700	33.7	20.8 - 46.5	100	2.8	0.0 - 5.6	2,400	48.3	36.3 - 60.3	100	2.0	0.0 - 4.3	700	13.3	5.6 - 21.1	5,000
Oahu	14,000	27.0	20.9 - 33.0	1,100	2.0	0.8 - 3.3	29,700	57.2	50.6 - 63.8	2,000	3.8	0.9 - 6.7	5,200	10.0	5.9 - 14.0	52,000

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	600	24.6	13.2 - 36.0	<50	1.0	0.0 - 2.9	1,800	67.0	54.4 - 79.5	0	0.0	--	200	7.5	0.7 - 14.3	2,600
Lihue-Waimea	700	25.3	14.0 - 36.7	100	4.8	0.0 - 9.5	1,200	46.0	32.5 - 59.6	100	4.8	0.0 - 13.3	500	19.1	7.9 - 30.3	2,700
N.Hawaii	200	11.8	3.2 - 20.5	0	0.0	--	1,200	71.0	55.6 - 86.3	100	4.3	0.0 - 12.4	200	12.9	0.1 - 25.7	1,700
Puna/ Kau	500	17.0	6.9 - 27.1	0	0.0	--	1,900	62.6	46.9 - 78.2	400	11.7	0.0 - 25.9	300	8.7	1.8 - 15.7	3,100
Waipahu/ Kapolei/ Ewa	3,700	38.6	20.6 - 56.5	200	2.3	0.0 - 5.1	4,400	46.1	28.7 - 63.5	200	2.0	0.0 - 4.9	1,000	11.0	0.1 - 21.9	9,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	1,500	17.1	4.9 - 29.3	300	3.8	0.0 - 8.8	5,400	63.2	45.0 - 81.3	200	2.2	0.0 - 5.2	1,200	13.7	0.0 - 28.3	8,500
<b>45-54</b>	4,500	29.4	18.2 - 40.7	300	1.7	0.0 - 3.3	8,300	54.4	43.1 - 65.7	100	0.6	0.0 - 1.6	2,100	13.9	6.3 - 21.6	15,200
<b>55-64</b>	5,800	30.7	21.2 - 40.3	300	1.5	0.0 - 3.2	10,200	54.2	44.7 - 63.6	800	4.1	0.4 - 7.8	1,800	9.4	4.1 - 14.7	18,900
<b>65-74</b>	2,300	18.1	10.4 - 25.8	100	0.8	0.0 - 1.6	8,400	66.1	56.9 - 75.3	500	3.7	0.0 - 7.6	1,400	11.3	5.4 - 17.3	12,700
<b>75+</b>	3,000	25.6	16.8 - 34.4	400	3.0	0.3 - 5.8	6,900	59.5	48.3 - 70.7	1,000	8.8	0.0 - 19.4	400	3.1	1.0 - 5.2	11,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,300	14.0	9.0 - 19.1	300	2.0	0.0 - 4.3	10,600	65.0	56.0 - 74.0	800	4.8	0.0 - 11.2	2,300	14.1	7.5 - 20.8	16,300
Native Hawaiian	1,900	12.1	4.0 - 20.3	200	1.3	0.2 - 2.5	10,400	67.1	55.4 - 78.9	800	5.3	0.0 - 11.5	2,200	14.1	5.2 - 23.0	15,400
Filipino	5,600	40.3	27.3 - 53.3	500	3.9	0.6 - 7.2	6,100	44.3	32.4 - 56.2	400	3.0	0.0 - 6.6	1,200	8.4	1.4 - 15.5	13,800
Japanese	4,900	34.6	25.3 - 44.0	200	1.5	0.0 - 3.1	7,900	55.6	46.2 - 65.0	300	2.1	0.0 - 4.2	900	6.2	2.2 - 10.2	14,200

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	11,500	30.7	23.8 - 37.7	600	1.6	0.4 - 2.7	20,300	54.2	47.1 - 61.4	1,800	4.8	0.9 - 8.7	3,200	8.7	5.3 - 12.1	37,400
Female	6,800	20.4	14.7 - 26.1	800	2.4	0.8 - 4.0	20,500	61.6	54.6 - 68.7	1,000	2.9	0.9 - 5.0	4,200	12.6	7.2 - 18.0	33,300



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	1,100	31.3	12.4 - 50.2	100	3.5	0.0 - 8.6	2,200	59.0	40.6 - 77.5	0	0.0	--	200	6.2	0.8 - 11.6	3,700
Grades 12 or GED (High School Grad)	7,200	26.1	18.6 - 33.6	400	1.6	0.4 - 2.9	16,000	58.3	49.5 - 67.0	1,100	4.2	0.2 - 8.2	2,700	9.8	4.2 - 15.5	27,400
College 1 to 3 years (Some College/ Tech)	4,300	22.1	13.8 - 30.4	100	0.5	0.0 - 1.1	11,900	60.9	51.9 - 70.0	1,100	5.6	0.4 - 10.7	2,100	10.9	5.8 - 16.0	19,600
College 4 years or more (College Grad)	4,200	25.1	15.6 - 34.6	500	3.2	0.3 - 6.1	9,200	54.7	44.8 - 64.7	500	3.1	0.0 - 6.7	2,300	13.8	6.8 - 20.9	16,900

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,800	26.7	19.5 - 33.9	500	1.4	0.3 - 2.5	18,500	56.0	48.1 - 63.9	1,200	3.5	0.4 - 6.7	4,100	12.3	6.7 - 18.0	33,000
Retired/Unable to work	7,600	23.5	17.5 - 29.6	700	2.2	0.7 - 3.6	19,800	61.2	54.4 - 67.9	1,300	4.1	0.6 - 7.6	2,900	9.0	5.9 - 12.2	32,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$10,000 to \$14,999</b>	1,300	32.8	13.9 - 51.7	0	0.0	--	1,900	49.0	27.7 - 70.3	0	0.0	--	700	18.2	0.0 - 39.4	3,900
<b>\$15,000 to \$19,999</b>	1,000	15.8	2.4 - 29.2	400	6.4	1.0 - 11.7	4,500	68.3	51.3 - 85.3	400	6.2	0.0 - 14.7	200	3.3	0.0 - 6.7	6,600
<b>\$20,000 to \$24,999</b>	2,000	33.1	16.1 - 50.1	100	1.1	0.0 - 2.7	3,300	56.1	39.4 - 72.8	100	1.7	0.0 - 3.7	500	8.0	0.4 - 15.6	6,000
<b>\$25,000 to \$34,999</b>	2,600	28.3	13.1 - 43.6	300	3.4	0.0 - 7.1	4,300	46.6	31.7 - 61.5	500	5.5	0.1 - 11.0	1,500	16.1	2.2 - 30.1	9,300
<b>\$35,000 to \$49,999</b>	1,900	18.7	8.4 - 28.9	100	1.2	0.0 - 3.0	6,600	63.6	51.4 - 75.8	800	7.4	0.0 - 16.4	1,000	9.2	3.1 - 15.2	10,400
<b>\$50,000 to \$74,999</b>	3,200	25.2	15.3 - 35.0	300	2.6	0.0 - 5.7	7,100	55.3	44.3 - 66.3	800	5.9	0.0 - 13.7	1,400	11.0	4.8 - 17.2	12,900
<b>\$75,000 or more</b>	2,200	19.4	8.9 - 30.0	<50	0.4	0.0 - 1.2	7,800	67.6	55.5 - 79.7	200	1.6	0.0 - 3.2	1,300	11.0	3.5 - 18.5	11,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	5,700	30.5	19.8 - 41.1	400	2.2	0.4 - 4.0	9,900	53.0	41.5 - 64.5	600	3.2	0.0 - 6.6	2,100	11.1	2.7 - 19.5	18,700
<b>131-185%</b>	1,800	23.5	10.0 - 37.1	300	3.5	0.0 - 7.8	4,300	56.5	42.2 - 70.8	400	4.7	0.0 - 9.7	900	11.8	3.4 - 20.2	7,700
<b>186+%</b>	7,300	20.1	14.7 - 25.5	600	1.7	0.4 - 3.0	22,700	62.5	56.0 - 69.0	1,800	5.0	1.1 - 8.9	3,900	10.7	6.9 - 14.5	36,300

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	12,300	26.9	21.0 - 32.8	900	2.0	0.7 - 3.3	27,200	59.4	53.0 - 65.8	1,300	2.8	0.4 - 5.1	4,100	9.0	5.5 - 12.5	45,800
<b>Widowed</b>	1,400	19.2	10.5 - 27.8	300	3.6	0.5 - 6.6	4,900	65.0	54.1 - 75.9	200	2.5	0.0 - 5.8	700	9.8	3.6 - 16.0	7,600
<b>Other</b>	4,500	27.2	17.1 - 37.4	200	1.2	0.0 - 2.4	8,100	48.4	38.1 - 58.7	1,300	7.9	1.0 - 14.7	2,500	15.3	6.8 - 23.9	16,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004-2006**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	12,600	27.1	21.3 - 33.0	900	2.0	0.7 - 3.3	27,500	59.2	52.9 - 65.5	1,300	2.7	0.4 - 5.1	4,200	9.0	5.5 - 12.4	46,400
<b>No</b>	5,700	23.6	16.0 - 31.2	500	1.9	0.6 - 3.2	13,200	54.7	46.4 - 63.1	1,500	6.2	1.3 - 11.1	3,300	13.6	7.3 - 19.8	24,200

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	10,200	23.7	18.2 - 29.2	1,100	2.6	1.2 - 4.1	25,300	58.9	52.5 - 65.2	2,100	5.0	1.6 - 8.5	4,200	9.8	5.9 - 13.6	42,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	15,800	23.4	18.5 - 28.3	1,800	2.6	1.2 - 4.1	40,800	60.3	54.9 - 65.8	2,800	4.1	1.7 - 6.5	6,400	9.5	6.2 - 12.7	67,600

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,800	19.5	11.5 - 27.4	200	2.6	0.0 - 5.2	5,800	63.6	54.6 - 72.7	600	6.1	0.6 - 11.6	700	8.2	4.0 - 12.4	9,200
Honolulu	11,900	23.4	17.3 - 29.6	1,400	2.8	1.0 - 4.7	30,600	60.4	53.5 - 67.4	1,900	3.8	0.8 - 6.8	4,800	9.5	5.3 - 13.7	50,600
Kauai	600	17.9	7.8 - 28.0	100	1.8	0.0 - 4.5	1,900	59.9	46.3 - 73.5	200	6.6	0.0 - 14.8	400	13.8	4.4 - 23.2	3,100
Maui	1,600	34.3	20.5 - 48.1	100	1.2	0.0 - 3.0	2,500	52.9	39.6 - 66.3	100	2.2	0.0 - 5.1	400	9.4	1.8 - 16.9	4,700

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,800	19.5	11.5 - 27.4	200	2.6	0.0 - 5.2	5,800	63.6	54.6 - 72.7	600	6.1	0.6 - 11.6	700	8.2	4.0 - 12.4	9,200
Kauai	600	17.9	7.8 - 28.0	100	1.8	0.0 - 4.5	1,900	59.9	46.3 - 73.5	200	6.6	0.0 - 14.8	400	13.8	4.4 - 23.2	3,100
Maui	1,500	38.0	22.4 - 53.6	100	1.4	0.0 - 3.6	2,000	49.6	34.7 - 64.5	100	2.4	0.0 - 5.8	300	8.6	0.1 - 17.1	4,000
Oahu	11,900	23.4	17.3 - 29.6	1,400	2.8	1.0 - 4.7	30,600	60.4	53.5 - 67.4	1,900	3.8	0.8 - 6.8	4,800	9.5	5.3 - 13.7	50,600

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	500	20.6	8.3 - 33.0	<50	1.2	0.0 - 3.4	1,600	72.3	58.5 - 86.0	<50	1.4	0.0 - 4.2	100	4.5	0.0 - 10.8	2,200
Puna/ Kau	500	16.6	6.1 - 27.1	<50	0.8	0.0 - 2.3	1,900	60.7	44.8 - 76.6	300	10.7	0.0 - 24.8	400	11.2	3.4 - 19.1	3,100

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	1,300	14.3	3.0 - 25.6	300	3.3	0.0 - 8.0	5,900	65.9	48.5 - 83.3	200	2.3	0.0 - 5.3	1,300	14.2	0.1 - 28.3	8,900
<b>45-54</b>	3,700	24.7	13.2 - 36.1	400	2.7	0.0 - 5.6	9,100	60.1	48.1 - 72.2	200	1.6	0.0 - 3.9	1,700	11.0	3.4 - 18.6	15,100
<b>55-64</b>	4,500	26.5	16.4 - 36.7	300	1.9	0.0 - 4.0	9,600	57.3	46.9 - 67.7	800	5.0	0.7 - 9.3	1,500	9.2	3.4 - 15.0	16,800
<b>65-74</b>	2,200	17.3	8.3 - 26.4	500	4.3	0.0 - 9.0	8,300	64.5	54.1 - 75.0	500	3.5	0.0 - 7.3	1,300	10.4	4.4 - 16.4	12,900
<b>75+</b>	2,500	25.7	15.5 - 36.0	200	2.0	0.0 - 4.3	6,000	60.9	47.9 - 74.0	1,000	9.8	0.0 - 22.2	200	1.6	0.0 - 3.4	9,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,100	13.4	7.9 - 18.9	200	1.2	0.0 - 3.3	10,000	62.4	52.6 - 72.1	900	5.8	0.0 - 12.3	2,800	17.2	9.8 - 24.7	16,000
Native Hawaiian	1,500	10.2	1.8 - 18.6	600	4.2	0.0 - 8.5	10,200	68.2	55.7 - 80.7	800	5.4	0.0 - 11.9	1,800	12.0	2.9 - 21.0	15,000
Filipino	4,900	41.5	27.1 - 56.0	500	4.5	0.3 - 8.7	5,200	43.9	30.6 - 57.3	300	2.6	0.0 - 6.6	900	7.4	0.0 - 15.3	11,800
Japanese	3,900	27.9	18.1 - 37.8	300	2.2	0.0 - 4.5	8,900	64.1	54.0 - 74.2	300	2.2	0.0 - 5.1	500	3.5	0.7 - 6.3	13,900

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	10,600	29.3	22.0 - 36.7	600	1.8	0.2 - 3.3	19,800	54.9	47.2 - 62.6	2,100	5.7	1.5 - 9.9	3,000	8.2	4.6 - 11.9	36,000
Female	5,200	16.6	10.7 - 22.5	1,100	3.6	1.1 - 6.1	21,000	66.5	59.1 - 74.0	700	2.3	0.5 - 4.1	3,400	10.9	5.3 - 16.5	31,600



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	1,100	26.1	7.9 - 44.3	400	9.8	0.0 - 20.0	2,700	61.0	42.7 - 79.3	0	0.0	--	100	3.1	0.0 - 6.6	4,400
Grades 12 or GED (High School Grad)	5,200	20.2	13.0 - 27.5	600	2.5	0.0 - 5.0	16,400	64.0	54.8 - 73.1	1,100	4.3	0.0 - 8.5	2,300	9.0	3.1 - 15.0	25,600
College 1 to 3 years (Some College/ Tech)	3,600	19.8	10.9 - 28.7	400	2.2	0.1 - 4.3	11,700	63.8	53.9 - 73.7	1,100	5.8	0.4 - 11.3	1,500	8.4	3.4 - 13.4	18,300
College 4 years or more (College Grad)	4,700	28.3	17.9 - 38.6	300	1.9	0.0 - 4.4	8,800	52.5	41.9 - 63.2	600	3.5	0.0 - 7.4	2,300	13.8	6.3 - 21.3	16,800

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,100	25.2	17.9 - 32.6	600	1.7	0.3 - 3.1	18,400	57.3	49.0 - 65.6	1,200	3.6	0.3 - 6.9	3,900	12.2	6.3 - 18.1	32,200
Retired/Unable to work	6,300	20.7	14.1 - 27.3	800	2.8	0.4 - 5.1	19,800	65.3	57.9 - 72.7	1,300	4.4	0.7 - 8.1	2,100	6.9	3.9 - 9.9	30,300

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$15,000 to \$19,999</b>	800	12.0	0.0 - 25.1	200	3.5	0.0 - 7.4	4,700	75.3	59.0 - 91.6	400	6.0	0.0 - 14.9	200	3.2	0.0 - 6.7	6,300
<b>\$20,000 to \$24,999</b>	2,000	35.1	17.2 - 53.1	0	0.0	--	3,200	56.3	38.4 - 74.2	<50	0.9	0.0 - 2.4	400	7.7	0.0 - 15.6	5,700
<b>\$25,000 to \$34,999</b>	2,400	29.7	12.6 - 46.7	200	2.1	0.0 - 5.2	4,000	48.7	31.9 - 65.6	200	2.4	0.0 - 5.4	1,400	17.1	1.4 - 32.8	8,100
<b>\$35,000 to \$49,999</b>	1,200	14.7	5.1 - 24.2	400	5.0	0.0 - 11.7	5,400	63.7	49.8 - 77.6	700	8.4	0.0 - 19.3	700	8.2	1.2 - 15.1	8,500
<b>\$50,000 to \$74,999</b>	3,100	25.3	14.3 - 36.3	500	4.4	0.4 - 8.5	6,500	52.9	40.6 - 65.1	1,000	7.7	0.0 - 16.2	1,200	9.7	3.2 - 16.2	12,300
<b>\$75,000 or more</b>	1,700	15.8	4.6 - 26.9	100	1.1	0.0 - 3.3	7,500	69.7	56.6 - 82.8	100	1.0	0.0 - 2.2	1,300	12.4	3.9 - 20.8	10,700

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	5,400	29.8	18.8 - 40.7	400	2.2	0.0 - 4.5	10,400	56.8	44.8 - 68.7	400	2.3	0.0 - 5.2	1,600	9.0	0.5 - 17.4	18,200
<b>131-185%</b>	1,600	23.2	8.4 - 38.0	100	1.8	0.0 - 5.3	4,100	59.4	43.8 - 75.0	300	3.9	0.0 - 8.2	800	11.7	2.4 - 20.9	6,900
<b>186+%</b>	6,500	19.3	13.4 - 25.2	1,100	3.4	1.0 - 5.7	20,900	61.7	54.4 - 68.9	1,800	5.4	1.2 - 9.6	3,500	10.3	6.3 - 14.4	33,900

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	10,000	23.8	17.5 - 30.0	1,100	2.6	0.9 - 4.3	26,200	62.0	55.1 - 69.0	1,400	3.4	0.7 - 6.1	3,500	8.2	4.5 - 12.0	42,300
<b>Widowed</b>	1,600	18.4	9.7 - 27.1	500	5.6	0.0 - 11.9	5,700	66.0	54.9 - 77.2	200	2.0	0.0 - 4.8	700	8.0	2.5 - 13.4	8,600
<b>Other</b>	4,200	25.8	14.9 - 36.7	200	1.2	0.0 - 3.4	8,400	51.6	40.2 - 63.1	1,200	7.4	0.6 - 14.3	2,200	13.8	5.0 - 22.7	16,200

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003-2005**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	10,100	23.6	17.4 - 29.8	1,100	2.6	0.9 - 4.3	26,500	62.2	55.3 - 69.0	1,400	3.3	0.6 - 6.0	3,500	8.3	4.6 - 12.0	42,700
<b>No</b>	5,700	23.1	15.3 - 31.0	700	2.7	0.1 - 5.4	14,200	57.1	48.4 - 65.9	1,400	5.5	0.9 - 10.2	2,800	11.4	5.3 - 17.6	24,800

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	7,800	19.2	13.5 - 25.0	1,500	3.8	1.6 - 6.1	25,800	63.5	56.5 - 70.5	2,200	5.4	1.7 - 9.1	3,300	8.1	4.1 - 12.1	40,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	9,500	16.0	11.9 - 20.1	2,100	3.5	1.8 - 5.2	38,900	65.8	60.7 - 71.0	3,100	5.2	2.6 - 7.9	5,600	9.4	6.4 - 12.5	59,100

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	18.5	9.5 - 27.6	300	4.6	1.0 - 8.1	4,200	57.0	47.2 - 66.9	700	10.1	3.1 - 17.2	700	9.7	4.4 - 15.0	7,400
Honolulu	6,600	15.0	9.9 - 20.0	1,600	3.6	1.5 - 5.8	30,000	67.6	61.1 - 74.0	2,000	4.5	1.2 - 7.8	4,100	9.3	5.4 - 13.2	44,400
Kauai	500	18.4	7.8 - 29.1	100	2.3	0.0 - 5.5	1,600	62.3	48.8 - 75.9	200	8.9	0.0 - 18.8	200	8.1	1.5 - 14.6	2,500
Maui	1,000	20.4	7.4 - 33.4	100	1.6	0.0 - 3.5	3,200	65.0	52.0 - 78.0	100	2.4	0.0 - 5.6	500	10.6	2.8 - 18.4	4,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	18.5	9.5 - 27.6	300	4.6	1.0 - 8.1	4,200	57.0	47.2 - 66.9	700	10.1	3.1 - 17.2	700	9.7	4.4 - 15.0	7,400
Kauai	500	18.4	7.8 - 29.1	100	2.3	0.0 - 5.5	1,600	62.3	48.8 - 75.9	200	8.9	0.0 - 18.8	200	8.1	1.5 - 14.6	2,500
Maui	900	22.2	7.3 - 37.1	100	1.8	0.0 - 4.1	2,600	63.1	48.3 - 77.9	100	2.7	0.0 - 6.4	400	10.2	1.2 - 19.2	4,100
Oahu	6,600	15.0	9.9 - 20.0	1,600	3.6	1.5 - 5.8	30,000	67.6	61.1 - 74.0	2,000	4.5	1.2 - 7.8	4,100	9.3	5.4 - 13.2	44,400

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	21.4	4.7 - 38.2	200	3.2	0.0 - 7.7	3,800	64.6	47.7 - 81.4	100	1.9	0.0 - 4.9	500	8.9	2.4 - 15.5	5,800
Hilo	300	17.0	5.7 - 28.3	100	5.7	0.0 - 12.2	1,100	58.7	43.8 - 73.6	100	7.7	0.2 - 15.3	200	10.9	0.0 - 22.0	1,800
Lihue-Waimea	400	23.1	9.0 - 37.2	100	3.2	0.0 - 7.7	1,000	56.8	40.2 - 73.4	200	9.6	0.0 - 22.5	100	7.3	0.4 - 14.3	1,800
Waipahu/ Kapolei/ Ewa	1,700	24.6	6.1 - 43.1	200	3.5	0.0 - 7.9	4,300	61.2	42.6 - 79.9	300	3.9	0.0 - 8.5	500	6.8	0.7 - 12.8	7,000

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	600	7.7	1.4 - 13.9	200	2.4	0.0 - 6.5	5,600	69.6	53.0 - 86.2	300	4.3	0.0 - 8.8	1,300	16.1	1.2 - 31.0	8,100
<b>45-54</b>	2,400	19.0	7.5 - 30.5	500	4.2	0.5 - 7.9	8,500	66.1	54.3 - 77.9	300	2.2	0.0 - 5.1	1,100	8.5	3.5 - 13.6	12,900
<b>55-64</b>	2,400	16.8	8.9 - 24.6	500	3.2	0.3 - 6.1	9,600	67.2	58.1 - 76.3	600	4.0	0.5 - 7.4	1,300	8.8	3.6 - 13.9	14,300
<b>65-74</b>	1,800	14.3	5.5 - 23.1	600	5.1	0.0 - 10.2	8,200	65.7	55.3 - 76.2	700	5.6	1.1 - 10.0	1,200	9.3	3.2 - 15.4	12,500
<b>75+</b>	1,400	15.7	8.8 - 22.6	200	2.6	0.0 - 5.2	5,600	63.4	50.5 - 76.4	1,100	12.3	0.0 - 25.8	500	6.0	2.1 - 9.8	8,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,400	10.5	5.3 - 15.8	300	2.4	0.0 - 5.5	8,900	68.0	58.0 - 78.1	700	5.7	0.0 - 12.8	1,700	13.3	6.5 - 20.2	13,100
Native Hawaiian	700	5.9	0.0 - 12.1	600	5.2	0.0 - 10.5	8,200	67.6	54.2 - 81.0	800	6.8	0.0 - 14.7	1,800	14.5	3.7 - 25.3	12,100
Chinese	900	20.7	5.4 - 36.0	100	2.7	0.0 - 7.9	2,800	63.3	46.4 - 80.3	400	9.1	0.0 - 18.7	200	4.2	0.0 - 8.8	4,400
Filipino	3,600	35.0	20.3 - 49.8	500	4.9	0.4 - 9.4	5,100	50.3	36.8 - 63.8	400	3.7	0.0 - 8.4	600	6.1	2.0 - 10.1	10,200
Japanese	2,500	17.2	10.7 - 23.7	500	3.1	0.7 - 5.6	9,600	66.2	58.1 - 74.4	800	5.2	1.4 - 9.0	1,200	8.2	4.0 - 12.5	14,500

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	5,400	18.3	12.2 - 24.3	800	2.8	0.8 - 4.8	18,500	62.9	55.4 - 70.5	2,000	6.9	2.1 - 11.8	2,700	9.1	5.3 - 12.8	29,300
Female	4,100	13.8	8.1 - 19.4	1,300	4.2	1.5 - 6.9	20,400	68.7	61.6 - 75.7	1,100	3.6	1.4 - 5.8	2,900	9.7	5.0 - 14.5	29,700



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	700	19.0	4.5 - 33.5	300	9.7	0.0 - 21.3	2,400	67.3	50.8 - 83.8	<50	0.3	0.0 - 0.8	100	3.9	0.0 - 7.9	3,500
Grades 12 or GED (High School Grad)	3,000	13.5	7.2 - 19.7	1,000	4.5	1.3 - 7.6	15,100	66.9	57.8 - 76.1	1,500	6.8	1.7 - 11.8	1,900	8.4	2.4 - 14.5	22,500
College 1 to 3 years (Some College/ Tech)	2,600	15.5	6.6 - 24.4	400	2.4	0.1 - 4.7	10,700	64.5	54.5 - 74.4	1,100	6.4	0.4 - 12.3	1,900	11.2	5.9 - 16.5	16,700
College 4 years or more (College Grad)	2,900	19.1	11.2 - 27.0	300	2.3	0.0 - 5.0	9,900	65.6	56.6 - 74.5	500	3.0	0.1 - 5.9	1,500	10.0	4.9 - 15.1	15,100

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	4,900	18.3	11.8 - 24.7	700	2.7	0.8 - 4.5	16,600	62.3	54.3 - 70.4	1,300	5.0	1.1 - 9.0	3,100	11.7	6.1 - 17.4	26,600
Retired/Unable to work	3,500	12.7	7.9 - 17.5	1,000	3.5	0.9 - 6.1	19,400	69.6	62.8 - 76.3	1,700	6.1	2.0 - 10.3	2,200	8.1	4.7 - 11.4	27,900

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	800	29.0	11.8 - 46.1	0	0.0	--	1,700	59.1	41.8 - 76.3	200	5.7	0.0 - 11.4	200	6.3	1.2 - 11.4	2,900
\$10,000 to \$14,999	1,200	32.7	14.5 - 50.8	300	7.0	0.0 - 16.8	1,900	53.6	35.3 - 72.0	100	2.4	0.0 - 7.1	200	4.3	0.0 - 8.6	3,600
\$15,000 to \$19,999	100	3.4	0.0 - 7.3	100	3.2	0.0 - 7.3	3,500	84.7	73.0 - 96.4	100	2.9	0.0 - 8.5	200	5.8	0.0 - 12.4	4,100
\$25,000 to \$34,999	1,200	20.0	1.3 - 38.7	<50	0.8	0.0 - 1.9	3,600	60.8	39.4 - 82.2	100	1.7	0.0 - 4.4	1,000	16.6	0.0 - 35.6	5,900
\$35,000 to \$49,999	1,000	12.3	2.9 - 21.8	600	7.3	0.0 - 14.6	5,100	62.1	48.4 - 75.7	900	11.6	0.3 - 23.0	500	6.6	1.1 - 12.2	8,100
\$50,000 to \$74,999	2,300	21.6	10.8 - 32.4	500	5.0	0.5 - 9.6	6,000	55.5	42.9 - 68.0	1,100	9.9	0.3 - 19.6	900	8.0	2.6 - 13.3	10,900
\$75,000 or more	900	9.6	1.6 - 17.6	100	1.3	0.0 - 3.7	7,100	74.5	62.6 - 86.4	<50	0.5	0.0 - 1.4	1,300	14.2	5.0 - 23.4	9,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	3,900	27.5	15.8 - 39.2	400	2.7	0.0 - 5.5	8,500	59.7	47.0 - 72.3	300	2.0	0.2 - 3.7	1,200	8.2	0.0 - 16.7	14,300
<b>131-185%</b>	500	9.4	2.5 - 16.3	100	1.3	0.0 - 3.8	3,900	74.3	62.2 - 86.3	300	6.4	0.3 - 12.4	500	8.7	1.4 - 16.0	5,200
<b>186+%</b>	4,300	14.4	9.1 - 19.7	1,300	4.4	1.6 - 7.1	19,200	64.4	57.1 - 71.6	2,000	6.6	1.8 - 11.5	3,000	10.2	6.2 - 14.2	29,800

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	6,200	16.6	11.0 - 22.2	1,500	3.9	1.8 - 5.9	25,300	67.6	61.1 - 74.1	1,900	5.1	1.9 - 8.2	2,600	6.9	4.2 - 9.5	37,400
<b>Widowed</b>	1,400	15.1	8.2 - 22.0	400	4.3	0.0 - 10.2	6,400	71.0	61.1 - 81.0	300	3.4	0.0 - 6.8	600	6.1	1.6 - 10.6	9,000
<b>Other</b>	1,900	15.1	6.5 - 23.6	200	1.9	0.0 - 4.7	7,100	56.6	44.9 - 68.4	900	7.1	0.0 - 14.8	2,400	19.3	8.7 - 29.9	12,600

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002-2004**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	6,200	16.5	10.9 - 22.0	1,500	3.8	1.8 - 5.9	25,700	67.9	61.5 - 74.3	1,900	5.0	1.8 - 8.1	2,600	6.8	4.2 - 9.4	37,900
<b>No</b>	3,200	15.3	9.4 - 21.1	600	3.0	0.0 - 6.0	13,100	62.2	53.7 - 70.8	1,200	5.7	0.8 - 10.6	2,900	13.9	7.0 - 20.7	21,100

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	9,300	16.2	12.0 - 20.5	2,100	3.6	1.9 - 5.3	37,700	65.9	60.6 - 71.1	2,800	5.0	2.2 - 7.7	5,300	9.3	6.2 - 12.5	57,300

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	6,800	11.9	8.9 - 14.8	2,100	3.7	2.0 - 5.3	41,500	72.7	68.7 - 76.7	1,900	3.3	1.9 - 4.7	4,800	8.5	6.1 - 10.9	57,100

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	17.8	8.4 - 27.1	300	4.9	1.1 - 8.6	4,300	63.5	54.1 - 73.0	400	6.3	2.2 - 10.3	500	7.6	3.1 - 12.0	6,800
Honolulu	4,900	11.6	8.1 - 15.2	1,600	3.7	1.6 - 5.8	31,100	73.4	68.5 - 78.3	1,100	2.7	1.0 - 4.4	3,700	8.6	5.6 - 11.7	42,300
Kauai	200	9.4	3.0 - 15.8	0	0.0	--	1,800	78.9	69.6 - 88.2	100	5.9	0.1 - 11.7	100	5.8	1.6 - 9.9	2,300
Maui	500	8.2	2.7 - 13.6	200	3.8	0.9 - 6.6	4,400	75.7	64.9 - 86.5	200	3.1	0.0 - 6.3	500	9.3	3.4 - 15.3	5,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	17.8	8.4 - 27.1	300	4.9	1.1 - 8.6	4,300	63.5	54.1 - 73.0	400	6.3	2.2 - 10.3	500	7.6	3.1 - 12.0	6,800
Kauai	200	9.4	3.0 - 15.8	0	0.0	--	1,800	78.9	69.6 - 88.2	100	5.9	0.1 - 11.7	100	5.8	1.6 - 9.9	2,300
Maui	400	7.7	1.8 - 13.6	200	4.0	0.7 - 7.2	3,800	76.1	64.0 - 88.2	200	3.4	0.0 - 7.1	400	8.8	2.2 - 15.4	5,000
Oahu	4,900	11.6	8.1 - 15.2	1,600	3.7	1.6 - 5.8	31,100	73.4	68.5 - 78.3	1,100	2.7	1.0 - 4.4	3,700	8.6	5.6 - 11.7	42,300

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Aiea/ Pearl City</b>	400	6.1	0.6 - 11.7	100	1.1	0.0 - 3.3	4,500	74.4	62.3 - 86.4	300	5.2	0.0 - 10.8	800	13.2	3.1 - 23.3	6,000
<b>Hilo</b>	200	7.6	0.8 - 14.5	100	4.3	0.0 - 9.3	1,600	71.1	58.8 - 83.4	200	7.0	0.7 - 13.4	200	9.9	0.6 - 19.3	2,200
<b>Kahului</b>	200	7.7	0.0 - 16.4	100	3.4	0.0 - 7.5	2,300	80.9	64.6 - 97.3	100	2.0	0.0 - 5.3	200	6.0	0.0 - 14.5	2,900
<b>Kaimuki/ Palolo/ Waikiki</b>	300	5.5	0.0 - 11.3	100	2.1	0.0 - 6.2	3,900	82.6	69.9 - 95.2	0	0.0	--	500	9.8	0.0 - 21.0	4,800
<b>Lihue-Waimea</b>	100	7.8	0.4 - 15.2	0	0.0	--	1,200	79.6	68.6 - 90.5	100	5.3	0.0 - 12.0	100	7.3	1.7 - 12.9	1,500
<b>Waipahu/ Kapolei/ Ewa</b>	800	16.4	5.0 - 27.8	300	6.4	0.0 - 12.9	3,200	64.6	50.5 - 78.6	200	3.1	0.0 - 7.5	500	9.5	1.5 - 17.5	5,000

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
35-44	600	10.8	1.9 - 19.8	<50	0.4	0.0 - 1.2	3,500	67.8	55.5 - 80.1	400	6.9	0.9 - 13.0	700	14.1	5.5 - 22.6	5,100
45-54	1,100	10.0	3.8 - 16.1	600	5.4	1.1 - 9.7	8,000	72.4	63.1 - 81.7	300	2.6	0.0 - 5.8	1,100	9.7	3.4 - 15.9	11,100
55-64	1,200	8.9	3.9 - 13.9	400	3.1	0.3 - 5.9	9,900	72.9	64.6 - 81.2	500	3.8	0.1 - 7.5	1,500	11.2	4.9 - 17.6	13,500
65-74	1,700	12.0	5.6 - 18.3	700	5.0	0.6 - 9.5	10,800	75.0	67.1 - 82.8	400	3.0	0.7 - 5.2	700	5.1	2.0 - 8.2	14,400
75+	1,300	14.6	8.3 - 20.8	300	3.8	0.4 - 7.2	6,200	70.8	62.4 - 79.2	200	2.7	0.3 - 5.2	700	8.1	3.6 - 12.6	8,700



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,300	10.4	4.8 - 16.1	200	2.0	0.0 - 4.1	9,400	76.0	68.5 - 83.6	300	2.4	0.6 - 4.2	1,100	9.1	4.1 - 14.2	12,300
Native Hawaiian	700	7.0	0.8 - 13.2	600	5.8	0.0 - 12.2	7,100	73.2	62.7 - 83.6	100	1.5	0.0 - 3.1	1,200	12.5	4.7 - 20.3	9,700
Chinese	900	17.1	4.0 - 30.1	100	2.3	0.0 - 6.8	3,500	69.4	54.8 - 83.9	400	7.7	0.0 - 16.0	200	3.6	0.0 - 7.5	5,100
Filipino	1,800	18.2	8.6 - 27.8	400	3.9	0.0 - 8.0	6,800	69.8	58.5 - 81.2	200	1.8	0.0 - 3.9	600	6.3	2.2 - 10.4	9,700
Japanese	1,800	11.2	6.7 - 15.6	700	4.2	1.4 - 6.9	11,000	69.1	61.9 - 76.4	800	5.3	1.7 - 8.9	1,600	10.2	5.3 - 15.2	16,000

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	3,900	14.1	9.0 - 19.2	800	2.9	0.9 - 4.9	19,700	71.1	64.8 - 77.5	1,000	3.6	1.3 - 5.9	2,300	8.2	4.8 - 11.6	27,700
Female	2,900	9.8	6.7 - 12.9	1,300	4.4	1.8 - 7.0	21,700	74.2	69.2 - 79.1	900	2.9	1.3 - 4.5	2,600	8.7	5.4 - 12.0	29,300

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	600	12.7	1.0 - 24.3	300	7.7	0.0 - 17.1	3,400	77.7	63.7 - 91.8	<50	0.2	0.0 - 0.6	100	1.7	0.0 - 3.8	4,400
Grades 12 or GED (High School Grad)	2,500	12.5	7.7 - 17.3	1,200	5.9	2.4 - 9.4	14,600	72.3	65.9 - 78.8	800	4.2	1.6 - 6.9	1,000	5.1	2.2 - 7.9	20,100
College 1 to 3 years (Some College/ Tech)	900	5.6	2.0 - 9.3	500	3.1	0.5 - 5.6	13,200	78.8	71.8 - 85.7	400	2.5	0.2 - 4.7	1,700	10.1	5.2 - 14.9	16,800
College 4 years or more (College Grad)	2,400	17.5	10.1 - 24.9	100	0.4	0.0 - 1.1	9,000	65.1	56.4 - 73.8	500	3.5	0.3 - 6.7	1,900	13.5	7.1 - 19.8	13,800

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	3,400	13.8	8.8 - 18.8	800	3.1	1.1 - 5.0	17,100	68.8	62.1 - 75.5	900	3.8	1.5 - 6.1	2,600	10.5	6.3 - 14.7	24,800
Retired/Unable to work	3,100	11.0	7.1 - 14.9	1,100	3.9	1.4 - 6.5	21,300	74.8	69.5 - 80.2	900	3.1	1.2 - 5.0	2,000	7.1	4.1 - 10.1	28,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	800	21.9	7.4 - 36.4	100	2.0	0.0 - 5.0	2,400	67.5	52.2 - 82.8	100	3.6	0.0 - 7.7	200	5.1	0.9 - 9.2	3,600
<b>\$10,000 to \$14,999</b>	1,100	23.8	8.6 - 39.0	300	5.5	0.0 - 13.3	2,900	64.4	48.4 - 80.4	100	2.3	0.0 - 6.0	200	4.0	0.4 - 7.7	4,500
<b>\$20,000 to \$24,999</b>	700	16.1	2.9 - 29.2	100	1.5	0.0 - 4.5	3,500	80.1	65.7 - 94.5	<50	1.1	0.0 - 3.1	100	1.2	0.0 - 3.5	4,400
<b>\$25,000 to \$34,999</b>	400	9.7	1.3 - 18.0	200	4.8	0.0 - 9.7	3,400	74.7	63.1 - 86.3	<50	0.8	0.0 - 2.2	500	10.1	3.2 - 17.0	4,600
<b>\$35,000 to \$49,999</b>	800	9.7	2.4 - 17.1	600	7.0	0.1 - 13.9	5,700	67.2	55.8 - 78.6	300	3.9	0.6 - 7.2	1,000	12.2	3.5 - 21.0	8,500
<b>\$50,000 to \$74,999</b>	1,200	16.4	5.5 - 27.4	300	3.6	0.0 - 7.8	4,900	67.8	55.2 - 80.5	400	6.1	0.0 - 12.2	400	6.0	0.5 - 11.5	7,200
<b>\$75,000 or more</b>	600	7.4	2.4 - 12.4	100	1.6	0.0 - 4.7	5,700	76.1	66.0 - 86.2	200	2.5	0.0 - 6.3	900	12.5	4.5 - 20.4	7,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	2,200	17.6	9.6 - 25.6	400	3.1	0.0 - 6.3	9,000	72.6	63.5 - 81.8	300	2.1	0.2 - 4.0	600	4.5	1.8 - 7.3	12,400
<b>131-185%</b>	600	10.8	1.3 - 20.3	100	1.7	0.0 - 4.3	3,800	73.3	60.7 - 86.0	200	3.2	0.0 - 6.6	600	10.9	2.2 - 19.7	5,200
<b>186+%</b>	3,000	11.9	7.3 - 16.5	1,200	4.8	1.8 - 7.8	17,500	70.2	64.0 - 76.5	900	3.4	1.1 - 5.8	2,400	9.7	5.6 - 13.7	24,900

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	4,000	11.1	7.6 - 14.7	1,300	3.7	1.7 - 5.6	26,400	73.4	68.3 - 78.5	1,300	3.6	1.7 - 5.6	2,900	8.2	5.0 - 11.3	36,000
<b>Widowed</b>	1,300	14.0	7.5 - 20.5	400	5.0	0.0 - 10.9	6,600	73.9	65.1 - 82.7	200	2.3	0.0 - 4.6	400	4.8	1.7 - 7.9	9,000
<b>Other</b>	1,500	12.7	5.0 - 20.3	300	2.7	0.0 - 5.7	8,400	69.7	60.7 - 78.6	300	2.9	0.0 - 5.8	1,500	12.1	6.3 - 17.9	12,100

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001-2003**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	4,000	11.0	7.5 - 14.4	1,300	3.7	1.8 - 5.5	27,000	73.7	68.7 - 78.7	1,300	3.6	1.7 - 5.5	3,000	8.1	5.0 - 11.2	36,700
<b>No</b>	2,800	13.6	8.3 - 18.9	800	3.7	0.6 - 6.8	14,400	71.0	64.4 - 77.6	500	2.7	0.7 - 4.7	1,800	9.0	5.3 - 12.7	20,400

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	6,700	11.9	8.9 - 15.0	2,100	3.8	2.1 - 5.4	40,600	72.8	68.7 - 76.9	1,800	3.2	1.8 - 4.6	4,600	8.3	5.9 - 10.7	55,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

State	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	5,100	10.3	7.7 - 12.9	1,200	2.4	1.3 - 3.5	35,700	72.3	68.2 - 76.3	1,600	3.3	1.9 - 4.7	5,800	11.7	8.6 - 14.7	49,400

County	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	700	11.4	7.0 - 15.8	100	2.5	0.2 - 4.7	4,400	72.6	65.7 - 79.5	300	4.9	1.1 - 8.7	500	8.7	4.0 - 13.4	6,100
Honolulu	3,700	10.2	6.9 - 13.6	900	2.5	1.0 - 3.9	25,700	72.0	66.9 - 77.2	1,100	3.0	1.2 - 4.7	4,400	12.3	8.3 - 16.2	35,700
Kauai	200	9.0	2.8 - 15.3	0	0.0	--	1,700	80.0	71.5 - 88.5	100	4.9	0.6 - 9.3	100	6.0	1.7 - 10.3	2,200
Maui	600	10.3	4.3 - 16.3	200	3.1	0.6 - 5.5	3,800	70.4	57.6 - 83.2	200	3.0	0.0 - 6.1	700	13.2	5.7 - 20.8	5,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

Island	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	700	11.4	7.0 - 15.8	100	2.5	0.2 - 4.7	4,400	72.6	65.7 - 79.5	300	4.9	1.1 - 8.7	500	8.7	4.0 - 13.4	6,100
Kauai	200	9.0	2.8 - 15.3	0	0.0	--	1,700	80.0	71.5 - 88.5	100	4.9	0.6 - 9.3	100	6.0	1.7 - 10.3	2,200
Maui	500	10.2	3.6 - 16.7	100	3.0	0.3 - 5.7	3,400	70.7	56.4 - 85.0	200	3.4	0.0 - 6.9	600	12.7	4.4 - 21.0	4,800
Oahu	3,700	10.2	6.9 - 13.6	900	2.5	1.0 - 3.9	25,700	72.0	66.9 - 77.2	1,100	3.0	1.2 - 4.7	4,400	12.3	8.3 - 16.2	35,700

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

Community	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Aiea/ Pearl City</b>	300	5.2	0.9 - 9.5	100	1.8	0.0 - 4.5	4,100	73.2	61.0 - 85.4	400	6.3	0.0 - 12.7	800	13.5	2.9 - 24.1	5,600
<b>Hilo</b>	300	12.3	5.3 - 19.3	100	5.7	0.0 - 11.3	1,500	64.2	52.3 - 76.1	100	5.5	0.0 - 11.2	300	12.3	2.8 - 21.9	2,300
<b>Kaimuki/ Palolo/ Waikiki</b>	300	6.2	0.0 - 14.5	100	2.2	0.0 - 6.4	3,400	73.6	58.0 - 89.2	100	1.7	0.0 - 4.9	800	16.4	2.2 - 30.6	4,600
<b>Kona</b>	100	9.3	2.0 - 16.7	<50	1.3	0.0 - 4.0	1,100	76.1	63.2 - 89.1	100	6.6	0.0 - 15.6	100	6.6	0.0 - 14.2	1,500
<b>Lihue-Waimea</b>	100	7.2	0.5 - 14.0	0	0.0	--	1,300	79.8	70.0 - 89.7	100	6.0	0.3 - 11.7	100	7.0	1.7 - 12.3	1,600



**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

BRFSS Age Group	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>35-44</b>	500	11.6	1.8 - 21.5	<50	0.6	0.0 - 1.5	3,000	64.6	51.9 - 77.3	300	6.6	0.3 - 12.9	800	16.7	7.2 - 26.1	4,600
<b>45-54</b>	800	9.5	2.5 - 16.5	300	3.5	0.8 - 6.2	5,700	71.0	60.9 - 81.1	200	2.7	0.0 - 6.2	1,100	13.3	5.2 - 21.3	8,100
<b>55-64</b>	1,000	7.8	3.1 - 12.5	300	2.5	0.0 - 5.2	8,900	72.7	64.3 - 81.0	300	2.1	0.0 - 4.6	1,800	14.9	7.9 - 22.0	12,300
<b>65-74</b>	1,600	11.9	6.9 - 16.8	200	1.6	0.0 - 3.2	10,500	77.9	71.6 - 84.2	500	3.4	0.6 - 6.1	700	5.3	2.2 - 8.4	13,500
<b>75+</b>	800	11.0	5.7 - 16.2	400	5.1	0.9 - 9.2	4,900	65.5	55.2 - 75.7	400	5.4	1.4 - 9.3	1,000	13.2	4.9 - 21.4	7,400

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

DOH Race-Ethnicity	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	600	5.8	1.1 - 10.5	400	4.0	0.6 - 7.4	7,700	80.8	73.8 - 87.7	100	1.4	0.0 - 2.8	800	8.0	3.7 - 12.2	9,500
Native Hawaiian	800	9.4	2.3 - 16.5	100	1.2	0.0 - 3.4	5,500	66.0	55.1 - 76.9	100	1.7	0.0 - 3.6	1,800	21.6	11.5 - 31.7	8,400
Chinese	300	9.5	1.3 - 17.6	0	0.0	--	2,400	78.2	65.8 - 90.5	100	1.8	0.0 - 5.3	300	10.6	1.4 - 19.7	3,100
Filipino	1,100	12.2	5.3 - 19.1	100	1.0	0.0 - 2.6	6,600	74.9	64.4 - 85.4	100	1.7	0.0 - 3.8	900	10.2	3.0 - 17.5	8,800
Japanese	2,000	12.7	8.0 - 17.4	500	3.1	0.9 - 5.4	10,300	66.3	59.2 - 73.4	1,000	6.5	2.9 - 10.0	1,800	11.4	6.1 - 16.6	15,600

Gender	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	2,600	10.5	6.4 - 14.6	700	2.7	1.0 - 4.5	17,600	70.8	64.6 - 77.1	800	3.1	1.1 - 5.1	3,200	12.9	8.3 - 17.5	24,900
Female	2,500	10.2	7.0 - 13.3	500	2.1	0.7 - 3.5	18,100	73.7	68.6 - 78.8	900	3.5	1.5 - 5.5	2,600	10.4	6.5 - 14.3	24,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

Education Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	400	18.2	5.9 - 30.6	<50	1.7	0.0 - 5.1	1,200	58.6	41.0 - 76.2	300	13.1	0.0 - 27.3	200	8.4	0.7 - 16.1	2,000
Grades 9 thru 11 (Some High School)	200	6.3	1.2 - 11.3	0	0.0	--	2,800	85.3	75.8 - 94.8	200	5.8	0.0 - 13.4	100	2.6	0.0 - 5.6	3,300
Grades 12 or GED (High School Grad)	2,600	13.7	8.6 - 18.8	800	4.5	2.1 - 6.9	12,900	68.5	61.7 - 75.2	600	2.9	0.8 - 5.0	2,000	10.4	5.5 - 15.3	18,900
College 1 to 3 years (Some College/ Tech)	500	3.6	1.5 - 5.8	200	1.7	0.0 - 3.6	10,600	77.9	70.3 - 85.5	400	2.9	0.1 - 5.6	1,900	13.9	7.6 - 20.2	13,600
College 4 years or more (College Grad)	1,500	12.5	6.9 - 18.1	100	0.7	0.0 - 1.8	8,200	70.4	62.5 - 78.4	200	2.0	0.3 - 3.7	1,700	14.3	7.6 - 20.9	11,600

Employment Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	2,500	11.8	7.1 - 16.5	500	2.4	0.7 - 4.2	14,700	68.1	61.2 - 75.0	800	3.6	1.3 - 6.0	3,000	14.1	9.0 - 19.2	21,600
Retired/Unable to work	2,500	10.0	6.8 - 13.1	700	2.7	1.1 - 4.4	18,400	74.1	68.9 - 79.3	800	3.4	1.5 - 5.3	2,400	9.8	5.8 - 13.7	24,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

Household Income	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	700	24.2	12.1 - 36.2	100	2.3	0.0 - 5.8	1,900	64.9	51.2 - 78.5	100	3.5	0.0 - 7.7	200	5.1	0.8 - 9.5	3,000
\$10,000 to \$14,999	300	10.4	2.1 - 18.6	100	3.6	0.0 - 8.0	2,200	74.0	61.8 - 86.2	100	3.9	0.0 - 9.6	200	8.1	1.9 - 14.4	3,000
\$15,000 to \$19,999	100	5.5	0.0 - 11.1	100	2.5	0.0 - 6.2	1,600	75.2	62.1 - 88.3	<50	0.9	0.0 - 2.8	300	15.8	4.1 - 27.5	2,100
\$20,000 to \$24,999	500	12.5	0.0 - 25.3	100	1.9	0.0 - 5.5	3,000	77.4	59.3 - 95.5	0	0.0	--	300	8.2	0.0 - 19.7	3,800
\$25,000 to \$34,999	400	8.6	0.4 - 16.7	200	3.8	0.0 - 8.0	3,500	67.3	53.7 - 81.0	100	1.7	0.0 - 4.7	1,000	18.6	6.9 - 30.3	5,200
\$35,000 to \$49,999	800	9.8	2.3 - 17.2	300	3.8	0.3 - 7.4	5,800	68.5	57.7 - 79.3	300	3.8	0.5 - 7.1	1,200	14.1	5.1 - 23.0	8,400
\$50,000 to \$74,999	500	9.4	3.0 - 15.7	0	0.0	--	4,000	79.3	69.2 - 89.3	200	4.0	0.0 - 9.2	400	7.4	0.5 - 14.3	5,100
\$75,000 or more	500	8.9	1.7 - 16.1	0	0.0	--	4,500	76.8	66.0 - 87.7	200	2.9	0.0 - 7.7	700	11.3	3.8 - 18.8	5,800

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

Poverty Level	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	1,100	13.0	6.6 - 19.3	100	1.7	0.0 - 3.6	6,100	71.0	59.9 - 82.1	200	2.4	0.0 - 5.0	1,000	11.9	3.5 - 20.3	8,600
<b>131-185%</b>	800	13.2	3.8 - 22.6	200	2.6	0.0 - 5.4	4,000	67.3	55.2 - 79.4	100	1.6	0.0 - 3.8	900	15.3	6.4 - 24.1	5,900
<b>186+%</b>	2,000	9.1	5.3 - 13.0	500	2.4	0.7 - 4.1	16,500	74.7	69.0 - 80.4	700	3.3	1.1 - 5.5	2,300	10.5	6.3 - 14.6	22,000

Marital Status (Grouped)	Never			<Once/month			Daily or more			1 to 3 times/month			1 to 6 times/week			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	3,100	9.7	6.7 - 12.7	700	2.3	0.8 - 3.8	23,500	73.3	68.2 - 78.5	1,300	3.9	1.9 - 6.0	3,400	10.8	6.9 - 14.6	32,000
<b>Widowed</b>	1,000	15.2	7.6 - 22.7	100	1.9	0.0 - 3.8	5,100	74.0	65.1 - 83.0	200	3.1	0.1 - 6.2	400	5.8	2.0 - 9.5	6,900
<b>Other</b>	1,000	9.2	2.8 - 15.6	300	3.2	0.9 - 5.4	7,100	67.9	59.3 - 76.4	100	1.4	0.2 - 2.7	1,900	18.3	11.2 - 25.5	10,500

**Diabetes - times feet chk, self by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2002, 2001-2003, 2002-2004, 2003-2005, 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000-2002**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	3,100	9.5	6.6 - 12.5	800	2.3	0.9 - 3.8	24,000	73.7	68.6 - 78.7	1,300	3.9	1.9 - 5.9	3,500	10.6	6.8 - 14.4	32,700
<b>No</b>	2,000	11.9	6.9 - 16.9	400	2.6	1.0 - 4.2	11,700	69.6	63.1 - 76.1	400	2.2	0.7 - 3.7	2,300	13.7	8.8 - 18.7	16,700

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>Daily or more</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	5,000	10.4	7.8 - 13.1	1,200	2.5	1.3 - 3.6	35,100	72.5	68.4 - 76.6	1,600	3.2	1.8 - 4.7	5,500	11.3	8.3 - 14.4	48,300