

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(808) 946-5899 x15**


**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

Total	Yes			No			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	2,690	5.9	3.1 - 8.7	42,700	94.1	91.3 - 96.9	45,390
2001	6,811	12.4	5.7 - 19.1	48,162	87.6	80.9 - 94.3	54,973
2002	3,767	7.2	4.1 - 10.2	48,637	92.8	89.8 - 95.9	52,404
2003	3,507	5.1	1.8 - 8.4	65,294	94.9	91.6 - 98.2	68,801
2004	2,955	4.9	.8 - 9.0	57,359	95.1	91.0 - 99.2	60,314
2005	7,396	9.2	4.6 - 13.7	73,381	90.8	86.3 - 95.4	80,777
2006	7,336	9.6	6.6 - 12.6	69,165	90.4	87.4 - 93.4	76,501
2007	5,625	7.5	4.8 - 10.1	69,869	92.5	89.9 - 95.2	75,494

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	2,700	5.9	3.1 - 8.7	42,700	94.1	91.3 - 96.9	45,400

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	600	9.1	2.4 - 15.8	6,100	90.9	84.2 - 97.6	6,800
Honolulu	1,500	4.6	1.0 - 8.2	30,200	95.4	91.8 - 99.0	31,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	300	6.6	.1 - 13.1	4,600	93.4	86.9 - 99.9	4,900

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	600	9.1	2.4 - 15.7	6,100	90.9	84.3 - 97.6	6,800
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	1,500	4.6	1.1 - 8.2	30,200	95.4	91.8 - 98.9	31,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	1,700	6.8	2.3 - 11.2	23,700	93.2	88.8 - 97.7	25,400
Female	1,000	4.9	2.0 - 7.7	19,000	95.1	92.3 - 98.0	20,000

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	700	8.9	.7 - 17.1	7,000	91.1	82.9 - 99.3	7,600
Native Hawaiian	300	4.1	.4 - 7.8	7,600	95.9	92.2 - 99.6	8,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	100	1.5	.0 - 3.6	8,000	98.5	96.4 - 100.0	8,100
Japanese	700	4.5	.7 - 8.4	15,600	95.5	91.6 - 99.3	16,400
Black	n/a		n/a	n/a		n/a	
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/a		n/a	n/a		n/a	
Mixed Ethnicity	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/a		n/a	n/a		n/a	
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	400	5.0	.2 - 9.8	7,700	95.0	90.2 - 99.8	8,100
55-64	1,100	8.8	1.1 - 16.5	11,500	91.2	83.5 - 98.9	12,600
65-74	500	4.1	.8 - 7.4	12,700	95.9	92.6 - 99.2	13,300
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	400	2.1	.5 - 3.8	18,300	97.9	96.2 - 99.5	18,700
College 1 to 3 years (Some College/ Tech)	1,300	13.7	3.7 - 23.7	8,000	86.3	76.3 - 96.3	9,200
College 4 years or more (College Grad)	800	6.2	.8 - 11.6	11,800	93.8	88.4 - 99.2	12,600

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	400	2.0	.1 - 3.8	20,600	98.0	96.2 - 99.9	21,000
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	2,100	9.8	4.3 - 15.2	19,300	90.2	84.8 - 95.7	21,400
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	1,600	5.4	1.9 - 9.0	27,600	94.6	91.0 - 98.1	29,100
Widowed	300	5.9	.4 - 11.5	5,100	94.1	88.5 - 99.6	5,400
Unmarried Couple	n/a		n/a	n/a		n/a	
Other	800	7.3	1.1 - 13.5	10,100	92.7	86.5 - 98.9	10,900

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
131-185%	400	4.3	.5 - 8.1	8,500	95.7	91.9 - 99.5	8,900
186+%	1,000	5.0	1.0 - 9.0	19,600	95.0	91.0 - 99.0	20,700

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

**Year: 2001**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	6,800	12.4	5.7 - 19.1	48,200	87.6	80.9 - 94.3	55,000

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	600	9.8	.3 - 19.4	5,600	90.2	80.6 - 99.7	6,200
Honolulu	5,500	14.2	5.1 - 23.2	33,300	85.8	76.8 - 94.9	38,800
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	500	6.5	.0 - 14.3	7,100	93.5	85.7 - 100.0	7,600

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	600	9.8	.4 - 19.2	5,600	90.2	80.8 - 99.6	6,200
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	5,500	14.2	5.1 - 23.2	33,300	85.8	76.8 - 94.9	38,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,200	13.5	2.9 - 24.0	26,900	86.5	76.0 - 97.1	31,100
Female	2,600	11.0	4.2 - 17.8	21,300	89.0	82.2 - 95.8	23,900

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,100	10.2	.6 - 19.9	9,500	89.8	80.1 - 99.4	10,600
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	1,300	11.1	.0 - 22.4	10,500	88.9	77.6 - 100.0	11,800
Japanese	600	4.3	.7 - 7.9	14,300	95.7	92.1 - 99.3	14,900
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	1,700	19.4	3.8 - 35.0	7,000	80.6	65.0 - 96.2	8,700
55-64	n/r	n/r	n/r	n/r	n/r	n/r	n/r
65-74	2,800	17.7	1.6 - 33.9	13,000	82.3	66.1 - 98.4	15,800
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	2,400	12.1	2.7 - 21.4	17,400	87.9	78.6 - 97.3	19,800
College 1 to 3 years (Some College/ Tech)	3,200	16.9	1.2 - 32.7	15,700	83.1	67.3 - 98.8	18,900
College 4 years or more (College Grad)	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,600	6.8	1.3 - 12.3	22,300	93.2	87.7 - 98.7	24,000
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	5,100	18.0	6.6 - 29.4	23,200	82.0	70.6 - 93.4	28,200
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	5,000	13.5	4.1 - 22.9	31,800	86.5	77.1 - 95.9	36,800
<b>Widowed</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Unmarried Couple</b>	n/a		n/a	n/a		n/a	
<b>Other</b>	1,200	9.8	2.7 - 16.8	10,800	90.2	83.2 - 97.3	12,000

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	2,800	12.6	4.1 - 21.1	19,800	87.4	78.9 - 95.9	22,600

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

**Year: 2002**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	3,800	7.2	4.1 - 10.2	48,600	92.8	89.8 - 95.9	52,400

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	17.4	7.3 - 27.5	4,800	82.6	72.5 - 92.7	5,800
Honolulu	2,200	5.7	2.0 - 9.5	36,700	94.3	90.5 - 98.0	38,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	500	9.4	3.4 - 15.4	4,700	90.6	84.6 - 96.6	5,200

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	17.4	7.4 - 27.4	4,800	82.6	72.6 - 92.6	5,800
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	2,200	5.7	2.0 - 9.5	36,700	94.3	90.5 - 98.0	38,900
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	3,000	13.5	6.9 - 20.2	18,900	86.5	79.8 - 93.1	21,900
Female	800	2.6	.9 - 4.4	29,700	97.4	95.6 - 99.1	30,500

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,100	10.5	2.0 - 19.0	9,800	89.5	81.0 - 98.0	10,900
Native Hawaiian	900	10.4	3.1 - 17.7	7,400	89.6	82.3 - 96.9	8,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	800	9.6	.7 - 18.6	7,800	90.4	81.4 - 99.3	8,600
Japanese	300	1.6	.0 - 3.3	16,300	98.4	96.7 - 100.0	16,600
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/a		n/a	n/a		n/a	
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/a		n/a	n/a		n/a	
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	1,100	13.0	4.5 - 21.5	7,300	87.0	78.5 - 95.5	8,400
55-64	900	7.2	.6 - 13.7	11,600	92.8	86.3 - 99.4	12,500
65-74	1,100	9.0	.9 - 17.1	11,300	91.0	82.9 - 99.1	12,400
75+	300	2.5	.0 - 6.2	10,800	97.5	93.8 - 100.0	11,100

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	2,400	11.8	5.0 - 18.5	17,700	88.2	81.5 - 95.0	20,000
College 1 to 3 years (Some College/ Tech)	900	6.4	.9 - 12.0	12,600	93.6	88.0 - 99.1	13,400
College 4 years or more (College Grad)	500	3.8	.9 - 6.8	13,200	96.2	93.2 - 99.1	13,700

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,600	7.6	2.4 - 12.8	19,500	92.4	87.2 - 97.6	21,100
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	1,700	6.1	2.2 - 10.1	26,300	93.9	89.9 - 97.8	28,000
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	2,100	6.1	2.3 - 10.0	31,800	93.9	90.0 - 97.7	33,800
<b>Widowed</b>	400	4.3	.0 - 10.6	9,200	95.7	89.4 - 100.0	9,600
<b>Unmarried Couple</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Other</b>	1,300	14.4	6.5 - 22.4	7,600	85.6	77.6 - 93.5	8,800

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	500	6.6	.7 - 12.4	7,800	93.4	87.6 - 99.3	8,300
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	800	9.7	2.9 - 16.5	7,400	90.3	83.5 - 97.1	8,200
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	1,700	6.9	2.2 - 11.6	22,400	93.1	88.4 - 97.8	24,100

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

**Year: 2003**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	3,500	5.1	1.8 - 8.4	65,300	94.9	91.6 - 98.2	68,800

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	500	6.3	.1 - 12.4	8,100	93.7	87.6 - 99.9	8,700
Honolulu	2,600	5.0	.8 - 9.1	50,100	95.0	90.9 - 99.2	52,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	500	6.3	.2 - 12.4	8,100	93.7	87.6 - 99.8	8,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	2,600	5.0	.8 - 9.1	50,100	95.0	90.9 - 99.2	52,700
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	1,200	3.5	.0 - 7.0	31,600	96.5	93.0 - 100.0	32,700
Female	2,400	6.5	1.1 - 11.9	33,700	93.5	88.1 - 98.9	36,100

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,600	10.1	.3 - 19.9	14,600	89.9	80.1 - 99.7	16,200
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	700	3.9	.0 - 9.6	17,500	96.1	90.4 - 100.0	18,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	500	2.8	.0 - 8.2	16,300	97.2	91.8 - 100.0	16,700
55-64	1,300	7.8	.5 - 15.2	14,900	92.2	84.8 - 99.5	16,200
65-74	0	.0	n/a	16,400	100.0	00.0 - 100.0	16,400
75+	200	2.1	.0 - 5.3	9,500	97.9	94.7 - 100.0	9,700

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	1,100	4.6	.0 - 9.7	22,900	95.4	90.3 - 100.0	24,000
College 1 to 3 years (Some College/ Tech)	1,900	10.7	.8 - 20.5	16,200	89.3	79.5 - 99.2	18,200
College 4 years or more (College Grad)	500	2.4	.0 - 5.0	18,300	97.6	95.0 - 100.0	18,800

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,700	5.6	.7 - 10.5	29,200	94.4	89.5 - 99.3	30,900
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	500	1.6	.0 - 3.2	31,700	98.4	96.8 - 100.0	32,200
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	2,300	5.7	1.0 - 10.5	38,200	94.3	89.5 - 99.0	40,500
Widowed	0	.0	n/a	12,000	100.0	00.0 - 100.0	12,000
Unmarried Couple	n/a		n/a	n/a		n/a	
Other	1,200	7.3	.0 - 14.5	15,100	92.7	85.5 - 100.0	16,300

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	1,700	9.0	.0 - 18.7	17,100	91.0	81.3 - 100.0	18,700
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	1,300	4.5	.7 - 8.4	27,700	95.5	91.6 - 99.3	29,000

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

**Year: 2004**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	3,000	4.9	.8 - 9.0	57,400	95.1	91.0 - 99.2	60,300

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu	1,400	3.1	.0 - 8.1	43,300	96.9	91.9 - 100.0	44,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	1,400	3.1	.0 - 8.0	43,300	96.9	92.0 - 100.0	44,700
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	2,000	5.7	.0 - 12.1	33,300	94.3	87.9 - 100.0	35,300
Female	1,000	3.8	.0 - 7.7	24,000	96.2	92.3 - 100.0	25,000

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/a		n/a	n/a		n/a	
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	n/r	n/r	n/r	n/r	n/r	n/r	n/r
55-64	n/r	n/r	n/r	n/r	n/r	n/r	n/r
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	300	1.1	.0 - 2.8	26,100	98.9	97.2 - 100.0	26,400
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
College 4 years or more (College Grad)	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,900	6.6	.0 - 14.3	27,100	93.4	85.7 - 100.0	29,000
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	900	3.3	.0 - 7.2	25,100	96.7	92.8 - 100.0	26,000
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	900	2.2	.0 - 4.4	39,500	97.8	95.6 - 100.0	40,300
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	2,000	5.5	.0 - 11.7	35,200	94.5	88.3 - 100.0	37,200

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

**Year: 2005**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	7,400	9.2	4.6 - 13.7	73,400	90.8	86.3 - 95.4	80,800

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	10.8	4.0 - 17.6	10,300	89.2	82.4 - 96.0	11,500
Honolulu	5,200	8.5	2.7 - 14.3	55,800	91.5	85.7 - 97.3	61,000
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	10.8	4.0 - 17.5	10,300	89.2	82.5 - 96.0	11,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	5,200	8.5	2.7 - 14.3	55,800	91.5	85.7 - 97.3	61,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	1,500	3.4	.6 - 6.1	41,800	96.6	93.9 - 99.4	43,300
Female	5,900	15.8	7.0 - 24.6	31,600	84.2	75.4 - 93.0	37,500

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,000	10.3	2.8 - 17.9	17,600	89.7	82.1 - 97.2	19,600
Native Hawaiian	2,700	15.8	.8 - 30.8	14,200	84.2	69.2 - 99.2	16,900
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	1,100	7.1	.0 - 15.0	14,300	92.9	85.0 - 100.0	15,400
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	n/r	n/r	n/r	n/r	n/r	n/r	n/r
55-64	900	4.5	1.0 - 8.0	19,100	95.5	92.0 - 99.0	20,000
65-74	1,100	7.7	.5 - 14.9	13,100	92.3	85.1 - 99.5	14,200
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	2,300	7.5	.0 - 15.8	28,700	92.5	84.2 - 100.0	31,000
College 1 to 3 years (Some College/ Tech)	2,900	15.7	4.7 - 26.6	15,900	84.3	73.4 - 95.3	18,800
College 4 years or more (College Grad)	1,200	6.5	.4 - 12.5	17,800	93.5	87.5 - 99.6	19,100

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	4,100	10.9	2.5 - 19.3	33,700	89.1	80.7 - 97.5	37,800
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	3,100	8.1	3.5 - 12.7	35,200	91.9	87.3 - 96.5	38,300
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	3,400	6.6	.9 - 12.2	48,200	93.4	87.8 - 99.1	51,600
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	2,500	13.1	3.1 - 23.0	16,400	86.9	77.0 - 96.9	18,900

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$75,000 or more	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	2,900	14.4	.6 - 28.1	17,300	85.6	71.9 - 99.4	20,200
<b>131-185%</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>186+%</b>	3,800	10.3	4.4 - 16.2	32,800	89.7	83.8 - 95.6	36,600

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

**Year: 2006**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	7,300	9.6	6.6 - 12.6	69,200	90.4	87.4 - 93.4	76,500

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,100	13.2	6.2 - 20.2	7,300	86.8	79.8 - 93.8	8,400
Honolulu	5,100	9.2	5.4 - 13.0	50,300	90.8	87.0 - 94.6	55,400
Kauai	500	10.6	1.1 - 20.1	4,100	89.4	79.9 - 98.9	4,600
Maui	700	8.0	1.8 - 14.3	7,500	92.0	85.7 - 98.2	8,100

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,100	13.2	6.2 - 20.1	7,300	86.8	79.9 - 93.8	8,400
Kauai	500	10.6	1.2 - 20.0	4,100	89.4	80.0 - 98.8	4,600
Maui	600	8.3	1.4 - 15.2	6,700	91.7	84.8 - 98.6	7,300
Oahu	5,100	9.2	5.4 - 13.0	50,300	90.8	87.0 - 94.6	55,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,300	11.9	6.7 - 17.1	32,200	88.1	82.9 - 93.3	36,500
Female	3,000	7.5	4.3 - 10.7	37,000	92.5	89.3 - 95.7	40,000

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,800	15.8	7.9 - 23.7	14,900	84.2	76.3 - 92.1	17,600
Native Hawaiian	1,100	8.3	2.5 - 14.2	12,500	91.7	85.8 - 97.5	13,600
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	1,100	7.6	1.3 - 13.8	14,000	92.4	86.2 - 98.7	15,200
Japanese	1,100	6.0	1.1 - 11.0	17,000	94.0	89.0 - 98.9	18,100
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Mixed Ethnicity	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	2,000	11.5	5.0 - 18.0	15,000	88.5	82.0 - 95.0	17,000
55-64	2,100	9.5	3.9 - 15.0	20,200	90.5	85.0 - 96.1	22,300
65-74	1,100	7.1	2.5 - 11.7	13,800	92.9	88.3 - 97.5	14,800
75+	1,100	7.8	.0 - 15.8	13,300	92.2	84.2 - 100.0	14,500

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	1,800	6.7	2.8 - 10.6	25,300	93.3	89.4 - 97.2	27,100
College 1 to 3 years (Some College/ Tech)	2,300	10.4	4.7 - 16.1	20,300	89.6	83.9 - 95.3	22,600
College 4 years or more (College Grad)	2,200	11.6	4.3 - 19.0	17,100	88.4	81.0 - 95.7	19,300

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	3,100	9.4	4.9 - 13.8	30,100	90.6	86.2 - 95.1	33,300
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	4,000	10.7	6.1 - 15.3	33,500	89.3	84.7 - 93.9	37,500
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	3,800	7.5	4.3 - 10.8	46,300	92.5	89.2 - 95.7	50,100
<b>Widowed</b>	1,000	12.0	.0 - 24.3	7,500	88.0	75.7 - 100.0	8,600
<b>Unmarried Couple</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Other</b>	2,300	13.2	6.8 - 19.6	14,900	86.8	80.4 - 93.2	17,200

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	1,700	23.6	6.6 - 40.6	5,400	76.4	59.4 - 93.4	7,100
\$25,000 to \$34,999	900	9.8	2.1 - 17.5	7,800	90.2	82.5 - 97.9	8,700
\$35,000 to \$49,999	1,200	9.3	2.0 - 16.5	12,100	90.7	83.5 - 98.0	13,400
\$50,000 to \$74,999	600	4.8	.0 - 10.2	11,300	95.2	89.8 - 100.0	11,900
\$75,000 or more	800	6.9	1.1 - 12.7	10,700	93.1	87.3 - 98.9	11,500



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	2,300	11.7	4.5 - 18.9	17,400	88.3	81.1 - 95.5	19,700
<b>131-185%</b>	800	10.1	.9 - 19.3	7,300	89.9	80.7 - 99.1	8,100
<b>186+%</b>	3,200	8.9	5.0 - 12.8	32,800	91.1	87.2 - 95.0	36,000

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

**Year: 2007**

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	5,600	7.5	4.8 - 10.1	69,900	92.5	89.9 - 95.2	75,500

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	500	5.3	1.8 - 8.9	8,500	94.7	91.1 - 98.2	9,000
Honolulu	3,600	6.6	3.2 - 10.0	51,000	93.4	90.0 - 96.8	54,600
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	1,200	13.4	6.0 - 20.7	7,500	86.6	79.3 - 94.0	8,700

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Hilo	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii - Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Hawaii - Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

County-Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu - Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu - Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Kauai - Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui - Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	500	5.3	1.8 - 8.9	8,500	94.7	91.1 - 98.2	9,000
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui	1,000	12.7	4.8 - 20.7	6,700	87.3	79.3 - 95.2	7,700
Oahu	3,600	6.6	3.2 - 10.0	51,000	93.4	90.0 - 96.8	54,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	3,800	9.8	5.3 - 14.4	34,500	90.2	85.6 - 94.7	38,300
Female	1,900	5.0	2.3 - 7.7	35,300	95.0	92.3 - 97.7	37,200

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,300	8.7	3.9 - 13.5	13,300	91.3	86.5 - 96.1	14,600
Native Hawaiian	700	4.6	.8 - 8.4	14,600	95.4	91.6 - 99.2	15,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	1,600	11.6	1.7 - 21.5	12,000	88.4	78.5 - 98.3	13,500
Japanese	1,000	5.1	1.3 - 8.9	18,600	94.9	91.1 - 98.7	19,600
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r
25-34	n/r	n/r	n/r	n/r	n/r	n/r	n/r
35-44	n/r	n/r	n/r	n/r	n/r	n/r	n/r
45-54	800	5.2	1.2 - 9.3	15,100	94.8	90.7 - 98.8	15,900
55-64	2,800	14.5	6.3 - 22.6	16,300	85.5	77.4 - 93.7	19,100
65-74	1,100	6.2	2.2 - 10.2	16,700	93.8	89.8 - 97.8	17,800
75+	400	3.1	.0 - 7.0	13,500	96.9	93.0 - 100.0	13,900

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	1,800	6.9	2.1 - 11.8	24,800	93.1	88.2 - 97.9	26,700
College 1 to 3 years (Some College/ Tech)	1,600	6.8	2.7 - 10.8	22,500	93.2	89.2 - 97.3	24,100
College 4 years or more (College Grad)	1,200	6.4	.9 - 11.9	17,300	93.6	88.1 - 99.1	18,500

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	2,300	6.9	2.9 - 10.8	31,200	93.1	89.2 - 97.1	33,500
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Retired/Unable to work	2,500	6.5	3.0 - 9.9	35,700	93.5	90.1 - 97.0	38,200
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r



**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	3,800	8.4	4.4 - 12.3	42,000	91.6	87.7 - 95.6	45,800
<b>Widowed</b>	600	5.9	.5 - 11.4	9,500	94.1	88.6 - 99.5	10,100
<b>Unmarried Couple</b>	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Other</b>	1,200	6.4	2.4 - 10.3	17,500	93.6	89.7 - 97.6	18,700

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	800	11.0	.0 - 22.7	6,800	89.0	77.3 - 100.0	7,600
\$25,000 to \$34,999	1,600	16.2	3.8 - 28.6	8,300	83.8	71.4 - 96.2	9,900
\$35,000 to \$49,999	200	1.4	.0 - 3.4	14,700	98.6	96.6 - 100.0	14,900
\$50,000 to \$74,999	800	6.8	1.6 - 12.1	10,800	93.2	87.9 - 98.4	11,600
\$75,000 or more	500	3.6	.0 - 7.4	14,000	96.4	92.6 - 100.0	14,500

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	2,700	12.7	5.3 - 20.0	18,600	87.3	80.0 - 94.7	21,300
<b>131-185%</b>	700	7.3	.0 - 14.7	8,700	92.7	85.3 - 100.0	9,400
<b>186+%</b>	2,000	5.1	2.5 - 7.6	37,700	94.9	92.4 - 97.5	39,700

**Had Sores or Irritations on Feet That Took More Than Four Weeks to Heal (Among Those With Diabetes) by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County-Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**