

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000	10,300	23.0	17.1 - 28.9	3,600	7.9	4.1 - 11.8	5,200	11.6	6.7 - 16.5	8,500	18.9	13.3 - 24.5	17,300	38.6	31.6 - 45.7	44,900
2001	6,200	11.4	6.1 - 16.7	4,300	7.9	3.1 - 12.7	3,100	5.7	2.8 - 8.5	12,100	22.2	14.1 - 30.3	28,900	52.8	43.1 - 62.5	54,700
2002	11,300	21.7	16.2 - 27.2	3,500	6.7	3.6 - 9.9	5,000	9.6	4.1 - 15.1	8,200	15.8	11.0 - 20.5	24,100	46.2	39.4 - 53.0	52,100
2003	9,100	13.4	8.3 - 18.4	5,800	8.5	3.6 - 13.4	8,700	12.9	7.8 - 17.9	10,500	15.5	10.0 - 20.9	33,800	49.8	42.3 - 57.3	67,800
2004	10,600	17.7	8.0 - 27.3	2,900	4.8	0.4 - 9.1	7,400	12.4	4.0 - 20.8	11,500	19.2	10.3 - 28.2	27,600	46.0	33.6 - 58.3	60,100
2005	30,800	39.2	30.5 - 47.8	1,400	1.7	0.0 - 3.9	3,600	4.6	1.1 - 8.1	8,100	10.4	5.7 - 15.1	34,600	44.1	35.6 - 52.6	78,500
2006	19,000	25.1	20.0 - 30.1	3,400	4.5	2.1 - 7.0	4,000	5.3	3.3 - 7.3	11,800	15.6	11.0 - 20.1	37,600	49.6	44.0 - 55.2	75,900
2007	19,800	26.4	21.3 - 31.5	3,400	4.5	2.0 - 7.0	3,900	5.2	2.7 - 7.6	11,700	15.6	11.7 - 19.5	36,200	48.3	42.8 - 53.9	74,900
2008	26,800	32.9	27.6 - 38.2	2,500	3.1	1.6 - 4.7	4,200	5.2	2.8 - 7.5	8,800	10.8	7.8 - 13.9	38,900	47.9	42.5 - 53.3	81,200
2009	16,600	21.3	15.1 - 27.5	2,700	3.4	0.5 - 6.3	5,700	7.3	3.8 - 10.8	10,800	13.8	9.1 - 18.6	42,300	54.2	46.8 - 61.6	78,000
2010	19,000	23.2	19.0 - 27.4	3,100	3.8	1.9 - 5.7	2,900	3.5	1.6 - 5.5	10,000	12.1	8.7 - 15.5	47,100	57.3	52.2 - 62.4	82,200

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	19,000	23.2	19.0 - 27.4	3,100	3.8	1.9 - 5.7	2,900	3.5	1.6 - 5.5	10,000	12.1	8.7 - 15.5	47,100	57.3	52.2 - 62.4	82,200

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,000	17.1	10.0 - 24.3	300	2.5	0.0 - 5.5	400	3.3	0.3 - 6.4	1,100	9.1	4.1 - 14.1	7,800	67.8	59.3 - 76.3	11,500
Honolulu	14,700	25.0	19.5 - 30.6	2,100	3.6	1.2 - 5.9	2,400	4.1	1.5 - 6.7	6,900	11.7	7.3 - 16.1	32,800	55.7	49.0 - 62.3	58,900
Kauai	300	10.3	2.6 - 18.1	200	5.4	0.0 - 13.2	<50	1.6	0.0 - 4.7	300	9.9	2.0 - 17.8	2,200	72.8	60.1 - 85.4	3,000
Maui	2,000	23.1	14.4 - 31.9	600	6.8	0.1 - 13.5	100	0.8	0.0 - 1.7	1,700	19.8	11.1 - 28.4	4,400	49.5	38.7 - 60.3	8,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	2,000	17.1	10.0 - 24.3	300	2.5	0.0 - 5.5	400	3.3	0.3 - 6.4	1,100	9.1	4.1 - 14.1	7,800	67.8	59.3 - 76.3	11,500
<b>Kauai</b>	300	10.3	2.6 - 18.1	200	5.4	0.0 - 13.2	<50	1.6	0.0 - 4.7	300	9.9	2.0 - 17.8	2,200	72.8	60.1 - 85.4	3,000
<b>Maui</b>	1,900	25.0	15.1 - 34.9	500	6.9	0.0 - 14.4	<50	0.4	0.0 - 1.2	1,600	20.8	11.1 - 30.5	3,600	46.9	34.9 - 58.9	7,700
<b>Oahu</b>	14,700	25.0	19.5 - 30.6	2,100	3.6	1.2 - 5.9	2,400	4.1	1.5 - 6.7	6,900	11.7	7.3 - 16.1	32,800	55.7	49.0 - 62.3	58,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Community	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hilo</b>	1,000	24.2	12.0 - 36.5	100	2.9	0.0 - 8.5	200	4.5	0.0 - 10.7	300	8.3	1.8 - 14.8	2,400	60.1	45.4 - 74.8	4,000
<b>Puna/ Kau</b>	700	15.5	2.1 - 28.8	0	0.0	--	100	2.6	0.0 - 6.2	400	10.1	0.5 - 19.8	3,200	71.8	56.9 - 86.8	4,400
<b>Waipahu/ Kapolei/ Ewa</b>	1,500	12.1	2.0 - 22.3	1,000	8.0	0.0 - 17.2	600	4.6	0.0 - 10.3	1,500	12.4	3.6 - 21.3	7,600	62.8	47.5 - 78.0	12,100

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>45-54</b>	3,300	25.3	13.1 - 37.6	1,100	8.2	1.0 - 15.4	800	6.0	0.0 - 13.6	1,300	9.8	3.7 - 15.9	6,600	50.7	36.8 - 64.6	13,000
<b>55-64</b>	3,600	17.2	11.1 - 23.3	1,200	5.6	0.5 - 10.6	400	2.1	0.5 - 3.6	2,800	13.5	7.0 - 20.0	12,800	61.6	52.9 - 70.4	20,800
<b>65-74</b>	4,200	24.5	16.5 - 32.5	600	3.2	0.5 - 5.9	400	2.3	0.0 - 4.5	2,200	12.6	7.3 - 17.9	9,900	57.5	48.6 - 66.3	17,300
<b>75+</b>	4,900	27.6	18.6 - 36.6	400	2.0	0.0 - 4.6	800	4.3	0.0 - 8.9	3,100	17.7	7.3 - 28.1	8,600	48.4	38.2 - 58.6	17,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,300	13.4	7.2 - 19.6	300	2.0	0.0 - 5.1	700	4.2	0.3 - 8.2	3,100	18.1	11.0 - 25.3	10,700	62.2	53.1 - 71.3	17,200
Native Hawaiian	3,100	20.8	11.4 - 30.1	300	2.0	0.0 - 4.0	800	5.5	0.0 - 11.5	2,000	13.7	1.6 - 25.8	8,600	58.0	45.3 - 70.8	14,900
Filipino	2,500	16.0	7.1 - 24.8	1,600	10.3	2.1 - 18.5	800	5.1	0.0 - 11.2	1,200	7.9	2.7 - 13.0	9,600	60.8	47.3 - 74.2	15,700
Japanese	7,900	34.5	26.2 - 42.9	600	2.5	0.4 - 4.5	600	2.5	0.3 - 4.7	1,600	7.0	3.3 - 10.8	12,300	53.5	44.7 - 62.3	23,000

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	8,900	21.0	15.0 - 26.9	2,300	5.6	2.2 - 8.9	1,400	3.4	0.8 - 6.1	5,400	12.7	8.4 - 17.0	24,300	57.4	49.9 - 64.8	42,300
Female	10,200	25.5	19.7 - 31.4	800	2.0	0.4 - 3.6	1,500	3.7	0.9 - 6.4	4,600	11.5	6.2 - 16.8	22,800	57.3	50.4 - 64.2	39,900



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	7,200	26.2	18.5 - 33.9	1,900	6.8	2.2 - 11.4	1,400	5.1	0.8 - 9.3	2,500	8.9	4.3 - 13.5	14,700	53.0	44.2 - 61.9	27,700
College 1 to 3 years (Some College/ Tech)	4,100	18.2	10.7 - 25.6	500	2.3	0.0 - 5.3	600	2.6	0.0 - 5.4	3,000	13.6	7.9 - 19.2	14,200	63.3	54.2 - 72.5	22,500
College 4 years or more (College Grad)	6,500	24.7	17.4 - 32.1	700	2.6	0.5 - 4.8	400	1.5	0.2 - 2.8	2,700	10.4	5.6 - 15.1	16,000	60.8	52.3 - 69.3	26,400

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,400	24.9	17.7 - 32.2	1,900	5.7	1.7 - 9.6	1,600	4.8	1.0 - 8.6	3,300	9.8	5.6 - 14.1	18,500	54.7	45.8 - 63.7	33,800
Retired/Unable to work	9,000	22.8	17.4 - 28.3	1,200	3.1	1.0 - 5.2	700	1.7	0.4 - 2.9	5,500	14.1	8.6 - 19.5	23,000	58.4	51.8 - 64.9	39,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Household Income	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$15,000 to \$19,999</b>	1,200	19.8	7.3 - 32.4	100	0.9	0.0 - 2.8	100	1.5	0.0 - 3.6	900	14.1	2.8 - 25.4	3,900	63.6	47.6 - 79.6	6,200
<b>\$20,000 to \$24,999</b>	2,200	31.5	15.3 - 47.6	200	3.1	0.0 - 7.5	100	0.7	0.0 - 2.0	1,800	26.1	3.6 - 48.5	2,700	38.6	21.4 - 55.9	7,000
<b>\$25,000 to \$34,999</b>	1,400	16.5	6.4 - 26.7	500	5.6	0.0 - 12.4	400	4.8	0.0 - 11.2	1,200	13.4	4.5 - 22.3	5,200	59.7	45.4 - 73.9	8,700
<b>\$35,000 to \$49,999</b>	3,200	21.1	11.5 - 30.7	200	1.0	0.0 - 2.4	800	5.0	0.0 - 11.1	1,000	6.6	2.0 - 11.2	10,200	66.3	54.7 - 77.9	15,300
<b>\$50,000 to \$74,999</b>	3,600	30.8	18.6 - 43.0	500	4.6	0.0 - 10.4	200	1.7	0.0 - 4.3	1,400	11.7	4.7 - 18.6	6,000	51.1	38.8 - 63.4	11,700
<b>\$75,000 or more</b>	4,000	21.4	12.7 - 30.1	700	3.5	0.0 - 7.0	700	3.9	0.0 - 7.9	2,800	14.9	8.0 - 21.9	10,600	56.3	45.4 - 67.2	18,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	3,400	16.4	8.4 - 24.4	1,200	5.6	0.2 - 11.0	200	1.0	0.0 - 2.6	3,000	14.5	4.7 - 24.3	12,900	62.4	50.8 - 74.0	20,600
<b>131-185%</b>	3,400	21.3	11.7 - 30.9	600	4.0	0.0 - 8.5	1,000	6.5	0.0 - 13.2	1,700	10.5	4.8 - 16.1	9,200	57.7	45.2 - 70.2	15,900
<b>186+%</b>	9,900	25.2	19.3 - 31.2	1,000	2.6	0.6 - 4.6	1,200	3.1	1.0 - 5.3	5,000	12.7	8.6 - 16.9	22,200	56.3	49.7 - 62.9	39,400

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	11,200	20.9	15.8 - 25.9	3,000	5.6	2.7 - 8.5	1,700	3.2	0.7 - 5.8	6,200	11.6	7.9 - 15.2	31,600	58.7	52.5 - 64.9	53,800
<b>Widowed</b>	2,400	25.8	14.6 - 37.0	0	0.0	--	300	2.8	0.0 - 6.7	2,100	22.3	5.3 - 39.3	4,600	49.1	34.9 - 63.2	9,400
<b>Other</b>	5,100	27.7	17.8 - 37.6	100	0.6	0.0 - 1.5	900	5.0	1.3 - 8.8	1,700	9.0	4.4 - 13.7	10,600	57.7	46.6 - 68.8	18,300

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	11,500	21.0	16.0 - 26.0	3,100	5.6	2.8 - 8.5	1,700	3.2	0.7 - 5.7	6,300	11.5	7.9 - 15.1	32,100	58.7	52.6 - 64.8	54,700
<b>No</b>	7,600	27.5	19.9 - 35.2	100	0.2	0.0 - 0.6	1,200	4.2	1.4 - 7.0	3,700	13.4	6.3 - 20.6	15,000	54.6	45.5 - 63.7	27,500

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	18,200	22.8	18.6 - 27.1	3,000	3.8	1.9 - 5.8	2,800	3.6	1.6 - 5.5	9,400	11.8	8.5 - 15.2	46,200	58.0	52.8 - 63.1	79,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	16,600	21.3	15.1 - 27.5	2,700	3.4	0.5 - 6.3	5,700	7.3	3.8 - 10.8	10,800	13.8	9.1 - 18.6	42,300	54.2	46.8 - 61.6	78,000

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,300	25.9	11.0 - 40.8	100	1.1	0.0 - 3.2	800	6.7	0.4 - 12.9	1,800	14.4	5.9 - 22.9	6,500	52.0	37.6 - 66.4	12,600
Honolulu	10,500	20.4	12.3 - 28.5	2,500	4.8	0.5 - 9.1	2,300	4.5	1.1 - 8.0	7,000	13.6	7.0 - 20.1	29,300	56.7	46.8 - 66.6	51,700
Maui	2,200	22.7	9.8 - 35.6	100	0.5	0.0 - 1.5	2,500	24.8	8.0 - 41.7	900	8.8	2.4 - 15.3	4,300	43.1	28.0 - 58.3	9,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	3,300	25.9	11.0 - 40.8	100	1.1	0.0 - 3.2	800	6.7	0.4 - 12.9	1,800	14.4	5.9 - 22.9	6,500	52.0	37.6 - 66.4	12,600
<b>Maui</b>	2,000	23.1	8.8 - 37.4	0	0.0	--	2,100	24.5	6.0 - 43.0	800	9.1	1.9 - 16.4	3,800	43.3	26.6 - 60.0	8,800
<b>Oahu</b>	10,500	20.4	12.3 - 28.5	2,500	4.8	0.5 - 9.1	2,300	4.5	1.1 - 8.0	7,000	13.6	7.0 - 20.1	29,300	56.7	46.8 - 66.6	51,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>45-54</b>	3,200	23.3	2.4 - 44.2	100	0.6	0.0 - 1.9	2,100	15.2	1.9 - 28.6	1,600	11.6	0.0 - 23.4	6,800	49.2	30.2 - 68.2	13,800
<b>55-64</b>	2,900	16.2	6.3 - 26.0	100	0.7	0.0 - 2.2	800	4.3	0.0 - 9.2	1,800	9.8	3.8 - 15.8	12,400	69.1	57.2 - 81.0	18,000
<b>65-74</b>	3,300	20.5	10.3 - 30.8	900	5.3	0.0 - 11.1	1,200	7.2	0.3 - 14.1	3,200	19.9	8.0 - 31.7	7,700	47.1	33.0 - 61.2	16,300
<b>75+</b>	3,900	20.5	10.6 - 30.3	1,600	8.2	0.0 - 18.2	1,000	5.4	0.0 - 11.2	2,600	13.5	5.4 - 21.6	10,100	52.4	38.1 - 66.7	19,300

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,200	15.6	6.1 - 25.0	700	5.1	0.0 - 11.2	500	3.8	0.0 - 7.7	2,700	19.3	9.5 - 29.0	7,900	56.2	42.9 - 69.6	14,000
Native Hawaiian	4,100	26.7	11.6 - 41.8	300	2.1	0.0 - 5.3	900	6.1	0.0 - 13.0	1,600	10.5	2.8 - 18.3	8,400	54.6	38.1 - 71.0	15,400
Filipino	2,900	22.9	0.7 - 45.1	800	6.1	0.0 - 15.3	1,900	14.4	2.4 - 26.5	1,900	14.7	4.3 - 25.0	5,400	41.9	20.6 - 63.1	12,900
Japanese	6,200	24.3	14.4 - 34.2	800	3.3	0.0 - 9.6	900	3.5	0.0 - 7.2	3,500	13.7	3.5 - 23.9	14,100	55.2	41.9 - 68.4	25,600

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	7,200	19.5	9.8 - 29.3	1,100	2.9	0.0 - 7.5	4,700	12.7	5.9 - 19.6	5,200	14.1	7.1 - 21.0	18,800	50.8	39.6 - 61.9	37,100
Female	9,400	22.9	15.1 - 30.7	1,600	3.9	0.3 - 7.5	1,000	2.3	0.1 - 4.6	5,600	13.6	7.1 - 20.1	23,500	57.3	47.7 - 66.9	41,000



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	7,500	26.5	13.5 - 39.6	1,100	3.8	0.0 - 9.8	2,400	8.4	1.6 - 15.3	3,800	13.7	6.3 - 21.1	13,300	47.5	33.9 - 61.1	28,100
College 1 to 3 years (Some College/ Tech)	4,100	19.6	10.0 - 29.1	100	0.7	0.0 - 1.6	600	2.9	0.0 - 6.5	4,500	21.3	8.9 - 33.6	11,700	55.7	41.4 - 69.9	21,100
College 4 years or more (College Grad)	3,700	16.7	8.0 - 25.3	700	3.3	0.0 - 7.1	2,100	9.3	2.2 - 16.5	1,500	6.7	1.9 - 11.6	14,200	64.0	52.8 - 75.2	22,100

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,500	22.4	12.3 - 32.4	800	2.2	0.0 - 5.4	3,400	9.0	3.1 - 14.9	4,800	12.7	5.6 - 19.9	20,300	53.7	42.3 - 65.1	37,800
Retired/Unable to work	6,800	20.1	12.3 - 27.8	1,800	5.5	0.0 - 11.0	2,200	6.6	1.8 - 11.4	5,100	15.1	8.0 - 22.3	17,700	52.7	42.2 - 63.1	33,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Household Income	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$35,000 to \$49,999</b>	1,900	17.7	5.7 - 29.7	400	3.8	0.0 - 10.3	1,200	11.2	0.0 - 25.3	1,600	15.2	0.0 - 30.8	5,500	52.1	34.2 - 70.0	10,600
<b>\$75,000 or more</b>	4,100	20.5	9.9 - 31.1	0	0.0	--	1,200	5.9	0.0 - 12.1	3,100	15.6	3.9 - 27.4	11,500	57.9	43.2 - 72.6	19,900

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	4,400	24.8	10.9 - 38.7	800	4.6	0.0 - 11.4	1,500	8.6	0.0 - 18.1	2,800	15.9	4.6 - 27.2	8,100	46.1	28.7 - 63.4	17,700
<b>131-185%</b>	2,500	21.4	9.9 - 33.0	0	0.0	--	1,700	14.2	2.8 - 25.5	600	5.1	0.5 - 9.6	7,000	59.3	45.0 - 73.6	11,900
<b>186+%</b>	6,100	15.6	9.4 - 21.9	1,500	3.8	0.0 - 8.5	2,500	6.4	2.1 - 10.7	6,000	15.4	8.2 - 22.6	22,800	58.8	49.1 - 68.4	38,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	7,100	15.0	9.4 - 20.6	1,500	3.2	0.0 - 6.9	5,300	11.3	5.6 - 16.9	6,600	14.0	7.9 - 20.1	26,800	56.6	47.5 - 65.7	47,400
<b>Widowed</b>	2,400	23.5	9.2 - 37.7	700	7.1	0.0 - 18.4	200	1.7	0.0 - 4.2	1,500	14.9	3.0 - 26.8	5,400	52.8	34.3 - 71.3	10,300
<b>Other</b>	6,700	34.9	18.1 - 51.8	400	2.3	0.0 - 5.9	200	0.8	0.0 - 1.7	2,400	12.4	2.4 - 22.4	9,600	49.6	33.4 - 65.8	19,300

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	8,800	17.5	9.8 - 25.2	1,500	3.0	0.0 - 6.5	5,400	10.8	5.4 - 16.2	6,600	13.3	7.4 - 19.1	27,700	55.4	45.9 - 64.8	50,000
<b>No</b>	7,900	28.4	18.0 - 38.7	1,200	4.2	0.0 - 9.2	300	0.9	0.0 - 2.0	4,100	14.9	6.8 - 23.1	14,300	51.5	39.7 - 63.3	27,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	26,800	32.9	27.6 - 38.2	2,500	3.1	1.6 - 4.7	4,200	5.2	2.8 - 7.5	8,800	10.8	7.8 - 13.9	38,900	47.9	42.5 - 53.3	81,200

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,000	30.9	18.8 - 42.9	100	0.6	0.0 - 1.9	500	5.4	0.0 - 10.9	800	8.4	3.3 - 13.5	5,300	54.7	42.8 - 66.6	9,700
Honolulu	20,600	34.2	27.6 - 40.9	2,000	3.4	1.3 - 5.4	3,400	5.6	2.6 - 8.6	6,500	10.8	6.8 - 14.7	27,800	46.1	39.3 - 52.9	60,300
Kauai	700	17.9	7.2 - 28.6	200	4.3	0.0 - 8.7	100	3.4	0.0 - 10.0	700	18.2	8.2 - 28.3	2,300	56.2	42.5 - 69.8	4,000
Maui	2,400	33.5	20.1 - 47.0	300	3.7	0.0 - 7.5	200	2.6	0.0 - 5.9	800	10.7	4.7 - 16.7	3,600	49.5	36.0 - 62.9	7,200

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,000	30.9	18.8 - 42.9	100	0.6	0.0 - 1.9	500	5.4	0.0 - 10.9	800	8.4	3.3 - 13.5	5,300	54.7	42.8 - 66.6	9,700
Kauai	700	17.9	7.2 - 28.6	200	4.3	0.0 - 8.7	100	3.4	0.0 - 10.0	700	18.2	8.2 - 28.3	2,300	56.2	42.5 - 69.8	4,000
Maui	2,300	36.3	21.3 - 51.4	300	4.0	0.0 - 8.3	200	2.6	0.0 - 6.2	600	9.5	3.2 - 15.7	3,000	47.6	32.5 - 62.7	6,400
Oahu	20,600	34.2	27.6 - 40.9	2,000	3.4	1.3 - 5.4	3,400	5.6	2.6 - 8.6	6,500	10.8	6.8 - 14.7	27,800	46.1	39.3 - 52.9	60,300

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>45-54</b>	3,000	21.7	10.3 - 33.0	300	2.3	0.0 - 6.4	1,400	9.9	0.6 - 19.2	1,400	9.7	3.2 - 16.2	7,900	56.4	43.0 - 69.9	14,000
<b>55-64</b>	7,700	37.0	27.3 - 46.7	600	3.0	0.2 - 5.8	600	2.9	0.2 - 5.6	2,300	11.0	4.9 - 17.1	9,600	46.1	36.3 - 55.9	20,800
<b>65-74</b>	4,800	32.2	22.1 - 42.2	400	2.8	0.2 - 5.4	700	4.7	0.8 - 8.6	2,300	15.2	8.2 - 22.1	6,800	45.1	34.9 - 55.4	15,000
<b>75+</b>	6,000	34.1	23.4 - 44.7	800	4.6	0.6 - 8.7	1,300	7.2	1.4 - 13.1	1,500	8.5	2.8 - 14.1	8,100	45.6	34.6 - 56.7	17,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Caucasian</b>	5,300	33.9	21.2 - 46.7	700	4.6	0.7 - 8.5	500	3.3	0.0 - 7.0	1,900	12.4	6.0 - 18.9	7,100	45.7	34.5 - 57.0	15,600
<b>Native Hawaiian</b>	4,600	32.3	19.7 - 44.9	300	2.2	0.0 - 5.9	900	6.5	0.8 - 12.2	1,400	9.7	2.6 - 16.9	7,000	49.3	36.0 - 62.5	14,200
<b>Filipino</b>	6,700	41.0	27.4 - 54.5	400	2.4	0.0 - 5.3	900	5.8	0.0 - 13.3	1,600	10.1	3.3 - 16.9	6,600	40.8	27.8 - 53.8	16,300
<b>Japanese</b>	7,300	35.0	26.1 - 44.0	700	3.5	0.2 - 6.8	1,200	5.9	1.6 - 10.3	1,800	8.5	3.5 - 13.5	9,800	47.0	37.4 - 56.6	20,800

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	11,700	29.9	22.0 - 37.9	1,400	3.6	1.3 - 6.0	2,700	6.8	2.7 - 11.0	3,600	9.2	5.2 - 13.3	19,700	50.4	42.0 - 58.7	39,200
<b>Female</b>	15,000	35.7	28.7 - 42.8	1,100	2.6	0.5 - 4.8	1,500	3.6	1.3 - 6.0	5,200	12.4	7.9 - 16.8	19,200	45.6	38.7 - 52.6	42,100

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	8,900	36.1	26.6 - 45.6	500	1.9	0.0 - 4.2	900	3.5	0.6 - 6.5	2,500	10.2	4.8 - 15.6	11,800	48.2	38.7 - 57.8	24,500
College 1 to 3 years (Some College/ Tech)	8,900	34.6	24.0 - 45.1	600	2.2	0.0 - 4.7	1,000	3.8	0.5 - 7.1	2,600	10.2	4.7 - 15.7	12,700	49.3	38.8 - 59.8	25,700
College 4 years or more (College Grad)	6,400	26.7	18.8 - 34.6	1,300	5.2	1.5 - 8.9	1,900	7.8	1.9 - 13.7	2,700	11.2	5.9 - 16.4	11,900	49.2	39.9 - 58.5	24,100

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,900	35.8	27.3 - 44.2	1,000	3.1	0.6 - 5.6	1,900	5.8	1.5 - 10.2	4,000	12.0	7.0 - 17.1	14,400	43.3	34.7 - 51.9	33,300
Retired/Unable to work	12,100	30.3	23.6 - 37.0	1,200	3.1	1.1 - 5.1	2,000	5.0	2.1 - 8.0	4,200	10.6	6.4 - 14.8	20,300	51.0	43.8 - 58.1	39,900



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Household Income	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$20,000 to \$24,999</b>	2,200	45.1	27.4 - 62.9	100	1.7	0.0 - 4.8	0	0.0	--	300	6.6	0.4 - 12.8	2,300	46.6	29.5 - 63.6	5,000
<b>\$25,000 to \$34,999</b>	3,000	26.9	14.0 - 39.7	400	3.2	0.0 - 6.6	600	5.5	0.3 - 10.8	1,200	11.0	3.8 - 18.2	5,900	53.4	39.5 - 67.3	11,100
<b>\$35,000 to \$49,999</b>	4,000	29.7	17.1 - 42.4	600	4.4	0.3 - 8.5	1,200	9.0	1.7 - 16.3	800	6.2	2.3 - 10.1	6,800	50.6	37.5 - 63.8	13,500
<b>\$50,000 to \$74,999</b>	5,300	34.5	21.9 - 47.0	600	3.8	0.0 - 8.2	200	1.6	0.0 - 4.6	1,900	12.5	4.1 - 20.9	7,300	47.7	34.4 - 60.9	15,300
<b>\$75,000 or more</b>	4,900	25.9	16.5 - 35.4	700	3.9	0.0 - 8.0	1,500	7.8	0.8 - 14.7	2,400	13.0	6.2 - 19.7	9,300	49.4	38.2 - 60.7	18,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	6,200	38.2	26.1 - 50.2	200	1.2	0.0 - 3.1	400	2.2	0.0 - 4.6	1,200	7.3	1.3 - 13.4	8,300	51.1	38.9 - 63.4	16,200
<b>131-185%</b>	2,300	23.9	9.6 - 38.1	0	0.0	--	600	6.3	0.0 - 18.0	500	4.8	0.0 - 10.3	6,200	65.0	48.4 - 81.7	9,500
<b>186+%</b>	14,900	30.5	24.3 - 36.7	2,300	4.8	2.3 - 7.3	2,900	6.0	3.1 - 8.9	6,300	12.9	8.8 - 17.0	22,300	45.8	39.2 - 52.4	48,700

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	17,200	34.8	27.5 - 42.1	1,500	3.0	1.0 - 5.1	2,300	4.8	1.5 - 8.0	5,400	10.8	6.8 - 14.9	23,000	46.5	39.1 - 53.9	49,400
<b>Widowed</b>	2,800	29.0	18.6 - 39.4	500	5.1	0.4 - 9.8	1,000	11.0	2.4 - 19.5	1,100	11.3	4.4 - 18.2	4,200	43.6	32.2 - 55.0	9,500
<b>Other</b>	6,600	30.7	20.8 - 40.5	500	2.5	0.0 - 5.3	800	3.8	0.6 - 6.9	2,200	10.3	4.4 - 16.2	11,400	52.7	42.6 - 62.8	21,600

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	18,200	35.9	28.6 - 43.1	1,500	3.0	0.9 - 5.0	2,500	4.9	1.7 - 8.0	5,600	11.0	7.0 - 15.0	23,000	45.3	38.0 - 52.6	50,900
<b>No</b>	8,500	28.0	21.0 - 35.1	1,000	3.4	0.9 - 5.9	1,700	5.7	2.2 - 9.1	3,200	10.5	5.9 - 15.2	15,900	52.3	44.6 - 60.1	30,400

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	25,300	32.2	26.9 - 37.5	2,500	3.2	1.6 - 4.9	4,200	5.4	2.9 - 7.8	8,700	11.1	8.0 - 14.3	37,800	48.1	42.7 - 53.5	78,500

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	19,800	26.4	21.3 - 31.5	3,400	4.5	2.0 - 7.0	3,900	5.2	2.7 - 7.6	11,700	15.6	11.7 - 19.5	36,200	48.3	42.8 - 53.9	74,900

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,300	26.4	17.8 - 35.0	300	3.1	0.3 - 5.9	300	3.4	0.0 - 6.8	1,500	17.0	9.5 - 24.5	4,400	50.1	40.3 - 59.9	8,700
Honolulu	15,600	28.6	21.9 - 35.3	3,000	5.4	2.0 - 8.8	2,600	4.8	1.7 - 7.9	8,400	15.4	10.3 - 20.5	24,900	45.8	38.6 - 52.9	54,400
Maui	1,600	18.6	10.0 - 27.1	200	1.9	0.0 - 4.5	500	6.0	0.0 - 12.3	1,300	15.6	6.7 - 24.4	4,900	58.0	46.3 - 69.7	8,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,300	26.4	17.8 - 35.0	300	3.1	0.3 - 5.9	300	3.4	0.0 - 6.8	1,500	17.0	9.5 - 24.5	4,400	50.1	40.3 - 59.9	8,700
Maui	1,400	18.9	9.4 - 28.4	200	2.1	0.0 - 5.1	500	6.0	0.0 - 13.1	1,100	14.7	4.9 - 24.4	4,400	58.3	45.3 - 71.2	7,500
Oahu	15,600	28.6	21.9 - 35.3	3,000	5.4	2.0 - 8.8	2,600	4.8	1.7 - 7.9	8,400	15.4	10.3 - 20.5	24,900	45.8	38.6 - 52.9	54,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>45-54</b>	3,800	24.4	13.0 - 35.8	600	3.9	0.0 - 7.7	2,300	14.6	5.7 - 23.5	2,100	13.5	5.2 - 21.9	6,900	43.6	31.6 - 55.5	15,800
<b>55-64</b>	4,800	25.2	15.5 - 34.9	800	3.9	0.0 - 7.9	1,100	5.7	0.3 - 11.0	4,000	20.9	12.3 - 29.6	8,500	44.2	33.4 - 55.1	19,200
<b>65-74</b>	4,100	23.7	13.1 - 34.2	300	1.7	0.0 - 4.9	200	1.1	0.0 - 2.4	2,700	15.7	7.5 - 23.9	10,100	57.9	46.4 - 69.3	17,500
<b>75+</b>	4,600	33.8	22.5 - 45.1	1,000	7.5	0.0 - 15.9	300	1.8	0.0 - 4.1	2,000	14.6	5.5 - 23.7	5,800	42.2	30.6 - 53.8	13,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Caucasian</b>	2,800	19.4	11.7 - 27.0	400	3.0	0.0 - 6.5	600	4.0	0.9 - 7.0	2,700	18.8	10.6 - 27.0	8,000	54.9	45.1 - 64.7	14,500
<b>Native Hawaiian</b>	4,100	26.8	15.3 - 38.3	700	4.4	0.0 - 10.3	1,400	9.5	2.1 - 16.8	1,700	11.4	4.3 - 18.4	7,300	48.0	35.2 - 60.9	15,200
<b>Filipino</b>	3,700	27.4	13.7 - 41.1	600	4.3	0.0 - 9.6	1,100	8.1	0.0 - 16.8	2,200	16.1	5.2 - 26.9	5,900	44.2	29.0 - 59.3	13,500
<b>Japanese</b>	5,900	30.2	21.0 - 39.3	1,300	6.4	0.0 - 12.9	100	0.3	0.0 - 1.0	2,800	14.2	6.9 - 21.6	9,500	48.8	38.6 - 59.1	19,500

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	10,100	26.4	18.8 - 34.1	1,100	3.0	0.8 - 5.1	1,600	4.1	0.8 - 7.4	6,800	17.9	11.7 - 24.1	18,500	48.6	40.3 - 56.8	38,000
<b>Female</b>	9,700	26.3	19.5 - 33.1	2,300	6.1	1.6 - 10.6	2,300	6.3	2.6 - 9.9	4,900	13.2	8.4 - 18.1	17,700	48.1	40.6 - 55.5	36,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	8,500	32.1	22.3 - 41.8	1,300	4.8	0.0 - 9.8	900	3.5	0.9 - 6.1	4,500	17.1	9.4 - 24.7	11,300	42.6	33.5 - 51.6	26,500
College 1 to 3 years (Some College/ Tech)	5,200	21.6	12.8 - 30.5	1,100	4.4	0.0 - 8.9	1,500	6.1	0.8 - 11.4	2,800	11.9	6.5 - 17.2	13,300	55.9	45.6 - 66.2	23,800
College 4 years or more (College Grad)	4,100	22.4	14.4 - 30.3	900	5.1	1.0 - 9.2	900	5.0	0.0 - 10.3	3,200	17.6	9.9 - 25.3	9,100	49.9	39.6 - 60.3	18,300

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,300	24.9	17.2 - 32.6	1,100	3.4	1.0 - 5.9	2,800	8.5	3.4 - 13.5	4,600	14.0	8.2 - 19.7	16,400	49.3	40.5 - 58.1	33,200
Retired/Unable to work	11,100	29.3	22.0 - 36.6	1,600	4.3	0.5 - 8.1	800	2.1	0.5 - 3.7	6,300	16.7	11.1 - 22.4	18,000	47.6	40.1 - 55.0	37,800



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Household Income	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$20,000 to \$24,999</b>	2,400	31.2	13.5 - 48.8	0	0.0	--	1,000	12.5	0.1 - 24.9	1,600	20.7	5.8 - 35.7	2,700	35.6	20.0 - 51.2	7,600
<b>\$25,000 to \$34,999</b>	2,100	21.1	7.7 - 34.5	300	3.4	0.0 - 7.3	1,100	10.6	0.0 - 22.3	1,800	18.1	5.2 - 31.0	4,600	46.8	29.6 - 64.1	9,900
<b>\$35,000 to \$49,999</b>	4,600	30.9	17.1 - 44.7	300	1.7	0.0 - 4.9	500	3.5	0.0 - 7.2	2,200	15.2	6.6 - 23.7	7,200	48.7	35.2 - 62.2	14,800
<b>\$50,000 to \$74,999</b>	3,400	29.1	16.2 - 42.0	300	2.5	0.0 - 6.3	600	5.0	0.3 - 9.7	1,300	11.3	3.9 - 18.7	6,000	52.0	38.4 - 65.6	11,600
<b>\$75,000 or more</b>	3,700	26.0	15.3 - 36.6	700	4.9	0.3 - 9.4	100	0.6	0.0 - 1.7	2,800	19.7	9.8 - 29.7	7,000	48.9	36.5 - 61.2	14,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	4,700	22.6	11.9 - 33.4	600	2.9	0.0 - 7.3	2,000	9.6	2.4 - 16.8	3,900	18.5	9.7 - 27.2	9,700	46.4	34.7 - 58.0	20,900
<b>131-185%</b>	2,400	25.8	11.5 - 40.2	100	1.5	0.0 - 3.9	1,100	11.7	2.8 - 20.5	700	7.5	0.0 - 15.0	5,000	53.5	37.1 - 69.9	9,300
<b>186+%</b>	11,300	28.5	21.8 - 35.1	1,500	3.8	1.3 - 6.2	700	1.9	0.4 - 3.3	6,600	16.6	11.3 - 21.8	19,600	49.3	42.3 - 56.4	39,600

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	12,600	27.6	20.6 - 34.6	1,400	3.0	0.8 - 5.2	2,300	5.1	1.8 - 8.3	7,800	17.1	11.6 - 22.5	21,600	47.2	40.0 - 54.5	45,700
<b>Widowed</b>	2,200	23.0	12.4 - 33.7	100	1.0	0.0 - 2.3	300	3.3	0.0 - 6.8	1,700	17.9	6.8 - 29.0	5,300	54.7	41.7 - 67.8	9,600
<b>Other</b>	4,800	25.5	15.7 - 35.2	1,900	10.3	2.2 - 18.3	1,200	6.5	0.9 - 12.2	1,600	8.3	3.9 - 12.7	9,300	49.4	38.0 - 60.8	18,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Daily or more</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	12,800	27.5	20.7 - 34.4	1,500	3.3	1.1 - 5.6	2,600	5.5	2.2 - 8.8	7,800	16.8	11.4 - 22.1	21,800	46.9	39.7 - 54.0	46,500
<b>No</b>	6,800	24.0	16.6 - 31.4	1,900	6.6	1.2 - 12.0	1,300	4.6	0.9 - 8.3	3,900	13.8	8.1 - 19.4	14,400	51.1	42.2 - 59.9	28,200

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Daily or more</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	18,800	26.2	20.9 - 31.4	2,800	4.0	1.7 - 6.3	3,800	5.3	2.8 - 7.9	11,200	15.6	11.6 - 19.7	35,100	48.9	43.2 - 54.6	71,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	19,000	25.1	20.0 - 30.1	3,400	4.5	2.1 - 7.0	4,000	5.3	3.3 - 7.3	11,800	15.6	11.0 - 20.1	37,600	49.6	44.0 - 55.2	75,900

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	28.8	19.1 - 38.5	<50	0.6	0.0 - 1.7	600	7.2	2.3 - 12.1	1,100	12.6	5.2 - 20.0	4,300	50.8	40.2 - 61.4	8,400
Honolulu	14,200	25.7	19.1 - 32.3	3,100	5.7	2.4 - 9.1	2,600	4.7	2.1 - 7.2	8,700	15.9	9.9 - 21.9	26,400	48.0	40.7 - 55.3	55,000
Kauai	700	15.2	6.2 - 24.2	200	5.2	0.0 - 11.3	200	5.0	0.0 - 10.9	700	15.8	6.5 - 25.1	2,700	58.8	45.3 - 72.3	4,600
Maui	1,700	22.0	11.7 - 32.4	<50	0.2	0.0 - 0.5	600	7.7	2.9 - 12.5	1,300	16.2	7.9 - 24.6	4,200	53.9	42.4 - 65.4	7,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	2,400	28.8	19.1 - 38.5	<50	0.6	0.0 - 1.7	600	7.2	2.3 - 12.1	1,100	12.6	5.2 - 20.0	4,300	50.8	40.2 - 61.4	8,400
<b>Kauai</b>	700	15.2	6.2 - 24.2	200	5.2	0.0 - 11.3	200	5.0	0.0 - 10.9	700	15.8	6.5 - 25.1	2,700	58.8	45.3 - 72.3	4,600
<b>Maui</b>	1,600	22.7	11.3 - 34.1	0	0.0	--	500	7.2	2.0 - 12.3	1,100	15.2	6.6 - 23.9	3,900	54.9	42.4 - 67.4	7,100
<b>Oahu</b>	14,200	25.7	19.1 - 32.3	3,100	5.7	2.4 - 9.1	2,600	4.7	2.1 - 7.2	8,700	15.9	9.9 - 21.9	26,400	48.0	40.7 - 55.3	55,000

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>45-54</b>	3,000	17.9	7.3 - 28.4	2,200	12.9	3.9 - 21.9	700	4.0	0.4 - 7.5	3,000	17.5	7.5 - 27.4	8,100	47.8	35.5 - 60.1	17,000
<b>55-64</b>	6,600	30.5	19.4 - 41.7	0	0.0	--	400	1.8	0.4 - 3.3	4,900	22.9	11.3 - 34.4	9,600	44.8	33.3 - 56.2	21,500
<b>65-74</b>	3,600	24.6	15.0 - 34.2	700	4.9	0.0 - 10.1	1,300	9.0	3.1 - 14.9	2,100	14.6	7.1 - 22.1	6,900	46.9	36.6 - 57.2	14,700
<b>75+</b>	3,000	20.6	11.4 - 29.7	500	3.1	0.0 - 6.5	1,000	6.9	1.4 - 12.3	1,400	9.3	3.5 - 15.2	8,900	60.2	48.9 - 71.5	14,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	4,100	23.3	14.8 - 31.8	800	4.4	0.4 - 8.5	1,500	8.5	4.0 - 13.0	2,600	15.0	8.1 - 21.9	8,600	48.7	39.0 - 58.5	17,600
Native Hawaiian	3,100	24.4	12.0 - 36.7	1,000	7.8	0.0 - 16.2	600	4.5	0.0 - 9.3	1,700	13.0	5.3 - 20.7	6,500	50.3	37.3 - 63.3	12,900
Filipino	3,600	23.8	10.2 - 37.4	600	3.8	0.0 - 9.2	1,100	7.2	0.7 - 13.6	3,800	25.1	9.2 - 40.9	6,100	40.1	25.7 - 54.5	15,300
Japanese	5,600	30.5	20.1 - 40.9	500	2.7	0.0 - 5.5	200	1.0	0.0 - 2.3	2,200	12.0	5.0 - 19.0	9,800	53.9	43.1 - 64.6	18,200

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	9,800	26.8	19.1 - 34.5	1,300	3.5	0.6 - 6.4	1,600	4.3	1.7 - 7.0	7,100	19.5	11.5 - 27.5	16,800	45.8	37.4 - 54.2	36,600
Female	9,200	23.4	16.7 - 30.1	2,200	5.5	1.6 - 9.3	2,400	6.1	3.1 - 9.2	4,700	11.9	7.5 - 16.3	20,900	53.1	45.7 - 60.4	39,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	7,300	27.2	17.0 - 37.3	1,000	3.7	0.0 - 7.4	1,600	6.1	2.0 - 10.2	4,500	16.7	7.5 - 25.9	12,400	46.3	36.2 - 56.5	26,800
College 1 to 3 years (Some College/ Tech)	5,100	23.0	14.9 - 31.0	1,100	5.1	0.4 - 9.8	700	3.0	0.7 - 5.4	4,100	18.7	9.7 - 27.8	11,100	50.1	40.1 - 60.1	22,200
College 4 years or more (College Grad)	4,400	22.7	14.4 - 31.1	900	4.6	0.0 - 9.5	900	4.5	1.1 - 7.8	2,300	11.8	6.4 - 17.2	10,900	56.5	46.4 - 66.5	19,300

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,000	27.5	19.0 - 36.0	1,600	4.7	0.6 - 8.8	1,500	4.5	1.5 - 7.5	6,500	19.7	11.2 - 28.3	14,300	43.5	34.8 - 52.3	32,800
Retired/Unable to work	9,000	23.9	17.4 - 30.4	1,300	3.5	1.0 - 6.0	2,400	6.5	3.4 - 9.5	4,700	12.5	7.6 - 17.4	20,200	53.7	46.2 - 61.1	37,700



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Household Income	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$20,000 to \$24,999</b>	1,200	16.7	3.2 - 30.3	200	2.5	0.0 - 5.8	800	11.4	1.0 - 21.8	1,000	14.2	2.0 - 26.5	3,900	55.1	37.8 - 72.4	7,100
<b>\$25,000 to \$34,999</b>	1,600	18.6	7.9 - 29.2	500	5.7	0.0 - 15.5	300	3.9	0.1 - 7.6	1,100	12.4	0.3 - 24.5	5,200	59.5	42.9 - 76.0	8,700
<b>\$35,000 to \$49,999</b>	3,700	27.7	13.4 - 42.0	500	3.9	0.0 - 8.3	100	0.9	0.0 - 2.7	2,700	20.1	4.3 - 35.8	6,300	47.4	32.5 - 62.4	13,400
<b>\$50,000 to \$74,999</b>	2,200	17.8	7.8 - 27.8	700	6.2	0.0 - 13.8	400	3.2	0.4 - 6.0	3,100	25.2	12.0 - 38.4	5,800	47.6	34.4 - 60.8	12,100
<b>\$75,000 or more</b>	2,700	23.5	12.5 - 34.5	400	3.5	0.0 - 10.2	700	6.2	0.4 - 11.9	1,600	13.6	5.1 - 22.2	6,100	53.2	39.9 - 66.5	11,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	4,400	23.2	12.5 - 33.8	800	4.4	0.0 - 9.3	1,200	6.3	1.9 - 10.8	3,600	19.0	6.7 - 31.2	9,000	47.1	34.3 - 60.0	19,100
<b>131-185%</b>	2,300	27.6	9.9 - 45.4	100	0.7	0.0 - 2.2	300	3.9	0.0 - 8.1	700	8.4	0.0 - 17.6	4,900	59.3	41.6 - 77.1	8,200
<b>186+%</b>	7,700	21.2	15.5 - 26.9	1,800	5.1	1.3 - 8.8	1,200	3.4	1.2 - 5.5	6,300	17.4	11.3 - 23.5	19,200	53.0	45.7 - 60.3	36,200

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	12,200	24.5	17.9 - 31.2	1,400	2.8	0.3 - 5.3	2,700	5.5	2.8 - 8.1	8,500	17.0	10.7 - 23.3	25,000	50.2	42.9 - 57.5	49,900
<b>Widowed</b>	2,000	23.5	12.9 - 34.0	400	5.0	0.0 - 10.4	800	9.4	1.5 - 17.3	1,400	16.4	6.0 - 26.8	4,000	45.8	31.5 - 60.2	8,700
<b>Other</b>	4,600	27.5	17.4 - 37.6	1,600	9.3	1.9 - 16.7	500	2.7	0.7 - 4.8	1,900	11.4	5.0 - 17.8	8,200	49.0	38.1 - 60.0	16,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

<b>Married</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Daily or more</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	13,100	25.7	19.1 - 32.4	1,400	2.8	0.3 - 5.3	2,700	5.4	2.8 - 8.0	8,500	16.6	10.5 - 22.8	25,200	49.5	42.3 - 56.6	51,000
<b>No</b>	5,900	23.7	16.3 - 31.0	2,000	8.2	2.8 - 13.5	1,200	5.0	1.8 - 8.1	3,300	13.4	7.7 - 19.0	12,400	49.8	41.0 - 58.6	24,900

<b>Health Care Coverage</b>	<b>Never</b>			<b>&lt;Once/month</b>			<b>1 to 3 times/month</b>			<b>1 to 6 times/week</b>			<b>Daily or more</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	17,900	24.7	19.5 - 29.9	3,400	4.8	2.2 - 7.3	3,900	5.4	3.3 - 7.5	11,400	15.8	11.0 - 20.5	35,600	49.3	43.6 - 55.1	72,200

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	30,800	39.2	30.5 - 47.8	1,400	1.7	0.0 - 3.9	3,600	4.6	1.1 - 8.1	8,100	10.4	5.7 - 15.1	34,600	44.1	35.6 - 52.6	78,500

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,300	38.1	24.7 - 51.4	0	0.0	--	1,000	9.0	0.0 - 18.4	1,000	9.0	3.0 - 15.1	4,900	43.9	30.4 - 57.4	11,200
Honolulu	23,400	39.6	28.6 - 50.6	1,300	2.2	0.0 - 5.0	2,200	3.7	0.0 - 7.9	6,200	10.5	4.5 - 16.4	26,000	44.0	33.2 - 54.9	59,000

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,300	38.1	24.7 - 51.4	0	0.0	--	1,000	9.0	0.0 - 18.4	1,000	9.0	3.0 - 15.1	4,900	43.9	30.4 - 57.4	11,200
Oahu	23,400	39.6	28.6 - 50.6	1,300	2.2	0.0 - 5.0	2,200	3.7	0.0 - 7.9	6,200	10.5	4.5 - 16.4	26,000	44.0	33.2 - 54.9	59,000

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
55-64	7,900	40.6	22.4 - 58.8	100	0.4	0.0 - 1.0	900	4.6	0.0 - 13.3	3,300	16.8	3.5 - 30.1	7,400	37.6	20.2 - 55.1	19,600
65-74	3,000	21.0	8.5 - 33.4	0	0.0	--	1,300	9.2	0.0 - 21.1	2,200	15.6	4.7 - 26.4	7,700	54.2	38.5 - 69.9	14,200

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Caucasian</b>	7,500	38.0	23.4 - 52.7	<50	0.1	0.0 - 0.3	300	1.6	0.0 - 4.8	1,800	9.2	0.3 - 18.1	10,000	51.1	36.3 - 65.8	19,600
<b>Native Hawaiian</b>	5,000	29.4	12.2 - 46.7	0	0.0	--	1,000	5.7	0.0 - 11.5	1,300	7.5	0.0 - 16.0	9,700	57.4	38.7 - 76.1	16,900
<b>Japanese</b>	5,600	36.1	17.1 - 55.2	300	1.7	0.0 - 5.2	600	3.8	0.0 - 8.6	3,700	24.0	9.0 - 38.9	5,300	34.3	18.0 - 50.6	15,400

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	17,400	42.0	29.3 - 54.8	300	0.8	0.0 - 2.0	1,400	3.4	0.0 - 7.9	4,500	11.0	4.3 - 17.6	17,700	42.9	30.7 - 55.0	41,300
<b>Female</b>	13,400	36.0	24.8 - 47.2	1,000	2.8	0.0 - 7.0	2,200	6.0	0.6 - 11.4	3,600	9.7	3.2 - 16.3	16,900	45.5	33.7 - 57.3	37,200

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	11,100	38.3	24.3 - 52.2	0	0.0	--	2,100	7.4	0.3 - 14.4	3,200	11.0	3.6 - 18.5	12,600	43.3	29.6 - 57.1	29,000
College 1 to 3 years (Some College/ Tech)	6,400	34.2	19.2 - 49.2	800	4.2	0.0 - 12.1	600	3.3	0.0 - 7.1	2,500	13.2	1.5 - 24.9	8,400	45.0	29.1 - 60.9	18,700
College 4 years or more (College Grad)	8,200	43.5	24.0 - 63.0	300	1.6	0.0 - 4.3	0	0.0	--	2,300	12.2	2.1 - 22.4	8,000	42.7	24.4 - 61.0	18,900

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	13,800	36.8	23.0 - 50.5	800	2.2	0.0 - 6.3	1,500	4.1	0.0 - 9.2	5,000	13.2	4.8 - 21.6	16,400	43.7	30.2 - 57.2	37,500
Retired/Unable to work	14,200	39.0	27.6 - 50.4	500	1.4	0.0 - 3.4	1,800	4.8	0.0 - 9.9	3,100	8.5	3.4 - 13.6	16,800	46.3	34.9 - 57.6	36,300

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	7,400	37.3	18.8 - 55.8	1,100	5.5	0.0 - 13.4	1,200	6.1	0.0 - 15.1	2,200	10.8	1.6 - 19.9	8,100	40.4	21.4 - 59.3	19,900
<b>186+%</b>	14,000	38.6	27.0 - 50.1	300	0.7	0.0 - 2.1	900	2.5	0.2 - 4.9	3,400	9.4	2.8 - 16.1	17,700	48.7	37.3 - 60.1	36,300

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	19,300	39.9	28.8 - 51.0	100	0.2	0.0 - 0.4	2,100	4.3	0.0 - 9.4	5,600	11.6	5.0 - 18.2	21,300	44.0	33.1 - 54.9	48,400
<b>Other</b>	7,500	37.4	19.4 - 55.5	800	3.8	0.0 - 11.3	500	2.3	0.0 - 5.8	1,600	7.9	0.4 - 15.4	9,700	48.5	30.1 - 66.9	20,000



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	19,300	39.2	28.2 - 50.2	100	0.2	0.0 - 0.4	2,100	4.2	0.0 - 9.3	6,100	12.5	5.8 - 19.1	21,600	43.9	33.2 - 54.7	49,200
<b>No</b>	11,400	39.4	25.3 - 53.5	1,300	4.4	0.0 - 10.1	1,500	5.3	1.1 - 9.5	2,000	7.0	1.3 - 12.6	12,800	43.9	29.8 - 58.0	29,000

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	10,600	17.7	8.0 - 27.3	2,900	4.8	0.4 - 9.1	7,400	12.4	4.0 - 20.8	11,500	19.2	10.3 - 28.2	27,600	46.0	33.6 - 58.3	60,100

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu	6,500	14.5	2.5 - 26.6	2,500	5.6	0.0 - 11.3	6,800	15.1	4.0 - 26.2	9,200	20.4	8.9 - 32.0	19,900	44.4	28.5 - 60.3	44,900

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Oahu	6,500	14.5	2.5 - 26.6	2,500	5.6	0.0 - 11.3	6,800	15.1	4.0 - 26.2	9,200	20.4	8.9 - 32.0	19,900	44.4	28.5 - 60.3	44,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	4,100	11.6	3.1 - 20.1	1,600	4.7	0.0 - 10.7	5,600	16.0	4.2 - 27.7	8,400	23.9	10.9 - 36.8	15,400	43.9	28.4 - 59.4	35,000
<b>Female</b>	6,500	26.2	7.4 - 45.0	1,200	4.9	0.0 - 11.0	1,800	7.4	0.0 - 18.9	3,200	12.7	2.2 - 23.2	12,200	48.9	28.8 - 69.0	25,000

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Grades 12 or GED (High School Grad)</b>	3,400	13.0	0.0 - 27.6	100	0.4	0.0 - 0.9	4,100	15.5	0.0 - 31.3	4,500	17.2	3.5 - 30.9	14,200	53.9	32.9 - 75.0	26,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	6,100	21.0	6.0 - 36.0	1,400	4.7	0.0 - 10.3	3,700	13.0	0.5 - 25.4	6,000	20.9	7.5 - 34.3	11,600	40.4	22.8 - 58.0	28,800
<b>Retired/Unable to work</b>	2,600	10.0	3.0 - 17.0	1,400	5.5	0.0 - 13.5	3,700	14.3	0.7 - 27.8	5,400	20.8	6.8 - 34.9	12,800	49.3	30.8 - 67.9	25,900

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>186+%</b>	4,500	12.2	4.3 - 20.0	1,200	3.2	0.0 - 7.3	4,700	12.6	2.3 - 22.9	10,000	26.9	14.3 - 39.6	16,700	45.1	30.4 - 59.8	37,100

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	5,200	12.9	2.6 - 23.3	1,800	4.6	0.0 - 10.2	5,000	12.4	1.5 - 23.3	8,900	22.0	10.0 - 34.1	19,400	48.0	32.3 - 63.7	40,300

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	5,200	12.8	2.6 - 23.1	1,800	4.5	0.0 - 10.1	5,000	12.3	1.5 - 23.1	8,900	21.9	9.9 - 33.9	19,700	48.4	32.8 - 64.0	40,600
<b>No</b>	5,400	27.8	8.4 - 47.1	1,000	5.2	0.0 - 11.9	2,400	12.6	0.0 - 25.5	2,700	13.7	2.2 - 25.1	7,900	40.8	21.5 - 60.2	19,400

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	10,300	17.8	7.8 - 27.8	2,800	4.9	0.3 - 9.4	7,400	12.9	4.2 - 21.6	11,500	20.0	10.7 - 29.3	25,700	44.4	31.9 - 57.0	57,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	9,100	13.4	8.3 - 18.4	5,800	8.5	3.6 - 13.4	8,700	12.9	7.8 - 17.9	10,500	15.5	10.0 - 20.9	33,800	49.8	42.3 - 57.3	67,800

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	16.2	6.0 - 26.3	700	8.8	0.3 - 17.4	1,100	12.9	4.6 - 21.3	2,200	26.9	7.3 - 46.4	2,900	35.1	20.6 - 49.7	8,300
Honolulu	6,800	13.0	6.8 - 19.2	4,900	9.4	3.2 - 15.6	6,800	13.1	6.8 - 19.4	7,300	14.1	8.0 - 20.2	26,300	50.4	41.3 - 59.6	52,100

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	16.2	6.0 - 26.3	700	8.8	0.3 - 17.4	1,100	12.9	4.6 - 21.3	2,200	26.9	7.3 - 46.4	2,900	35.1	20.6 - 49.7	8,300
Oahu	6,800	13.0	6.8 - 19.2	4,900	9.4	3.2 - 15.6	6,800	13.1	6.8 - 19.4	7,300	14.1	8.0 - 20.2	26,300	50.4	41.3 - 59.6	52,100

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
45-54	1,100	6.5	0.5 - 12.5	2,000	12.2	0.0 - 27.0	3,300	20.0	7.3 - 32.8	1,300	8.0	0.4 - 15.6	8,800	53.2	36.2 - 70.2	16,600
55-64	1,900	11.9	2.4 - 21.4	1,600	10.1	1.3 - 18.9	700	4.3	0.3 - 8.3	4,000	25.3	11.4 - 39.1	7,600	48.5	34.0 - 63.0	15,700
65-74	800	4.6	0.0 - 9.7	1,200	7.2	0.0 - 15.7	2,600	15.7	3.4 - 28.0	3,800	23.3	9.6 - 36.9	8,100	49.2	33.9 - 64.4	16,400
75+	2,200	22.5	9.8 - 35.3	600	5.9	0.0 - 12.6	1,200	13.0	3.2 - 22.8	900	9.3	1.2 - 17.4	4,700	49.3	33.1 - 65.4	9,600

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Caucasian</b>	2,800	17.5	6.2 - 28.9	1,000	6.1	0.0 - 13.8	2,200	13.8	3.5 - 24.1	2,300	14.6	5.1 - 24.1	7,600	48.0	33.7 - 62.3	15,900
<b>Japanese</b>	2,100	11.6	3.9 - 19.3	3,300	17.9	4.1 - 31.6	1,900	10.5	3.1 - 17.8	2,300	12.6	3.7 - 21.5	8,700	47.4	33.1 - 61.8	18,200

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	5,300	16.5	7.8 - 25.3	2,500	7.9	0.0 - 16.1	5,000	15.8	7.6 - 23.9	5,400	16.8	7.4 - 26.2	13,700	43.0	31.3 - 54.7	31,900
<b>Female</b>	3,800	10.6	5.2 - 16.0	3,200	9.0	3.3 - 14.7	3,700	10.3	4.1 - 16.5	5,100	14.3	8.2 - 20.4	20,100	55.8	46.5 - 65.1	36,000



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	2,200	9.3	3.0 - 15.6	1,300	5.6	0.0 - 11.9	3,800	16.2	6.5 - 25.9	3,100	13.4	4.8 - 22.0	12,900	55.5	42.7 - 68.2	23,300
College 1 to 3 years (Some College/ Tech)	3,100	17.3	6.4 - 28.1	2,500	13.7	0.6 - 26.9	2,300	12.6	3.9 - 21.2	2,800	15.3	5.7 - 24.9	7,500	41.1	27.4 - 54.9	18,200
College 4 years or more (College Grad)	2,700	14.8	3.5 - 26.0	1,100	6.1	0.0 - 12.8	1,200	6.2	1.0 - 11.4	4,300	23.3	10.1 - 36.4	9,200	49.6	35.2 - 64.0	18,500

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	4,200	13.9	5.4 - 22.4	3,100	10.3	1.8 - 18.7	4,000	13.0	5.6 - 20.4	4,600	15.2	7.2 - 23.2	14,500	47.6	36.1 - 59.1	30,500
Retired/Unable to work	3,500	11.0	5.6 - 16.4	2,500	8.0	1.6 - 14.4	4,100	13.1	5.8 - 20.4	4,900	15.4	7.3 - 23.5	16,600	52.6	42.1 - 63.0	31,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	3,400	18.6	7.6 - 29.5	200	1.1	0.0 - 3.3	2,700	14.4	3.6 - 25.2	2,800	15.3	3.3 - 27.3	9,400	50.7	35.8 - 65.6	18,500
<b>186+%</b>	3,200	11.1	2.8 - 19.4	2,700	9.5	3.3 - 15.6	3,500	12.1	4.4 - 19.9	3,700	12.9	5.4 - 20.4	15,700	54.3	42.7 - 65.9	28,900

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	5,100	12.5	5.3 - 19.8	3,100	7.8	2.6 - 12.9	5,100	12.7	5.9 - 19.5	6,100	15.1	8.3 - 21.9	20,900	51.9	42.0 - 61.7	40,400
<b>Widowed</b>	2,200	18.2	7.6 - 28.7	1,000	8.5	0.0 - 18.1	2,000	17.1	3.6 - 30.6	1,800	14.8	4.8 - 24.8	4,900	41.4	25.2 - 57.6	11,800
<b>Other</b>	1,900	12.0	4.1 - 19.8	1,600	10.4	0.0 - 25.1	1,500	9.9	2.2 - 17.7	2,600	16.9	2.8 - 31.0	7,900	50.8	34.6 - 67.0	15,600

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	5,100	12.4	5.2 - 19.6	3,100	7.7	2.6 - 12.7	5,100	12.6	5.9 - 19.4	6,400	15.7	8.8 - 22.5	21,100	51.6	41.9 - 61.4	40,800
<b>No</b>	4,000	14.9	8.4 - 21.5	2,600	9.8	0.3 - 19.3	3,600	13.3	5.7 - 20.9	4,100	15.2	6.0 - 24.4	12,600	46.8	35.2 - 58.4	26,900

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	8,800	13.2	8.1 - 18.4	5,800	8.7	3.7 - 13.7	8,400	12.7	7.6 - 17.8	10,200	15.4	9.8 - 20.9	33,100	50.0	42.4 - 57.6	66,100

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	11,300	21.7	16.2 - 27.2	3,500	6.7	3.6 - 9.9	5,000	9.6	4.1 - 15.1	8,200	15.8	11.0 - 20.5	24,100	46.2	39.4 - 53.0	52,100

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	20.7	9.2 - 32.2	600	9.6	1.3 - 18.0	400	6.1	1.0 - 11.2	1,000	17.6	7.6 - 27.6	2,700	46.0	33.2 - 58.7	5,800
Honolulu	9,200	23.6	16.6 - 30.6	2,300	5.9	2.2 - 9.6	4,000	10.3	3.1 - 17.5	5,900	15.0	9.2 - 20.9	17,700	45.2	36.6 - 53.8	39,100
Maui	700	15.1	5.4 - 24.7	500	10.7	0.0 - 22.7	400	7.3	0.0 - 15.3	900	17.9	4.5 - 31.3	2,400	49.0	34.2 - 63.9	4,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	20.7	9.2 - 32.2	600	9.6	1.3 - 18.0	400	6.1	1.0 - 11.2	1,000	17.6	7.6 - 27.6	2,700	46.0	33.2 - 58.7	5,800
Oahu	9,200	23.6	16.6 - 30.6	2,300	5.9	2.2 - 9.6	4,000	10.3	3.1 - 17.5	5,900	15.0	9.2 - 20.9	17,700	45.2	36.6 - 53.8	39,100

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
45-54	1,900	22.5	8.8 - 36.2	700	8.3	1.4 - 15.2	400	4.8	0.0 - 9.9	1,100	13.2	2.9 - 23.6	4,300	51.2	35.2 - 67.2	8,500
55-64	1,700	13.4	3.3 - 23.4	800	6.2	0.0 - 12.8	1,100	9.0	2.6 - 15.5	2,000	16.2	6.1 - 26.3	6,900	55.2	41.4 - 68.9	12,500
65-74	2,600	20.7	9.5 - 31.9	1,200	9.4	1.1 - 17.7	1,400	11.0	0.7 - 21.3	2,300	18.3	7.4 - 29.1	5,000	40.6	27.2 - 54.1	12,400
75+	3,100	28.3	15.2 - 41.4	400	3.3	0.0 - 7.3	1,900	17.5	0.0 - 37.3	1,500	13.6	5.0 - 22.3	4,100	37.3	22.9 - 51.6	11,100

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,400	12.8	3.9 - 21.8	700	6.5	0.0 - 13.9	1,700	15.8	0.0 - 36.1	1,200	11.4	3.3 - 19.6	5,800	53.4	36.3 - 70.5	10,900
Native Hawaiian	1,900	23.0	9.4 - 36.6	100	1.8	0.0 - 4.4	700	8.8	2.2 - 15.4	800	9.7	0.8 - 18.6	4,600	56.7	41.3 - 72.0	8,200
Filipino	2,400	27.5	11.5 - 43.6	500	6.1	0.0 - 14.0	100	1.1	0.0 - 2.7	1,600	18.1	5.0 - 31.2	4,100	47.1	29.2 - 65.0	8,600
Japanese	3,800	22.5	12.7 - 32.2	2,000	12.1	4.9 - 19.2	2,000	11.8	3.3 - 20.2	2,900	17.6	8.6 - 26.5	6,000	36.1	24.7 - 47.5	16,700

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,700	21.5	12.8 - 30.2	1,900	8.9	2.9 - 14.9	1,500	6.9	2.6 - 11.2	3,600	16.7	9.0 - 24.4	10,000	46.0	36.0 - 56.0	21,600
Female	6,600	21.8	14.7 - 28.9	1,600	5.2	2.0 - 8.5	3,500	11.5	2.7 - 20.2	4,600	15.1	9.2 - 21.1	14,100	46.4	37.2 - 55.6	30,500

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	4,200	21.3	12.2 - 30.3	1,800	9.1	3.2 - 14.9	2,400	11.8	0.0 - 23.9	2,900	14.6	7.0 - 22.2	8,600	43.2	32.0 - 54.5	19,900
College 1 to 3 years (Some College/ Tech)	2,600	19.4	8.1 - 30.6	800	6.1	0.0 - 12.4	1,100	8.5	0.0 - 17.2	2,500	18.6	7.7 - 29.6	6,400	47.5	33.4 - 61.5	13,400
College 4 years or more (College Grad)	3,500	25.9	15.0 - 36.7	800	5.7	0.1 - 11.2	1,100	8.3	2.1 - 14.4	1,600	12.2	4.9 - 19.5	6,500	48.0	35.7 - 60.3	13,500

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	4,800	23.0	13.7 - 32.2	2,400	11.3	4.8 - 17.9	900	4.1	0.8 - 7.3	3,400	16.3	8.5 - 24.2	9,500	45.3	34.7 - 55.9	21,000
Retired/Unable to work	6,100	21.9	14.7 - 29.1	1,100	3.9	0.9 - 6.9	3,800	13.8	4.3 - 23.4	3,900	14.0	8.2 - 19.9	12,900	46.4	37.0 - 55.7	27,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Household Income	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>\$35,000 to \$49,999</b>	2,500	30.3	13.5 - 47.0	600	6.9	0.0 - 14.3	300	3.5	0.0 - 8.1	1,500	18.5	5.5 - 31.5	3,400	40.9	25.1 - 56.6	8,300

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	1,900	22.6	11.6 - 33.7	700	7.8	1.1 - 14.5	500	5.7	1.0 - 10.5	1,200	14.4	4.2 - 24.6	4,100	49.5	36.0 - 63.0	8,400
<b>186+%</b>	5,200	21.5	13.0 - 30.0	1,900	8.0	2.8 - 13.1	2,300	9.6	3.2 - 16.0	3,200	13.3	6.8 - 19.7	11,500	47.7	37.4 - 58.0	24,100



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	6,000	17.9	11.3 - 24.5	2,600	7.7	3.4 - 11.9	2,800	8.4	3.5 - 13.2	5,800	17.4	11.1 - 23.8	16,200	48.6	40.1 - 57.1	33,400
<b>Widowed</b>	2,400	25.1	10.5 - 39.7	600	5.8	0.0 - 12.7	1,600	16.6	0.0 - 39.3	1,200	12.5	2.8 - 22.2	3,800	40.0	22.5 - 57.5	9,600
<b>Other</b>	2,900	32.3	19.6 - 45.0	400	4.3	0.0 - 9.6	600	6.6	1.1 - 12.2	1,200	13.3	3.9 - 22.8	3,900	43.4	30.4 - 56.4	9,000

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	6,200	18.2	11.7 - 24.7	2,600	7.5	3.3 - 11.7	3,000	8.8	4.0 - 13.6	5,800	17.0	10.9 - 23.2	16,600	48.4	40.1 - 56.7	34,200
<b>No</b>	5,100	28.3	18.1 - 38.4	900	5.3	0.8 - 9.8	2,000	10.9	0.0 - 23.9	2,400	13.4	6.3 - 20.5	7,500	42.1	30.6 - 53.5	17,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	11,000	21.7	16.1 - 27.2	3,500	6.9	3.7 - 10.2	4,800	9.5	3.9 - 15.2	7,700	15.1	10.4 - 19.8	23,700	46.8	39.9 - 53.7	50,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	6,200	11.4	6.1 - 16.7	4,300	7.9	3.1 - 12.7	3,100	5.7	2.8 - 8.5	12,100	22.2	14.1 - 30.3	28,900	52.8	43.1 - 62.5	54,700

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	16.1	6.0 - 26.3	500	8.7	0.8 - 16.6	1,000	17.1	6.0 - 28.2	1,300	21.6	8.9 - 34.3	2,200	36.5	22.7 - 50.2	6,100
Honolulu	4,400	11.3	4.4 - 18.2	3,500	8.9	2.4 - 15.4	1,400	3.7	0.4 - 7.0	9,300	24.0	13.5 - 34.4	20,100	52.1	40.9 - 63.3	38,600
Maui	600	7.3	0.0 - 16.0	200	3.2	0.0 - 7.5	500	6.9	0.0 - 14.5	1,200	15.5	0.7 - 30.4	5,100	67.0	39.6 - 94.5	7,600

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	16.1	6.0 - 26.3	500	8.7	0.8 - 16.6	1,000	17.1	6.0 - 28.2	1,300	21.6	8.9 - 34.3	2,200	36.5	22.7 - 50.2	6,100
Oahu	4,400	11.3	4.4 - 18.2	3,500	8.9	2.4 - 15.4	1,400	3.7	0.4 - 7.0	9,300	24.0	13.5 - 34.4	20,100	52.1	40.9 - 63.3	38,600

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
45-54	600	6.8	0.9 - 12.8	2,000	23.0	3.3 - 42.8	400	5.0	0.0 - 11.1	1,700	19.2	3.4 - 34.9	4,000	46.0	25.3 - 66.7	8,600
65-74	2,800	18.0	7.4 - 28.6	300	1.9	0.0 - 4.2	400	2.8	0.0 - 6.8	4,900	31.1	13.8 - 48.3	7,300	46.3	30.6 - 61.9	15,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	900	9.1	0.0 - 20.7	800	7.3	0.0 - 16.9	600	5.6	0.2 - 10.9	1,500	13.9	2.9 - 24.9	6,700	64.2	47.8 - 80.6	10,500
Japanese	2,600	17.6	5.1 - 30.1	1,600	10.4	1.6 - 19.3	1,300	8.7	1.4 - 16.1	3,700	25.0	10.2 - 39.8	5,700	38.2	23.5 - 52.9	14,900

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	3,500	11.2	4.0 - 18.4	2,400	7.7	0.8 - 14.6	2,000	6.6	2.2 - 11.0	6,000	19.4	8.3 - 30.5	17,000	55.1	40.9 - 69.3	30,900
Female	2,800	11.7	4.0 - 19.4	1,900	8.2	1.8 - 14.6	1,100	4.5	1.0 - 7.9	6,100	25.8	14.4 - 37.2	11,800	49.8	38.0 - 61.6	23,700

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	3,800	19.4	9.1 - 29.7	2,000	10.2	0.4 - 20.1	1,600	8.3	1.9 - 14.7	2,200	11.4	4.2 - 18.7	9,900	50.6	37.4 - 63.8	19,500
College 1 to 3 years (Some College/ Tech)	1,000	5.5	0.0 - 11.1	900	4.8	0.0 - 11.1	300	1.5	0.0 - 4.0	6,100	32.1	13.1 - 51.1	10,600	56.0	35.4 - 76.7	18,900

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,900	8.1	1.7 - 14.5	2,500	10.5	1.7 - 19.4	1,500	6.4	1.8 - 10.9	4,900	20.5	8.2 - 32.8	13,000	54.5	38.0 - 71.0	23,900
Retired/Unable to work	4,300	15.3	6.9 - 23.8	1,200	4.3	0.5 - 8.1	1,600	5.7	1.6 - 9.7	7,000	25.0	13.6 - 36.5	13,900	49.7	37.8 - 61.5	28,000

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>186+%</b>	2,200	9.7	3.2 - 16.2	2,300	10.3	1.5 - 19.1	1,100	5.0	0.8 - 9.3	5,700	25.0	12.5 - 37.5	11,300	49.9	36.6 - 63.3	22,600

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	3,200	8.8	2.7 - 14.9	2,200	6.1	1.4 - 10.8	1,400	3.8	1.1 - 6.4	9,300	25.4	14.1 - 36.7	20,500	55.9	43.1 - 68.7	36,700
<b>Other</b>	2,300	19.0	5.8 - 32.2	1,200	10.2	0.0 - 23.1	1,200	9.7	2.2 - 17.2	1,600	13.2	4.9 - 21.6	5,700	47.9	32.2 - 63.6	11,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	3,200	8.6	2.6 - 14.6	2,200	6.0	1.4 - 10.6	1,400	3.7	1.1 - 6.3	9,400	25.1	14.0 - 36.2	21,300	56.7	44.1 - 69.2	37,500
<b>No</b>	3,000	17.6	7.6 - 27.5	2,100	12.2	1.1 - 23.2	1,700	10.0	3.2 - 16.8	2,700	15.9	7.7 - 24.1	7,600	44.4	31.7 - 57.1	17,200

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	6,100	11.3	6.0 - 16.7	4,300	8.0	3.2 - 12.9	3,100	5.8	2.9 - 8.7	11,500	21.4	13.3 - 29.6	28,800	53.5	43.7 - 63.2	53,900



**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

State	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	10,300	23.0	17.1 - 28.9	3,600	7.9	4.1 - 11.8	5,200	11.6	6.7 - 16.5	8,500	18.9	13.3 - 24.5	17,300	38.6	31.6 - 45.7	44,900

County	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	20.7	9.1 - 32.2	600	8.9	2.9 - 14.9	600	8.8	2.7 - 15.0	1,500	22.1	12.6 - 31.6	2,600	39.5	27.8 - 51.2	6,600
Honolulu	7,300	23.4	15.6 - 31.1	2,400	7.8	2.6 - 13.0	3,900	12.6	5.9 - 19.3	6,000	19.4	11.7 - 27.0	11,500	36.8	27.4 - 46.2	31,200
Maui	1,200	23.6	10.6 - 36.6	300	6.4	0.0 - 14.4	500	9.2	0.0 - 18.9	600	12.4	3.1 - 21.6	2,400	48.5	32.3 - 64.7	4,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Island	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	20.7	9.1 - 32.2	600	8.9	2.9 - 14.9	600	8.8	2.7 - 15.0	1,500	22.1	12.6 - 31.6	2,600	39.5	27.8 - 51.2	6,600
Oahu	7,300	23.4	15.6 - 31.1	2,400	7.8	2.6 - 13.0	3,900	12.6	5.9 - 19.3	6,000	19.4	11.7 - 27.0	11,500	36.8	27.4 - 46.2	31,200

BRFSS Age Group	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
45-54	1,700	20.9	6.7 - 35.0	1,100	13.7	2.0 - 25.4	700	8.2	0.0 - 17.5	2,200	27.0	10.7 - 43.3	2,400	30.3	17.1 - 43.4	8,100
55-64	2,200	18.1	6.4 - 29.8	1,200	10.1	1.3 - 18.9	1,700	13.7	3.2 - 24.1	2,600	20.9	9.4 - 32.4	4,600	37.2	23.3 - 51.2	12,300
65-74	3,500	25.9	15.1 - 36.8	900	6.5	0.3 - 12.8	2,100	15.6	5.1 - 26.2	2,100	15.6	7.2 - 23.9	4,900	36.3	24.9 - 47.8	13,400

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

DOH Race-Ethnicity	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	900	11.6	3.2 - 20.0	400	4.8	0.0 - 9.5	<50	0.6	0.0 - 1.8	1,400	18.9	8.0 - 29.7	4,900	64.2	51.0 - 77.4	7,700
Native Hawaiian	2,000	26.1	10.4 - 41.8	300	3.9	0.0 - 11.1	700	9.3	1.9 - 16.7	1,200	15.8	3.0 - 28.5	3,400	44.9	27.0 - 62.8	7,700
Filipino	1,800	23.5	8.8 - 38.3	300	3.6	0.0 - 8.6	2,300	28.8	10.7 - 46.8	800	9.8	1.7 - 17.9	2,700	34.4	14.1 - 54.7	7,900
Japanese	4,700	28.1	17.8 - 38.5	2,400	14.7	5.9 - 23.4	2,200	13.1	4.6 - 21.7	3,000	18.0	8.9 - 27.1	4,300	26.0	16.2 - 35.9	16,700

Gender	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,500	18.1	10.5 - 25.7	2,500	10.0	4.2 - 15.8	3,000	11.9	5.0 - 18.8	5,200	20.6	12.7 - 28.5	9,900	39.4	29.4 - 49.4	25,000
Female	5,800	29.2	20.1 - 38.2	1,100	5.3	0.6 - 9.9	2,200	11.2	4.3 - 18.2	3,300	16.7	8.8 - 24.6	7,500	37.6	27.9 - 47.3	19,900

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Education Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	4,600	25.3	15.4 - 35.1	2,100	11.4	3.8 - 18.9	2,100	11.2	2.9 - 19.6	1,900	10.5	3.8 - 17.3	7,600	41.6	29.6 - 53.6	18,400
College 1 to 3 years (Some College/ Tech)	1,600	17.9	6.5 - 29.3	900	9.6	0.0 - 19.2	900	9.8	0.9 - 18.7	2,500	27.7	14.6 - 40.7	3,200	35.1	21.1 - 49.1	9,100
College 4 years or more (College Grad)	2,200	17.2	7.4 - 26.9	300	2.6	0.0 - 5.3	1,500	11.9	2.4 - 21.5	3,200	25.6	13.2 - 38.0	5,400	42.6	29.4 - 55.9	12,600

Employment Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	4,300	20.0	11.5 - 28.5	1,600	7.5	2.2 - 12.9	3,400	16.0	7.1 - 25.0	5,000	23.4	14.2 - 32.5	7,100	33.1	23.2 - 43.0	21,400
Retired/Unable to work	5,700	27.8	18.9 - 36.8	1,800	8.8	2.7 - 14.9	1,700	8.3	3.5 - 13.0	2,700	13.3	6.7 - 19.8	8,600	41.8	31.6 - 52.0	20,600

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Poverty Level	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>131-185%</b>	1,900	23.4	10.7 - 36.1	900	11.1	1.6 - 20.7	1,600	19.8	5.6 - 34.1	1,300	16.5	5.2 - 27.8	2,400	29.2	15.1 - 43.2	8,100
<b>186+%</b>	3,700	17.7	10.4 - 25.0	1,700	8.2	2.5 - 13.9	2,100	10.4	3.5 - 17.2	4,000	19.5	11.0 - 28.0	9,200	44.3	34.3 - 54.3	20,700

Marital Status (Grouped)	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	5,800	20.2	12.8 - 27.6	2,300	8.0	2.6 - 13.4	3,300	11.5	5.2 - 17.7	5,700	19.9	12.5 - 27.3	11,600	40.5	31.3 - 49.6	28,700
<b>Widowed</b>	1,500	27.7	13.3 - 42.2	500	9.6	1.1 - 18.1	1,200	23.2	4.6 - 41.9	800	15.8	4.1 - 27.5	1,300	23.7	10.4 - 36.9	5,400
<b>Other</b>	3,000	28.1	15.5 - 40.6	700	6.9	1.3 - 12.4	700	6.2	0.3 - 12.1	1,900	17.7	6.5 - 28.9	4,400	41.2	26.8 - 55.5	10,800

**Diabetes - chkd blood for sugar by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2000**

Married	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	5,800	20.2	12.9 - 27.5	2,300	7.9	2.6 - 13.3	3,300	11.4	5.2 - 17.6	5,700	19.8	12.5 - 27.1	11,800	40.7	31.6 - 49.8	28,900
<b>No</b>	4,500	28.0	18.3 - 37.8	1,300	7.9	3.1 - 12.6	1,900	12.0	3.9 - 20.1	2,800	17.3	8.7 - 25.8	5,600	34.8	23.8 - 45.8	16,000

Health Care Coverage	Never			<Once/month			1 to 3 times/month			1 to 6 times/week			Daily or more			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	10,100	22.8	16.8 - 28.7	3,600	8.0	4.1 - 11.9	5,200	11.8	6.8 - 16.8	8,400	18.9	13.2 - 24.6	17,000	38.5	31.4 - 45.6	44,200