

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents; If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension

This report displays weighted numbers, percentages and confidence intervals for BRFSS Health Indicators. Respondents are aged 18 or older. The trend analysis page shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the estimated adult population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access BRFSS documentation](#)

[Click here to access Hawaii Data Guide](#)

[Click here to access Poverty Level methodology](#)

**For questions on this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(808)946-5899 x15

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Year	No			Yes			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	
2001-2003	2,008,191	87.9	87.1 - 88.8	275,756	12.1	11.2 - 12.9	2,283,947
2002-2004	2,016,461	88.3	87.2 - 89.3	267,996	11.7	10.7 - 12.8	2,284,457



Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Year Total	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
State	2,008,191	87.9	87.1 - 88.8	275,756	12.1	11.2 - 12.9	2,283,947

County	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	239,910	89.6	87.9 - 91.3	27,846	10.4	8.7 - 12.1	267,756
Honolulu	1,398,407	87.0	85.9 - 88.1	208,892	13.0	11.9 - 14.1	1,607,299
Kauai	93,608	91.0	88.8 - 93.1	9,291	9.0	6.9 - 11.2	102,899
Maui	220,727	90.3	88.6 - 92.0	23,767	9.7	8.0 - 11.4	244,494

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

BRFSS Age Group	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	239,575	69.3	66.0 - 72.7	105,905	30.7	27.3 - 34.0	345,480
25-34	425,744	84.4	82.5 - 86.3	78,633	15.6	13.7 - 17.5	504,377
35-44	504,514	90.2	88.7 - 91.7	54,960	9.8	8.3 - 11.3	559,474
45-54	484,745	94.6	93.5 - 95.8	27,590	5.4	4.2 - 6.5	512,335
55-64	353,613	97.6	96.7 - 98.5	8,668	2.4	1.5 - 3.3	362,281
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

DOH Race -Ethnicity	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Black	36,299	80.4	73.4 - 87.3	8,877	19.6	12.7 - 26.6	45,176
Chinese	159,832	88.0	84.8 - 91.2	21,749	12.0	8.8 - 15.2	181,581
Filipino	309,691	88.2	85.9 - 90.4	41,491	11.8	9.6 - 14.1	351,182
Japanese	361,813	93.6	92.1 - 95.2	24,535	6.4	4.8 - 7.9	386,348
Native Alaskan/ American Indian	10,972	88.9	79.6 - 98.2	1,371	11.1	1.8 - 20.4	12,343
Native Hawaiian	238,695	86.8	84.4 - 89.2	36,328	13.2	10.8 - 15.6	275,023
Other	60,781	77.9	71.4 - 84.3	17,269	22.1	15.7 - 28.6	78,050
Other Asian	47,157	86.0	79.7 - 92.3	7,651	14.0	7.7 - 20.3	54,808
Other Pacific Islander	41,790	80.2	72.7 - 87.7	10,312	19.8	12.3 - 27.3	52,102
White	729,607	87.4	86.1 - 88.8	104,749	12.6	11.2 - 13.9	834,356

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Gender	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	971,523	87.2	86.0 - 88.3	143,014	12.8	11.7 - 14.0	1,114,537
Male	1,036,669	88.6	87.4 - 89.9	132,741	11.4	10.1 - 12.6	1,169,410

County and Community	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii-Hilo	70,206	88.5	85.3 - 91.6	9,162	11.5	8.4 - 14.7	79,368
Hawaii-Kona	65,791	90.6	87.9 - 93.3	6,793	9.4	6.7 - 12.1	72,584
Hawaii-N.Hawaii	50,411	87.4	83.0 - 91.8	7,276	12.6	8.2 - 17.0	57,687
Hawaii-Puna/ Kau	53,502	92.1	89.3 - 94.8	4,615	7.9	5.2 - 10.7	58,117
Honolulu-Aiea/ Pearl City	121,328	86.9	82.9 - 90.9	18,244	13.1	9.1 - 17.1	139,572

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

County and Community	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Ala Moana	63,696	88.3	83.9 - 92.8	8,405	11.7	7.2 - 16.1	72,101
Honolulu-Kaaawa/ Kahaluu/ Kaneohe	89,060	86.5	82.2 - 90.8	13,876	13.5	9.2 - 17.8	102,936
Honolulu-Kailua/ Waimanalo	100,731	84.7	80.6 - 88.8	18,182	15.3	11.2 - 19.4	118,913
Honolulu-Kaimuki/ Palolo/ Waikiki	135,926	88.9	85.7 - 92.0	17,035	11.1	8.0 - 14.3	152,961
Honolulu-Manoa/ Upper Makiki	113,887	87.2	83.2 - 91.1	16,778	12.8	8.9 - 16.8	130,665
Honolulu-Mililani/ Wahiawa	142,040	85.4	81.5 - 89.2	24,329	14.6	10.8 - 18.5	166,369
Honolulu-Nanakuli/ Waianae	56,574	81.1	74.5 - 87.7	13,184	18.9	12.3 - 25.5	69,758
Honolulu-N.Shore/ Laie	52,217	91.5	86.8 - 96.1	4,868	8.5	3.9 - 13.2	57,085
Honolulu-Nuuanu/ Kalihi/ Moanalua	147,103	92.7	90.0 - 95.4	11,602	7.3	4.6 - 10.0	158,705
Honolulu-Salt Lake/ Foster Village	86,796	81.3	76.7 - 86.0	19,931	18.7	14.0 - 23.3	106,727
Honolulu-Waiialae/ Kahala/ Hawaii Kai	80,137	89.6	85.1 - 94.1	9,289	10.4	5.9 - 14.9	89,426
Honolulu-Waipahu/ Kapolei/ Ewa	208,911	86.3	83.2 - 89.4	33,170	13.7	10.6 - 16.8	242,081
Kauai-Hanalei/ Kapaa	40,095	90.4	87.1 - 93.7	4,253	9.6	6.3 - 12.9	44,348

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

County and Community	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai-Lihue-Waimea	53,513	91.4	88.6 - 94.2	5,038	8.6	5.8 - 11.4	58,551
Maui-Kahului	72,749	90.2	87.2 - 93.3	7,860	9.8	6.7 - 12.8	80,609
Maui-Lahaina/ Wailuku	64,195	89.7	85.9 - 93.4	7,393	10.3	6.6 - 14.1	71,588
Maui-Lanai	5,909	92.8	85.8 - 99.9	455	7.2	.1 - 14.2	6,364
Maui-Molokai	13,653	92.0	87.5 - 96.5	1,185	8.0	3.5 - 12.5	14,838
Maui-Upcountry/ Hana	64,221	90.3	87.6 - 93.0	6,874	9.7	7.0 - 12.4	71,095

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Employment Status(Grouped)	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,546,992	88.2	87.3 - 89.2	206,127	11.8	10.8 - 12.7	1,753,119
Unemployed	87,899	84.9	80.4 - 89.4	15,626	15.1	10.6 - 19.6	103,525
Student/Homemaker	222,308	83.0	80.1 - 85.9	45,461	17.0	14.1 - 19.9	267,769
Retired/Unable to work	149,208	94.6	92.6 - 96.6	8,542	5.4	3.4 - 7.4	157,750

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Education Level	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	58,020	88.1	84.0 - 92.1	7,866	11.9	7.9 - 16.0	65,886
Grades 12 or GED (High School Grad)	617,336	84.8	83.0 - 86.5	110,959	15.2	13.5 - 17.0	728,295
College 1 to 3 years (Some College/ Tech)	606,505	86.3	84.6 - 87.9	96,666	13.7	12.1 - 15.4	703,171
College 4 years or more (College Grad)	704,175	92.3	91.3 - 93.4	58,522	7.7	6.6 - 8.7	762,697
Never attended school/ Only Kindergarten to Grades 8	18,763	93.0	84.3 - 100.0	1,421	7.0	.0 - 15.7	20,184

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Household Income	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	70,900	75.2	69.7 - 80.7	23,396	24.8	19.3 - 30.3	94,296
\$10,000 to \$14,999	77,884	82.0	77.0 - 86.9	17,151	18.0	13.1 - 23.0	95,035
\$15,000 to \$19,999	87,633	82.0	77.4 - 86.7	19,175	18.0	13.3 - 22.6	106,808
\$20,000 to \$24,999	116,759	84.2	80.3 - 88.0	21,964	15.8	12.0 - 19.7	138,723
\$25,000 to \$34,999	179,300	86.1	83.3 - 88.8	28,971	13.9	11.2 - 16.7	208,271
\$35,000 to \$49,999	305,863	87.1	84.9 - 89.3	45,316	12.9	10.7 - 15.1	351,179
\$50,000 to \$74,999	309,609	89.5	87.4 - 91.6	36,503	10.5	8.4 - 12.6	346,112
\$75,000 or more	352,442	93.0	91.6 - 94.5	26,346	7.0	5.5 - 8.4	378,788

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Island	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	239,910	89.6	87.9 - 91.3	27,846	10.4	8.7 - 12.1	267,756
Kauai	93,608	91.0	88.8 - 93.1	9,291	9.0	6.9 - 11.2	102,899
Lanai	5,909	92.8	85.8 - 99.9	455	7.2	.1 - 14.2	6,364
Maui	201,165	90.1	88.2 - 91.9	22,127	9.9	8.1 - 11.8	223,292
Molokai	13,653	92.0	87.5 - 96.5	1,185	8.0	3.5 - 12.5	14,838
Oahu	1,398,407	87.0	85.9 - 88.1	208,892	13.0	11.9 - 14.1	1,607,299

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Marital Status(Grouped)	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	730,282	81.7	80.0 - 83.3	164,081	18.3	16.7 - 20.0	894,363
Married	1,196,935	92.2	91.3 - 93.1	101,146	7.8	6.9 - 8.7	1,298,081
Unmarried Couple	40,855	81.8	74.7 - 88.9	9,103	18.2	11.1 - 25.3	49,958
Widowed	40,120	96.6	94.5 - 98.7	1,425	3.4	1.3 - 5.5	41,545

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Poverty Level	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
1-50%	79,754	76.4	71.2 - 81.7	24,608	23.6	18.3 - 28.8	104,362
51-100%	144,761	82.6	78.6 - 86.5	30,574	17.4	13.5 - 21.4	175,335
101-120%	43,367	86.3	80.4 - 92.2	6,868	13.7	7.8 - 19.6	50,235
121-130%	53,628	84.2	79.4 - 88.9	10,097	15.8	11.1 - 20.6	63,725
131-150%	70,163	89.8	85.9 - 93.7	7,962	10.2	6.3 - 14.1	78,125
151-170%	46,010	79.7	72.4 - 87.0	11,713	20.3	13.0 - 27.6	57,723
171-180%	75,507	82.9	77.9 - 87.8	15,611	17.1	12.2 - 22.1	91,118
181-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	986,389	89.9	88.8 - 90.9	111,389	10.1	9.1 - 11.2	1,097,778

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Year Total	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
State	2,016,461	88.3	87.2 - 89.3	267,996	11.7	10.7 - 12.8	2,284,457

County	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	260,434	90.6	88.8 - 92.3	27,106	9.4	7.7 - 11.2	287,540
Honolulu	1,386,262	87.1	85.7 - 88.5	205,815	12.9	11.5 - 14.3	1,592,077
Kauai	95,045	92.8	90.9 - 94.8	7,321	7.2	5.2 - 9.1	102,366
Maui	223,738	90.2	87.9 - 92.6	24,211	9.8	7.4 - 12.1	247,949

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

BRFSS Age Group	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	230,732	67.4	63.1 - 71.7	111,438	32.6	28.3 - 36.9	342,170
25-34	424,095	83.9	81.4 - 86.4	81,329	16.1	13.6 - 18.6	505,424
35-44	507,189	92.0	90.3 - 93.7	43,839	8.0	6.3 - 9.7	551,028
45-54	498,906	95.9	94.8 - 97.0	21,295	4.1	3.0 - 5.2	520,201
55-64	355,539	97.2	96.1 - 98.3	10,095	2.8	1.7 - 3.9	365,634
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

DOH Race -Ethnicity	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Black	30,290	81.3	72.6 - 90.0	6,979	18.7	10.0 - 27.4	37,269
Chinese	157,401	89.2	85.9 - 92.6	18,962	10.8	7.4 - 14.1	176,363
Filipino	314,873	86.9	84.0 - 89.8	47,491	13.1	10.2 - 16.0	362,364
Japanese	363,219	94.6	92.7 - 96.5	20,756	5.4	3.5 - 7.3	383,975
Native Alaskan/ American Indian	13,097	98.1	94.3 - 100.0	255	1.9	.0 - 5.7	13,352
Native Hawaiian	246,783	87.3	84.1 - 90.5	35,933	12.7	9.5 - 15.9	282,716
Other	51,338	78.2	71.5 - 84.8	14,331	21.8	15.2 - 28.5	65,669
Other Asian	44,044	83.2	74.1 - 92.3	8,884	16.8	7.7 - 25.9	52,928
Other Pacific Islander	51,584	84.5	75.0 - 94.1	9,436	15.5	5.9 - 25.0	61,020
White	719,949	87.9	86.3 - 89.5	99,294	12.1	10.5 - 13.7	819,243

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Gender	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	980,596	87.2	85.8 - 88.7	143,425	12.8	11.3 - 14.2	1,124,021
Male	1,035,864	89.3	87.8 - 90.7	124,571	10.7	9.3 - 12.2	1,160,435

County and Community	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii-Hilo	74,956	88.1	84.6 - 91.7	10,086	11.9	8.3 - 15.4	85,042
Hawaii-Kona	62,167	89.7	86.0 - 93.5	7,124	10.3	6.5 - 14.0	69,291
Hawaii-N.Hawaii	51,619	92.5	89.0 - 96.0	4,180	7.5	4.0 - 11.0	55,799
Hawaii-Puna/ Kau	71,693	92.6	89.4 - 95.8	5,717	7.4	4.2 - 10.6	77,410
Honolulu-Aiea/ Pearl City	121,859	88.2	83.8 - 92.6	16,334	11.8	7.4 - 16.2	138,193

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

County and Community	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Ala Moana	64,934	83.1	76.6 - 89.6	13,216	16.9	10.4 - 23.4	78,150
Honolulu-Kaaawa/ Kahaluu/ Kaneohe	85,436	87.9	83.2 - 92.7	11,713	12.1	7.3 - 16.8	97,149
Honolulu-Kailua/ Waimanalo	97,437	82.9	77.1 - 88.8	20,044	17.1	11.2 - 22.9	117,481
Honolulu-Kaimuki/ Palolo/ Waikiki	117,560	88.7	84.4 - 93.0	14,986	11.3	7.0 - 15.6	132,546
Honolulu-Manoa/ Upper Makiki	115,073	89.7	85.7 - 93.7	13,237	10.3	6.3 - 14.3	128,310
Honolulu-Mililani/ Wahiawa	144,639	85.5	81.1 - 89.9	24,523	14.5	10.1 - 18.9	169,162
Honolulu-Nanakuli/ Waianae	60,576	82.6	74.1 - 91.2	12,729	17.4	8.8 - 25.9	73,305
Honolulu-N.Shore/ Laie	47,582	92.9	88.2 - 97.5	3,658	7.1	2.5 - 11.8	51,240
Honolulu-Nuuanu/ Kalihi/ Moanalua	142,331	90.6	86.8 - 94.4	14,763	9.4	5.6 - 13.2	157,094
Honolulu-Salt Lake/ Foster Village	85,093	82.3	76.9 - 87.8	18,257	17.7	12.2 - 23.1	103,350
Honolulu-Waiialae/ Kahala/ Hawaii Kai	83,575	90.7	85.6 - 95.8	8,557	9.3	4.2 - 14.4	92,132
Honolulu-Waipahu/ Kapolei/ Ewa	220,169	86.7	82.7 - 90.7	33,798	13.3	9.3 - 17.3	253,967
Kauai-Hanalei/ Kapaa	40,740	93.2	90.5 - 95.8	2,982	6.8	4.2 - 9.5	43,722

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

County and Community	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai-Lihue-Waimea	54,306	92.6	89.8 - 95.4	4,339	7.4	4.6 - 10.2	58,645
Maui-Kahului	72,254	90.4	86.5 - 94.3	7,671	9.6	5.7 - 13.5	79,925
Maui-Lahaina/ Wailuku	65,356	91.4	87.7 - 95.2	6,139	8.6	4.8 - 12.3	71,495
Maui-Lanai	4,965	89.7	81.2 - 98.1	571	10.3	1.9 - 18.8	5,536
Maui-Molokai	14,564	89.4	83.5 - 95.3	1,721	10.6	4.7 - 16.5	16,285
Maui-Upcountry/ Hana	66,599	89.1	83.9 - 94.4	8,109	10.9	5.6 - 16.1	74,708

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Employment Status(Grouped)	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	1,544,397	88.9	87.8 - 90.0	192,705	11.1	10.0 - 12.2	1,737,102
Unemployed	85,085	86.0	80.6 - 91.4	13,870	14.0	8.6 - 19.4	98,955
Student/Homemaker	228,785	83.0	79.5 - 86.4	46,979	17.0	13.6 - 20.5	275,764
Retired/Unable to work	156,816	92.0	88.0 - 96.1	13,560	8.0	3.9 - 12.0	170,376

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Education Level	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	54,736	83.2	75.7 - 90.7	11,027	16.8	9.3 - 24.3	65,763
Grades 12 or GED (High School Grad)	614,288	86.6	84.6 - 88.6	95,046	13.4	11.4 - 15.4	709,334
College 1 to 3 years (Some College/ Tech)	617,530	86.7	84.8 - 88.7	94,340	13.3	11.3 - 15.2	711,870
College 4 years or more (College Grad)	711,623	91.5	90.0 - 92.9	66,379	8.5	7.1 - 10.0	778,002
Never attended school/ Only Kindergarten to Grades 8	16,329	93.1	83.4 - 100.0	1,203	6.9	.0 - 16.6	17,532

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Household Income	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	59,221	75.9	69.6 - 82.2	18,806	24.1	17.8 - 30.4	78,027
\$10,000 to \$14,999	73,017	87.4	82.8 - 91.9	10,551	12.6	8.1 - 17.2	83,568
\$15,000 to \$19,999	87,965	76.8	69.9 - 83.8	26,509	23.2	16.2 - 30.1	114,474
\$20,000 to \$24,999	117,388	84.8	80.6 - 88.9	21,116	15.2	11.1 - 19.4	138,504
\$25,000 to \$34,999	199,945	87.0	83.5 - 90.5	29,829	13.0	9.5 - 16.5	229,774
\$35,000 to \$49,999	307,111	87.7	85.1 - 90.2	43,205	12.3	9.8 - 14.9	350,316
\$50,000 to \$74,999	405,964	87.6	84.8 - 90.3	57,668	12.4	9.7 - 15.2	463,632
\$75,000 or more	421,768	94.1	92.5 - 95.8	26,261	5.9	4.2 - 7.5	448,029

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Island	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	260,434	90.6	88.8 - 92.3	27,106	9.4	7.7 - 11.2	287,540
Kauai	95,045	92.8	90.9 - 94.8	7,321	7.2	5.2 - 9.1	102,366
Lanai	4,965	89.7	81.3 - 98.1	571	10.3	1.9 - 18.7	5,536
Maui	204,209	90.3	87.8 - 92.8	21,919	9.7	7.2 - 12.2	226,128
Molokai	14,564	89.4	83.5 - 95.3	1,721	10.6	4.7 - 16.5	16,285
Oahu	1,386,262	87.1	85.7 - 88.5	205,815	12.9	11.5 - 14.3	1,592,077

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Marital Status(Grouped)	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	709,373	82.8	80.8 - 84.8	147,321	17.2	15.2 - 19.2	856,694
Married	1,219,882	92.2	91.0 - 93.3	103,577	7.8	6.7 - 9.0	1,323,459
Unmarried Couple	49,978	77.4	68.9 - 85.8	14,621	22.6	14.2 - 31.1	64,599
Widowed	37,228	93.8	89.0 - 98.5	2,477	6.2	1.5 - 11.0	39,705

Talked to Doctor, Nurse, or Other Health Professional about Preventing Sexually Transmitted Diseases through Condom Use (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Poverty Level	No			Yes			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
1-50%	76,068	75.4	68.3 - 82.5	24,841	24.6	17.5 - 31.7	100,909
51-100%	147,060	83.2	78.7 - 87.7	29,768	16.8	12.3 - 21.3	176,828
101-120%	61,131	89.2	83.7 - 94.6	7,421	10.8	5.4 - 16.3	68,552
121-130%	52,590	83.7	77.7 - 89.8	10,234	16.3	10.2 - 22.3	62,824
131-150%	69,818	88.6	82.9 - 94.2	9,025	11.4	5.8 - 17.1	78,843
151-170%	84,581	84.0	77.5 - 90.6	16,072	16.0	9.4 - 22.5	100,653
171-180%	49,664	86.7	80.8 - 92.7	7,600	13.3	7.3 - 19.2	57,264
186+%	1,131,468	89.8	88.4 - 91.1	128,984	10.2	8.9 - 11.6	1,260,452