

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents; If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension

This report displays weighted numbers, percentages and confidence intervals for BRFSS Health Indicators. Respondents are aged 18 or older. The trend analysis page shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the estimated adult population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access BRFSS documentation](#)

[Click here to access Hawaii Data Guide](#)

[Click here to access Poverty Level methodology](#)

**For questions on this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(808)946-5899 x15

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Year	False			True			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001-2003	438,586	27.4	26.1 - 28.8	1,159,256	72.6	71.2 - 73.9	1,597,842
2002-2004	453,039	28.3	26.6 - 29.9	1,149,897	71.7	70.1 - 73.4	1,602,936



Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Year Total	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
State	438,586	27.4	26.1 - 28.8	1,159,256	72.6	71.2 - 73.9	1,597,842

County	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	52,613	28.6	26.0 - 31.2	131,289	71.4	68.8 - 74.0	183,902
Honolulu	300,363	26.5	24.8 - 28.2	833,715	73.5	71.8 - 75.2	1,134,078
Kauai	18,399	26.3	22.7 - 29.9	51,456	73.7	70.1 - 77.3	69,855
Maui	56,621	33.4	29.7 - 37.2	112,810	66.6	62.8 - 70.3	169,431

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

BRFSS Age Group	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	78,128	31.1	26.9 - 35.4	172,907	68.9	64.6 - 73.1	251,035
25-34	102,447	27.5	24.8 - 30.1	270,637	72.5	69.9 - 75.2	373,084
35-44	124,791	30.8	28.2 - 33.5	280,040	69.2	66.5 - 71.8	404,831
45-54	85,252	25.1	22.7 - 27.5	254,256	74.9	72.5 - 77.3	339,508
55-64	47,968	20.9	17.8 - 24.0	181,417	79.1	76.0 - 82.2	229,385
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

DOH Race -Ethnicity	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Black	8,300	24.4	16.4 - 32.4	25,685	75.6	67.6 - 83.6	33,985
Chinese	31,925	26.1	21.2 - 31.1	90,269	73.9	68.9 - 78.8	122,194
Filipino	69,655	31.4	27.2 - 35.5	152,359	68.6	64.5 - 72.8	222,014
Japanese	88,083	32.8	29.2 - 36.4	180,801	67.2	63.6 - 70.8	268,884
Native Alaskan/ American Indian	3,597	39.0	20.5 - 57.4	5,638	61.0	42.6 - 79.5	9,235
Native Hawaiian	59,235	33.4	29.5 - 37.3	118,269	66.6	62.7 - 70.5	177,504
Other	17,120	27.5	20.4 - 34.7	45,026	72.5	65.3 - 79.6	62,146
Other Asian	13,562	37.6	27.3 - 47.8	22,551	62.4	52.2 - 72.7	36,113
Other Pacific Islander	10,878	31.7	20.9 - 42.6	23,386	68.3	57.4 - 79.1	34,264
White	132,600	21.4	19.6 - 23.2	487,291	78.6	76.8 - 80.4	619,891

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Gender	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	183,594	23.3	21.7 - 25.0	602,821	76.7	75.0 - 78.3	786,415
Male	254,992	31.4	29.3 - 33.5	556,435	68.6	66.5 - 70.7	811,427

County and Community	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii-Hilo	18,367	32.0	26.9 - 37.1	39,013	68.0	62.9 - 73.1	57,380
Hawaii-Kona	13,112	26.9	22.2 - 31.7	35,545	73.1	68.3 - 77.8	48,657
Hawaii-N.Hawaii	11,424	28.7	23.2 - 34.3	28,359	71.3	65.7 - 76.8	39,783
Hawaii-Puna/ Kau	9,711	25.5	20.3 - 30.7	28,373	74.5	69.3 - 79.7	38,084
Honolulu-Aiea/ Pearl City	28,479	30.4	24.3 - 36.5	65,249	69.6	63.5 - 75.7	93,728

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

County and Community	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Ala Moana	15,883	29.2	22.0 - 36.3	38,536	70.8	63.7 - 78.0	54,419
Honolulu-Kaaawa/ Kahaluu/ Kaneohe	23,481	32.5	25.1 - 39.8	48,843	67.5	60.2 - 74.9	72,324
Honolulu-Kailua/ Waimanalo	21,162	24.3	18.8 - 29.9	65,779	75.7	70.1 - 81.2	86,941
Honolulu-Kaimuki/ Palolo/ Waikiki	28,211	26.0	20.7 - 31.2	80,398	74.0	68.8 - 79.3	108,609
Honolulu-Manoa/ Upper Makiki	21,372	22.4	16.7 - 28.2	73,865	77.6	71.8 - 83.3	95,237
Honolulu-Mililani/ Wahiawa	30,465	24.9	19.9 - 29.8	92,110	75.1	70.2 - 80.1	122,575
Honolulu-Nanakuli/ Waianae	11,180	25.6	17.5 - 33.7	32,506	74.4	66.3 - 82.5	43,686
Honolulu-N.Shore/ Laie	8,306	20.7	12.5 - 28.9	31,859	79.3	71.1 - 87.5	40,165
Honolulu-Nuuanu/ Kalihi/ Moanalua	29,780	29.2	23.3 - 35.1	72,195	70.8	64.9 - 76.7	101,975
Honolulu-Salt Lake/ Foster Village	16,245	21.7	16.0 - 27.4	58,567	78.3	72.6 - 84.0	74,812
Honolulu-Waiialae/ Kahala/ Hawaii Kai	17,079	22.7	16.1 - 29.4	58,073	77.3	70.6 - 83.9	75,152
Honolulu-Waipahu/ Kapolei/ Ewa	48,719	29.6	25.0 - 34.3	115,735	70.4	65.7 - 75.0	164,454
Kauai-Hanalei/ Kapaa	7,822	26.4	21.1 - 31.7	21,804	73.6	68.3 - 78.9	29,626

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

County and Community	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai-Lihue-Waimea	10,577	26.3	21.4 - 31.2	29,652	73.7	68.8 - 78.6	40,229
Maui-Kahului	20,118	36.1	27.7 - 44.5	35,595	63.9	55.5 - 72.3	55,713
Maui-Lahaina/ Wailuku	15,635	32.2	25.9 - 38.6	32,876	67.8	61.4 - 74.1	48,511
Maui-Lanai	1,219	29.4	15.8 - 43.0	2,926	70.6	57.0 - 84.2	4,145
Maui-Molokai	3,807	37.6	27.9 - 47.3	6,316	62.4	52.7 - 72.1	10,123
Maui-Upcountry/ Hana	15,841	31.1	26.2 - 36.0	35,097	68.9	64.0 - 73.8	50,938

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Employment Status(Grouped)	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	350,712	28.2	26.7 - 29.8	890,992	71.8	70.2 - 73.3	1,241,704
Unemployed	24,506	36.2	28.9 - 43.5	43,162	63.8	56.5 - 71.1	67,668
Student/Homemaker	41,571	21.5	17.6 - 25.4	151,742	78.5	74.6 - 82.4	193,313
Retired/Unable to work	21,475	22.9	18.3 - 27.5	72,308	77.1	72.5 - 81.7	93,783

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Education Level	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	12,051	27.8	20.3 - 35.4	31,229	72.2	64.6 - 79.7	43,280
Grades 12 or GED (High School Grad)	158,693	32.7	30.1 - 35.3	326,526	67.3	64.7 - 69.9	485,219
College 1 to 3 years (Some College/ Tech)	135,428	26.7	24.3 - 29.1	372,529	73.3	70.9 - 75.7	507,957
College 4 years or more (College Grad)	129,604	23.5	21.5 - 25.6	420,766	76.5	74.4 - 78.5	550,370
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	9,413

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Household Income	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	18,867	29.6	23.2 - 36.0	44,810	70.4	64.0 - 76.8	63,677
\$10,000 to \$14,999	15,930	25.2	19.3 - 31.2	47,185	74.8	68.8 - 80.7	63,115
\$15,000 to \$19,999	16,458	22.8	17.3 - 28.4	55,590	77.2	71.6 - 82.7	72,048
\$20,000 to \$24,999	31,137	32.8	25.4 - 40.3	63,746	67.2	59.7 - 74.6	94,883
\$25,000 to \$34,999	38,019	25.7	21.6 - 29.8	109,669	74.3	70.2 - 78.4	147,688
\$35,000 to \$49,999	75,169	30.2	26.8 - 33.6	174,008	69.8	66.4 - 73.2	249,177
\$50,000 to \$74,999	70,325	28.1	24.8 - 31.3	180,384	71.9	68.7 - 75.2	250,709
\$75,000 or more	70,655	26.5	23.3 - 29.6	196,357	73.5	70.4 - 76.7	267,012

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Island	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	52,613	28.6	26.0 - 31.2	131,289	71.4	68.8 - 74.0	183,902
Kauai	18,399	26.3	22.7 - 29.9	51,456	73.7	70.1 - 77.3	69,855
Lanai	1,219	29.4	15.8 - 43.0	2,926	70.6	57.0 - 84.2	4,145
Maui	51,594	33.3	29.2 - 37.3	103,568	66.7	62.7 - 70.8	155,162
Molokai	3,807	37.6	27.9 - 47.3	6,316	62.4	52.7 - 72.1	10,123
Oahu	300,363	26.5	24.8 - 28.2	833,715	73.5	71.8 - 75.2	1,134,078

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Marital Status(Grouped)	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	180,066	28.8	26.6 - 30.9	446,071	71.2	69.1 - 73.4	626,137
Married	243,465	26.9	25.1 - 28.7	662,025	73.1	71.3 - 74.9	905,490
Unmarried Couple	7,080	18.2	11.6 - 24.8	31,871	81.8	75.2 - 88.4	38,951
Widowed	7,975	29.3	20.4 - 38.1	19,289	70.7	61.9 - 79.6	27,264

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2001-2003

Poverty Level	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
1-50%	20,161	29.2	22.8 - 35.6	48,799	70.8	64.4 - 77.2	68,960
51-100%	33,593	27.3	21.0 - 33.5	89,510	72.7	66.5 - 79.0	123,103
101-120%	8,660	30.5	20.5 - 40.5	19,733	69.5	59.5 - 79.5	28,393
121-130%	10,455	23.4	16.8 - 30.0	34,184	76.6	70.0 - 83.2	44,639
131-150%	19,315	33.5	24.4 - 42.6	38,403	66.5	57.4 - 75.6	57,718
151-170%	9,500	24.2	15.1 - 33.3	29,756	75.8	66.7 - 84.9	39,256
171-180%	19,261	30.1	23.3 - 37.0	44,684	69.9	63.0 - 76.7	63,945
181-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	215,615	27.6	25.8 - 29.3	566,679	72.4	70.7 - 74.2	782,294

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Year Total	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
State	453,039	28.3	26.6 - 29.9	1,149,897	71.7	70.1 - 73.4	1,602,936

County	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	60,306	29.8	26.5 - 33.1	142,266	70.2	66.9 - 73.5	202,572
Honolulu	309,200	27.6	25.4 - 29.8	812,765	72.4	70.2 - 74.6	1,121,965
Kauai	18,984	26.9	22.7 - 31.2	51,543	73.1	68.8 - 77.3	70,527
Maui	54,145	32.3	28.1 - 36.6	113,260	67.7	63.4 - 71.9	167,405

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

BRFSS Age Group	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	79,769	31.2	26.1 - 36.3	176,013	68.8	63.7 - 73.9	255,782
25-34	98,675	26.6	23.0 - 30.1	272,790	73.4	69.9 - 77.0	371,465
35-44	129,923	32.8	29.4 - 36.1	266,550	67.2	63.9 - 70.6	396,473
45-54	94,649	27.2	23.9 - 30.4	253,624	72.8	69.6 - 76.1	348,273
55-64	50,023	21.7	18.1 - 25.2	180,919	78.3	74.8 - 81.9	230,942
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

DOH Race -Ethnicity	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Black	6,499	22.5	13.8 - 31.3	22,370	77.5	68.7 - 86.2	28,869
Chinese	29,601	26.4	20.9 - 31.9	82,570	73.6	68.1 - 79.1	112,171
Filipino	83,417	35.3	30.0 - 40.6	152,921	64.7	59.4 - 70.0	236,338
Japanese	86,502	32.1	28.1 - 36.1	182,744	67.9	63.9 - 71.9	269,246
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	10,668
Native Hawaiian	71,376	38.6	32.9 - 44.2	113,692	61.4	55.8 - 67.1	185,068
Other	9,831	21.3	14.7 - 27.9	36,316	78.7	72.1 - 85.3	46,147
Other Asian	11,372	28.8	15.8 - 41.8	28,080	71.2	58.2 - 84.2	39,452
Other Pacific Islander	15,734	39.0	21.9 - 56.0	24,640	61.0	44.0 - 78.1	40,374
White	125,041	20.5	18.4 - 22.6	483,735	79.5	77.4 - 81.6	608,776

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Gender	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	185,632	23.5	21.5 - 25.6	602,906	76.5	74.4 - 78.5	788,538
Male	267,408	32.8	30.2 - 35.4	546,991	67.2	64.6 - 69.8	814,399

County and Community	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii-Hilo	21,543	33.9	28.1 - 39.7	41,978	66.1	60.3 - 71.9	63,521
Hawaii-Kona	11,480	24.3	18.9 - 29.7	35,760	75.7	70.3 - 81.1	47,240
Hawaii-N.Hawaii	10,846	27.9	21.2 - 34.5	28,062	72.1	65.5 - 78.8	38,908
Hawaii-Puna/ Kau	16,437	31.1	23.1 - 39.0	36,467	68.9	61.0 - 76.9	52,904
Honolulu-Aiea/ Pearl City	33,718	33.9	26.4 - 41.4	65,757	66.1	58.6 - 73.6	99,475

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

County and Community	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Ala Moana	16,279	29.1	20.2 - 38.0	39,653	70.9	62.0 - 79.8	55,932
Honolulu-Kaaawa/ Kahaluu/ Kaneohe	18,160	29.3	20.2 - 38.3	43,918	70.7	61.7 - 79.8	62,078
Honolulu-Kailua/ Waimanalo	18,128	21.3	15.1 - 27.5	66,852	78.7	72.5 - 84.9	84,980
Honolulu-Kaimuki/ Palolo/ Waikiki	22,049	23.1	16.4 - 29.8	73,405	76.9	70.2 - 83.6	95,454
Honolulu-Manoa/ Upper Makiki	28,853	30.1	22.2 - 38.0	66,926	69.9	62.0 - 77.8	95,779
Honolulu-Mililani/ Wahiawa	26,743	21.3	15.2 - 27.5	98,665	78.7	72.5 - 84.8	125,408
Honolulu-Nanakuli/ Waianae	15,633	34.2	21.4 - 47.1	30,019	65.8	52.9 - 78.6	45,652
Honolulu-N.Shore/ Laie	7,432	19.7	10.5 - 29.0	30,215	80.3	71.0 - 89.5	37,647
Honolulu-Nuuanu/ Kalihi/ Moanalua	34,269	33.6	25.5 - 41.6	67,828	66.4	58.4 - 74.5	102,097
Honolulu-Salt Lake/ Foster Village	14,907	20.6	13.7 - 27.5	57,504	79.4	72.5 - 86.3	72,411
Honolulu-Waiialae/ Kahala/ Hawaii Kai	16,447	23.1	15.6 - 30.7	54,685	76.9	69.3 - 84.4	71,132
Honolulu-Waipahu/ Kapolei/ Ewa	56,584	32.5	26.1 - 38.9	117,339	67.5	61.1 - 73.9	173,923
Kauai-Hanalei/ Kapaa	7,974	27.2	20.7 - 33.7	21,323	72.8	66.3 - 79.3	29,297

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

County and Community	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kauai-Lihue-Waimea	11,010	26.7	21.1 - 32.4	30,221	73.3	67.6 - 78.9	41,231
Maui-Kahului	18,353	32.6	25.1 - 40.1	37,964	67.4	59.9 - 74.9	56,317
Maui-Lahaina/ Wailuku	17,870	38.4	28.6 - 48.1	28,677	61.6	51.9 - 71.4	46,547
Maui-Lanai	1,111	31.7	16.1 - 47.4	2,387	68.3	52.6 - 83.9	3,498
Maui-Molokai	4,276	39.6	29.0 - 50.2	6,523	60.4	49.8 - 71.0	10,799
Maui-Upcountry/ Hana	12,536	24.9	19.4 - 30.5	37,709	75.1	69.5 - 80.6	50,245

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Employment Status(Grouped)	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	353,865	28.9	26.9 - 30.8	872,528	71.1	69.2 - 73.1	1,226,393
Unemployed	24,062	36.2	26.8 - 45.6	42,388	63.8	54.4 - 73.2	66,450
Student/Homemaker	45,519	22.3	17.8 - 26.7	158,931	77.7	73.3 - 82.2	204,450
Retired/Unable to work	28,392	27.4	20.5 - 34.2	75,405	72.6	65.8 - 79.5	103,797

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Education Level	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	10,767	25.2	16.8 - 33.6	31,936	74.8	66.4 - 83.2	42,703
Grades 12 or GED (High School Grad)	151,785	32.4	29.0 - 35.8	316,257	67.6	64.2 - 71.0	468,042
College 1 to 3 years (Some College/ Tech)	154,007	29.4	26.4 - 32.4	369,414	70.6	67.6 - 73.6	523,421
College 4 years or more (College Grad)	133,589	23.9	21.3 - 26.5	425,407	76.1	73.5 - 78.7	558,996
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	8,798

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Household Income	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	15,827	30.3	23.1 - 37.6	36,325	69.7	62.4 - 76.9	52,152
\$10,000 to \$14,999	13,200	23.9	17.3 - 30.4	42,138	76.1	69.6 - 82.7	55,338
\$15,000 to \$19,999	14,852	19.2	11.9 - 26.5	62,509	80.8	73.5 - 88.1	77,361
\$20,000 to \$24,999	33,783	34.9	27.3 - 42.6	62,887	65.1	57.4 - 72.7	96,670
\$25,000 to \$34,999	42,602	26.6	20.8 - 32.3	117,780	73.4	67.7 - 79.2	160,382
\$35,000 to \$49,999	83,984	33.4	28.7 - 38.1	167,276	66.6	61.9 - 71.3	251,260
\$50,000 to \$74,999	91,074	27.7	23.9 - 31.5	237,305	72.3	68.5 - 76.1	328,379
\$75,000 or more	95,351	29.7	25.9 - 33.5	225,806	70.3	66.5 - 74.1	321,157

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Island	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	60,306	29.8	26.5 - 33.1	142,266	70.2	66.9 - 73.5	202,572
Kauai	18,984	26.9	22.7 - 31.2	51,543	73.1	68.8 - 77.3	70,527
Lanai	1,111	31.7	16.1 - 47.4	2,387	68.3	52.6 - 83.9	3,498
Maui	48,759	31.8	27.3 - 36.4	104,350	68.2	63.6 - 72.7	153,109
Molokai	4,276	39.6	29.0 - 50.1	6,523	60.4	49.9 - 71.0	10,799
Oahu	309,200	27.6	25.4 - 29.8	812,765	72.4	70.2 - 74.6	1,121,965

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Marital Status(Grouped)	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	182,163	30.0	27.1 - 32.8	425,615	70.0	67.2 - 72.9	607,778
Married	252,621	27.4	25.2 - 29.6	668,647	72.6	70.4 - 74.8	921,268
Unmarried Couple	11,665	23.6	15.1 - 32.1	37,780	76.4	67.9 - 84.9	49,445
Widowed	6,590	27.0	17.2 - 36.7	17,855	73.0	63.3 - 82.8	24,445

Awareness of Treatment to Reduce Chances of an HIV Positive Pregnant Woman Passing the Virus on to Her Baby (Among Adults Age 18-64) by Year Total, BRFSS Age Group, County, County and Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Gender, Household Income, Island, Marital Status (Grouped), Poverty Level, for the Years - 2001-2003, 2002-2004

Note: Weighted numbers(#), percentages and 95% confidence intervals . Respondents are aged 18 or older. Unknowns, Don't Know/Not Sure and Refused are excluded.; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a particular subset of respondents

Years: 2002-2004

Poverty Level	False			True			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
1-50%	20,031	30.5	22.0 - 39.0	45,653	69.5	61.0 - 78.0	65,684
51-100%	32,315	25.1	18.4 - 31.9	96,224	74.9	68.1 - 81.6	128,539
101-120%	14,440	33.3	20.0 - 46.7	28,893	66.7	53.3 - 80.0	43,333
121-130%	8,930	21.2	14.4 - 28.0	33,210	78.8	72.0 - 85.6	42,140
131-150%	21,709	40.5	27.8 - 53.1	31,958	59.5	46.9 - 72.2	53,667
151-170%	29,816	38.7	27.4 - 50.0	47,227	61.3	50.0 - 72.6	77,043
171-180%	11,025	27.5	18.5 - 36.5	29,015	72.5	63.5 - 81.5	40,040
186+%	252,405	28.3	26.2 - 30.4	639,845	71.7	69.6 - 73.8	892,250