

Perceived Affectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50;
n/a (Not Available) - Not asked of a subset of respondents*

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph; Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the estimated adult population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org


(808) 946-5899 x15

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	9,995	1.7	1.1 - 2.4	173,805	30.0	27.7 - 32.3	395,766	68.3	66.0 - 70.6	579,566

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64), for the Year(s) - 2001



Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Year Total	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
State	9,995	1.7	1.1 - 2.4	173,805	30.0	27.7 - 32.3	395,766	68.3	66.0 - 70.6	579,566

County	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	944	1.5	.4 - 2.5	20,740	32.5	28.1 - 36.9	42,203	66.1	61.6 - 70.5	63,887
Honolulu	6,534	1.6	.7 - 2.4	122,013	29.4	26.4 - 32.3	287,024	69.1	66.1 - 72.1	415,571
Kauai	888	3.5	1.1 - 5.9	6,805	27.0	21.5 - 32.6	17,474	69.4	63.6 - 75.3	25,167
Maui	1,237	2.0	.6 - 3.5	19,362	31.9	27.2 - 36.7	40,002	66.0	61.2 - 70.8	60,601

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

BRFSS Age Group	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,191	1.4	.0 - 2.8	20,793	24.0	17.6 - 30.5	64,522	74.6	68.0 - 81.1	86,506
25-34	1,841	1.4	.3 - 2.5	34,735	27.0	22.7 - 31.3	92,054	71.6	67.2 - 76.0	128,630
35-44	3,256	2.3	.6 - 3.9	48,471	33.9	29.4 - 38.4	91,378	63.9	59.3 - 68.4	143,105
45-54	2,350	1.8	.6 - 3.1	37,546	29.5	25.2 - 33.8	87,469	68.7	64.3 - 73.1	127,365
55-64	1,357	1.4	.0 - 2.9	32,260	34.3	27.8 - 40.8	60,343	64.2	57.7 - 70.8	93,960
65-74	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

DOH Race-Ethnicity	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
White	1,386	.6	.3 - 1.0	80,160	36.1	32.6 - 39.5	140,758	63.3	59.8 - 66.8	222,304
Native Hawaiian	2,934	4.1	1.2 - 6.9	23,083	31.9	25.0 - 38.8	46,277	64.0	57.0 - 71.1	72,294
Chinese	407	1.3	.0 - 3.9	6,002	19.6	11.3 - 27.9	24,220	79.1	70.5 - 87.7	30,629
Filipino	1,961	2.9	.0 - 6.0	17,301	25.7	18.8 - 32.6	48,168	71.4	64.2 - 78.6	67,430
Japanese	1,277	1.2	.1 - 2.3	27,595	25.8	20.4 - 31.2	77,984	73.0	67.5 - 78.4	106,856
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	298	1.7	.0 - 4.9	4,738	26.4	10.8 - 41.9	12,937	72.0	56.3 - 87.6	17,973
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other	1,414	4.9	.8 - 8.9	5,143	17.8	9.5 - 26.1	22,389	77.3	68.2 - 86.5	28,946

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Gender	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	2,795	1.0	.4 - 1.6	90,053	31.8	28.6 - 34.9	190,539	67.2	64.1 - 70.4	283,387
Male	7,200	2.4	1.3 - 3.5	83,752	28.3	25.0 - 31.6	205,227	69.3	65.9 - 72.7	296,179

County and Community	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii-Hilo	n/a		n/a	4,698	25.7	17.7 - 33.6	13,605	74.3	66.4 - 82.3	18,303
Hawaii-Kona	460	2.4	.0 - 5.0	8,250	42.4	33.9 - 50.9	10,746	55.2	46.7 - 63.8	19,456
Hawaii-N.Hawaii	230	1.6	.0 - 3.9	4,052	28.6	19.7 - 37.5	9,880	69.8	60.8 - 78.8	14,162
Hawaii-Puna/ Kau	254	2.1	.0 - 4.6	3,740	31.3	22.3 - 40.2	7,971	66.6	57.5 - 75.8	11,965
Honolulu-Aiea/ Pearl City	n/a		n/a	9,496	25.3	15.8 - 34.7	28,085	74.7	65.3 - 84.2	37,581
Honolulu-Ala Moana	285	1.8	.0 - 5.2	5,865	36.4	23.0 - 49.8	9,950	61.8	48.3 - 75.3	16,100
Honolulu-Kaaawa/ Kahaluu/ Kaneohe	n/a		n/a	9,859	34.1	21.8 - 46.5	19,013	65.9	53.5 - 78.2	28,872
Honolulu-Kailua/ Waimanalo	211	.6	.0 - 1.9	10,753	31.9	21.9 - 41.9	22,725	67.5	57.4 - 77.5	33,689

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

County and Community	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Honolulu-Kaimuki/ Palolo/ Waikiki	1,449	3.1	.0 - 6.6	14,177	30.0	21.1 - 38.9	31,585	66.9	57.7 - 76.1	47,211
Honolulu-Manoa/ Upper Makiki	559	1.6	.0 - 3.9	11,442	33.2	22.1 - 44.3	22,473	65.2	54.0 - 76.4	34,474
Honolulu-Mililani/ Wahiawa	769	1.9	.0 - 4.3	10,161	24.9	16.5 - 33.2	29,920	73.2	64.7 - 81.8	40,850
Honolulu-Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu-N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Honolulu-Nuuanu/ Kalihi/ Moanalua	611	1.6	.0 - 4.7	7,897	20.4	11.5 - 29.4	30,116	78.0	68.7 - 87.3	38,624
Honolulu-Salt Lake/ Foster Village	873	3.4	.0 - 8.3	7,464	29.3	18.4 - 40.2	17,122	67.3	55.9 - 78.6	25,459
Honolulu-Waiialae/ Kahala/ Hawaii Kai	n/a		n/a	7,454	36.1	22.8 - 49.5	13,172	63.9	50.5 - 77.2	20,626
Honolulu-Waipahu/ Kapolei/ Ewa	755	1.2	.0 - 3.0	19,909	32.7	24.5 - 40.9	40,218	66.1	57.8 - 74.3	60,882
Kauai-Hanalei/ Kapaa	567	4.8	.5 - 9.2	3,343	28.4	19.9 - 36.9	7,868	66.8	57.9 - 75.8	11,778
Kauai-Lihue-Waimea	320	2.4	.1 - 4.7	3,462	25.9	18.5 - 33.2	9,606	71.7	64.2 - 79.3	13,388
Maui-Kahului	255	1.3	.0 - 2.9	6,408	33.5	25.5 - 41.6	12,450	65.1	57.0 - 73.3	19,113
Maui-Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

County and Community	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Maui-Lahaina/ Wailuku	780	4.1	.1 - 8.2	6,543	34.8	24.8 - 44.7	11,493	61.1	51.0 - 71.1	18,816
Maui-Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Maui-Upcountry/ Hana	89	.5	.0 - 1.4	5,534	29.4	21.8 - 37.1	13,194	70.1	62.4 - 77.8	18,817

Education Level	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	500	3.4	.0 - 8.4	3,004	20.7	6.5 - 35.0	10,986	75.8	61.1 - 90.5	14,490
Grades 12 or GED (High School Grad)	4,196	2.4	1.1 - 3.7	55,350	31.3	26.8 - 35.8	117,111	66.3	61.7 - 70.9	176,657
College 1 to 3 years (Some College/ Tech)	3,653	2.0	.7 - 3.4	43,131	23.9	20.2 - 27.5	133,997	74.1	70.3 - 77.9	180,781
College 4 years or more (College Grad)	1,646	.8	.2 - 1.5	70,189	34.5	30.7 - 38.2	131,894	64.7	61.0 - 68.5	203,729
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Employment Status (Grouped)	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,857	2.0	1.2 - 2.8	132,442	29.5	27.0 - 32.0	307,283	68.5	65.9 - 71.1	448,582
Unemployed	189	.9	.0 - 2.5	7,388	33.3	21.1 - 45.5	14,601	65.8	53.6 - 78.1	22,178
Student/Homemaker	925	1.4	.0 - 2.8	21,221	31.8	24.2 - 39.3	44,667	66.9	59.3 - 74.4	66,813
Retired/Unable to work	24	.1	.0 - .2	12,551	30.2	21.4 - 38.9	29,011	69.8	61.0 - 78.5	41,586

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Household Income	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,404	7.1	1.4 - 12.9	4,449	22.6	12.0 - 33.3	13,797	70.2	58.5 - 81.9	19,650
\$10,000 to \$14,999	794	3.4	.0 - 7.5	7,475	32.0	19.0 - 44.9	15,118	64.6	51.6 - 77.7	23,387
\$15,000 to \$19,999	407	2.0	.0 - 4.5	5,116	25.1	15.4 - 34.8	14,830	72.9	62.9 - 82.8	20,353
\$20,000 to \$24,999	958	3.1	.0 - 8.3	7,806	25.0	15.8 - 34.2	22,445	71.9	61.9 - 81.9	31,209
\$25,000 to \$34,999	803	1.3	.0 - 2.6	18,159	29.7	23.2 - 36.2	42,160	69.0	62.4 - 75.5	61,122
\$35,000 to \$49,999	1,879	2.1	.2 - 3.9	25,107	27.5	22.0 - 32.9	64,459	70.5	64.9 - 76.1	91,445
\$50,000 to \$74,999	984	1.1	.0 - 2.1	23,004	24.6	19.4 - 29.7	69,664	74.4	69.2 - 79.6	93,652
\$75,000 or more	786	.8	.0 - 1.7	33,716	34.2	28.3 - 40.1	64,177	65.0	59.1 - 71.0	98,679

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Island	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	944	1.5	.4 - 2.5	20,740	32.5	28.1 - 36.8	42,203	66.1	61.6 - 70.5	63,887
Kauai	888	3.5	1.2 - 5.9	6,805	27.0	21.5 - 32.6	17,474	69.4	63.6 - 75.2	25,167
Maui	1,124	2.0	.5 - 3.5	18,486	32.6	27.6 - 37.6	37,136	65.4	60.4 - 70.5	56,746
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	6,534	1.6	.7 - 2.4	122,013	29.4	26.4 - 32.3	287,024	69.1	66.1 - 72.1	415,571

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Marital Status (Grouped)	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	6,381	2.0	1.0 - 3.0	99,641	31.3	28.1 - 34.4	212,621	66.7	63.5 - 69.9	318,643
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	47	.6	.0 - 1.7	2,505	30.0	13.6 - 46.3	5,809	69.5	53.1 - 85.9	8,361
Other	3,567	1.5	.7 - 2.2	70,034	28.5	25.1 - 31.9	172,003	70.0	66.6 - 73.5	245,604

Perceived Effectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Poverty Level	Not at all effective			Very effective			Somewhat effective			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
1-50%	1,328	6.7	1.0 - 12.4	5,627	28.3	13.4 - 43.1	12,951	65.1	49.9 - 80.2	19,906
51-100%	1,980	5.5	.2 - 10.7	7,749	21.3	13.1 - 29.5	26,587	73.2	64.0 - 82.5	36,316
101-120%	51	.4	.0 - 1.2	4,237	34.3	17.0 - 51.6	8,063	65.3	48.0 - 82.6	12,351
121-130%	354	3.8	.0 - 9.1	1,743	18.7	7.6 - 29.8	7,235	77.5	65.3 - 89.7	9,332
131-150%	n/a		n/a	6,684	30.4	19.1 - 41.6	15,332	69.6	58.4 - 80.9	22,016
151-170%	n/a		n/a	4,163	28.8	11.5 - 46.1	10,280	71.2	53.9 - 88.5	14,443
171-180%	223	.8	.0 - 2.1	8,829	31.1	21.2 - 41.0	19,323	68.1	58.2 - 78.0	28,375
181-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
186+%	4,077	1.4	.6 - 2.1	85,695	28.9	25.9 - 31.9	206,593	69.7	66.6 - 72.8	296,365

Perceived Affectivity of HIV Treatment to Help Person Live Longer (Among Adults 18-64) by Year Total, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, County and Community, Education Level, Employment Status (Grouped), Household Income, Island, Marital Status (Grouped), Poverty Level, for the Year(s) - 2001

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001