

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**


[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

## Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	275,100	30.8	29.0 - 32.7	30,800	3.4	2.5 - 4.4	512,800	57.5	55.4 - 59.5	73,700	8.3	7.1 - 9.4	892,400
2009	262,500	28.0	25.6 - 30.3	24,800	2.6	1.9 - 3.4	579,200	61.7	59.2 - 64.2	72,300	7.7	6.3 - 9.1	938,800



**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

State	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	262,500	28.0	25.6 - 30.3	24,800	2.6	1.9 - 3.4	579,200	61.7	59.2 - 64.2	72,300	7.7	6.3 - 9.1	938,800

County	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	34,400	26.8	22.8 - 30.7	2,300	1.8	0.8 - 2.8	82,700	64.3	59.9 - 68.7	9,100	7.1	4.5 - 9.7	128,600
Honolulu	188,300	28.4	25.3 - 31.5	19,300	2.9	1.9 - 3.9	405,500	61.1	57.8 - 64.4	50,600	7.6	5.8 - 9.4	663,700
Kauai	12,100	26.5	20.7 - 32.4	1,000	2.1	0.4 - 3.8	27,200	59.5	52.3 - 66.6	5,400	11.9	5.7 - 18.0	45,800
Maui	27,600	27.4	22.9 - 31.9	2,200	2.2	1.1 - 3.2	63,800	63.4	58.4 - 68.3	7,100	7.0	4.5 - 9.6	100,700

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Island	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	34,400	26.8	22.8 - 30.7	2,300	1.8	0.8 - 2.8	82,700	64.3	59.9 - 68.7	9,100	7.1	4.5 - 9.7	128,600
Kauai	12,100	26.5	20.7 - 32.4	1,000	2.1	0.4 - 3.8	27,200	59.5	52.3 - 66.6	5,400	11.9	5.7 - 18.0	45,800
Lanai	300	16.6	9.3 - 23.8	<50	1.8	0.0 - 5.4	1,200	72.3	60.9 - 83.6	200	9.4	0.0 - 19.0	1,600
Maui	25,500	27.7	22.8 - 32.5	1,900	2.0	0.9 - 3.1	58,300	63.3	57.9 - 68.6	6,500	7.0	4.3 - 9.8	92,200
Molokai	1,800	25.9	13.5 - 38.3	300	4.6	0.4 - 8.8	4,300	62.7	49.9 - 75.5	500	6.8	1.2 - 12.3	6,800
Oahu	188,300	28.4	25.3 - 31.5	19,300	2.9	1.9 - 3.9	405,500	61.1	57.8 - 64.4	50,600	7.6	5.8 - 9.4	663,700

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	29,400	35.6	24.2 - 47.0	3,500	4.3	0.0 - 9.0	42,100	51.0	39.9 - 62.1	7,600	9.1	2.6 - 15.7	82,500

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	5,500	18.5	8.5 - 28.5	500	1.7	0.0 - 4.1	20,000	67.0	52.5 - 81.5	3,800	12.8	0.1 - 25.5	29,800
Hanalei/ Kapaa	5,100	27.3	18.4 - 36.3	600	2.9	0.0 - 6.1	11,200	59.9	49.7 - 70.2	1,800	9.8	2.4 - 17.1	18,700
Hilo	13,100	34.4	26.5 - 42.2	900	2.3	0.0 - 4.7	21,500	56.4	48.0 - 64.8	2,600	6.9	1.5 - 12.2	38,200
Kahului	8,500	29.8	20.0 - 39.6	600	2.2	0.3 - 4.0	18,000	63.3	53.0 - 73.6	1,300	4.7	1.4 - 8.0	28,500
Kailua/ Waimanalo	20,000	30.1	21.7 - 38.4	2,900	4.4	1.3 - 7.5	39,600	59.6	50.3 - 69.0	3,900	5.9	1.1 - 10.7	66,400
Kaimuki/ Palolo/ Waikiki	17,400	27.0	19.7 - 34.2	1,500	2.4	0.3 - 4.5	40,500	62.7	54.4 - 70.9	5,100	8.0	3.8 - 12.1	64,600
Kona	6,500	24.6	17.0 - 32.1	100	0.6	0.0 - 1.6	17,200	65.5	56.4 - 74.5	2,500	9.4	3.1 - 15.7	26,300
Lahaina/ Wailuku	8,400	26.8	18.5 - 35.1	600	2.0	0.0 - 4.1	21,100	67.3	58.4 - 76.1	1,300	4.0	0.7 - 7.3	31,400
Lanai	300	16.6	9.3 - 23.8	<50	1.8	0.0 - 5.4	1,200	72.3	60.9 - 83.6	200	9.4	0.0 - 19.0	1,600

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	7,000	26.0	18.2 - 33.7	400	1.6	0.0 - 3.4	16,000	59.1	49.3 - 69.0	3,600	13.3	4.3 - 22.3	27,100
Manoa/ Upper Makiki	6,300	20.0	10.7 - 29.4	1,100	3.6	0.0 - 7.5	20,200	64.1	52.0 - 76.2	3,900	12.4	3.5 - 21.2	31,600
Mililani/ Wahiawa	18,300	25.4	16.5 - 34.3	1,700	2.4	0.0 - 4.8	47,500	65.9	56.3 - 75.6	4,500	6.3	1.2 - 11.3	72,100
Molokai	1,800	25.9	13.5 - 38.3	300	4.6	0.4 - 8.8	4,300	62.7	49.9 - 75.5	500	6.8	1.2 - 12.3	6,800
N.Hawaii	4,500	19.0	11.2 - 26.8	300	1.3	0.0 - 3.2	16,900	71.3	61.8 - 80.9	2,000	8.3	2.2 - 14.4	23,700
Nuuanu/ Kalihi/ Moanalua	22,700	34.4	22.4 - 46.4	2,800	4.3	0.0 - 8.6	34,700	52.5	40.6 - 64.4	5,800	8.8	2.6 - 15.1	66,100
Puna/ Kau	10,400	25.6	18.4 - 32.8	1,000	2.4	0.5 - 4.4	27,000	66.9	59.0 - 74.7	2,100	5.1	1.7 - 8.5	40,400
Upcountry/ Hana	8,600	26.7	19.5 - 33.9	600	1.9	0.3 - 3.6	19,200	59.3	51.0 - 67.7	3,900	12.0	5.7 - 18.3	32,300
Waialae/ Kahala/ Hawaii Kai	13,900	31.4	18.9 - 43.8	1,700	3.9	0.0 - 8.5	26,100	58.9	45.3 - 72.4	2,600	5.9	0.0 - 13.6	44,300

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Aware of symps and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	26,500	22.5	16.5 - 28.5	3,100	2.7	0.4 - 5.0	78,400	66.5	59.3 - 73.6	9,900	8.4	4.2 - 12.6	117,900

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

BRFSS Age Group	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	19,600	18.3	7.6 - 29.0	1,500	1.4	0.0 - 4.2	78,600	73.3	62.3 - 84.3	7,400	6.9	2.4 - 11.5	107,200
<b>25-34</b>	45,400	27.5	20.4 - 34.6	1,600	1.0	0.0 - 2.4	101,500	61.5	53.9 - 69.2	16,400	10.0	5.1 - 14.8	165,000
<b>35-44</b>	40,300	24.4	19.5 - 29.4	4,600	2.8	0.5 - 5.1	111,500	67.7	62.0 - 73.3	8,400	5.1	2.1 - 8.1	164,700
<b>45-54</b>	57,100	33.5	28.6 - 38.3	4,500	2.6	1.3 - 4.0	96,700	56.7	51.6 - 61.8	12,200	7.2	4.3 - 10.0	170,500
<b>55-64</b>	46,500	33.1	28.8 - 37.4	4,700	3.4	1.9 - 4.8	79,100	56.3	51.7 - 61.0	10,100	7.2	4.6 - 9.9	140,500
<b>65-74</b>	30,200	31.5	26.4 - 36.6	3,700	3.9	1.8 - 5.9	55,000	57.4	51.9 - 62.9	6,900	7.2	3.9 - 10.4	95,800
<b>75+</b>	22,500	24.5	19.5 - 29.5	4,000	4.4	1.5 - 7.2	54,800	59.6	53.8 - 65.4	10,600	11.5	7.8 - 15.3	91,900



**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

DOH Race-Ethnicity	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Caucasian</b>	96,100	32.2	28.6 - 35.8	10,900	3.7	2.2 - 5.1	169,000	56.7	52.9 - 60.4	22,300	7.5	5.5 - 9.5	298,300
<b>Native Hawaiian</b>	26,700	23.8	17.0 - 30.6	1,400	1.2	0.0 - 2.5	73,900	65.9	58.4 - 73.5	10,100	9.0	4.3 - 13.8	112,200
<b>Chinese</b>	12,400	19.4	11.3 - 27.5	2,900	4.5	0.9 - 8.1	44,200	68.9	59.6 - 78.2	4,600	7.2	3.2 - 11.2	64,100
<b>Filipino</b>	39,900	25.8	19.5 - 32.1	2,400	1.5	0.0 - 3.2	96,600	62.5	55.5 - 69.5	15,700	10.1	5.5 - 14.8	154,500
<b>Japanese</b>	64,300	29.2	24.8 - 33.7	5,800	2.6	1.0 - 4.3	135,000	61.4	56.5 - 66.4	14,600	6.7	4.0 - 9.3	219,700
<b>Other</b>	4,700	20.9	5.8 - 36.0	1,200	5.2	0.0 - 11.2	15,100	67.4	50.4 - 84.4	1,500	6.5	0.0 - 16.3	22,500

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Gender	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	108,600	23.2	20.1 - 26.3	14,000	3.0	1.7 - 4.3	305,200	65.3	61.7 - 68.9	39,800	8.5	6.4 - 10.6	467,700
Female	153,800	32.7	29.3 - 36.0	10,800	2.3	1.5 - 3.0	274,000	58.2	54.7 - 61.6	32,500	6.9	5.0 - 8.7	471,100

Education Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	2,900	9.7	3.2 - 16.1	0	0.0	--	25,500	83.6	75.6 - 91.6	2,100	6.7	1.9 - 11.6	30,500
Grades 12 or GED (High School Grad)	54,100	19.7	15.9 - 23.6	6,200	2.3	1.0 - 3.6	188,800	69.0	64.5 - 73.4	24,600	9.0	6.3 - 11.7	273,700
College 1 to 3 years (Some College/ Tech)	79,100	30.2	25.1 - 35.2	5,000	1.9	0.8 - 3.0	161,000	61.4	56.1 - 66.6	17,300	6.6	4.1 - 9.0	262,400
College 4 years or more (College Grad)	124,900	34.6	30.9 - 38.2	13,200	3.6	2.2 - 5.1	196,600	54.4	50.5 - 58.3	26,700	7.4	5.1 - 9.7	361,400

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Employment Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	165,200	28.9	25.9 - 32.0	14,700	2.6	1.5 - 3.6	354,700	62.1	58.8 - 65.3	36,800	6.4	4.8 - 8.1	571,400
<b>Unemployed</b>	8,700	14.7	8.8 - 20.5	300	0.5	0.0 - 1.1	40,200	68.1	57.7 - 78.4	9,900	16.8	6.9 - 26.6	59,000
<b>Retired/Unable to work</b>	62,100	31.4	26.6 - 36.1	9,100	4.6	2.8 - 6.3	108,600	54.9	50.3 - 59.5	18,000	9.1	6.7 - 11.5	197,800
<b>Student/Homemaker</b>	26,400	24.1	16.7 - 31.5	800	0.7	0.0 - 1.6	75,200	68.7	60.5 - 76.8	7,100	6.5	2.3 - 10.8	109,400

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Household Income	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	3,800	15.4	5.2 - 25.5	600	2.3	0.0 - 6.4	17,700	72.0	59.9 - 84.1	2,600	10.4	3.5 - 17.3	24,600
<b>\$10,000 to \$14,999</b>	3,000	13.6	4.6 - 22.5	0	0.0	--	16,200	73.4	62.6 - 84.3	2,900	13.0	5.5 - 20.5	22,000
<b>\$15,000 to \$19,999</b>	7,700	22.5	13.6 - 31.5	200	0.6	0.0 - 1.9	20,800	61.1	50.3 - 71.9	5,400	15.7	6.9 - 24.5	34,100
<b>\$20,000 to \$24,999</b>	11,200	20.5	11.7 - 29.3	1,100	2.1	0.3 - 3.8	36,200	66.1	56.0 - 76.2	6,200	11.3	3.9 - 18.7	54,700
<b>\$25,000 to \$34,999</b>	21,200	23.3	17.1 - 29.5	2,000	2.2	0.6 - 3.7	61,500	67.6	60.5 - 74.6	6,400	7.0	2.6 - 11.4	91,000
<b>\$35,000 to \$49,999</b>	34,600	25.0	19.8 - 30.1	5,000	3.6	1.5 - 5.7	88,800	64.1	58.2 - 70.0	10,100	7.3	4.0 - 10.7	138,500
<b>\$50,000 to \$74,999</b>	64,600	34.5	28.7 - 40.2	5,200	2.8	1.2 - 4.3	96,400	51.5	45.4 - 57.6	21,100	11.3	7.0 - 15.6	187,300
<b>\$75,000 or more</b>	93,200	32.8	28.6 - 37.0	8,400	2.9	1.3 - 4.6	173,200	60.9	56.5 - 65.3	9,600	3.4	2.0 - 4.8	284,500

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Poverty Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	32,200	18.9	13.8 - 24.0	2,500	1.5	0.2 - 2.7	115,800	68.1	62.2 - 74.0	19,600	11.5	7.5 - 15.5	170,000
<b>131-185%</b>	37,000	26.9	20.6 - 33.1	3,500	2.6	1.0 - 4.1	83,300	60.4	53.6 - 67.3	14,000	10.1	5.4 - 14.9	137,800
<b>186+%</b>	170,100	32.2	29.2 - 35.1	16,400	3.1	2.0 - 4.2	311,700	58.9	55.8 - 62.1	30,600	5.8	4.3 - 7.3	528,800

Marital Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	166,300	30.0	27.2 - 32.8	17,000	3.1	2.0 - 4.1	326,900	59.0	55.9 - 62.1	43,900	7.9	6.0 - 9.8	554,200
<b>Unmarried Couple</b>	8,500	23.8	9.8 - 37.8	0	0.0	--	25,400	71.4	57.2 - 85.6	1,700	4.8	0.3 - 9.3	35,500
<b>Widowed</b>	15,000	25.7	19.9 - 31.5	500	0.9	0.1 - 1.7	38,100	65.2	58.8 - 71.7	4,800	8.2	4.4 - 12.0	58,400
<b>Other</b>	72,700	25.0	20.1 - 29.9	7,300	2.5	1.1 - 3.9	188,900	65.0	59.8 - 70.2	21,900	7.5	5.1 - 10.0	290,700

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

<b>Married</b>	<b>Aware of symptoms and calls 911</b>			<b>Aware of symptoms and doesn't call 911</b>			<b>Not aware of symptoms and calls 911</b>			<b>Not aware of symptoms and doesn't call 911</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	167,800	29.8	27.1 - 32.6	17,000	3.0	2.0 - 4.1	332,900	59.2	56.2 - 62.3	44,400	7.9	6.0 - 9.8	562,200
<b>No</b>	94,500	25.2	21.0 - 29.3	7,800	2.1	1.0 - 3.1	245,300	65.3	61.0 - 69.7	27,800	7.4	5.4 - 9.5	375,400

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

State	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	275,100	30.8	29.0 - 32.7	30,800	3.4	2.5 - 4.4	512,800	57.5	55.4 - 59.5	73,700	8.3	7.1 - 9.4	892,400

County	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	33,300	31.1	27.7 - 34.6	4,200	3.9	2.5 - 5.3	59,100	55.3	51.6 - 58.9	10,400	9.7	7.5 - 11.9	107,000
Honolulu	193,900	30.0	27.6 - 32.3	18,600	2.9	2.0 - 3.8	380,700	58.8	56.2 - 61.4	54,000	8.3	6.9 - 9.8	647,200
Kauai	13,200	32.3	27.6 - 37.0	1,400	3.5	1.8 - 5.3	23,100	56.5	51.5 - 61.6	3,100	7.6	5.1 - 10.2	40,900
Maui	34,700	35.7	31.4 - 40.0	6,600	6.8	1.0 - 12.5	49,800	51.2	46.3 - 56.1	6,200	6.4	4.6 - 8.2	97,400

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Island	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	33,300	31.1	27.7 - 34.6	4,200	3.9	2.5 - 5.3	59,100	55.3	51.6 - 58.9	10,400	9.7	7.5 - 11.9	107,000
Kauai	13,200	32.3	27.6 - 37.0	1,400	3.5	1.8 - 5.3	23,100	56.5	51.5 - 61.6	3,100	7.6	5.1 - 10.2	40,900
Lanai	600	24.8	14.7 - 35.0	100	4.2	0.0 - 9.9	1,400	58.9	46.3 - 71.5	300	12.1	2.8 - 21.3	2,400
Maui	32,500	36.0	31.4 - 40.6	6,200	6.9	0.7 - 13.1	45,800	50.8	45.6 - 56.0	5,700	6.3	4.4 - 8.2	90,300
Molokai	1,600	34.8	22.7 - 46.9	300	6.3	1.0 - 11.6	2,500	54.4	41.7 - 67.2	200	4.4	0.0 - 10.7	4,700
Oahu	193,900	30.0	27.6 - 32.3	18,600	2.9	2.0 - 3.8	380,700	58.8	56.2 - 61.4	54,000	8.3	6.9 - 9.8	647,200

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	22,900	36.7	28.2 - 45.1	500	0.8	0.0 - 2.5	34,200	54.8	45.9 - 63.7	4,800	7.7	2.9 - 12.5	62,500



**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	5,400	20.6	12.3 - 28.9	2,400	9.2	1.7 - 16.7	15,500	59.0	48.6 - 69.4	2,900	11.2	4.8 - 17.6	26,200
Hanalei/ Kapaa	5,600	32.7	25.3 - 40.1	700	3.8	0.8 - 6.8	9,700	56.6	48.8 - 64.5	1,200	6.8	3.4 - 10.3	17,100
Hilo	11,300	35.6	29.4 - 41.8	700	2.2	0.5 - 3.8	16,800	52.9	46.4 - 59.3	3,000	9.4	5.2 - 13.5	31,800
Kaaawa/ Kahaluu/ Kaneohe	14,700	37.0	26.1 - 47.9	3,400	8.5	1.2 - 15.8	19,900	50.1	39.0 - 61.1	1,800	4.4	0.1 - 8.8	39,700
Kahului	10,700	32.2	24.1 - 40.4	4,300	13.1	0.0 - 28.6	16,600	50.0	39.1 - 60.8	1,600	4.7	2.2 - 7.3	33,200
Kailua/ Waimanalo	14,700	29.5	21.6 - 37.4	2,200	4.5	0.6 - 8.4	29,900	59.9	51.3 - 68.5	3,100	6.1	1.7 - 10.5	50,000
Kaimuki/ Palolo/ Waikiki	18,700	26.1	19.4 - 32.8	1,200	1.7	0.3 - 3.2	46,700	65.1	58.0 - 72.3	5,000	7.0	3.5 - 10.6	71,600
Kona	9,700	32.1	25.0 - 39.3	1,700	5.7	2.4 - 9.0	16,400	54.5	47.1 - 61.8	2,300	7.7	4.5 - 11.0	30,200
Lahaina/ Wailuku	12,100	40.9	33.1 - 48.7	1,200	4.1	1.5 - 6.7	14,500	49.0	41.3 - 56.7	1,800	6.0	2.5 - 9.5	29,600

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	600	24.8	14.7 - 35.0	100	4.2	0.0 - 9.9	1,400	58.9	46.3 - 71.5	300	12.1	2.8 - 21.3	2,400
Lihue-Waimea	7,600	32.0	25.9 - 38.1	800	3.3	1.3 - 5.4	13,400	56.5	49.9 - 63.0	1,900	8.2	4.5 - 11.8	23,700
Manoa/ Upper Makiki	19,300	34.2	25.9 - 42.6	1,500	2.7	0.0 - 5.4	30,500	53.9	45.2 - 62.7	5,200	9.1	3.5 - 14.8	56,500
Mililani/ Wahiawa	18,400	32.6	24.5 - 40.6	300	0.6	0.0 - 1.3	32,000	56.6	48.0 - 65.1	5,800	10.3	5.6 - 15.0	56,500
Molokai	1,600	34.8	22.7 - 46.9	300	6.3	1.0 - 11.6	2,500	54.4	41.7 - 67.2	200	4.4	0.0 - 10.7	4,700
Nanakuli/ Waianae	9,900	33.0	19.8 - 46.1	1,300	4.5	0.0 - 10.8	16,700	55.6	41.5 - 69.8	2,100	6.9	0.0 - 15.0	30,000
N.Hawaii	6,900	29.3	22.3 - 36.2	1,000	4.1	1.2 - 6.9	13,100	55.2	47.2 - 63.2	2,700	11.5	6.0 - 16.9	23,700
N.Shore/ Laie	6,500	25.0	13.5 - 36.5	100	0.3	0.0 - 1.0	17,900	69.1	56.9 - 81.2	1,400	5.6	0.6 - 10.5	25,900
Nuuanu/ Kalihi/ Moanalua	15,400	23.5	16.6 - 30.3	1,900	2.8	0.5 - 5.2	40,600	62.1	54.0 - 70.2	7,600	11.6	6.3 - 16.8	65,400

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Puna/ Kau</b>	5,300	25.1	18.5 - 31.7	800	3.8	0.8 - 6.8	12,800	60.1	52.5 - 67.6	2,300	11.0	5.9 - 16.1	21,300
<b>Salt Lake/ Foster Village</b>	8,800	25.1	16.4 - 33.9	100	0.2	0.0 - 0.7	23,200	66.3	56.6 - 76.0	2,900	8.3	2.9 - 13.7	35,000
<b>Upcountry/ Hana</b>	9,700	35.3	28.5 - 42.1	600	2.3	0.5 - 4.2	14,700	53.8	46.8 - 60.8	2,400	8.6	4.9 - 12.3	27,400
<b>Waialae/ Kahala/ Hawaii Kai</b>	10,200	28.7	19.2 - 38.2	700	1.8	0.0 - 4.4	22,700	63.7	53.5 - 74.0	2,100	5.8	0.1 - 11.4	35,600
<b>Waipahu/ Kapolei/ Ewa</b>	29,000	31.4	24.7 - 38.1	2,900	3.1	0.7 - 5.6	51,100	55.3	48.1 - 62.5	9,400	10.1	5.4 - 14.8	92,400

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

BRFSS Age Group	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	16,500	15.5	11.0 - 19.9	6,100	5.8	0.0 - 11.5	73,700	69.2	62.1 - 76.2	10,200	9.6	5.4 - 13.8	106,500
<b>25-34</b>	45,400	27.0	23.0 - 31.1	5,200	3.1	1.4 - 4.8	104,300	62.1	57.6 - 66.5	13,100	7.8	5.4 - 10.2	168,000
<b>35-44</b>	57,200	31.1	27.1 - 35.0	5,100	2.8	1.4 - 4.2	110,000	59.7	55.5 - 63.9	11,800	6.4	4.6 - 8.2	184,200
<b>45-54</b>	58,600	37.4	33.0 - 41.8	6,300	4.0	2.4 - 5.6	79,600	50.8	46.3 - 55.3	12,200	7.8	5.4 - 10.2	156,600
<b>55-64</b>	46,600	38.7	33.0 - 44.3	5,400	4.4	2.1 - 6.7	58,000	48.1	42.3 - 53.9	10,600	8.8	5.2 - 12.3	120,600
<b>65-74</b>	32,400	36.9	30.6 - 43.2	1,900	2.1	0.9 - 3.3	47,000	53.5	47.0 - 60.0	6,600	7.5	4.2 - 10.7	87,900
<b>75+</b>	16,900	27.3	21.5 - 33.1	800	1.2	0.1 - 2.4	35,600	57.6	50.8 - 64.3	8,600	13.9	8.6 - 19.1	61,900

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

DOH Race-Ethnicity	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	94,800	31.5	28.6 - 34.3	10,700	3.6	2.4 - 4.7	170,500	56.6	53.4 - 59.7	25,400	8.4	6.5 - 10.3	301,500
Native Hawaiian	36,000	31.3	26.1 - 36.4	4,200	3.7	1.2 - 6.1	65,300	56.8	51.2 - 62.4	9,500	8.3	5.1 - 11.5	115,100
Chinese	20,100	36.3	28.1 - 44.6	1,000	1.9	0.1 - 3.6	30,000	54.1	45.7 - 62.6	4,300	7.7	3.5 - 11.9	55,400
Filipino	33,400	26.0	20.8 - 31.2	7,400	5.8	1.0 - 10.5	74,000	57.6	51.2 - 64.0	13,600	10.6	7.0 - 14.2	128,400
Japanese	64,200	34.7	30.6 - 38.8	4,200	2.3	0.9 - 3.7	107,000	57.9	53.6 - 62.2	9,500	5.1	3.4 - 6.9	184,900
Black	2,700	16.4	6.6 - 26.2	700	4.3	0.2 - 8.3	9,700	58.2	43.1 - 73.3	3,500	21.1	8.3 - 33.9	16,700
Other Asian	7,500	27.6	16.2 - 39.0	1,200	4.3	0.0 - 9.5	15,300	56.6	44.2 - 69.0	3,100	11.5	4.4 - 18.6	27,100
Other Pacific Islander	6,800	34.1	16.9 - 51.4	200	1.0	0.0 - 3.0	11,400	57.4	40.4 - 74.3	1,500	7.5	0.0 - 14.9	19,900
Other	6,100	18.2	11.1 - 25.3	600	1.9	0.0 - 4.3	23,900	71.3	61.8 - 80.9	2,900	8.5	1.6 - 15.5	33,500

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Gender	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	131,200	29.2	26.5 - 31.9	16,800	3.7	2.1 - 5.3	254,300	56.5	53.5 - 59.6	47,600	10.6	8.8 - 12.4	449,800
Female	144,000	32.5	30.0 - 35.1	14,000	3.2	2.2 - 4.1	258,500	58.4	55.7 - 61.1	26,100	5.9	4.6 - 7.2	442,600

Education Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,200	19.4	10.7 - 28.0	100	0.4	0.0 - 1.2	11,200	67.8	57.0 - 78.7	2,100	12.4	4.6 - 20.2	16,600
Grades 9 thru 11 (Some High School)	8,000	21.1	13.0 - 29.1	600	1.6	0.1 - 3.1	24,300	63.7	53.1 - 74.3	5,200	13.6	5.3 - 21.9	38,200
Grades 12 or GED (High School Grad)	78,300	26.4	23.3 - 29.5	9,800	3.3	1.9 - 4.7	180,100	60.7	57.2 - 64.2	28,400	9.6	7.4 - 11.8	296,700
College 1 to 3 years (Some College/ Tech)	82,600	30.1	26.6 - 33.5	10,200	3.7	1.4 - 6.0	162,700	59.2	55.4 - 63.1	19,100	7.0	5.2 - 8.7	274,600
College 4 years or more (College Grad)	102,700	38.9	35.5 - 42.3	9,300	3.5	2.4 - 4.6	133,100	50.4	47.0 - 53.9	18,800	7.1	5.4 - 8.8	263,900

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Employment Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	182,200	30.9	28.7 - 33.2	22,100	3.7	2.5 - 5.0	339,000	57.5	55.1 - 60.0	45,800	7.8	6.5 - 9.1	589,000
<b>Unemployed</b>	5,700	19.4	10.8 - 28.0	1,200	3.9	0.5 - 7.4	19,900	67.5	56.8 - 78.2	2,700	9.2	1.5 - 16.8	29,400
<b>Retired/Unable to work</b>	63,500	33.9	29.8 - 37.9	4,700	2.5	1.3 - 3.7	99,400	53.0	48.7 - 57.3	20,000	10.7	7.9 - 13.4	187,600
<b>Student/Homemaker</b>	23,500	27.3	21.1 - 33.5	2,800	3.3	0.4 - 6.2	54,400	63.3	56.5 - 70.1	5,200	6.1	2.5 - 9.7	86,000

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Household Income	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	9,000	23.8	15.3 - 32.4	800	2.2	0.0 - 5.4	23,600	62.6	52.8 - 72.5	4,300	11.3	5.1 - 17.6	37,600
<b>\$10,000 to \$14,999</b>	11,400	26.7	17.9 - 35.5	1,800	4.3	0.3 - 8.2	24,100	56.4	47.2 - 65.6	5,400	12.7	6.7 - 18.6	42,700
<b>\$15,000 to \$19,999</b>	8,800	22.5	15.2 - 29.9	700	1.8	0.0 - 3.8	25,600	65.6	56.7 - 74.5	3,900	10.1	5.0 - 15.3	39,000
<b>\$20,000 to \$24,999</b>	11,500	19.7	13.7 - 25.6	4,700	8.1	0.0 - 17.6	38,900	66.4	56.8 - 76.1	3,400	5.8	2.0 - 9.7	58,500
<b>\$25,000 to \$34,999</b>	27,200	30.5	24.9 - 36.0	1,700	1.9	0.2 - 3.7	53,900	60.4	54.6 - 66.3	6,400	7.2	4.2 - 10.1	89,200
<b>\$35,000 to \$49,999</b>	47,800	35.2	30.2 - 40.1	3,600	2.7	1.4 - 4.0	73,200	53.9	48.8 - 59.0	11,300	8.3	5.3 - 11.3	136,000
<b>\$50,000 to \$74,999</b>	37,600	30.2	25.5 - 34.8	4,800	3.8	1.9 - 5.8	72,500	58.1	52.9 - 63.3	9,800	7.9	4.8 - 11.0	124,700
<b>\$75,000 or more</b>	46,100	37.8	32.4 - 43.1	4,900	4.0	1.7 - 6.3	63,700	52.2	46.7 - 57.7	7,400	6.1	3.4 - 8.8	122,100



**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Poverty Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	33,100	22.9	18.2 - 27.7	7,000	4.8	0.6 - 9.0	90,000	62.3	56.5 - 68.2	14,300	9.9	6.9 - 12.9	144,400
<b>131-185%</b>	30,300	27.8	22.5 - 33.1	2,800	2.6	0.9 - 4.3	64,300	59.0	53.1 - 65.0	11,500	10.6	6.6 - 14.5	109,000
<b>186+%</b>	136,000	34.3	31.6 - 37.0	13,300	3.3	2.3 - 4.4	221,100	55.8	52.9 - 58.6	26,100	6.6	5.1 - 8.0	396,400

Marital Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	167,000	32.9	30.3 - 35.4	17,800	3.5	2.1 - 4.9	280,200	55.1	52.4 - 57.9	43,300	8.5	7.0 - 10.0	508,300
<b>Widowed</b>	13,800	29.0	21.9 - 36.1	1,000	2.1	0.5 - 3.6	31,200	65.6	58.1 - 73.1	1,600	3.3	1.4 - 5.2	47,500
<b>Other</b>	92,300	28.2	25.3 - 31.1	11,800	3.6	2.3 - 4.9	195,600	59.7	56.5 - 63.0	27,800	8.5	6.7 - 10.3	327,500

**Heart atk - aware symp, 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

<b>Married</b>	<b>Aware of symptoms and calls 911</b>			<b>Aware of symptoms and doesn't call 911</b>			<b>Not aware of symptoms and calls 911</b>			<b>Not aware of symptoms and doesn't call 911</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	172,100	32.7	30.2 - 35.2	18,700	3.6	2.2 - 4.9	289,800	55.1	52.4 - 57.8	45,300	8.6	7.1 - 10.1	526,000
<b>No</b>	102,600	28.1	25.4 - 30.8	12,100	3.3	2.1 - 4.5	222,000	60.8	57.8 - 63.8	28,400	7.8	6.1 - 9.5	365,100

<b>Health Care Coverage</b>	<b>Aware of symptoms and calls 911</b>			<b>Aware of symptoms and doesn't call 911</b>			<b>Not aware of symptoms and calls 911</b>			<b>Not aware of symptoms and doesn't call 911</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	264,100	32.0	30.0 - 33.9	28,100	3.4	2.4 - 4.4	470,100	56.9	54.8 - 59.0	63,400	7.7	6.6 - 8.8	825,800
<b>No</b>	11,000	16.8	11.4 - 22.3	2,700	4.1	1.0 - 7.2	42,300	64.8	57.4 - 72.2	9,300	14.3	8.6 - 19.9	65,200