

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**


[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

## Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	419,800	47.1	45.0 - 49.1	46,400	5.2	4.2 - 6.2	367,300	41.2	39.2 - 43.2	58,100	6.5	5.5 - 7.5	891,600
2009	354,100	37.7	35.2 - 40.2	39,700	4.2	3.1 - 5.3	487,600	51.9	49.3 - 54.5	57,400	6.1	5.0 - 7.3	938,800



**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

State	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	354,100	37.7	35.2 - 40.2	39,700	4.2	3.1 - 5.3	487,600	51.9	49.3 - 54.5	57,400	6.1	5.0 - 7.3	938,800

County	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	47,600	37.0	32.5 - 41.5	2,800	2.2	1.0 - 3.3	69,600	54.1	49.4 - 58.8	8,700	6.7	4.2 - 9.3	128,600
Honolulu	254,600	38.4	35.0 - 41.7	30,300	4.6	3.1 - 6.0	339,200	51.1	47.7 - 54.5	39,700	6.0	4.5 - 7.5	663,700
Kauai	16,000	35.0	28.2 - 41.7	3,300	7.2	1.6 - 12.8	23,400	51.0	43.8 - 58.2	3,100	6.8	3.2 - 10.4	45,800
Maui	35,900	35.7	30.8 - 40.6	3,300	3.3	1.9 - 4.8	55,400	55.1	49.8 - 60.3	6,000	5.9	3.6 - 8.3	100,700

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Island	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	47,600	37.0	32.5 - 41.5	2,800	2.2	1.0 - 3.3	69,600	54.1	49.4 - 58.8	8,700	6.7	4.2 - 9.3	128,600
Kauai	16,000	35.0	28.2 - 41.7	3,300	7.2	1.6 - 12.8	23,400	51.0	43.8 - 58.2	3,100	6.8	3.2 - 10.4	45,800
Lanai	400	25.3	15.2 - 35.3	<50	1.2	0.0 - 3.6	1,000	63.6	51.1 - 76.0	200	9.9	0.0 - 19.9	1,600
Maui	33,300	36.2	30.8 - 41.5	3,000	3.2	1.7 - 4.8	50,500	54.8	49.1 - 60.5	5,400	5.8	3.3 - 8.4	92,200
Molokai	2,200	32.1	19.6 - 44.6	400	5.1	0.8 - 9.5	3,900	56.6	43.7 - 69.4	400	6.2	0.8 - 11.6	6,800
Oahu	254,600	38.4	35.0 - 41.7	30,300	4.6	3.1 - 6.0	339,200	51.1	47.7 - 54.5	39,700	6.0	4.5 - 7.5	663,700

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	38,300	46.4	35.3 - 57.6	7,500	9.1	1.8 - 16.4	33,200	40.2	29.8 - 50.5	3,600	4.3	1.1 - 7.6	82,500

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	5,900	19.8	9.9 - 29.7	1,700	5.6	0.0 - 13.9	19,600	65.7	51.3 - 80.1	2,600	8.9	0.0 - 19.5	29,800
Hanalei/ Kapaa	6,800	36.3	26.3 - 46.2	1,100	6.1	1.3 - 11.0	9,500	51.0	40.6 - 61.4	1,200	6.6	0.0 - 13.1	18,700
Hilo	16,800	43.9	35.6 - 52.3	400	1.0	0.0 - 2.3	17,900	46.8	38.5 - 55.2	3,100	8.2	2.6 - 13.8	38,200
Kahului	10,500	37.0	26.4 - 47.6	1,200	4.4	1.3 - 7.4	16,000	56.2	45.1 - 67.2	700	2.5	0.1 - 4.8	28,500
Kailua/ Waimanalo	31,200	47.0	37.1 - 56.8	2,900	4.3	0.5 - 8.2	28,400	42.7	32.6 - 52.8	4,000	6.0	1.7 - 10.2	66,400
Kaimuki/ Palolo/ Waikiki	21,600	33.4	25.2 - 41.6	2,500	3.8	1.1 - 6.5	36,300	56.3	47.4 - 65.2	4,200	6.5	2.7 - 10.3	64,600
Kona	11,500	43.8	34.0 - 53.6	1,000	3.8	0.5 - 7.1	12,100	46.3	36.4 - 56.1	1,600	6.2	0.5 - 11.8	26,300
Lahaina/ Wailuku	10,100	32.0	23.5 - 40.6	1,000	3.3	0.3 - 6.3	19,400	62.0	52.8 - 71.2	900	2.7	0.1 - 5.3	31,400
Lanai	400	25.3	15.2 - 35.3	<50	1.2	0.0 - 3.6	1,000	63.6	51.1 - 76.0	200	9.9	0.0 - 19.9	1,600

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	9,200	34.0	25.0 - 43.1	2,100	7.9	0.0 - 16.7	13,800	51.1	41.3 - 60.9	1,900	7.0	3.0 - 10.9	27,100
Manoa/ Upper Makiki	12,100	38.5	26.1 - 50.8	2,400	7.6	0.0 - 15.6	14,400	45.6	32.4 - 58.8	2,600	8.3	2.5 - 14.1	31,600
Mililani/ Wahiawa	19,700	27.4	18.9 - 35.9	2,600	3.5	0.0 - 7.2	46,100	64.0	54.5 - 73.4	3,700	5.1	0.8 - 9.5	72,100
Molokai	2,200	32.1	19.6 - 44.6	400	5.1	0.8 - 9.5	3,900	56.6	43.7 - 69.4	400	6.2	0.8 - 11.6	6,800
N.Hawaii	6,800	28.5	18.5 - 38.6	300	1.2	0.0 - 2.9	14,700	61.8	50.8 - 72.8	2,000	8.4	2.3 - 14.6	23,700
Nuuanu/ Kalihi/ Moanalua	25,900	39.2	27.4 - 51.0	5,100	7.7	1.5 - 14.0	31,500	47.7	35.9 - 59.5	3,600	5.4	1.1 - 9.7	66,100
Puna/ Kau	12,500	30.9	23.2 - 38.7	1,100	2.8	0.4 - 5.2	24,900	61.5	53.3 - 69.8	1,900	4.7	1.7 - 7.8	40,400
Upcountry/ Hana	12,800	39.4	31.1 - 47.8	700	2.2	0.1 - 4.3	15,100	46.6	38.1 - 55.1	3,800	11.8	5.6 - 17.9	32,300
Waialae/ Kahala/ Hawaii Kai	19,700	44.5	30.9 - 58.2	1,300	2.9	0.0 - 7.0	20,200	45.7	31.8 - 59.6	3,000	6.9	0.0 - 14.8	44,300

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	41,000	34.7	27.3 - 42.2	3,700	3.1	1.0 - 5.2	63,900	54.2	46.2 - 62.2	9,400	7.9	3.7 - 12.2	117,900

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

BRFSS Age Group	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	31,300	29.2	18.1 - 40.3	3,400	3.2	0.0 - 6.8	66,900	62.4	51.1 - 73.8	5,600	5.2	1.3 - 9.0	107,200
<b>25-34</b>	59,500	36.1	28.5 - 43.6	5,700	3.4	0.1 - 6.7	87,400	53.0	45.2 - 60.8	12,400	7.5	3.5 - 11.5	165,000
<b>35-44</b>	58,800	35.7	30.0 - 41.4	7,500	4.6	1.5 - 7.6	93,000	56.4	50.4 - 62.5	5,400	3.3	1.1 - 5.5	164,700
<b>45-54</b>	77,000	45.2	40.1 - 50.3	6,600	3.9	1.7 - 6.0	76,700	45.0	39.8 - 50.2	10,200	6.0	3.6 - 8.4	170,500
<b>55-64</b>	63,000	44.9	40.2 - 49.5	6,600	4.7	2.5 - 6.9	62,600	44.6	39.9 - 49.2	8,300	5.9	3.7 - 8.0	140,500
<b>65-74</b>	40,900	42.7	37.2 - 48.2	4,400	4.6	1.8 - 7.3	44,300	46.2	40.6 - 51.8	6,200	6.5	3.7 - 9.2	95,800
<b>75+</b>	22,000	23.9	19.1 - 28.7	5,400	5.9	2.8 - 8.9	55,300	60.2	54.5 - 65.9	9,200	10.0	6.4 - 13.7	91,900



**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

DOH Race-Ethnicity	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	122,400	41.0	37.3 - 44.7	14,300	4.8	3.2 - 6.4	142,700	47.8	44.0 - 51.7	18,900	6.3	4.4 - 8.3	298,300
Native Hawaiian	42,100	37.5	29.8 - 45.2	2,600	2.3	0.2 - 4.5	58,600	52.3	44.4 - 60.2	8,900	7.9	3.4 - 12.5	112,200
Chinese	22,500	35.1	24.2 - 46.1	3,600	5.6	1.7 - 9.5	34,100	53.1	42.3 - 64.0	3,900	6.1	2.4 - 9.9	64,100
Filipino	44,900	29.1	22.7 - 35.4	9,900	6.4	1.9 - 10.8	91,500	59.2	52.3 - 66.2	8,200	5.3	2.9 - 7.7	154,500
Japanese	87,600	39.9	34.9 - 44.8	8,600	3.9	1.8 - 6.1	111,700	50.8	45.6 - 56.0	11,900	5.4	3.1 - 7.7	219,700
Other	7,700	34.3	17.1 - 51.5	400	1.6	0.0 - 4.9	12,100	54.0	36.0 - 72.0	2,300	10.1	0.0 - 20.9	22,500

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Gender	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	157,600	33.7	30.1 - 37.2	21,400	4.6	3.0 - 6.2	256,300	54.8	51.0 - 58.6	32,500	6.9	5.1 - 8.8	467,700
Female	196,500	41.7	38.3 - 45.2	18,300	3.9	2.4 - 5.4	231,300	49.1	45.7 - 52.6	24,900	5.3	3.9 - 6.6	471,100

Education Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	5,600	18.5	8.7 - 28.2	700	2.2	0.0 - 4.9	22,800	74.8	64.2 - 85.4	1,400	4.5	0.4 - 8.6	30,500
Grades 12 or GED (High School Grad)	70,600	25.8	21.5 - 30.0	9,500	3.5	1.6 - 5.4	172,300	62.9	58.3 - 67.6	21,400	7.8	5.5 - 10.1	273,700
College 1 to 3 years (Some College/ Tech)	105,400	40.2	34.9 - 45.5	8,900	3.4	1.8 - 5.0	134,700	51.4	46.1 - 56.7	13,300	5.1	2.9 - 7.2	262,400
College 4 years or more (College Grad)	171,400	47.4	43.5 - 51.3	19,300	5.3	3.3 - 7.4	150,100	41.5	37.6 - 45.5	20,600	5.7	3.9 - 7.5	361,400

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Employment Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	228,200	39.9	36.7 - 43.2	22,300	3.9	2.5 - 5.3	291,700	51.1	47.7 - 54.4	29,100	5.1	3.7 - 6.5	571,400
<b>Unemployed</b>	18,000	30.5	21.1 - 39.9	4,300	7.4	0.0 - 15.3	30,900	52.2	41.3 - 63.2	5,900	9.9	3.0 - 16.9	59,000
<b>Retired/Unable to work</b>	69,900	35.3	30.6 - 40.0	9,800	5.0	3.2 - 6.8	100,900	51.0	46.5 - 55.5	17,200	8.7	6.3 - 11.1	197,800
<b>Student/Homemaker</b>	37,900	34.7	26.1 - 43.2	3,200	2.9	0.0 - 6.0	63,600	58.1	49.2 - 67.1	4,700	4.3	1.1 - 7.5	109,400

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Household Income	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	5,400	22.0	11.3 - 32.7	800	3.4	0.2 - 6.5	16,100	65.3	52.6 - 78.0	2,300	9.3	2.1 - 16.6	24,600
<b>\$10,000 to \$14,999</b>	5,300	24.0	12.8 - 35.2	100	0.4	0.0 - 1.2	13,900	63.0	50.8 - 75.2	2,800	12.6	5.1 - 20.1	22,000
<b>\$15,000 to \$19,999</b>	8,300	24.4	14.6 - 34.3	1,400	4.2	0.0 - 8.5	20,200	59.2	48.1 - 70.2	4,100	12.2	4.0 - 20.3	34,100
<b>\$20,000 to \$24,999</b>	14,800	27.0	17.7 - 36.3	2,100	3.9	0.0 - 9.1	32,600	59.6	49.4 - 69.9	5,200	9.5	3.6 - 15.3	54,700
<b>\$25,000 to \$34,999</b>	31,000	34.1	26.7 - 41.4	5,500	6.0	1.8 - 10.3	51,700	56.8	49.1 - 64.4	2,800	3.1	1.2 - 5.0	91,000
<b>\$35,000 to \$49,999</b>	50,600	36.5	30.6 - 42.5	5,400	3.9	1.4 - 6.4	72,800	52.5	46.2 - 58.9	9,700	7.0	3.9 - 10.1	138,500
<b>\$50,000 to \$74,999</b>	75,200	40.2	34.2 - 46.1	11,100	5.9	2.7 - 9.2	85,800	45.8	39.8 - 51.9	15,100	8.1	4.7 - 11.5	187,300
<b>\$75,000 or more</b>	135,900	47.8	43.1 - 52.4	8,600	3.0	1.5 - 4.5	130,600	45.9	41.3 - 50.6	9,400	3.3	1.8 - 4.8	284,500

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Poverty Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	49,900	29.3	23.5 - 35.1	7,900	4.6	1.7 - 7.6	98,100	57.7	51.5 - 63.9	14,200	8.4	5.2 - 11.5	170,000
<b>131-185%</b>	43,900	31.9	25.4 - 38.3	10,100	7.3	2.9 - 11.7	76,400	55.4	48.6 - 62.3	7,400	5.4	2.9 - 8.0	137,800
<b>186+%</b>	232,600	44.0	40.8 - 47.2	17,300	3.3	2.2 - 4.3	249,100	47.1	43.9 - 50.4	29,800	5.6	4.1 - 7.2	528,800

Marital Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	221,000	39.9	36.9 - 42.9	24,300	4.4	2.9 - 5.9	272,200	49.1	46.0 - 52.3	36,700	6.6	5.0 - 8.2	554,200
<b>Unmarried Couple</b>	19,700	55.3	40.6 - 70.0	600	1.7	0.0 - 3.9	14,200	39.9	25.8 - 54.0	1,100	3.1	0.0 - 7.0	35,500
<b>Widowed</b>	18,800	32.2	25.9 - 38.5	2,600	4.4	1.2 - 7.6	34,300	58.7	52.0 - 65.5	2,700	4.6	2.3 - 7.0	58,400
<b>Other</b>	94,700	32.6	27.4 - 37.7	12,200	4.2	2.2 - 6.2	166,900	57.4	52.1 - 62.8	16,900	5.8	3.8 - 7.8	290,700

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

<b>Married</b>	<b>Aware of symptoms and calls 911</b>			<b>Aware of symptoms and doesn't call 911</b>			<b>Not aware of symptoms and calls 911</b>			<b>Not aware of symptoms and doesn't call 911</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	223,300	39.7	36.7 - 42.7	24,500	4.4	2.9 - 5.8	277,400	49.3	46.2 - 52.5	37,000	6.6	5.0 - 8.2	562,200
<b>No</b>	130,600	34.8	30.4 - 39.2	15,200	4.1	2.4 - 5.7	209,200	55.7	51.2 - 60.2	20,400	5.4	3.8 - 7.1	375,400

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

State	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	419,800	47.1	45.0 - 49.1	46,400	5.2	4.2 - 6.2	367,300	41.2	39.2 - 43.2	58,100	6.5	5.5 - 7.5	891,600

County	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	50,300	47.0	43.3 - 50.7	7,000	6.6	4.7 - 8.4	42,200	39.4	35.8 - 43.1	7,500	7.0	5.1 - 8.9	107,000
Honolulu	304,500	47.1	44.5 - 49.7	30,000	4.6	3.5 - 5.7	269,300	41.7	39.1 - 44.3	42,600	6.6	5.2 - 7.9	646,400
Kauai	19,400	47.4	42.3 - 52.5	2,100	5.1	3.0 - 7.2	16,900	41.5	36.3 - 46.7	2,500	6.0	3.8 - 8.3	40,900
Maui	45,700	47.0	42.2 - 51.7	7,300	7.5	1.7 - 13.2	38,800	39.9	35.4 - 44.4	5,500	5.7	4.0 - 7.4	97,400

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Island	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	50,300	47.0	43.3 - 50.7	7,000	6.6	4.7 - 8.4	42,200	39.4	35.8 - 43.1	7,500	7.0	5.1 - 8.9	107,000
Kauai	19,400	47.4	42.3 - 52.5	2,100	5.1	3.0 - 7.2	16,900	41.5	36.3 - 46.7	2,500	6.0	3.8 - 8.3	40,900
Lanai	1,000	42.7	29.9 - 55.5	100	4.3	0.0 - 10.0	1,000	41.0	28.4 - 53.7	300	12.0	2.8 - 21.2	2,400
Maui	42,900	47.5	42.4 - 52.6	6,900	7.7	1.5 - 13.9	35,500	39.3	34.6 - 44.0	5,000	5.5	3.7 - 7.3	90,300
Molokai	1,800	38.9	27.0 - 50.9	200	4.7	0.0 - 9.4	2,400	50.3	37.5 - 63.2	300	6.1	0.0 - 12.7	4,700
Oahu	304,500	47.1	44.5 - 49.7	30,000	4.6	3.5 - 5.7	269,300	41.7	39.1 - 44.3	42,600	6.6	5.2 - 7.9	646,400

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	33,500	53.6	44.7 - 62.5	1,900	3.1	0.1 - 6.1	23,600	37.9	29.5 - 46.2	3,400	5.4	1.3 - 9.6	62,500



**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	10,900	41.6	31.3 - 51.8	2,600	9.8	2.2 - 17.4	10,000	38.1	28.1 - 48.0	2,800	10.6	4.3 - 16.9	26,200
Hanalei/ Kapaa	7,900	46.4	38.4 - 54.3	800	4.4	1.3 - 7.5	7,400	43.0	34.9 - 51.1	1,100	6.2	2.9 - 9.6	17,100
Hilo	15,100	47.3	40.9 - 53.8	1,500	4.8	1.5 - 8.1	13,100	41.1	34.7 - 47.5	2,200	6.8	3.6 - 9.9	31,800
Kaaawa/ Kahaluu/ Kaneohe	20,300	51.0	40.0 - 62.1	2,500	6.2	0.4 - 12.0	14,300	36.0	25.6 - 46.5	2,700	6.7	0.5 - 13.0	39,700
Kahului	15,000	45.1	34.9 - 55.2	4,400	13.2	0.0 - 28.7	12,300	37.2	28.0 - 46.3	1,500	4.6	2.1 - 7.1	33,200
Kailua/ Waimanalo	25,100	50.2	41.4 - 59.0	2,400	4.7	1.0 - 8.5	19,600	39.1	30.5 - 47.8	3,000	5.9	1.4 - 10.4	50,000
Kaimuki/ Palolo/ Waikiki	35,200	49.5	41.9 - 57.2	2,100	3.0	0.9 - 5.1	29,600	41.6	34.1 - 49.1	4,200	5.8	2.5 - 9.1	71,100
Kona	13,700	45.5	38.3 - 52.8	2,600	8.7	4.8 - 12.7	12,400	41.1	33.6 - 48.6	1,400	4.7	2.4 - 7.0	30,200
Lahaina/ Wailuku	16,000	54.2	46.5 - 61.8	1,600	5.4	2.4 - 8.4	10,600	35.7	28.5 - 42.9	1,400	4.7	1.5 - 7.9	29,600

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,000	42.7	29.9 - 55.5	100	4.3	0.0 - 10.0	1,000	41.0	28.4 - 53.7	300	12.0	2.8 - 21.2	2,400
Lihue-Waimea	11,400	48.1	41.4 - 54.8	1,300	5.6	2.7 - 8.5	9,600	40.4	33.6 - 47.2	1,400	5.9	2.9 - 8.9	23,700
Manoa/ Upper Makiki	27,500	48.7	40.0 - 57.4	2,000	3.6	0.0 - 7.2	22,300	39.4	30.9 - 48.0	4,700	8.3	3.1 - 13.5	56,500
Mililani/ Wahiawa	28,600	50.6	41.9 - 59.4	3,100	5.5	2.1 - 8.9	21,800	38.5	29.7 - 47.4	3,000	5.3	1.8 - 8.8	56,500
Molokai	1,800	38.9	27.0 - 50.9	200	4.7	0.0 - 9.4	2,400	50.3	37.5 - 63.2	300	6.1	0.0 - 12.7	4,700
Nanakuli/ Waianae	11,000	36.9	23.0 - 50.7	1,300	4.5	0.0 - 10.8	15,500	51.7	37.5 - 66.0	2,100	6.9	0.0 - 15.0	30,000
N.Hawaii	10,800	45.7	37.5 - 53.9	2,000	8.4	4.1 - 12.7	9,200	38.8	31.0 - 46.5	1,700	7.1	2.6 - 11.7	23,700
N.Shore/ Laie	11,400	43.9	30.2 - 57.6	700	2.7	0.0 - 6.2	13,000	50.2	36.2 - 64.2	800	3.2	0.0 - 6.8	25,900
Nuuanu/ Kalihi/ Moanalua	27,200	41.7	33.1 - 50.4	4,200	6.5	2.7 - 10.2	28,500	43.8	35.2 - 52.4	5,200	8.0	3.5 - 12.5	65,100

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Community	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Puna/ Kau</b>	10,600	49.9	42.2 - 57.6	900	4.2	1.7 - 6.7	7,500	35.3	28.0 - 42.6	2,300	10.6	5.3 - 15.9	21,300
<b>Salt Lake/ Foster Village</b>	17,300	49.3	38.5 - 60.1	900	2.6	0.0 - 5.5	14,800	42.2	31.7 - 52.6	2,100	5.9	1.3 - 10.5	35,000
<b>Upcountry/ Hana</b>	11,900	43.2	36.3 - 50.2	1,000	3.5	1.4 - 5.5	12,600	45.8	38.8 - 52.9	2,000	7.5	3.9 - 11.0	27,400
<b>Waialae/ Kahala/ Hawaii Kai</b>	20,200	56.9	46.5 - 67.4	2,300	6.4	0.7 - 12.1	12,600	35.5	25.5 - 45.4	400	1.2	0.0 - 3.5	35,600
<b>Waipahu/ Kapolei/ Ewa</b>	36,300	39.3	32.3 - 46.3	4,000	4.3	1.3 - 7.3	43,800	47.4	40.2 - 54.6	8,300	9.0	4.6 - 13.4	92,400

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

BRFSS Age Group	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	36,600	34.4	27.8 - 41.0	6,000	5.6	0.1 - 11.2	53,500	50.2	43.0 - 57.5	10,400	9.7	5.4 - 14.1	106,500
<b>25-34</b>	75,500	44.9	40.4 - 49.5	10,000	5.9	3.6 - 8.3	74,200	44.2	39.6 - 48.7	8,300	5.0	3.2 - 6.8	168,000
<b>35-44</b>	88,200	47.9	43.5 - 52.2	7,800	4.2	2.6 - 5.9	79,100	42.9	38.6 - 47.3	9,200	5.0	3.4 - 6.6	184,200
<b>45-54</b>	81,200	52.0	47.5 - 56.5	9,500	6.1	4.2 - 8.0	56,500	36.2	31.9 - 40.5	9,000	5.7	3.6 - 7.9	156,100
<b>55-64</b>	63,900	53.0	47.2 - 58.8	7,600	6.3	3.4 - 9.1	40,800	33.8	28.3 - 39.3	8,400	7.0	3.8 - 10.1	120,600
<b>65-74</b>	47,700	54.3	47.9 - 60.7	3,500	4.0	1.9 - 6.2	31,800	36.1	30.2 - 42.1	4,900	5.6	2.8 - 8.3	87,900
<b>75+</b>	25,000	40.5	33.9 - 47.1	2,100	3.3	0.7 - 5.9	27,300	44.3	37.5 - 51.1	7,300	11.8	7.0 - 16.7	61,600

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

DOH Race-Ethnicity	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	149,100	49.5	46.4 - 52.7	18,100	6.0	4.5 - 7.6	115,800	38.5	35.4 - 41.6	18,000	6.0	4.4 - 7.6	301,000
Native Hawaiian	50,000	43.5	37.9 - 49.1	3,400	3.0	1.3 - 4.6	51,300	44.6	39.0 - 50.2	10,400	9.0	5.3 - 12.6	115,100
Chinese	30,900	55.8	47.4 - 64.2	2,600	4.7	1.5 - 7.8	19,200	34.6	26.5 - 42.7	2,700	4.9	1.5 - 8.3	55,400
Filipino	45,500	35.4	29.3 - 41.6	9,100	7.1	2.1 - 12.0	61,900	48.2	41.8 - 54.6	11,900	9.3	6.0 - 12.5	128,400
Japanese	98,200	53.2	48.8 - 57.5	7,200	3.9	2.2 - 5.6	72,800	39.4	35.2 - 43.6	6,500	3.5	2.0 - 5.0	184,600
Black	8,700	52.2	36.6 - 67.8	2,300	13.8	3.5 - 24.2	3,700	22.4	9.9 - 34.8	1,900	11.6	2.1 - 21.1	16,700
Other Asian	9,900	36.4	24.2 - 48.6	1,800	6.6	0.4 - 12.8	13,000	47.8	35.3 - 60.4	2,500	9.2	2.9 - 15.4	27,100
Other Pacific Islander	8,800	44.4	27.4 - 61.5	600	2.8	0.0 - 6.7	9,400	47.1	30.8 - 63.4	1,100	5.7	0.0 - 12.4	19,900
Other	14,300	42.8	31.3 - 54.3	1,000	3.0	0.3 - 5.7	15,700	46.8	35.1 - 58.5	2,500	7.5	0.6 - 14.3	33,500

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Gender	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	202,100	45.0	41.9 - 48.0	28,800	6.4	4.6 - 8.2	182,800	40.7	37.7 - 43.7	35,500	7.9	6.3 - 9.5	449,300
Female	217,700	49.2	46.5 - 51.9	17,500	4.0	2.9 - 5.0	184,400	41.7	39.0 - 44.4	22,600	5.1	3.9 - 6.3	442,300

Education Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,700	22.3	13.2 - 31.3	0	0.0	--	10,700	64.9	53.8 - 76.0	2,100	12.8	5.0 - 20.7	16,600
Grades 9 thru 11 (Some High School)	15,100	39.6	27.6 - 51.5	1,700	4.6	0.0 - 9.9	17,200	45.2	34.1 - 56.3	4,100	10.7	3.7 - 17.6	38,200
Grades 12 or GED (High School Grad)	115,600	39.0	35.5 - 42.5	10,900	3.7	2.3 - 5.1	142,600	48.1	44.5 - 51.7	27,300	9.2	7.0 - 11.4	296,400
College 1 to 3 years (Some College/ Tech)	130,300	47.5	43.7 - 51.4	15,300	5.6	3.2 - 8.0	114,500	41.8	37.9 - 45.6	14,000	5.1	3.6 - 6.7	274,100
College 4 years or more (College Grad)	154,600	58.6	55.2 - 61.9	17,600	6.7	5.0 - 8.3	81,200	30.8	27.6 - 33.9	10,500	4.0	2.7 - 5.2	263,900

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Employment Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	283,000	48.1	45.6 - 50.6	35,800	6.1	4.6 - 7.5	237,700	40.4	37.9 - 42.9	32,100	5.4	4.4 - 6.5	588,500
<b>Unemployed</b>	10,600	35.9	24.9 - 46.8	1,100	3.7	0.2 - 7.2	15,000	51.0	39.5 - 62.6	2,800	9.4	1.8 - 17.1	29,400
<b>Retired/Unable to work</b>	90,500	48.3	44.0 - 52.7	8,100	4.3	2.7 - 5.9	72,100	38.5	34.4 - 42.6	16,600	8.9	6.3 - 11.4	187,300
<b>Student/Homemaker</b>	35,400	41.1	34.3 - 48.0	1,400	1.7	0.1 - 3.3	42,500	49.5	42.4 - 56.5	6,600	7.7	3.5 - 12.0	86,000

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Household Income	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	13,700	36.3	26.5 - 46.2	1,900	4.9	1.2 - 8.7	18,900	50.1	39.9 - 60.4	3,200	8.6	2.6 - 14.6	37,600
<b>\$10,000 to \$14,999</b>	15,100	35.3	26.4 - 44.2	2,900	6.9	1.9 - 11.8	20,400	47.8	38.7 - 56.8	4,300	10.1	4.8 - 15.3	42,700
<b>\$15,000 to \$19,999</b>	16,500	42.4	31.6 - 53.2	1,800	4.5	1.2 - 7.8	17,800	45.7	35.6 - 55.8	2,900	7.4	2.9 - 11.9	39,000
<b>\$20,000 to \$24,999</b>	25,000	42.7	33.4 - 52.1	5,300	9.0	0.0 - 18.6	25,400	43.4	33.9 - 52.9	2,900	4.9	1.4 - 8.3	58,500
<b>\$25,000 to \$34,999</b>	37,400	42.0	36.1 - 47.8	3,600	4.1	1.7 - 6.4	43,700	48.9	43.0 - 54.9	4,500	5.0	2.4 - 7.6	89,200
<b>\$35,000 to \$49,999</b>	66,500	48.9	43.8 - 54.0	7,800	5.8	3.2 - 8.3	54,500	40.1	35.1 - 45.1	7,100	5.2	3.1 - 7.3	136,000
<b>\$50,000 to \$74,999</b>	63,500	50.9	45.6 - 56.3	7,100	5.7	3.3 - 8.0	46,600	37.4	32.2 - 42.5	7,500	6.0	3.2 - 8.9	124,700
<b>\$75,000 or more</b>	73,300	60.3	54.9 - 65.7	6,100	5.0	2.6 - 7.4	35,900	29.6	24.6 - 34.6	6,200	5.1	2.4 - 7.7	121,600



**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Poverty Level	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	53,300	36.9	31.2 - 42.7	9,700	6.7	2.4 - 11.0	69,800	48.3	42.5 - 54.2	11,600	8.0	5.2 - 10.8	144,400
<b>131-185%</b>	46,400	42.6	36.7 - 48.6	6,400	5.8	3.0 - 8.7	48,200	44.2	38.2 - 50.2	8,000	7.3	4.0 - 10.7	109,000
<b>186+%</b>	211,300	53.4	50.5 - 56.2	20,400	5.2	3.9 - 6.4	145,200	36.7	33.9 - 39.4	18,900	4.8	3.5 - 6.0	395,900

Marital Status (Grouped)	Aware of symptoms and calls 911			Aware of symptoms and doesn't call 911			Not aware of symptoms and calls 911			Not aware of symptoms and doesn't call 911			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	249,000	49.0	46.3 - 51.8	30,100	5.9	4.3 - 7.5	197,700	38.9	36.3 - 41.6	31,000	6.1	4.8 - 7.4	507,800
<b>Widowed</b>	22,300	47.1	38.2 - 56.0	1,100	2.4	0.6 - 4.1	22,400	47.5	38.8 - 56.1	1,400	3.1	1.3 - 4.8	47,200
<b>Other</b>	144,600	44.2	40.8 - 47.5	15,000	4.6	3.2 - 6.0	143,300	43.8	40.4 - 47.1	24,600	7.5	5.7 - 9.3	327,500

**Stroke - aware symps, call 911 by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2009**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

<b>Married</b>	<b>Aware of symptoms and calls 911</b>			<b>Aware of symptoms and doesn't call 911</b>			<b>Not aware of symptoms and calls 911</b>			<b>Not aware of symptoms and doesn't call 911</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	258,800	49.3	46.6 - 51.9	31,500	6.0	4.5 - 7.6	202,600	38.6	36.0 - 41.1	32,500	6.2	4.9 - 7.5	525,500
<b>No</b>	160,400	44.0	40.8 - 47.1	14,800	4.1	2.8 - 5.3	163,900	44.9	41.8 - 48.1	25,600	7.0	5.4 - 8.7	364,800

<b>Health Care Coverage</b>	<b>Aware of symptoms and calls 911</b>			<b>Aware of symptoms and doesn't call 911</b>			<b>Not aware of symptoms and calls 911</b>			<b>Not aware of symptoms and doesn't call 911</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	398,000	48.2	46.1 - 50.4	41,800	5.1	4.0 - 6.2	335,400	40.7	38.6 - 42.7	49,700	6.0	5.0 - 7.0	824,900
<b>No</b>	21,800	33.4	26.0 - 40.8	4,600	7.0	3.1 - 10.9	31,400	48.2	40.3 - 56.1	7,400	11.4	6.2 - 16.6	65,200