

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Adult Population: This number is a weighted representation of the adult population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Adult Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	817,700	91.6	90.5 - 92.8	74,500	8.4	7.2 - 9.5	892,200
2009	859,000	91.4	90.0 - 92.9	80,400	8.6	7.1 - 10.0	939,300



Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	817,700	91.6	90.5 - 92.8	74,500	8.4	7.2 - 9.5	892,200

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	99,800	93.3	91.4 - 95.2	7,200	6.7	4.8 - 8.6	107,000
Honolulu	593,700	91.8	90.2 - 93.3	53,200	8.2	6.7 - 9.8	646,900
Kauai	37,800	92.5	89.2 - 95.8	3,100	7.5	4.2 - 10.8	40,900
Maui	86,300	88.7	85.8 - 91.5	11,000	11.3	8.5 - 14.2	97,400

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	95,000	89.1	84.8 - 93.5	11,600	10.9	6.5 - 15.2	106,500
25-34	156,300	93.1	90.5 - 95.7	11,700	6.9	4.3 - 9.5	168,000
35-44	172,300	93.5	91.3 - 95.8	11,900	6.5	4.2 - 8.7	184,200
45-54	144,600	92.4	89.7 - 95.0	12,000	7.6	5.0 - 10.3	156,600
55-64	114,100	94.6	92.3 - 96.9	6,500	5.4	3.1 - 7.7	120,600
65-74	79,800	90.7	86.9 - 94.5	8,200	9.3	5.5 - 13.1	88,000
75+	49,600	80.5	74.6 - 86.5	12,000	19.5	13.5 - 25.4	61,600

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	285,700	94.8	93.1 - 96.5	15,800	5.2	3.5 - 6.9	301,500
Native Hawaiian	105,500	91.7	88.6 - 94.9	9,500	8.3	5.1 - 11.4	115,100
Chinese	51,900	93.7	90.0 - 97.4	3,500	6.3	2.6 - 10.0	55,400
Filipino	110,100	85.7	81.5 - 89.9	18,400	14.3	10.1 - 18.5	128,500
Japanese	169,900	92.0	89.6 - 94.4	14,700	8.0	5.6 - 10.4	184,600
Black	15,700	94.2	86.4 - 100.0	1,000	5.8	0.0 - 13.6	16,700
Other Asian	20,700	76.4	65.9 - 87.0	6,400	23.6	13.0 - 34.1	27,100
Other Pacific Islander	17,100	86.2	76.7 - 95.7	2,700	13.8	4.3 - 23.3	19,900
Other	31,100	92.8	87.4 - 98.3	2,400	7.2	1.7 - 12.6	33,500

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	408,200	90.8	88.9 - 92.6	41,600	9.2	7.4 - 11.1	449,800
Female	409,400	92.6	91.1 - 94.0	32,900	7.4	6.0 - 8.9	442,300

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	99,800	93.3	91.4 - 95.2	7,200	6.7	4.8 - 8.6	107,000
Kauai	37,800	92.5	89.2 - 95.8	3,100	7.5	4.2 - 10.8	40,900
Lanai	2,200	91.0	83.7 - 98.3	200	9.0	1.7 - 16.3	2,400
Maui	80,000	88.7	85.7 - 91.7	10,200	11.3	8.3 - 14.3	90,300
Molokai	4,100	87.4	78.0 - 96.7	600	12.6	3.3 - 22.0	4,700
Oahu	593,700	91.8	90.2 - 93.3	53,200	8.2	6.7 - 9.8	646,900

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	58,000	92.8	88.8 - 96.8	4,500	7.2	3.2 - 11.2	62,500
Ala Moana	23,900	91.1	85.1 - 97.2	2,300	8.9	2.8 - 14.9	26,200
Hanalei/ Kapaa	15,900	93.1	88.5 - 97.6	1,200	6.9	2.4 - 11.5	17,100
Hilo	29,300	91.9	88.3 - 95.6	2,600	8.1	4.4 - 11.7	31,800
Kaaawa/ Kahaluu/ Kaneohe	37,800	95.2	91.2 - 99.1	1,900	4.8	0.9 - 8.8	39,700
Kahului	29,600	89.1	84.4 - 93.8	3,600	10.9	6.2 - 15.6	33,200
Kailua/ Waimanalo	45,700	91.4	85.9 - 96.9	4,300	8.6	3.1 - 14.1	50,000
Kaimuki/ Palolo/ Waikiki	66,700	93.2	89.7 - 96.8	4,900	6.8	3.2 - 10.3	71,600
Kona	29,000	96.0	92.8 - 99.2	1,200	4.0	0.8 - 7.2	30,200

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lahaina/ Wailuku	26,500	89.3	84.3 - 94.3	3,200	10.7	5.7 - 15.7	29,600
Lanai	2,200	91.0	83.7 - 98.3	200	9.0	1.7 - 16.3	2,400
Lihue-Waimea	21,900	92.1	87.5 - 96.7	1,900	7.9	3.3 - 12.5	23,800
Manoa/ Upper Makiki	49,700	87.9	81.2 - 94.6	6,900	12.1	5.4 - 18.8	56,500
Milliani/ Wahiawa	50,900	90.2	83.4 - 96.9	5,600	9.8	3.1 - 16.6	56,500
Molokai	4,100	87.4	78.0 - 96.7	600	12.6	3.3 - 22.0	4,700
Nanakuli/ Waianae	26,700	89.1	80.4 - 97.8	3,300	10.9	2.2 - 19.6	30,000
N.Hawaii	22,400	94.3	91.0 - 97.7	1,300	5.7	2.3 - 9.0	23,700
N.Shore/ Laie	25,100	97.2	93.8 - 100.0	700	2.8	0.0 - 6.2	25,900

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	56,800	87.3	81.2 - 93.3	8,300	12.7	6.7 - 18.8	65,100
Puna/ Kau	19,200	90.3	85.0 - 95.5	2,100	9.7	4.5 - 15.0	21,300
Salt Lake/ Foster Village	32,300	92.2	86.7 - 97.7	2,700	7.8	2.3 - 13.3	35,000
Upcountry/ Hana	24,000	87.5	81.7 - 93.3	3,400	12.5	6.7 - 18.3	27,400
Waialae/ Kahala/ Hawaii Kai	33,300	93.6	87.4 - 99.7	2,300	6.4	0.3 - 12.6	35,600
Waipahu/ Kapolei/ Ewa	86,800	93.9	90.6 - 97.2	5,600	6.1	2.8 - 9.4	92,400

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	10,600	64.1	52.0 - 76.2	5,900	35.9	23.8 - 48.0	16,600
Grades 9 thru 11 (Some High School)	30,600	80.1	71.9 - 88.4	7,600	19.9	11.6 - 28.1	38,200
Grades 12 or GED (High School Grad)	264,400	89.2	86.9 - 91.5	32,000	10.8	8.5 - 13.1	296,400
College 1 to 3 years (Some College/ Tech)	258,400	94.1	92.1 - 96.1	16,200	5.9	3.9 - 7.9	274,600
College 4 years or more (College Grad)	251,700	95.4	93.9 - 96.9	12,200	4.6	3.1 - 6.1	263,900

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	547,600	93.0	91.6 - 94.3	41,500	7.0	5.7 - 8.4	589,000
Unemployed	26,600	90.5	84.0 - 97.1	2,800	9.5	2.9 - 16.0	29,400
Retired/Unable to work	166,400	88.8	86.1 - 91.6	20,900	11.2	8.4 - 13.9	187,300
Student/Homemaker	76,600	89.1	84.4 - 93.9	9,300	10.9	6.1 - 15.6	86,000

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	299,400	91.4	89.4 - 93.5	28,100	8.6	6.5 - 10.6	327,500
Married	470,400	92.5	91.1 - 94.0	37,900	7.5	6.0 - 8.9	508,300
Widowed	39,300	83.1	76.7 - 89.6	8,000	16.9	10.4 - 23.3	47,300

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	33,300	88.4	82.9 - 93.8	4,400	11.6	6.2 - 17.1	37,700
\$10,000 to \$14,999	39,100	91.6	85.7 - 97.5	3,600	8.4	2.5 - 14.3	42,700
\$15,000 to \$19,999	35,000	89.8	83.6 - 95.9	4,000	10.2	4.1 - 16.4	39,000
\$20,000 to \$24,999	53,000	90.6	85.2 - 96.0	5,500	9.4	4.0 - 14.8	58,500
\$25,000 to \$34,999	84,600	94.9	92.4 - 97.4	4,600	5.1	2.6 - 7.6	89,200
\$35,000 to \$49,999	127,600	93.8	91.1 - 96.5	8,400	6.2	3.5 - 8.9	136,000
\$50,000 to \$74,999	119,000	95.4	93.0 - 97.9	5,700	4.6	2.1 - 7.0	124,700
\$75,000 or more	116,500	95.5	92.9 - 98.0	5,500	4.5	2.0 - 7.1	122,100

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	128,700	89.1	85.5 - 92.7	15,700	10.9	7.3 - 14.5	144,400
131-185%	102,200	93.7	91.1 - 96.4	6,800	6.3	3.6 - 8.9	109,000
186+%	377,300	95.2	93.8 - 96.5	19,100	4.8	3.5 - 6.2	396,400

Married	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	487,700	92.7	91.3 - 94.1	38,300	7.3	5.9 - 8.7	526,000
No	328,600	90.1	88.0 - 92.1	36,200	9.9	7.9 - 12.0	364,800

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Health Care Coverage	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	760,200	92.1	90.9 - 93.3	65,300	7.9	6.7 - 9.1	825,500
No	57,000	87.3	81.8 - 92.8	8,300	12.7	7.2 - 18.2	65,200

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	859,000	91.4	90.0 - 92.9	80,400	8.6	7.1 - 10.0	939,300

County	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	117,500	91.3	88.6 - 93.9	11,200	8.7	6.1 - 11.4	128,700
Honolulu	608,600	91.7	89.8 - 93.6	55,200	8.3	6.4 - 10.2	663,900
Kauai	41,900	91.0	87.0 - 95.1	4,100	9.0	4.9 - 13.0	46,000
Maui	90,900	90.3	86.1 - 94.4	9,800	9.8	5.6 - 13.9	100,700

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

BRFSS Age Group	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	93,100	86.9	79.7 - 94.1	14,100	13.1	5.9 - 20.3	107,200
25-34	154,700	93.7	89.9 - 97.6	10,300	6.3	2.4 - 10.1	165,000
35-44	154,900	94.0	91.0 - 97.0	9,900	6.0	3.0 - 9.0	164,700
45-54	158,200	92.8	89.7 - 95.9	12,300	7.2	4.1 - 10.3	170,500
55-64	132,900	94.6	92.4 - 96.8	7,600	5.4	3.2 - 7.6	140,500
65-74	90,000	93.8	91.3 - 96.2	6,000	6.2	3.8 - 8.7	96,000
75+	72,600	78.6	73.8 - 83.4	19,700	21.4	16.6 - 26.2	92,300

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

DOH Race-Ethnicity	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	283,300	95.0	93.2 - 96.7	15,000	5.0	3.3 - 6.8	298,400
Native Hawaiian	103,400	92.2	88.6 - 95.8	8,800	7.8	4.2 - 11.4	112,200
Chinese	60,300	94.1	90.6 - 97.5	3,800	5.9	2.5 - 9.4	64,100
Filipino	126,400	81.8	76.4 - 87.3	28,100	18.2	12.7 - 23.6	154,500
Japanese	205,700	93.4	91.1 - 95.8	14,500	6.6	4.2 - 8.9	220,200
Other	20,900	92.8	85.2 - 100.0	1,600	7.2	0.0 - 14.8	22,500

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Gender	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	422,800	90.4	87.9 - 92.8	45,100	9.6	7.2 - 12.1	468,000
Female	436,100	92.5	90.8 - 94.2	35,200	7.5	5.8 - 9.2	471,300

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Island	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	117,500	91.3	88.6 - 93.9	11,200	8.7	6.1 - 11.4	128,700
Kauai	41,900	91.0	87.0 - 95.1	4,100	9.0	4.9 - 13.0	46,000
Lanai	1,300	81.0	69.7 - 92.4	300	19.0	7.6 - 30.3	1,600
Maui	83,300	90.3	85.8 - 94.9	8,900	9.7	5.1 - 14.2	92,300
Molokai	6,300	91.5	84.7 - 98.3	600	8.5	1.7 - 15.3	6,800
Oahu	608,600	91.7	89.8 - 93.6	55,200	8.3	6.4 - 10.2	663,900

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	74,600	90.4	84.1 - 96.7	7,900	9.6	3.3 - 15.9	82,500
Ala Moana	25,100	84.3	72.6 - 96.0	4,700	15.7	4.0 - 27.4	29,800
Hanalei/ Kapaa	17,100	91.2	84.7 - 97.7	1,600	8.8	2.3 - 15.3	18,700
Hilo	35,100	91.6	87.0 - 96.3	3,200	8.4	3.7 - 13.0	38,300
Kahului	26,200	92.1	86.4 - 97.9	2,200	7.9	2.1 - 13.6	28,500
Kailua/ Waimanalo	65,200	98.1	95.8 - 100.0	1,200	1.9	0.0 - 4.2	66,400
Kaimuki/ Palolo/ Waikiki	56,800	87.8	81.4 - 94.3	7,900	12.2	5.7 - 18.6	64,700
Kona	24,500	93.1	88.2 - 98.1	1,800	6.9	1.9 - 11.8	26,300
Lahaina/ Wailuku	26,900	85.7	75.2 - 96.1	4,500	14.3	3.9 - 24.8	31,400

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,300	81.0	69.7 - 92.4	300	19.0	7.6 - 30.3	1,600
Lihue-Waimea	24,800	90.9	85.9 - 96.0	2,500	9.1	4.0 - 14.1	27,300
Manoa/ Upper Makiki	27,100	85.7	76.1 - 95.3	4,500	14.3	4.7 - 23.9	31,600
Mililani/ Wahiawa	66,800	92.7	87.3 - 98.0	5,300	7.3	2.0 - 12.7	72,100
Molokai	6,300	91.5	84.7 - 98.3	600	8.5	1.7 - 15.3	6,800
N.Hawaii	20,900	88.0	80.9 - 95.1	2,800	12.0	4.9 - 19.1	23,700
Nuuanu/ Kalihi/ Moanalua	58,200	88.1	79.9 - 96.2	7,900	11.9	3.8 - 20.1	66,100
Puna/ Kau	37,100	91.7	86.8 - 96.6	3,300	8.3	3.4 - 13.2	40,400
Upcountry/ Hana	30,200	93.3	87.7 - 98.8	2,200	6.7	1.2 - 12.3	32,300

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	43,200	97.5	94.8 - 100.0	1,100	2.5	0.0 - 5.2	44,300
Waipahu/ Kapolei/ Ewa	106,700	90.5	85.6 - 95.4	11,200	9.5	4.6 - 14.4	117,900

Education Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	22,500	73.9	61.4 - 86.4	7,900	26.1	13.6 - 38.6	30,500
Grades 12 or GED (High School Grad)	237,700	86.8	83.6 - 90.1	36,000	13.2	9.9 - 16.4	273,700
College 1 to 3 years (Some College/ Tech)	242,400	92.4	89.4 - 95.4	20,000	7.6	4.6 - 10.6	262,400
College 4 years or more (College Grad)	349,000	96.5	95.1 - 97.8	12,800	3.5	2.2 - 4.9	361,900

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Employment Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	532,900	93.3	91.5 - 95.0	38,500	6.7	5.0 - 8.5	571,400
Unemployed	54,700	92.7	86.6 - 98.7	4,300	7.3	1.3 - 13.4	59,000
Retired/Unable to work	173,900	87.7	85.1 - 90.3	24,300	12.3	9.7 - 14.9	198,200
Student/Homemaker	97,000	88.5	82.1 - 94.9	12,600	11.5	5.1 - 17.9	109,600

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Marital Status (Grouped)	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	264,700	91.0	87.9 - 94.1	26,200	9.0	5.9 - 12.1	290,800
Married	510,100	92.0	90.2 - 93.8	44,400	8.0	6.2 - 9.8	554,500
Unmarried Couple	35,500	99.8	99.4 - 100.0	100	0.2	0.0 - 0.6	35,500
Widowed	48,700	83.4	78.5 - 88.2	9,700	16.6	11.8 - 21.5	58,400

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Household Income	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	17,800	72.5	58.1 - 87.0	6,700	27.5	13.0 - 41.9	24,600
\$10,000 to \$14,999	16,000	72.6	61.9 - 83.3	6,000	27.4	16.7 - 38.1	22,000
\$15,000 to \$19,999	29,100	85.3	77.8 - 92.8	5,000	14.7	7.2 - 22.2	34,100
\$20,000 to \$24,999	48,000	87.6	80.3 - 94.9	6,800	12.4	5.1 - 19.7	54,800
\$25,000 to \$34,999	82,100	90.3	85.7 - 94.8	8,900	9.7	5.2 - 14.3	91,000
\$35,000 to \$49,999	128,700	92.8	89.5 - 96.1	10,000	7.2	3.9 - 10.5	138,700
\$50,000 to \$74,999	179,800	95.9	93.6 - 98.1	7,800	4.1	1.9 - 6.4	187,500
\$75,000 or more	273,500	96.1	94.3 - 98.0	11,000	3.9	2.0 - 5.7	284,500

Stroke - numbness in limbs by State, County, BRFSS Age Group, DOH Race-Ethnicity, Gender, Island, Community, Education Level, Employment Status (Grouped), Marital Status (Grouped), Household Income, Poverty Level, Married, Military, Health Care Coverage, for the Year(s) - 2001, 2009

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - Represents cell size restriction of unweighted count < 50; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Poverty Level	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	143,200	84.2	79.6 - 88.9	26,800	15.8	11.1 - 20.4	170,000
131-185%	127,700	92.6	89.7 - 95.5	10,200	7.4	4.5 - 10.3	137,900
186+%	504,000	95.2	93.9 - 96.5	25,200	4.8	3.5 - 6.1	529,200

Married	Yes			No			Estimated Adult Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	517,700	92.0	90.2 - 93.8	44,800	8.0	6.2 - 9.8	562,500
No	340,100	90.5	88.0 - 93.1	35,600	9.5	6.9 - 12.0	375,700