

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2003	13,100	1.4	1.0 - 1.8	908,600	98.6	98.2 - 99.0	921,700
2005	28,300	2.9	2.3 - 3.5	946,400	97.1	96.5 - 97.7	974,700
2006	27,100	2.8	2.3 - 3.3	947,400	97.2	96.7 - 97.7	974,500
2007	24,700	2.5	2.1 - 3.0	959,200	97.5	97.0 - 97.9	983,900
2008	26,300	2.6	2.2 - 3.1	972,700	97.4	96.9 - 97.8	999,000
2009	24,900	2.5	2.0 - 2.9	979,100	97.5	97.1 - 98.0	1,004,000
2010	25,600	2.5	2.1 - 3.0	981,600	97.5	97.0 - 97.9	1,007,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,600	2.5	2.1 - 3.0	981,600	97.5	97.0 - 97.9	1,007,100

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,600	2.5	1.6 - 3.4	137,100	97.5	96.6 - 98.4	140,700
Honolulu	17,200	2.4	1.9 - 3.0	686,400	97.6	97.0 - 98.1	703,500
Kauai	1,800	3.6	2.0 - 5.2	47,500	96.4	94.8 - 98.0	49,200
Maui	3,100	2.7	1.7 - 3.8	110,600	97.3	96.2 - 98.3	113,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,600	2.5	1.6 - 3.4	137,100	97.5	96.6 - 98.4	140,700
Kauai	1,800	3.6	2.0 - 5.2	47,500	96.4	94.8 - 98.0	49,200
Lanai	100	3.9	0.9 - 6.9	1,500	96.1	93.1 - 99.1	1,500
Maui	2,900	2.7	1.6 - 3.9	101,900	97.3	96.1 - 98.4	104,800
Molokai	200	2.2	0.7 - 3.7	7,200	97.8	96.3 - 99.3	7,400
Oahu	17,200	2.4	1.9 - 3.0	686,400	97.6	97.0 - 98.1	703,500

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,500	3.6	1.7 - 5.6	66,100	96.4	94.4 - 98.3	68,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,100	5.3	1.2 - 9.4	19,400	94.7	90.6 - 98.8	20,500
Hanalei/ Kapaa	600	2.9	1.0 - 4.9	20,100	97.1	95.1 - 99.0	20,700
Hilo	1,000	2.3	0.8 - 3.8	41,100	97.7	96.2 - 99.2	42,100
Kaaawa/ Kahaluu/ Kaneohe	500	0.9	0.0 - 1.8	52,900	99.1	98.2 - 100.0	53,300
Kahului	1,300	3.8	1.1 - 6.5	32,800	96.2	93.5 - 98.9	34,100
Kailua/ Waimanalo	1,000	2.0	0.5 - 3.5	49,600	98.0	96.5 - 99.5	50,600
Kaimuki/ Palolo/ Waikiki	1,600	2.8	1.1 - 4.5	54,400	97.2	95.5 - 98.9	56,000
Kona	1,000	3.1	0.4 - 5.9	29,800	96.9	94.1 - 99.6	30,700
Lahaina/ Wailuku	700	2.1	0.9 - 3.3	34,400	97.9	96.7 - 99.1	35,100
Lanai	100	3.9	0.9 - 6.9	1,500	96.1	93.1 - 99.1	1,500

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	1,200	4.0	1.7 - 6.4	27,400	96.0	93.6 - 98.3	28,600
Manoa/ Upper Makiki	1,700	3.0	1.3 - 4.7	53,300	97.0	95.3 - 98.7	54,900
Mililani/ Wahiawa	1,600	2.3	0.3 - 4.3	69,600	97.7	95.7 - 99.7	71,300
Molokai	200	2.2	0.7 - 3.7	7,200	97.8	96.3 - 99.3	7,400
Nanakuli/ Waianae	1,000	2.5	0.4 - 4.5	40,800	97.5	95.5 - 99.6	41,900
N.Hawaii	700	2.7	1.0 - 4.4	24,600	97.3	95.6 - 99.0	25,300
N.Shore/ Laie	700	2.9	0.0 - 6.0	24,200	97.1	94.0 - 100.0	24,900
Nuuanu/ Kalihi/ Moanalua	1,500	2.2	0.7 - 3.8	64,900	97.8	96.2 - 99.3	66,300
Puna/ Kau	900	2.2	0.8 - 3.6	41,600	97.8	96.4 - 99.2	42,500
Salt Lake/ Foster Village	400	1.0	0.0 - 2.2	34,300	99.0	97.8 - 100.0	34,700

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	800	2.4	0.5 - 4.2	34,800	97.6	95.8 - 99.5	35,600
Waialae/ Kahala/ Hawaii Kai	1,600	4.1	0.4 - 7.9	36,400	95.9	92.1 - 99.6	37,900
Waipahu/ Kapolei/ Ewa	2,100	1.7	0.6 - 2.8	120,500	98.3	97.2 - 99.4	122,600



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	0	0.0	--	120,200	100.0	100.0 - 100.0	120,200
<b>25-34</b>	900	0.5	0.0 - 1.2	180,700	99.5	98.8 - 100.0	181,600
<b>35-44</b>	1,300	0.8	0.1 - 1.5	173,000	99.2	98.5 - 99.9	174,300
<b>45-54</b>	2,500	1.4	0.7 - 2.1	176,200	98.6	97.9 - 99.3	178,700
<b>55-64</b>	5,900	3.9	2.5 - 5.3	146,600	96.1	94.7 - 97.5	152,500
<b>65-74</b>	4,800	5.1	3.6 - 6.5	90,500	94.9	93.5 - 96.4	95,400
<b>75+</b>	9,900	9.9	7.6 - 12.2	90,000	90.1	87.8 - 92.4	99,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,400	3.0	2.2 - 3.8	303,900	97.0	96.2 - 97.8	313,300
Native Hawaiian	3,500	2.7	1.6 - 3.7	127,300	97.3	96.3 - 98.4	130,800
Chinese	2,100	3.6	1.3 - 5.9	55,700	96.4	94.1 - 98.7	57,800
Filipino	1,600	1.0	0.3 - 1.7	162,500	99.0	98.3 - 99.7	164,100
Japanese	6,800	2.9	2.1 - 3.7	228,700	97.1	96.3 - 97.9	235,500
Black	200	1.2	0.0 - 2.8	14,500	98.8	97.2 - 100.0	14,700
Other Asian	1,400	5.3	0.1 - 10.4	24,800	94.7	89.6 - 99.9	26,200
Other Pacific Islander	100	0.3	0.0 - 1.0	35,400	99.7	99.0 - 100.0	35,500
Other	500	2.1	0.1 - 4.2	22,100	97.9	95.8 - 99.9	22,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,900	2.6	1.9 - 3.2	489,800	97.4	96.8 - 98.1	502,800
Female	12,700	2.5	2.0 - 3.0	491,700	97.5	97.0 - 98.0	504,400

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	500	4.5	0.0 - 9.0	11,300	95.5	91.0 - 100.0	11,800
Grades 9 thru 11 (Some High School)	1,100	2.5	0.9 - 4.2	40,500	97.5	95.8 - 99.1	41,500
Grades 12 or GED (High School Grad)	9,400	3.2	2.3 - 4.1	282,500	96.8	95.9 - 97.7	291,900
College 1 to 3 years (Some College/ Tech)	6,400	2.2	1.5 - 2.9	279,800	97.8	97.1 - 98.5	286,200
College 4 years or more (College Grad)	8,300	2.2	1.6 - 2.8	366,800	97.8	97.2 - 98.4	375,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	4,900	0.8	0.5 - 1.2	592,700	99.2	98.8 - 99.5	597,600
<b>Unemployed</b>	2,400	3.4	1.1 - 5.7	67,900	96.6	94.3 - 98.9	70,300
<b>Retired/Unable to work</b>	17,000	7.9	6.5 - 9.2	199,700	92.1	90.8 - 93.5	216,700
<b>Student/Homemaker</b>	1,200	1.0	0.2 - 1.8	121,100	99.0	98.2 - 99.8	122,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	2,600	6.3	2.6 - 10.0	39,100	93.7	90.0 - 97.4	41,800
<b>\$10,000 to \$14,999</b>	1,700	6.2	2.8 - 9.6	26,400	93.8	90.4 - 97.2	28,200
<b>\$15,000 to \$19,999</b>	3,000	5.5	2.4 - 8.6	52,400	94.5	91.4 - 97.6	55,400
<b>\$20,000 to \$24,999</b>	2,000	3.0	1.4 - 4.6	64,300	97.0	95.4 - 98.6	66,300
<b>\$25,000 to \$34,999</b>	3,100	3.1	1.7 - 4.6	97,700	96.9	95.4 - 98.3	100,800
<b>\$35,000 to \$49,999</b>	3,500	2.5	1.5 - 3.4	138,100	97.5	96.6 - 98.5	141,600
<b>\$50,000 to \$74,999</b>	2,600	1.6	0.9 - 2.4	153,800	98.4	97.6 - 99.1	156,400
<b>\$75,000 or more</b>	4,900	1.6	1.0 - 2.1	310,300	98.4	97.9 - 99.0	315,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	8,100	3.5	2.3 - 4.6	226,700	96.5	95.4 - 97.7	234,800
<b>131-185%</b>	4,700	3.3	2.1 - 4.5	137,800	96.7	95.5 - 97.9	142,400
<b>186+%</b>	10,800	2.0	1.6 - 2.5	517,600	98.0	97.5 - 98.4	528,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	14,600	2.5	1.9 - 3.1	567,000	97.5	96.9 - 98.1	581,600
<b>Unmarried Couple</b>	100	0.2	0.0 - 0.7	34,500	99.8	99.3 - 100.0	34,600
<b>Widowed</b>	4,500	7.7	5.3 - 10.1	53,700	92.3	89.9 - 94.7	58,100
<b>Other</b>	6,500	1.9	1.4 - 2.5	326,400	98.1	97.5 - 98.6	332,800

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	14,900	2.5	1.9 - 3.1	579,600	97.5	96.9 - 98.1	594,500
<b>No</b>	10,700	2.6	2.0 - 3.2	400,300	97.4	96.8 - 98.0	411,000

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,700	2.6	2.2 - 3.1	912,700	97.4	96.9 - 97.8	937,400
<b>No</b>	900	1.3	0.0 - 2.7	67,100	98.7	97.3 - 100.0	68,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	24,900	2.5	2.0 - 2.9	979,100	97.5	97.1 - 98.0	1,004,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,400	2.4	1.7 - 3.2	134,200	97.6	96.8 - 98.3	137,500
Honolulu	17,900	2.5	2.0 - 3.1	689,000	97.5	96.9 - 98.0	706,900
Kauai	1,000	2.0	0.9 - 3.1	47,500	98.0	96.9 - 99.1	48,400
Maui	2,600	2.4	1.3 - 3.4	108,500	97.6	96.6 - 98.7	111,100



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,400	2.4	1.7 - 3.2	134,200	97.6	96.8 - 98.3	137,500
Kauai	1,000	2.0	0.9 - 3.1	47,500	98.0	96.9 - 99.1	48,400
Lanai	<50	1.8	0.0 - 3.6	1,600	98.2	96.4 - 100.0	1,600
Maui	2,400	2.4	1.2 - 3.5	98,800	97.6	96.5 - 98.8	101,200
Molokai	200	2.8	0.1 - 5.5	8,000	97.2	94.5 - 99.9	8,300
Oahu	17,900	2.5	2.0 - 3.1	689,000	97.5	96.9 - 98.0	706,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,100	3.5	0.8 - 6.2	57,100	96.5	93.8 - 99.2	59,200

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	400	1.6	0.1 - 3.0	27,100	98.4	97.0 - 99.9	27,600
Hanalei/ Kapaa	600	3.2	1.0 - 5.4	19,100	96.8	94.6 - 99.0	19,700
Hilo	1,100	2.8	1.4 - 4.2	39,000	97.2	95.8 - 98.6	40,200
Kaaawa/ Kahaluu/ Kaneohe	1,300	2.6	0.7 - 4.5	47,700	97.4	95.5 - 99.3	49,000
Kahului	900	2.4	0.6 - 4.1	35,200	97.6	95.9 - 99.4	36,000
Kailua/ Waimanalo	1,900	3.7	0.9 - 6.4	49,700	96.3	93.6 - 99.1	51,600
Kaimuki/ Palolo/ Waikiki	1,800	3.2	1.0 - 5.3	54,600	96.8	94.7 - 99.0	56,400
Kona	800	2.7	0.7 - 4.7	29,300	97.3	95.3 - 99.3	30,100
Lahaina/ Wailuku	1,200	3.9	1.0 - 6.9	30,000	96.1	93.1 - 99.0	31,200
Lanai	<50	1.8	0.0 - 3.6	1,600	98.2	96.4 - 100.0	1,600

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	300	1.2	0.2 - 2.2	28,400	98.8	97.8 - 99.8	28,700
Manoa/ Upper Makiki	1,200	2.6	0.9 - 4.3	44,600	97.4	95.7 - 99.1	45,800
Mililani/ Wahiawa	1,600	1.9	0.6 - 3.3	80,900	98.1	96.7 - 99.4	82,500
Molokai	200	2.8	0.1 - 5.5	8,000	97.2	94.5 - 99.9	8,300
Nanakuli/ Waianae	1,200	4.4	0.2 - 8.7	26,700	95.6	91.3 - 99.8	28,000
N.Hawaii	600	2.1	0.5 - 3.6	27,200	97.9	96.4 - 99.5	27,700
N.Shore/ Laie	100	0.3	0.0 - 0.9	18,900	99.7	99.1 - 100.0	18,900
Nuuanu/ Kalihi/ Moanalua	2,300	3.0	1.2 - 4.9	73,900	97.0	95.1 - 98.8	76,200
Puna/ Kau	800	2.1	0.8 - 3.4	38,700	97.9	96.6 - 99.2	39,500
Salt Lake/ Foster Village	600	1.5	0.0 - 3.1	37,600	98.5	96.9 - 100.0	38,200

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	300	0.9	0.1 - 1.7	33,700	99.1	98.3 - 99.9	34,000
Waialae/ Kahala/ Hawaii Kai	1,400	2.6	0.8 - 4.5	54,100	97.4	95.5 - 99.2	55,600
Waipahu/ Kapolei/ Ewa	2,100	1.8	0.4 - 3.1	116,000	98.2	96.9 - 99.6	118,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	0	0.0	--	121,800	100.0	100.0 - 100.0	121,800
<b>25-34</b>	1,400	0.8	0.0 - 1.6	176,600	99.2	98.4 - 100.0	178,000
<b>35-44</b>	500	0.3	0.0 - 0.5	176,700	99.7	99.5 - 100.0	177,200
<b>45-54</b>	3,500	1.9	0.9 - 3.0	177,300	98.1	97.0 - 99.1	180,800
<b>55-64</b>	4,600	3.0	1.9 - 4.0	149,200	97.0	96.0 - 98.1	153,800
<b>65-74</b>	5,300	5.7	3.9 - 7.5	86,800	94.3	92.5 - 96.1	92,000
<b>75+</b>	9,600	9.9	7.2 - 12.5	87,400	90.1	87.5 - 92.8	96,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,000	2.2	1.6 - 2.7	311,000	97.8	97.3 - 98.4	318,000
Native Hawaiian	3,800	3.1	1.6 - 4.6	118,900	96.9	95.4 - 98.4	122,600
Chinese	1,600	2.6	0.7 - 4.5	60,900	97.4	95.5 - 99.3	62,600
Filipino	2,600	1.6	0.5 - 2.6	165,300	98.4	97.4 - 99.5	167,900
Japanese	7,800	3.3	2.3 - 4.3	227,300	96.7	95.7 - 97.7	235,100
Black	100	0.9	0.0 - 2.6	15,800	99.1	97.4 - 100.0	16,000
Other Asian	200	0.9	0.0 - 2.6	23,800	99.1	97.4 - 100.0	24,000
Other Pacific Islander	600	2.1	0.0 - 5.1	30,200	97.9	94.9 - 100.0	30,800
Other	900	4.7	0.0 - 10.0	18,900	95.3	90.0 - 100.0	19,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,400	2.5	1.8 - 3.1	487,900	97.5	96.9 - 98.2	500,300
Female	12,600	2.5	1.9 - 3.1	491,100	97.5	96.9 - 98.1	503,700

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	8.0	0.0 - 17.6	12,600	92.0	82.4 - 100.0	13,600
Grades 9 thru 11 (Some High School)	1,400	3.8	1.3 - 6.2	36,200	96.2	93.8 - 98.7	37,600
Grades 12 or GED (High School Grad)	8,900	3.1	2.1 - 4.1	277,800	96.9	95.9 - 97.9	286,700
College 1 to 3 years (Some College/ Tech)	7,300	2.5	1.7 - 3.3	285,700	97.5	96.7 - 98.3	293,000
College 4 years or more (College Grad)	6,200	1.7	1.2 - 2.1	366,200	98.3	97.9 - 98.8	372,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	5,500	0.9	0.6 - 1.2	619,900	99.1	98.8 - 99.4	625,400
<b>Unemployed</b>	2,200	3.2	0.6 - 5.7	67,400	96.8	94.3 - 99.4	69,600
<b>Retired/Unable to work</b>	16,500	8.1	6.5 - 9.6	188,200	91.9	90.4 - 93.5	204,700
<b>Student/Homemaker</b>	700	0.7	0.0 - 1.5	102,400	99.3	98.5 - 100.0	103,200



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	800	2.9	1.3 - 4.6	26,300	97.1	95.4 - 98.7	27,100
\$10,000 to \$14,999	1,000	4.1	1.8 - 6.4	23,000	95.9	93.6 - 98.2	24,000
\$15,000 to \$19,999	1,300	2.7	1.2 - 4.3	46,900	97.3	95.7 - 98.8	48,200
\$20,000 to \$24,999	4,100	6.9	3.4 - 10.4	55,400	93.1	89.6 - 96.6	59,500
\$25,000 to \$34,999	3,400	3.4	2.0 - 4.9	96,600	96.6	95.1 - 98.0	100,100
\$35,000 to \$49,999	4,100	2.7	1.5 - 3.9	149,600	97.3	96.1 - 98.5	153,700
\$50,000 to \$74,999	3,600	2.0	1.1 - 2.9	174,900	98.0	97.1 - 98.9	178,500
\$75,000 or more	3,400	1.1	0.6 - 1.6	308,000	98.9	98.4 - 99.4	311,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	6,600	3.2	2.0 - 4.5	197,600	96.8	95.5 - 98.0	204,200
<b>131-185%</b>	5,600	3.8	2.5 - 5.1	143,600	96.2	94.9 - 97.5	149,200
<b>186+%</b>	9,500	1.7	1.3 - 2.2	539,600	98.3	97.8 - 98.7	549,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	14,200	2.4	1.8 - 3.0	573,000	97.6	97.0 - 98.2	587,300
<b>Unmarried Couple</b>	200	0.5	0.0 - 1.5	33,100	99.5	98.5 - 100.0	33,200
<b>Widowed</b>	5,100	8.6	5.4 - 11.9	54,100	91.4	88.1 - 94.6	59,200
<b>Other</b>	5,400	1.7	1.1 - 2.2	318,900	98.3	97.8 - 98.9	324,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	14,600	2.4	1.9 - 3.0	582,700	97.6	97.0 - 98.1	597,300
<b>No</b>	10,300	2.5	1.9 - 3.2	394,700	97.5	96.8 - 98.1	405,000

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,800	2.7	2.2 - 3.1	902,200	97.3	96.9 - 97.8	927,000
<b>No</b>	100	0.1	0.0 - 0.4	73,500	99.9	99.6 - 100.0	73,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	26,300	2.6	2.2 - 3.1	972,700	97.4	96.9 - 97.8	999,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,100	3.1	2.0 - 4.2	131,000	96.9	95.8 - 98.0	135,100
Honolulu	18,100	2.6	2.0 - 3.2	687,100	97.4	96.8 - 98.0	705,200
Kauai	1,600	3.3	1.7 - 4.9	47,000	96.7	95.1 - 98.3	48,600
Maui	2,400	2.2	1.4 - 3.0	107,600	97.8	97.0 - 98.6	110,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	4,100	3.1	2.0 - 4.2	131,000	96.9	95.8 - 98.0	135,100
Kauai	1,600	3.3	1.7 - 4.9	47,000	96.7	95.1 - 98.3	48,600
Lanai	100	4.4	1.7 - 7.1	2,000	95.6	92.9 - 98.3	2,100
Maui	2,200	2.2	1.3 - 3.1	97,900	97.8	96.9 - 98.7	100,100
Molokai	100	1.9	0.2 - 3.6	7,600	98.1	96.4 - 99.8	7,800
Oahu	18,100	2.6	2.0 - 3.2	687,100	97.4	96.8 - 98.0	705,200

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,900	3.0	0.5 - 5.4	62,500	97.0	94.6 - 99.5	64,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	800	2.6	0.2 - 4.9	31,700	97.4	95.1 - 99.8	32,500
Hanalei/ Kapaa	700	3.5	1.0 - 6.0	19,200	96.5	94.0 - 99.0	19,900
Hilo	800	2.0	0.7 - 3.3	41,700	98.0	96.7 - 99.3	42,500
Kaaawa/ Kahaluu/ Kaneohe	1,100	2.3	0.1 - 4.5	47,700	97.7	95.5 - 99.9	48,800
Kahului	800	2.5	0.8 - 4.2	33,100	97.5	95.8 - 99.2	33,900
Kailua/ Waimanalo	1,000	1.9	0.1 - 3.8	49,500	98.1	96.2 - 99.9	50,400
Kaimuki/ Palolo/ Waikiki	1,500	2.6	0.7 - 4.4	57,100	97.4	95.6 - 99.3	58,600
Kona	900	3.2	0.4 - 6.1	26,900	96.8	93.9 - 99.6	27,800
Lahaina/ Wailuku	500	1.5	0.3 - 2.6	33,600	98.5	97.4 - 99.7	34,100
Lanai	100	4.4	1.7 - 7.1	2,000	95.6	92.9 - 98.3	2,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	900	3.1	1.1 - 5.1	27,900	96.9	94.9 - 98.9	28,700
Manoa/ Upper Makiki	700	1.4	0.3 - 2.5	46,700	98.6	97.5 - 99.7	47,400
Mililani/ Wahiawa	2,100	2.9	0.1 - 5.6	70,500	97.1	94.4 - 99.9	72,500
Molokai	100	1.9	0.2 - 3.6	7,600	98.1	96.4 - 99.8	7,800
Nanakuli/ Waianae	1,800	4.9	0.9 - 8.8	34,900	95.1	91.2 - 99.1	36,700
N.Hawaii	500	1.7	0.4 - 2.9	27,600	98.3	97.1 - 99.6	28,100
N.Shore/ Laie	400	1.5	0.0 - 3.5	23,400	98.5	96.5 - 100.0	23,800
Nuuanu/ Kalihi/ Moanalua	1,400	2.1	0.7 - 3.5	65,100	97.9	96.5 - 99.3	66,500
Puna/ Kau	1,900	5.3	2.3 - 8.2	34,800	94.7	91.8 - 97.7	36,700
Salt Lake/ Foster Village	600	1.5	0.0 - 3.1	36,300	98.5	96.9 - 100.0	36,900

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	900	2.7	0.9 - 4.5	31,200	97.3	95.5 - 99.1	32,100
Waialae/ Kahala/ Hawaii Kai	2,100	4.7	1.9 - 7.5	43,500	95.3	92.5 - 98.1	45,600
Waipahu/ Kapolei/ Ewa	2,800	2.3	0.9 - 3.7	118,300	97.7	96.3 - 99.1	121,000



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	700	0.6	0.0 - 1.6	122,900	99.4	98.4 - 100.0	123,600
<b>25-34</b>	400	0.2	0.0 - 0.7	178,700	99.8	99.3 - 100.0	179,100
<b>35-44</b>	2,300	1.3	0.2 - 2.3	176,800	98.7	97.7 - 99.8	179,000
<b>45-54</b>	4,000	2.2	1.2 - 3.3	172,400	97.8	96.7 - 98.8	176,400
<b>55-64</b>	4,600	3.1	1.9 - 4.2	146,000	96.9	95.8 - 98.1	150,600
<b>65-74</b>	5,700	6.4	4.4 - 8.4	83,700	93.6	91.6 - 95.6	89,400
<b>75+</b>	8,600	9.1	6.6 - 11.6	85,800	90.9	88.4 - 93.4	94,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,600	2.9	2.2 - 3.7	319,500	97.1	96.3 - 97.8	329,100
Native Hawaiian	4,400	3.2	1.5 - 4.8	133,800	96.8	95.2 - 98.5	138,200
Chinese	1,800	2.6	0.6 - 4.6	65,300	97.4	95.4 - 99.4	67,000
Filipino	3,700	2.6	1.1 - 4.0	140,700	97.4	96.0 - 98.9	144,400
Japanese	5,500	2.4	1.6 - 3.3	221,900	97.6	96.7 - 98.4	227,500
Black	0	0.0	--	13,800	100.0	100.0 - 100.0	13,800
Other Asian	300	1.4	0.0 - 3.0	24,300	98.6	97.0 - 100.0	24,600
Other Pacific Islander	0	0.0	--	24,000	100.0	100.0 - 100.0	24,000
Other	200	1.0	0.0 - 2.3	20,800	99.0	97.7 - 100.0	21,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	13,100	2.6	1.9 - 3.4	481,400	97.4	96.6 - 98.1	494,400
Female	13,200	2.6	2.0 - 3.2	491,400	97.4	96.8 - 98.0	504,500

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	900	9.5	2.7 - 16.3	8,700	90.5	83.7 - 97.3	9,600
Grades 9 thru 11 (Some High School)	1,400	3.5	1.5 - 5.4	38,100	96.5	94.6 - 98.5	39,400
Grades 12 or GED (High School Grad)	10,900	3.7	2.6 - 4.8	282,400	96.3	95.2 - 97.4	293,300
College 1 to 3 years (Some College/ Tech)	6,700	2.3	1.5 - 3.2	279,700	97.7	96.8 - 98.5	286,400
College 4 years or more (College Grad)	6,400	1.7	1.2 - 2.3	362,700	98.3	97.7 - 98.8	369,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	4,900	0.8	0.5 - 1.1	627,000	99.2	98.9 - 99.5	632,000
<b>Unemployed</b>	2,100	4.8	0.6 - 8.9	41,800	95.2	91.1 - 99.4	43,900
<b>Retired/Unable to work</b>	18,300	8.1	6.5 - 9.7	207,500	91.9	90.3 - 93.5	225,800
<b>Student/Homemaker</b>	800	0.9	0.2 - 1.5	94,500	99.1	98.5 - 99.8	95,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	1,600	6.6	3.1 - 10.2	23,000	93.4	89.8 - 96.9	24,700
<b>\$10,000 to \$14,999</b>	2,500	11.1	3.7 - 18.5	20,000	88.9	81.5 - 96.3	22,500
<b>\$15,000 to \$19,999</b>	2,000	4.8	1.8 - 7.8	39,100	95.2	92.2 - 98.2	41,100
<b>\$20,000 to \$24,999</b>	2,400	4.4	2.1 - 6.6	53,400	95.6	93.4 - 97.9	55,800
<b>\$25,000 to \$34,999</b>	2,800	2.7	1.3 - 4.1	98,900	97.3	95.9 - 98.7	101,700
<b>\$35,000 to \$49,999</b>	2,800	1.9	0.9 - 2.9	144,100	98.1	97.1 - 99.1	147,000
<b>\$50,000 to \$74,999</b>	3,800	2.0	1.1 - 2.9	183,700	98.0	97.1 - 98.9	187,500
<b>\$75,000 or more</b>	4,100	1.3	0.7 - 1.8	317,700	98.7	98.2 - 99.3	321,800

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	8,200	4.5	3.0 - 6.1	172,200	95.5	93.9 - 97.0	180,400
<b>131-185%</b>	1,600	1.3	0.7 - 2.0	116,700	98.7	98.0 - 99.3	118,300
<b>186+%</b>	12,300	2.0	1.6 - 2.5	590,600	98.0	97.5 - 98.4	602,900

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	12,800	2.2	1.6 - 2.7	576,500	97.8	97.3 - 98.4	589,200
<b>Unmarried Couple</b>	1,100	4.1	0.0 - 8.9	25,900	95.9	91.1 - 100.0	27,000
<b>Widowed</b>	4,600	8.0	5.5 - 10.5	53,000	92.0	89.5 - 94.5	57,600
<b>Other</b>	7,700	2.4	1.5 - 3.2	317,400	97.6	96.8 - 98.5	325,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	13,700	2.3	1.7 - 2.9	586,900	97.7	97.1 - 98.3	600,700
<b>No</b>	12,500	3.2	2.4 - 4.0	383,200	96.8	96.0 - 97.6	395,800

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,800	2.7	2.2 - 3.1	909,900	97.3	96.9 - 97.8	934,700
<b>No</b>	1,300	2.0	0.0 - 4.5	61,400	98.0	95.5 - 100.0	62,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	24,700	2.5	2.1 - 3.0	959,200	97.5	97.0 - 97.9	983,900

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.0	2.1 - 4.0	124,700	97.0	96.0 - 97.9	128,600
Honolulu	17,300	2.5	1.9 - 3.0	682,900	97.5	97.0 - 98.1	700,200
Kauai	1,300	2.8	1.2 - 4.4	45,800	97.2	95.6 - 98.8	47,200
Maui	2,200	2.0	1.3 - 2.8	105,700	98.0	97.2 - 98.7	107,900



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.0	2.1 - 4.0	124,700	97.0	96.0 - 97.9	128,600
Kauai	1,300	2.8	1.2 - 4.4	45,800	97.2	95.6 - 98.8	47,200
Lanai	100	4.2	1.3 - 7.1	1,800	95.8	92.9 - 98.7	1,900
Maui	2,000	2.1	1.2 - 2.9	95,800	97.9	97.1 - 98.8	97,800
Molokai	100	1.1	0.2 - 2.1	8,100	98.9	97.9 - 99.8	8,100
Oahu	17,300	2.5	1.9 - 3.0	682,900	97.5	97.0 - 98.1	700,200

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,700	3.9	1.6 - 6.2	65,600	96.1	93.8 - 98.4	68,200

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	2,300	7.8	2.7 - 13.0	26,800	92.2	87.0 - 97.3	29,100
Hanalei/ Kapaa	900	4.6	1.1 - 8.1	19,200	95.4	91.9 - 98.9	20,100
Hilo	1,100	3.2	1.4 - 4.9	35,200	96.8	95.1 - 98.6	36,300
Kaaawa/ Kahaluu/ Kaneohe	700	1.5	0.2 - 2.8	49,000	98.5	97.2 - 99.8	49,700
Kahului	700	2.3	0.6 - 4.0	31,700	97.7	96.0 - 99.4	32,500
Kailua/ Waimanalo	2,000	3.7	0.4 - 7.0	50,800	96.3	93.0 - 99.6	52,700
Kaimuki/ Palolo/ Waikiki	1,800	3.2	1.2 - 5.1	54,300	96.8	94.9 - 98.8	56,100
Kona	1,300	4.8	1.9 - 7.7	26,100	95.2	92.3 - 98.1	27,400
Lahaina/ Wailuku	800	2.5	0.9 - 4.1	30,200	97.5	95.9 - 99.1	31,000
Lanai	100	4.2	1.3 - 7.1	1,800	95.8	92.9 - 98.7	1,900

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	400	1.5	0.4 - 2.6	26,600	98.5	97.4 - 99.6	27,000
Manoa/ Upper Makiki	1,000	2.1	0.2 - 4.1	44,700	97.9	95.9 - 99.8	45,700
Mililani/ Wahiawa	1,200	1.6	0.3 - 2.9	73,400	98.4	97.1 - 99.7	74,600
Molokai	100	1.1	0.2 - 2.1	8,100	98.9	97.9 - 99.8	8,100
Nanakuli/ Waianae	400	1.0	0.0 - 2.6	38,800	99.0	97.4 - 100.0	39,200
N.Hawaii	500	1.7	0.3 - 3.2	28,000	98.3	96.8 - 99.7	28,500
N.Shore/ Laie	600	2.5	0.0 - 5.0	21,900	97.5	95.0 - 100.0	22,500
Nuuanu/ Kalihi/ Moanalua	800	1.2	0.2 - 2.3	66,200	98.8	97.7 - 99.8	67,000
Puna/ Kau	900	2.6	1.1 - 4.1	35,500	97.4	95.9 - 98.9	36,400
Salt Lake/ Foster Village	0	0.0	--	28,700	100.0	100.0 - 100.0	28,700

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	500	1.5	0.4 - 2.6	33,800	98.5	97.4 - 99.6	34,300
Waialae/ Kahala/ Hawaii Kai	1,200	3.2	0.5 - 5.8	36,500	96.8	94.2 - 99.5	37,700
Waipahu/ Kapolei/ Ewa	2,700	2.1	0.7 - 3.5	126,300	97.9	96.5 - 99.3	129,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	1,500	1.2	0.0 - 2.6	124,400	98.8	97.4 - 100.0	125,800
<b>25-34</b>	400	0.3	0.0 - 0.8	158,700	99.7	99.2 - 100.0	159,100
<b>35-44</b>	300	0.2	0.0 - 0.4	174,100	99.8	99.6 - 100.0	174,400
<b>45-54</b>	3,000	1.6	0.8 - 2.4	182,100	98.4	97.6 - 99.2	185,100
<b>55-64</b>	7,100	4.6	3.2 - 6.0	147,800	95.4	94.0 - 96.8	154,900
<b>65-74</b>	4,100	4.9	3.2 - 6.7	79,700	95.1	93.3 - 96.8	83,800
<b>75+</b>	8,300	8.6	6.1 - 11.0	88,300	91.4	89.0 - 93.9	96,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,200	2.6	1.8 - 3.4	304,600	97.4	96.6 - 98.2	312,800
Native Hawaiian	3,400	2.5	1.5 - 3.5	130,900	97.5	96.5 - 98.5	134,300
Chinese	1,300	2.4	0.7 - 4.2	52,900	97.6	95.8 - 99.3	54,200
Filipino	2,100	1.2	0.3 - 2.2	170,800	98.8	97.8 - 99.7	173,000
Japanese	7,600	3.5	2.4 - 4.6	208,300	96.5	95.4 - 97.6	215,900
Black	100	0.8	0.0 - 2.0	16,300	99.2	98.0 - 100.0	16,400
Other Asian	600	2.9	0.0 - 7.3	21,200	97.1	92.7 - 100.0	21,900
Other Pacific Islander	0	0.0	--	22,700	100.0	100.0 - 100.0	22,700
Other	300	1.4	0.0 - 3.5	22,200	98.6	96.5 - 100.0	22,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,200	2.5	1.8 - 3.2	473,100	97.5	96.8 - 98.2	485,400
Female	12,500	2.5	2.0 - 3.0	486,000	97.5	97.0 - 98.0	498,500

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,300	8.1	2.1 - 14.1	14,200	91.9	85.9 - 97.9	15,500
Grades 9 thru 11 (Some High School)	700	1.9	0.4 - 3.4	37,100	98.1	96.6 - 99.6	37,800
Grades 12 or GED (High School Grad)	10,300	3.3	2.3 - 4.3	298,500	96.7	95.7 - 97.7	308,700
College 1 to 3 years (Some College/ Tech)	5,800	2.0	1.3 - 2.7	283,600	98.0	97.3 - 98.7	289,300
College 4 years or more (College Grad)	6,700	2.0	1.3 - 2.7	324,200	98.0	97.3 - 98.7	330,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	6,700	1.1	0.7 - 1.4	628,800	98.9	98.6 - 99.3	635,500
<b>Unemployed</b>	1,800	5.7	0.0 - 11.5	29,300	94.3	88.5 - 100.0	31,100
<b>Retired/Unable to work</b>	15,200	6.7	5.3 - 8.0	212,500	93.3	92.0 - 94.7	227,700
<b>Student/Homemaker</b>	1,000	1.1	0.1 - 2.1	88,200	98.9	97.9 - 99.9	89,200



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,400	5.1	1.9 - 8.4	26,500	94.9	91.6 - 98.1	28,000
\$10,000 to \$14,999	1,600	5.3	2.2 - 8.4	28,800	94.7	91.6 - 97.8	30,400
\$15,000 to \$19,999	2,800	6.2	3.1 - 9.3	41,700	93.8	90.7 - 96.9	44,500
\$20,000 to \$24,999	1,800	3.0	1.4 - 4.7	57,700	97.0	95.3 - 98.6	59,500
\$25,000 to \$34,999	2,700	2.4	1.1 - 3.8	109,600	97.6	96.2 - 98.9	112,300
\$35,000 to \$49,999	4,600	2.8	1.7 - 3.9	160,900	97.2	96.1 - 98.3	165,500
\$50,000 to \$74,999	2,900	1.7	0.7 - 2.7	167,000	98.3	97.3 - 99.3	169,900
\$75,000 or more	4,100	1.4	0.8 - 2.1	282,500	98.6	97.9 - 99.2	286,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	6,200	3.1	2.0 - 4.1	194,300	96.9	95.9 - 98.0	200,400
<b>131-185%</b>	1,400	1.2	0.5 - 1.8	114,800	98.8	98.2 - 99.5	116,100
<b>186+%</b>	14,400	2.5	1.9 - 3.1	565,600	97.5	96.9 - 98.1	580,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	12,200	2.1	1.5 - 2.6	573,200	97.9	97.4 - 98.5	585,400
<b>Unmarried Couple</b>	700	2.7	0.0 - 5.8	26,100	97.3	94.2 - 100.0	26,800
<b>Widowed</b>	5,000	8.6	6.0 - 11.3	53,200	91.4	88.7 - 94.0	58,200
<b>Other</b>	6,800	2.2	1.3 - 3.0	306,600	97.8	97.0 - 98.7	313,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	12,300	2.1	1.5 - 2.6	582,900	97.9	97.4 - 98.5	595,200
<b>No</b>	12,400	3.2	2.4 - 4.0	375,000	96.8	96.0 - 97.6	387,400

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	23,700	2.6	2.1 - 3.0	900,800	97.4	97.0 - 97.9	924,500
<b>No</b>	1,000	1.7	0.2 - 3.2	57,400	98.3	96.8 - 99.8	58,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	27,100	2.8	2.3 - 3.3	947,400	97.2	96.7 - 97.7	974,500

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,800	3.1	2.1 - 4.2	118,100	96.9	95.8 - 97.9	121,900
Honolulu	19,500	2.8	2.1 - 3.5	678,900	97.2	96.5 - 97.9	698,400
Kauai	1,800	3.8	2.1 - 5.5	46,100	96.2	94.5 - 97.9	47,900
Maui	2,000	1.9	1.2 - 2.6	104,300	98.1	97.4 - 98.8	106,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,800	3.1	2.1 - 4.2	118,100	96.9	95.8 - 97.9	121,900
Kauai	1,800	3.8	2.1 - 5.5	46,100	96.2	94.5 - 97.9	47,900
Lanai	100	2.4	0.0 - 5.0	2,300	97.6	95.0 - 100.0	2,400
Maui	1,700	1.8	1.0 - 2.6	95,600	98.2	97.4 - 99.0	97,300
Molokai	200	3.4	1.0 - 5.8	6,300	96.6	94.2 - 99.0	6,600
Oahu	19,500	2.8	2.1 - 3.5	678,900	97.2	96.5 - 97.9	698,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,100	3.1	0.5 - 5.7	64,600	96.9	94.3 - 99.5	66,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,000	3.0	0.5 - 5.5	32,200	97.0	94.5 - 99.5	33,200
Hanalei/ Kapaa	1,000	4.8	1.7 - 8.0	19,800	95.2	92.0 - 98.3	20,800
Hilo	1,000	2.9	1.0 - 4.8	33,700	97.1	95.2 - 99.0	34,800
Kaaawa/ Kahaluu/ Kaneohe	600	1.2	0.0 - 2.4	47,700	98.8	97.6 - 100.0	48,200
Kahului	800	2.3	0.5 - 4.1	31,900	97.7	95.9 - 99.5	32,700
Kailua/ Waimanalo	1,700	3.5	1.2 - 5.8	47,700	96.5	94.2 - 98.8	49,500
Kaimuki/ Palolo/ Waikiki	1,500	2.6	1.0 - 4.2	55,600	97.4	95.8 - 99.0	57,100
Kona	1,000	3.2	1.4 - 5.1	28,500	96.8	94.9 - 98.6	29,400
Lahaina/ Wailuku	600	1.9	0.6 - 3.1	32,100	98.1	96.9 - 99.4	32,700
Lanai	100	2.4	0.0 - 5.0	2,300	97.6	95.0 - 100.0	2,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	800	3.0	1.2 - 4.8	26,300	97.0	95.2 - 98.8	27,100
Manoa/ Upper Makiki	2,300	4.9	1.8 - 8.0	45,600	95.1	92.0 - 98.2	48,000
Mililani/ Wahiawa	1,700	2.6	0.6 - 4.7	64,200	97.4	95.3 - 99.4	66,000
Molokai	200	3.4	1.0 - 5.8	6,300	96.6	94.2 - 99.0	6,600
Nanakuli/ Waianae	300	1.2	0.0 - 2.8	27,900	98.8	97.2 - 100.0	28,200
N.Hawaii	900	3.5	0.5 - 6.4	25,300	96.5	93.6 - 99.5	26,200
N.Shore/ Laie	400	1.8	0.0 - 3.6	23,900	98.2	96.4 - 100.0	24,300
Nuuanu/ Kalihi/ Moanalua	2,700	3.6	0.4 - 6.9	71,800	96.4	93.1 - 99.6	74,500
Puna/ Kau	900	2.9	1.2 - 4.6	30,600	97.1	95.4 - 98.8	31,500
Salt Lake/ Foster Village	200	0.5	0.0 - 1.5	36,500	99.5	98.5 - 100.0	36,600

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	400	1.2	0.2 - 2.1	31,600	98.8	97.9 - 99.8	31,900
Waialae/ Kahala/ Hawaii Kai	1,600	3.7	1.1 - 6.3	41,200	96.3	93.7 - 98.9	42,800
Waipahu/ Kapolei/ Ewa	3,300	2.6	1.1 - 4.2	120,100	97.4	95.8 - 98.9	123,400



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	500	0.4	0.0 - 1.0	123,200	99.6	99.0 - 100.0	123,700
<b>25-34</b>	500	0.3	0.0 - 0.8	161,300	99.7	99.2 - 100.0	161,800
<b>35-44</b>	600	0.3	0.0 - 0.7	177,000	99.7	99.3 - 100.0	177,600
<b>45-54</b>	4,400	2.4	1.3 - 3.6	175,700	97.6	96.4 - 98.7	180,100
<b>55-64</b>	6,000	4.1	2.1 - 6.0	140,900	95.9	94.0 - 97.9	146,800
<b>65-74</b>	5,200	6.3	4.3 - 8.2	78,100	93.7	91.8 - 95.7	83,400
<b>75+</b>	9,600	10.3	7.5 - 13.2	83,500	89.7	86.8 - 92.5	93,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	10,100	3.2	2.3 - 4.0	310,300	96.8	96.0 - 97.7	320,400
Native Hawaiian	2,300	1.9	1.0 - 2.8	117,700	98.1	97.2 - 99.0	120,000
Chinese	2,000	4.2	1.6 - 6.8	44,500	95.8	93.2 - 98.4	46,400
Filipino	3,100	2.0	0.3 - 3.7	151,900	98.0	96.3 - 99.7	155,000
Japanese	7,400	3.6	2.3 - 4.8	200,200	96.4	95.2 - 97.7	207,600
Black	0	0.0	--	14,500	100.0	100.0 - 100.0	14,500
Other Asian	900	3.1	0.0 - 6.6	28,100	96.9	93.4 - 100.0	29,000
Other Pacific Islander	300	1.0	0.0 - 2.6	25,300	99.0	97.4 - 100.0	25,500
Mixed Ethnicity	300	1.4	0.0 - 2.9	23,900	98.6	97.1 - 100.0	24,300
Other	200	0.9	0.0 - 2.3	21,500	99.1	97.7 - 100.0	21,700

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	13,000	2.7	1.9 - 3.5	468,000	97.3	96.5 - 98.1	481,000
Female	14,000	2.8	2.2 - 3.5	479,400	97.2	96.5 - 97.8	493,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	6.6	1.6 - 11.7	15,100	93.4	88.3 - 98.4	16,200
Grades 9 thru 11 (Some High School)	800	2.1	0.7 - 3.4	39,800	97.9	96.6 - 99.3	40,700
Grades 12 or GED (High School Grad)	10,000	3.4	2.2 - 4.6	281,300	96.6	95.4 - 97.8	291,300
College 1 to 3 years (Some College/ Tech)	6,000	2.1	1.4 - 2.9	276,000	97.9	97.1 - 98.6	282,000
College 4 years or more (College Grad)	9,100	2.6	1.9 - 3.4	334,300	97.4	96.6 - 98.1	343,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	7,700	1.2	0.7 - 1.7	619,600	98.8	98.3 - 99.3	627,300
<b>Unemployed</b>	1,600	4.5	0.9 - 8.1	34,100	95.5	91.9 - 99.1	35,700
<b>Retired/Unable to work</b>	16,400	7.5	6.0 - 8.9	202,900	92.5	91.1 - 94.0	219,200
<b>Student/Homemaker</b>	1,400	1.6	0.0 - 3.2	89,300	98.4	96.8 - 100.0	90,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	4.5	1.0 - 7.9	24,900	95.5	92.1 - 99.0	26,100
\$10,000 to \$14,999	1,100	4.3	1.6 - 6.9	24,700	95.7	93.1 - 98.4	25,800
\$15,000 to \$19,999	2,900	6.7	3.7 - 9.6	41,100	93.3	90.4 - 96.3	44,000
\$20,000 to \$24,999	3,300	5.0	2.4 - 7.6	62,500	95.0	92.4 - 97.6	65,800
\$25,000 to \$34,999	1,900	1.8	0.8 - 2.7	104,000	98.2	97.3 - 99.2	105,900
\$35,000 to \$49,999	3,700	2.8	1.0 - 4.6	129,400	97.2	95.4 - 99.0	133,100
\$50,000 to \$74,999	2,300	1.5	0.6 - 2.4	153,500	98.5	97.6 - 99.4	155,900
\$75,000 or more	4,300	1.8	1.0 - 2.6	238,200	98.2	97.4 - 99.0	242,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	6,500	3.7	2.0 - 5.4	168,200	96.3	94.6 - 98.0	174,600
<b>131-185%</b>	3,400	2.9	1.7 - 4.2	111,100	97.1	95.8 - 98.3	114,500
<b>186+%</b>	10,900	2.1	1.6 - 2.7	499,100	97.9	97.3 - 98.4	510,000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	15,600	2.7	2.0 - 3.4	561,100	97.3	96.6 - 98.0	576,700
<b>Unmarried Couple</b>	100	0.2	0.0 - 0.5	32,000	99.8	99.5 - 100.0	32,000
<b>Widowed</b>	4,900	9.1	5.9 - 12.2	49,300	90.9	87.8 - 94.1	54,200
<b>Other</b>	6,500	2.1	1.4 - 2.8	305,100	97.9	97.2 - 98.6	311,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	16,000	2.7	2.0 - 3.4	570,800	97.3	96.6 - 98.0	586,800
<b>No</b>	10,800	2.8	2.1 - 3.5	375,100	97.2	96.5 - 97.9	386,000

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,800	2.8	2.2 - 3.3	866,100	97.2	96.7 - 97.8	890,900
<b>No</b>	2,300	2.8	1.0 - 4.6	78,300	97.2	95.4 - 99.0	80,600



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	28,300	2.9	2.3 - 3.5	946,400	97.1	96.5 - 97.7	974,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.2	2.3 - 4.2	116,700	96.8	95.8 - 97.7	120,600
Honolulu	19,800	2.8	2.1 - 3.6	683,100	97.2	96.4 - 97.9	702,900
Kauai	1,300	2.8	1.3 - 4.3	44,900	97.2	95.7 - 98.7	46,200
Maui	3,300	3.1	1.8 - 4.4	101,700	96.9	95.6 - 98.2	105,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.2	2.3 - 4.2	116,700	96.8	95.8 - 97.7	120,600
Kauai	1,300	2.8	1.3 - 4.3	44,900	97.2	95.7 - 98.7	46,200
Lanai	100	4.3	0.9 - 7.6	2,400	95.7	92.4 - 99.1	2,500
Maui	2,900	3.0	1.6 - 4.4	94,100	97.0	95.6 - 98.4	97,000
Molokai	300	5.3	1.6 - 9.1	5,100	94.7	90.9 - 98.4	5,400
Oahu	19,800	2.8	2.1 - 3.6	683,100	97.2	96.4 - 97.9	702,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,300	1.8	0.2 - 3.4	69,400	98.2	96.6 - 99.8	70,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,600	4.8	1.3 - 8.4	31,200	95.2	91.6 - 98.7	32,800
Hanalei/ Kapaa	600	3.1	0.7 - 5.6	18,600	96.9	94.4 - 99.3	19,200
Hilo	1,200	3.2	1.6 - 4.9	34,400	96.8	95.1 - 98.4	35,500
Kaaawa/ Kahaluu/ Kaneohe	3,100	5.8	0.1 - 11.6	49,700	94.2	88.4 - 99.9	52,700
Kahului	800	2.2	0.8 - 3.6	33,700	97.8	96.4 - 99.2	34,500
Kailua/ Waimanalo	400	0.8	0.0 - 1.7	48,400	99.2	98.3 - 100.0	48,800
Kaimuki/ Palolo/ Waikiki	2,300	3.4	1.2 - 5.7	64,100	96.6	94.3 - 98.8	66,400
Kona	400	1.3	0.3 - 2.3	28,900	98.7	97.7 - 99.7	29,300
Lahaina/ Wailuku	900	2.9	0.7 - 5.2	30,900	97.1	94.8 - 99.3	31,900
Lanai	100	4.3	0.9 - 7.6	2,400	95.7	92.4 - 99.1	2,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	700	2.6	0.6 - 4.5	26,300	97.4	95.5 - 99.4	27,000
Manoa/ Upper Makiki	2,000	4.7	1.8 - 7.5	41,800	95.3	92.5 - 98.2	43,900
Mililani/ Wahiawa	2,800	3.8	1.3 - 6.4	69,300	96.2	93.6 - 98.7	72,100
Molokai	300	5.3	1.6 - 9.1	5,100	94.7	90.9 - 98.4	5,400
Nanakuli/ Waianae	200	0.5	0.0 - 1.4	32,900	99.5	98.6 - 100.0	33,000
N.Hawaii	1,100	4.3	1.8 - 6.8	23,700	95.7	93.2 - 98.2	24,800
N.Shore/ Laie	200	0.8	0.0 - 2.5	20,300	99.2	97.5 - 100.0	20,500
Nuuanu/ Kalihi/ Moanalua	1,500	2.2	0.4 - 4.0	68,200	97.8	96.0 - 99.6	69,700
Puna/ Kau	1,300	4.2	1.9 - 6.5	29,700	95.8	93.5 - 98.1	31,100
Salt Lake/ Foster Village	500	1.6	0.0 - 3.6	32,500	98.4	96.4 - 100.0	33,000

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	1,200	3.9	0.6 - 7.2	29,500	96.1	92.8 - 99.4	30,700
Waialae/ Kahala/ Hawaii Kai	1,400	3.1	0.5 - 5.8	41,800	96.9	94.2 - 99.5	43,200
Waipahu/ Kapolei/ Ewa	2,600	2.3	0.3 - 4.2	113,600	97.7	95.8 - 99.7	116,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>18-24</b>	100	0.1	0.0 - 0.2	121,300	99.9	99.8 - 100.0	121,300
<b>25-34</b>	2,100	1.3	0.0 - 3.1	165,600	98.7	96.9 - 100.0	167,700
<b>35-44</b>	2,500	1.4	0.4 - 2.4	179,900	98.6	97.6 - 99.6	182,500
<b>45-54</b>	3,900	2.2	1.0 - 3.3	178,200	97.8	96.7 - 99.0	182,200
<b>55-64</b>	5,000	3.5	2.0 - 5.1	136,400	96.5	94.9 - 98.0	141,400
<b>65-74</b>	5,100	6.0	3.9 - 8.0	80,300	94.0	92.0 - 96.1	85,400
<b>75+</b>	9,500	10.8	7.7 - 13.8	78,800	89.2	86.2 - 92.3	88,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,800	2.7	2.0 - 3.4	317,500	97.3	96.6 - 98.0	326,300
Native Hawaiian	5,700	4.9	1.9 - 7.9	111,700	95.1	92.1 - 98.1	117,400
Chinese	900	1.6	0.4 - 2.8	54,600	98.4	97.2 - 99.6	55,500
Filipino	3,300	2.1	0.7 - 3.5	154,300	97.9	96.5 - 99.3	157,600
Japanese	7,300	3.5	2.3 - 4.7	203,200	96.5	95.3 - 97.7	210,500
Black	200	0.9	0.0 - 2.1	19,600	99.1	97.9 - 100.0	19,700
Other Asian	700	3.4	0.0 - 8.0	19,600	96.6	92.0 - 100.0	20,200
Other Pacific Islander	600	2.4	0.0 - 5.5	24,700	97.6	94.5 - 100.0	25,300
Other	400	1.2	0.0 - 2.5	32,000	98.8	97.5 - 100.0	32,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	15,500	3.2	2.2 - 4.2	468,700	96.8	95.8 - 97.8	484,200
Female	12,800	2.6	2.0 - 3.2	477,700	97.4	96.8 - 98.0	490,500

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,000	9.8	0.9 - 18.6	18,600	90.2	81.4 - 99.1	20,600
Grades 9 thru 11 (Some High School)	3,300	8.3	3.6 - 13.0	36,100	91.7	87.0 - 96.4	39,400
Grades 12 or GED (High School Grad)	7,600	2.7	1.9 - 3.6	271,400	97.3	96.4 - 98.1	279,000
College 1 to 3 years (Some College/ Tech)	7,200	2.5	1.3 - 3.8	275,500	97.5	96.2 - 98.7	282,600
College 4 years or more (College Grad)	8,200	2.3	1.6 - 3.1	342,300	97.7	96.9 - 98.4	350,600



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	8,500	1.3	0.7 - 2.0	619,600	98.7	98.0 - 99.3	628,100
<b>Unemployed</b>	500	2.6	0.0 - 5.4	18,300	97.4	94.6 - 100.0	18,800
<b>Retired/Unable to work</b>	17,300	7.5	5.9 - 9.2	212,500	92.5	90.8 - 94.1	229,800
<b>Student/Homemaker</b>	2,000	2.1	0.6 - 3.6	93,200	97.9	96.4 - 99.4	95,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,600	9.6	0.0 - 19.6	24,700	90.4	80.4 - 100.0	27,300
\$10,000 to \$14,999	3,500	12.4	5.8 - 19.1	24,700	87.6	80.9 - 94.2	28,200
\$15,000 to \$19,999	2,400	4.8	2.4 - 7.2	48,100	95.2	92.8 - 97.6	50,500
\$20,000 to \$24,999	1,300	2.0	0.8 - 3.3	60,600	98.0	96.7 - 99.2	61,900
\$25,000 to \$34,999	2,000	2.0	1.0 - 3.0	98,600	98.0	97.0 - 99.0	100,600
\$35,000 to \$49,999	3,200	2.1	1.2 - 3.0	149,400	97.9	97.0 - 98.8	152,600
\$50,000 to \$74,999	3,600	2.0	0.9 - 3.1	178,700	98.0	96.9 - 99.1	182,300
\$75,000 or more	3,900	1.7	0.9 - 2.5	226,800	98.3	97.5 - 99.1	230,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	8,000	4.8	2.6 - 6.9	159,900	95.2	93.1 - 97.4	167,900
<b>131-185%</b>	1,800	2.0	1.0 - 2.9	90,200	98.0	97.1 - 99.0	92,000
<b>186+%</b>	12,800	2.2	1.7 - 2.8	561,400	97.8	97.2 - 98.3	574,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	15,800	2.7	2.0 - 3.4	566,000	97.3	96.6 - 98.0	581,800
<b>Unmarried Couple</b>	500	2.1	0.0 - 5.8	25,600	97.9	94.2 - 100.0	26,100
<b>Widowed</b>	4,100	7.1	4.7 - 9.6	53,700	92.9	90.4 - 95.3	57,900
<b>Other</b>	7,800	2.5	1.3 - 3.8	301,100	97.5	96.2 - 98.7	308,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	16,300	2.8	2.1 - 3.4	576,900	97.2	96.6 - 97.9	593,200
<b>No</b>	11,800	3.1	2.1 - 4.2	367,800	96.9	95.8 - 97.9	379,600

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	26,400	2.9	2.3 - 3.6	870,200	97.1	96.4 - 97.7	896,600
<b>No</b>	1,900	2.5	0.7 - 4.3	74,400	97.5	95.7 - 99.3	76,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	13,100	1.4	1.0 - 1.8	908,600	98.6	98.2 - 99.0	921,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,200	1.9	0.9 - 2.9	113,600	98.1	97.1 - 99.1	115,800
Honolulu	8,700	1.3	0.8 - 1.8	656,200	98.7	98.2 - 99.2	664,900
Kauai	700	1.7	0.3 - 3.0	42,000	98.3	97.0 - 99.7	42,800
Maui	1,500	1.6	0.7 - 2.4	96,800	98.4	97.6 - 99.3	98,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,200	1.9	0.9 - 2.9	113,600	98.1	97.1 - 99.1	115,800
Kauai	700	1.7	0.3 - 3.0	42,000	98.3	97.0 - 99.7	42,800
Maui	1,100	1.2	0.4 - 2.0	88,200	98.8	98.0 - 99.6	89,300
Molokai	500	7.4	0.7 - 14.1	6,000	92.6	85.9 - 99.3	6,500
Oahu	8,700	1.3	0.8 - 1.8	656,200	98.7	98.2 - 99.2	664,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	300	0.6	0.0 - 1.5	53,000	99.4	98.5 - 100.0	53,400
Ala Moana	400	1.4	0.0 - 3.4	30,300	98.6	96.6 - 100.0	30,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	400	2.3	0.0 - 4.8	17,100	97.7	95.2 - 100.0	17,500
Hilo	500	1.5	0.0 - 3.0	34,600	98.5	97.0 - 100.0	35,100
Kaaawa/ Kahaluu/ Kaneohe	0	0.0	--	46,200	100.0	100.0 - 100.0	46,200
Kahului	400	1.3	0.0 - 2.6	32,400	98.7	97.4 - 100.0	32,800
Kailua/ Waimanalo	1,100	2.3	0.0 - 4.6	49,500	97.7	95.4 - 100.0	50,700
Kaimuki/ Palolo/ Waikiki	500	0.8	0.0 - 1.7	64,800	99.2	98.3 - 100.0	65,300
Kona	400	1.5	0.0 - 3.8	29,500	98.5	96.2 - 100.0	30,000
Lahaina/ Wailuku	300	1.1	0.0 - 2.4	27,600	98.9	97.6 - 100.0	27,900
Lihue-Waimea	300	1.2	0.0 - 2.7	24,900	98.8	97.3 - 100.0	25,200
Manoa/ Upper Makiki	200	0.4	0.0 - 1.0	54,200	99.6	99.0 - 100.0	54,400

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	1,000	1.5	0.0 - 3.3	66,300	98.5	96.7 - 100.0	67,300
Molokai	500	7.4	0.7 - 14.1	6,000	92.6	85.9 - 99.3	6,500
Nanakuli/ Waianae	0	0.0	--	27,100	100.0	100.0 - 100.0	27,100
N.Hawaii	600	2.5	0.1 - 4.9	23,500	97.5	95.1 - 99.9	24,100
N.Shore/ Laie	1,100	4.4	0.0 - 9.5	23,400	95.6	90.5 - 100.0	24,500
Nuuanu/ Kalihi/ Moanalua	2,500	3.4	0.5 - 6.4	69,700	96.6	93.6 - 99.5	72,100
Puna/ Kau	600	2.2	0.2 - 4.3	26,000	97.8	95.7 - 99.8	26,600
Salt Lake/ Foster Village	0	0.0	--	44,800	100.0	100.0 - 100.0	44,800
Upcountry/ Hana	300	1.2	0.0 - 2.8	28,300	98.8	97.2 - 100.0	28,600
Waialae/ Kahala/ Hawaii Kai	500	1.4	0.0 - 3.2	35,500	98.6	96.8 - 100.0	36,000

Report Source: The Hawaii Health Data Warehouse;  
Data Source: State of Hawaii, Department of Health,  
Behavioral Risk Factor Surveillance System (BRFSS)



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	1,000	1.1	0.0 - 2.3	91,500	98.9	97.7 - 100.0	92,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	0	0.0	--	115,700	100.0	100.0 - 100.0	115,700
25-34	700	0.4	0.0 - 0.9	161,900	99.6	99.1 - 100.0	162,600
35-44	1,100	0.6	0.0 - 1.4	179,900	99.4	98.6 - 100.0	181,000
45-54	1,600	0.9	0.2 - 1.7	174,000	99.1	98.3 - 99.8	175,600
55-64	2,500	2.1	0.9 - 3.3	119,800	97.9	96.7 - 99.1	122,300
65-74	3,400	4.1	1.9 - 6.2	80,800	95.9	93.8 - 98.1	84,200
75+	3,800	4.8	2.2 - 7.5	74,500	95.2	92.5 - 97.8	78,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	3,900	1.1	0.6 - 1.6	339,000	98.9	98.4 - 99.4	342,800
Native Hawaiian	1,700	2.1	0.5 - 3.7	79,800	97.9	96.3 - 99.5	81,500
Chinese	700	0.7	0.1 - 1.2	109,900	99.3	98.8 - 99.9	110,600
Filipino	3,400	2.4	0.7 - 4.0	138,200	97.6	96.0 - 99.3	141,600
Japanese	2,500	1.5	0.5 - 2.5	167,500	98.5	97.5 - 99.5	170,000
Black	0	0.0	--	12,500	100.0	100.0 - 100.0	12,500
Other Asian	500	2.9	0.0 - 7.0	15,200	97.1	93.0 - 100.0	15,700
Other	<50	0.2	0.0 - 0.6	23,700	99.8	99.4 - 100.0	23,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,600	1.0	0.5 - 1.5	451,900	99.0	98.5 - 99.5	456,500
Female	8,500	1.8	1.2 - 2.5	456,700	98.2	97.5 - 98.8	465,200

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	13,500	100.0	100.0 - 100.0	13,500
Grades 9 thru 11 (Some High School)	800	2.3	0.0 - 5.0	34,400	97.7	95.0 - 100.0	35,300
Grades 12 or GED (High School Grad)	5,200	1.9	1.0 - 2.8	271,700	98.1	97.2 - 99.0	276,900
College 1 to 3 years (Some College/ Tech)	3,200	1.2	0.5 - 1.9	265,200	98.8	98.1 - 99.5	268,400
College 4 years or more (College Grad)	3,800	1.2	0.6 - 1.7	322,100	98.8	98.3 - 99.4	325,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	4,000	0.7	0.3 - 1.0	596,400	99.3	99.0 - 99.7	600,400
<b>Unemployed</b>	200	0.5	0.0 - 1.1	30,800	99.5	98.9 - 100.0	31,000
<b>Retired/Unable to work</b>	8,300	4.2	2.7 - 5.7	188,200	95.8	94.3 - 97.3	196,500
<b>Student/Homemaker</b>	600	0.7	0.0 - 1.4	92,600	99.3	98.6 - 100.0	93,200

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,300	2.8	0.5 - 5.1	46,200	97.2	94.9 - 99.5	47,600
\$10,000 to \$14,999	500	1.0	0.1 - 1.8	50,400	99.0	98.2 - 99.9	50,900
\$15,000 to \$19,999	1,400	2.7	0.1 - 5.2	49,500	97.3	94.8 - 99.9	50,800
\$20,000 to \$24,999	900	1.6	0.2 - 3.0	55,000	98.4	97.0 - 99.8	55,900
\$25,000 to \$34,999	1,800	2.2	0.5 - 3.8	82,700	97.8	96.2 - 99.5	84,600
\$35,000 to \$49,999	2,200	1.5	0.4 - 2.6	139,700	98.5	97.4 - 99.6	141,800
\$50,000 to \$74,999	1,000	0.7	0.0 - 1.5	135,400	99.3	98.5 - 100.0	136,400
\$75,000 or more	500	0.3	0.0 - 0.8	159,100	99.7	99.2 - 100.0	159,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	3,400	1.8	0.8 - 2.8	186,400	98.2	97.2 - 99.2	189,800
<b>131-185%</b>	1,200	1.4	0.2 - 2.6	82,300	98.6	97.4 - 99.8	83,500
<b>186+%</b>	4,900	1.1	0.6 - 1.6	449,400	98.9	98.4 - 99.4	454,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	8,600	1.6	1.0 - 2.2	522,300	98.4	97.8 - 99.0	530,900
<b>Unmarried Couple</b>	0	0.0	--	18,200	100.0	100.0 - 100.0	18,200
<b>Widowed</b>	2,600	3.9	1.9 - 5.8	64,200	96.1	94.2 - 98.1	66,700
<b>Other</b>	1,900	0.6	0.2 - 1.0	303,900	99.4	99.0 - 99.8	305,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2003, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	8,800	1.6	1.0 - 2.2	533,200	98.4	97.8 - 99.0	542,000
<b>No</b>	4,300	1.1	0.7 - 1.6	374,900	98.9	98.4 - 99.3	379,200

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	12,900	1.5	1.1 - 2.0	834,300	98.5	98.0 - 98.9	847,200
<b>No</b>	200	0.3	0.0 - 0.6	73,600	99.7	99.4 - 100.0	73,800