

Aspirin daily, among men with no history of CVD (45-79), for the State of Hawaii, for the Year(s) - 2012

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Aspirin daily, among men with no history of CVD (45-79)	Among men aged 45-79 years with no history of cardiovascular disease, those who take aspirin daily or every other day.

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/30/14

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Aspirin daily, among men with no history of CVD (45-79), for the State of Hawaii, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2012	154,200	73.6	70.3 - 76.9	55,400	26.4	23.1 - 29.7	209,600



Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	154,200	73.6	70.3 - 76.9	55,400	26.4	23.1 - 29.7	209,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,000	76.4	69.9 - 82.9	7,700	23.6	17.1 - 30.1	32,700
Honolulu	101,700	72.4	67.9 - 76.8	38,900	27.6	23.2 - 32.1	140,600
Kauai	8,500	74.2	66.0 - 82.5	2,900	25.8	17.5 - 34.0	11,400
Maui	17,800	75.7	68.2 - 83.3	5,700	24.3	16.7 - 31.8	23,500

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,000	76.4	69.9 - 82.9	7,700	23.6	17.1 - 30.1	32,700
Kauai	8,500	74.2	66.0 - 82.5	2,900	25.8	17.5 - 34.0	11,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	500
Maui	16,100	77.5	69.9 - 85.0	4,700	22.5	15.0 - 30.1	20,800
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,200
Oahu	101,700	72.4	67.9 - 76.8	38,900	27.6	23.2 - 32.1	140,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	17,400
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	6,900

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	4,100	78.9	69.4 - 88.4	1,100	21.1	11.6 - 30.6	5,200
Hilo	7,400	82.8	74.0 - 91.6	1,500	17.2	8.4 - 26.0	8,900
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	12,800
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	7,100
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	10,800
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	10,900
Kona	6,700	82.3	73.5 - 91.1	1,500	17.7	8.9 - 26.5	8,200
Lahaina/ Wailuku	5,000	85.5	76.9 - 94.0	800	14.5	6.0 - 23.1	5,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	500
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	6,200
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	11,500

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	12,100	81.5	71.6 - 91.4	2,800	18.5	8.6 - 28.4	14,900
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,200
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	4,900
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	5,300
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	3,100
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	10,100
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	10,300
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	4,700
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	7,900
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	10,400
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	22,200

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	58,200	75.7	71.4 - 80.0	18,700	24.3	20.0 - 28.6	76,800
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	17,200
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	15,200
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	27,800
Japanese	42,400	74.4	68.4 - 80.4	14,600	25.6	19.6 - 31.6	57,000
Black	n/r	n/r	n/r	n/r	n/r	n/r	2,900
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	1,400
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	4,200
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	900
Other	n/r	n/r	n/r	n/r	n/r	n/r	5,900

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	4,200
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	14,600
Grades 12 or GED (High School Grad)	41,300	73.0	66.9 - 79.2	15,300	27.0	20.8 - 33.1	56,600
College 1 to 3 years (Some College/ Tech)	47,600	73.3	67.6 - 79.0	17,300	26.7	21.0 - 32.4	64,900
College 4 years or more (College Grad)	52,000	75.0	70.7 - 79.3	17,300	25.0	20.7 - 29.3	69,300

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	97,100	75.3	71.4 - 79.2	31,800	24.7	20.8 - 28.6	128,900
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	11,500
Retired/Unable to work	49,400	72.1	66.4 - 77.9	19,100	27.9	22.1 - 33.6	68,500
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	600

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	7,400
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	4,100
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	7,600
\$20,000 to \$24,999	8,200	83.8	75.3 - 92.3	1,600	16.2	7.7 - 24.7	9,700
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	21,300
\$35,000 to \$49,999	20,200	72.6	64.3 - 80.9	7,600	27.4	19.1 - 35.7	27,900
\$50,000 to \$74,999	24,900	71.5	63.0 - 80.0	9,900	28.5	20.0 - 37.0	34,800
\$75,000 or more	63,200	76.4	71.9 - 80.8	19,500	23.6	19.2 - 28.1	82,700

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	20,100	88.4	81.8 - 95.0	2,600	11.6	5.0 - 18.2	22,800
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	15,300
186+%	79,900	73.5	69.0 - 78.0	28,800	26.5	22.0 - 31.0	108,600

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	100,200	75.1	71.2 - 79.0	33,200	24.9	21.0 - 28.8	133,400
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	3,800
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	7,100
Other	46,000	70.4	63.8 - 76.9	19,400	29.6	23.1 - 36.2	65,400

Aspirin daily, among men with no history of CVD (45-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	102,800	75.3	71.4 - 79.1	33,800	24.7	20.9 - 28.6	136,600
No	51,200	70.3	64.2 - 76.4	21,600	29.7	23.6 - 35.8	72,900

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	143,100	74.2	70.9 - 77.4	49,900	25.8	22.6 - 29.1	193,000
No	n/r	n/r	n/r	n/r	n/r	n/r	16,500