

## Aspirin daily, among women with no history of CVD (55-79), for the State of Hawaii, for the Year(s) - 2012

Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012

*The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*Below are the indicators included in this report and the long description for each indicator.*

BRFSS Health Indicator	Health Ind Desc
Aspirin daily, among women with no history of CVD (55-79)	Among women aged 55-79 years with no history of cardiovascular disease, those who take aspirin daily or every other day.

*Suggested citation:*

*Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/29/14*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**


[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**

## Aspirin daily, among women with no history of CVD (55-79), for the State of Hawaii, for the Year(s) - 2012

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2012	99,000	70.2	66.4 - 74.1	42,000	29.8	25.9 - 33.6	141,000



**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Totals</b>	99,000	70.2	66.4 - 74.1	42,000	29.8	25.9 - 33.6	141,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Hawaii</b>	13,300	67.1	59.9 - 74.3	6,500	32.9	25.7 - 40.1	19,700
<b>Honolulu</b>	68,000	71.5	66.4 - 76.5	27,200	28.6	23.5 - 33.6	95,200
<b>Kauai</b>	5,100	71.0	62.9 - 79.1	2,100	29.0	20.9 - 37.1	7,200
<b>Maui</b>	n/r	n/r	n/r	n/r	n/r	n/r	18,400

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,300	67.1	59.9 - 74.3	6,500	32.9	25.7 - 40.1	19,700
Kauai	5,100	71.0	62.9 - 79.1	2,100	29.0	20.9 - 37.1	7,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	400
Maui	n/r	n/r	n/r	n/r	n/r	n/r	16,600
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,300
Oahu	68,000	71.5	66.4 - 76.5	27,200	28.6	23.5 - 33.6	95,200

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	12,700
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	4,400

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	3,000
Hilo	n/r	n/r	n/r	n/r	n/r	n/r	5,000
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	8,600
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	5,300
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	8,300
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	11,300
Kona	n/r	n/r	n/r	n/r	n/r	n/r	4,900
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	6,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	400
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	4,100
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	6,400

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	6,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,300
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	3,500
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	4,400
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	1,600
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	6,000
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	5,400
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	4,200
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	5,300
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	7,500
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	14,400

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	30,200	69.8	65.1 - 74.4	13,100	30.2	25.6 - 34.9	43,300
Native Hawaiian	9,500	81.5	73.9 - 89.2	2,200	18.5	10.8 - 26.1	11,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	12,700
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	19,600
Japanese	33,400	70.5	64.0 - 77.0	14,000	29.5	23.0 - 36.0	47,400
Black	n/r	n/r	n/r	n/r	n/r	n/r	500
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	500
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	2,700
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	1,000
Other	n/r	n/r	n/r	n/r	n/r	n/r	1,400

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	3,800
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	6,900
Grades 12 or GED (High School Grad)	23,000	68.9	61.7 - 76.1	10,400	31.1	23.9 - 38.3	33,300
College 1 to 3 years (Some College/ Tech)	37,300	69.9	62.7 - 77.0	16,100	30.1	23.0 - 37.3	53,400
College 4 years or more (College Grad)	29,800	68.4	63.3 - 73.5	13,800	31.6	26.5 - 36.7	43,600



**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	41,600	68.3	62.6 - 73.9	19,300	31.7	26.1 - 37.4	60,900
<b>Unemployed</b>	n/r	n/r	n/r	n/r	n/r	n/r	8,600
<b>Retired/Unable to work</b>	45,500	71.8	67.0 - 76.5	17,900	28.2	23.5 - 33.0	63,400
<b>Student/Homemaker</b>	n/r	n/r	n/r	n/r	n/r	n/r	8,100

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	5,500
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	6,600
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	4,700
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	9,700
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	16,200
\$35,000 to \$49,999	17,300	72.5	64.3 - 80.8	6,500	27.5	19.2 - 35.7	23,800
\$50,000 to \$74,999	18,900	75.8	68.3 - 83.3	6,000	24.2	16.7 - 31.7	24,900
\$75,000 or more	22,000	67.7	60.9 - 74.6	10,500	32.3	25.4 - 39.1	32,400

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	22,400
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	16,100
186+%	50,900	71.8	67.1 - 76.4	20,000	28.2	23.6 - 32.9	70,900

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	57,100	70.4	65.6 - 75.3	24,000	29.6	24.7 - 34.4	81,000
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	2,500
Widowed	17,600	74.2	65.5 - 82.9	6,100	25.8	17.1 - 34.5	23,800
Other	22,600	67.1	58.3 - 75.8	11,100	32.9	24.2 - 41.7	33,700

**Aspirin daily, among women with no history of CVD (55-79), by State, County, Island, Community, DOH Race-Ethnicity, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2012**

*Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the CI half width is >10 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2012**

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	57,600	70.4	65.6 - 75.2	24,200	29.6	24.8 - 34.4	81,800
No	41,100	69.8	63.5 - 76.1	17,800	30.2	23.9 - 36.5	58,900

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	96,100	71.1	67.2 - 75.0	39,100	28.9	25.0 - 32.8	135,200
No	n/r	n/r	n/r	n/r	n/r	n/r	5,900