

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
<b>2005-2007</b>	26,700	2.7	2.4 - 3.0	951,000	97.3	97.0 - 97.6	977,700
<b>2006-2008</b>	26,000	2.6	2.4 - 2.9	959,800	97.4	97.1 - 97.6	985,800
<b>2007-2009</b>	25,300	2.5	2.3 - 2.8	970,300	97.5	97.2 - 97.7	995,600
<b>2008-2010</b>	25,600	2.5	2.3 - 2.8	977,800	97.5	97.2 - 97.7	1,003,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,600	2.5	2.3 - 2.8	977,800	97.5	97.2 - 97.7	1,003,400

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,700	2.7	2.1 - 3.2	134,100	97.3	96.8 - 97.9	137,800
Honolulu	17,700	2.5	2.2 - 2.8	687,500	97.5	97.2 - 97.8	705,200
Kauai	1,400	3.0	2.1 - 3.8	47,300	97.0	96.2 - 97.9	48,800
Maui	2,700	2.4	1.9 - 3.0	108,900	97.6	97.0 - 98.1	111,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,700	2.7	2.1 - 3.2	134,100	97.3	96.8 - 97.9	137,800
Kauai	1,400	3.0	2.1 - 3.8	47,300	97.0	96.2 - 97.9	48,800
Lanai	100	3.5	2.0 - 5.0	1,700	96.5	95.0 - 98.0	1,700
Maui	2,500	2.4	1.8 - 3.1	99,600	97.6	96.9 - 98.2	102,000
Molokai	200	2.3	1.1 - 3.5	7,600	97.7	96.5 - 98.9	7,800
Oahu	17,700	2.5	2.2 - 2.8	687,500	97.5	97.2 - 97.8	705,200

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,200	3.4	2.0 - 4.7	61,900	96.6	95.3 - 98.0	64,100
Ala Moana	800	2.9	1.4 - 4.4	26,100	97.1	95.6 - 98.6	26,800

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	600	3.2	1.9 - 4.5	19,400	96.8	95.5 - 98.1	20,100
Hilo	1,000	2.4	1.6 - 3.2	40,600	97.6	96.8 - 98.4	41,600
Kaaawa/ Kahaluu/ Kaneohe	900	1.9	0.9 - 2.9	49,400	98.1	97.1 - 99.1	50,400
Kahului	1,000	2.9	1.7 - 4.1	33,700	97.1	95.9 - 98.3	34,700
Kailua/ Waimanalo	1,300	2.5	1.3 - 3.8	49,600	97.5	96.2 - 98.7	50,900
Kaimuki/ Palolo/ Waikiki	1,600	2.8	1.7 - 3.9	55,400	97.2	96.1 - 98.3	57,000
Kona	900	3.0	1.5 - 4.5	28,700	97.0	95.5 - 98.5	29,500
Lahaina/ Wailuku	800	2.5	1.4 - 3.5	32,700	97.5	96.5 - 98.6	33,500
Lanai	100	3.5	2.0 - 5.0	1,700	96.5	95.0 - 98.0	1,700
Lihue-Waimea	800	2.8	1.7 - 3.9	27,900	97.2	96.1 - 98.3	28,700
Manoa/ Upper Makiki	1,200	2.4	1.5 - 3.3	48,200	97.6	96.7 - 98.5	49,400
Millilani/ Wahiawa	1,800	2.3	1.2 - 3.5	73,700	97.7	96.5 - 98.8	75,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	
Molokai	200	2.3	1.1 - 3.5	7,600	97.7	96.5 - 98.9	7,800
Nanakuli/ Waianae	1,400	3.8	1.9 - 5.8	34,200	96.2	94.2 - 98.1	35,500
N.Hawaii	600	2.1	1.3 - 3.0	26,500	97.9	97.0 - 98.7	27,100
N.Shore/ Laie	400	1.7	0.3 - 3.0	22,200	98.3	97.0 - 99.7	22,500
Nuuanu/ Kalihi/ Moanalua	1,700	2.5	1.5 - 3.4	67,900	97.5	96.6 - 98.5	69,700
Puna/ Kau	1,200	3.1	2.0 - 4.2	38,300	96.9	95.8 - 98.0	39,600
Salt Lake/ Foster Village	500	1.4	0.5 - 2.2	36,100	98.6	97.8 - 99.5	36,600
Upcountry/ Hana	700	2.0	1.1 - 2.9	33,200	98.0	97.1 - 98.9	33,900
Waialae/ Kahala/ Hawaii Kai	1,700	3.7	2.2 - 5.3	44,700	96.3	94.7 - 97.8	46,400
Waipahu/ Kapolei/ Ewa	2,300	1.9	1.2 - 2.6	118,300	98.1	97.4 - 98.8	120,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	200	0.2	0.0 - 0.6	121,600	99.8	99.4 - 100.0	121,900
25-34	900	0.5	0.1 - 0.9	178,700	99.5	99.1 - 99.9	179,600
35-44	1,300	0.8	0.3 - 1.2	175,500	99.2	98.8 - 99.7	176,800
45-54	3,300	1.9	1.3 - 2.4	175,300	98.1	97.6 - 98.7	178,600
55-64	5,000	3.3	2.6 - 4.0	147,300	96.7	96.0 - 97.4	152,300
65-74	5,300	5.7	4.7 - 6.7	87,000	94.3	93.3 - 95.3	92,200
75+	9,400	9.6	8.2 - 11.1	87,700	90.4	88.9 - 91.8	97,100



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,700	2.7	2.3 - 3.1	311,500	97.3	96.9 - 97.7	320,100
Native Hawaiian	3,900	3.0	2.1 - 3.8	126,700	97.0	96.2 - 97.9	130,500
Chinese	1,800	2.9	1.7 - 4.1	60,600	97.1	95.9 - 98.3	62,400
Filipino	2,600	1.7	1.0 - 2.3	156,200	98.3	97.7 - 99.0	158,800
Japanese	6,700	2.9	2.4 - 3.4	226,000	97.1	96.6 - 97.6	232,700
Black	100	0.7	0.0 - 1.5	14,700	99.3	98.5 - 100.0	14,800
Native Alaskan/ American Indian	400	7.3	0.3 - 14.4	4,400	92.7	85.6 - 99.7	4,800
Other Asian	600	2.6	0.6 - 4.5	24,300	97.4	95.5 - 99.4	24,900
Other Pacific Islander	300	0.8	0.0 - 1.9	29,800	99.2	98.1 - 100.0	30,100
Other	500	2.6	0.7 - 4.4	20,600	97.4	95.6 - 99.3	21,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,800	2.6	2.2 - 2.9	486,400	97.4	97.1 - 97.8	499,200
Female	12,800	2.5	2.2 - 2.9	491,400	97.5	97.1 - 97.8	504,200

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	7.2	2.8 - 11.7	10,800	92.8	88.3 - 97.2	11,700
Grades 9 thru 11 (Some High School)	1,300	3.2	2.1 - 4.4	38,200	96.8	95.6 - 97.9	39,500
Grades 12 or GED (High School Grad)	9,700	3.4	2.8 - 3.9	280,900	96.6	96.1 - 97.2	290,600
College 1 to 3 years (Some College/ Tech)	6,800	2.4	1.9 - 2.8	281,700	97.6	97.2 - 98.1	288,500
College 4 years or more (College Grad)	6,900	1.9	1.5 - 2.2	365,200	98.1	97.8 - 98.5	372,200

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	5,100	0.8	0.6 - 1.0	613,200	99.2	99.0 - 99.4	618,300
<b>Unemployed</b>	2,200	3.6	2.0 - 5.3	59,000	96.4	94.7 - 98.0	61,300
<b>Retired/Unable to work</b>	17,300	8.0	7.1 - 8.9	198,500	92.0	91.1 - 92.9	215,700
<b>Student/Homemaker</b>	900	0.9	0.4 - 1.3	106,000	99.1	98.7 - 99.6	106,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,700	5.4	3.5 - 7.4	29,500	94.6	92.6 - 96.5	31,200
\$10,000 to \$14,999	1,700	7.0	4.3 - 9.8	23,100	93.0	90.2 - 95.7	24,900
\$15,000 to \$19,999	2,100	4.4	2.8 - 5.9	46,100	95.6	94.1 - 97.2	48,300
\$20,000 to \$24,999	2,900	4.7	3.3 - 6.2	57,700	95.3	93.8 - 96.7	60,500
\$25,000 to \$34,999	3,100	3.1	2.3 - 3.9	97,700	96.9	96.1 - 97.7	100,900
\$35,000 to \$49,999	3,500	2.4	1.7 - 3.0	143,900	97.6	97.0 - 98.3	147,400
\$50,000 to \$74,999	3,300	1.9	1.4 - 2.4	170,800	98.1	97.6 - 98.6	174,100
\$75,000 or more	4,100	1.3	1.0 - 1.6	312,000	98.7	98.4 - 99.0	316,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,600	3.7	2.9 - 4.4	198,800	96.3	95.6 - 97.1	206,500
131-185%	4,000	2.9	2.2 - 3.6	132,700	97.1	96.4 - 97.8	136,600
186+%	10,900	1.9	1.7 - 2.2	549,200	98.1	97.8 - 98.3	560,100

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	13,900	2.4	2.0 - 2.7	572,200	97.6	97.3 - 98.0	586,000
Unmarried Couple	500	1.4	0.0 - 2.9	31,200	98.6	97.1 - 100.0	31,600
Widowed	4,700	8.1	6.5 - 9.7	53,600	91.9	90.3 - 93.5	58,300
Other	6,500	2.0	1.6 - 2.4	320,900	98.0	97.6 - 98.4	327,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008-2010**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	14,400	2.4	2.1 - 2.7	583,100	97.6	97.3 - 97.9	597,500
<b>No</b>	11,200	2.8	2.4 - 3.2	392,700	97.2	96.8 - 97.6	403,900

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,800	2.7	2.4 - 2.9	908,300	97.3	97.1 - 97.6	933,000
<b>No</b>	800	1.1	0.2 - 2.0	67,300	98.9	98.0 - 99.8	68,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,300	2.5	2.3 - 2.8	970,300	97.5	97.2 - 97.7	995,600

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,800	2.8	2.3 - 3.4	130,000	97.2	96.6 - 97.7	133,800
Honolulu	17,800	2.5	2.2 - 2.9	686,300	97.5	97.1 - 97.8	704,100
Kauai	1,300	2.7	1.9 - 3.5	46,800	97.3	96.5 - 98.1	48,100
Maui	2,400	2.2	1.7 - 2.7	107,200	97.8	97.3 - 98.3	109,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,800	2.8	2.3 - 3.4	130,000	97.2	96.6 - 97.7	133,800
Kauai	1,300	2.7	1.9 - 3.5	46,800	97.3	96.5 - 98.1	48,100
Lanai	100	3.6	2.1 - 5.1	1,800	96.4	94.9 - 97.9	1,900
Maui	2,200	2.2	1.6 - 2.8	97,500	97.8	97.2 - 98.4	99,700
Molokai	200	1.9	0.8 - 3.1	7,900	98.1	96.9 - 99.2	8,100
Oahu	17,800	2.5	2.2 - 2.9	686,300	97.5	97.1 - 97.8	704,100

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,200	3.5	2.0 - 4.9	61,700	96.5	95.1 - 98.0	63,900
Ala Moana	1,200	4.0	2.0 - 5.9	28,500	96.0	94.1 - 98.0	29,700



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	
Hanalei/ Kapaa	800	3.8	2.2 - 5.4	19,200	96.2	94.6 - 97.8	19,900
Hilo	1,000	2.6	1.8 - 3.5	38,600	97.4	96.5 - 98.2	39,700
Kaaawa/ Kahaluu/ Kaneohe	1,000	2.1	1.1 - 3.2	48,100	97.9	96.8 - 98.9	49,200
Kahului	800	2.4	1.4 - 3.4	33,300	97.6	96.6 - 98.6	34,100
Kailua/ Waimanalo	1,600	3.1	1.5 - 4.7	50,000	96.9	95.3 - 98.5	51,600
Kaimuki/ Palolo/ Waikiki	1,700	2.9	1.8 - 4.1	55,400	97.1	95.9 - 98.2	57,000
Kona	1,000	3.6	2.1 - 5.1	27,400	96.4	94.9 - 97.9	28,400
Lahaina/ Wailuku	800	2.6	1.4 - 3.8	31,300	97.4	96.2 - 98.6	32,100
Lanai	100	3.6	2.1 - 5.1	1,800	96.4	94.9 - 97.9	1,900
Lihue-Waimea	500	1.9	1.1 - 2.8	27,600	98.1	97.2 - 98.9	28,200
Manoa/ Upper Makiki	900	2.0	1.1 - 3.0	45,300	98.0	97.0 - 98.9	46,300
Millilani/ Wahiawa	1,600	2.1	1.0 - 3.2	74,900	97.9	96.8 - 99.0	76,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	
Molokai	200	1.9	0.8 - 3.1	7,900	98.1	96.9 - 99.2	8,100
Nanakuli/ Waianae	1,100	3.3	1.4 - 5.2	33,500	96.7	94.8 - 98.6	34,600
N.Hawaii	500	1.8	1.0 - 2.6	27,600	98.2	97.4 - 99.0	28,100
N.Shore/ Laie	300	1.5	0.3 - 2.6	21,400	98.5	97.4 - 99.7	21,700
Nuuanu/ Kalihi/ Moanalua	1,500	2.1	1.3 - 3.0	68,400	97.9	97.0 - 98.7	69,900
Puna/ Kau	1,200	3.3	2.1 - 4.5	36,300	96.7	95.5 - 97.9	37,600
Salt Lake/ Foster Village	400	1.1	0.3 - 1.9	34,200	98.9	98.1 - 99.7	34,600
Upcountry/ Hana	600	1.7	0.9 - 2.4	32,900	98.3	97.6 - 99.1	33,500
Waialae/ Kahala/ Hawaii Kai	1,600	3.5	2.1 - 4.8	44,700	96.5	95.2 - 97.9	46,300
Waipahu/ Kapolei/ Ewa	2,500	2.1	1.3 - 2.8	120,200	97.9	97.2 - 98.7	122,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	700	0.6	0.0 - 1.2	123,000	99.4	98.8 - 100.0	123,700
25-34	700	0.4	0.1 - 0.8	171,300	99.6	99.2 - 99.9	172,100
35-44	1,000	0.6	0.2 - 0.9	175,900	99.4	99.1 - 99.8	176,900
45-54	3,500	1.9	1.4 - 2.5	177,300	98.1	97.5 - 98.6	180,800
55-64	5,400	3.6	2.8 - 4.3	147,700	96.4	95.7 - 97.2	153,100
65-74	5,000	5.7	4.6 - 6.8	83,400	94.3	93.2 - 95.4	88,400
75+	8,800	9.2	7.7 - 10.6	87,200	90.8	89.4 - 92.3	96,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,300	2.6	2.2 - 3.0	311,700	97.4	97.0 - 97.8	320,000
Native Hawaiian	3,800	2.9	2.1 - 3.7	127,900	97.1	96.3 - 97.9	131,700
Chinese	1,600	2.6	1.4 - 3.7	59,700	97.4	96.3 - 98.6	61,300
Filipino	2,800	1.7	1.1 - 2.4	159,000	98.3	97.6 - 98.9	161,800
Japanese	6,900	3.1	2.5 - 3.7	219,200	96.9	96.3 - 97.5	226,100
Black	100	0.6	0.0 - 1.3	15,300	99.4	98.7 - 100.0	15,400
Native Alaskan/ American Indian	500	9.0	1.7 - 16.3	5,200	91.0	83.7 - 98.3	5,700
Other Asian	400	1.7	0.1 - 3.3	23,100	98.3	96.7 - 99.9	23,500
Other Pacific Islander	200	0.8	0.0 - 2.0	25,600	99.2	98.0 - 100.0	25,800
Other	500	2.3	0.4 - 4.2	20,600	97.7	95.8 - 99.6	21,100

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,600	2.5	2.1 - 2.9	480,800	97.5	97.1 - 97.9	493,400
Female	12,700	2.5	2.2 - 2.9	489,500	97.5	97.1 - 97.8	502,200

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	8.4	3.9 - 12.9	11,800	91.6	87.1 - 96.1	12,900
Grades 9 thru 11 (Some High School)	1,200	3.0	1.9 - 4.2	37,100	97.0	95.8 - 98.1	38,300
Grades 12 or GED (High School Grad)	10,000	3.4	2.8 - 4.0	286,200	96.6	96.0 - 97.2	296,200
College 1 to 3 years (Some College/ Tech)	6,600	2.3	1.8 - 2.7	283,000	97.7	97.3 - 98.2	289,600
College 4 years or more (College Grad)	6,400	1.8	1.5 - 2.1	351,000	98.2	97.9 - 98.5	357,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	5,700	0.9	0.7 - 1.1	625,200	99.1	98.9 - 99.3	631,000
<b>Unemployed</b>	2,000	4.2	2.0 - 6.4	46,200	95.8	93.6 - 98.0	48,200
<b>Retired/Unable to work</b>	16,600	7.6	6.7 - 8.5	202,700	92.4	91.5 - 93.3	219,400
<b>Student/Homemaker</b>	900	0.9	0.4 - 1.4	95,000	99.1	98.6 - 99.6	95,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,300	4.9	3.2 - 6.5	25,300	95.1	93.5 - 96.8	26,600
\$10,000 to \$14,999	1,700	6.6	4.0 - 9.3	23,900	93.4	90.7 - 96.0	25,600
\$15,000 to \$19,999	2,000	4.5	3.0 - 6.0	42,600	95.5	94.0 - 97.0	44,600
\$20,000 to \$24,999	2,800	4.8	3.3 - 6.3	55,500	95.2	93.7 - 96.7	58,300
\$25,000 to \$34,999	3,000	2.9	2.1 - 3.6	101,700	97.1	96.4 - 97.9	104,700
\$35,000 to \$49,999	3,900	2.5	1.8 - 3.1	151,500	97.5	96.9 - 98.2	155,400
\$50,000 to \$74,999	3,400	1.9	1.4 - 2.4	175,200	98.1	97.6 - 98.6	178,600
\$75,000 or more	3,900	1.3	0.9 - 1.6	302,700	98.7	98.4 - 99.1	306,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	7,000	3.6	2.8 - 4.3	188,000	96.4	95.7 - 97.2	195,000
131-185%	2,900	2.2	1.6 - 2.8	125,000	97.8	97.2 - 98.4	127,900
186+%	12,100	2.1	1.8 - 2.4	565,300	97.9	97.6 - 98.2	577,400

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	13,100	2.2	1.9 - 2.5	574,200	97.8	97.5 - 98.1	587,300
Unmarried Couple	700	2.3	0.5 - 4.1	28,400	97.7	95.9 - 99.5	29,000
Widowed	4,900	8.4	6.8 - 10.1	53,400	91.6	89.9 - 93.2	58,300
Other	6,600	2.1	1.6 - 2.5	314,300	97.9	97.5 - 98.4	320,900



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007-2009**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	13,500	2.3	1.9 - 2.6	584,200	97.7	97.4 - 98.1	597,700
<b>No</b>	11,800	3.0	2.5 - 3.4	384,300	97.0	96.6 - 97.5	396,100

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,400	2.6	2.4 - 2.9	904,300	97.4	97.1 - 97.6	928,700
<b>No</b>	800	1.2	0.3 - 2.1	64,100	98.8	97.9 - 99.7	64,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	26,000	2.6	2.4 - 2.9	959,800	97.4	97.1 - 97.6	985,800

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.1	2.5 - 3.7	124,600	96.9	96.3 - 97.5	128,600
Honolulu	18,300	2.6	2.2 - 3.0	683,000	97.4	97.0 - 97.8	701,300
Kauai	1,600	3.3	2.4 - 4.2	46,300	96.7	95.8 - 97.6	47,900
Maui	2,200	2.1	1.6 - 2.5	105,800	97.9	97.5 - 98.4	108,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.1	2.5 - 3.7	124,600	96.9	96.3 - 97.5	128,600
Kauai	1,600	3.3	2.4 - 4.2	46,300	96.7	95.8 - 97.6	47,900
Lanai	100	3.6	2.0 - 5.2	2,000	96.4	94.8 - 98.0	2,100
Maui	2,000	2.0	1.5 - 2.5	96,400	98.0	97.5 - 98.5	98,400
Molokai	200	2.0	1.1 - 3.0	7,300	98.0	97.0 - 98.9	7,500
Oahu	18,300	2.6	2.2 - 3.0	683,000	97.4	97.0 - 97.8	701,300

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,200	3.3	1.9 - 4.7	64,200	96.7	95.3 - 98.1	66,400
Ala Moana	1,400	4.3	2.3 - 6.3	30,200	95.7	93.7 - 97.7	31,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	
Hanalei/ Kapaa	900	4.3	2.6 - 6.1	19,400	95.7	93.9 - 97.4	20,300
Hilo	1,000	2.7	1.7 - 3.6	36,900	97.3	96.4 - 98.3	37,900
Kaaawa/ Kahaluu/ Kaneohe	800	1.7	0.7 - 2.6	48,100	98.3	97.4 - 99.3	48,900
Kahului	800	2.4	1.4 - 3.4	32,200	97.6	96.6 - 98.6	33,000
Kailua/ Waimanalo	1,600	3.1	1.6 - 4.6	49,300	96.9	95.4 - 98.4	50,900
Kaimuki/ Palolo/ Waikiki	1,600	2.8	1.7 - 3.8	55,700	97.2	96.2 - 98.3	57,300
Kona	1,100	3.8	2.3 - 5.2	27,200	96.2	94.8 - 97.7	28,200
Lahaina/ Wailuku	600	1.9	1.2 - 2.7	32,000	98.1	97.3 - 98.8	32,600
Lanai	100	3.6	2.0 - 5.2	2,000	96.4	94.8 - 98.0	2,100
Lihue-Waimea	700	2.5	1.6 - 3.5	26,900	97.5	96.5 - 98.4	27,600
Manoa/ Upper Makiki	1,300	2.8	1.5 - 4.1	45,700	97.2	95.9 - 98.5	47,000
Millilani/ Wahiawa	1,700	2.3	1.1 - 3.5	69,400	97.7	96.5 - 98.9	71,000

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	
Molokai	200	2.0	1.1 - 3.0	7,300	98.0	97.0 - 98.9	7,500
Nanakuli/ Waianae	800	2.4	0.8 - 4.0	33,900	97.6	96.0 - 99.2	34,700
N.Hawaii	600	2.2	1.1 - 3.4	27,000	97.8	96.6 - 98.9	27,600
N.Shore/ Laie	400	1.9	0.7 - 3.1	23,100	98.1	96.9 - 99.3	23,500
Nuuanu/ Kalihi/ Moanalua	1,600	2.4	1.1 - 3.7	67,700	97.6	96.3 - 98.9	69,300
Puna/ Kau	1,300	3.6	2.4 - 4.9	33,600	96.4	95.1 - 97.6	34,900
Salt Lake/ Foster Village	200	0.7	0.1 - 1.4	33,800	99.3	98.6 - 99.9	34,100
Upcountry/ Hana	600	1.8	1.0 - 2.5	32,200	98.2	97.5 - 99.0	32,800
Waialae/ Kahala/ Hawaii Kai	1,600	3.9	2.4 - 5.5	40,400	96.1	94.5 - 97.6	42,000
Waipahu/ Kapolei/ Ewa	2,900	2.3	1.5 - 3.2	121,600	97.7	96.8 - 98.5	124,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	900	0.7	0.1 - 1.3	123,500	99.3	98.7 - 99.9	124,400
25-34	400	0.3	0.0 - 0.6	166,200	99.7	99.4 - 100.0	166,700
35-44	1,100	0.6	0.2 - 1.0	176,000	99.4	99.0 - 99.8	177,000
45-54	3,800	2.1	1.5 - 2.7	176,700	97.9	97.3 - 98.5	180,500
55-64	5,900	3.9	3.0 - 4.8	144,900	96.1	95.2 - 97.0	150,800
65-74	5,000	5.9	4.8 - 7.0	80,500	94.1	93.0 - 95.2	85,500
75+	8,800	9.3	7.8 - 10.8	85,900	90.7	89.2 - 92.2	94,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,300	2.9	2.5 - 3.4	311,500	97.1	96.6 - 97.5	320,800
Native Hawaiian	3,300	2.6	1.8 - 3.3	127,500	97.4	96.7 - 98.2	130,800
Chinese	1,700	3.0	1.8 - 4.2	54,200	97.0	95.8 - 98.2	55,900
Filipino	3,000	1.9	1.1 - 2.7	154,500	98.1	97.3 - 98.9	157,500
Japanese	6,800	3.1	2.5 - 3.8	210,100	96.9	96.2 - 97.5	217,000
Black	<50	0.3	0.0 - 0.7	14,900	99.7	99.3 - 100.0	14,900
Native Alaskan/ American Indian	600	9.8	2.5 - 17.0	5,200	90.2	83.0 - 97.5	5,800
Other Asian	600	2.5	0.5 - 4.4	24,500	97.5	95.6 - 99.5	25,200
Other Pacific Islander	100	0.4	0.0 - 0.9	24,000	99.6	99.1 - 100.0	24,100
Mixed Ethnicity	100	1.4	0.0 - 2.9	8,000	98.6	97.1 - 100.0	8,100
Other	200	1.1	0.1 - 2.0	21,500	98.9	98.0 - 99.9	21,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,800	2.6	2.2 - 3.0	474,200	97.4	97.0 - 97.8	486,900
Female	13,200	2.7	2.3 - 3.0	485,600	97.3	97.0 - 97.7	498,800

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	7.8	4.5 - 11.2	12,700	92.2	88.8 - 95.5	13,700
Grades 9 thru 11 (Some High School)	1,000	2.5	1.5 - 3.4	38,300	97.5	96.6 - 98.5	39,300
Grades 12 or GED (High School Grad)	10,400	3.5	2.9 - 4.1	287,400	96.5	95.9 - 97.1	297,800
College 1 to 3 years (Some College/ Tech)	6,100	2.1	1.7 - 2.6	279,800	97.9	97.4 - 98.3	285,900
College 4 years or more (College Grad)	7,400	2.1	1.7 - 2.5	340,400	97.9	97.5 - 98.3	347,800



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	6,400	1.0	0.8 - 1.2	625,100	99.0	98.8 - 99.2	631,600
<b>Unemployed</b>	1,800	4.9	2.4 - 7.5	35,100	95.1	92.5 - 97.6	36,900
<b>Retired/Unable to work</b>	16,600	7.4	6.5 - 8.3	207,600	92.6	91.7 - 93.5	224,200
<b>Student/Homemaker</b>	1,100	1.2	0.5 - 1.9	90,700	98.8	98.1 - 99.5	91,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,400	5.4	3.4 - 7.3	24,800	94.6	92.7 - 96.6	26,200
\$10,000 to \$14,999	1,700	6.6	4.0 - 9.3	24,500	93.4	90.7 - 96.0	26,200
\$15,000 to \$19,999	2,600	5.9	4.2 - 7.7	40,600	94.1	92.3 - 95.8	43,200
\$20,000 to \$24,999	2,500	4.2	2.9 - 5.5	57,900	95.8	94.5 - 97.1	60,400
\$25,000 to \$34,999	2,500	2.3	1.6 - 3.0	104,200	97.7	97.0 - 98.4	106,600
\$35,000 to \$49,999	3,700	2.5	1.8 - 3.3	144,800	97.5	96.7 - 98.2	148,500
\$50,000 to \$74,999	3,000	1.8	1.2 - 2.3	168,100	98.2	97.7 - 98.8	171,100
\$75,000 or more	4,200	1.5	1.1 - 1.8	279,400	98.5	98.2 - 98.9	283,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,900	3.7	2.9 - 4.6	178,200	96.3	95.4 - 97.1	185,100
131-185%	2,100	1.8	1.3 - 2.3	114,200	98.2	97.7 - 98.7	116,300
186+%	12,500	2.2	1.9 - 2.5	551,800	97.8	97.5 - 98.1	564,300

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	13,500	2.3	2.0 - 2.7	570,300	97.7	97.3 - 98.0	583,800
Unmarried Couple	600	2.2	0.4 - 4.0	28,000	97.8	96.0 - 99.6	28,600
Widowed	4,800	8.6	6.9 - 10.2	51,800	91.4	89.8 - 93.1	56,700
Other	7,000	2.2	1.8 - 2.7	309,700	97.8	97.3 - 98.2	316,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006-2008**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	14,000	2.4	2.0 - 2.7	580,200	97.6	97.3 - 98.0	594,200
<b>No</b>	11,900	3.1	2.6 - 3.5	377,800	96.9	96.5 - 97.4	389,700

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	24,400	2.7	2.4 - 3.0	892,300	97.3	97.0 - 97.6	916,700
<b>No</b>	1,500	2.3	1.1 - 3.4	65,700	97.7	96.6 - 98.9	67,200

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	26,700	2.7	2.4 - 3.0	951,000	97.3	97.0 - 97.6	977,700

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.1	2.6 - 3.7	119,900	96.9	96.3 - 97.4	123,700
Honolulu	18,800	2.7	2.3 - 3.1	681,700	97.3	96.9 - 97.7	700,500
Kauai	1,500	3.1	2.2 - 4.1	45,600	96.9	95.9 - 97.8	47,100
Maui	2,500	2.4	1.8 - 2.9	103,900	97.6	97.1 - 98.2	106,400

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,900	3.1	2.6 - 3.7	119,900	96.9	96.3 - 97.4	123,700
Kauai	1,500	3.1	2.2 - 4.1	45,600	96.9	95.9 - 97.8	47,100
Lanai	100	3.6	1.9 - 5.3	2,200	96.4	94.7 - 98.1	2,300
Maui	2,200	2.3	1.7 - 2.9	95,200	97.7	97.1 - 98.3	97,400
Molokai	200	3.0	1.7 - 4.3	6,500	97.0	95.7 - 98.3	6,700
Oahu	18,800	2.7	2.3 - 3.1	681,700	97.3	96.9 - 97.7	700,500

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,000	2.9	1.6 - 4.2	66,500	97.1	95.8 - 98.4	68,500
Ala Moana	1,600	5.1	2.9 - 7.3	30,100	94.9	92.7 - 97.1	31,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	
Hanalei/ Kapaa	800	4.2	2.4 - 6.0	19,200	95.8	94.0 - 97.6	20,100
Hilo	1,100	3.1	2.1 - 4.1	34,400	96.9	95.9 - 97.9	35,500
Kaaawa/ Kahaluu/ Kaneohe	1,500	2.9	0.8 - 5.1	48,800	97.1	94.9 - 99.2	50,200
Kahului	800	2.3	1.3 - 3.2	32,500	97.7	96.8 - 98.7	33,200
Kailua/ Waimanalo	1,400	2.7	1.3 - 4.1	49,000	97.3	95.9 - 98.7	50,300
Kaimuki/ Palolo/ Waikiki	1,900	3.1	1.9 - 4.2	58,000	96.9	95.8 - 98.1	59,800
Kona	900	3.1	1.9 - 4.3	27,800	96.9	95.7 - 98.1	28,700
Lahaina/ Wailuku	800	2.4	1.4 - 3.4	31,100	97.6	96.6 - 98.6	31,900
Lanai	100	3.6	1.9 - 5.3	2,200	96.4	94.7 - 98.1	2,300
Lihue-Waimea	600	2.3	1.4 - 3.3	26,400	97.7	96.7 - 98.6	27,000
Manoa/ Upper Makiki	1,800	3.9	2.3 - 5.5	44,000	96.1	94.5 - 97.7	45,800
Millilani/ Wahiawa	1,900	2.7	1.5 - 3.8	69,000	97.3	96.2 - 98.5	70,900

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	200	3.0	1.7 - 4.3	6,500	97.0	95.7 - 98.3	6,700
Nanakuli/ Waianae	300	0.9	0.1 - 1.7	33,200	99.1	98.3 - 99.9	33,500
N.Hawaii	800	3.1	1.7 - 4.4	25,700	96.9	95.6 - 98.3	26,500
N.Shore/ Laie	400	1.7	0.6 - 2.9	22,000	98.3	97.1 - 99.4	22,400
Nuuanu/ Kalihi/ Moanalua	1,700	2.4	1.0 - 3.7	68,700	97.6	96.3 - 99.0	70,400
Puna/ Kau	1,100	3.2	2.1 - 4.2	31,900	96.8	95.8 - 97.9	33,000
Salt Lake/ Foster Village	200	0.7	0.0 - 1.5	32,500	99.3	98.5 - 100.0	32,800
Upcountry/ Hana	700	2.1	1.0 - 3.3	31,600	97.9	96.7 - 99.0	32,300
Waialae/ Kahala/ Hawaii Kai	1,400	3.4	1.8 - 4.9	39,800	96.6	95.1 - 98.2	41,200
Waipahu/ Kapolei/ Ewa	2,900	2.3	1.4 - 3.3	120,000	97.7	96.7 - 98.6	122,900



**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	700	0.6	0.0 - 1.1	122,900	99.4	98.9 - 100.0	123,600
25-34	1,000	0.6	0.0 - 1.3	161,900	99.4	98.7 - 100.0	162,900
35-44	1,200	0.6	0.3 - 1.0	177,000	99.4	99.0 - 99.7	178,200
45-54	3,800	2.1	1.5 - 2.6	178,700	97.9	97.4 - 98.5	182,400
55-64	6,000	4.1	3.1 - 5.0	141,700	95.9	95.0 - 96.9	147,700
65-74	4,800	5.7	4.6 - 6.8	79,400	94.3	93.2 - 95.4	84,200
75+	9,100	9.9	8.3 - 11.5	83,500	90.1	88.5 - 91.7	92,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,100	2.8	2.4 - 3.3	310,800	97.2	96.7 - 97.6	319,900
Native Hawaiian	3,800	3.1	2.0 - 4.1	120,100	96.9	95.9 - 98.0	123,900
Chinese	1,400	2.7	1.6 - 3.7	50,700	97.3	96.3 - 98.4	52,000
Filipino	2,800	1.8	1.0 - 2.5	159,000	98.2	97.5 - 99.0	161,900
Japanese	7,400	3.5	2.8 - 4.2	203,900	96.5	95.8 - 97.2	211,300
Black	100	0.6	0.0 - 1.2	16,800	99.4	98.8 - 100.0	16,900
Native Alaskan/ American Indian	400	7.8	1.7 - 13.9	5,000	92.2	86.1 - 98.3	5,400
Other Asian	700	3.1	0.7 - 5.5	23,000	96.9	94.5 - 99.3	23,700
Other Pacific Islander	300	1.2	0.0 - 2.4	24,200	98.8	97.6 - 100.0	24,500
Mixed Ethnicity	100	1.4	0.0 - 2.9	8,000	98.6	97.1 - 100.0	8,100
Other	300	1.2	0.2 - 2.1	25,200	98.8	97.9 - 99.8	25,500

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	13,600	2.8	2.3 - 3.3	469,900	97.2	96.7 - 97.7	483,500
Female	13,100	2.7	2.3 - 3.0	481,100	97.3	97.0 - 97.7	494,200

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,400	8.3	4.1 - 12.5	16,000	91.7	87.5 - 95.9	17,400
Grades 9 thru 11 (Some High School)	1,600	4.1	2.4 - 5.8	37,700	95.9	94.2 - 97.6	39,300
Grades 12 or GED (High School Grad)	9,300	3.2	2.6 - 3.8	283,700	96.8	96.2 - 97.4	293,000
College 1 to 3 years (Some College/ Tech)	6,300	2.2	1.7 - 2.8	278,300	97.8	97.2 - 98.3	284,600
College 4 years or more (College Grad)	8,000	2.3	1.9 - 2.8	333,600	97.7	97.2 - 98.1	341,600

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	7,600	1.2	0.9 - 1.5	622,700	98.8	98.5 - 99.1	630,300
<b>Unemployed</b>	1,300	4.5	1.9 - 7.2	27,200	95.5	92.8 - 98.1	28,500
<b>Retired/Unable to work</b>	16,300	7.2	6.4 - 8.1	209,300	92.8	91.9 - 93.6	225,600
<b>Student/Homemaker</b>	1,500	1.6	0.8 - 2.4	90,200	98.4	97.6 - 99.2	91,700

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,700	6.4	2.6 - 10.2	25,400	93.6	89.8 - 97.4	27,100
\$10,000 to \$14,999	2,100	7.4	4.7 - 10.0	26,100	92.6	90.0 - 95.3	28,100
\$15,000 to \$19,999	2,700	5.8	4.2 - 7.5	43,600	94.2	92.5 - 95.8	46,300
\$20,000 to \$24,999	2,100	3.4	2.3 - 4.5	60,300	96.6	95.5 - 97.7	62,400
\$25,000 to \$34,999	2,200	2.1	1.4 - 2.7	104,100	97.9	97.3 - 98.6	106,300
\$35,000 to \$49,999	3,900	2.6	1.8 - 3.3	146,600	97.4	96.7 - 98.2	150,400
\$50,000 to \$74,999	2,900	1.7	1.2 - 2.3	166,400	98.3	97.7 - 98.8	169,400
\$75,000 or more	4,100	1.6	1.2 - 2.0	249,100	98.4	98.0 - 98.8	253,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	6,900	3.8	2.8 - 4.8	174,100	96.2	95.2 - 97.2	181,000
131-185%	2,200	2.0	1.5 - 2.6	105,400	98.0	97.4 - 98.5	107,600
186+%	12,700	2.3	2.0 - 2.6	542,000	97.7	97.4 - 98.0	554,700

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	14,500	2.5	2.1 - 2.9	566,800	97.5	97.1 - 97.9	581,300
Unmarried Couple	400	1.6	0.1 - 3.1	27,900	98.4	96.9 - 99.9	28,300
Widowed	4,700	8.3	6.7 - 9.9	52,100	91.7	90.1 - 93.3	56,800
Other	7,000	2.3	1.7 - 2.8	304,300	97.7	97.2 - 98.3	311,300

**Stroke prevalence by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2005-2007, 2006-2008, 2007-2009, 2008-2010**

*Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005-2007**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	14,900	2.5	2.1 - 2.9	576,900	97.5	97.1 - 97.9	591,700
<b>No</b>	11,700	3.0	2.5 - 3.5	372,600	97.0	96.5 - 97.5	384,300

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population (3-Yr Avg)</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	25,000	2.8	2.4 - 3.1	879,000	97.2	96.9 - 97.6	904,000
<b>No</b>	1,700	2.4	1.4 - 3.4	70,000	97.6	96.6 - 98.6	71,800