

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2004-2006	13,200	1.4	1.1 - 1.7	936,000	98.6	98.3 - 98.9	949,200
2005-2007	18,400	1.9	1.6 - 2.2	955,700	98.1	97.8 - 98.4	974,000
2006-2008	22,400	2.3	2.0 - 2.6	956,700	97.7	97.4 - 98.0	979,000
2007-2009	25,300	2.6	2.2 - 2.9	961,500	97.4	97.1 - 97.8	986,800
2008-2010	27,700	2.8	2.4 - 3.2	961,700	97.2	96.8 - 97.6	989,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	27,700	2.8	2.4 - 3.2	961,700	97.2	96.8 - 97.6	989,400

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	0.9	0.4 - 1.4	135,200	99.1	98.6 - 99.6	136,400
Honolulu	25,100	3.6	3.1 - 4.2	669,800	96.4	95.8 - 96.9	694,900
Kauai	600	1.3	0.4 - 2.2	47,500	98.7	97.8 - 99.6	48,100
Maui	700	0.7	0.3 - 1.0	109,300	99.3	99.0 - 99.7	110,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	0.9	0.4 - 1.4	135,200	99.1	98.6 - 99.6	136,400
Kauai	600	1.3	0.4 - 2.2	47,500	98.7	97.8 - 99.6	48,100
Lanai	<50	1.7	0.0 - 3.5	1,700	98.3	96.5 - 100.0	1,700
Maui	600	0.6	0.3 - 1.0	99,900	99.4	99.0 - 99.7	100,600
Molokai	100	0.7	0.0 - 1.4	7,700	99.3	98.6 - 100.0	7,700
Oahu	25,100	3.6	3.1 - 4.2	669,800	96.4	95.8 - 96.9	694,900

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,600	4.1	1.4 - 6.8	60,800	95.9	93.2 - 98.6	63,400
Ala Moana	500	1.7	0.0 - 3.7	26,200	98.3	96.3 - 100.0	26,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	100	0.7	0.0 - 1.7	19,700	99.3	98.3 - 100.0	19,900
Hilo	300	0.8	0.2 - 1.5	41,100	99.2	98.5 - 99.8	41,400
Kaaawa/ Kahaluu/ Kaneohe	1,600	3.2	1.4 - 5.0	48,200	96.8	95.0 - 98.6	49,800
Kahului	300	1.0	0.1 - 1.9	33,800	99.0	98.1 - 99.9	34,100
Kailua/ Waimanalo	1,300	2.6	1.1 - 4.2	49,000	97.4	95.8 - 98.9	50,300
Kaimuki/ Palolo/ Waikiki	600	1.0	0.3 - 1.8	55,900	99.0	98.2 - 99.7	56,500
Kona	100	0.4	0.0 - 0.7	29,200	99.6	99.3 - 100.0	29,300
Lahaina/ Wailuku	100	0.3	0.0 - 0.6	32,900	99.7	99.4 - 100.0	33,000
Lanai	<50	1.7	0.0 - 3.5	1,700	98.3	96.5 - 100.0	1,700
Lihue-Waimea	500	1.7	0.4 - 3.0	27,700	98.3	97.0 - 99.6	28,200
Manoa/ Upper Makiki	900	1.7	0.2 - 3.3	48,000	98.3	96.7 - 99.8	48,900
Mililani/ Wahiawa	5,100	6.8	4.5 - 9.1	69,100	93.2	90.9 - 95.5	74,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	100	0.7	0.0 - 1.4	7,700	99.3	98.6 - 100.0	7,700
Nanakuli/ Waianae	400	1.2	0.0 - 2.8	34,900	98.8	97.2 - 100.0	35,300
N.Hawaii	600	2.3	0.4 - 4.1	25,800	97.7	95.9 - 99.6	26,400
N.Shore/ Laie	300	1.4	0.0 - 3.0	22,000	98.6	97.0 - 100.0	22,300
Nuuanu/ Kalihi/ Moanalua	900	1.3	0.5 - 2.1	66,300	98.7	97.9 - 99.5	67,200
Puna/ Kau	200	0.5	0.0 - 1.3	39,100	99.5	98.7 - 100.0	39,300
Salt Lake/ Foster Village	5,500	15.2	11.1 - 19.3	30,500	84.8	80.7 - 88.9	36,000
Upcountry/ Hana	200	0.6	0.0 - 1.2	33,300	99.4	98.8 - 100.0	33,500
Waialae/ Kahala/ Hawaii Kai	500	1.1	0.2 - 2.1	45,200	98.9	97.9 - 99.8	45,700
Waipahu/ Kapolei/ Ewa	5,000	4.2	2.7 - 5.7	113,600	95.8	94.3 - 97.3	118,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	3,500	2.9	1.3 - 4.6	115,800	97.1	95.4 - 98.7	119,300
25-34	10,800	6.1	4.7 - 7.5	165,700	93.9	92.5 - 95.3	176,500
35-44	9,700	5.6	4.4 - 6.8	164,600	94.4	93.2 - 95.6	174,300
45-54	1,800	1.0	0.6 - 1.4	174,800	99.0	98.6 - 99.4	176,600
55-64	600	0.4	0.1 - 0.7	150,100	99.6	99.3 - 99.9	150,700
65-74	600	0.6	0.1 - 1.1	90,500	99.4	98.9 - 99.9	91,100
75+	600	0.7	0.2 - 1.1	95,600	99.3	98.9 - 99.8	96,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	14,600	4.6	3.8 - 5.5	300,800	95.4	94.5 - 96.2	315,400
Native Hawaiian	2,000	1.6	0.7 - 2.5	127,400	98.4	97.5 - 99.3	129,400
Chinese	600	0.9	0.1 - 1.8	61,200	99.1	98.2 - 99.9	61,800
Filipino	2,100	1.4	0.7 - 2.0	153,200	98.6	98.0 - 99.3	155,300
Japanese	2,800	1.2	0.7 - 1.8	227,600	98.8	98.2 - 99.3	230,400
Black	2,400	16.9	10.2 - 23.6	11,800	83.1	76.4 - 89.8	14,200
Native Alaskan/ American Indian	200	3.4	0.0 - 9.8	4,600	96.6	90.2 - 100.0	4,800
Other Asian	200	1.0	0.0 - 2.0	24,300	99.0	98.0 - 100.0	24,500
Other Pacific Islander	1,600	5.3	0.0 - 10.7	27,900	94.7	89.3 - 100.0	29,500
Other	1,100	5.2	1.9 - 8.5	20,100	94.8	91.5 - 98.1	21,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	21,200	4.3	3.6 - 5.0	469,000	95.7	95.0 - 96.4	490,200
Female	6,400	1.3	0.9 - 1.7	492,800	98.7	98.3 - 99.1	499,200

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	100	0.5	0.0 - 1.4	11,500	99.5	98.6 - 100.0	11,600
Grades 9 thru 11 (Some High School)	400	1.0	0.0 - 2.3	38,300	99.0	97.7 - 100.0	38,700
Grades 12 or GED (High School Grad)	6,500	2.3	1.6 - 2.9	279,500	97.7	97.1 - 98.4	286,000
College 1 to 3 years (Some College/ Tech)	10,400	3.7	2.7 - 4.6	273,500	96.3	95.4 - 97.3	283,900
College 4 years or more (College Grad)	10,300	2.8	2.2 - 3.4	358,100	97.2	96.6 - 97.8	368,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	23,700	3.9	3.3 - 4.5	584,500	96.1	95.5 - 96.7	608,200
Unemployed	900	1.5	0.3 - 2.8	59,600	98.5	97.2 - 99.7	60,500
Retired/Unable to work	1,800	0.8	0.1 - 1.6	212,200	99.2	98.4 - 99.9	214,000
Student/Homemaker	1,200	1.2	0.4 - 1.9	104,700	98.8	98.1 - 99.6	106,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	300	1.1	0.0 - 2.6	30,300	98.9	97.4 - 100.0	30,600
\$10,000 to \$14,999	400	1.7	0.4 - 2.9	24,500	98.3	97.1 - 99.6	24,900
\$15,000 to \$19,999	200	0.5	0.0 - 1.1	47,500	99.5	98.9 - 100.0	47,700
\$20,000 to \$24,999	1,000	1.7	0.4 - 3.0	58,300	98.3	97.0 - 99.6	59,400
\$25,000 to \$34,999	2,700	2.7	1.5 - 3.9	96,800	97.3	96.1 - 98.5	99,500
\$35,000 to \$49,999	3,300	2.3	1.4 - 3.1	142,500	97.7	96.9 - 98.6	145,800
\$50,000 to \$74,999	7,000	4.1	2.9 - 5.2	164,500	95.9	94.8 - 97.1	171,500
\$75,000 or more	10,400	3.3	2.6 - 4.0	302,600	96.7	96.0 - 97.4	313,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,500	1.7	1.0 - 2.4	199,500	98.3	97.6 - 99.0	203,000
131-185%	3,700	2.7	1.7 - 3.8	131,700	97.3	96.2 - 98.3	135,300
186+%	18,300	3.3	2.8 - 3.8	535,600	96.7	96.2 - 97.2	553,900

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	20,700	3.6	3.0 - 4.1	557,100	96.4	95.9 - 97.0	577,800
Unmarried Couple	400	1.3	0.0 - 2.9	30,700	98.7	97.1 - 100.0	31,100
Widowed	100	0.2	0.1 - 0.4	57,600	99.8	99.6 - 99.9	57,700
Other	6,400	2.0	1.3 - 2.7	316,300	98.0	97.3 - 98.7	322,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008-2010

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	21,100	3.6	3.0 - 4.1	567,900	96.4	95.9 - 97.0	589,000
No	6,600	1.6	1.1 - 2.2	392,000	98.4	97.8 - 98.9	398,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	26,300	2.9	2.5 - 3.2	895,000	97.1	96.8 - 97.5	921,300
No	1,400	2.1	0.0 - 4.4	64,700	97.9	95.6 - 100.0	66,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,300	2.6	2.2 - 2.9	961,500	97.4	97.1 - 97.8	986,800

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,100	0.9	0.5 - 1.2	131,500	99.1	98.8 - 99.5	132,600
Honolulu	22,500	3.2	2.7 - 3.7	675,400	96.8	96.3 - 97.3	697,900
Kauai	400	0.7	0.3 - 1.2	47,400	99.3	98.8 - 99.7	47,700
Maui	1,300	1.2	0.7 - 1.7	107,300	98.8	98.3 - 99.3	108,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,100	0.9	0.5 - 1.2	131,500	99.1	98.8 - 99.5	132,600
Kauai	400	0.7	0.3 - 1.2	47,400	99.3	98.8 - 99.7	47,700
Lanai	<50	1.9	0.0 - 3.8	1,800	98.1	96.2 - 100.0	1,800
Maui	1,200	1.2	0.7 - 1.7	97,500	98.8	98.3 - 99.3	98,700
Molokai	100	1.2	0.1 - 2.2	7,900	98.8	97.8 - 99.9	8,000
Oahu	22,500	3.2	2.7 - 3.7	675,400	96.8	96.3 - 97.3	697,900

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,400	3.8	1.1 - 6.5	61,300	96.2	93.5 - 98.9	63,700
Ala Moana	300	1.0	0.0 - 2.5	29,400	99.0	97.5 - 100.0	29,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	<50	0.2	0.0 - 0.4	19,800	99.8	99.6 - 100.0	19,800
Hilo	300	0.8	0.3 - 1.2	39,200	99.2	98.8 - 99.7	39,500
Kaaawa/ Kahaluu/ Kaneohe	2,000	4.1	1.9 - 6.3	46,900	95.9	93.7 - 98.1	49,000
Kahului	600	1.6	0.6 - 2.7	33,100	98.4	97.3 - 99.4	33,600
Kailua/ Waimanalo	1,500	2.9	1.4 - 4.4	49,600	97.1	95.6 - 98.6	51,100
Kaimuki/ Palolo/ Waikiki	500	1.0	0.2 - 1.7	56,100	99.0	98.3 - 99.8	56,600
Kona	200	0.6	0.1 - 1.0	28,100	99.4	99.0 - 99.9	28,300
Lahaina/ Wailuku	300	1.0	0.0 - 1.9	31,600	99.0	98.1 - 100.0	31,900
Lanai	<50	1.9	0.0 - 3.8	1,800	98.1	96.2 - 100.0	1,800
Lihue-Waimea	300	1.1	0.4 - 1.9	27,600	98.9	98.1 - 99.6	27,900
Manoa/ Upper Makiki	800	1.7	0.1 - 3.2	45,100	98.3	96.8 - 99.9	45,800
Mililani/ Wahiawa	3,900	5.2	3.3 - 7.1	72,100	94.8	92.9 - 96.7	76,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	100	1.2	0.1 - 2.2	7,900	98.8	97.8 - 99.9	8,000
Nanakuli/ Waianae	200	0.6	0.0 - 1.6	34,400	99.4	98.4 - 100.0	34,600
N.Hawaii	500	1.9	0.6 - 3.1	27,000	98.1	96.9 - 99.4	27,500
N.Shore/ Laie	500	2.3	0.4 - 4.2	21,000	97.7	95.8 - 99.6	21,500
Nuuanu/ Kalihi/ Moanalua	1,000	1.5	0.6 - 2.5	66,800	98.5	97.5 - 99.4	67,900
Puna/ Kau	200	0.4	0.0 - 0.9	37,100	99.6	99.1 - 100.0	37,200
Salt Lake/ Foster Village	4,000	11.7	8.0 - 15.4	30,100	88.3	84.6 - 92.0	34,100
Upcountry/ Hana	300	0.9	0.2 - 1.6	32,800	99.1	98.4 - 99.8	33,100
Waialae/ Kahala/ Hawaii Kai	500	1.0	0.1 - 1.9	45,500	99.0	98.1 - 99.9	46,000
Waipahu/ Kapolei/ Ewa	4,800	4.0	2.6 - 5.3	117,000	96.0	94.7 - 97.4	121,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,900	2.4	0.8 - 3.9	118,900	97.6	96.1 - 99.2	121,800
25-34	10,400	6.1	4.7 - 7.6	159,500	93.9	92.4 - 95.3	170,000
35-44	7,800	4.4	3.4 - 5.4	167,800	95.6	94.6 - 96.6	175,600
45-54	2,000	1.1	0.7 - 1.5	177,700	98.9	98.5 - 99.3	179,600
55-64	400	0.3	0.1 - 0.5	151,900	99.7	99.5 - 99.9	152,300
65-74	600	0.7	0.3 - 1.1	87,100	99.3	98.9 - 99.7	87,800
75+	1,100	1.2	0.5 - 1.9	94,000	98.8	98.1 - 99.5	95,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,000	3.8	3.1 - 4.5	305,400	96.2	95.5 - 96.9	317,400
Native Hawaiian	1,800	1.3	0.6 - 2.1	129,500	98.7	97.9 - 99.4	131,300
Chinese	600	1.1	0.2 - 1.9	60,400	98.9	98.1 - 99.8	61,100
Filipino	3,500	2.2	1.4 - 3.0	155,700	97.8	97.0 - 98.6	159,200
Japanese	2,300	1.0	0.5 - 1.5	222,000	99.0	98.5 - 99.5	224,300
Black	2,200	14.9	8.8 - 21.1	12,800	85.1	78.9 - 91.2	15,000
Native Alaskan/ American Indian	200	3.2	0.0 - 8.0	5,500	96.8	92.0 - 100.0	5,700
Other Asian	400	1.8	0.3 - 3.2	22,700	98.2	96.8 - 99.7	23,100
Other Pacific Islander	1,500	6.0	0.0 - 12.3	23,800	94.0	87.7 - 100.0	25,300
Other	500	2.5	0.4 - 4.6	20,600	97.5	95.4 - 99.6	21,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	18,600	3.8	3.2 - 4.5	469,100	96.2	95.5 - 96.8	487,700
Female	6,600	1.3	0.9 - 1.7	492,400	98.7	98.3 - 99.1	499,100

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	300	2.5	0.0 - 5.6	12,500	97.5	94.4 - 100.0	12,800
Grades 9 thru 11 (Some High School)	400	1.0	0.2 - 1.8	37,100	99.0	98.2 - 99.8	37,500
Grades 12 or GED (High School Grad)	7,300	2.5	1.8 - 3.2	286,500	97.5	96.8 - 98.2	293,800
College 1 to 3 years (Some College/ Tech)	9,100	3.2	2.3 - 4.1	277,400	96.8	95.9 - 97.7	286,600
College 4 years or more (College Grad)	8,200	2.3	1.8 - 2.8	347,000	97.7	97.2 - 98.2	355,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	20,600	3.3	2.8 - 3.8	603,900	96.7	96.2 - 97.2	624,500
Unemployed	400	0.8	0.0 - 1.8	47,500	99.2	98.2 - 100.0	47,900
Retired/Unable to work	3,000	1.4	0.5 - 2.2	215,000	98.6	97.8 - 99.5	217,900
Student/Homemaker	1,300	1.4	0.5 - 2.3	94,300	98.6	97.7 - 99.5	95,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	200	0.7	0.0 - 1.5	26,300	99.3	98.5 - 100.0	26,500
\$10,000 to \$14,999	400	1.7	0.5 - 2.8	25,100	98.3	97.2 - 99.5	25,600
\$15,000 to \$19,999	300	0.8	0.1 - 1.4	43,900	99.2	98.6 - 99.9	44,200
\$20,000 to \$24,999	600	1.1	0.0 - 2.2	56,800	98.9	97.8 - 100.0	57,500
\$25,000 to \$34,999	3,800	3.6	2.2 - 4.9	100,800	96.4	95.1 - 97.8	104,500
\$35,000 to \$49,999	3,600	2.3	1.5 - 3.2	150,500	97.7	96.8 - 98.5	154,100
\$50,000 to \$74,999	6,300	3.6	2.5 - 4.6	170,200	96.4	95.4 - 97.5	176,500
\$75,000 or more	8,100	2.7	2.0 - 3.3	296,700	97.3	96.7 - 98.0	304,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,800	2.0	1.2 - 2.7	189,600	98.0	97.3 - 98.8	193,400
131-185%	3,300	2.6	1.6 - 3.6	123,700	97.4	96.4 - 98.4	127,000
186+%	16,300	2.8	2.4 - 3.3	556,900	97.2	96.7 - 97.6	573,200

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	17,800	3.1	2.6 - 3.6	564,200	96.9	96.4 - 97.4	582,100
Unmarried Couple	300	0.9	0.0 - 2.0	28,500	99.1	98.0 - 100.0	28,700
Widowed	600	1.0	0.2 - 1.8	57,300	99.0	98.2 - 99.8	57,800
Other	6,600	2.1	1.4 - 2.8	311,500	97.9	97.2 - 98.6	318,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007-2009

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	18,000	3.0	2.6 - 3.5	574,500	97.0	96.5 - 97.4	592,500
No	7,300	1.9	1.2 - 2.5	385,300	98.1	97.5 - 98.8	392,600

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	24,000	2.6	2.2 - 3.0	897,100	97.4	97.0 - 97.8	921,100
No	1,300	2.0	0.0 - 4.4	62,500	98.0	95.6 - 100.0	63,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	22,400	2.3	2.0 - 2.6	956,700	97.7	97.4 - 98.0	979,000

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	0.9	0.6 - 1.2	126,500	99.1	98.8 - 99.4	127,600
Honolulu	19,000	2.7	2.3 - 3.2	677,600	97.3	96.8 - 97.7	696,600
Kauai	700	1.5	0.5 - 2.4	46,900	98.5	97.6 - 99.5	47,600
Maui	1,500	1.4	0.9 - 1.9	105,700	98.6	98.1 - 99.1	107,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	0.9	0.6 - 1.2	126,500	99.1	98.8 - 99.4	127,600
Kauai	700	1.5	0.5 - 2.4	46,900	98.5	97.6 - 99.5	47,600
Lanai	<50	1.6	0.0 - 3.2	2,100	98.4	96.8 - 100.0	2,100
Maui	1,400	1.4	0.9 - 2.0	96,200	98.6	98.0 - 99.1	97,600
Molokai	100	1.1	0.0 - 2.1	7,400	98.9	97.9 - 100.0	7,500
Oahu	19,000	2.7	2.3 - 3.2	677,600	97.3	96.8 - 97.7	696,600

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,600	2.4	1.2 - 3.6	64,700	97.6	96.4 - 98.8	66,300
Ala Moana	400	1.2	0.0 - 2.5	31,000	98.8	97.5 - 100.0	31,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	100	0.7	0.0 - 1.6	20,000	99.3	98.4 - 100.0	20,200
Hilo	400	1.0	0.4 - 1.5	37,300	99.0	98.5 - 99.6	37,700
Kaaawa/ Kahaluu/ Kaneohe	1,400	2.9	1.1 - 4.7	47,300	97.1	95.3 - 98.9	48,700
Kahului	700	2.0	0.9 - 3.2	31,900	98.0	96.8 - 99.1	32,500
Kailua/ Waimanalo	1,800	3.6	1.8 - 5.4	48,800	96.4	94.6 - 98.2	50,700
Kaimuki/ Palolo/ Waikiki	600	1.0	0.3 - 1.7	56,300	99.0	98.3 - 99.7	56,900
Kona	300	1.0	0.4 - 1.7	27,700	99.0	98.3 - 99.6	28,000
Lahaina/ Wailuku	400	1.2	0.3 - 2.2	32,000	98.8	97.8 - 99.7	32,400
Lanai	<50	1.6	0.0 - 3.2	2,100	98.4	96.8 - 100.0	2,100
Lihue-Waimea	600	2.1	0.6 - 3.6	26,900	97.9	96.4 - 99.4	27,500
Manoa/ Upper Makiki	1,000	2.2	0.6 - 3.9	45,600	97.8	96.1 - 99.4	46,700
Millilani/ Wahiawa	2,100	2.9	1.7 - 4.2	68,600	97.1	95.8 - 98.3	70,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	100	1.1	0.0 - 2.1	7,400	98.9	97.9 - 100.0	7,500
Nanakuli/ Waianae	700	2.1	0.0 - 4.5	34,000	97.9	95.5 - 100.0	34,700
N.Hawaii	300	1.1	0.4 - 1.7	27,000	98.9	98.3 - 99.6	27,300
N.Shore/ Laie	400	1.8	0.3 - 3.3	23,100	98.2	96.7 - 99.7	23,500
Nuuanu/ Kalihi/ Moanalua	1,800	2.6	1.2 - 4.0	66,600	97.4	96.0 - 98.8	68,300
Puna/ Kau	200	0.6	0.1 - 1.1	34,500	99.4	98.9 - 99.9	34,700
Salt Lake/ Foster Village	2,300	7.0	4.2 - 9.8	31,200	93.0	90.2 - 95.8	33,600
Upcountry/ Hana	300	0.9	0.2 - 1.7	32,400	99.1	98.3 - 99.8	32,700
Waialae/ Kahala/ Hawaii Kai	600	1.3	0.3 - 2.4	41,100	98.7	97.6 - 99.7	41,700
Waipahu/ Kapolei/ Ewa	4,300	3.5	2.2 - 4.7	119,300	96.5	95.3 - 97.8	123,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,800	2.3	1.2 - 3.5	120,400	97.7	96.5 - 98.8	123,300
25-34	8,000	4.8	3.6 - 6.1	157,400	95.2	93.9 - 96.4	165,400
35-44	6,200	3.5	2.7 - 4.3	170,000	96.5	95.7 - 97.3	176,200
45-54	2,300	1.3	0.9 - 1.7	177,000	98.7	98.3 - 99.1	179,300
55-64	500	0.3	0.1 - 0.6	149,800	99.7	99.4 - 99.9	150,300
65-74	700	0.8	0.4 - 1.3	84,000	99.2	98.7 - 99.6	84,700
75+	1,800	1.9	1.1 - 2.7	92,000	98.1	97.3 - 98.9	93,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,700	3.0	2.4 - 3.6	309,500	97.0	96.4 - 97.6	319,200
Native Hawaiian	1,700	1.3	0.6 - 2.0	129,000	98.7	98.0 - 99.4	130,700
Chinese	500	1.0	0.3 - 1.6	55,600	99.0	98.4 - 99.7	56,100
Filipino	4,600	3.0	1.9 - 4.0	150,800	97.0	96.0 - 98.1	155,400
Japanese	1,500	0.7	0.4 - 1.0	213,700	99.3	99.0 - 99.6	215,200
Black	1,400	9.6	5.0 - 14.2	13,200	90.4	85.8 - 95.0	14,600
Native Alaskan/ American Indian	200	3.2	0.0 - 7.9	5,500	96.8	92.1 - 100.0	5,700
Other Asian	500	2.1	0.6 - 3.6	23,900	97.9	96.4 - 99.4	24,500
Other Pacific Islander	1,600	6.8	2.5 - 11.2	22,100	93.2	88.8 - 97.5	23,700
Mixed Ethnicity	200	2.6	0.0 - 7.1	7,900	97.4	92.9 - 100.0	8,100
Other	300	1.4	0.0 - 2.8	21,400	98.6	97.2 - 100.0	21,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	15,200	3.1	2.6 - 3.7	467,600	96.9	96.3 - 97.4	482,800
Female	7,200	1.5	1.1 - 1.8	489,000	98.5	98.2 - 98.9	496,200

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	300	2.5	0.0 - 5.5	13,200	97.5	94.5 - 100.0	13,500
Grades 9 thru 11 (Some High School)	1,000	2.6	1.0 - 4.3	37,900	97.4	95.7 - 99.0	38,900
Grades 12 or GED (High School Grad)	7,000	2.3	1.7 - 3.0	289,700	97.7	97.0 - 98.3	296,700
College 1 to 3 years (Some College/ Tech)	7,200	2.5	1.9 - 3.2	275,900	97.5	96.8 - 98.1	283,100
College 4 years or more (College Grad)	6,800	2.0	1.5 - 2.4	338,900	98.0	97.6 - 98.5	345,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	17,200	2.7	2.3 - 3.2	610,200	97.3	96.8 - 97.7	627,400
Unemployed	200	0.5	0.0 - 1.0	36,800	99.5	99.0 - 100.0	37,000
Retired/Unable to work	3,500	1.6	1.0 - 2.2	218,900	98.4	97.8 - 99.0	222,300
Student/Homemaker	1,500	1.7	0.6 - 2.8	89,800	98.3	97.2 - 99.4	91,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	2.4	0.2 - 4.6	25,600	97.6	95.4 - 99.8	26,200
\$10,000 to \$14,999	500	1.9	0.7 - 3.1	25,500	98.1	96.9 - 99.3	26,000
\$15,000 to \$19,999	600	1.4	0.5 - 2.3	42,200	98.6	97.7 - 99.5	42,800
\$20,000 to \$24,999	1,100	1.9	0.4 - 3.3	59,000	98.1	96.7 - 99.6	60,200
\$25,000 to \$34,999	4,000	3.7	2.4 - 4.9	103,300	96.3	95.1 - 97.6	107,300
\$35,000 to \$49,999	2,800	1.9	1.2 - 2.6	145,400	98.1	97.4 - 98.8	148,200
\$50,000 to \$74,999	4,600	2.7	1.9 - 3.5	164,200	97.3	96.5 - 98.1	168,800
\$75,000 or more	6,100	2.2	1.6 - 2.7	276,400	97.8	97.3 - 98.4	282,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,200	2.3	1.5 - 3.1	180,800	97.7	96.9 - 98.5	185,000
131-185%	2,500	2.2	1.3 - 3.1	113,700	97.8	96.9 - 98.7	116,200
186+%	13,500	2.4	2.0 - 2.8	547,100	97.6	97.2 - 98.0	560,600

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	15,600	2.7	2.2 - 3.1	564,000	97.3	96.9 - 97.8	579,500
Unmarried Couple	200	0.7	0.0 - 1.6	28,300	99.3	98.4 - 100.0	28,500
Widowed	800	1.4	0.6 - 2.3	55,200	98.6	97.7 - 99.4	56,100
Other	5,800	1.8	1.3 - 2.4	309,200	98.2	97.6 - 98.7	315,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2008

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	15,800	2.7	2.2 - 3.1	574,200	97.3	96.9 - 97.8	589,900
No	6,600	1.7	1.2 - 2.2	380,800	98.3	97.8 - 98.8	387,400

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	21,000	2.3	2.0 - 2.6	889,500	97.7	97.4 - 98.0	910,500
No	1,400	2.1	0.5 - 3.6	65,300	97.9	96.4 - 99.5	66,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	18,400	1.9	1.6 - 2.2	955,700	98.1	97.8 - 98.4	974,000

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	1.0	0.7 - 1.4	121,700	99.0	98.6 - 99.3	123,000
Honolulu	15,200	2.2	1.8 - 2.6	683,600	97.8	97.4 - 98.2	698,700
Kauai	700	1.4	0.5 - 2.3	46,200	98.6	97.7 - 99.5	46,800
Maui	1,300	1.2	0.7 - 1.6	104,200	98.8	98.4 - 99.3	105,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	1.0	0.7 - 1.4	121,700	99.0	98.6 - 99.3	123,000
Kauai	700	1.4	0.5 - 2.3	46,200	98.6	97.7 - 99.5	46,800
Lanai	<50	1.4	0.0 - 2.7	2,200	98.6	97.3 - 100.0	2,200
Maui	1,200	1.2	0.7 - 1.7	95,400	98.8	98.3 - 99.3	96,500
Molokai	100	1.0	0.0 - 2.1	6,600	99.0	97.9 - 100.0	6,700
Oahu	15,200	2.2	1.8 - 2.6	683,600	97.8	97.4 - 98.2	698,700

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,500	2.2	1.0 - 3.3	67,000	97.8	96.7 - 99.0	68,500
Ala Moana	300	0.9	0.1 - 1.8	31,400	99.1	98.2 - 99.9	31,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	100	0.7	0.0 - 1.6	19,800	99.3	98.4 - 100.0	19,900
Hilo	400	1.1	0.4 - 1.7	35,000	98.9	98.3 - 99.6	35,300
Kaaawa/ Kahaluu/ Kaneohe	1,100	2.2	0.6 - 3.8	49,000	97.8	96.2 - 99.4	50,100
Kahului	500	1.7	0.7 - 2.6	32,300	98.3	97.4 - 99.3	32,900
Kailua/ Waimanalo	800	1.7	0.3 - 3.0	49,400	98.3	97.0 - 99.7	50,300
Kaimuki/ Palolo/ Waikiki	300	0.6	0.2 - 1.0	59,300	99.4	99.0 - 99.8	59,600
Kona	300	1.0	0.3 - 1.7	28,100	99.0	98.3 - 99.7	28,400
Lahaina/ Wailuku	400	1.3	0.3 - 2.3	31,100	98.7	97.7 - 99.7	31,500
Lanai	<50	1.4	0.0 - 2.7	2,200	98.6	97.3 - 100.0	2,200
Lihue-Waimea	500	1.9	0.4 - 3.4	26,400	98.1	96.6 - 99.6	26,900
Manoa/ Upper Makiki	500	1.0	0.3 - 1.8	45,200	99.0	98.2 - 99.7	45,700
Millilani/ Wahiawa	2,200	3.1	1.7 - 4.5	68,500	96.9	95.5 - 98.3	70,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	100	1.0	0.0 - 2.1	6,600	99.0	97.9 - 100.0	6,700
Nanakuli/ Waianae	800	2.3	0.0 - 4.7	32,700	97.7	95.3 - 100.0	33,500
N.Hawaii	200	0.9	0.3 - 1.5	26,100	99.1	98.5 - 99.7	26,300
N.Shore/ Laie	300	1.3	0.2 - 2.4	22,100	98.7	97.6 - 99.8	22,400
Nuuanu/ Kalihi/ Moanalua	1,900	2.7	1.2 - 4.2	68,400	97.3	95.8 - 98.8	70,300
Puna/ Kau	400	1.2	0.4 - 1.9	32,600	98.8	98.1 - 99.6	32,900
Salt Lake/ Foster Village	1,600	5.0	2.5 - 7.5	30,900	95.0	92.5 - 97.5	32,500
Upcountry/ Hana	200	0.7	0.1 - 1.2	31,900	99.3	98.8 - 99.9	32,200
Waialae/ Kahala/ Hawaii Kai	500	1.2	0.1 - 2.3	40,500	98.8	97.7 - 99.9	41,000
Waipahu/ Kapolei/ Ewa	3,400	2.8	1.7 - 3.9	119,200	97.2	96.1 - 98.3	122,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,700	2.2	1.0 - 3.3	120,000	97.8	96.7 - 99.0	122,600
25-34	5,200	3.2	2.2 - 4.2	157,500	96.8	95.8 - 97.9	162,700
35-44	4,500	2.5	1.9 - 3.2	173,600	97.5	96.8 - 98.1	178,100
45-54	2,100	1.1	0.7 - 1.5	179,700	98.9	98.5 - 99.3	181,700
55-64	1,000	0.7	0.3 - 1.0	146,700	99.3	99.0 - 99.7	147,600
65-74	1,000	1.2	0.6 - 1.8	82,600	98.8	98.2 - 99.4	83,600
75+	2,000	2.2	1.3 - 3.1	89,900	97.8	96.9 - 98.7	91,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	5,300	1.7	1.3 - 2.0	313,400	98.3	98.0 - 98.7	318,700
Native Hawaiian	1,600	1.3	0.7 - 2.0	122,300	98.7	98.0 - 99.3	123,900
Chinese	500	0.9	0.3 - 1.5	51,800	99.1	98.5 - 99.7	52,300
Filipino	5,200	3.3	2.2 - 4.4	155,800	96.7	95.6 - 97.8	161,100
Japanese	1,700	0.8	0.5 - 1.1	208,200	99.2	98.9 - 99.5	209,900
Black	1,000	6.0	2.4 - 9.6	15,800	94.0	90.4 - 97.6	16,900
Native Alaskan/ American Indian	200	3.3	0.0 - 8.4	5,200	96.7	91.6 - 100.0	5,400
Other Asian	400	1.6	0.2 - 2.9	23,000	98.4	97.1 - 99.8	23,400
Other Pacific Islander	1,600	6.6	2.4 - 10.9	22,800	93.4	89.1 - 97.6	24,400
Mixed Ethnicity	200	2.6	0.0 - 7.1	7,900	97.4	92.9 - 100.0	8,100
Other	500	1.9	0.1 - 3.6	25,100	98.1	96.4 - 99.9	25,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	11,800	2.5	2.0 - 2.9	469,700	97.5	97.1 - 98.0	481,500
Female	6,500	1.3	1.0 - 1.6	486,000	98.7	98.4 - 99.0	492,600

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	500	3.0	0.3 - 5.6	16,800	97.0	94.4 - 99.7	17,300
Grades 9 thru 11 (Some High School)	1,300	3.3	1.4 - 5.3	37,900	96.7	94.7 - 98.6	39,200
Grades 12 or GED (High School Grad)	6,000	2.1	1.5 - 2.7	286,200	97.9	97.3 - 98.5	292,200
College 1 to 3 years (Some College/ Tech)	5,800	2.1	1.5 - 2.6	277,600	97.9	97.4 - 98.5	283,500
College 4 years or more (College Grad)	4,600	1.4	1.0 - 1.7	335,700	98.6	98.3 - 99.0	340,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	12,300	2.0	1.6 - 2.3	615,900	98.0	97.7 - 98.4	628,100
Unemployed	200	0.5	0.0 - 1.2	28,600	99.5	98.8 - 100.0	28,800
Retired/Unable to work	4,300	1.9	1.3 - 2.5	219,900	98.1	97.5 - 98.7	224,200
Student/Homemaker	1,600	1.8	0.6 - 2.9	89,900	98.2	97.1 - 99.4	91,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	700	2.7	0.5 - 5.0	26,400	97.3	95.0 - 99.5	27,200
\$10,000 to \$14,999	300	1.2	0.4 - 2.0	27,500	98.8	98.0 - 99.6	27,900
\$15,000 to \$19,999	700	1.6	0.7 - 2.4	45,400	98.4	97.6 - 99.3	46,200
\$20,000 to \$24,999	1,200	1.9	0.5 - 3.3	61,300	98.1	96.7 - 99.5	62,500
\$25,000 to \$34,999	3,500	3.3	2.1 - 4.4	103,400	96.7	95.6 - 97.9	106,900
\$35,000 to \$49,999	3,100	2.1	1.3 - 2.8	147,000	97.9	97.2 - 98.7	150,100
\$50,000 to \$74,999	2,600	1.6	1.0 - 2.1	165,800	98.4	97.9 - 99.0	168,400
\$75,000 or more	3,900	1.5	1.1 - 2.0	248,600	98.5	98.0 - 98.9	252,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,100	2.3	1.5 - 3.1	177,200	97.7	96.9 - 98.5	181,300
131-185%	2,300	2.1	1.2 - 3.0	105,200	97.9	97.0 - 98.8	107,500
186+%	9,800	1.8	1.4 - 2.1	543,100	98.2	97.9 - 98.6	552,900

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	12,100	2.1	1.7 - 2.5	567,300	97.9	97.5 - 98.3	579,400
Unmarried Couple	400	1.4	0.3 - 2.5	27,900	98.6	97.5 - 99.7	28,300
Widowed	900	1.7	0.8 - 2.6	55,400	98.3	97.4 - 99.2	56,400
Other	4,900	1.6	1.1 - 2.1	305,000	98.4	97.9 - 98.9	309,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2007

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,300	2.1	1.7 - 2.5	577,500	97.9	97.5 - 98.3	589,900
No	6,000	1.6	1.2 - 2.0	376,600	98.4	98.0 - 98.8	382,600

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	17,000	1.9	1.6 - 2.2	883,500	98.1	97.8 - 98.4	900,500
No	1,400	1.9	0.5 - 3.4	70,200	98.1	96.6 - 99.5	71,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

State	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	13,200	1.4	1.1 - 1.7	936,000	98.6	98.3 - 98.9	949,200

County	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	0.8	0.5 - 1.1	122,700	99.2	98.9 - 99.5	123,700
Honolulu	10,900	1.6	1.2 - 2.0	668,000	98.4	98.0 - 98.8	678,900
Kauai	500	1.2	0.2 - 2.2	44,100	98.8	97.8 - 99.8	44,600
Maui	800	0.8	0.4 - 1.2	101,200	99.2	98.8 - 99.6	102,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Island	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	0.8	0.5 - 1.1	122,700	99.2	98.9 - 99.5	123,700
Kauai	500	1.2	0.2 - 2.2	44,100	98.8	97.8 - 99.8	44,600
Lanai	<50	1.1	0.0 - 2.2	2,000	98.9	97.8 - 100.0	2,000
Maui	800	0.8	0.4 - 1.2	93,300	99.2	98.8 - 99.6	94,100
Molokai	<50	0.4	0.0 - 1.0	5,900	99.6	99.0 - 100.0	5,900
Oahu	10,900	1.6	1.2 - 2.0	668,000	98.4	98.0 - 98.8	678,900

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	800	1.3	0.4 - 2.1	65,300	98.7	97.9 - 99.6	66,100
Ala Moana	700	2.0	0.0 - 4.1	31,600	98.0	95.9 - 100.0	32,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	100	0.7	0.0 - 1.7	18,500	99.3	98.3 - 100.0	18,700
Hilo	300	0.8	0.3 - 1.3	34,200	99.2	98.7 - 99.7	34,500
Kaaawa/ Kahaluu/ Kaneohe	300	0.7	0.0 - 1.3	47,300	99.3	98.7 - 100.0	47,600
Kahului	400	1.1	0.3 - 2.0	32,200	98.9	98.0 - 99.7	32,500
Kailua/ Waimanalo	400	0.9	0.0 - 2.0	46,300	99.1	98.0 - 100.0	46,700
Kaimuki/ Palolo/ Waikiki	600	1.1	0.0 - 2.2	60,300	98.9	97.8 - 100.0	60,900
Kona	200	0.8	0.1 - 1.4	27,900	99.2	98.6 - 99.9	28,100
Lahaina/ Wailuku	300	0.9	0.0 - 1.8	30,400	99.1	98.2 - 100.0	30,700
Lanai	<50	1.1	0.0 - 2.2	2,000	98.9	97.8 - 100.0	2,000
Lihue-Waimea	400	1.5	0.0 - 3.0	25,500	98.5	97.0 - 100.0	25,900
Manoa/ Upper Makiki	600	1.2	0.2 - 2.2	45,500	98.8	97.8 - 99.8	46,000
Millilani/ Wahiawa	1,000	1.6	0.4 - 2.7	64,900	98.4	97.3 - 99.6	66,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Community	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	<50	0.4	0.0 - 1.0	5,900	99.6	99.0 - 100.0	5,900
Nanakuli/ Waianae	700	2.3	0.0 - 4.7	31,600	97.7	95.3 - 100.0	32,300
N.Hawaii	200	0.7	0.1 - 1.4	24,500	99.3	98.6 - 99.9	24,600
N.Shore/ Laie	100	0.5	0.0 - 1.2	21,500	99.5	98.8 - 100.0	21,600
Nuuanu/ Kalihi/ Moanalua	1,300	1.9	0.6 - 3.2	67,800	98.1	96.8 - 99.4	69,100
Puna/ Kau	300	0.9	0.3 - 1.6	36,100	99.1	98.4 - 99.7	36,500
Salt Lake/ Foster Village	900	2.6	0.9 - 4.3	33,300	97.4	95.7 - 99.1	34,200
Upcountry/ Hana	100	0.4	0.0 - 0.8	30,800	99.6	99.2 - 100.0	30,900
Waialae/ Kahala/ Hawaii Kai	600	1.4	0.0 - 2.9	39,200	98.6	97.1 - 100.0	39,800
Waipahu/ Kapolei/ Ewa	2,800	2.4	0.7 - 4.2	113,400	97.6	95.8 - 99.3	116,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

BRFSS Age Group	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,800	1.5	0.6 - 2.5	114,800	98.5	97.5 - 99.4	116,600
25-34	4,000	2.4	1.0 - 3.8	161,500	97.6	96.2 - 99.0	165,400
35-44	2,600	1.5	0.9 - 2.0	175,900	98.5	98.0 - 99.1	178,500
45-54	1,200	0.7	0.4 - 1.0	174,800	99.3	99.0 - 99.6	176,000
55-64	700	0.5	0.2 - 0.8	136,100	99.5	99.2 - 99.8	136,800
65-74	1,100	1.4	0.7 - 2.1	82,100	98.6	97.9 - 99.3	83,200
75+	1,800	2.2	1.0 - 3.3	83,200	97.8	96.7 - 99.0	85,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

DOH Race-Ethnicity	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	3,100	1.0	0.6 - 1.3	309,700	99.0	98.7 - 99.4	312,800
Native Hawaiian	1,500	1.3	0.6 - 1.9	117,900	98.7	98.1 - 99.4	119,400
Chinese	400	0.7	0.2 - 1.3	50,600	99.3	98.7 - 99.8	51,000
Filipino	4,200	2.7	1.2 - 4.3	147,500	97.3	95.7 - 98.8	151,700
Japanese	1,900	0.9	0.4 - 1.4	199,200	99.1	98.6 - 99.6	201,000
Black	400	3.0	0.1 - 5.8	13,900	97.0	94.2 - 99.9	14,400
Native Alaskan/ American Indian	<50	0.7	0.0 - 2.2	5,200	99.3	97.8 - 100.0	5,200
Other Asian	200	0.9	0.0 - 1.9	23,100	99.1	98.1 - 100.0	23,300
Other Pacific Islander	900	3.4	0.5 - 6.2	24,500	96.6	93.8 - 99.5	25,300
Mixed Ethnicity	200	2.6	0.0 - 7.1	7,900	97.4	92.9 - 100.0	8,100
Other	500	2.0	0.2 - 3.7	24,900	98.0	96.3 - 99.8	25,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Gender	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	7,000	1.5	1.1 - 1.9	460,400	98.5	98.1 - 98.9	467,400
Female	6,200	1.3	0.8 - 1.8	475,600	98.7	98.2 - 99.2	481,800

Education Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	300	2.0	0.5 - 3.6	15,200	98.0	96.4 - 99.5	15,500
Grades 9 thru 11 (Some High School)	1,200	3.3	1.1 - 5.4	35,800	96.7	94.6 - 98.9	37,000
Grades 12 or GED (High School Grad)	4,400	1.6	0.8 - 2.3	278,400	98.4	97.7 - 99.2	282,800
College 1 to 3 years (Some College/ Tech)	3,700	1.3	0.8 - 1.8	280,000	98.7	98.2 - 99.2	283,700
College 4 years or more (College Grad)	3,500	1.1	0.6 - 1.5	325,400	98.9	98.5 - 99.4	328,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Employment Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,800	1.3	0.9 - 1.7	603,400	98.7	98.3 - 99.1	611,200
Unemployed	100	0.5	0.0 - 1.2	26,700	99.5	98.8 - 100.0	26,900
Retired/Unable to work	3,600	1.7	1.0 - 2.3	210,800	98.3	97.7 - 99.0	214,400
Student/Homemaker	1,600	1.7	0.5 - 3.0	93,300	98.3	97.0 - 99.5	94,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Household Income	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	2.6	0.1 - 5.2	22,500	97.4	94.8 - 99.9	23,100
\$10,000 to \$14,999	200	0.7	0.0 - 1.3	26,400	99.3	98.7 - 100.0	26,600
\$15,000 to \$19,999	500	1.0	0.3 - 1.6	46,500	99.0	98.4 - 99.7	47,000
\$20,000 to \$24,999	1,300	2.0	0.5 - 3.5	64,300	98.0	96.5 - 99.5	65,600
\$25,000 to \$34,999	2,900	2.7	0.9 - 4.6	104,500	97.3	95.4 - 99.1	107,500
\$35,000 to \$49,999	2,200	1.6	0.8 - 2.3	140,000	98.4	97.7 - 99.2	142,200
\$50,000 to \$74,999	1,800	0.9	0.4 - 1.4	205,300	99.1	98.6 - 99.6	207,100
\$75,000 or more	2,000	0.9	0.5 - 1.3	224,800	99.1	98.7 - 99.5	226,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Poverty Level	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,700	2.2	0.9 - 3.6	163,000	97.8	96.4 - 99.1	166,800
131-185%	1,300	1.2	0.5 - 2.0	107,100	98.8	98.0 - 99.5	108,400
186+%	6,500	1.1	0.8 - 1.4	564,200	98.9	98.6 - 99.2	570,600

Marital Status (Grouped)	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	7,700	1.4	1.0 - 1.7	553,400	98.6	98.3 - 99.0	561,000
Unmarried Couple	300	1.1	0.0 - 2.2	26,900	98.9	97.8 - 100.0	27,200
Widowed	800	1.5	0.6 - 2.4	54,700	98.5	97.6 - 99.4	55,500
Other	4,500	1.5	0.7 - 2.2	301,000	98.5	97.8 - 99.3	305,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2006, 2005-2007, 2006-2008, 2007-2009, 2008-2010

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2006

Married	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	7,700	1.3	1.0 - 1.7	563,700	98.7	98.3 - 99.0	571,400
No	5,500	1.5	0.9 - 2.1	370,000	98.5	97.9 - 99.1	375,500

Health Care Coverage	Yes			No			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,000	1.3	1.0 - 1.5	855,300	98.7	98.5 - 99.0	866,300
No	2,200	2.8	0.3 - 5.3	77,500	97.2	94.7 - 99.7	79,800