

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2004-2008	17,400	1.8	1.6 - 2.1	946,900	98.2	97.9 - 98.4	964,300
2005-2009	21,500	2.2	1.9 - 2.5	958,000	97.8	97.5 - 98.1	979,600
2006-2010	25,200	2.6	2.3 - 2.9	958,000	97.4	97.1 - 97.7	983,200



Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

State	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,200	2.6	2.3 - 2.9	958,000	97.4	97.1 - 97.7	983,200

County	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	1.0	0.6 - 1.3	130,300	99.0	98.7 - 99.4	131,600
Honolulu	22,100	3.2	2.8 - 3.6	673,400	96.8	96.4 - 97.2	695,500
Kauai	700	1.5	0.8 - 2.3	47,000	98.5	97.7 - 99.2	47,700
Maui	1,100	1.0	0.7 - 1.3	107,300	99.0	98.7 - 99.3	108,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Island	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	1.0	0.6 - 1.3	130,300	99.0	98.7 - 99.4	131,600
Kauai	700	1.5	0.8 - 2.3	47,000	98.5	97.7 - 99.2	47,700
Lanai	<50	1.5	0.3 - 2.8	1,800	98.5	97.2 - 99.7	1,900
Maui	1,000	1.0	0.6 - 1.3	97,900	99.0	98.7 - 99.4	98,900
Molokai	100	0.9	0.2 - 1.5	7,500	99.1	98.5 - 99.8	7,600
Oahu	22,100	3.2	2.8 - 3.6	673,400	96.8	96.4 - 97.2	695,500

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,300	3.5	1.8 - 5.2	62,800	96.5	94.8 - 98.2	65,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	400	1.3	0.1 - 2.5	28,000	98.7	97.5 - 99.9	28,400
Hanalei/ Kapaa	200	0.8	0.1 - 1.6	19,900	99.2	98.4 - 99.9	20,100
Hilo	400	1.0	0.4 - 1.5	38,600	99.0	98.5 - 99.6	39,000
Kaaawa/ Kahaluu/ Kaneohe	1,500	3.1	1.6 - 4.5	47,800	96.9	95.5 - 98.4	49,300
Kahului	500	1.5	0.7 - 2.2	32,800	98.5	97.8 - 99.3	33,300
Kailua/ Waimanalo	1,300	2.5	1.3 - 3.8	49,300	97.5	96.2 - 98.7	50,600
Kaimuki/ Palolo/ Waikiki	500	0.9	0.4 - 1.4	55,900	99.1	98.6 - 99.6	56,400
Kona	200	0.7	0.3 - 1.1	28,600	99.3	98.9 - 99.7	28,900
Lahaina/ Wailuku	300	0.8	0.2 - 1.4	32,100	99.2	98.6 - 99.8	32,300
Lanai	<50	1.5	0.3 - 2.8	1,800	98.5	97.2 - 99.7	1,900
Lihue-Waimea	600	2.0	0.9 - 3.2	27,100	98.0	96.8 - 99.1	27,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	700	1.5	0.5 - 2.6	47,200	98.5	97.4 - 99.5	47,900
Mililani/ Wahiawa	3,900	5.4	3.8 - 6.9	68,600	94.6	93.1 - 96.2	72,500
Molokai	100	0.9	0.2 - 1.5	7,500	99.1	98.5 - 99.8	7,600
Nanakuli/ Waianae	600	1.7	0.1 - 3.3	34,100	98.3	96.7 - 99.9	34,700
N.Hawaii	500	1.8	0.6 - 3.0	26,200	98.2	97.0 - 99.4	26,700
N.Shore/ Laie	400	1.6	0.4 - 2.7	22,300	98.4	97.3 - 99.6	22,700
Nuuanu/ Kalihi/ Moanalua	1,500	2.2	1.2 - 3.2	67,100	97.8	96.8 - 98.8	68,600
Puna/ Kau	200	0.6	0.1 - 1.1	36,900	99.4	98.9 - 99.9	37,100
Salt Lake/ Foster Village	3,900	11.4	8.6 - 14.3	30,500	88.6	85.7 - 91.4	34,500
Upcountry/ Hana	200	0.7	0.2 - 1.1	33,100	99.3	98.9 - 99.8	33,300
Waiialae/ Kahala/ Hawaii Kai	500	1.2	0.4 - 1.9	42,900	98.8	98.1 - 99.6	43,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	4,600	3.8	2.8 - 4.9	116,800	96.2	95.1 - 97.2	121,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

BRFSS Age Group	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	3,500	2.9	1.7 - 4.1	117,600	97.1	95.9 - 98.3	121,100
25-34	9,000	5.3	4.2 - 6.3	161,000	94.7	93.7 - 95.8	170,000
35-44	7,900	4.5	3.7 - 5.3	167,000	95.5	94.7 - 96.3	174,900
45-54	2,200	1.2	0.9 - 1.6	176,300	98.8	98.4 - 99.1	178,500
55-64	700	0.4	0.2 - 0.7	150,000	99.6	99.3 - 99.8	150,700
65-74	600	0.7	0.4 - 1.1	87,100	99.3	98.9 - 99.6	87,700
75+	1,300	1.4	0.9 - 1.9	94,000	98.6	98.1 - 99.1	95,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

DOH Race-Ethnicity	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	11,400	3.6	3.1 - 4.2	303,800	96.4	95.8 - 96.9	315,200
Native Hawaiian	1,800	1.4	0.8 - 2.0	126,800	98.6	98.0 - 99.2	128,600
Chinese	600	1.1	0.4 - 1.7	56,700	98.9	98.3 - 99.6	57,300
Filipino	3,700	2.4	1.6 - 3.1	154,500	97.6	96.9 - 98.4	158,200
Japanese	2,300	1.1	0.7 - 1.4	219,800	98.9	98.6 - 99.3	222,200
Black	1,900	12.6	8.2 - 17.1	12,800	87.4	82.9 - 91.8	14,700
Native Alaskan/ American Indian	200	4.0	0.0 - 8.8	4,900	96.0	91.2 - 100.0	5,100
Other Asian	400	1.4	0.5 - 2.4	24,300	98.6	97.6 - 99.5	24,600
Other Pacific Islander	1,900	7.0	2.9 - 11.1	25,400	93.0	88.9 - 97.1	27,300
Mixed Ethnicity	100	2.6	0.0 - 7.1	4,700	97.4	92.9 - 100.0	4,900
Other	700	3.4	1.4 - 5.4	20,800	96.6	94.6 - 98.6	21,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Gender	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	18,400	3.8	3.3 - 4.3	467,800	96.2	95.7 - 96.7	486,200
Female	6,800	1.4	1.1 - 1.7	490,200	98.6	98.3 - 98.9	497,000

Education Level	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	200	1.8	0.0 - 3.7	13,000	98.2	96.3 - 100.0	13,200
Grades 9 thru 11 (Some High School)	800	2.0	0.8 - 3.3	38,000	98.0	96.7 - 99.2	38,800
Grades 12 or GED (High School Grad)	7,100	2.4	1.9 - 3.0	284,200	97.6	97.0 - 98.1	291,400
College 1 to 3 years (Some College/ Tech)	8,600	3.0	2.4 - 3.7	275,200	97.0	96.3 - 97.6	283,900
College 4 years or more (College Grad)	8,400	2.4	2.0 - 2.8	346,600	97.6	97.2 - 98.0	355,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Employment Status (Grouped)	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	20,100	3.3	2.9 - 3.7	596,200	96.7	96.3 - 97.1	616,300
Unemployed	600	1.3	0.3 - 2.2	49,200	98.7	97.8 - 99.7	49,800
Retired/Unable to work	3,000	1.4	0.8 - 1.9	213,900	98.6	98.1 - 99.2	216,900
Student/Homemaker	1,500	1.5	0.7 - 2.3	97,900	98.5	97.7 - 99.3	99,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Household Income	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	600	1.9	0.4 - 3.4	28,700	98.1	96.6 - 99.6	29,300
\$10,000 to \$14,999	400	1.5	0.7 - 2.4	25,600	98.5	97.6 - 99.3	26,000
\$15,000 to \$19,999	500	1.1	0.4 - 1.7	45,600	98.9	98.3 - 99.6	46,100
\$20,000 to \$24,999	1,200	2.0	0.9 - 3.1	59,500	98.0	96.9 - 99.1	60,800
\$25,000 to \$34,999	3,400	3.2	2.3 - 4.2	100,300	96.8	95.8 - 97.7	103,700
\$35,000 to \$49,999	3,100	2.1	1.5 - 2.7	144,000	97.9	97.3 - 98.5	147,100
\$50,000 to \$74,999	5,500	3.3	2.5 - 4.0	162,000	96.7	96.0 - 97.5	167,500
\$75,000 or more	8,100	2.8	2.3 - 3.3	285,000	97.2	96.7 - 97.7	293,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Poverty Level	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,000	2.1	1.5 - 2.6	192,900	97.9	97.4 - 98.5	197,000
131-185%	3,300	2.6	1.8 - 3.4	123,900	97.4	96.6 - 98.2	127,300
186+%	15,400	2.8	2.4 - 3.2	533,900	97.2	96.8 - 97.6	549,300

Marital Status (Grouped)	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	18,100	3.1	2.7 - 3.5	559,800	96.9	96.5 - 97.3	578,000
Unmarried Couple	400	1.2	0.1 - 2.3	30,100	98.8	97.7 - 99.9	30,500
Widowed	500	0.9	0.4 - 1.4	56,400	99.1	98.6 - 99.6	56,900
Other	6,200	2.0	1.4 - 2.5	311,700	98.0	97.5 - 98.6	317,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Married	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	18,500	3.1	2.8 - 3.5	570,200	96.9	96.5 - 97.2	588,600
No	6,800	1.7	1.3 - 2.1	386,100	98.3	97.9 - 98.7	392,900

Health Care Coverage	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	23,700	2.6	2.3 - 2.9	890,000	97.4	97.1 - 97.7	913,700
No	1,500	2.3	0.6 - 3.9	65,900	97.7	96.1 - 99.4	67,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

State	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	21,500	2.2	1.9 - 2.5	958,000	97.8	97.5 - 98.1	979,600

County	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	0.9	0.7 - 1.2	126,600	99.1	98.8 - 99.3	127,800
Honolulu	18,700	2.7	2.3 - 3.0	678,900	97.3	97.0 - 97.7	697,600
Kauai	500	1.1	0.5 - 1.7	46,800	98.9	98.3 - 99.5	47,300
Maui	1,100	1.1	0.7 - 1.4	105,700	98.9	98.6 - 99.3	106,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Island	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,200	0.9	0.7 - 1.2	126,600	99.1	98.8 - 99.3	127,800
Kauai	500	1.1	0.5 - 1.7	46,800	98.9	98.3 - 99.5	47,300
Lanai	<50	1.4	0.3 - 2.6	2,000	98.6	97.4 - 99.7	2,100
Maui	1,000	1.1	0.7 - 1.4	96,600	98.9	98.6 - 99.3	97,600
Molokai	100	1.0	0.3 - 1.7	7,100	99.0	98.3 - 99.7	7,200
Oahu	18,700	2.7	2.3 - 3.0	678,900	97.3	97.0 - 97.7	697,600

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,900	2.9	1.3 - 4.6	63,600	97.1	95.4 - 98.7	65,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	400	1.2	0.2 - 2.1	30,700	98.8	97.9 - 99.8	31,000
Hanalei/ Kapaa	100	0.5	0.0 - 1.1	19,700	99.5	98.9 - 100.0	19,800
Hilo	300	0.9	0.5 - 1.3	37,400	99.1	98.7 - 99.5	37,700
Kaaawa/ Kahaluu/ Kaneohe	1,400	2.8	1.5 - 4.2	48,100	97.2	95.8 - 98.5	49,500
Kahului	500	1.5	0.8 - 2.2	32,900	98.5	97.8 - 99.2	33,400
Kailua/ Waimanalo	1,100	2.3	1.1 - 3.4	49,100	97.7	96.6 - 98.9	50,300
Kaimuki/ Palolo/ Waikiki	500	0.9	0.4 - 1.4	58,000	99.1	98.6 - 99.6	58,500
Kona	200	0.8	0.3 - 1.3	28,300	99.2	98.7 - 99.7	28,600
Lahaina/ Wailuku	300	0.9	0.3 - 1.5	31,600	99.1	98.5 - 99.7	31,900
Lanai	<50	1.4	0.3 - 2.6	2,000	98.6	97.4 - 99.7	2,100
Lihue-Waimea	400	1.5	0.5 - 2.4	27,100	98.5	97.6 - 99.5	27,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	700	1.5	0.4 - 2.5	45,100	98.5	97.5 - 99.6	45,800
Mililani/ Wahiawa	3,000	4.1	2.7 - 5.4	70,100	95.9	94.6 - 97.3	73,100
Molokai	100	1.0	0.3 - 1.7	7,100	99.0	98.3 - 99.7	7,200
Nanakuli/ Waianae	600	1.7	0.2 - 3.3	32,400	98.3	96.7 - 99.8	33,000
N.Hawaii	400	1.4	0.5 - 2.2	26,300	98.6	97.8 - 99.5	26,700
N.Shore/ Laie	400	1.6	0.4 - 2.8	21,500	98.4	97.2 - 99.6	21,800
Nuuanu/ Kalihi/ Moanalua	1,400	2.0	1.0 - 2.9	68,200	98.0	97.1 - 99.0	69,500
Puna/ Kau	300	0.8	0.3 - 1.2	34,600	99.2	98.8 - 99.7	34,800
Salt Lake/ Foster Village	2,900	8.5	6.1 - 11.0	31,400	91.5	89.0 - 93.9	34,300
Upcountry/ Hana	300	0.8	0.3 - 1.3	32,100	99.2	98.7 - 99.7	32,300
Waiialae/ Kahala/ Hawaii Kai	500	1.0	0.3 - 1.8	44,100	99.0	98.2 - 99.7	44,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	4,000	3.3	2.4 - 4.3	116,700	96.7	95.7 - 97.6	120,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

BRFSS Age Group	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,800	2.3	1.2 - 3.4	118,800	97.7	96.6 - 98.8	121,600
25-34	7,900	4.7	3.7 - 5.7	159,800	95.3	94.3 - 96.3	167,700
35-44	6,100	3.4	2.8 - 4.1	171,100	96.6	95.9 - 97.2	177,100
45-54	1,800	1.0	0.7 - 1.3	177,900	99.0	98.7 - 99.3	179,800
55-64	600	0.4	0.2 - 0.7	148,200	99.6	99.3 - 99.8	148,900
65-74	800	1.0	0.6 - 1.4	85,300	99.0	98.6 - 99.4	86,200
75+	1,500	1.6	1.0 - 2.1	91,500	98.4	97.9 - 99.0	92,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

DOH Race-Ethnicity	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,800	2.7	2.3 - 3.2	310,400	97.3	96.8 - 97.7	319,100
Native Hawaiian	1,800	1.5	0.9 - 2.1	124,200	98.5	97.9 - 99.1	126,100
Chinese	600	1.1	0.4 - 1.7	56,400	98.9	98.3 - 99.6	57,000
Filipino	4,000	2.5	1.8 - 3.3	153,500	97.5	96.7 - 98.2	157,500
Japanese	2,000	0.9	0.6 - 1.2	215,600	99.1	98.8 - 99.4	217,600
Black	1,600	10.1	6.2 - 14.0	14,300	89.9	86.0 - 93.8	15,900
Native Alaskan/ American Indian	100	2.1	0.0 - 5.2	5,100	97.9	94.8 - 100.0	5,300
Other Asian	400	1.6	0.5 - 2.6	23,200	98.4	97.4 - 99.5	23,500
Other Pacific Islander	1,400	5.6	1.5 - 9.8	23,900	94.4	90.2 - 98.5	25,300
Mixed Ethnicity	100	2.6	0.0 - 7.1	4,700	97.4	92.9 - 100.0	4,900
Other	600	2.5	0.9 - 4.1	22,900	97.5	95.9 - 99.1	23,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Gender	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	15,100	3.1	2.7 - 3.6	469,300	96.9	96.4 - 97.3	484,400
Female	6,500	1.3	1.0 - 1.6	488,700	98.7	98.4 - 99.0	495,200

Education Level	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	300	2.3	0.4 - 4.2	14,600	97.7	95.8 - 99.6	14,900
Grades 9 thru 11 (Some High School)	900	2.3	1.0 - 3.5	37,600	97.7	96.5 - 99.0	38,500
Grades 12 or GED (High School Grad)	6,400	2.2	1.7 - 2.7	283,200	97.8	97.3 - 98.3	289,600
College 1 to 3 years (Some College/ Tech)	7,500	2.7	2.1 - 3.3	276,500	97.3	96.7 - 97.9	284,100
College 4 years or more (College Grad)	6,400	1.8	1.5 - 2.2	344,800	98.2	97.8 - 98.5	351,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Employment Status (Grouped)	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	16,400	2.6	2.3 - 3.0	608,300	97.4	97.0 - 97.7	624,700
Unemployed	300	0.8	0.1 - 1.5	39,200	99.2	98.5 - 99.9	39,500
Retired/Unable to work	3,400	1.5	1.0 - 2.1	216,400	98.5	97.9 - 99.0	219,800
Student/Homemaker	1,400	1.5	0.7 - 2.3	92,900	98.5	97.7 - 99.3	94,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Household Income	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	500	1.7	0.3 - 3.1	26,100	98.3	96.9 - 99.7	26,600
\$10,000 to \$14,999	400	1.4	0.6 - 2.2	25,700	98.6	97.8 - 99.4	26,000
\$15,000 to \$19,999	500	1.0	0.5 - 1.5	44,900	99.0	98.5 - 99.5	45,400
\$20,000 to \$24,999	1,000	1.6	0.6 - 2.7	59,000	98.4	97.3 - 99.4	60,000
\$25,000 to \$34,999	3,400	3.3	2.3 - 4.2	100,600	96.7	95.8 - 97.7	104,000
\$35,000 to \$49,999	3,200	2.2	1.6 - 2.8	146,300	97.8	97.2 - 98.4	149,500
\$50,000 to \$74,999	4,400	2.6	1.9 - 3.2	168,700	97.4	96.8 - 98.1	173,100
\$75,000 or more	6,100	2.2	1.7 - 2.6	271,100	97.8	97.4 - 98.3	277,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Poverty Level	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,800	2.0	1.4 - 2.7	180,600	98.0	97.3 - 98.6	184,400
131-185%	2,700	2.3	1.6 - 3.1	114,700	97.7	96.9 - 98.4	117,400
186+%	12,900	2.3	2.0 - 2.6	546,900	97.7	97.4 - 98.0	559,700

Marital Status (Grouped)	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	14,800	2.6	2.2 - 2.9	564,900	97.4	97.1 - 97.8	579,800
Unmarried Couple	300	1.1	0.2 - 2.0	28,500	98.9	98.0 - 99.8	28,900
Widowed	600	1.1	0.5 - 1.6	56,300	98.9	98.4 - 99.5	56,900
Other	5,800	1.8	1.3 - 2.3	308,300	98.2	97.7 - 98.7	314,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Married	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	15,000	2.5	2.2 - 2.9	575,300	97.5	97.1 - 97.8	590,300
No	6,600	1.7	1.3 - 2.1	381,000	98.3	97.9 - 98.7	387,500

Health Care Coverage	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,000	2.2	1.9 - 2.5	888,000	97.8	97.5 - 98.1	908,000
No	1,600	2.3	0.7 - 3.8	67,900	97.7	96.2 - 99.3	69,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

State	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	17,400	1.8	1.6 - 2.1	946,900	98.2	97.9 - 98.4	964,300

County	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	0.8	0.6 - 1.0	125,600	99.2	99.0 - 99.4	126,600
Honolulu	14,700	2.1	1.8 - 2.5	672,300	97.9	97.5 - 98.2	687,000
Kauai	500	1.1	0.4 - 1.7	45,400	98.9	98.3 - 99.6	45,900
Maui	1,100	1.1	0.7 - 1.5	103,600	98.9	98.5 - 99.3	104,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Island	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,000	0.8	0.6 - 1.0	125,600	99.2	99.0 - 99.4	126,600
Kauai	500	1.1	0.4 - 1.7	45,400	98.9	98.3 - 99.6	45,900
Lanai	<50	1.5	0.3 - 2.7	2,000	98.5	97.3 - 99.7	2,000
Maui	1,100	1.1	0.7 - 1.5	94,900	98.9	98.5 - 99.3	96,000
Molokai	100	0.8	0.1 - 1.5	6,700	99.2	98.5 - 99.9	6,700
Oahu	14,700	2.1	1.8 - 2.5	672,300	97.9	97.5 - 98.2	687,000

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	1.8	1.0 - 2.6	65,000	98.2	97.4 - 99.0	66,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	500	1.6	0.2 - 3.0	31,100	98.4	97.0 - 99.8	31,700
Hanalei/ Kapaa	100	0.5	0.0 - 1.0	19,100	99.5	99.0 - 100.0	19,200
Hilo	300	0.8	0.4 - 1.2	36,100	99.2	98.8 - 99.6	36,400
Kaaawa/ Kahaluu/ Kaneohe	900	2.0	0.8 - 3.1	47,300	98.0	96.9 - 99.2	48,300
Kahului	500	1.5	0.7 - 2.3	32,200	98.5	97.7 - 99.3	32,700
Kailua/ Waimanalo	1,100	2.3	1.1 - 3.4	47,500	97.7	96.6 - 98.9	48,600
Kaimuki/ Palolo/ Waikiki	600	1.0	0.2 - 1.8	58,800	99.0	98.2 - 99.8	59,400
Kona	200	0.7	0.3 - 1.2	27,600	99.3	98.8 - 99.7	27,900
Lahaina/ Wailuku	300	1.1	0.3 - 1.8	31,100	98.9	98.2 - 99.7	31,400
Lanai	<50	1.5	0.3 - 2.7	2,000	98.5	97.3 - 99.7	2,000
Lihue-Waimea	400	1.5	0.5 - 2.4	26,300	98.5	97.6 - 99.5	26,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	800	1.7	0.6 - 2.8	45,400	98.3	97.2 - 99.4	46,100
Mililani/ Wahiawa	1,700	2.5	1.5 - 3.4	67,200	97.5	96.6 - 98.5	68,900
Molokai	100	0.8	0.1 - 1.5	6,700	99.2	98.5 - 99.9	6,700
Nanakuli/ Waianae	600	1.6	0.1 - 3.1	34,100	98.4	96.9 - 99.9	34,600
N.Hawaii	200	0.9	0.4 - 1.4	25,700	99.1	98.6 - 99.6	26,000
N.Shore/ Laie	300	1.1	0.2 - 2.1	22,000	98.9	97.9 - 99.8	22,200
Nuuanu/ Kalihi/ Moanalua	1,300	1.9	0.9 - 2.8	66,300	98.1	97.2 - 99.1	67,600
Puna/ Kau	300	0.8	0.4 - 1.3	36,100	99.2	98.7 - 99.6	36,400
Salt Lake/ Foster Village	1,700	5.1	3.2 - 7.0	31,700	94.9	93.0 - 96.8	33,400
Upcountry/ Hana	200	0.7	0.2 - 1.2	31,600	99.3	98.8 - 99.8	31,800
Waiialae/ Kahala/ Hawaii Kai	600	1.5	0.4 - 2.5	40,000	98.5	97.5 - 99.6	40,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	3,500	2.9	1.7 - 4.2	116,000	97.1	95.8 - 98.3	119,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

BRFSS Age Group	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,900	1.6	0.9 - 2.4	117,600	98.4	97.6 - 99.1	119,500
25-34	6,100	3.7	2.7 - 4.7	160,200	96.3	95.3 - 97.3	166,300
35-44	4,500	2.5	2.0 - 3.1	173,100	97.5	96.9 - 98.0	177,600
45-54	1,600	0.9	0.6 - 1.2	176,100	99.1	98.8 - 99.4	177,700
55-64	600	0.4	0.2 - 0.7	142,500	99.6	99.3 - 99.8	143,100
65-74	1,000	1.1	0.7 - 1.6	83,500	98.9	98.4 - 99.3	84,400
75+	1,600	1.8	1.1 - 2.6	87,400	98.2	97.4 - 98.9	89,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

DOH Race-Ethnicity	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	6,600	2.1	1.7 - 2.5	309,200	97.9	97.5 - 98.3	315,800
Native Hawaiian	1,500	1.2	0.7 - 1.7	124,600	98.8	98.3 - 99.3	126,100
Chinese	300	0.6	0.2 - 1.0	54,600	99.4	99.0 - 99.8	55,000
Filipino	4,100	2.6	1.7 - 3.6	149,900	97.4	96.4 - 98.3	153,900
Japanese	1,800	0.8	0.5 - 1.2	207,000	99.2	98.8 - 99.5	208,800
Black	1,000	7.1	3.9 - 10.4	13,500	92.9	89.6 - 96.1	14,500
Native Alaskan/ American Indian	100	2.3	0.0 - 5.3	5,500	97.7	94.7 - 100.0	5,700
Other Asian	300	1.4	0.4 - 2.4	22,800	98.6	97.6 - 99.6	23,100
Other Pacific Islander	1,000	4.0	1.4 - 6.6	23,300	96.0	93.4 - 98.6	24,300
Mixed Ethnicity	100	2.6	0.0 - 7.1	4,700	97.4	92.9 - 100.0	4,900
Other	400	1.7	0.5 - 3.0	23,500	98.3	97.0 - 99.5	23,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Gender	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	10,800	2.3	1.9 - 2.7	464,400	97.7	97.3 - 98.1	475,200
Female	6,600	1.3	1.0 - 1.7	482,600	98.7	98.3 - 99.0	489,200

Education Level	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	300	2.4	0.5 - 4.3	13,900	97.6	95.7 - 99.5	14,300
Grades 9 thru 11 (Some High School)	900	2.5	1.1 - 3.8	36,500	97.5	96.2 - 98.9	37,400
Grades 12 or GED (High School Grad)	5,200	1.8	1.3 - 2.3	284,700	98.2	97.7 - 98.7	290,000
College 1 to 3 years (Some College/ Tech)	5,600	2.0	1.5 - 2.4	278,900	98.0	97.6 - 98.5	284,500
College 4 years or more (College Grad)	5,200	1.6	1.2 - 1.9	331,600	98.4	98.1 - 98.8	336,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Employment Status (Grouped)	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	12,400	2.0	1.7 - 2.3	606,300	98.0	97.7 - 98.3	618,700
Unemployed	100	0.3	0.0 - 0.7	31,200	99.7	99.3 - 100.0	31,300
Retired/Unable to work	3,300	1.5	1.0 - 2.0	215,700	98.5	98.0 - 99.0	219,000
Student/Homemaker	1,500	1.6	0.8 - 2.5	92,400	98.4	97.5 - 99.2	93,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Household Income	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	500	2.0	0.4 - 3.5	23,900	98.0	96.5 - 99.6	24,400
\$10,000 to \$14,999	300	1.3	0.5 - 2.0	26,100	98.7	98.0 - 99.5	26,500
\$15,000 to \$19,999	500	1.0	0.5 - 1.6	44,800	99.0	98.4 - 99.5	45,200
\$20,000 to \$24,999	1,000	1.6	0.6 - 2.6	61,300	98.4	97.4 - 99.4	62,300
\$25,000 to \$34,999	3,400	3.1	1.9 - 4.4	104,400	96.9	95.6 - 98.1	107,800
\$35,000 to \$49,999	2,700	1.8	1.2 - 2.4	145,000	98.2	97.6 - 98.8	147,700
\$50,000 to \$74,999	3,500	1.8	1.3 - 2.3	191,300	98.2	97.7 - 98.7	194,800
\$75,000 or more	4,100	1.6	1.2 - 2.0	253,300	98.4	98.0 - 98.8	257,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Poverty Level	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,800	2.2	1.3 - 3.0	172,500	97.8	97.0 - 98.7	176,300
131-185%	1,800	1.6	1.0 - 2.2	110,200	98.4	97.8 - 99.0	112,000
186+%	10,300	1.8	1.5 - 2.1	567,300	98.2	97.9 - 98.5	577,700

Marital Status (Grouped)	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	11,400	2.0	1.7 - 2.3	558,800	98.0	97.7 - 98.3	570,200
Unmarried Couple	200	0.9	0.2 - 1.6	26,700	99.1	98.4 - 99.8	27,000
Widowed	800	1.5	0.7 - 2.2	55,400	98.5	97.8 - 99.3	56,300
Other	4,900	1.6	1.1 - 2.1	305,900	98.4	97.9 - 98.9	310,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Married	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,500	2.0	1.7 - 2.3	569,200	98.0	97.7 - 98.3	580,700
No	5,900	1.5	1.1 - 2.0	375,600	98.5	98.0 - 98.9	381,500

Health Care Coverage	Yes			No			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	15,900	1.8	1.6 - 2.0	874,200	98.2	98.0 - 98.4	890,100
No	1,500	2.1	0.4 - 3.8	70,300	97.9	96.2 - 99.6	71,800