

Daily frequency of fruit consumption (2011+), for the State of Hawaii, for the Year(s) - 2011, 2013

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Daily frequency of fruit consumption (2011+)	Daily frequency of fruit consumption (2011+)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/28/15

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Daily frequency of fruit consumption (2011+), for the State of Hawaii, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	507,900	49.7	48.0 - 51.5	438,100	42.9	41.2 - 44.6	75,300	7.4	6.5 - 8.3	1,021,300
2013	504,500	48.6	46.9 - 50.3	454,800	43.8	42.1 - 45.4	79,300	7.6	6.8 - 8.5	1,038,600



Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	504,500	48.6	46.9 - 50.3	454,800	43.8	42.1 - 45.4	79,300	7.6	6.8 - 8.5	1,038,600

County	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	63,700	44.6	40.9 - 48.2	67,700	47.4	43.7 - 51.1	11,500	8.1	6.3 - 9.8	142,800
Honolulu	358,300	49.9	47.7 - 52.1	309,500	43.1	40.9 - 45.3	50,400	7.0	5.9 - 8.1	718,200
Kauai	24,700	50.6	45.9 - 55.3	21,200	43.6	39.0 - 48.2	2,800	5.8	3.9 - 7.7	48,800
Maui	50,600	44.5	40.7 - 48.2	50,900	44.7	40.8 - 48.5	12,400	10.9	8.0 - 13.7	113,800

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	63,700	44.6	40.9 - 48.2	67,700	47.4	43.7 - 51.1	11,500	8.1	6.3 - 9.8	142,800
Kauai	24,700	50.6	45.9 - 55.3	21,200	43.6	39.0 - 48.2	2,800	5.8	3.9 - 7.7	48,800
Lanai	1,200	57.3	38.5 - 76.2	700	33.0	16.7 - 49.3	200	9.7	0.9 - 18.5	2,100
Maui	47,500	44.5	40.6 - 48.5	47,500	44.5	40.5 - 48.5	11,800	11.0	8.1 - 14.0	106,700
Molokai	1,900	38.4	24.4 - 52.3	2,700	53.9	39.7 - 68.0	400	7.7	0.0 - 15.9	5,000
Oahu	358,300	49.9	47.7 - 52.1	309,500	43.1	40.9 - 45.3	50,400	7.0	5.9 - 8.1	718,200

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	34,100	50.7	43.6 - 57.9	29,900	44.5	37.4 - 51.6	3,200	4.7	1.3 - 8.2	67,200
Ala Moana	17,600	54.9	46.3 - 63.5	12,700	39.5	31.1 - 47.8	1,800	5.6	0.7 - 10.6	32,100

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	8,800	44.0	37.1 - 51.0	9,200	46.1	39.2 - 53.1	2,000	9.9	5.9 - 13.8	20,000
Hilo	19,600	50.6	44.6 - 56.6	16,400	42.3	36.4 - 48.2	2,800	7.1	4.4 - 9.8	38,800
Kaaawa/ Kahaluu/ Kaneohe	27,700	53.9	46.1 - 61.6	20,600	40.0	32.4 - 47.6	3,200	6.1	2.9 - 9.4	51,400
Kahului	17,600	49.2	42.5 - 55.9	13,500	37.9	31.7 - 44.1	4,600	12.9	7.3 - 18.6	35,700
Kailua/ Waimanalo	26,400	48.7	40.8 - 56.6	25,700	47.4	39.6 - 55.2	2,100	3.9	1.2 - 6.6	54,300
Kaimuki/ Palolo/ Waikiki	29,700	48.0	40.9 - 55.0	27,200	43.9	37.3 - 50.5	5,000	8.1	4.8 - 11.4	62,000
Kona	13,600	37.5	30.3 - 44.7	19,800	54.4	46.8 - 61.9	3,000	8.1	4.7 - 11.5	36,300
Lahaina/ Wailuku	15,900	46.4	39.8 - 53.0	15,400	44.7	37.9 - 51.5	3,100	8.9	5.2 - 12.7	34,400
Lanai	1,200	57.3	38.5 - 76.2	700	33.0	16.7 - 49.3	200	9.7	0.9 - 18.5	2,100
Lihue-Waimea	15,800	55.2	49.0 - 61.4	12,000	41.8	35.7 - 47.9	900	3.0	1.4 - 4.6	28,700
Manoa/ Upper Makiki	24,600	49.5	42.3 - 56.7	22,600	45.5	38.4 - 52.6	2,500	5.0	1.8 - 8.2	49,700

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	37,600	54.3	46.9 - 61.8	26,600	38.4	31.3 - 45.5	5,000	7.2	2.9 - 11.5	69,200
Molokai	1,900	38.4	24.4 - 52.3	2,700	53.9	39.7 - 68.0	400	7.7	0.0 - 15.9	5,000
Nanakuli/ Waianae	19,800	55.5	45.9 - 65.1	12,700	35.6	26.3 - 45.0	3,200	8.8	3.9 - 13.8	35,600
N.Hawaii	9,900	38.4	30.8 - 46.0	13,300	51.8	43.8 - 59.8	2,500	9.8	4.9 - 14.7	25,700
N.Shore/ Laie	11,300	48.4	34.8 - 62.0	10,200	43.8	30.2 - 57.4	1,800	7.8	0.7 - 14.8	23,300
Nuuanu/ Kalihi/ Moanalua	29,100	44.1	37.1 - 51.1	32,700	49.5	42.4 - 56.6	4,200	6.4	3.4 - 9.4	66,100
Puna/ Kau	20,500	48.9	41.3 - 56.4	18,200	43.3	35.9 - 50.7	3,300	7.8	4.2 - 11.4	42,000
Salt Lake/ Foster Village	14,200	46.1	35.6 - 56.5	13,400	43.5	33.2 - 53.8	3,200	10.5	5.0 - 15.9	30,800
Upcountry/ Hana	14,000	38.2	31.4 - 45.0	18,600	50.7	43.3 - 58.1	4,100	11.1	5.5 - 16.8	36,700
Waialae/ Kahala/ Hawaii Kai	19,200	45.6	37.7 - 53.5	19,900	47.2	39.3 - 55.0	3,100	7.3	3.1 - 11.4	42,100
Waipahu/ Kapolei/ Ewa	66,900	49.8	44.0 - 55.6	55,300	41.2	35.3 - 47.0	12,100	9.0	5.7 - 12.3	134,300

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	76,900	62.8	57.4 - 68.2	37,000	30.2	25.1 - 35.3	8,600	7.0	4.0 - 10.0	122,400
25-34	93,400	51.2	46.6 - 55.7	73,200	40.1	35.6 - 44.7	15,900	8.7	6.2 - 11.2	182,500
35-44	82,900	50.5	46.2 - 54.9	70,100	42.7	38.4 - 47.0	11,100	6.7	4.7 - 8.7	164,100
45-54	94,400	53.6	49.5 - 57.7	68,600	39.0	35.0 - 43.0	13,100	7.4	5.4 - 9.5	176,100
55-64	78,000	44.9	41.3 - 48.5	83,700	48.1	44.6 - 51.7	12,100	7.0	5.3 - 8.6	173,800
65-74	47,400	41.0	36.9 - 45.1	57,800	50.0	45.8 - 54.2	10,400	9.0	6.1 - 11.9	115,600
75+	28,700	29.9	25.4 - 34.4	59,900	62.4	57.7 - 67.2	7,400	7.7	5.3 - 10.0	96,000

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	141,800	42.2	39.5 - 44.9	161,800	48.2	45.4 - 50.9	32,400	9.6	7.9 - 11.3	336,100
Native Hawaiian	59,000	54.5	50.0 - 59.0	39,100	36.0	31.7 - 40.4	10,300	9.5	6.7 - 12.2	108,300
Chinese	29,800	45.8	38.8 - 52.9	31,100	47.9	40.8 - 55.0	4,100	6.3	2.9 - 9.7	65,000
Filipino	82,800	48.2	43.4 - 53.1	74,000	43.1	38.2 - 48.0	14,900	8.7	6.0 - 11.4	171,700
Japanese	114,000	52.5	48.9 - 56.1	95,000	43.7	40.2 - 47.3	8,100	3.8	2.5 - 5.0	217,200
Black	7,100	56.4	41.2 - 71.7	4,500	36.0	21.6 - 50.3	1,000	7.6	1.2 - 14.0	12,600
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,800
Other Asian	11,400	44.2	32.4 - 56.0	12,800	49.7	38.1 - 61.2	1,600	6.1	2.8 - 9.4	25,700
Other Pacific Islander	18,600	61.0	51.7 - 70.3	10,100	33.1	24.0 - 42.1	1,800	5.9	2.4 - 9.5	30,600
Other	21,400	63.8	54.3 - 73.4	10,700	32.0	23.0 - 41.0	1,400	4.2	0.9 - 7.5	33,500

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	282,600	54.9	52.5 - 57.3	200,100	38.9	36.5 - 41.2	32,000	6.2	5.0 - 7.4	514,700
Female	221,900	42.4	40.1 - 44.6	254,700	48.6	46.3 - 50.9	47,300	9.0	7.7 - 10.3	523,900

Education Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	10,600	44.2	29.1 - 59.2	11,200	46.6	31.3 - 61.8	2,200	9.3	0.0 - 19.4	24,100
Grades 9 thru 11 (Some High School)	38,200	49.2	40.9 - 57.5	31,200	40.1	31.8 - 48.4	8,300	10.7	5.9 - 15.4	77,700
Grades 12 or GED (High School Grad)	164,200	54.5	51.4 - 57.6	117,100	38.8	35.8 - 41.9	20,100	6.7	5.2 - 8.2	301,500
College 1 to 3 years (Some College/ Tech)	170,200	49.0	45.9 - 52.0	154,000	44.3	41.3 - 47.3	23,300	6.7	5.2 - 8.2	347,500
College 4 years or more (College Grad)	120,900	42.2	39.8 - 44.6	140,400	49.0	46.6 - 51.4	25,300	8.8	7.4 - 10.2	286,500

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	328,600	51.2	49.1 - 53.4	268,000	41.8	39.6 - 43.9	44,800	7.0	6.0 - 8.0	641,400
Unemployed	35,700	56.6	49.7 - 63.4	22,200	35.2	28.6 - 41.7	5,200	8.3	4.5 - 12.0	63,000
Retired/Unable to work	91,000	38.4	35.3 - 41.4	127,400	53.7	50.6 - 56.8	18,800	7.9	6.1 - 9.8	237,200
Student/Homemaker	48,300	50.5	44.3 - 56.8	36,900	38.6	32.5 - 44.7	10,400	10.9	6.9 - 14.8	95,600

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	28,100	59.7	53.0 - 66.5	12,800	27.3	21.6 - 33.0	6,100	13.0	7.6 - 18.4	47,000
\$10,000 to \$14,999	19,700	50.0	41.5 - 58.4	15,700	39.8	31.8 - 47.9	4,000	10.2	3.5 - 16.9	39,400
\$15,000 to \$19,999	32,300	49.3	42.5 - 56.1	26,300	40.1	33.5 - 46.8	7,000	10.6	6.8 - 14.4	65,500
\$20,000 to \$24,999	38,400	55.0	49.0 - 61.1	25,900	37.2	31.3 - 43.0	5,400	7.8	4.9 - 10.8	69,700
\$25,000 to \$34,999	49,900	44.6	39.4 - 49.8	54,100	48.4	43.1 - 53.7	7,800	7.0	4.2 - 9.7	111,900
\$35,000 to \$49,999	65,100	45.9	41.4 - 50.3	65,800	46.3	41.8 - 50.9	11,100	7.8	5.6 - 10.1	142,000
\$50,000 to \$74,999	70,600	48.1	43.7 - 52.4	67,800	46.2	41.9 - 50.5	8,400	5.7	3.6 - 7.9	146,800
\$75,000 or more	143,800	46.9	43.9 - 50.0	141,800	46.3	43.2 - 49.3	20,800	6.8	5.4 - 8.2	306,400

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	57,400	48.8	43.1 - 54.5	48,400	41.2	35.6 - 46.8	11,800	10.0	6.6 - 13.4	117,600
131-185%	26,500	35.9	29.4 - 42.5	40,600	55.1	48.0 - 62.1	6,600	9.0	5.3 - 12.7	73,800
186+%	126,900	42.4	39.5 - 45.3	151,100	50.5	47.6 - 53.4	21,200	7.1	5.7 - 8.5	299,100

Marital Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	245,600	44.7	42.4 - 47.0	262,500	47.8	45.5 - 50.1	40,800	7.4	6.3 - 8.6	548,900
Unmarried Couple	17,400	48.5	37.6 - 59.4	14,700	40.8	29.2 - 52.3	3,900	10.7	4.9 - 16.5	36,000
Widowed	22,100	33.0	27.5 - 38.5	38,200	56.9	50.9 - 63.0	6,800	10.1	5.9 - 14.2	67,100
Other	219,400	56.7	54.0 - 59.4	139,500	36.1	33.5 - 38.7	27,900	7.2	5.8 - 8.6	386,700

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	252,000	44.7	42.4 - 47.0	270,000	47.9	45.6 - 50.1	41,800	7.4	6.3 - 8.6	563,800
No	251,600	53.3	50.8 - 55.8	183,500	38.9	36.4 - 41.3	37,200	7.9	6.5 - 9.3	472,300

Health Care Coverage	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	455,000	47.7	45.9 - 49.4	427,600	44.8	43.1 - 46.6	71,700	7.5	6.6 - 8.4	954,300
No	47,700	58.3	52.9 - 63.6	26,600	32.5	27.5 - 37.4	7,600	9.3	5.5 - 13.0	81,800

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	507,900	49.7	48.0 - 51.5	438,100	42.9	41.2 - 44.6	75,300	7.4	6.5 - 8.3	1,021,300

County	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	68,700	47.8	44.0 - 51.7	63,400	44.1	40.4 - 47.9	11,600	8.0	6.0 - 10.1	143,700
Honolulu	362,300	51.4	49.1 - 53.7	293,200	41.6	39.3 - 43.8	49,700	7.0	5.9 - 8.2	705,200
Kauai	18,500	36.9	31.4 - 42.4	27,000	53.7	48.0 - 59.4	4,700	9.4	6.3 - 12.6	50,200
Maui	53,200	46.6	42.6 - 50.6	52,000	45.6	41.7 - 49.5	8,900	7.8	6.0 - 9.6	114,000

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	68,700	47.8	44.0 - 51.7	63,400	44.1	40.4 - 47.9	11,600	8.0	6.0 - 10.1	143,700
Kauai	18,500	36.9	31.4 - 42.4	27,000	53.7	48.0 - 59.4	4,700	9.4	6.3 - 12.6	50,200
Lanai	1,600	43.4	34.3 - 52.5	1,700	44.0	34.3 - 53.8	500	12.6	7.1 - 18.1	3,800
Maui	47,500	46.9	42.5 - 51.3	46,100	45.5	41.2 - 49.8	7,700	7.6	5.6 - 9.6	101,300
Molokai	4,000	45.0	35.7 - 54.3	4,200	47.0	37.7 - 56.3	700	8.0	4.0 - 12.0	9,000
Oahu	362,300	51.4	49.1 - 53.7	293,200	41.6	39.3 - 43.8	49,700	7.0	5.9 - 8.2	705,200

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	27,200	44.5	37.5 - 51.4	27,700	45.3	38.2 - 52.4	6,300	10.2	5.6 - 14.9	61,200
Ala Moana	15,900	52.8	43.6 - 62.0	13,200	44.0	34.8 - 53.1	1,000	3.2	1.2 - 5.3	30,100

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	8,800	37.7	29.3 - 46.2	12,300	53.0	44.3 - 61.7	2,200	9.3	4.8 - 13.8	23,300
Hilo	19,700	48.5	41.4 - 55.5	18,400	45.3	38.2 - 52.4	2,500	6.2	3.7 - 8.7	40,600
Kaaawa/ Kahaluu/ Kaneohe	28,500	57.5	49.0 - 65.9	18,600	37.4	29.1 - 45.8	2,500	5.1	1.7 - 8.5	49,600
Kahului	16,100	44.5	36.8 - 52.2	17,000	46.8	39.4 - 54.2	3,200	8.7	4.8 - 12.6	36,300
Kailua/ Waimanalo	24,100	45.5	36.4 - 54.6	25,600	48.4	39.4 - 57.4	3,200	6.1	2.6 - 9.6	52,900
Kaimuki/ Palolo/ Waikiki	30,200	49.6	42.4 - 56.7	27,400	45.0	37.9 - 52.0	3,300	5.5	2.7 - 8.3	60,900
Kona	12,100	42.7	34.6 - 50.9	14,000	49.6	41.5 - 57.7	2,200	7.7	4.2 - 11.2	28,300
Lahaina/ Wailuku	19,200	58.6	51.3 - 65.9	11,800	36.1	29.1 - 43.1	1,800	5.3	2.9 - 7.8	32,800
Lanai	1,600	43.4	34.3 - 52.5	1,700	44.0	34.3 - 53.8	500	12.6	7.1 - 18.1	3,800
Lihue-Waimea	9,700	36.1	29.0 - 43.3	14,600	54.3	46.8 - 61.8	2,600	9.6	5.2 - 13.9	26,900
Manoa/ Upper Makiki	18,900	42.1	35.1 - 49.2	21,600	48.1	40.9 - 55.3	4,400	9.8	5.6 - 13.9	45,000

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	33,400	50.7	43.0 - 58.3	28,100	42.6	35.2 - 50.0	4,400	6.7	3.4 - 10.0	65,900
Molokai	4,000	45.0	35.7 - 54.3	4,200	47.0	37.7 - 56.3	700	8.0	4.0 - 12.0	9,000
Nanakuli/ Waianae	17,800	58.7	48.2 - 69.2	10,900	36.0	25.9 - 46.2	1,600	5.2	1.1 - 9.3	30,300
N.Hawaii	12,900	41.9	34.1 - 49.7	15,100	49.1	40.9 - 57.2	2,800	9.0	5.0 - 13.0	30,700
N.Shore/ Laie	12,700	52.0	38.9 - 65.0	8,800	36.2	24.4 - 48.0	2,900	11.9	3.7 - 20.1	24,400
Nuuanu/ Kalihi/ Moanalua	35,800	53.6	45.9 - 61.3	26,100	39.0	31.8 - 46.3	4,900	7.3	3.1 - 11.6	66,800
Puna/ Kau	24,100	54.6	47.3 - 61.9	15,900	36.1	29.6 - 42.6	4,100	9.3	4.2 - 14.4	44,100
Salt Lake/ Foster Village	18,600	50.4	40.0 - 60.7	14,600	39.5	29.6 - 49.5	3,700	10.1	3.5 - 16.7	36,900
Upcountry/ Hana	12,200	37.7	30.6 - 44.9	17,300	53.6	46.2 - 61.0	2,800	8.6	4.8 - 12.5	32,300
Waialae/ Kahala/ Hawaii Kai	19,400	45.1	36.8 - 53.5	19,500	45.2	37.2 - 53.2	4,100	9.6	2.7 - 16.6	43,000
Waipahu/ Kapolei/ Ewa	79,900	57.8	52.0 - 63.5	51,200	37.0	31.4 - 42.6	7,300	5.3	3.1 - 7.4	138,400

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	75,600	63.5	56.4 - 70.5	35,600	29.9	23.2 - 36.6	7,900	6.6	2.9 - 10.3	119,000
25-34	103,000	53.9	49.2 - 58.6	73,300	38.3	33.8 - 42.9	14,800	7.8	5.3 - 10.3	191,100
35-44	92,900	54.2	49.8 - 58.6	66,400	38.7	34.5 - 43.0	12,200	7.1	5.0 - 9.2	171,600
45-54	86,600	48.9	45.0 - 52.8	77,300	43.7	39.9 - 47.5	13,000	7.4	5.4 - 9.4	176,900
55-64	72,300	45.3	42.1 - 48.6	78,200	49.0	45.7 - 52.2	9,100	5.7	4.5 - 6.8	159,500
65-74	40,400	41.6	37.6 - 45.5	48,100	49.4	45.5 - 53.4	8,800	9.0	6.7 - 11.4	97,300
75+	33,900	33.9	29.6 - 38.2	56,600	56.6	52.2 - 61.0	9,500	9.5	7.4 - 11.6	100,000

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	156,800	45.3	42.4 - 48.3	159,300	46.0	43.2 - 48.9	29,900	8.6	7.0 - 10.2	346,000
Native Hawaiian	59,900	55.3	50.4 - 60.3	40,900	37.8	32.9 - 42.6	7,500	6.9	4.8 - 9.1	108,400
Chinese	27,800	44.9	37.4 - 52.5	29,000	46.9	39.6 - 54.1	5,100	8.2	5.1 - 11.3	61,900
Filipino	96,500	53.3	48.4 - 58.1	70,000	38.6	33.9 - 43.4	14,600	8.1	5.4 - 10.8	181,100
Japanese	108,700	50.8	47.4 - 54.2	93,200	43.5	40.2 - 46.8	12,200	5.7	4.2 - 7.3	214,200
Black	8,000	58.5	41.9 - 75.1	5,300	38.8	22.4 - 55.2	400	2.7	0.0 - 6.4	13,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000
Other Asian	12,500	46.5	35.6 - 57.3	13,600	50.3	39.5 - 61.1	900	3.3	0.6 - 6.0	27,000
Other Pacific Islander	15,800	63.7	50.6 - 76.8	6,800	27.3	15.1 - 39.5	2,200	9.0	1.4 - 16.7	24,800
Other	17,400	48.9	38.2 - 59.6	16,400	46.2	35.4 - 56.9	1,700	4.9	1.1 - 8.7	35,600

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	289,800	56.8	54.2 - 59.4	190,600	37.4	34.9 - 39.9	29,500	5.8	4.5 - 7.1	509,900
Female	218,000	42.6	40.3 - 45.0	247,600	48.4	46.1 - 50.7	45,800	9.0	7.8 - 10.1	511,400

Education Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	10,000	43.3	30.6 - 56.0	11,600	50.3	37.1 - 63.4	1,500	6.5	2.0 - 10.9	23,100
Grades 9 thru 11 (Some High School)	44,000	56.7	48.2 - 65.2	27,800	35.8	27.7 - 43.9	5,800	7.5	2.5 - 12.6	77,600
Grades 12 or GED (High School Grad)	169,800	54.6	51.3 - 58.0	123,000	39.6	36.3 - 42.9	18,000	5.8	4.4 - 7.2	310,800
College 1 to 3 years (Some College/ Tech)	167,100	49.8	46.7 - 53.0	143,700	42.8	39.8 - 45.9	24,600	7.3	5.7 - 9.0	335,500
College 4 years or more (College Grad)	116,600	42.6	40.1 - 45.2	131,600	48.1	45.6 - 50.6	25,300	9.3	7.9 - 10.6	273,500

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	316,300	52.7	50.4 - 55.0	243,800	40.6	38.4 - 42.8	40,200	6.7	5.6 - 7.8	600,200
Unemployed	49,800	64.6	58.0 - 71.1	22,500	29.3	23.2 - 35.3	4,800	6.2	3.0 - 9.4	77,100
Retired/Unable to work	94,100	41.4	38.5 - 44.4	114,100	50.2	47.3 - 53.2	19,000	8.4	6.9 - 9.8	227,200
Student/Homemaker	47,300	40.8	34.4 - 47.1	57,300	49.4	43.0 - 55.8	11,400	9.8	6.0 - 13.7	116,000

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	24,500	55.6	47.3 - 63.9	14,700	33.5	26.2 - 40.8	4,800	10.9	4.0 - 17.8	44,000
\$10,000 to \$14,999	17,100	48.0	39.0 - 56.9	14,800	41.4	32.6 - 50.2	3,800	10.6	3.9 - 17.4	35,600
\$15,000 to \$19,999	28,200	50.1	42.3 - 58.0	24,300	43.3	35.5 - 51.1	3,700	6.6	3.8 - 9.4	56,200
\$20,000 to \$24,999	41,600	55.3	48.6 - 62.0	29,600	39.3	32.7 - 45.9	4,000	5.4	3.2 - 7.6	75,200
\$25,000 to \$34,999	46,700	45.9	40.7 - 51.2	47,300	46.5	41.3 - 51.7	7,700	7.6	4.8 - 10.3	101,700
\$35,000 to \$49,999	72,600	52.4	47.9 - 57.0	55,200	39.9	35.5 - 44.3	10,600	7.7	5.3 - 10.0	138,400
\$50,000 to \$74,999	91,200	53.4	49.0 - 57.8	69,400	40.7	36.4 - 44.9	10,100	5.9	4.2 - 7.7	170,800
\$75,000 or more	136,000	45.5	42.3 - 48.7	139,800	46.7	43.6 - 49.9	23,300	7.8	6.2 - 9.4	299,100

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	82,500	51.5	46.5 - 56.6	63,600	39.7	34.8 - 44.6	14,000	8.8	5.8 - 11.8	160,100
131-185%	56,300	49.8	44.3 - 55.2	47,400	41.8	36.6 - 47.1	9,500	8.4	5.6 - 11.1	113,200
186+%	205,200	46.2	43.6 - 48.8	204,800	46.1	43.6 - 48.6	34,200	7.7	6.5 - 8.9	444,200

Marital Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	228,400	46.1	43.8 - 48.3	231,000	46.6	44.4 - 48.8	36,300	7.3	6.3 - 8.4	495,800
Unmarried Couple	27,900	59.8	50.6 - 68.9	16,500	35.4	26.4 - 44.4	2,200	4.8	1.8 - 7.8	46,700
Widowed	24,800	33.0	28.3 - 37.7	41,800	55.5	50.6 - 60.5	8,600	11.5	8.3 - 14.7	75,200
Other	226,700	56.2	53.0 - 59.3	148,800	36.9	33.8 - 39.9	28,100	7.0	5.3 - 8.6	403,500

Daily frequency of fruit consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	237,100	46.5	44.2 - 48.7	235,200	46.1	43.9 - 48.3	37,900	7.4	6.3 - 8.5	510,200
No	269,700	53.0	50.3 - 55.7	202,300	39.7	37.1 - 42.4	37,200	7.3	5.9 - 8.7	509,100

Health Care Coverage	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	450,400	48.9	47.0 - 50.7	404,400	43.9	42.1 - 45.7	67,100	7.3	6.4 - 8.2	921,900
No	55,400	57.0	50.8 - 63.3	33,700	34.7	28.8 - 40.7	8,000	8.2	4.4 - 12.1	97,200