

Daily frequency of total vegetable consumption (2011+), for the State of Hawaii, for the Year(s) - 2011, 2013

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Daily frequency of total vegetable consumption (2011+)	Daily frequency of total vegetable consumption, including orange-colored vegetables, dark green vegetables, beans, and other vegetables (2011+)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/28/15

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Daily frequency of total vegetable consumption (2011+), for the State of Hawaii, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	240,200	23.4	21.9 - 25.0	586,600	57.3	55.5 - 59.0	197,400	19.3	17.9 - 20.6	1,024,200
2013	234,100	23.1	21.6 - 24.7	589,300	58.2	56.5 - 59.9	188,400	18.6	17.4 - 19.9	1,011,800



Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	234,100	23.1	21.6 - 24.7	589,300	58.2	56.5 - 59.9	188,400	18.6	17.4 - 19.9	1,011,800

County	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,800	20.5	17.5 - 23.5	82,800	59.0	55.4 - 62.7	28,700	20.5	17.4 - 23.5	140,300
Honolulu	171,800	24.6	22.5 - 26.6	409,000	58.5	56.3 - 60.7	118,300	16.9	15.4 - 18.5	699,100
Kauai	10,400	22.1	17.8 - 26.3	27,500	58.0	53.2 - 62.8	9,400	19.9	16.0 - 23.8	47,300
Maui	19,800	17.9	15.0 - 20.8	62,300	56.3	52.4 - 60.2	28,500	25.8	22.0 - 29.5	110,600

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,800	20.5	17.5 - 23.5	82,800	59.0	55.4 - 62.7	28,700	20.5	17.4 - 23.5	140,300
Kauai	10,400	22.1	17.8 - 26.3	27,500	58.0	53.2 - 62.8	9,400	19.9	16.0 - 23.8	47,300
Lanai	300	17.7	5.9 - 29.6	1,300	64.3	46.6 - 82.0	400	17.9	5.9 - 30.0	2,000
Maui	18,600	17.9	14.9 - 20.9	57,500	55.4	51.4 - 59.5	27,600	26.6	22.7 - 30.5	103,800
Molokai	800	17.2	6.0 - 28.4	3,500	72.1	59.2 - 85.0	500	10.7	2.8 - 18.6	4,900
Oahu	171,800	24.6	22.5 - 26.6	409,000	58.5	56.3 - 60.7	118,300	16.9	15.4 - 18.5	699,100

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	14,800	22.4	16.5 - 28.4	39,400	59.8	52.8 - 66.8	11,700	17.8	12.4 - 23.2	66,000
Ala Moana	7,500	24.1	16.7 - 31.6	14,700	47.3	38.5 - 56.0	8,900	28.6	20.0 - 37.2	31,000

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,500	13.0	8.9 - 17.1	12,800	65.9	59.6 - 72.3	4,100	21.1	15.6 - 26.5	19,400
Hilo	10,800	28.7	22.9 - 34.5	20,400	53.9	47.9 - 60.0	6,600	17.4	13.2 - 21.5	37,700
Kaaawa/ Kahaluu/ Kaneohe	8,200	16.7	10.8 - 22.6	33,000	67.0	59.7 - 74.2	8,100	16.3	10.8 - 21.8	49,300
Kahului	6,000	17.3	12.0 - 22.6	18,700	53.7	46.9 - 60.6	10,100	29.0	22.3 - 35.6	34,800
Kailua/ Waimanalo	12,500	23.2	15.3 - 31.2	35,400	66.0	58.0 - 74.0	5,800	10.8	6.7 - 14.9	53,600
Kaimuki/ Palolo/ Waikiki	15,200	25.1	18.9 - 31.4	33,600	55.8	48.8 - 62.7	11,500	19.1	14.1 - 24.1	60,300
Kona	5,900	16.6	11.1 - 22.1	23,000	64.3	57.3 - 71.3	6,800	19.1	14.0 - 24.2	35,800
Lahaina/ Wailuku	8,000	23.6	17.9 - 29.3	16,900	49.6	42.9 - 56.4	9,100	26.8	19.9 - 33.7	34,100
Lanai	300	17.7	5.9 - 29.6	1,300	64.3	46.6 - 82.0	400	17.9	5.9 - 30.0	2,000
Lihue-Waimea	7,900	28.4	22.1 - 34.7	14,600	52.5	46.0 - 59.0	5,300	19.1	13.6 - 24.6	27,900
Manoa/ Upper Makiki	9,800	20.5	14.1 - 26.8	29,200	61.1	53.8 - 68.3	8,800	18.5	13.1 - 23.8	47,800

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	17,800	26.7	19.3 - 34.0	40,400	60.6	53.0 - 68.2	8,500	12.7	8.6 - 16.8	66,700
Molokai	800	17.2	6.0 - 28.4	3,500	72.1	59.2 - 85.0	500	10.7	2.8 - 18.6	4,900
Nanakuli/ Waianae	9,500	27.1	18.4 - 35.8	20,900	59.8	50.5 - 69.2	4,500	13.0	7.2 - 18.8	34,900
N.Hawaii	4,000	15.9	9.7 - 22.0	14,700	58.5	50.2 - 66.7	6,500	25.7	18.1 - 33.3	25,200
N.Shore/ Laie	6,000	26.3	13.0 - 39.6	12,600	54.8	41.0 - 68.7	4,300	18.9	8.8 - 29.0	22,900
Nuuanu/ Kalihi/ Moanalua	16,700	26.1	19.6 - 32.5	32,800	51.2	43.9 - 58.5	14,600	22.8	16.6 - 29.0	64,000
Puna/ Kau	8,000	19.3	13.5 - 25.0	24,800	59.5	51.9 - 67.1	8,800	21.2	14.4 - 28.1	41,600
Salt Lake/ Foster Village	5,200	17.3	10.4 - 24.2	18,600	61.8	51.7 - 71.9	6,300	20.9	12.0 - 29.8	30,100
Upcountry/ Hana	4,600	13.1	8.7 - 17.4	21,900	62.8	55.6 - 70.0	8,400	24.1	17.3 - 30.9	34,800
Waialae/ Kahala/ Hawaii Kai	5,200	12.5	7.6 - 17.5	27,500	67.0	59.7 - 74.2	8,400	20.5	14.4 - 26.6	41,100
Waipahu/ Kapolei/ Ewa	43,600	33.2	27.3 - 39.0	71,000	54.0	48.1 - 59.9	16,900	12.8	9.6 - 16.0	131,400

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	45,200	38.1	32.5 - 43.7	56,400	47.5	41.8 - 53.2	17,100	14.4	10.8 - 18.0	118,700
25-34	38,600	21.6	17.6 - 25.6	107,000	59.7	55.2 - 64.2	33,500	18.7	15.3 - 22.1	179,100
35-44	40,900	25.3	21.2 - 29.3	91,400	56.5	52.1 - 60.9	29,400	18.2	14.9 - 21.5	161,700
45-54	40,100	23.1	19.3 - 26.8	101,400	58.3	54.2 - 62.4	32,500	18.7	15.8 - 21.6	174,000
55-64	27,600	16.3	13.8 - 18.9	108,200	64.1	60.7 - 67.4	33,100	19.6	16.8 - 22.4	168,900
65-74	23,100	20.5	16.7 - 24.3	67,000	59.5	55.4 - 63.7	22,400	19.9	16.9 - 23.0	112,600
75+	17,900	20.1	15.6 - 24.6	52,900	59.5	54.4 - 64.5	18,200	20.4	16.4 - 24.4	89,000

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	55,400	16.7	14.5 - 19.0	205,900	62.2	59.5 - 64.9	69,700	21.1	18.9 - 23.2	331,000
Native Hawaiian	28,500	27.2	23.0 - 31.3	55,400	52.8	48.2 - 57.3	21,100	20.1	16.3 - 23.8	105,000
Chinese	12,800	20.2	14.6 - 25.8	38,500	60.8	53.9 - 67.8	12,000	19.0	13.4 - 24.5	63,200
Filipino	51,000	30.6	25.7 - 35.5	87,500	52.5	47.6 - 57.5	28,100	16.9	13.5 - 20.2	166,600
Japanese	48,500	23.0	19.9 - 26.1	129,300	61.4	57.9 - 64.9	32,800	15.6	13.2 - 18.0	210,500
Black	5,100	42.7	25.6 - 59.8	5,400	45.1	29.0 - 61.3	1,400	12.2	2.0 - 22.3	11,900
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,800
Other Asian	4,600	18.5	10.5 - 26.6	15,800	63.3	52.9 - 73.8	4,500	18.1	10.8 - 25.4	24,900
Other Pacific Islander	10,100	34.9	25.0 - 44.8	13,600	47.1	36.9 - 57.3	5,200	18.0	10.4 - 25.5	29,000
Other	7,800	23.4	13.0 - 33.8	18,500	55.7	44.4 - 67.0	7,000	20.9	11.6 - 30.3	33,200

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	130,300	26.1	23.8 - 28.3	291,200	58.3	55.8 - 60.7	78,400	15.7	14.0 - 17.4	500,000
Female	103,800	20.3	18.2 - 22.4	298,000	58.2	55.9 - 60.6	110,000	21.5	19.7 - 23.3	511,800

Education Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	7,100	32.6	17.9 - 47.3	11,500	53.0	36.8 - 69.2	3,100	14.4	3.0 - 25.9	21,700
Grades 9 thru 11 (Some High School)	20,500	27.6	20.1 - 35.2	37,600	50.7	42.2 - 59.2	16,100	21.7	14.8 - 28.6	74,300
Grades 12 or GED (High School Grad)	88,200	30.1	27.1 - 33.2	157,100	53.7	50.5 - 56.9	47,400	16.2	14.1 - 18.3	292,700
College 1 to 3 years (Some College/ Tech)	77,100	22.7	19.9 - 25.4	200,700	59.0	55.9 - 62.0	62,600	18.4	16.1 - 20.6	340,400
College 4 years or more (College Grad)	41,100	14.6	12.8 - 16.4	181,100	64.4	62.1 - 66.7	59,100	21.0	19.1 - 22.9	281,300

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	143,600	22.8	20.8 - 24.8	368,300	58.5	56.3 - 60.7	117,900	18.7	17.1 - 20.3	629,700
Unemployed	20,900	34.3	27.5 - 41.1	30,200	49.5	42.5 - 56.6	9,900	16.2	10.4 - 22.0	60,900
Retired/Unable to work	48,600	21.6	18.8 - 24.4	133,200	59.2	56.1 - 62.4	43,100	19.2	16.8 - 21.5	224,900
Student/Homemaker	20,500	21.6	16.4 - 26.8	56,900	59.9	53.9 - 66.0	17,500	18.5	14.3 - 22.6	94,900

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	15,900	34.4	27.8 - 40.9	21,600	46.8	39.9 - 53.8	8,700	18.8	12.9 - 24.6	46,100
\$10,000 to \$14,999	10,500	28.8	20.7 - 36.8	19,400	53.3	44.7 - 62.0	6,500	17.9	11.4 - 24.4	36,400
\$15,000 to \$19,999	19,100	30.2	23.4 - 37.0	33,800	53.4	46.5 - 60.3	10,400	16.4	12.2 - 20.6	63,300
\$20,000 to \$24,999	20,300	30.3	24.2 - 36.3	34,200	51.0	44.7 - 57.3	12,600	18.8	14.3 - 23.2	67,100
\$25,000 to \$34,999	26,900	24.8	20.1 - 29.4	60,400	55.7	50.4 - 61.1	21,200	19.5	15.4 - 23.7	108,500
\$35,000 to \$49,999	30,800	22.1	17.7 - 26.6	79,900	57.5	52.9 - 62.1	28,300	20.4	17.0 - 23.8	139,000
\$50,000 to \$74,999	29,500	20.5	16.6 - 24.4	87,300	60.6	56.2 - 65.0	27,300	18.9	15.4 - 22.4	144,100
\$75,000 or more	49,300	16.2	13.9 - 18.6	197,500	65.0	62.1 - 67.9	57,000	18.8	16.6 - 20.9	303,800

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	34,900	31.0	25.4 - 36.7	57,900	51.4	45.6 - 57.3	19,700	17.5	13.4 - 21.6	112,500
131-185%	18,100	25.0	17.7 - 32.3	40,800	56.4	49.0 - 63.9	13,400	18.5	13.3 - 23.8	72,200
186+%	44,500	15.1	12.8 - 17.4	188,000	63.8	61.0 - 66.6	62,200	21.1	18.8 - 23.4	294,700

Marital Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	101,100	18.8	16.9 - 20.8	333,100	62.1	59.8 - 64.4	102,300	19.1	17.3 - 20.8	536,500
Unmarried Couple	10,400	29.6	17.7 - 41.6	18,800	53.7	42.4 - 65.0	5,800	16.7	10.5 - 22.9	35,000
Widowed	15,500	24.4	18.5 - 30.3	34,200	54.0	47.6 - 60.4	13,700	21.6	16.6 - 26.6	63,300
Other	107,200	28.4	25.8 - 31.0	203,200	53.9	51.1 - 56.7	66,700	17.7	15.7 - 19.7	377,100

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	105,000	19.1	17.1 - 21.0	341,300	62.0	59.7 - 64.2	104,600	19.0	17.3 - 20.7	550,800
No	128,400	28.0	25.6 - 30.4	246,400	53.8	51.2 - 56.3	83,600	18.2	16.4 - 20.1	458,400

Health Care Coverage	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	210,200	22.6	21.0 - 24.2	546,600	58.7	57.0 - 60.5	173,600	18.7	17.4 - 20.0	930,400
No	23,500	29.8	24.5 - 35.1	40,900	51.7	46.2 - 57.3	14,600	18.5	14.3 - 22.7	79,000

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	240,200	23.4	21.9 - 25.0	586,600	57.3	55.5 - 59.0	197,400	19.3	17.9 - 20.6	1,024,200

County	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	31,000	21.5	18.1 - 24.9	83,600	57.9	54.1 - 61.8	29,700	20.6	17.5 - 23.6	144,300
Honolulu	174,900	24.7	22.7 - 26.8	402,300	56.9	54.6 - 59.2	130,200	18.4	16.7 - 20.1	707,500
Kauai	8,000	16.1	11.7 - 20.4	29,900	60.1	54.5 - 65.7	11,900	23.8	19.0 - 28.6	49,800
Maui	23,800	20.8	17.5 - 24.0	66,900	58.5	54.6 - 62.3	23,700	20.7	17.8 - 23.7	114,400

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	31,000	21.5	18.1 - 24.9	83,600	57.9	54.1 - 61.8	29,700	20.6	17.5 - 23.6	144,300
Kauai	8,000	16.1	11.7 - 20.4	29,900	60.1	54.5 - 65.7	11,900	23.8	19.0 - 28.6	49,800
Lanai	600	15.1	9.7 - 20.5	2,000	52.6	43.1 - 62.1	1,200	32.3	22.0 - 42.6	3,800
Maui	21,400	21.1	17.5 - 24.7	59,100	58.2	54.0 - 62.5	21,000	20.7	17.4 - 23.9	101,400
Molokai	1,800	20.0	12.5 - 27.4	5,800	63.4	54.8 - 72.0	1,500	16.6	11.0 - 22.2	9,200
Oahu	174,900	24.7	22.7 - 26.8	402,300	56.9	54.6 - 59.2	130,200	18.4	16.7 - 20.1	707,500

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	15,700	25.3	18.8 - 31.9	33,400	54.0	46.8 - 61.1	12,800	20.7	14.7 - 26.8	61,800
Ala Moana	7,700	25.9	17.0 - 34.8	17,800	59.9	50.7 - 69.0	4,200	14.2	8.9 - 19.5	29,700

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,900	12.6	6.0 - 19.1	14,000	61.5	52.7 - 70.2	5,900	25.9	18.1 - 33.8	22,800
Hilo	8,800	21.5	15.5 - 27.6	23,600	57.9	50.9 - 64.9	8,400	20.6	14.9 - 26.3	40,800
Kaaawa/ Kahaluu/ Kaneohe	11,700	23.7	16.7 - 30.6	32,200	65.1	57.4 - 72.7	5,600	11.3	7.3 - 15.2	49,500
Kahului	8,100	22.4	15.7 - 29.1	20,400	56.2	48.8 - 63.6	7,800	21.4	15.9 - 26.8	36,300
Kailua/ Waimanalo	6,300	11.8	7.0 - 16.6	35,900	67.8	59.6 - 75.9	10,800	20.4	13.1 - 27.7	52,900
Kaimuki/ Palolo/ Waikiki	15,800	26.1	18.9 - 33.2	33,400	55.2	47.9 - 62.4	11,400	18.8	13.9 - 23.7	60,500
Kona	4,400	15.3	9.6 - 21.0	18,000	63.1	55.2 - 70.9	6,200	21.7	14.8 - 28.5	28,600
Lahaina/ Wailuku	7,500	22.8	16.8 - 28.9	19,800	60.3	53.1 - 67.6	5,500	16.8	11.7 - 21.9	32,800
Lanai	600	15.1	9.7 - 20.5	2,000	52.6	43.1 - 62.1	1,200	32.3	22.0 - 42.6	3,800
Lihue-Waimea	5,100	19.0	13.1 - 24.9	15,900	59.0	51.7 - 66.2	6,000	22.0	16.3 - 27.8	27,000
Manoa/ Upper Makiki	8,600	19.1	13.4 - 24.9	25,700	56.7	49.6 - 63.9	10,900	24.1	17.8 - 30.5	45,200

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	15,300	23.1	16.4 - 29.8	40,100	60.3	52.7 - 67.8	11,100	16.6	10.9 - 22.4	66,500
Molokai	1,800	20.0	12.5 - 27.4	5,800	63.4	54.8 - 72.0	1,500	16.6	11.0 - 22.2	9,200
Nanakuli/ Waianae	7,600	25.1	16.1 - 34.1	17,500	57.8	47.4 - 68.2	5,200	17.1	10.4 - 23.8	30,300
N.Hawaii	5,700	18.6	11.9 - 25.2	17,500	56.8	48.6 - 64.9	7,600	24.7	17.4 - 31.9	30,800
N.Shore/ Laie	6,700	27.5	14.4 - 40.7	11,000	45.2	32.4 - 58.0	6,700	27.3	15.0 - 39.5	24,400
Nuuanu/ Kalihi/ Moanalua	20,700	30.6	23.2 - 37.9	35,300	52.1	44.3 - 59.9	11,700	17.3	11.7 - 22.9	67,800
Puna/ Kau	12,100	27.6	20.2 - 34.9	24,400	55.5	48.0 - 63.0	7,500	17.0	12.1 - 21.8	44,000
Salt Lake/ Foster Village	8,400	22.6	14.1 - 31.1	23,400	63.1	53.6 - 72.6	5,300	14.3	8.7 - 20.0	37,100
Upcountry/ Hana	5,700	17.7	11.9 - 23.5	18,900	58.4	51.1 - 65.8	7,700	23.8	17.6 - 30.1	32,300
Waialae/ Kahala/ Hawaii Kai	8,000	18.6	11.5 - 25.7	24,800	57.6	49.1 - 66.1	10,300	23.9	16.1 - 31.6	43,000
Waipahu/ Kapolei/ Ewa	42,500	30.6	25.1 - 36.0	72,000	51.8	46.0 - 57.7	24,400	17.6	13.1 - 22.1	138,800

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	33,400	27.9	21.6 - 34.2	67,900	56.7	49.6 - 63.8	18,400	15.4	10.3 - 20.4	119,600
25-34	52,600	27.6	23.2 - 32.1	102,600	53.9	49.1 - 58.6	35,200	18.5	14.8 - 22.2	190,500
35-44	43,500	25.3	21.2 - 29.4	96,200	56.0	51.5 - 60.4	32,200	18.7	15.4 - 22.1	171,900
45-54	34,600	19.5	16.6 - 22.5	105,200	59.3	55.5 - 63.1	37,500	21.1	17.9 - 24.4	177,300
55-64	33,800	21.1	18.2 - 24.0	95,300	59.5	56.3 - 62.7	31,000	19.3	17.0 - 21.7	160,100
65-74	20,400	20.8	17.4 - 24.1	59,200	60.2	56.4 - 64.0	18,700	19.0	16.4 - 21.7	98,300
75+	20,900	20.8	16.9 - 24.7	55,500	55.3	50.9 - 59.7	24,000	23.9	20.3 - 27.5	100,400

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	62,300	17.9	15.5 - 20.4	213,100	61.4	58.5 - 64.2	71,700	20.7	18.4 - 22.9	347,200
Native Hawaiian	27,500	25.4	21.0 - 29.8	59,800	55.3	50.4 - 60.3	20,800	19.3	15.4 - 23.1	108,000
Chinese	13,000	21.0	14.5 - 27.5	37,500	60.5	53.2 - 67.7	11,500	18.5	13.3 - 23.8	62,000
Filipino	59,600	32.6	27.9 - 37.2	92,800	50.7	45.9 - 55.6	30,600	16.7	13.2 - 20.2	183,000
Japanese	52,000	24.3	21.2 - 27.3	123,300	57.5	54.2 - 60.9	39,000	18.2	15.7 - 20.7	214,200
Black	2,200	16.3	6.1 - 26.5	10,100	74.0	60.7 - 87.3	1,300	9.6	0.5 - 18.8	13,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000
Other Asian	5,900	21.8	12.7 - 30.9	15,000	56.0	45.1 - 66.9	6,000	22.2	12.5 - 31.8	26,900
Other Pacific Islander	7,200	29.2	17.5 - 40.8	11,000	44.7	31.1 - 58.3	6,400	26.1	12.8 - 39.5	24,600
Other	8,400	23.6	15.1 - 32.0	19,500	54.7	44.2 - 65.3	7,700	21.7	13.0 - 30.4	35,600

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	134,600	26.3	23.9 - 28.7	291,800	57.0	54.4 - 59.6	85,400	16.7	14.7 - 18.7	511,700
Female	105,500	20.6	18.6 - 22.6	294,800	57.5	55.2 - 59.8	112,100	21.9	20.1 - 23.7	512,400

Education Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	8,200	35.3	22.5 - 48.1	10,300	44.2	31.4 - 57.1	4,800	20.4	9.7 - 31.2	23,300
Grades 9 thru 11 (Some High School)	21,500	27.5	19.9 - 35.2	39,600	50.6	42.0 - 59.3	17,100	21.8	14.4 - 29.2	78,200
Grades 12 or GED (High School Grad)	90,500	29.1	25.9 - 32.2	169,200	54.3	51.0 - 57.7	51,800	16.6	14.3 - 18.9	311,400
College 1 to 3 years (Some College/ Tech)	77,200	23.0	20.2 - 25.8	194,400	57.9	54.8 - 61.0	64,300	19.1	16.7 - 21.6	335,900
College 4 years or more (College Grad)	42,400	15.4	13.5 - 17.4	172,600	62.9	60.4 - 65.3	59,500	21.7	19.7 - 23.7	274,600

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	140,200	23.3	21.2 - 25.4	351,800	58.5	56.2 - 60.7	109,800	18.3	16.5 - 20.0	601,800
Unemployed	20,900	27.3	20.9 - 33.6	39,500	51.5	44.2 - 58.8	16,300	21.3	14.8 - 27.7	76,700
Retired/Unable to work	54,900	24.0	21.2 - 26.8	128,000	56.0	53.0 - 58.9	45,800	20.0	17.9 - 22.2	228,700
Student/Homemaker	24,000	20.6	15.5 - 25.8	66,800	57.5	51.2 - 63.7	25,400	21.9	16.9 - 26.9	116,200

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	18,500	42.4	33.9 - 50.8	17,500	40.0	32.2 - 47.9	7,700	17.6	10.4 - 24.9	43,700
\$10,000 to \$14,999	8,800	24.8	16.7 - 33.0	19,500	54.9	46.0 - 63.9	7,200	20.2	13.1 - 27.3	35,600
\$15,000 to \$19,999	14,000	24.8	17.4 - 32.2	28,900	51.1	43.3 - 59.0	13,600	24.1	17.9 - 30.3	56,400
\$20,000 to \$24,999	22,900	30.2	23.7 - 36.8	41,200	54.3	47.5 - 61.0	11,800	15.5	11.0 - 20.0	75,900
\$25,000 to \$34,999	24,200	23.7	19.0 - 28.3	58,700	57.4	52.2 - 62.5	19,400	19.0	15.3 - 22.6	102,300
\$35,000 to \$49,999	32,700	23.6	19.6 - 27.6	81,100	58.5	54.0 - 63.0	24,900	17.9	14.8 - 21.1	138,700
\$50,000 to \$74,999	39,200	22.9	19.2 - 26.7	100,100	58.5	54.0 - 62.9	31,800	18.6	14.9 - 22.3	171,100
\$75,000 or more	53,700	17.9	15.3 - 20.5	182,300	60.8	57.7 - 64.0	63,800	21.3	18.7 - 23.8	299,800

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	51,200	31.6	26.7 - 36.5	80,400	49.7	44.6 - 54.7	30,300	18.7	14.9 - 22.4	161,800
131-185%	26,600	23.5	19.0 - 28.0	65,900	58.2	52.9 - 63.5	20,800	18.3	14.4 - 22.3	113,200
186+%	86,600	19.4	17.3 - 21.6	267,100	59.9	57.4 - 62.5	91,900	20.6	18.6 - 22.6	445,600

Marital Status (Grouped)	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	97,200	19.5	17.6 - 21.4	299,100	60.0	57.8 - 62.2	102,300	20.5	18.7 - 22.3	498,600
Unmarried Couple	11,600	25.1	16.8 - 33.3	25,600	55.2	45.9 - 64.6	9,100	19.7	12.5 - 26.9	46,300
Widowed	14,300	19.1	14.9 - 23.3	41,800	55.6	50.7 - 60.6	19,000	25.3	21.0 - 29.5	75,100
Other	117,000	28.9	26.0 - 31.9	220,200	54.5	51.3 - 57.7	67,100	16.6	14.3 - 18.9	404,200

Daily frequency of total vegetable consumption (2011+), by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	101,900	19.9	17.9 - 21.8	305,700	59.6	57.4 - 61.8	105,600	20.6	18.8 - 22.3	513,200
No	137,700	27.0	24.6 - 29.5	280,400	55.1	52.4 - 57.8	91,000	17.9	15.8 - 19.9	509,100

Health Care Coverage	<1 per day or never			1 to <3 times per day			3+ times per day			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	213,100	23.0	21.4 - 24.7	531,600	57.5	55.7 - 59.3	180,200	19.5	18.1 - 20.9	924,900
No	26,700	27.6	21.7 - 33.5	53,200	54.9	48.6 - 61.3	16,900	17.5	12.8 - 22.1	96,900