

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	673,100	75.7	73.9 - 77.5	131,900	14.8	13.3 - 16.4	30,600	3.4	2.6 - 4.3	53,800	6.0	5.1 - 7.0	889,500
2002	664,500	74.0	72.5 - 75.5	128,100	14.3	13.0 - 15.5	52,900	5.9	5.1 - 6.6	52,300	5.8	5.1 - 6.6	897,800
2003	699,500	76.3	74.7 - 78.0	118,900	13.0	11.7 - 14.2	35,500	3.9	3.1 - 4.6	62,300	6.8	5.9 - 7.7	916,200
2004	588,300	65.3	62.4 - 68.3	190,100	21.1	18.6 - 23.6	50,900	5.7	3.9 - 7.5	71,100	7.9	6.4 - 9.4	900,400
2005	634,700	65.9	64.3 - 67.5	207,800	21.6	20.1 - 23.0	40,900	4.2	3.6 - 4.9	79,800	8.3	7.4 - 9.1	963,300
2006	648,800	67.5	66.0 - 69.1	180,300	18.8	17.4 - 20.1	46,900	4.9	4.2 - 5.6	84,500	8.8	7.9 - 9.6	960,500
2007	657,400	67.0	65.4 - 68.6	200,500	20.4	19.0 - 21.8	41,300	4.2	3.6 - 4.9	82,000	8.4	7.5 - 9.2	981,200
2008	652,900	65.8	64.2 - 67.5	193,400	19.5	18.1 - 20.8	49,000	4.9	4.2 - 5.7	96,500	9.7	8.7 - 10.7	991,800
2009	680,600	68.1	66.5 - 69.7	191,500	19.2	17.7 - 20.6	46,300	4.6	3.9 - 5.3	81,000	8.1	7.3 - 8.9	999,400
2010	707,200	70.8	69.2 - 72.4	169,300	17.0	15.6 - 18.3	41,300	4.1	3.4 - 4.9	80,900	8.1	7.2 - 9.0	998,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	707,200	70.8	69.2 - 72.4	169,300	17.0	15.6 - 18.3	41,300	4.1	3.4 - 4.9	80,900	8.1	7.2 - 9.0	998,700

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	96,300	69.3	66.0 - 72.5	24,900	17.9	14.9 - 20.9	6,500	4.7	3.3 - 6.2	11,300	8.1	6.7 - 9.6	139,000
Honolulu	495,600	71.1	68.9 - 73.2	118,700	17.0	15.2 - 18.8	28,400	4.1	3.1 - 5.0	54,700	7.8	6.7 - 9.0	697,400
Kauai	35,800	72.8	68.0 - 77.6	6,700	13.6	10.1 - 17.0	2,800	5.7	2.7 - 8.6	3,900	8.0	5.3 - 10.6	49,200
Maui	79,500	70.3	66.8 - 73.8	19,000	16.8	14.0 - 19.6	3,500	3.1	1.8 - 4.4	11,000	9.7	7.7 - 11.8	113,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	96,300	69.3	66.0 - 72.5	24,900	17.9	14.9 - 20.9	6,500	4.7	3.3 - 6.2	11,300	8.1	6.7 - 9.6	139,000
Kauai	35,800	72.8	68.0 - 77.6	6,700	13.6	10.1 - 17.0	2,800	5.7	2.7 - 8.6	3,900	8.0	5.3 - 10.6	49,200
Lanai	900	63.1	51.6 - 74.6	300	21.4	10.9 - 31.9	100	4.4	0.9 - 7.9	200	11.1	5.1 - 17.1	1,500
Maui	73,400	70.5	66.7 - 74.2	17,300	16.6	13.6 - 19.7	3,400	3.2	1.8 - 4.6	10,100	9.7	7.4 - 11.9	104,200
Molokai	5,200	69.9	62.9 - 76.9	1,300	18.3	12.2 - 24.4	100	1.4	0.0 - 3.0	800	10.4	6.1 - 14.7	7,400
Oahu	495,600	71.1	68.9 - 73.2	118,700	17.0	15.2 - 18.8	28,400	4.1	3.1 - 5.0	54,700	7.8	6.7 - 9.0	697,400

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	48,500	70.8	64.1 - 77.4	12,900	18.8	12.8 - 24.7	800	1.2	0.0 - 2.3	6,300	9.3	5.4 - 13.2	68,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	13,200	67.1	57.1 - 77.1	3,500	17.8	9.3 - 26.3	800	3.9	0.6 - 7.2	2,200	11.2	4.8 - 17.6	19,700
Hanalei/ Kapaa	14,900	71.8	65.3 - 78.3	2,800	13.4	8.9 - 17.9	1,300	6.1	2.2 - 9.9	1,800	8.7	5.2 - 12.3	20,800
Hilo	29,200	70.2	64.2 - 76.2	7,500	18.0	12.4 - 23.5	2,200	5.2	2.7 - 7.8	2,800	6.6	4.4 - 8.8	41,700
Kaaawa/ Kahaluu/ Kaneohe	34,200	64.1	55.5 - 72.7	10,600	19.8	12.5 - 27.0	3,200	6.0	0.2 - 11.7	5,400	10.1	5.6 - 14.7	53,400
Kahului	25,400	74.7	69.1 - 80.4	4,700	14.0	9.5 - 18.4	800	2.5	1.0 - 3.9	3,000	8.8	5.4 - 12.3	33,900
Kailua/ Waimanalo	37,400	74.5	67.2 - 81.8	5,600	11.1	5.8 - 16.4	2,100	4.2	0.0 - 8.5	5,100	10.2	5.9 - 14.5	50,300
Kaimuki/ Palolo/ Waikiki	36,600	65.3	58.1 - 72.6	11,300	20.3	13.7 - 26.9	2,400	4.3	1.8 - 6.7	5,700	10.1	6.3 - 13.9	56,000
Kona	22,200	73.1	67.0 - 79.2	3,900	13.0	8.6 - 17.3	1,700	5.6	1.8 - 9.5	2,500	8.3	5.1 - 11.4	30,300
Lahaina/ Wailuku	25,400	72.9	66.5 - 79.3	5,100	14.6	9.8 - 19.3	1,000	2.8	0.6 - 5.1	3,400	9.7	5.7 - 13.7	34,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	900	63.1	51.6 - 74.6	300	21.4	10.9 - 31.9	100	4.4	0.9 - 7.9	200	11.1	5.1 - 17.1	1,500
Lihue-Waimea	20,900	73.5	66.7 - 80.3	3,900	13.7	8.7 - 18.7	1,500	5.4	1.2 - 9.6	2,100	7.4	3.6 - 11.2	28,400
Manoa/ Upper Makiki	39,900	72.8	66.3 - 79.4	9,200	16.8	11.2 - 22.4	2,800	5.2	2.1 - 8.2	2,900	5.2	3.0 - 7.5	54,800
Mililani/ Wahiawa	52,000	73.2	67.1 - 79.2	11,600	16.4	11.3 - 21.5	2,800	4.0	1.6 - 6.4	4,600	6.5	3.4 - 9.6	71,000
Molokai	5,200	69.9	62.9 - 76.9	1,300	18.3	12.2 - 24.4	100	1.4	0.0 - 3.0	800	10.4	6.1 - 14.7	7,400
Nanakuli/ Waianae	30,500	77.3	67.6 - 87.1	5,500	14.0	5.4 - 22.6	500	1.3	0.0 - 2.8	2,900	7.4	2.9 - 11.8	39,500
N.Hawaii	17,400	70.4	62.7 - 78.1	5,300	21.3	13.9 - 28.7	800	3.3	0.9 - 5.7	1,200	5.0	2.5 - 7.5	24,700
N.Shore/ Laie	19,500	78.3	66.9 - 89.7	4,100	16.3	6.6 - 26.0	1,200	4.7	0.0 - 11.7	200	0.7	0.0 - 2.2	24,900
Nuuanu/ Kalihi/ Moanalua	48,700	74.2	67.4 - 81.0	8,400	12.8	7.9 - 17.7	4,100	6.3	2.7 - 9.9	4,400	6.7	2.4 - 10.9	65,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	27,500	64.9	58.6 - 71.3	8,200	19.4	13.4 - 25.4	1,800	4.4	1.8 - 6.9	4,800	11.4	8.1 - 14.6	42,400
Salt Lake/ Foster Village	24,800	72.4	62.6 - 82.2	6,900	20.3	11.0 - 29.5	1,100	3.3	0.0 - 7.0	1,400	4.0	0.5 - 7.5	34,200
Upcountry/ Hana	22,700	64.0	57.1 - 70.9	7,500	21.2	15.0 - 27.3	1,500	4.3	1.2 - 7.5	3,700	10.5	6.3 - 14.6	35,400
Waialae/ Kahala/ Hawaii Kai	28,500	75.5	68.1 - 82.9	6,200	16.4	9.9 - 22.9	700	1.8	0.3 - 3.3	2,400	6.3	2.2 - 10.4	37,700
Waipahu/ Kapolei/ Ewa	81,800	67.2	61.5 - 72.8	22,900	18.8	14.2 - 23.4	5,900	4.8	2.2 - 7.4	11,200	9.2	5.9 - 12.5	121,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	93,500	79.6	73.8 - 85.4	17,300	14.8	9.7 - 19.8	3,600	3.0	0.3 - 5.8	3,100	2.6	0.4 - 4.8	117,500
25-34	135,600	74.9	70.1 - 79.6	34,900	19.3	15.0 - 23.6	5,400	3.0	1.1 - 4.9	5,200	2.8	1.0 - 4.7	181,100
35-44	120,100	69.1	65.0 - 73.3	35,600	20.5	16.9 - 24.1	7,700	4.4	2.6 - 6.3	10,300	5.9	4.0 - 7.9	173,800
45-54	120,000	67.7	64.2 - 71.3	30,700	17.3	14.6 - 20.1	9,500	5.3	3.5 - 7.2	17,000	9.6	7.2 - 11.9	177,100
55-64	100,000	66.3	63.3 - 69.3	23,900	15.8	13.5 - 18.1	6,800	4.5	3.1 - 5.9	20,100	13.3	11.1 - 15.6	150,900
65-74	66,800	70.4	67.1 - 73.7	12,900	13.6	11.2 - 16.0	4,400	4.7	3.1 - 6.3	10,700	11.3	9.0 - 13.6	94,900
75+	67,800	68.4	64.7 - 72.2	13,000	13.1	10.2 - 16.1	3,900	3.9	2.4 - 5.4	14,400	14.5	11.8 - 17.2	99,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	210,300	67.6	65.0 - 70.1	59,800	19.2	17.0 - 21.4	12,500	4.0	3.0 - 5.0	28,800	9.2	7.8 - 10.6	311,300
Native Hawaiian	84,700	66.0	60.8 - 71.2	27,400	21.4	16.6 - 26.1	7,000	5.4	2.9 - 7.9	9,200	7.2	5.0 - 9.4	128,300
Chinese	44,700	78.1	72.8 - 83.5	6,800	11.9	7.8 - 15.9	2,600	4.5	1.7 - 7.3	3,100	5.5	2.8 - 8.2	57,200
Filipino	121,100	74.6	70.1 - 79.1	25,100	15.4	11.7 - 19.2	6,100	3.8	1.9 - 5.7	10,000	6.2	3.9 - 8.5	162,400
Japanese	169,700	72.4	69.2 - 75.5	36,400	15.5	13.0 - 18.1	9,000	3.8	2.2 - 5.4	19,300	8.3	6.6 - 9.9	234,400
Black	10,700	73.9	62.0 - 85.7	2,200	14.8	5.2 - 24.5	300	2.2	0.0 - 6.4	1,300	9.1	2.5 - 15.8	14,500
Other Asian	18,400	72.0	60.0 - 84.1	3,600	14.1	3.6 - 24.7	600	2.2	0.0 - 4.9	3,000	11.6	4.2 - 19.0	25,600
Other Pacific Islander	28,100	79.2	68.8 - 89.6	3,000	8.4	2.7 - 14.0	1,700	4.8	0.0 - 10.2	2,700	7.5	0.1 - 15.0	35,500
Other	15,000	66.2	54.1 - 78.2	3,800	16.8	7.1 - 26.5	1,400	6.1	0.2 - 11.9	2,500	10.9	4.8 - 17.1	22,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	365,000	73.4	71.1 - 75.8	76,800	15.4	13.5 - 17.4	18,300	3.7	2.7 - 4.6	37,000	7.4	6.2 - 8.7	497,100
Female	342,200	68.2	66.0 - 70.4	92,500	18.4	16.5 - 20.4	23,000	4.6	3.5 - 5.7	43,900	8.7	7.6 - 9.9	501,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	7,300	61.4	48.2 - 74.6	1,800	15.5	5.3 - 25.6	500	3.9	0.3 - 7.5	2,300	19.3	8.1 - 30.4	11,800
Grades 9 thru 11 (Some High School)	30,900	75.6	66.9 - 84.3	4,100	9.9	4.0 - 15.9	1,400	3.3	0.8 - 5.9	4,600	11.1	5.0 - 17.3	40,900
Grades 12 or GED (High School Grad)	204,300	70.7	67.5 - 74.0	43,100	14.9	12.4 - 17.5	16,500	5.7	3.9 - 7.5	24,900	8.6	6.8 - 10.4	288,700
College 1 to 3 years (Some College/ Tech)	198,400	70.0	67.0 - 73.1	50,800	17.9	15.3 - 20.6	11,400	4.0	2.7 - 5.3	22,800	8.0	6.6 - 9.5	283,300
College 4 years or more (College Grad)	266,100	71.3	68.8 - 73.7	69,300	18.6	16.4 - 20.7	11,600	3.1	2.3 - 4.0	26,300	7.0	5.8 - 8.2	373,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	433,200	72.8	70.7 - 75.0	109,700	18.4	16.6 - 20.3	22,100	3.7	2.8 - 4.6	29,800	5.0	4.0 - 6.1	594,800
Unemployed	51,500	73.2	66.5 - 80.0	11,000	15.6	9.8 - 21.4	2,800	3.9	0.9 - 7.0	5,100	7.3	4.2 - 10.4	70,300
Retired/Unable to work	133,800	62.6	59.9 - 65.3	30,100	14.1	12.1 - 16.0	10,400	4.9	3.6 - 6.1	39,500	18.5	16.3 - 20.7	213,800
Student/Homemaker	88,600	74.1	68.9 - 79.3	18,500	15.5	11.2 - 19.8	6,100	5.1	2.0 - 8.2	6,400	5.4	3.5 - 7.3	119,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	23,900	57.8	48.0 - 67.5	5,700	13.7	7.9 - 19.6	3,300	8.1	1.4 - 14.8	8,500	20.4	12.7 - 28.1	41,400
\$10,000 to \$14,999	18,000	64.7	54.5 - 74.8	5,600	20.0	11.7 - 28.4	1,300	4.7	0.9 - 8.6	2,900	10.6	6.1 - 15.0	27,900
\$15,000 to \$19,999	35,600	65.0	57.7 - 72.3	7,100	13.0	8.2 - 17.8	4,000	7.3	2.5 - 12.1	8,100	14.8	10.4 - 19.1	54,900
\$20,000 to \$24,999	46,900	70.8	63.9 - 77.7	10,100	15.3	9.3 - 21.3	3,500	5.3	2.3 - 8.4	5,700	8.6	5.4 - 11.8	66,300
\$25,000 to \$34,999	68,000	68.3	63.1 - 73.6	19,100	19.2	14.6 - 23.9	3,000	3.0	1.4 - 4.6	9,400	9.4	6.5 - 12.4	99,500
\$35,000 to \$49,999	94,400	66.9	62.5 - 71.3	28,500	20.2	16.4 - 24.1	8,200	5.8	3.7 - 7.9	9,900	7.0	4.9 - 9.1	141,000
\$50,000 to \$74,999	110,300	70.7	67.0 - 74.5	29,700	19.1	15.8 - 22.3	4,500	2.9	1.6 - 4.2	11,400	7.3	5.3 - 9.3	155,900
\$75,000 or more	232,100	73.8	71.0 - 76.6	53,900	17.1	14.7 - 19.6	10,300	3.3	2.2 - 4.4	18,100	5.8	4.5 - 7.1	314,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	156,600	67.3	63.2 - 71.4	38,700	16.6	13.4 - 19.9	12,800	5.5	3.4 - 7.6	24,400	10.5	8.2 - 12.8	232,500
131-185%	91,100	64.1	59.7 - 68.5	28,600	20.1	16.2 - 24.0	7,900	5.5	3.6 - 7.5	14,500	10.2	7.8 - 12.6	142,000
186+%	381,600	72.4	70.5 - 74.4	92,600	17.6	15.9 - 19.3	17,500	3.3	2.6 - 4.1	35,000	6.6	5.7 - 7.6	526,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	408,200	70.6	68.6 - 72.6	100,200	17.3	15.6 - 19.0	23,400	4.1	3.2 - 4.9	46,100	8.0	6.9 - 9.1	577,900
Unmarried Couple	24,900	71.6	61.9 - 81.3	5,500	15.7	7.9 - 23.6	1,400	4.1	0.5 - 7.7	3,000	8.6	3.8 - 13.3	34,700
Widowed	38,000	65.7	60.7 - 70.8	7,600	13.1	9.1 - 17.1	3,000	5.2	3.0 - 7.4	9,300	16.0	12.3 - 19.8	57,800
Other	236,200	72.0	68.8 - 75.1	56,100	17.1	14.4 - 19.8	13,500	4.1	2.6 - 5.6	22,500	6.9	5.4 - 8.3	328,300

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	418,500	70.8	68.9 - 72.8	101,600	17.2	15.5 - 18.9	23,900	4.1	3.2 - 4.9	46,700	7.9	6.8 - 9.0	590,800
No	288,100	70.9	68.1 - 73.7	66,700	16.4	14.1 - 18.7	17,400	4.3	3.0 - 5.6	34,200	8.4	7.0 - 9.8	406,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	658,400	70.7	69.0 - 72.3	159,600	17.1	15.7 - 18.5	37,100	4.0	3.3 - 4.7	76,600	8.2	7.4 - 9.1	931,700
No	47,700	72.5	64.7 - 80.2	9,600	14.6	9.4 - 19.9	4,200	6.3	1.2 - 11.5	4,300	6.6	1.9 - 11.2	65,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	680,600	68.1	66.5 - 69.7	191,500	19.2	17.7 - 20.6	46,300	4.6	3.9 - 5.3	81,000	8.1	7.3 - 8.9	999,400

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	87,200	63.7	60.5 - 66.8	28,400	20.7	18.1 - 23.3	8,400	6.2	4.4 - 7.9	13,000	9.5	7.5 - 11.5	137,000
Honolulu	485,200	69.0	66.9 - 71.2	133,300	19.0	17.1 - 20.9	30,000	4.3	3.4 - 5.1	54,300	7.7	6.6 - 8.8	702,800
Kauai	33,100	68.2	63.5 - 72.9	8,900	18.4	14.4 - 22.4	2,200	4.5	2.3 - 6.6	4,300	8.9	6.5 - 11.3	48,500
Maui	75,100	67.6	64.1 - 71.0	20,900	18.8	15.6 - 22.0	5,800	5.2	3.7 - 6.7	9,400	8.5	6.8 - 10.1	111,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	87,200	63.7	60.5 - 66.8	28,400	20.7	18.1 - 23.3	8,400	6.2	4.4 - 7.9	13,000	9.5	7.5 - 11.5	137,000
Kauai	33,100	68.2	63.5 - 72.9	8,900	18.4	14.4 - 22.4	2,200	4.5	2.3 - 6.6	4,300	8.9	6.5 - 11.3	48,500
Lanai	1,100	69.3	61.1 - 77.6	300	17.6	10.4 - 24.7	100	5.4	1.7 - 9.0	100	7.7	3.5 - 12.0	1,600
Maui	68,300	67.5	63.7 - 71.2	19,000	18.8	15.4 - 22.2	5,300	5.3	3.6 - 6.9	8,600	8.5	6.8 - 10.2	101,200
Molokai	5,700	68.4	60.9 - 75.9	1,600	19.2	12.5 - 25.9	400	4.4	1.7 - 7.0	700	8.1	4.4 - 11.7	8,300
Oahu	485,200	69.0	66.9 - 71.2	133,300	19.0	17.1 - 20.9	30,000	4.3	3.4 - 5.1	54,300	7.7	6.6 - 8.8	702,800

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	40,500	69.4	60.7 - 78.0	12,600	21.5	13.2 - 29.9	2,400	4.0	0.9 - 7.2	3,000	5.1	1.7 - 8.5	58,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	19,000	69.7	59.8 - 79.5	4,700	17.3	8.2 - 26.3	1,200	4.4	0.1 - 8.7	2,400	8.7	4.9 - 12.4	27,300
Hanalei/ Kapaa	13,700	69.5	62.5 - 76.4	3,200	16.3	10.9 - 21.7	1,000	5.3	1.3 - 9.3	1,800	8.9	4.8 - 13.1	19,700
Hilo	27,400	68.5	63.4 - 73.7	8,200	20.6	16.0 - 25.2	1,900	4.7	2.6 - 6.8	2,500	6.2	3.9 - 8.4	40,000
Kaaawa/ Kahaluu/ Kaneohe	34,100	70.3	63.1 - 77.5	9,600	19.8	13.2 - 26.5	2,000	4.1	1.5 - 6.8	2,800	5.7	2.6 - 8.8	48,400
Kahului	24,600	68.3	62.2 - 74.4	5,700	15.9	11.0 - 20.8	2,400	6.6	3.2 - 10.1	3,300	9.2	6.1 - 12.2	36,000
Kailua/ Waimanalo	35,300	68.5	61.1 - 76.0	8,200	16.0	10.3 - 21.8	1,400	2.7	0.4 - 5.1	6,500	12.7	7.4 - 18.0	51,500
Kaimuki/ Palolo/ Waikiki	40,800	73.3	67.1 - 79.4	6,800	12.2	7.7 - 16.8	2,000	3.7	0.8 - 6.6	6,000	10.8	6.7 - 14.9	55,700
Kona	19,000	63.1	56.7 - 69.6	5,600	18.8	14.0 - 23.6	2,000	6.5	3.5 - 9.5	3,500	11.6	6.9 - 16.4	30,100
Lahaina/ Wailuku	21,900	70.3	62.8 - 77.8	5,300	17.1	9.8 - 24.4	1,400	4.6	1.9 - 7.2	2,500	8.0	4.8 - 11.3	31,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,100	69.3	61.1 - 77.6	300	17.6	10.4 - 24.7	100	5.4	1.7 - 9.0	100	7.7	3.5 - 12.0	1,600
Lihue-Waimea	19,400	67.4	61.0 - 73.8	5,700	19.8	14.2 - 25.4	1,100	3.9	1.6 - 6.2	2,600	8.9	5.9 - 11.8	28,800
Manoa/ Upper Makiki	31,600	68.9	61.5 - 76.3	10,500	22.8	15.9 - 29.7	1,500	3.2	1.1 - 5.4	2,400	5.1	1.8 - 8.4	45,900
Mililani/ Wahiawa	56,600	69.0	62.7 - 75.2	17,000	20.7	15.0 - 26.4	2,400	2.9	1.2 - 4.5	6,100	7.5	4.2 - 10.8	82,000
Molokai	5,700	68.4	60.9 - 75.9	1,600	19.2	12.5 - 25.9	400	4.4	1.7 - 7.0	700	8.1	4.4 - 11.7	8,300
Nanakuli/ Waianae	18,100	65.0	53.0 - 76.9	5,800	21.0	10.3 - 31.6	1,800	6.5	0.9 - 12.2	2,100	7.5	2.3 - 12.7	27,900
N.Hawaii	16,300	58.7	50.9 - 66.5	6,500	23.4	17.0 - 29.7	1,900	6.7	1.3 - 12.1	3,100	11.3	6.0 - 16.5	27,800
N.Shore/ Laie	11,500	60.9	47.5 - 74.3	5,300	28.2	14.9 - 41.5	700	3.6	0.0 - 7.9	1,400	7.3	2.0 - 12.5	18,900
Nuuanu/ Kalihi/ Moanalua	52,800	69.6	62.5 - 76.6	13,200	17.4	11.2 - 23.6	4,200	5.5	2.6 - 8.4	5,700	7.5	4.2 - 10.8	75,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	24,500	62.6	56.5 - 68.8	8,000	20.4	15.4 - 25.4	2,700	7.0	3.6 - 10.4	3,900	9.9	5.9 - 13.9	39,200
Salt Lake/ Foster Village	27,700	72.6	63.9 - 81.3	6,400	16.9	9.5 - 24.2	1,400	3.6	0.2 - 7.0	2,600	6.9	2.6 - 11.2	38,100
Upcountry/ Hana	21,800	64.0	58.0 - 69.9	8,000	23.3	17.7 - 29.0	1,500	4.5	2.1 - 6.8	2,800	8.2	5.5 - 10.9	34,100
Waialae/ Kahala/ Hawaii Kai	35,200	63.6	55.6 - 71.6	12,100	21.9	14.3 - 29.4	2,800	5.1	1.6 - 8.6	5,200	9.4	5.0 - 13.9	55,300
Waipahu/ Kapolei/ Ewa	81,900	69.8	64.5 - 75.2	20,900	17.9	13.4 - 22.3	6,200	5.3	2.5 - 8.1	8,200	7.0	4.3 - 9.6	117,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	80,700	66.3	59.1 - 73.5	29,400	24.2	17.3 - 31.0	5,300	4.4	1.7 - 7.1	6,300	5.1	2.1 - 8.2	121,700
25-34	128,400	72.8	68.4 - 77.2	33,300	18.9	15.0 - 22.7	7,400	4.2	2.3 - 6.1	7,400	4.2	2.3 - 6.1	176,500
35-44	119,000	67.3	63.5 - 71.1	38,600	21.8	18.5 - 25.2	8,900	5.0	3.4 - 6.7	10,400	5.9	4.1 - 7.6	176,900
45-54	121,300	67.1	63.9 - 70.3	34,300	19.0	16.3 - 21.7	8,200	4.5	3.1 - 6.0	16,900	9.4	7.5 - 11.3	180,700
55-64	103,900	67.7	64.7 - 70.8	26,600	17.3	14.8 - 19.8	7,900	5.1	3.6 - 6.6	15,000	9.8	8.0 - 11.6	153,400
65-74	62,300	68.2	64.5 - 71.8	14,800	16.2	13.4 - 19.0	3,900	4.3	2.7 - 5.9	10,300	11.3	8.7 - 14.0	91,300
75+	62,200	65.2	61.1 - 69.3	13,900	14.6	11.4 - 17.8	4,700	4.9	3.1 - 6.7	14,600	15.3	12.3 - 18.4	95,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	211,100	66.4	63.9 - 68.9	62,600	19.7	17.5 - 21.9	16,100	5.1	4.0 - 6.2	27,900	8.8	7.5 - 10.1	317,700
Native Hawaiian	82,100	67.3	62.6 - 72.0	21,000	17.2	13.3 - 21.1	6,400	5.2	3.2 - 7.3	12,500	10.3	7.5 - 13.0	122,000
Chinese	46,400	75.1	69.4 - 80.8	9,300	15.0	10.4 - 19.5	3,400	5.5	2.2 - 8.7	2,700	4.4	2.1 - 6.7	61,800
Filipino	118,000	70.5	66.1 - 74.9	33,900	20.3	16.2 - 24.3	5,800	3.4	1.8 - 5.0	9,700	5.8	4.1 - 7.5	167,300
Japanese	159,300	68.3	64.9 - 71.7	45,700	19.6	16.6 - 22.6	10,200	4.4	2.9 - 5.8	18,000	7.7	5.9 - 9.5	233,200
Black	11,500	71.9	59.2 - 84.6	2,400	14.9	4.7 - 25.1	500	2.9	0.0 - 6.9	1,600	10.3	1.6 - 19.0	16,000
Other Asian	15,500	64.8	53.1 - 76.5	4,600	19.1	10.4 - 27.9	900	3.5	0.0 - 7.7	3,000	12.5	3.6 - 21.3	24,000
Other Pacific Islander	18,800	62.4	47.5 - 77.4	7,500	25.0	9.9 - 40.1	2,300	7.7	0.7 - 14.7	1,500	4.8	0.0 - 9.8	30,100
Other	13,400	66.4	55.5 - 77.3	3,200	15.8	8.6 - 23.0	600	2.9	0.7 - 5.0	3,000	14.9	5.7 - 24.2	20,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	354,300	71.1	68.7 - 73.5	90,500	18.2	16.0 - 20.3	18,400	3.7	2.8 - 4.6	35,100	7.0	5.8 - 8.2	498,300
Female	326,200	65.1	62.9 - 67.3	100,900	20.1	18.2 - 22.1	27,900	5.6	4.5 - 6.6	46,000	9.2	8.0 - 10.4	501,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	8,100	59.7	45.2 - 74.3	2,800	20.3	7.3 - 33.3	100	1.1	0.0 - 2.6	2,600	18.9	9.4 - 28.3	13,600
Grades 9 thru 11 (Some High School)	22,500	61.6	52.4 - 70.8	6,200	17.1	9.1 - 25.2	3,000	8.3	3.6 - 12.9	4,800	13.0	8.0 - 18.1	36,500
Grades 12 or GED (High School Grad)	195,200	68.7	65.6 - 71.8	51,700	18.2	15.5 - 20.9	12,000	4.2	2.9 - 5.5	25,200	8.9	7.2 - 10.6	284,200
College 1 to 3 years (Some College/ Tech)	199,600	68.4	65.2 - 71.6	55,500	19.0	16.2 - 21.9	13,000	4.5	3.2 - 5.7	23,600	8.1	6.5 - 9.7	291,700
College 4 years or more (College Grad)	254,500	68.3	65.8 - 70.8	75,200	20.2	18.0 - 22.4	18,200	4.9	3.7 - 6.0	24,900	6.7	5.5 - 7.9	372,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	439,700	70.5	68.4 - 72.5	125,900	20.2	18.3 - 22.0	25,900	4.2	3.3 - 5.0	32,500	5.2	4.3 - 6.1	624,000
Unemployed	46,200	66.6	59.6 - 73.7	12,900	18.5	12.5 - 24.6	2,600	3.7	1.3 - 6.2	7,700	11.1	6.9 - 15.3	69,300
Retired/Unable to work	125,400	62.0	58.9 - 65.0	31,100	15.4	12.7 - 18.1	10,900	5.4	4.1 - 6.6	34,900	17.3	15.0 - 19.5	202,300
Student/Homemaker	68,300	66.6	60.4 - 72.7	21,400	20.8	15.4 - 26.3	7,000	6.8	3.6 - 10.0	5,900	5.8	3.4 - 8.2	102,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	15,200	56.2	46.9 - 65.4	5,700	21.0	12.6 - 29.4	1,800	6.6	2.8 - 10.4	4,400	16.3	10.4 - 22.1	27,100
\$10,000 to \$14,999	12,800	53.6	43.2 - 64.0	4,300	17.8	9.0 - 26.6	2,200	9.2	4.4 - 14.1	4,600	19.3	12.4 - 26.3	23,900
\$15,000 to \$19,999	30,300	62.7	55.7 - 69.7	7,900	16.4	10.8 - 21.9	3,300	6.8	3.1 - 10.4	6,800	14.2	10.0 - 18.3	48,300
\$20,000 to \$24,999	37,600	65.0	58.8 - 71.1	10,200	17.5	12.6 - 22.5	2,400	4.1	2.0 - 6.2	7,800	13.4	9.5 - 17.3	57,900
\$25,000 to \$34,999	68,200	68.6	63.4 - 73.8	17,300	17.5	12.9 - 22.1	5,500	5.6	3.1 - 8.0	8,400	8.4	5.8 - 11.0	99,400
\$35,000 to \$49,999	108,100	70.8	66.8 - 74.7	27,100	17.8	14.5 - 21.0	5,000	3.3	1.8 - 4.8	12,500	8.2	5.9 - 10.5	152,800
\$50,000 to \$74,999	121,900	68.7	64.9 - 72.6	37,500	21.1	17.7 - 24.5	7,200	4.0	2.4 - 5.7	10,900	6.1	4.4 - 7.9	177,500
\$75,000 or more	216,000	69.2	66.3 - 72.1	62,400	20.0	17.4 - 22.6	15,200	4.9	3.5 - 6.2	18,600	5.9	4.5 - 7.4	312,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	126,400	62.6	58.6 - 66.7	39,800	19.7	16.1 - 23.3	13,200	6.6	4.7 - 8.4	22,400	11.1	9.0 - 13.2	201,800
131-185%	104,100	69.8	65.8 - 73.9	24,000	16.1	12.8 - 19.4	5,400	3.6	2.0 - 5.2	15,600	10.5	8.1 - 12.8	149,000
186+%	379,700	69.3	67.2 - 71.3	108,600	19.8	18.0 - 21.6	23,900	4.4	3.5 - 5.3	36,000	6.6	5.5 - 7.6	548,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	405,300	69.2	67.3 - 71.1	109,100	18.6	17.0 - 20.2	23,900	4.1	3.3 - 4.9	47,300	8.1	7.0 - 9.2	585,700
Unmarried Couple	25,200	75.7	67.5 - 83.9	3,700	11.2	5.6 - 16.7	1,400	4.3	1.1 - 7.4	2,900	8.8	3.2 - 14.5	33,200
Widowed	36,700	64.0	59.0 - 69.0	10,700	18.6	14.2 - 23.0	3,000	5.3	2.7 - 7.8	7,000	12.2	9.2 - 15.2	57,400
Other	213,300	66.0	62.6 - 69.5	68,000	21.0	17.9 - 24.2	18,000	5.6	4.1 - 7.1	23,700	7.3	5.8 - 8.9	323,000

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	411,400	69.1	67.2 - 71.0	110,800	18.6	17.0 - 20.2	25,100	4.2	3.4 - 5.0	48,400	8.1	7.1 - 9.2	595,700
No	267,800	66.6	63.7 - 69.5	80,300	20.0	17.3 - 22.7	21,200	5.3	4.0 - 6.5	32,600	8.1	6.8 - 9.5	402,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	629,000	68.1	66.5 - 69.8	175,500	19.0	17.6 - 20.4	43,000	4.7	3.9 - 5.4	75,600	8.2	7.3 - 9.1	923,100
No	49,100	67.3	59.3 - 75.3	15,900	21.8	14.0 - 29.6	3,300	4.6	1.8 - 7.3	4,600	6.3	3.5 - 9.1	72,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	652,900	65.8	64.2 - 67.5	193,400	19.5	18.1 - 20.8	49,000	4.9	4.2 - 5.7	96,500	9.7	8.7 - 10.7	991,800

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	84,600	63.3	60.0 - 66.5	28,500	21.3	18.5 - 24.2	7,000	5.2	3.8 - 6.7	13,600	10.2	8.4 - 12.0	133,700
Honolulu	460,000	65.7	63.6 - 67.9	137,600	19.7	17.9 - 21.4	35,200	5.0	4.0 - 6.0	67,000	9.6	8.2 - 10.9	699,800
Kauai	32,100	66.1	61.3 - 70.9	8,300	17.1	13.1 - 21.1	3,400	7.0	4.5 - 9.6	4,700	9.7	6.9 - 12.6	48,600
Maui	76,200	69.5	66.2 - 72.8	19,000	17.3	14.7 - 20.0	3,300	3.0	1.9 - 4.2	11,100	10.2	8.1 - 12.2	109,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	84,600	63.3	60.0 - 66.5	28,500	21.3	18.5 - 24.2	7,000	5.2	3.8 - 6.7	13,600	10.2	8.4 - 12.0	133,700
Kauai	32,100	66.1	61.3 - 70.9	8,300	17.1	13.1 - 21.1	3,400	7.0	4.5 - 9.6	4,700	9.7	6.9 - 12.6	48,600
Lanai	1,300	64.6	55.9 - 73.3	300	15.3	9.4 - 21.3	100	4.8	1.5 - 8.1	300	15.3	8.5 - 22.1	2,100
Maui	70,000	70.0	66.4 - 73.5	17,100	17.2	14.3 - 20.0	2,900	2.9	1.7 - 4.0	10,000	10.0	7.8 - 12.3	100,000
Molokai	4,900	64.3	56.0 - 72.6	1,500	20.0	13.2 - 26.8	400	5.0	0.0 - 10.2	800	10.8	6.1 - 15.4	7,700
Oahu	460,000	65.7	63.6 - 67.9	137,600	19.7	17.9 - 21.4	35,200	5.0	4.0 - 6.0	67,000	9.6	8.2 - 10.9	699,800

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	42,100	65.9	59.4 - 72.5	10,800	16.8	11.9 - 21.7	2,900	4.5	2.0 - 6.9	8,100	12.7	7.9 - 17.6	63,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	19,500	60.1	50.8 - 69.4	7,900	24.3	15.6 - 33.0	2,000	6.2	2.3 - 10.2	3,100	9.4	4.2 - 14.6	32,500
Hanalei/ Kapaa	12,600	63.7	56.3 - 71.0	3,300	16.6	11.0 - 22.2	1,200	6.2	2.8 - 9.7	2,700	13.5	8.2 - 18.8	19,900
Hilo	25,500	60.5	54.1 - 66.8	10,300	24.3	18.5 - 30.2	2,000	4.8	2.6 - 7.1	4,400	10.4	6.7 - 14.0	42,100
Kaaawa/ Kahaluu/ Kaneohe	30,200	62.8	54.1 - 71.5	9,900	20.6	12.4 - 28.8	3,100	6.5	1.9 - 11.1	4,900	10.1	5.7 - 14.6	48,100
Kahului	25,900	76.6	71.0 - 82.3	4,100	12.1	7.9 - 16.4	800	2.4	0.8 - 4.1	3,000	8.8	5.2 - 12.4	33,800
Kailua/ Waimanalo	31,900	64.0	56.7 - 71.4	10,500	21.0	15.3 - 26.7	2,200	4.4	1.8 - 6.9	5,300	10.6	5.3 - 15.9	49,900
Kaimuki/ Palolo/ Waikiki	40,000	68.5	61.9 - 75.1	9,200	15.8	10.7 - 20.8	3,100	5.3	2.1 - 8.5	6,100	10.4	5.6 - 15.3	58,400
Kona	16,700	60.5	53.8 - 67.2	6,200	22.3	16.8 - 27.8	2,100	7.7	3.2 - 12.2	2,600	9.5	5.7 - 13.4	27,700
Lahaina/ Wailuku	22,800	66.6	60.1 - 73.0	6,700	19.7	14.4 - 25.0	1,100	3.1	0.5 - 5.7	3,600	10.6	6.6 - 14.6	34,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,300	64.6	55.9 - 73.3	300	15.3	9.4 - 21.3	100	4.8	1.5 - 8.1	300	15.3	8.5 - 22.1	2,100
Lihue-Waimea	19,500	67.8	61.4 - 74.2	5,000	17.4	11.9 - 22.9	2,200	7.6	4.1 - 11.1	2,100	7.2	4.2 - 10.2	28,700
Manoa/ Upper Makiki	33,700	72.2	65.7 - 78.7	6,300	13.5	8.8 - 18.2	2,200	4.8	1.5 - 8.1	4,500	9.6	5.3 - 13.8	46,700
Mililani/ Wahiawa	51,700	71.5	65.5 - 77.6	11,300	15.6	11.0 - 20.3	3,100	4.2	1.2 - 7.3	6,200	8.6	4.7 - 12.5	72,300
Molokai	4,900	64.3	56.0 - 72.6	1,500	20.0	13.2 - 26.8	400	5.0	0.0 - 10.2	800	10.8	6.1 - 15.4	7,700
Nanakuli/ Waianae	23,800	64.9	53.9 - 75.9	5,900	16.2	8.0 - 24.4	2,400	6.6	1.5 - 11.7	4,500	12.3	6.2 - 18.4	36,600
N.Hawaii	18,800	68.6	61.7 - 75.5	5,100	18.8	12.6 - 24.9	1,300	4.6	1.9 - 7.4	2,200	8.0	4.9 - 11.1	27,300
N.Shore/ Laie	13,900	59.4	46.0 - 72.9	6,700	28.4	16.1 - 40.7	2,000	8.6	0.0 - 17.3	800	3.6	0.0 - 7.4	23,400
Nuuanu/ Kalihi/ Moanalua	43,800	66.2	58.5 - 74.0	12,600	19.0	12.5 - 25.5	3,700	5.6	1.1 - 10.1	6,100	9.2	5.1 - 13.3	66,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	23,600	64.6	58.9 - 70.2	7,000	19.0	14.4 - 23.6	1,600	4.3	2.3 - 6.4	4,400	12.1	8.8 - 15.4	36,600
Salt Lake/ Foster Village	26,700	72.5	64.5 - 80.6	7,000	18.9	11.8 - 26.0	1,400	3.9	0.6 - 7.1	1,700	4.7	1.5 - 7.9	36,900
Upcountry/ Hana	21,300	66.6	60.6 - 72.6	6,300	19.7	14.7 - 24.8	1,000	3.0	1.4 - 4.6	3,400	10.6	6.6 - 14.7	32,000
Waialae/ Kahala/ Hawaii Kai	27,900	61.3	53.2 - 69.3	11,900	26.1	19.0 - 33.3	2,100	4.6	2.0 - 7.2	3,600	8.0	2.1 - 13.9	45,600
Waipahu/ Kapolei/ Ewa	74,500	62.5	56.9 - 68.1	27,700	23.2	18.5 - 27.9	5,000	4.2	2.0 - 6.4	12,000	10.1	6.2 - 13.9	119,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	80,100	65.0	58.7 - 71.4	27,700	22.5	17.1 - 27.9	6,900	5.6	2.6 - 8.7	8,400	6.9	3.2 - 10.6	123,100
25-34	118,500	66.4	61.7 - 71.1	40,200	22.5	18.5 - 26.5	7,400	4.2	2.2 - 6.1	12,400	7.0	4.3 - 9.6	178,500
35-44	118,200	66.3	62.7 - 70.0	40,700	22.9	19.7 - 26.0	6,100	3.4	2.2 - 4.7	13,200	7.4	5.1 - 9.6	178,200
45-54	116,100	66.4	63.2 - 69.6	31,100	17.8	15.3 - 20.3	10,000	5.7	4.2 - 7.2	17,500	10.0	8.0 - 12.1	174,700
55-64	92,800	62.1	58.6 - 65.5	30,400	20.4	17.5 - 23.2	8,500	5.7	3.9 - 7.5	17,800	11.9	9.7 - 14.1	149,500
65-74	60,900	68.7	64.8 - 72.7	11,500	13.0	10.3 - 15.7	3,800	4.3	2.3 - 6.2	12,400	14.0	11.0 - 17.0	88,600
75+	62,700	67.5	63.3 - 71.7	10,600	11.4	8.7 - 14.2	5,200	5.6	3.6 - 7.6	14,400	15.5	12.2 - 18.8	92,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	207,800	63.2	60.7 - 65.7	67,100	20.4	18.3 - 22.5	17,600	5.4	4.1 - 6.7	36,400	11.1	9.5 - 12.6	328,900
Native Hawaiian	81,600	60.3	55.3 - 65.3	30,900	22.9	18.6 - 27.1	7,900	5.8	3.6 - 8.1	14,900	11.0	7.9 - 14.1	135,300
Chinese	44,600	66.7	60.0 - 73.4	13,300	19.9	13.7 - 26.1	4,100	6.2	2.8 - 9.6	4,800	7.2	4.0 - 10.4	66,800
Filipino	102,700	72.2	67.7 - 76.7	23,800	16.7	13.1 - 20.4	6,300	4.5	2.2 - 6.7	9,400	6.6	4.2 - 8.9	142,200
Japanese	153,200	67.6	64.3 - 70.9	42,100	18.6	15.9 - 21.3	9,400	4.2	2.9 - 5.4	21,900	9.7	7.3 - 12.0	226,700
Black	9,000	65.0	51.6 - 78.4	3,600	26.0	12.9 - 39.0	300	2.5	0.0 - 5.3	900	6.6	1.0 - 12.1	13,800
Other Asian	17,700	73.9	63.4 - 84.5	2,400	10.0	3.7 - 16.3	1,000	4.3	0.7 - 7.9	2,800	11.8	2.7 - 20.8	24,000
Other Pacific Islander	16,900	71.4	59.2 - 83.5	4,200	17.7	8.4 - 26.9	700	3.1	0.0 - 8.0	1,900	7.9	0.0 - 15.8	23,600
Other	13,300	63.5	51.8 - 75.2	4,300	20.3	10.0 - 30.6	1,400	6.6	0.6 - 12.7	2,000	9.5	3.8 - 15.2	21,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	342,700	69.7	67.2 - 72.1	85,700	17.4	15.4 - 19.4	21,000	4.3	3.1 - 5.4	42,500	8.6	7.2 - 10.1	491,800
Female	310,300	62.1	59.9 - 64.2	107,700	21.5	19.7 - 23.4	28,000	5.6	4.7 - 6.5	53,900	10.8	9.4 - 12.2	499,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	4,500	49.1	35.5 - 62.8	1,400	14.9	2.5 - 27.3	800	8.7	1.2 - 16.3	2,500	27.2	15.6 - 38.9	9,300
Grades 9 thru 11 (Some High School)	20,700	53.2	44.1 - 62.3	11,100	28.6	19.8 - 37.4	1,200	3.2	0.9 - 5.4	5,900	15.1	8.8 - 21.4	38,900
Grades 12 or GED (High School Grad)	187,600	64.6	61.3 - 67.8	52,500	18.1	15.5 - 20.7	14,900	5.1	3.5 - 6.7	35,500	12.2	10.0 - 14.4	290,500
College 1 to 3 years (Some College/ Tech)	191,600	67.4	64.4 - 70.4	51,400	18.1	15.6 - 20.5	14,800	5.2	3.8 - 6.6	26,500	9.3	7.5 - 11.2	284,300
College 4 years or more (College Grad)	247,400	67.3	64.8 - 69.7	76,900	20.9	18.8 - 23.0	17,300	4.7	3.6 - 5.8	26,100	7.1	5.8 - 8.4	367,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	436,200	69.3	67.3 - 71.3	133,200	21.2	19.4 - 23.0	24,700	3.9	3.2 - 4.7	35,200	5.6	4.6 - 6.6	629,300
Unemployed	29,000	67.0	57.6 - 76.3	5,300	12.3	6.3 - 18.3	4,100	9.4	3.7 - 15.0	4,900	11.4	5.3 - 17.4	43,300
Retired/Unable to work	130,600	58.7	55.7 - 61.6	32,400	14.6	12.5 - 16.7	13,700	6.2	4.5 - 7.8	45,900	20.6	18.2 - 23.1	222,700
Student/Homemaker	56,200	59.4	53.3 - 65.5	22,400	23.7	18.6 - 28.8	6,500	6.9	3.4 - 10.4	9,500	10.1	6.0 - 14.1	94,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	11,100	45.6	35.6 - 55.7	5,000	20.7	12.0 - 29.4	1,300	5.3	1.1 - 9.6	6,900	28.3	20.1 - 36.6	24,400
\$10,000 to \$14,999	11,400	52.0	41.3 - 62.7	5,300	24.1	13.4 - 34.8	1,600	7.1	1.1 - 13.1	3,700	16.8	9.5 - 24.0	21,900
\$15,000 to \$19,999	23,500	57.1	49.4 - 64.8	7,300	17.8	11.9 - 23.8	2,000	5.0	1.6 - 8.4	8,200	20.1	14.3 - 25.8	41,100
\$20,000 to \$24,999	35,700	64.9	58.4 - 71.4	10,000	18.2	12.7 - 23.7	2,000	3.6	1.5 - 5.6	7,300	13.4	9.4 - 17.3	55,000
\$25,000 to \$34,999	65,700	65.4	60.4 - 70.5	17,800	17.7	13.9 - 21.4	7,400	7.3	4.7 - 10.0	9,600	9.6	6.1 - 13.0	100,400
\$35,000 to \$49,999	94,200	64.3	60.1 - 68.6	30,100	20.6	17.0 - 24.2	8,500	5.8	3.8 - 7.9	13,600	9.3	6.7 - 11.9	146,500
\$50,000 to \$74,999	124,600	66.8	63.1 - 70.6	37,600	20.1	17.0 - 23.3	9,200	4.9	2.9 - 7.0	15,100	8.1	6.1 - 10.1	186,400
\$75,000 or more	220,900	68.9	66.1 - 71.7	65,800	20.5	18.1 - 22.9	13,800	4.3	3.1 - 5.5	20,000	6.3	4.7 - 7.8	320,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	106,400	59.9	55.4 - 64.4	36,700	20.7	17.0 - 24.3	9,500	5.3	3.4 - 7.3	25,100	14.1	11.2 - 17.0	177,800
131-185%	74,000	62.6	57.2 - 68.0	22,600	19.2	15.0 - 23.3	8,200	6.9	3.7 - 10.2	13,400	11.3	7.9 - 14.8	118,200
186+%	406,300	67.7	65.8 - 69.6	119,600	19.9	18.3 - 21.6	28,000	4.7	3.9 - 5.5	46,000	7.7	6.6 - 8.7	599,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	391,400	67.0	65.0 - 69.0	116,400	19.9	18.3 - 21.6	25,700	4.4	3.6 - 5.2	50,500	8.6	7.4 - 9.9	584,100
Unmarried Couple	14,600	54.1	43.7 - 64.5	7,600	28.2	18.8 - 37.5	2,000	7.5	0.8 - 14.2	2,800	10.2	4.9 - 15.5	27,000
Widowed	36,800	64.6	59.5 - 69.6	6,700	11.8	8.7 - 14.8	3,700	6.5	3.1 - 9.9	9,800	17.2	13.5 - 20.9	56,900
Other	210,100	64.9	61.7 - 68.1	62,700	19.4	16.7 - 22.0	17,600	5.4	3.9 - 6.9	33,400	10.3	8.4 - 12.3	323,800

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	397,100	66.7	64.7 - 68.7	119,900	20.1	18.4 - 21.8	26,200	4.4	3.6 - 5.2	52,300	8.8	7.5 - 10.0	595,500
No	253,600	64.4	61.6 - 67.2	73,300	18.6	16.4 - 20.9	22,800	5.8	4.4 - 7.2	44,200	11.2	9.5 - 12.9	393,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	610,900	65.9	64.2 - 67.5	183,500	19.8	18.4 - 21.2	45,100	4.9	4.1 - 5.6	88,100	9.5	8.5 - 10.5	927,600
No	41,100	65.6	58.2 - 73.0	9,900	15.8	10.9 - 20.8	3,500	5.5	2.1 - 9.0	8,200	13.0	7.4 - 18.6	62,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	657,400	67.0	65.4 - 68.6	200,500	20.4	19.0 - 21.8	41,300	4.2	3.6 - 4.9	82,000	8.4	7.5 - 9.2	981,200

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	81,100	63.6	60.5 - 66.7	27,300	21.4	18.7 - 24.2	5,300	4.1	3.0 - 5.3	13,800	10.8	9.0 - 12.6	127,500
Honolulu	472,500	67.6	65.5 - 69.7	144,600	20.7	18.8 - 22.5	29,500	4.2	3.4 - 5.1	52,600	7.5	6.4 - 8.6	699,200
Kauai	31,200	66.2	61.6 - 70.7	8,800	18.7	14.9 - 22.5	2,100	4.5	2.7 - 6.3	5,000	10.6	7.7 - 13.6	47,200
Maui	72,600	67.7	64.3 - 71.0	19,800	18.4	15.6 - 21.2	4,400	4.1	2.9 - 5.3	10,600	9.8	7.7 - 11.9	107,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	81,100	63.6	60.5 - 66.7	27,300	21.4	18.7 - 24.2	5,300	4.1	3.0 - 5.3	13,800	10.8	9.0 - 12.6	127,500
Kauai	31,200	66.2	61.6 - 70.7	8,800	18.7	14.9 - 22.5	2,100	4.5	2.7 - 6.3	5,000	10.6	7.7 - 13.6	47,200
Lanai	1,300	66.2	58.2 - 74.2	300	14.2	8.4 - 20.0	200	9.3	3.4 - 15.2	200	10.3	6.0 - 14.6	1,900
Maui	65,700	67.5	63.9 - 71.2	18,100	18.6	15.5 - 21.6	3,800	3.9	2.6 - 5.3	9,700	10.0	7.6 - 12.3	97,300
Molokai	5,700	69.4	62.9 - 75.8	1,400	17.6	12.5 - 22.7	400	4.7	1.4 - 7.9	700	8.4	4.9 - 11.8	8,100
Oahu	472,500	67.6	65.5 - 69.7	144,600	20.7	18.8 - 22.5	29,500	4.2	3.4 - 5.1	52,600	7.5	6.4 - 8.6	699,200

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	45,800	66.4	59.6 - 73.1	17,300	25.0	18.6 - 31.4	2,600	3.8	1.3 - 6.2	3,300	4.8	2.5 - 7.1	69,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	18,500	63.6	54.9 - 72.3	5,000	17.0	10.4 - 23.7	400	1.4	0.0 - 2.9	5,200	17.9	11.0 - 24.8	29,100
Hanalei/ Kapaa	13,700	68.3	61.8 - 74.8	3,600	18.1	12.4 - 23.7	800	3.9	1.8 - 5.9	2,000	9.8	6.0 - 13.5	20,000
Hilo	22,900	63.3	57.8 - 68.7	7,900	21.7	17.0 - 26.4	1,800	4.8	2.3 - 7.4	3,700	10.2	7.1 - 13.3	36,200
Kaaawa/ Kahaluu/ Kaneohe	31,800	64.1	56.1 - 72.1	10,700	21.5	14.4 - 28.6	3,900	7.8	2.8 - 12.7	3,300	6.6	3.1 - 10.2	49,600
Kahului	21,200	65.9	59.7 - 72.2	6,200	19.2	14.1 - 24.3	1,300	4.1	1.6 - 6.5	3,500	10.8	6.4 - 15.2	32,200
Kailua/ Waimanalo	36,800	70.4	63.6 - 77.2	9,400	18.1	12.5 - 23.7	1,500	2.8	0.5 - 5.1	4,500	8.7	4.4 - 13.0	52,200
Kaimuki/ Palolo/ Waikiki	38,600	69.6	63.3 - 75.8	11,500	20.7	15.3 - 26.1	2,100	3.7	1.2 - 6.2	3,400	6.1	3.2 - 9.0	55,500
Kona	18,400	66.8	60.3 - 73.3	5,300	19.3	13.6 - 25.0	800	2.9	1.0 - 4.9	3,000	11.0	6.7 - 15.2	27,600
Lahaina/ Wailuku	21,300	68.7	61.8 - 75.7	6,000	19.5	13.2 - 25.9	1,500	4.7	2.0 - 7.4	2,200	7.0	4.3 - 9.8	30,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,300	66.2	58.2 - 74.2	300	14.2	8.4 - 20.0	200	9.3	3.4 - 15.2	200	10.3	6.0 - 14.6	1,900
Lihue-Waimea	17,500	64.6	58.3 - 70.9	5,200	19.2	14.1 - 24.3	1,300	4.9	2.2 - 7.7	3,100	11.3	7.0 - 15.6	27,100
Manoa/ Upper Makiki	32,300	70.8	64.4 - 77.3	9,700	21.3	15.6 - 27.1	1,400	3.1	0.5 - 5.6	2,200	4.8	2.0 - 7.5	45,700
Mililani/ Wahiawa	51,200	69.1	63.0 - 75.2	14,400	19.4	14.1 - 24.8	3,500	4.7	2.3 - 7.1	5,000	6.7	3.5 - 10.0	74,100
Molokai	5,700	69.4	62.9 - 75.8	1,400	17.6	12.5 - 22.7	400	4.7	1.4 - 7.9	700	8.4	4.9 - 11.8	8,100
Nanakuli/ Waianae	24,100	61.0	50.1 - 71.9	9,600	24.3	14.4 - 34.2	500	1.3	0.0 - 2.8	5,300	13.4	6.6 - 20.2	39,500
N.Hawaii	18,900	67.4	60.6 - 74.1	5,400	19.2	13.0 - 25.4	1,100	4.0	1.5 - 6.5	2,700	9.4	5.7 - 13.2	28,100
N.Shore/ Laie	16,200	72.9	62.6 - 83.1	4,000	18.2	9.4 - 27.0	700	3.4	0.0 - 7.3	1,200	5.6	1.2 - 10.0	22,200
Nuuanu/ Kalihi/ Moanalua	46,100	69.9	62.9 - 76.9	13,200	20.0	13.8 - 26.1	1,500	2.3	0.5 - 4.0	5,200	7.9	4.0 - 11.8	66,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	20,900	58.5	52.4 - 64.5	8,800	24.6	18.9 - 30.3	1,600	4.5	2.4 - 6.6	4,400	12.4	9.1 - 15.8	35,700
Salt Lake/ Foster Village	19,100	66.6	56.8 - 76.3	5,500	19.0	10.3 - 27.7	2,100	7.2	2.5 - 11.9	2,100	7.2	2.8 - 11.6	28,700
Upcountry/ Hana	23,300	68.0	62.2 - 73.7	5,900	17.1	12.7 - 21.5	1,100	3.1	1.4 - 4.9	4,000	11.8	7.4 - 16.1	34,200
Waialae/ Kahala/ Hawaii Kai	28,400	73.6	66.1 - 81.1	5,900	15.3	8.9 - 21.7	2,700	7.0	3.1 - 11.0	1,600	4.1	1.2 - 6.9	38,600
Waipahu/ Kapolei/ Ewa	83,500	64.7	59.2 - 70.2	28,500	22.1	17.1 - 27.0	6,700	5.2	2.7 - 7.8	10,300	8.0	5.1 - 10.8	128,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	80,800	64.5	58.0 - 71.0	37,000	29.5	23.4 - 35.7	2,900	2.3	0.2 - 4.5	4,500	3.6	1.6 - 5.6	125,300
25-34	107,100	67.0	62.6 - 71.4	38,600	24.1	20.2 - 28.1	5,900	3.7	2.0 - 5.4	8,300	5.2	3.3 - 7.2	160,000
35-44	119,000	68.1	64.6 - 71.7	34,900	20.0	16.9 - 23.1	8,700	5.0	3.5 - 6.5	12,000	6.9	4.9 - 8.8	174,600
45-54	120,000	65.0	61.8 - 68.2	39,800	21.5	18.8 - 24.3	7,200	3.9	2.7 - 5.1	17,800	9.6	7.6 - 11.7	184,800
55-64	105,900	68.5	65.2 - 71.8	25,800	16.7	14.0 - 19.4	8,100	5.2	3.5 - 6.9	14,700	9.5	7.7 - 11.4	154,500
65-74	60,500	72.1	68.3 - 76.0	11,000	13.1	10.1 - 16.1	3,900	4.6	2.7 - 6.5	8,500	10.1	7.8 - 12.4	83,800
75+	60,800	64.6	60.0 - 69.2	13,000	13.9	10.7 - 17.1	4,300	4.6	2.6 - 6.6	16,000	17.0	13.2 - 20.7	94,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	205,200	65.7	63.3 - 68.1	64,800	20.8	18.7 - 22.8	12,900	4.1	3.0 - 5.3	29,400	9.4	7.9 - 10.9	312,400
Native Hawaiian	85,000	62.9	58.3 - 67.4	32,100	23.7	19.5 - 28.0	4,400	3.2	1.9 - 4.5	13,800	10.2	7.6 - 12.7	135,200
Chinese	37,700	68.6	62.0 - 75.2	11,500	20.9	15.2 - 26.6	2,100	3.8	1.3 - 6.3	3,700	6.7	3.3 - 10.0	55,000
Filipino	116,800	68.0	63.5 - 72.6	35,700	20.8	16.5 - 25.0	7,600	4.5	2.7 - 6.2	11,600	6.8	4.8 - 8.7	171,700
Japanese	148,400	69.1	65.9 - 72.4	39,200	18.2	15.5 - 21.0	10,500	4.9	3.4 - 6.4	16,600	7.7	6.0 - 9.5	214,700
Black	10,900	67.4	54.2 - 80.7	2,700	16.9	6.0 - 27.7	800	5.1	0.4 - 9.9	1,700	10.5	2.7 - 18.4	16,200
Other Asian	15,600	71.7	61.9 - 81.4	4,500	20.9	12.0 - 29.9	600	2.6	0.0 - 5.3	1,000	4.8	1.4 - 8.2	21,700
Other Pacific Islander	16,900	77.3	67.2 - 87.3	3,500	16.1	7.9 - 24.3	800	3.7	0.0 - 7.6	600	2.9	0.0 - 8.0	21,900
Other	14,100	63.6	51.7 - 75.4	4,300	19.3	9.3 - 29.4	1,400	6.3	1.2 - 11.3	2,400	10.8	2.5 - 19.2	22,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	329,900	68.1	65.6 - 70.5	95,500	19.7	17.6 - 21.9	21,400	4.4	3.4 - 5.4	37,800	7.8	6.5 - 9.1	484,600
Female	327,500	65.9	63.9 - 68.0	105,000	21.1	19.3 - 23.0	19,900	4.0	3.2 - 4.8	44,200	8.9	7.8 - 10.0	496,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	8,900	62.7	49.0 - 76.3	1,700	11.7	3.1 - 20.2	500	3.6	0.3 - 7.0	3,100	22.0	9.7 - 34.2	14,200
Grades 9 thru 11 (Some High School)	24,100	63.9	55.6 - 72.1	4,800	12.8	7.4 - 18.1	1,400	3.8	1.0 - 6.5	7,400	19.6	12.5 - 26.6	37,700
Grades 12 or GED (High School Grad)	209,200	67.8	64.7 - 70.9	56,500	18.3	15.6 - 21.0	14,300	4.7	3.3 - 6.0	28,400	9.2	7.6 - 10.9	308,400
College 1 to 3 years (Some College/ Tech)	191,800	66.3	63.4 - 69.3	64,200	22.2	19.5 - 24.9	11,400	3.9	2.8 - 5.1	21,700	7.5	6.2 - 8.9	289,200
College 4 years or more (College Grad)	221,800	67.2	64.7 - 69.7	73,300	22.2	20.0 - 24.4	13,700	4.1	3.1 - 5.2	21,300	6.5	5.2 - 7.7	330,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	435,900	68.8	66.8 - 70.8	139,300	22.0	20.2 - 23.8	25,200	4.0	3.2 - 4.8	32,900	5.2	4.3 - 6.0	633,400
Unemployed	21,200	67.2	56.6 - 77.9	3,900	12.5	5.1 - 19.8	2,100	6.6	0.2 - 13.0	4,300	13.7	6.3 - 21.1	31,600
Retired/Unable to work	143,400	63.5	60.6 - 66.4	31,900	14.1	12.0 - 16.3	10,700	4.8	3.5 - 6.0	39,800	17.6	15.3 - 19.9	225,900
Student/Homemaker	56,500	62.9	56.8 - 69.0	25,300	28.2	22.3 - 34.0	3,100	3.4	1.4 - 5.4	5,000	5.5	3.3 - 7.8	89,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	13,800	50.4	40.6 - 60.2	6,900	25.1	15.3 - 34.9	1,100	3.9	1.1 - 6.7	5,600	20.6	13.2 - 27.9	27,400
\$10,000 to \$14,999	16,000	53.4	43.4 - 63.4	5,800	19.3	11.4 - 27.2	1,400	4.8	1.2 - 8.4	6,700	22.4	14.2 - 30.6	29,900
\$15,000 to \$19,999	27,000	61.8	54.9 - 68.7	7,700	17.7	12.0 - 23.3	2,200	5.1	2.1 - 8.0	6,800	15.5	10.8 - 20.2	43,700
\$20,000 to \$24,999	41,500	69.5	63.6 - 75.4	9,900	16.6	11.9 - 21.3	1,700	2.9	0.8 - 5.0	6,600	11.0	7.2 - 14.8	59,700
\$25,000 to \$34,999	75,100	66.4	61.7 - 71.1	21,600	19.1	15.2 - 23.0	6,500	5.7	3.3 - 8.1	9,900	8.8	6.1 - 11.5	113,100
\$35,000 to \$49,999	109,900	66.6	62.7 - 70.5	36,700	22.2	18.7 - 25.7	5,300	3.2	2.0 - 4.4	13,100	7.9	5.9 - 9.9	165,000
\$50,000 to \$74,999	113,700	67.0	63.2 - 70.9	38,700	22.8	19.2 - 26.4	7,800	4.6	3.0 - 6.2	9,500	5.6	4.0 - 7.1	169,700
\$75,000 or more	202,700	70.9	68.2 - 73.6	57,700	20.2	17.7 - 22.7	10,000	3.5	2.5 - 4.5	15,400	5.4	4.2 - 6.6	285,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	128,000	63.9	60.0 - 67.8	36,900	18.4	15.2 - 21.6	10,500	5.2	3.5 - 6.9	25,000	12.5	10.0 - 14.9	200,300
131-185%	73,600	63.8	58.4 - 69.2	28,300	24.6	19.4 - 29.7	2,400	2.0	1.0 - 3.1	11,100	9.6	6.9 - 12.4	115,400
186+%	398,200	68.8	67.0 - 70.7	119,800	20.7	19.0 - 22.4	23,200	4.0	3.3 - 4.8	37,500	6.5	5.6 - 7.3	578,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	398,800	68.3	66.4 - 70.2	114,700	19.6	18.0 - 21.3	25,200	4.3	3.5 - 5.1	45,300	7.8	6.7 - 8.8	584,000
Unmarried Couple	17,300	64.7	54.6 - 74.8	6,200	23.1	14.1 - 32.0	1,000	3.7	1.0 - 6.3	2,300	8.6	3.0 - 14.1	26,700
Widowed	39,800	70.8	66.1 - 75.5	7,200	12.7	9.7 - 15.8	2,500	4.5	2.1 - 7.0	6,700	12.0	8.5 - 15.5	56,200
Other	201,500	64.1	60.8 - 67.4	72,500	23.1	20.1 - 26.0	12,600	4.0	2.7 - 5.3	27,600	8.8	7.1 - 10.4	314,200

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	403,800	68.0	66.1 - 69.9	117,100	19.7	18.1 - 21.4	25,500	4.3	3.5 - 5.1	47,400	8.0	6.9 - 9.0	593,800
No	252,400	65.4	62.6 - 68.2	83,400	21.6	19.1 - 24.1	15,800	4.1	3.0 - 5.2	34,500	8.9	7.5 - 10.3	386,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	617,600	67.0	65.4 - 68.7	189,900	20.6	19.2 - 22.1	37,800	4.1	3.5 - 4.7	76,100	8.3	7.4 - 9.1	921,400
No	38,900	66.2	59.1 - 73.2	10,600	18.1	12.7 - 23.5	3,500	5.9	1.8 - 10.0	5,800	9.8	6.0 - 13.7	58,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	648,800	67.5	66.0 - 69.1	180,300	18.8	17.4 - 20.1	46,900	4.9	4.2 - 5.6	84,500	8.8	7.9 - 9.6	960,500

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	77,900	65.2	62.1 - 68.3	23,000	19.3	16.7 - 21.8	6,000	5.0	3.5 - 6.5	12,600	10.5	8.6 - 12.4	119,500
Honolulu	467,600	67.9	65.8 - 69.9	130,700	19.0	17.2 - 20.8	33,200	4.8	3.9 - 5.8	57,200	8.3	7.2 - 9.4	688,800
Kauai	31,900	67.8	63.2 - 72.4	8,100	17.2	13.4 - 20.9	1,800	3.9	2.2 - 5.7	5,200	11.1	8.1 - 14.1	47,100
Maui	71,300	67.8	64.5 - 71.2	18,500	17.6	15.0 - 20.3	5,800	5.5	3.8 - 7.3	9,400	9.0	7.1 - 10.9	105,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	77,900	65.2	62.1 - 68.3	23,000	19.3	16.7 - 21.8	6,000	5.0	3.5 - 6.5	12,600	10.5	8.6 - 12.4	119,500
Kauai	31,900	67.8	63.2 - 72.4	8,100	17.2	13.4 - 20.9	1,800	3.9	2.2 - 5.7	5,200	11.1	8.1 - 14.1	47,100
Lanai	1,600	69.3	61.8 - 76.9	400	16.0	10.5 - 21.4	100	3.8	0.9 - 6.6	300	10.9	5.1 - 16.7	2,300
Maui	65,300	67.8	64.2 - 71.3	17,200	17.8	14.9 - 20.7	5,400	5.6	3.7 - 7.5	8,500	8.8	6.8 - 10.9	96,300
Molokai	4,500	68.8	61.2 - 76.4	1,000	15.2	9.8 - 20.6	400	5.6	0.8 - 10.4	700	10.4	5.7 - 15.1	6,500
Oahu	467,600	67.9	65.8 - 69.9	130,700	19.0	17.2 - 20.8	33,200	4.8	3.9 - 5.8	57,200	8.3	7.2 - 9.4	688,800

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	42,200	64.2	57.3 - 71.0	15,500	23.6	17.6 - 29.6	2,300	3.4	0.9 - 6.0	5,800	8.8	4.7 - 12.9	65,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	22,400	68.8	61.1 - 76.5	6,100	18.7	12.0 - 25.3	1,600	4.8	1.6 - 7.9	2,500	7.7	3.8 - 11.7	32,600
Hanalei/ Kapaa	13,300	64.8	57.8 - 71.9	3,700	17.9	11.9 - 24.0	700	3.5	1.0 - 5.9	2,800	13.8	8.8 - 18.9	20,500
Hilo	22,000	64.5	58.9 - 70.2	6,900	20.3	15.7 - 24.8	2,100	6.2	3.0 - 9.4	3,100	9.0	5.6 - 12.4	34,100
Kaaawa/ Kahaluu/ Kaneohe	30,000	62.9	55.0 - 70.7	10,200	21.4	14.6 - 28.1	3,400	7.2	3.6 - 10.8	4,100	8.5	4.6 - 12.5	47,700
Kahului	22,400	69.3	63.1 - 75.5	5,300	16.5	11.7 - 21.4	1,900	6.0	2.3 - 9.8	2,600	8.2	5.1 - 11.3	32,300
Kailua/ Waimanalo	31,200	63.8	56.1 - 71.5	11,300	23.2	15.7 - 30.7	2,300	4.7	1.7 - 7.6	4,000	8.3	4.9 - 11.7	48,800
Kaimuki/ Palolo/ Waikiki	38,400	68.5	61.9 - 75.0	10,700	19.0	13.2 - 24.8	1,300	2.3	0.7 - 4.0	5,700	10.2	6.2 - 14.2	56,200
Kona	18,900	65.0	59.0 - 71.0	6,100	20.8	15.5 - 26.0	1,200	4.3	2.0 - 6.5	2,900	10.0	6.7 - 13.3	29,100
Lahaina/ Wailuku	20,700	64.2	57.8 - 70.7	6,700	20.6	15.1 - 26.2	2,100	6.6	2.9 - 10.4	2,700	8.5	5.2 - 11.8	32,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,600	69.3	61.8 - 76.9	400	16.0	10.5 - 21.4	100	3.8	0.9 - 6.6	300	10.9	5.1 - 16.7	2,300
Lihue-Waimea	18,600	70.1	64.2 - 76.0	4,400	16.6	11.9 - 21.3	1,100	4.3	1.8 - 6.7	2,400	9.0	5.5 - 12.6	26,500
Manoa/ Upper Makiki	32,900	69.9	62.8 - 76.9	9,200	19.5	13.6 - 25.4	2,100	4.4	0.4 - 8.4	2,900	6.2	3.0 - 9.3	47,000
Mililani/ Wahiawa	44,000	67.1	60.6 - 73.6	13,000	19.9	14.3 - 25.5	2,800	4.3	1.7 - 7.0	5,700	8.7	4.8 - 12.5	65,500
Molokai	4,500	68.8	61.2 - 76.4	1,000	15.2	9.8 - 20.6	400	5.6	0.8 - 10.4	700	10.4	5.7 - 15.1	6,500
Nanakuli/ Waianae	15,800	56.9	45.2 - 68.5	5,200	18.7	10.0 - 27.4	2,900	10.5	2.8 - 18.1	3,900	14.0	6.5 - 21.4	27,700
N.Hawaii	17,000	65.6	58.3 - 72.8	4,400	17.1	11.1 - 23.1	1,400	5.4	1.9 - 8.8	3,100	12.0	7.0 - 17.0	26,000
N.Shore/ Laie	15,200	63.4	53.1 - 73.8	5,200	21.9	13.6 - 30.1	0	0.0	--	3,500	14.7	7.0 - 22.4	24,000
Nuuanu/ Kalihi/ Moanalua	50,300	70.0	63.3 - 76.7	12,400	17.2	11.3 - 23.2	2,700	3.7	1.1 - 6.4	6,500	9.0	5.7 - 12.3	71,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	20,000	66.0	59.9 - 72.1	5,600	18.6	13.6 - 23.5	1,200	4.0	0.9 - 7.2	3,500	11.4	7.9 - 15.0	30,300
Salt Lake/ Foster Village	26,800	75.2	66.0 - 84.3	6,000	16.8	8.2 - 25.4	1,100	3.0	0.2 - 5.7	1,800	5.1	1.2 - 8.9	35,600
Upcountry/ Hana	22,200	69.8	63.9 - 75.6	5,200	16.3	11.9 - 20.7	1,300	4.1	1.9 - 6.2	3,100	9.9	5.7 - 14.1	31,800
Waialae/ Kahala/ Hawaii Kai	31,200	73.3	65.4 - 81.2	7,200	16.8	9.4 - 24.3	1,900	4.4	1.3 - 7.5	2,300	5.5	2.4 - 8.5	42,600
Waipahu/ Kapolei/ Ewa	87,300	70.7	65.5 - 75.9	18,700	15.2	11.0 - 19.4	8,900	7.2	4.2 - 10.2	8,500	6.9	4.3 - 9.5	123,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	79,700	66.2	59.7 - 72.6	31,500	26.1	19.9 - 32.3	5,500	4.5	2.0 - 7.0	3,900	3.2	1.3 - 5.1	120,500
25-34	112,700	69.9	65.8 - 74.1	30,700	19.1	15.5 - 22.6	8,700	5.4	3.2 - 7.6	9,000	5.6	3.6 - 7.5	161,100
35-44	121,400	69.3	65.9 - 72.7	35,700	20.4	17.5 - 23.3	7,200	4.1	2.6 - 5.6	10,900	6.2	4.5 - 7.9	175,000
45-54	115,400	64.8	61.6 - 68.1	32,900	18.5	15.8 - 21.1	9,300	5.2	3.8 - 6.7	20,400	11.5	9.3 - 13.7	178,000
55-64	96,900	66.7	63.1 - 70.3	24,800	17.1	14.2 - 20.0	6,000	4.1	2.5 - 5.7	17,700	12.1	9.7 - 14.6	145,400
65-74	55,700	67.8	63.6 - 71.9	11,800	14.4	11.4 - 17.4	5,100	6.2	3.8 - 8.5	9,600	11.7	8.9 - 14.4	82,100
75+	61,600	68.2	64.0 - 72.4	11,100	12.3	9.4 - 15.2	5,000	5.6	3.3 - 7.8	12,600	13.9	10.9 - 16.9	90,300

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	219,800	69.1	66.8 - 71.4	57,600	18.1	16.1 - 20.0	13,500	4.2	3.3 - 5.2	27,400	8.6	7.4 - 9.8	318,300
Native Hawaiian	75,600	63.2	58.4 - 68.0	21,300	17.8	14.2 - 21.5	7,400	6.2	3.5 - 8.9	15,300	12.8	9.7 - 15.9	119,600
Chinese	32,300	69.8	63.0 - 76.6	8,700	18.9	12.8 - 24.9	1,300	2.9	0.7 - 5.1	3,900	8.4	4.7 - 12.2	46,300
Filipino	102,000	68.1	63.2 - 73.0	29,000	19.3	15.0 - 23.6	9,700	6.4	3.9 - 9.0	9,200	6.2	4.0 - 8.3	149,900
Japanese	140,900	69.3	66.0 - 72.6	35,700	17.6	14.8 - 20.4	9,700	4.8	3.3 - 6.2	17,100	8.4	6.6 - 10.2	203,400
Black	9,300	64.4	49.9 - 79.0	3,500	23.9	11.1 - 36.6	600	4.4	0.0 - 9.3	1,100	7.3	0.0 - 15.7	14,500
Other Asian	18,700	65.4	55.4 - 75.4	6,300	22.0	13.0 - 31.0	1,800	6.4	1.8 - 11.0	1,800	6.2	2.4 - 10.0	28,500
Other Pacific Islander	17,900	73.2	62.3 - 84.1	4,300	17.6	7.9 - 27.3	600	2.6	0.0 - 6.3	1,600	6.6	2.1 - 11.1	24,500
Mixed Ethnicity	13,200	55.4	43.5 - 67.3	7,200	30.0	18.4 - 41.7	400	1.7	0.1 - 3.3	3,100	12.9	4.9 - 21.0	23,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	13,400	61.8	49.9 - 73.8	4,200	19.5	8.9 - 30.0	1,100	4.9	0.8 - 9.0	3,000	13.8	6.4 - 21.1	21,600

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	340,000	71.3	68.9 - 73.6	83,000	17.4	15.4 - 19.5	17,100	3.6	2.7 - 4.5	37,000	7.8	6.5 - 9.0	477,100
Female	308,800	63.9	61.8 - 66.0	97,300	20.1	18.3 - 21.9	29,800	6.2	5.0 - 7.3	47,500	9.8	8.6 - 11.0	483,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	10,800	75.0	65.8 - 84.1	1,200	8.2	3.2 - 13.1	1,200	8.4	2.0 - 14.8	1,200	8.5	3.5 - 13.4	14,400
Grades 9 thru 11 (Some High School)	23,800	60.3	52.1 - 68.5	7,100	18.1	11.7 - 24.4	2,400	6.0	2.4 - 9.6	6,200	15.7	10.4 - 21.0	39,400
Grades 12 or GED (High School Grad)	194,600	68.1	65.0 - 71.2	44,700	15.6	13.2 - 18.1	16,900	5.9	4.2 - 7.6	29,500	10.3	8.5 - 12.2	285,700
College 1 to 3 years (Some College/ Tech)	187,700	67.5	64.5 - 70.5	53,800	19.3	16.7 - 22.0	13,500	4.9	3.6 - 6.1	23,100	8.3	6.8 - 9.9	278,100
College 4 years or more (College Grad)	231,500	67.7	65.3 - 70.2	73,500	21.5	19.2 - 23.7	12,700	3.7	2.8 - 4.6	24,200	7.1	5.9 - 8.3	341,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	436,600	70.2	68.3 - 72.2	124,500	20.0	18.3 - 21.8	24,200	3.9	3.1 - 4.7	36,500	5.9	4.9 - 6.8	621,700
Unemployed	20,300	57.3	47.7 - 66.9	6,300	17.8	10.8 - 24.7	5,900	16.6	9.1 - 24.2	2,900	8.3	4.3 - 12.4	35,400
Retired/Unable to work	136,100	63.7	60.9 - 66.5	29,000	13.6	11.6 - 15.6	10,500	4.9	3.7 - 6.1	38,000	17.8	15.6 - 20.0	213,700
Student/Homemaker	54,500	61.9	55.4 - 68.4	20,500	23.3	17.2 - 29.3	6,100	6.9	3.4 - 10.4	7,000	8.0	5.0 - 11.0	88,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	14,900	58.4	49.0 - 67.8	5,100	19.9	11.9 - 27.9	800	3.0	0.7 - 5.2	4,800	18.7	12.3 - 25.2	25,500
\$10,000 to \$14,999	13,700	54.3	45.0 - 63.6	5,400	21.3	13.6 - 29.0	1,300	5.0	1.8 - 8.1	4,900	19.5	12.6 - 26.3	25,200
\$15,000 to \$19,999	28,300	65.6	58.8 - 72.5	5,900	13.7	9.1 - 18.3	2,000	4.7	2.3 - 7.1	6,900	15.9	10.7 - 21.1	43,100
\$20,000 to \$24,999	42,000	64.3	57.8 - 70.9	10,400	15.9	10.0 - 21.8	4,200	6.4	3.8 - 9.1	8,700	13.3	9.6 - 17.1	65,300
\$25,000 to \$34,999	68,300	66.4	61.5 - 71.3	16,700	16.2	12.7 - 19.8	7,500	7.3	4.0 - 10.5	10,400	10.1	7.4 - 12.8	102,900
\$35,000 to \$49,999	91,800	69.5	65.5 - 73.5	23,100	17.5	14.1 - 20.9	7,400	5.6	3.6 - 7.5	9,800	7.4	5.5 - 9.4	132,100
\$50,000 to \$74,999	108,300	69.9	66.3 - 73.6	30,400	19.6	16.5 - 22.8	4,900	3.2	1.9 - 4.4	11,300	7.3	5.2 - 9.4	154,900
\$75,000 or more	170,200	70.6	67.5 - 73.7	49,300	20.5	17.6 - 23.3	8,500	3.5	2.2 - 4.8	13,000	5.4	4.0 - 6.8	240,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	110,900	65.0	60.8 - 69.2	28,700	16.8	13.5 - 20.2	10,500	6.1	3.9 - 8.4	20,500	12.0	9.7 - 14.4	170,600
131-185%	73,300	64.6	59.7 - 69.5	20,800	18.3	14.1 - 22.5	7,400	6.6	4.1 - 9.0	12,000	10.5	7.8 - 13.3	113,500
186+%	353,400	69.9	67.9 - 71.8	96,700	19.1	17.4 - 20.8	18,500	3.7	2.9 - 4.4	37,200	7.4	6.3 - 8.4	505,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	392,300	69.0	67.1 - 70.9	100,500	17.7	16.1 - 19.3	27,400	4.8	3.9 - 5.7	48,300	8.5	7.4 - 9.6	568,500
Unmarried Couple	20,400	64.2	54.0 - 74.4	8,400	26.5	17.0 - 35.9	400	1.1	0.0 - 2.4	2,600	8.2	3.2 - 13.2	31,800
Widowed	35,400	66.1	61.0 - 71.2	7,800	14.6	11.1 - 18.0	3,500	6.6	2.8 - 10.4	6,800	12.7	9.6 - 15.8	53,500
Other	200,700	65.4	62.3 - 68.6	63,700	20.8	18.0 - 23.6	15,600	5.1	3.7 - 6.5	26,700	8.7	7.2 - 10.2	306,700

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	398,400	68.9	67.0 - 70.8	101,500	17.6	16.0 - 19.1	28,600	4.9	4.0 - 5.9	49,700	8.6	7.5 - 9.7	578,200
No	249,500	65.6	62.8 - 68.3	78,700	20.7	18.3 - 23.1	18,300	4.8	3.6 - 6.0	34,100	9.0	7.6 - 10.3	380,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	590,600	67.3	65.6 - 68.9	166,400	18.9	17.5 - 20.4	41,600	4.7	4.0 - 5.5	79,400	9.0	8.1 - 9.9	878,000
No	56,500	71.1	65.0 - 77.1	12,800	16.1	11.1 - 21.1	5,200	6.5	3.0 - 10.1	5,000	6.3	3.7 - 9.0	79,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	634,700	65.9	64.3 - 67.5	207,800	21.6	20.1 - 23.0	40,900	4.2	3.6 - 4.9	79,800	8.3	7.4 - 9.1	963,300

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	74,800	62.8	59.8 - 65.9	25,900	21.7	19.0 - 24.5	5,500	4.6	3.3 - 5.9	12,900	10.8	9.0 - 12.6	119,100
Honolulu	461,700	66.5	64.4 - 68.6	149,800	21.6	19.7 - 23.4	28,600	4.1	3.2 - 5.0	54,500	7.8	6.8 - 8.9	694,700
Kauai	28,400	62.1	57.2 - 67.1	11,100	24.3	19.7 - 28.9	2,000	4.4	2.7 - 6.1	4,200	9.2	6.7 - 11.7	45,700
Maui	69,700	67.2	63.5 - 70.9	21,000	20.2	17.0 - 23.5	4,800	4.6	2.8 - 6.4	8,200	7.9	6.1 - 9.8	103,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	74,800	62.8	59.8 - 65.9	25,900	21.7	19.0 - 24.5	5,500	4.6	3.3 - 5.9	12,900	10.8	9.0 - 12.6	119,100
Kauai	28,400	62.1	57.2 - 67.1	11,100	24.3	19.7 - 28.9	2,000	4.4	2.7 - 6.1	4,200	9.2	6.7 - 11.7	45,700
Lanai	1,500	63.0	54.1 - 71.9	500	20.9	13.9 - 27.9	200	6.6	2.5 - 10.7	200	9.6	3.9 - 15.2	2,400
Maui	64,500	67.2	63.3 - 71.2	19,500	20.4	16.8 - 23.9	4,500	4.7	2.7 - 6.6	7,400	7.7	5.8 - 9.7	96,000
Molokai	3,700	68.6	59.6 - 77.7	1,000	17.8	10.3 - 25.2	200	3.0	0.5 - 5.5	600	10.6	4.3 - 16.9	5,300
Oahu	461,700	66.5	64.4 - 68.6	149,800	21.6	19.7 - 23.4	28,600	4.1	3.2 - 5.0	54,500	7.8	6.8 - 8.9	694,700

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	46,400	66.7	60.1 - 73.4	14,500	20.9	15.5 - 26.3	3,800	5.5	1.6 - 9.4	4,700	6.8	3.5 - 10.2	69,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	24,000	71.8	64.5 - 79.1	5,200	15.4	9.5 - 21.4	1,400	4.3	1.6 - 7.0	2,800	8.5	4.5 - 12.5	33,400
Hanalei/ Kapaa	11,000	57.5	50.2 - 64.8	4,700	24.6	18.2 - 31.1	1,200	6.0	3.1 - 9.0	2,300	11.8	7.3 - 16.3	19,100
Hilo	22,000	63.2	57.5 - 68.9	7,100	20.5	15.5 - 25.5	1,100	3.1	1.0 - 5.2	4,600	13.2	9.6 - 16.8	34,700
Kaaawa/ Kahaluu/ Kaneohe	33,800	64.4	56.6 - 72.2	13,500	25.7	18.2 - 33.1	1,400	2.7	0.6 - 4.8	3,800	7.3	3.7 - 10.8	52,500
Kahului	24,100	70.6	63.5 - 77.7	5,800	17.1	10.5 - 23.7	2,100	6.1	2.4 - 9.7	2,100	6.3	3.4 - 9.1	34,100
Kailua/ Waimanalo	30,600	64.4	56.4 - 72.4	11,200	23.5	16.1 - 30.8	2,500	5.3	1.2 - 9.4	3,200	6.8	3.5 - 10.1	47,600
Kaimuki/ Palolo/ Waikiki	39,300	60.0	53.3 - 66.7	14,900	22.8	16.6 - 29.0	3,200	4.8	2.0 - 7.6	8,100	12.4	8.0 - 16.7	65,400
Kona	18,900	64.8	58.4 - 71.2	5,600	19.2	13.6 - 24.9	1,400	4.7	2.2 - 7.1	3,300	11.3	7.1 - 15.4	29,200
Lahaina/ Wailuku	19,400	61.6	54.8 - 68.3	7,900	25.0	19.0 - 31.1	1,400	4.4	1.7 - 7.2	2,800	9.0	5.0 - 13.0	31,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,500	63.0	54.1 - 71.9	500	20.9	13.9 - 27.9	200	6.6	2.5 - 10.7	200	9.6	3.9 - 15.2	2,400
Lihue-Waimea	17,500	65.5	58.8 - 72.2	6,400	24.0	17.6 - 30.4	900	3.2	1.3 - 5.2	1,900	7.3	4.5 - 10.1	26,700
Manoa/ Upper Makiki	28,300	64.6	56.5 - 72.7	11,700	26.8	19.0 - 34.5	1,100	2.4	0.4 - 4.4	2,700	6.2	2.6 - 9.8	43,800
Mililani/ Wahiawa	48,600	68.9	63.1 - 74.8	12,200	17.3	12.6 - 22.0	3,200	4.5	2.0 - 7.0	6,500	9.3	5.8 - 12.8	70,500
Molokai	3,700	68.6	59.6 - 77.7	1,000	17.8	10.3 - 25.2	200	3.0	0.5 - 5.5	600	10.6	4.3 - 16.9	5,300
Nanakuli/ Waianae	21,600	66.3	54.8 - 77.8	7,700	23.8	12.8 - 34.7	1,400	4.1	0.1 - 8.2	1,900	5.8	1.8 - 9.8	32,600
N.Hawaii	16,000	65.6	59.9 - 71.3	5,500	22.4	17.5 - 27.4	1,300	5.4	2.5 - 8.2	1,600	6.6	3.4 - 9.9	24,400
N.Shore/ Laie	12,500	61.8	50.1 - 73.5	4,400	21.6	11.9 - 31.4	200	0.8	0.0 - 2.0	3,200	15.8	6.6 - 24.9	20,200
Nuuanu/ Kalihi/ Moanalua	44,500	65.8	58.1 - 73.4	15,400	22.8	15.6 - 30.0	2,800	4.2	1.1 - 7.2	4,900	7.3	3.8 - 10.8	67,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	17,900	58.3	51.9 - 64.7	7,700	24.9	19.0 - 30.8	1,800	5.7	2.7 - 8.8	3,400	11.1	7.8 - 14.3	30,700
Salt Lake/ Foster Village	22,900	69.3	59.8 - 78.9	7,500	22.6	14.1 - 31.1	1,200	3.6	0.0 - 8.3	1,500	4.4	1.0 - 7.9	33,000
Upcountry/ Hana	21,100	69.4	62.7 - 76.1	5,800	19.2	13.6 - 24.7	1,000	3.4	0.0 - 7.0	2,500	8.1	4.9 - 11.3	30,400
Waialae/ Kahala/ Hawaii Kai	31,700	74.6	67.0 - 82.2	6,900	16.2	9.2 - 23.2	1,400	3.4	1.0 - 5.7	2,500	5.9	2.4 - 9.4	42,500
Waipahu/ Kapolei/ Ewa	77,600	66.9	61.7 - 72.0	24,800	21.4	17.0 - 25.7	5,100	4.4	2.1 - 6.7	8,600	7.4	4.4 - 10.4	116,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	75,200	63.5	57.1 - 69.9	30,400	25.6	19.7 - 31.6	8,300	7.0	3.6 - 10.5	4,600	3.9	1.8 - 6.0	118,400
25-34	113,200	67.6	63.3 - 71.8	41,700	24.9	20.9 - 28.9	5,500	3.3	1.9 - 4.7	7,100	4.2	2.5 - 6.0	167,500
35-44	120,100	66.4	62.9 - 69.9	44,800	24.7	21.5 - 27.9	6,900	3.8	2.6 - 5.0	9,200	5.1	3.5 - 6.7	181,000
45-54	118,100	65.7	62.3 - 69.0	36,500	20.3	17.5 - 23.1	6,500	3.6	2.2 - 5.0	18,800	10.4	8.4 - 12.5	179,800
55-64	90,400	64.6	60.8 - 68.4	28,000	20.0	16.9 - 23.1	4,900	3.5	2.2 - 4.8	16,600	11.9	9.2 - 14.5	140,000
65-74	59,300	69.8	65.5 - 74.0	11,900	14.0	10.7 - 17.3	3,400	4.0	2.2 - 5.7	10,400	12.3	9.4 - 15.2	85,000
75+	54,900	64.1	59.2 - 69.0	12,900	15.0	10.8 - 19.3	5,000	5.8	3.6 - 8.1	12,900	15.1	11.7 - 18.4	85,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	210,600	64.9	62.4 - 67.4	73,000	22.5	20.4 - 24.7	13,500	4.2	3.0 - 5.3	27,300	8.4	7.1 - 9.7	324,500
Native Hawaiian	68,300	59.4	54.5 - 64.3	30,000	26.1	21.6 - 30.6	6,300	5.5	3.3 - 7.7	10,300	9.0	6.4 - 11.6	115,000
Chinese	36,200	65.7	58.6 - 72.7	12,600	23.0	16.7 - 29.3	2,200	4.0	1.2 - 6.8	4,100	7.4	3.6 - 11.2	55,100
Filipino	104,700	67.9	63.2 - 72.7	32,600	21.1	16.8 - 25.5	6,200	4.0	2.2 - 5.9	10,600	6.9	4.7 - 9.0	154,100
Japanese	145,900	69.9	66.7 - 73.2	38,500	18.5	15.7 - 21.3	8,900	4.3	2.9 - 5.6	15,300	7.3	5.6 - 9.1	208,600
Black	12,800	65.2	53.1 - 77.4	3,500	17.7	8.2 - 27.1	1,600	7.9	0.0 - 16.0	1,800	9.2	2.3 - 16.1	19,700
Other Asian	14,100	69.9	56.4 - 83.5	4,100	20.3	6.7 - 33.8	900	4.6	0.0 - 9.6	1,100	5.3	0.9 - 9.6	20,200
Other Pacific Islander	15,200	61.0	47.7 - 74.3	7,100	28.4	15.0 - 41.8	100	0.5	0.0 - 1.5	2,500	10.1	3.7 - 16.5	25,000
Other	21,000	64.7	56.1 - 73.2	5,200	16.1	9.7 - 22.4	1,100	3.3	0.9 - 5.8	5,200	15.9	9.0 - 22.8	32,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	327,400	68.0	65.5 - 70.5	99,200	20.6	18.4 - 22.8	17,700	3.7	2.6 - 4.7	37,500	7.8	6.5 - 9.0	481,700
Female	307,300	63.8	61.7 - 65.9	108,600	22.6	20.7 - 24.4	23,300	4.8	3.9 - 5.7	42,400	8.8	7.7 - 9.9	481,600

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	10,700	53.7	40.1 - 67.4	2,800	14.1	3.6 - 24.6	500	2.4	0.0 - 4.7	5,900	29.8	17.4 - 42.2	19,900
Grades 9 thru 11 (Some High School)	23,800	63.4	55.1 - 71.7	6,200	16.5	9.7 - 23.2	1,500	4.1	1.0 - 7.1	6,000	16.0	10.0 - 22.1	37,500
Grades 12 or GED (High School Grad)	182,700	66.9	63.9 - 70.0	50,800	18.6	16.0 - 21.3	14,300	5.2	3.7 - 6.8	25,100	9.2	7.6 - 10.8	273,000
College 1 to 3 years (Some College/ Tech)	181,100	64.2	61.1 - 67.4	67,700	24.0	21.1 - 26.9	11,800	4.2	2.9 - 5.5	21,300	7.6	6.1 - 9.0	281,900
College 4 years or more (College Grad)	235,500	67.5	65.0 - 70.0	79,600	22.8	20.5 - 25.1	12,600	3.6	2.7 - 4.5	21,100	6.0	4.9 - 7.2	348,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	425,000	68.2	66.2 - 70.2	146,000	23.4	21.5 - 25.3	21,300	3.4	2.6 - 4.2	31,000	5.0	4.1 - 5.8	623,300
Unemployed	11,400	60.7	49.8 - 71.6	3,600	19.2	10.9 - 27.6	1,300	6.9	2.0 - 11.7	2,500	13.2	5.2 - 21.3	18,800
Retired/Unable to work	137,200	60.8	57.8 - 63.9	36,700	16.3	13.9 - 18.6	12,000	5.3	4.0 - 6.6	39,700	17.6	15.3 - 19.9	225,600
Student/Homemaker	59,600	64.0	57.9 - 70.0	21,100	22.7	17.2 - 28.2	6,100	6.6	3.1 - 10.0	6,300	6.8	4.2 - 9.4	93,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	12,400	45.1	35.5 - 54.7	7,800	28.5	17.9 - 39.2	1,700	6.1	2.3 - 9.9	5,600	20.3	13.3 - 27.2	27,400
\$10,000 to \$14,999	15,900	56.9	46.8 - 66.9	4,300	15.3	8.3 - 22.3	2,400	8.4	2.3 - 14.6	5,400	19.4	13.3 - 25.5	28,000
\$15,000 to \$19,999	26,700	53.4	45.8 - 61.0	11,600	23.1	15.9 - 30.3	3,200	6.4	2.8 - 9.9	8,500	17.1	11.9 - 22.3	50,000
\$20,000 to \$24,999	42,800	70.2	64.8 - 75.6	11,200	18.3	13.6 - 22.9	2,000	3.4	1.5 - 5.2	5,000	8.2	5.3 - 11.0	61,000
\$25,000 to \$34,999	64,300	65.6	60.8 - 70.5	20,000	20.5	16.4 - 24.5	5,200	5.3	2.7 - 7.8	8,500	8.6	6.1 - 11.2	98,000
\$35,000 to \$49,999	102,000	67.1	63.2 - 71.1	33,800	22.2	18.6 - 25.9	5,800	3.8	2.3 - 5.3	10,300	6.8	4.9 - 8.7	152,000
\$50,000 to \$74,999	118,800	65.5	61.7 - 69.4	42,300	23.3	19.9 - 26.7	7,300	4.0	2.3 - 5.7	13,000	7.2	5.1 - 9.2	181,400
\$75,000 or more	160,400	69.7	66.6 - 72.8	52,100	22.6	19.8 - 25.4	6,800	2.9	1.6 - 4.3	11,000	4.8	3.4 - 6.2	230,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	98,300	59.3	54.8 - 63.7	36,600	22.1	18.0 - 26.1	9,700	5.9	3.8 - 7.9	21,200	12.8	10.3 - 15.3	165,800
131-185%	57,800	64.1	58.3 - 69.9	19,900	22.0	16.7 - 27.3	3,800	4.2	1.8 - 6.5	8,800	9.7	6.9 - 12.6	90,200
186+%	387,300	67.7	65.8 - 69.6	126,600	22.1	20.4 - 23.8	20,700	3.6	2.8 - 4.5	37,300	6.5	5.5 - 7.5	571,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	389,700	67.7	65.7 - 69.7	120,500	20.9	19.2 - 22.7	20,400	3.5	2.8 - 4.3	45,000	7.8	6.7 - 8.9	575,700
Unmarried Couple	16,400	63.2	52.7 - 73.7	7,400	28.5	18.3 - 38.7	900	3.5	0.2 - 6.8	1,200	4.8	1.1 - 8.5	25,900
Widowed	36,800	64.6	59.5 - 69.6	9,000	15.8	11.7 - 20.0	3,000	5.2	2.6 - 7.8	8,200	14.4	11.1 - 17.6	56,900
Other	191,800	62.9	59.7 - 66.2	70,900	23.3	20.3 - 26.2	16,600	5.5	3.9 - 7.0	25,400	8.3	6.8 - 9.8	304,600

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	397,500	67.7	65.7 - 69.7	123,100	21.0	19.2 - 22.7	20,700	3.5	2.8 - 4.3	46,000	7.8	6.7 - 8.9	587,200
No	236,200	63.1	60.3 - 65.9	84,200	22.5	19.9 - 25.1	20,300	5.4	4.1 - 6.7	33,500	9.0	7.6 - 10.3	374,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	584,600	66.0	64.3 - 67.7	190,600	21.5	20.0 - 23.0	37,200	4.2	3.5 - 4.9	73,700	8.3	7.4 - 9.2	886,200
No	49,400	65.3	59.3 - 71.4	16,800	22.3	16.7 - 27.8	3,500	4.6	2.3 - 6.9	5,900	7.8	5.0 - 10.6	75,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	588,300	65.3	62.4 - 68.3	190,100	21.1	18.6 - 23.6	50,900	5.7	3.9 - 7.5	71,100	7.9	6.4 - 9.4	900,400

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	80,900	62.8	57.7 - 67.9	25,200	19.6	15.3 - 23.9	7,800	6.1	3.3 - 8.9	14,900	11.5	8.5 - 14.6	128,800
Honolulu	424,500	66.9	63.0 - 70.8	134,900	21.3	18.0 - 24.6	33,600	5.3	3.0 - 7.6	41,700	6.6	4.7 - 8.4	634,700
Kauai	25,500	63.2	56.3 - 70.1	8,900	21.9	15.9 - 27.9	1,400	3.5	1.5 - 5.6	4,600	11.4	6.7 - 16.0	40,400
Maui	57,400	59.4	52.4 - 66.5	21,100	21.9	16.5 - 27.3	8,100	8.4	2.8 - 13.9	10,000	10.3	6.4 - 14.2	96,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	80,900	62.8	57.7 - 67.9	25,200	19.6	15.3 - 23.9	7,800	6.1	3.3 - 8.9	14,900	11.5	8.5 - 14.6	128,800
Kauai	25,500	63.2	56.3 - 70.1	8,900	21.9	15.9 - 27.9	1,400	3.5	1.5 - 5.6	4,600	11.4	6.7 - 16.0	40,400
Lanai	700	57.9	42.6 - 73.2	300	20.1	8.7 - 31.6	<50	2.5	0.0 - 6.1	200	19.4	6.6 - 32.3	1,300
Maui	52,000	58.3	50.7 - 65.8	20,100	22.5	16.7 - 28.3	8,000	8.9	2.9 - 14.9	9,200	10.3	6.2 - 14.5	89,300
Molokai	4,600	77.6	64.9 - 90.3	700	12.3	2.2 - 22.5	100	1.4	0.0 - 4.1	500	8.6	0.4 - 16.8	5,900
Oahu	424,500	66.9	63.0 - 70.8	134,900	21.3	18.0 - 24.6	33,600	5.3	3.0 - 7.6	41,700	6.6	4.7 - 8.4	634,700

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	39,300	65.6	53.5 - 77.8	12,500	20.9	10.5 - 31.2	800	1.3	0.0 - 3.2	7,300	12.2	3.0 - 21.3	59,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	18,500	60.1	43.5 - 76.7	8,700	28.3	13.0 - 43.5	2,600	8.4	1.0 - 15.8	1,000	3.3	0.0 - 8.1	30,800
Hanalei/ Kapaa	9,900	60.8	50.0 - 71.6	3,300	20.5	11.7 - 29.3	700	4.6	0.8 - 8.3	2,300	14.1	5.9 - 22.3	16,300
Hilo	19,500	58.8	48.9 - 68.7	6,700	20.3	12.1 - 28.5	2,300	7.0	0.0 - 14.3	4,600	13.9	8.1 - 19.7	33,100
Kaaawa/ Kahaluu/ Kaneohe	21,100	52.2	35.6 - 68.7	12,500	30.8	14.6 - 46.9	4,500	11.2	0.0 - 24.1	2,400	5.9	0.0 - 11.7	40,500
Kahului	19,000	61.2	48.3 - 74.0	5,400	17.2	8.7 - 25.7	2,500	8.0	0.0 - 19.0	4,200	13.6	5.5 - 21.8	31,100
Kailua/ Waimanalo	28,200	67.5	54.9 - 80.1	7,800	18.7	8.5 - 29.0	2,200	5.2	0.6 - 9.8	3,600	8.6	0.5 - 16.7	41,900
Kaimuki/ Palolo/ Waikiki	39,200	65.7	53.9 - 77.5	14,800	24.8	13.8 - 35.9	3,200	5.3	0.0 - 11.4	2,500	4.1	0.6 - 7.6	59,700
Kona	14,700	56.8	45.9 - 67.8	8,300	31.9	20.9 - 42.9	1,300	4.9	1.2 - 8.6	1,700	6.4	2.0 - 10.9	25,900
Lahaina/ Wailuku	16,100	57.0	42.9 - 71.1	6,500	22.9	11.7 - 34.1	2,700	9.7	2.0 - 17.4	2,900	10.4	2.5 - 18.3	28,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	700	57.9	42.6 - 73.2	300	20.1	8.7 - 31.6	<50	2.5	0.0 - 6.1	200	19.4	6.6 - 32.3	1,300
Lihue-Waimea	15,600	64.8	55.8 - 73.8	5,500	22.8	14.7 - 31.0	700	2.9	0.6 - 5.1	2,300	9.5	4.1 - 15.0	24,100
Manoa/ Upper Makiki	33,500	75.1	62.2 - 87.9	5,800	12.9	5.4 - 20.4	4,500	10.1	0.0 - 21.9	900	2.0	0.0 - 4.9	44,600
Mililani/ Wahiawa	32,400	54.6	39.0 - 70.2	14,500	24.4	12.4 - 36.3	5,800	9.7	0.0 - 25.7	6,700	11.3	3.7 - 19.0	59,400
Molokai	4,600	77.6	64.9 - 90.3	700	12.3	2.2 - 22.5	100	1.4	0.0 - 4.1	500	8.6	0.4 - 16.8	5,900
N.Hawaii	16,700	72.4	63.1 - 81.7	3,300	14.4	7.7 - 21.1	1,400	6.1	0.7 - 11.4	1,600	7.1	1.9 - 12.3	23,000
Nuuanu/ Kalihi/ Moanalua	46,400	73.3	62.4 - 84.3	12,000	18.9	9.1 - 28.7	1,900	3.0	0.0 - 6.4	3,000	4.8	0.0 - 10.1	63,300
Puna/ Kau	30,000	64.2	54.9 - 73.5	6,900	14.8	7.6 - 22.0	2,800	6.1	1.3 - 10.9	7,000	14.9	8.5 - 21.3	46,700
Upcountry/ Hana	16,900	56.5	44.2 - 68.8	8,300	27.6	17.3 - 37.9	2,700	9.1	0.0 - 20.9	2,000	6.8	1.7 - 11.9	30,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	21,700	63.0	47.4 - 78.6	9,700	28.2	14.4 - 42.1	0	0.0	--	3,000	8.8	0.0 - 20.3	34,500
Waipahu/ Kapolei/ Ewa	82,700	74.7	66.0 - 83.5	17,500	15.8	8.2 - 23.3	5,400	4.9	0.3 - 9.5	5,100	4.6	1.5 - 7.7	110,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	66,700	62.4	50.8 - 74.0	25,500	23.8	15.1 - 32.6	11,800	11.1	0.8 - 21.3	2,900	2.7	0.0 - 6.7	106,800
25-34	108,600	64.7	57.5 - 72.0	46,000	27.4	20.6 - 34.3	6,000	3.6	0.9 - 6.2	7,200	4.3	1.8 - 6.8	167,800
35-44	112,900	64.4	57.8 - 71.1	47,000	26.8	20.7 - 33.0	10,300	5.9	2.3 - 9.4	5,000	2.8	1.2 - 4.5	175,100
45-54	106,700	63.6	57.4 - 69.9	35,200	21.0	15.8 - 26.2	10,000	6.0	2.0 - 9.9	15,800	9.4	6.1 - 12.7	167,700
55-64	83,200	68.0	61.6 - 74.3	17,100	14.0	9.2 - 18.8	3,900	3.2	0.9 - 5.5	18,200	14.9	10.1 - 19.7	122,400
65-74	55,500	69.6	61.3 - 77.8	7,800	9.8	4.6 - 15.0	4,800	6.0	1.8 - 10.2	11,700	14.6	8.1 - 21.2	79,800
75+	47,900	67.1	57.7 - 76.6	10,300	14.5	7.8 - 21.1	3,400	4.7	0.1 - 9.3	9,800	13.7	6.5 - 20.9	71,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	182,200	62.5	57.9 - 67.1	68,100	23.4	19.3 - 27.5	12,900	4.4	2.2 - 6.7	28,100	9.6	7.1 - 12.2	291,300
Native Hawaiian	74,900	61.9	53.4 - 70.5	23,000	19.0	11.8 - 26.2	13,300	11.0	5.1 - 17.0	9,700	8.1	3.4 - 12.7	120,900
Chinese	33,000	65.3	53.0 - 77.6	14,300	28.2	16.3 - 40.2	2,400	4.7	0.3 - 9.1	900	1.7	0.0 - 4.1	50,500
Filipino	98,200	69.2	61.7 - 76.7	23,800	16.8	10.8 - 22.8	7,600	5.3	1.6 - 9.1	12,300	8.7	4.9 - 12.5	141,900
Japanese	136,200	72.5	66.9 - 78.2	35,300	18.8	13.9 - 23.8	4,300	2.3	0.8 - 3.8	11,900	6.3	3.1 - 9.6	187,700
Other	11,600	53.4	36.2 - 70.5	6,800	31.3	14.2 - 48.4	100	0.5	0.0 - 1.5	3,200	14.8	2.3 - 27.4	21,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	287,500	66.0	61.4 - 70.6	92,600	21.3	17.3 - 25.2	27,400	6.3	3.1 - 9.5	28,100	6.4	4.5 - 8.4	435,600
Female	300,800	64.7	61.0 - 68.4	97,500	21.0	17.9 - 24.1	23,500	5.1	3.3 - 6.9	43,000	9.3	7.1 - 11.4	464,800

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	15,000	52.0	33.9 - 70.0	5,000	17.2	6.0 - 28.4	3,400	11.8	0.0 - 25.1	5,500	19.0	7.7 - 30.4	28,800
Grades 12 or GED (High School Grad)	185,300	66.2	60.7 - 71.6	53,400	19.1	14.4 - 23.7	18,500	6.6	3.7 - 9.6	22,700	8.1	5.5 - 10.7	279,900
College 1 to 3 years (Some College/ Tech)	171,100	59.7	54.0 - 65.3	71,200	24.8	20.0 - 29.7	21,800	7.6	3.2 - 12.1	22,600	7.9	5.0 - 10.7	286,700
College 4 years or more (College Grad)	208,500	71.0	66.8 - 75.2	59,100	20.1	16.4 - 23.8	6,900	2.3	1.2 - 3.5	19,400	6.6	4.4 - 8.8	293,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	386,300	66.5	62.7 - 70.2	132,300	22.8	19.6 - 25.9	32,900	5.7	3.2 - 8.1	29,700	5.1	3.7 - 6.5	581,300
Unemployed	15,500	58.4	39.4 - 77.4	4,900	18.3	1.6 - 35.0	4,500	16.8	1.4 - 32.1	1,700	6.5	0.4 - 12.7	26,500
Retired/Unable to work	123,600	64.8	59.0 - 70.5	25,900	13.6	9.3 - 17.9	7,900	4.1	1.9 - 6.3	33,500	17.5	13.1 - 22.0	190,800
Student/Homemaker	62,000	61.8	52.5 - 71.2	27,000	26.9	18.4 - 35.5	5,700	5.7	0.8 - 10.5	5,600	5.6	0.9 - 10.2	100,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,900	55.0	33.1 - 76.9	6,000	37.2	13.7 - 60.7	200	0.9	0.0 - 2.8	1,100	6.8	1.8 - 11.9	16,200
\$10,000 to \$14,999	13,200	50.6	36.0 - 65.1	6,600	25.4	12.6 - 38.2	2,300	8.7	0.0 - 17.9	4,000	15.3	6.4 - 24.2	26,200
\$15,000 to \$19,999	25,200	54.5	41.1 - 67.9	9,700	20.9	8.8 - 33.0	4,800	10.4	1.7 - 19.1	6,600	14.2	6.7 - 21.8	46,300
\$20,000 to \$24,999	48,500	71.7	62.2 - 81.1	14,000	20.7	11.7 - 29.7	1,300	1.9	0.1 - 3.6	3,900	5.7	2.1 - 9.4	67,700
\$25,000 to \$34,999	77,100	67.6	59.8 - 75.4	19,300	16.9	10.9 - 23.0	5,300	4.7	0.7 - 8.6	12,300	10.8	5.9 - 15.6	114,000
\$35,000 to \$49,999	88,200	63.0	55.4 - 70.7	27,300	19.5	13.6 - 25.4	12,100	8.7	3.3 - 14.0	12,200	8.8	4.6 - 12.9	139,900
\$50,000 to \$74,999	187,700	66.8	61.3 - 72.3	56,400	20.1	15.7 - 24.4	18,500	6.6	2.5 - 10.6	18,400	6.5	4.2 - 8.9	281,000
\$75,000 or more	139,300	66.6	60.6 - 72.7	50,700	24.2	18.7 - 29.7	6,500	3.1	0.4 - 5.8	12,600	6.0	3.1 - 9.0	209,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	98,600	62.9	55.4 - 70.4	33,700	21.5	14.7 - 28.3	9,100	5.8	2.5 - 9.1	15,400	9.8	6.4 - 13.2	156,800
131-185%	71,000	60.3	49.7 - 70.9	20,600	17.5	10.4 - 24.6	15,700	13.3	3.4 - 23.3	10,400	8.9	3.6 - 14.1	117,800
186+%	418,700	66.9	63.7 - 70.1	135,800	21.7	18.9 - 24.5	26,100	4.2	2.7 - 5.6	45,300	7.2	5.6 - 8.9	625,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	343,800	65.2	61.5 - 68.9	115,300	21.9	18.7 - 25.1	23,500	4.5	2.6 - 6.3	44,500	8.4	6.5 - 10.4	527,100
Unmarried Couple	14,300	61.2	45.4 - 77.1	7,500	32.1	16.8 - 47.4	800	3.3	0.0 - 6.9	800	3.4	0.0 - 7.1	23,300
Widowed	36,400	70.2	60.1 - 80.2	6,100	11.7	5.3 - 18.1	1,600	3.1	0.0 - 6.4	7,800	15.1	6.6 - 23.5	51,900
Other	193,700	65.0	59.4 - 70.6	61,200	20.5	15.9 - 25.2	25,000	8.4	4.1 - 12.7	18,000	6.1	3.9 - 8.2	298,000

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	351,700	65.5	61.9 - 69.2	116,200	21.6	18.5 - 24.8	24,300	4.5	2.7 - 6.3	44,600	8.3	6.4 - 10.3	536,900
No	233,700	64.9	60.0 - 69.8	73,900	20.5	16.5 - 24.6	26,600	7.4	3.8 - 11.0	25,900	7.2	5.0 - 9.4	360,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	526,500	64.8	61.7 - 67.8	174,500	21.5	18.8 - 24.1	44,600	5.5	3.6 - 7.4	67,500	8.3	6.7 - 9.9	813,000
No	57,900	69.4	59.9 - 79.0	15,600	18.7	10.5 - 26.8	6,300	7.6	1.7 - 13.5	3,600	4.3	1.3 - 7.3	83,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	699,500	76.3	74.7 - 78.0	118,900	13.0	11.7 - 14.2	35,500	3.9	3.1 - 4.6	62,300	6.8	5.9 - 7.7	916,200

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	83,600	72.4	69.0 - 75.9	17,300	15.0	12.2 - 17.8	5,200	4.5	2.9 - 6.1	9,300	8.0	6.1 - 10.0	115,400
Honolulu	507,700	77.0	74.9 - 79.0	83,400	12.6	11.1 - 14.2	25,600	3.9	2.9 - 4.9	43,100	6.5	5.4 - 7.7	659,700
Kauai	33,100	76.4	71.4 - 81.3	5,500	12.8	9.0 - 16.6	2,000	4.6	2.0 - 7.1	2,700	6.3	3.5 - 9.1	43,300
Maui	75,200	76.9	73.0 - 80.8	12,600	12.9	9.9 - 15.9	2,700	2.8	1.3 - 4.2	7,300	7.4	5.1 - 9.8	97,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	83,600	72.4	69.0 - 75.9	17,300	15.0	12.2 - 17.8	5,200	4.5	2.9 - 6.1	9,300	8.0	6.1 - 10.0	115,400
Kauai	33,100	76.4	71.4 - 81.3	5,500	12.8	9.0 - 16.6	2,000	4.6	2.0 - 7.1	2,700	6.3	3.5 - 9.1	43,300
Maui	68,600	77.2	73.1 - 81.3	11,100	12.5	9.3 - 15.7	2,400	2.7	1.1 - 4.2	6,700	7.6	5.0 - 10.1	88,900
Molokai	4,400	68.6	55.1 - 82.0	1,300	20.1	7.5 - 32.8	300	4.6	0.0 - 9.1	400	6.7	0.0 - 13.6	6,400
Oahu	507,700	77.0	74.9 - 79.0	83,400	12.6	11.1 - 14.2	25,600	3.9	2.9 - 4.9	43,100	6.5	5.4 - 7.7	659,700

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	39,500	74.5	66.3 - 82.8	6,700	12.7	7.1 - 18.3	1,600	3.1	0.7 - 5.5	5,100	9.6	2.9 - 16.4	53,000
Ala Moana	24,100	78.4	70.3 - 86.4	3,300	10.8	4.7 - 17.0	500	1.7	0.0 - 4.1	2,800	9.1	3.8 - 14.4	30,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	14,000	78.8	71.9 - 85.7	2,200	12.2	6.5 - 17.9	600	3.3	0.5 - 6.2	1,000	5.7	2.1 - 9.3	17,800
Hilo	27,500	78.7	72.6 - 84.8	4,100	11.9	7.1 - 16.6	1,600	4.6	1.1 - 8.1	1,700	4.8	2.0 - 7.7	34,900
Kaaawa/ Kahaluu/ Kaneohe	37,700	81.7	74.5 - 88.8	5,100	11.1	5.4 - 16.8	1,900	4.1	0.0 - 8.4	1,500	3.1	0.7 - 5.6	46,200
Kahului	26,300	80.7	74.1 - 87.3	3,600	11.2	5.5 - 16.8	400	1.2	0.0 - 2.7	2,300	6.9	3.3 - 10.5	32,600
Kailua/ Waimanalo	33,600	66.2	58.4 - 74.0	8,700	17.1	11.1 - 23.1	2,500	5.0	1.0 - 9.0	5,900	11.7	6.4 - 16.9	50,700
Kaimuki/ Palolo/ Waikiki	48,100	74.0	67.2 - 80.8	7,500	11.6	6.3 - 17.0	2,300	3.5	1.0 - 6.0	7,100	10.9	6.3 - 15.5	65,000
Kona	20,400	68.6	61.8 - 75.5	5,600	18.9	12.8 - 25.0	1,300	4.3	1.3 - 7.4	2,400	8.1	4.6 - 11.6	29,700
Lahaina/ Wailuku	21,700	78.4	71.1 - 85.7	3,300	11.9	6.1 - 17.6	1,100	4.0	0.7 - 7.3	1,600	5.7	1.8 - 9.5	27,700
Lihue-Waimea	19,100	74.7	67.9 - 81.5	3,400	13.2	8.1 - 18.3	1,400	5.5	1.6 - 9.3	1,700	6.7	2.6 - 10.7	25,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	39,500	74.9	67.5 - 82.3	7,400	14.0	8.1 - 19.9	1,700	3.3	0.3 - 6.2	4,200	7.9	3.4 - 12.4	52,800
Mililani/ Wahiawa	54,800	82.7	77.4 - 88.1	6,600	9.9	6.0 - 13.8	1,900	2.9	0.0 - 5.7	3,000	4.5	1.6 - 7.4	66,300
Molokai	4,400	68.6	55.1 - 82.0	1,300	20.1	7.5 - 32.8	300	4.6	0.0 - 9.1	400	6.7	0.0 - 13.6	6,400
Nanakuli/ Waianae	19,400	74.5	63.5 - 85.4	3,500	13.6	5.1 - 22.1	1,300	5.1	0.0 - 10.8	1,800	6.8	1.0 - 12.6	26,000
N.Hawaii	18,000	74.9	67.6 - 82.1	3,300	13.8	8.3 - 19.4	1,300	5.6	1.8 - 9.3	1,400	5.7	1.6 - 9.8	24,100
N.Shore/ Laie	21,300	86.1	78.9 - 93.4	2,300	9.1	3.1 - 15.2	1,000	3.9	0.0 - 7.9	200	0.8	0.0 - 2.0	24,800
Nuuanu/ Kalihi/ Moanalua	57,300	79.9	74.1 - 85.7	5,700	7.9	4.5 - 11.3	4,300	6.0	2.0 - 9.9	4,500	6.2	2.9 - 9.6	71,700
Puna/ Kau	17,700	66.2	58.7 - 73.7	4,200	15.9	9.8 - 22.0	1,000	3.6	1.1 - 6.2	3,800	14.3	9.1 - 19.4	26,700
Salt Lake/ Foster Village	36,300	81.7	74.8 - 88.7	4,900	11.0	5.2 - 16.9	700	1.5	0.0 - 3.4	2,500	5.7	1.8 - 9.6	44,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Upcountry/ Hana	20,600	72.1	64.7 - 79.6	4,200	14.7	9.5 - 19.9	900	3.0	0.0 - 6.3	2,900	10.2	4.7 - 15.7	28,600
Waialae/ Kahala/ Hawaii Kai	25,700	71.3	61.4 - 81.2	6,900	19.1	10.3 - 27.8	2,200	6.0	0.3 - 11.8	1,300	3.6	0.4 - 6.8	36,000
Waipahu/ Kapolei/ Ewa	70,400	76.4	70.7 - 82.1	14,800	16.0	11.1 - 21.0	3,700	4.0	1.3 - 6.7	3,300	3.6	1.2 - 5.9	92,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	89,300	77.6	72.1 - 83.1	17,200	14.9	10.4 - 19.5	5,100	4.4	1.6 - 7.2	3,500	3.0	0.7 - 5.3	115,000
25-34	127,200	78.0	74.3 - 81.7	24,100	14.7	11.6 - 17.8	5,300	3.3	1.6 - 4.9	6,600	4.0	2.2 - 5.8	163,200
35-44	133,000	74.3	70.5 - 78.1	28,800	16.1	13.1 - 19.1	7,800	4.3	2.4 - 6.3	9,500	5.3	3.1 - 7.5	179,000
45-54	131,000	75.0	71.5 - 78.5	23,100	13.2	10.4 - 16.0	6,700	3.8	2.2 - 5.4	13,900	7.9	5.9 - 10.0	174,600
55-64	89,900	74.5	70.2 - 78.9	14,900	12.4	9.2 - 15.5	5,000	4.1	2.0 - 6.2	10,900	9.0	6.2 - 11.8	120,600
65-74	65,900	78.4	73.8 - 83.0	6,300	7.5	4.6 - 10.4	3,700	4.4	2.3 - 6.4	8,200	9.7	6.4 - 13.1	84,100
75+	61,400	79.2	74.5 - 84.0	4,400	5.7	2.9 - 8.5	1,900	2.5	0.9 - 4.2	9,700	12.5	8.7 - 16.3	77,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	251,600	73.8	71.2 - 76.3	53,000	15.5	13.5 - 17.6	11,000	3.2	2.2 - 4.3	25,500	7.5	6.1 - 8.9	341,200
Native Hawaiian	60,300	75.1	69.8 - 80.4	11,900	14.8	10.4 - 19.3	3,300	4.2	1.8 - 6.5	4,700	5.9	3.2 - 8.5	80,300
Chinese	85,200	77.2	72.3 - 82.1	11,400	10.4	7.0 - 13.8	7,700	7.0	3.8 - 10.1	6,100	5.5	2.9 - 8.1	110,400
Filipino	112,800	80.5	76.2 - 84.7	15,500	11.1	7.9 - 14.2	3,700	2.7	1.1 - 4.3	8,100	5.8	2.9 - 8.7	140,200
Japanese	135,400	79.6	76.0 - 83.3	17,500	10.3	7.5 - 13.1	5,500	3.2	1.7 - 4.8	11,600	6.8	4.7 - 8.9	170,000
Black	11,000	87.5	78.4 - 96.6	1,100	9.0	0.8 - 17.3	200	1.9	0.0 - 4.6	200	1.6	0.0 - 4.6	12,500
Other Asian	11,500	73.3	59.6 - 87.1	1,500	9.8	0.0 - 20.3	900	5.5	0.0 - 13.4	1,800	11.4	3.2 - 19.6	15,700
Other	16,700	72.7	62.2 - 83.2	3,000	13.0	5.6 - 20.4	1,300	5.8	0.0 - 11.8	1,900	8.4	1.9 - 15.0	23,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	354,700	78.1	75.7 - 80.6	52,400	11.5	9.7 - 13.4	18,400	4.1	2.9 - 5.3	28,400	6.2	4.8 - 7.7	453,900
Female	344,800	74.6	72.5 - 76.7	66,500	14.4	12.7 - 16.1	17,100	3.7	2.8 - 4.6	34,000	7.3	6.1 - 8.6	462,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	11,500	85.0	75.1 - 94.9	100	1.0	0.0 - 3.0	500	3.3	0.0 - 7.2	1,400	10.6	1.6 - 19.7	13,600
Grades 9 thru 11 (Some High School)	27,300	77.4	69.9 - 84.9	3,500	9.8	4.8 - 14.9	400	1.2	0.0 - 2.9	4,100	11.6	6.0 - 17.2	35,300
Grades 12 or GED (High School Grad)	212,900	77.5	74.6 - 80.5	33,000	12.0	9.7 - 14.3	11,600	4.2	2.8 - 5.7	17,200	6.2	4.6 - 7.9	274,700
College 1 to 3 years (Some College/ Tech)	201,400	75.7	72.6 - 78.7	38,500	14.4	11.8 - 17.1	9,600	3.6	2.2 - 5.0	16,700	6.3	4.7 - 7.8	266,300
College 4 years or more (College Grad)	244,600	75.3	72.7 - 78.0	43,800	13.5	11.5 - 15.4	13,400	4.1	2.8 - 5.4	22,900	7.1	5.4 - 8.7	324,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	459,900	77.0	75.0 - 79.0	91,200	15.3	13.6 - 17.0	20,100	3.4	2.5 - 4.2	25,900	4.3	3.3 - 5.3	597,100
Unemployed	23,400	75.6	66.3 - 84.8	3,500	11.4	5.1 - 17.6	1,400	4.5	0.0 - 10.2	2,600	8.5	3.0 - 14.0	30,900
Retired/Unable to work	144,700	74.5	71.2 - 77.8	13,100	6.7	4.9 - 8.6	8,400	4.3	2.7 - 6.0	28,000	14.4	11.9 - 17.0	194,200
Student/Homemaker	71,000	76.0	70.8 - 81.3	11,100	11.9	8.1 - 15.6	5,600	6.0	2.8 - 9.1	5,800	6.2	3.1 - 9.2	93,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	33,100	70.5	63.4 - 77.7	4,300	9.2	4.6 - 13.7	2,700	5.8	1.7 - 9.8	6,800	14.6	9.4 - 19.7	46,900
\$10,000 to \$14,999	37,600	75.5	68.3 - 82.7	3,600	7.3	3.2 - 11.3	2,300	4.6	1.5 - 7.8	6,300	12.6	6.9 - 18.3	49,800
\$15,000 to \$19,999	38,500	76.6	69.4 - 83.9	6,000	12.0	6.4 - 17.6	2,700	5.4	1.9 - 8.8	3,000	6.0	1.6 - 10.4	50,200
\$20,000 to \$24,999	42,000	75.8	69.3 - 82.2	7,500	13.5	8.3 - 18.8	1,900	3.4	0.9 - 5.9	4,000	7.3	3.5 - 11.1	55,400
\$25,000 to \$34,999	64,100	76.1	71.0 - 81.3	12,400	14.7	10.3 - 19.0	2,300	2.7	0.8 - 4.6	5,500	6.5	3.7 - 9.3	84,200
\$35,000 to \$49,999	110,700	78.2	74.4 - 82.0	16,800	11.8	9.1 - 14.6	4,700	3.3	1.5 - 5.2	9,400	6.6	4.4 - 8.9	141,600
\$50,000 to \$74,999	103,900	76.7	72.3 - 81.0	20,600	15.2	11.9 - 18.6	5,200	3.8	1.7 - 6.0	5,800	4.3	1.7 - 6.8	135,500
\$75,000 or more	121,400	76.4	72.6 - 80.2	25,100	15.8	12.6 - 19.0	5,800	3.7	1.8 - 5.5	6,500	4.1	2.5 - 5.7	158,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	141,800	75.8	72.0 - 79.6	18,700	10.0	7.3 - 12.7	7,900	4.2	2.5 - 5.9	18,800	10.0	7.4 - 12.6	187,200
131-185%	64,600	77.6	71.8 - 83.4	10,700	12.8	8.6 - 17.1	2,200	2.7	0.8 - 4.5	5,700	6.9	2.6 - 11.2	83,200
186+%	344,800	76.3	74.1 - 78.4	66,900	14.8	13.0 - 16.6	17,500	3.9	2.8 - 5.0	22,800	5.1	4.0 - 6.1	452,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	410,000	77.7	75.6 - 79.8	66,800	12.7	11.1 - 14.3	17,700	3.4	2.4 - 4.3	33,200	6.3	5.0 - 7.5	527,600
Unmarried Couple	14,900	81.8	71.0 - 92.5	2,900	15.8	5.4 - 26.2	300	1.6	0.0 - 4.7	200	0.9	0.0 - 2.2	18,200
Widowed	50,800	76.9	72.0 - 81.7	3,900	5.8	3.2 - 8.4	2,900	4.4	2.4 - 6.3	8,500	12.9	9.0 - 16.9	66,100
Other	223,800	73.6	70.6 - 76.5	45,400	14.9	12.5 - 17.3	14,600	4.8	3.2 - 6.4	20,500	6.7	5.2 - 8.2	304,300

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	418,100	77.6	75.6 - 79.7	67,600	12.6	11.0 - 14.1	19,000	3.5	2.6 - 4.5	34,000	6.3	5.1 - 7.6	538,700
No	281,100	74.5	72.0 - 77.1	51,200	13.6	11.5 - 15.6	16,500	4.4	3.1 - 5.7	28,400	7.5	6.1 - 8.9	377,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	644,900	76.6	74.9 - 78.2	107,900	12.8	11.5 - 14.1	30,800	3.7	2.9 - 4.4	58,600	7.0	6.0 - 7.9	842,100
No	54,000	74.0	67.7 - 80.3	10,700	14.7	9.8 - 19.6	4,700	6.4	2.3 - 10.5	3,600	4.9	2.3 - 7.5	73,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	664,500	74.0	72.5 - 75.5	128,100	14.3	13.0 - 15.5	52,900	5.9	5.1 - 6.6	52,300	5.8	5.1 - 6.6	897,800

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	76,900	70.2	67.3 - 73.1	17,300	15.8	13.4 - 18.2	7,000	6.4	4.9 - 7.8	8,400	7.6	6.1 - 9.2	109,500
Honolulu	491,600	75.5	73.6 - 77.4	90,900	14.0	12.4 - 15.6	34,700	5.3	4.4 - 6.3	33,700	5.2	4.3 - 6.1	651,000
Kauai	31,400	74.4	70.3 - 78.5	5,300	12.6	9.4 - 15.8	3,200	7.5	4.9 - 10.2	2,300	5.4	3.6 - 7.3	42,200
Maui	64,700	68.0	64.7 - 71.2	14,600	15.3	12.8 - 17.8	8,000	8.4	6.3 - 10.5	7,900	8.3	6.5 - 10.1	95,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	76,900	70.2	67.3 - 73.1	17,300	15.8	13.4 - 18.2	7,000	6.4	4.9 - 7.8	8,400	7.6	6.1 - 9.2	109,500
Kauai	31,400	74.4	70.3 - 78.5	5,300	12.6	9.4 - 15.8	3,200	7.5	4.9 - 10.2	2,300	5.4	3.6 - 7.3	42,200
Lanai	2,100	55.6	44.0 - 67.2	500	13.3	7.2 - 19.3	700	18.1	9.7 - 26.4	500	13.1	4.9 - 21.3	3,800
Maui	57,800	69.2	65.6 - 72.8	12,700	15.2	12.4 - 17.9	6,800	8.1	5.8 - 10.4	6,300	7.5	5.6 - 9.5	83,600
Molokai	4,700	60.9	51.8 - 70.0	1,400	18.0	9.9 - 26.0	500	6.9	2.9 - 10.9	1,100	14.3	8.8 - 19.7	7,800
Oahu	491,600	75.5	73.6 - 77.4	90,900	14.0	12.4 - 15.6	34,700	5.3	4.4 - 6.3	33,700	5.2	4.3 - 6.1	651,000

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	50,000	76.2	70.0 - 82.3	7,600	11.6	6.6 - 16.6	3,700	5.6	2.5 - 8.8	4,300	6.6	3.3 - 9.9	65,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	25,500	75.7	68.8 - 82.6	4,300	12.7	7.6 - 17.8	1,300	3.8	1.0 - 6.6	2,600	7.9	3.3 - 12.4	33,700
Hanalei/ Kapaa	13,800	76.0	70.0 - 82.0	2,200	11.9	7.5 - 16.4	1,300	7.1	3.2 - 10.9	900	5.0	2.3 - 7.7	18,200
Hilo	24,800	70.9	65.8 - 76.0	5,200	14.8	10.6 - 19.0	2,900	8.2	5.4 - 11.0	2,200	6.1	3.7 - 8.6	35,000
Kaaawa/ Kahaluu/ Kaneohe	30,100	76.1	68.7 - 83.4	4,900	12.3	6.8 - 17.7	1,900	4.8	1.5 - 8.1	2,700	6.8	2.0 - 11.7	39,500
Kahului	21,700	76.9	71.7 - 82.2	2,600	9.2	5.7 - 12.8	2,100	7.3	4.0 - 10.7	1,800	6.5	3.6 - 9.4	28,200
Kailua/ Waimanalo	40,300	85.1	79.6 - 90.5	3,000	6.4	3.0 - 9.8	3,000	6.4	2.3 - 10.5	1,000	2.2	0.3 - 4.0	47,400
Kaimuki/ Palolo/ Waikiki	45,300	68.1	62.3 - 73.9	13,200	19.9	14.9 - 24.8	5,100	7.7	4.2 - 11.1	2,900	4.3	1.9 - 6.8	66,500
Kona	19,600	66.0	60.2 - 71.9	5,800	19.6	14.5 - 24.7	1,900	6.6	3.6 - 9.5	2,300	7.8	4.7 - 10.9	29,700
Lahaina/ Wailuku	17,000	59.7	52.7 - 66.6	6,200	21.8	16.0 - 27.6	2,600	9.1	4.5 - 13.7	2,700	9.5	5.4 - 13.5	28,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	2,100	55.6	44.0 - 67.2	500	13.3	7.2 - 19.3	700	18.1	9.7 - 26.4	500	13.1	4.9 - 21.3	3,800
Lihue-Waimea	17,600	73.2	67.6 - 78.9	3,100	13.1	8.6 - 17.6	1,900	7.9	4.3 - 11.5	1,400	5.8	3.3 - 8.3	24,000
Manoa/ Upper Makiki	39,400	69.1	62.4 - 75.9	9,500	16.6	10.9 - 22.4	4,100	7.1	4.0 - 10.3	4,000	7.1	3.3 - 10.9	57,000
Mililani/ Wahiawa	44,800	71.9	64.1 - 79.7	11,300	18.1	10.6 - 25.5	2,800	4.5	1.7 - 7.4	3,400	5.5	2.5 - 8.5	62,400
Molokai	4,700	60.9	51.8 - 70.0	1,400	18.0	9.9 - 26.0	500	6.9	2.9 - 10.9	1,100	14.3	8.8 - 19.7	7,800
Nanakuli/ Waianae	17,000	66.9	56.1 - 77.7	4,400	17.2	8.2 - 26.2	600	2.2	0.0 - 5.0	3,500	13.7	5.9 - 21.4	25,400
N.Hawaii	16,500	73.0	66.9 - 79.1	3,500	15.5	10.6 - 20.5	900	3.9	1.3 - 6.4	1,700	7.6	4.1 - 11.2	22,600
N.Shore/ Laie	14,700	79.5	69.2 - 89.8	2,500	13.4	4.3 - 22.5	400	2.1	0.0 - 5.2	900	5.0	0.0 - 10.1	18,500
Nuuanu/ Kalihi/ Moanalua	51,500	78.6	72.8 - 84.3	6,300	9.6	5.2 - 14.1	5,200	7.9	4.3 - 11.5	2,500	3.9	1.6 - 6.1	65,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	16,000	72.0	66.0 - 77.9	2,800	12.4	7.9 - 17.0	1,300	5.8	2.8 - 8.8	2,200	9.8	6.3 - 13.3	22,200
Salt Lake/ Foster Village	29,400	78.1	70.0 - 86.2	6,800	18.0	10.1 - 25.8	1,000	2.6	0.2 - 5.0	500	1.3	0.0 - 2.8	37,700
Upcountry/ Hana	19,100	71.2	65.3 - 77.1	3,900	14.4	10.0 - 18.8	2,100	7.9	3.9 - 11.9	1,800	6.6	3.7 - 9.5	26,800
Waialae/ Kahala/ Hawaii Kai	39,400	84.1	78.8 - 89.4	5,000	10.7	6.2 - 15.2	1,300	2.7	0.5 - 4.9	1,200	2.5	0.2 - 4.8	46,900
Waipahu/ Kapolei/ Ewa	64,200	75.6	70.2 - 80.9	12,300	14.4	10.1 - 18.8	4,400	5.2	2.4 - 8.0	4,100	4.8	2.2 - 7.4	85,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	91,000	79.6	74.8 - 84.3	16,700	14.6	10.3 - 18.9	4,600	4.0	1.9 - 6.1	2,100	1.9	0.6 - 3.1	114,300
25-34	120,700	74.3	70.4 - 78.1	30,900	19.0	15.4 - 22.7	6,800	4.2	2.8 - 5.7	4,100	2.5	1.3 - 3.7	162,500
35-44	136,000	74.9	71.8 - 78.0	25,700	14.1	11.6 - 16.7	9,000	4.9	3.5 - 6.4	11,000	6.0	4.3 - 7.8	181,600
45-54	127,200	74.0	70.9 - 77.0	27,600	16.0	13.5 - 18.6	7,200	4.2	2.9 - 5.5	10,000	5.8	4.2 - 7.4	171,900
55-64	82,900	74.9	70.7 - 79.1	11,600	10.5	7.4 - 13.6	5,600	5.1	3.0 - 7.1	10,600	9.5	6.9 - 12.2	110,800
65-74	61,000	77.5	73.5 - 81.5	7,400	9.4	6.7 - 12.2	4,300	5.5	3.5 - 7.5	6,000	7.6	5.1 - 10.0	78,700
75+	42,900	57.8	52.4 - 63.1	8,200	11.1	7.8 - 14.3	15,000	20.1	15.7 - 24.6	8,200	11.0	7.8 - 14.3	74,300

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	227,400	72.9	70.5 - 75.4	47,300	15.2	13.1 - 17.3	16,200	5.2	4.1 - 6.3	20,800	6.7	5.4 - 7.9	311,700
Native Hawaiian	79,000	69.9	65.4 - 74.4	17,800	15.8	12.0 - 19.5	8,400	7.5	5.0 - 9.9	7,800	6.9	4.6 - 9.2	113,000
Chinese	51,500	78.7	73.7 - 83.8	7,700	11.7	7.7 - 15.7	3,400	5.2	2.7 - 7.8	2,900	4.4	1.9 - 6.8	65,500
Filipino	104,300	76.4	72.6 - 80.3	17,000	12.5	9.5 - 15.4	10,300	7.5	5.1 - 10.0	4,900	3.6	2.1 - 5.0	136,500
Japanese	139,400	75.5	72.3 - 78.6	26,000	14.1	11.3 - 16.8	10,200	5.5	4.1 - 7.0	9,200	5.0	3.5 - 6.4	184,800
Black	11,700	71.8	59.8 - 83.7	2,800	17.2	6.3 - 28.1	700	4.4	0.0 - 9.4	1,100	6.6	1.5 - 11.7	16,400
Other Asian	15,300	72.8	61.3 - 84.2	3,700	17.5	6.7 - 28.3	800	3.9	0.6 - 7.2	1,200	5.9	0.7 - 11.0	21,100
Other Pacific Islander	12,600	63.0	49.4 - 76.6	3,500	17.4	6.0 - 28.7	1,700	8.4	1.9 - 14.9	2,200	11.2	2.3 - 20.1	20,000
Other	18,600	78.5	70.7 - 86.2	2,200	9.4	4.2 - 14.6	1,100	4.6	0.9 - 8.3	1,800	7.6	2.7 - 12.4	23,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	334,800	75.0	72.8 - 77.3	63,800	14.3	12.4 - 16.2	23,400	5.2	4.2 - 6.3	24,300	5.4	4.3 - 6.6	446,300
Female	329,800	73.0	71.1 - 75.0	64,300	14.2	12.7 - 15.8	29,500	6.5	5.5 - 7.6	28,000	6.2	5.2 - 7.1	451,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	14,000	76.1	65.4 - 86.7	1,600	8.4	0.1 - 16.8	900	4.7	0.0 - 9.6	2,000	10.8	4.3 - 17.4	18,400
Grades 9 thru 11 (Some High School)	22,100	65.2	57.5 - 72.9	2,800	8.4	4.3 - 12.4	4,400	13.1	7.4 - 18.7	4,500	13.4	8.4 - 18.4	33,900
Grades 12 or GED (High School Grad)	230,200	74.5	72.0 - 77.0	35,800	11.6	9.8 - 13.4	24,900	8.1	6.5 - 9.6	18,000	5.8	4.5 - 7.2	309,000
College 1 to 3 years (Some College/ Tech)	192,900	73.5	70.6 - 76.4	42,400	16.2	13.6 - 18.8	12,400	4.7	3.6 - 5.9	14,800	5.6	4.3 - 6.9	262,600
College 4 years or more (College Grad)	204,600	74.9	72.3 - 77.5	45,500	16.6	14.3 - 19.0	10,300	3.8	2.7 - 4.8	12,900	4.7	3.6 - 5.9	273,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	449,600	77.1	75.4 - 78.9	85,200	14.6	13.1 - 16.1	24,400	4.2	3.4 - 5.0	23,800	4.1	3.3 - 4.9	583,000
Unemployed	24,500	63.1	53.8 - 72.4	8,900	23.0	14.3 - 31.7	2,500	6.6	2.0 - 11.1	2,800	7.3	3.1 - 11.5	38,900
Retired/Unable to work	118,500	67.0	63.7 - 70.3	18,800	10.6	8.3 - 12.9	17,500	9.9	7.8 - 12.0	22,200	12.5	10.3 - 14.7	176,900
Student/Homemaker	71,200	72.5	67.5 - 77.4	15,200	15.5	11.0 - 20.0	8,500	8.6	6.1 - 11.2	3,300	3.3	2.1 - 4.6	98,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	24,600	71.2	64.1 - 78.2	3,900	11.2	6.6 - 15.7	2,200	6.3	2.4 - 10.2	3,900	11.4	6.4 - 16.4	34,600
\$10,000 to \$14,999	24,300	69.8	62.8 - 76.8	5,200	14.9	9.5 - 20.4	1,800	5.1	2.3 - 7.9	3,600	10.2	5.8 - 14.6	34,900
\$15,000 to \$19,999	30,200	73.2	65.1 - 81.2	5,900	14.2	7.4 - 21.0	2,200	5.4	1.5 - 9.2	3,000	7.3	4.0 - 10.6	41,300
\$20,000 to \$24,999	31,900	74.8	68.8 - 80.8	6,700	15.8	10.7 - 20.8	1,000	2.4	0.9 - 4.0	3,000	7.0	3.3 - 10.7	42,600
\$25,000 to \$34,999	58,500	77.9	73.3 - 82.5	10,100	13.5	9.4 - 17.6	2,300	3.1	1.6 - 4.6	4,100	5.5	3.4 - 7.6	75,000
\$35,000 to \$49,999	94,900	77.1	73.2 - 81.0	17,300	14.1	10.5 - 17.6	6,400	5.2	3.4 - 7.0	4,500	3.6	2.1 - 5.1	123,100
\$50,000 to \$74,999	97,000	77.7	73.9 - 81.5	17,300	13.9	10.5 - 17.2	4,100	3.3	1.9 - 4.7	6,400	5.2	3.4 - 6.9	124,800
\$75,000 or more	102,500	76.5	72.7 - 80.4	22,500	16.8	13.4 - 20.2	3,700	2.8	1.5 - 4.1	5,200	3.9	2.0 - 5.7	133,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	101,200	72.8	69.0 - 76.7	18,400	13.2	10.2 - 16.3	6,900	5.0	3.2 - 6.7	12,400	8.9	6.6 - 11.3	139,000
131-185%	53,300	78.0	73.3 - 82.6	9,500	13.9	9.9 - 17.8	2,900	4.2	2.1 - 6.3	2,700	3.9	2.2 - 5.7	68,300
186+%	309,400	76.8	74.6 - 78.9	61,000	15.1	13.2 - 17.1	14,000	3.5	2.7 - 4.3	18,600	4.6	3.6 - 5.6	403,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	395,500	75.0	73.2 - 76.9	73,400	13.9	12.4 - 15.5	29,400	5.6	4.7 - 6.5	28,700	5.4	4.5 - 6.4	526,900
Unmarried Couple	15,600	71.4	59.4 - 83.3	4,700	21.4	9.4 - 33.4	1,400	6.2	1.7 - 10.7	200	1.0	0.0 - 2.2	21,900
Widowed	35,900	64.7	58.6 - 70.8	4,600	8.3	5.1 - 11.4	8,100	14.6	10.0 - 19.2	6,900	12.4	8.1 - 16.7	55,500
Other	217,500	74.1	71.4 - 76.8	45,400	15.5	13.1 - 17.8	14,000	4.8	3.6 - 6.0	16,500	5.6	4.4 - 6.8	293,400

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	402,500	74.8	73.0 - 76.7	75,100	14.0	12.5 - 15.5	29,800	5.6	4.6 - 6.5	30,200	5.6	4.7 - 6.6	537,700
No	261,100	72.7	70.2 - 75.2	53,000	14.7	12.7 - 16.8	23,000	6.4	5.1 - 7.7	22,000	6.1	5.0 - 7.3	359,200

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	607,500	74.2	72.6 - 75.7	115,800	14.1	12.9 - 15.4	48,200	5.9	5.1 - 6.7	47,400	5.8	5.0 - 6.5	818,800
No	56,600	72.6	67.2 - 78.1	12,200	15.7	10.9 - 20.5	4,300	5.5	3.0 - 8.1	4,800	6.1	3.4 - 8.8	77,800

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

State	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	673,100	75.7	73.9 - 77.5	131,900	14.8	13.3 - 16.4	30,600	3.4	2.6 - 4.3	53,800	6.0	5.1 - 7.0	889,500

County	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	78,900	73.8	70.6 - 76.9	15,400	14.4	11.9 - 16.9	3,400	3.2	2.1 - 4.4	9,300	8.7	6.6 - 10.7	107,000
Honolulu	492,300	76.4	74.1 - 78.7	93,700	14.5	12.7 - 16.4	21,400	3.3	2.2 - 4.4	37,000	5.7	4.5 - 6.9	644,500
Kauai	31,600	77.3	73.1 - 81.5	5,400	13.1	9.6 - 16.6	1,400	3.5	1.8 - 5.3	2,500	6.1	4.0 - 8.2	40,900
Maui	70,300	72.4	66.9 - 77.9	17,500	18.0	12.3 - 23.7	4,400	4.5	2.8 - 6.2	5,000	5.1	3.5 - 6.8	97,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Island	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	78,900	73.8	70.6 - 76.9	15,400	14.4	11.9 - 16.9	3,400	3.2	2.1 - 4.4	9,300	8.7	6.6 - 10.7	107,000
Kauai	31,600	77.3	73.1 - 81.5	5,400	13.1	9.6 - 16.6	1,400	3.5	1.8 - 5.3	2,500	6.1	4.0 - 8.2	40,900
Lanai	1,900	77.8	66.3 - 89.4	300	10.8	2.3 - 19.4	200	7.6	0.0 - 16.0	100	3.7	0.0 - 7.9	2,400
Maui	65,000	72.3	66.4 - 78.1	16,300	18.2	12.1 - 24.2	4,000	4.5	2.7 - 6.2	4,600	5.1	3.4 - 6.9	90,000
Molokai	3,400	71.9	59.8 - 84.1	900	18.2	7.3 - 29.2	200	4.0	0.0 - 9.0	300	5.8	0.0 - 12.1	4,700
Oahu	492,300	76.4	74.1 - 78.7	93,700	14.5	12.7 - 16.4	21,400	3.3	2.2 - 4.4	37,000	5.7	4.5 - 6.9	644,500

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	45,900	73.6	64.8 - 82.4	8,300	13.2	7.6 - 18.8	5,700	9.2	1.3 - 17.1	2,500	4.1	1.2 - 7.0	62,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	19,400	75.9	67.1 - 84.7	2,100	8.3	3.1 - 13.6	1,400	5.3	0.4 - 10.3	2,700	10.5	4.1 - 16.8	25,500
Hanalei/ Kapaa	11,900	69.4	62.1 - 76.7	3,000	17.7	11.1 - 24.3	700	4.1	1.5 - 6.6	1,500	8.8	5.0 - 12.7	17,100
Hilo	23,000	72.5	66.9 - 78.2	5,100	16.2	11.7 - 20.7	900	2.8	0.6 - 5.0	2,700	8.5	4.9 - 12.1	31,700
Kaaawa/ Kahaluu/ Kaneohe	29,300	73.7	63.9 - 83.6	6,400	16.1	8.5 - 23.8	1,900	4.8	0.9 - 8.7	2,100	5.4	0.0 - 12.2	39,700
Kahului	22,200	66.9	53.8 - 80.1	7,800	23.4	9.0 - 37.8	1,600	4.8	1.6 - 8.1	1,600	4.8	2.3 - 7.3	33,100
Kailua/ Waimanalo	39,200	78.4	71.3 - 85.4	6,800	13.7	7.7 - 19.6	1,700	3.5	0.3 - 6.7	2,200	4.5	1.3 - 7.7	50,000
Kaimuki/ Palolo/ Waikiki	55,800	78.0	71.7 - 84.3	10,000	14.0	8.6 - 19.3	900	1.3	0.0 - 2.8	4,800	6.8	3.0 - 10.5	71,600
Kona	22,600	74.7	68.7 - 80.8	4,000	13.4	8.5 - 18.2	1,100	3.7	1.5 - 6.0	2,500	8.2	4.5 - 11.8	30,300
Lahaina/ Wailuku	22,800	77.2	71.2 - 83.3	4,500	15.1	9.9 - 20.4	700	2.5	0.5 - 4.4	1,500	5.1	2.0 - 8.2	29,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	1,900	77.8	66.3 - 89.4	300	10.8	2.3 - 19.4	200	7.6	0.0 - 16.0	100	3.7	0.0 - 7.9	2,400
Lihue-Waimea	19,700	83.0	78.2 - 87.7	2,300	9.8	6.1 - 13.4	700	3.1	0.7 - 5.6	1,000	4.1	1.8 - 6.4	23,800
Manoa/ Upper Makiki	46,300	81.8	75.1 - 88.6	6,500	11.6	6.0 - 17.1	2,200	3.8	0.1 - 7.5	1,600	2.8	0.2 - 5.4	56,500
Mililani/ Wahiawa	40,400	71.8	63.9 - 79.7	9,800	17.5	10.5 - 24.5	800	1.5	0.1 - 2.8	5,200	9.3	4.6 - 14.0	56,300
Molokai	3,400	71.9	59.8 - 84.1	900	18.2	7.3 - 29.2	200	4.0	0.0 - 9.0	300	5.8	0.0 - 12.1	4,700
Nanakuli/ Waianae	21,700	73.8	60.9 - 86.8	5,100	17.2	5.9 - 28.5	400	1.4	0.0 - 4.3	2,200	7.5	0.0 - 15.5	29,400
N.Hawaii	18,600	78.4	72.1 - 84.7	2,800	12.0	7.2 - 16.7	900	4.0	1.2 - 6.8	1,300	5.6	1.8 - 9.5	23,700
N.Shore/ Laie	16,700	64.9	51.4 - 78.5	7,500	29.3	15.9 - 42.7	500	1.9	0.0 - 4.6	1,000	3.8	0.0 - 7.7	25,700
Nuuanu/ Kalihi/ Moanalua	51,100	78.1	71.1 - 85.0	8,700	13.4	7.8 - 18.9	1,200	1.9	0.0 - 4.0	4,400	6.7	2.2 - 11.2	65,400

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Community	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	14,700	69.1	61.9 - 76.3	3,400	15.8	9.9 - 21.6	500	2.2	0.6 - 3.9	2,800	13.0	7.7 - 18.3	21,300
Salt Lake/ Foster Village	28,600	83.3	74.9 - 91.6	4,500	13.0	5.2 - 20.9	400	1.2	0.0 - 3.5	900	2.5	0.0 - 5.4	34,400
Upcountry/ Hana	20,100	73.3	67.0 - 79.7	4,100	15.1	10.2 - 19.9	1,700	6.1	2.3 - 9.9	1,500	5.5	2.1 - 8.9	27,400
Waialae/ Kahala/ Hawaii Kai	23,500	66.0	55.6 - 76.5	6,100	17.3	8.8 - 25.8	2,200	6.3	0.6 - 12.0	3,700	10.3	3.5 - 17.1	35,600
Waipahu/ Kapolei/ Ewa	74,600	81.0	75.4 - 86.6	11,800	12.8	7.9 - 17.7	2,000	2.2	0.1 - 4.2	3,700	4.0	1.6 - 6.4	92,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

BRFSS Age Group	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	71,800	67.5	60.1 - 74.8	26,900	25.3	18.2 - 32.5	3,700	3.5	1.0 - 6.0	3,900	3.7	1.1 - 6.3	106,300
25-34	128,900	77.0	73.4 - 80.7	29,600	17.7	14.3 - 21.1	2,700	1.6	0.7 - 2.6	6,000	3.6	2.1 - 5.1	167,300
35-44	138,900	75.9	72.2 - 79.5	29,100	15.9	12.7 - 19.0	7,000	3.8	2.2 - 5.5	8,100	4.4	2.7 - 6.1	183,100
45-54	117,800	75.4	71.5 - 79.4	22,700	14.5	11.2 - 17.9	5,600	3.6	1.9 - 5.3	10,100	6.5	4.4 - 8.5	156,300
55-64	93,200	77.7	73.1 - 82.3	12,800	10.7	7.3 - 14.1	4,000	3.4	1.5 - 5.3	9,900	8.3	5.3 - 11.2	120,000
65-74	67,500	76.7	70.2 - 83.2	7,000	8.0	4.8 - 11.2	5,400	6.2	0.8 - 11.5	8,000	9.1	5.0 - 13.2	87,900
75+	49,300	79.5	74.2 - 84.7	3,400	5.5	3.1 - 7.8	1,900	3.1	0.6 - 5.7	7,400	11.9	7.6 - 16.2	62,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

DOH Race-Ethnicity	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	224,400	74.7	72.0 - 77.4	45,600	15.2	12.8 - 17.5	8,500	2.8	1.8 - 3.8	22,000	7.3	5.8 - 8.8	300,400
Native Hawaiian	88,200	76.7	72.2 - 81.2	18,600	16.2	12.1 - 20.2	3,400	3.0	1.4 - 4.5	4,800	4.2	2.4 - 6.0	114,900
Chinese	37,200	67.3	59.0 - 75.5	12,300	22.2	14.8 - 29.6	2,400	4.3	0.3 - 8.4	3,400	6.2	2.1 - 10.2	55,300
Filipino	97,600	76.6	70.2 - 83.0	19,300	15.1	9.5 - 20.7	5,200	4.1	0.3 - 7.9	5,300	4.2	1.9 - 6.4	127,400
Japanese	143,700	77.8	74.2 - 81.4	21,500	11.7	8.8 - 14.5	8,300	4.5	2.7 - 6.3	11,300	6.1	4.1 - 8.1	184,800
Black	11,900	71.6	58.1 - 85.1	2,700	16.2	6.0 - 26.3	800	4.8	0.0 - 10.8	1,200	7.4	0.0 - 16.2	16,700
Other Asian	22,200	83.5	73.3 - 93.6	2,200	8.2	0.1 - 16.3	1,700	6.2	0.0 - 12.5	600	2.2	0.0 - 5.4	26,600
Other Pacific Islander	14,900	75.1	59.4 - 90.7	2,000	10.0	2.3 - 17.8	100	0.7	0.0 - 1.6	2,800	14.2	0.0 - 29.4	19,900
Other	26,200	78.3	68.7 - 87.8	6,100	18.1	9.0 - 27.3	300	0.9	0.0 - 1.9	900	2.7	0.0 - 6.0	33,500

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Gender	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	348,500	77.7	74.9 - 80.4	60,800	13.5	11.2 - 15.9	13,000	2.9	1.9 - 3.9	26,400	5.9	4.5 - 7.3	448,700
Female	324,600	73.7	71.2 - 76.1	71,200	16.1	14.2 - 18.1	17,600	4.0	2.6 - 5.4	27,300	6.2	5.0 - 7.4	440,700

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Education Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	11,500	69.2	56.9 - 81.5	2,200	13.4	2.8 - 24.0	500	3.1	0.0 - 6.4	2,400	14.4	5.5 - 23.2	16,600
Grades 9 thru 11 (Some High School)	27,000	71.4	59.1 - 83.7	4,200	11.2	3.4 - 19.0	4,500	11.9	0.2 - 23.6	2,100	5.5	2.2 - 8.9	37,800
Grades 12 or GED (High School Grad)	228,600	77.5	74.5 - 80.5	40,500	13.7	11.2 - 16.3	8,100	2.7	1.6 - 3.9	17,700	6.0	4.4 - 7.6	294,900
College 1 to 3 years (Some College/ Tech)	195,300	71.3	67.6 - 75.0	50,400	18.4	15.1 - 21.7	8,900	3.2	2.0 - 4.5	19,400	7.1	5.1 - 9.1	273,900
College 4 years or more (College Grad)	208,400	79.0	76.3 - 81.7	34,600	13.1	10.8 - 15.4	8,700	3.3	2.1 - 4.5	12,200	4.6	3.3 - 5.9	263,900

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Employment Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	454,300	77.4	75.3 - 79.6	90,800	15.5	13.5 - 17.4	18,100	3.1	2.3 - 3.9	23,300	4.0	3.0 - 4.9	586,600
Unemployed	18,500	62.8	51.3 - 74.3	7,500	25.4	13.9 - 36.8	200	0.8	0.0 - 1.8	3,200	11.0	5.3 - 16.7	29,400
Retired/Unable to work	140,400	74.7	70.7 - 78.7	16,200	8.6	6.4 - 10.8	9,100	4.9	2.0 - 7.7	22,200	11.8	9.0 - 14.6	187,900
Student/Homemaker	59,500	69.9	63.3 - 76.5	17,500	20.5	14.5 - 26.6	3,100	3.7	1.1 - 6.3	5,000	5.9	3.0 - 8.8	85,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Household Income	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	25,500	67.7	57.9 - 77.5	7,800	20.8	11.6 - 29.9	800	2.1	0.0 - 4.2	3,500	9.4	4.1 - 14.7	37,700
\$10,000 to \$14,999	31,600	74.5	67.1 - 81.9	4,900	11.6	6.3 - 16.9	1,000	2.4	0.6 - 4.3	4,900	11.5	5.9 - 17.0	42,500
\$15,000 to \$19,999	27,700	71.0	59.9 - 82.1	5,600	14.4	8.1 - 20.7	4,400	11.3	0.0 - 22.6	1,300	3.3	1.1 - 5.5	39,000
\$20,000 to \$24,999	42,600	73.5	63.2 - 83.8	11,200	19.3	8.9 - 29.7	2,500	4.4	1.1 - 7.7	1,600	2.8	1.0 - 4.6	57,900
\$25,000 to \$34,999	67,000	75.9	71.1 - 80.7	15,100	17.1	12.8 - 21.4	2,400	2.7	0.9 - 4.5	3,800	4.3	2.3 - 6.2	88,200
\$35,000 to \$49,999	96,900	71.7	67.0 - 76.5	24,200	17.9	13.8 - 22.0	4,800	3.5	1.6 - 5.5	9,200	6.8	4.1 - 9.5	135,100
\$50,000 to \$74,999	95,300	76.7	72.2 - 81.2	17,600	14.2	10.5 - 17.9	4,800	3.8	1.8 - 5.9	6,500	5.3	2.8 - 7.7	124,200
\$75,000 or more	97,300	79.7	75.4 - 84.0	16,100	13.2	9.6 - 16.8	3,800	3.1	1.4 - 4.8	4,800	4.0	1.8 - 6.1	122,000

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Poverty Level	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	100,100	69.4	63.4 - 75.3	27,000	18.7	13.4 - 24.0	7,600	5.3	1.7 - 8.8	9,600	6.7	4.3 - 9.0	144,300
131-185%	80,800	75.7	70.4 - 81.0	17,900	16.8	12.0 - 21.6	2,800	2.7	1.2 - 4.2	5,200	4.9	2.1 - 7.6	106,800
186+%	303,000	76.6	74.2 - 79.0	57,700	14.6	12.6 - 16.6	14,100	3.6	2.5 - 4.6	20,800	5.3	4.0 - 6.5	395,600

Marital Status (Grouped)	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	394,700	78.0	75.6 - 80.3	66,300	13.1	11.1 - 15.1	16,500	3.3	2.3 - 4.2	28,800	5.7	4.4 - 7.0	506,300
Widowed	32,400	67.5	58.1 - 76.9	6,200	12.8	7.5 - 18.1	4,500	9.3	0.0 - 18.7	5,000	10.4	5.7 - 15.1	47,900
Other	241,200	74.0	71.0 - 76.9	56,700	17.4	14.7 - 20.1	9,200	2.8	1.8 - 3.9	19,000	5.8	4.5 - 7.2	326,100

Health - physical bad, 30 days by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001

Married	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	406,100	77.5	75.2 - 79.8	69,000	13.2	11.2 - 15.1	17,400	3.3	2.4 - 4.2	31,500	6.0	4.7 - 7.3	523,900
No	265,700	73.0	70.0 - 75.9	63,000	17.3	14.8 - 19.8	13,200	3.6	2.0 - 5.2	22,300	6.1	4.8 - 7.5	364,200

Health Care Coverage	Zero days			1 to 6 days			7 to 13 days			14 or more days			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	623,200	75.7	73.9 - 77.6	118,500	14.4	12.8 - 16.0	29,700	3.6	2.7 - 4.5	51,400	6.2	5.3 - 7.2	822,800
No	48,500	74.3	67.0 - 81.6	13,500	20.6	13.4 - 27.9	900	1.4	0.4 - 2.4	2,400	3.6	1.6 - 5.7	65,200