

Smoke - how long since last, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Smoke - how long since last	How long has it been since you last smoked cigarettes regularly

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/15/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse


profiles@hhdw.org

(855) 946-5899 x15

Smoke - how long since last, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	
2011-2013	n/r	n/r	n/r	14,500	5.2	4.4 - 6.0	20,700	7.4	6.3 - 8.6	43,400	15.6	14.2 - 17.0	198,400	71.3	69.6 - 73.1	278,200
2012-2014	1,500	0.5	0.2 - 0.8	14,500	5.2	4.4 - 6.0	21,100	7.6	6.5 - 8.7	45,600	16.4	15.0 - 17.9	194,900	70.2	68.5 - 72.0	277,500



Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	1,500	0.5	0.2 - 0.8	14,500	5.2	4.4 - 6.0	21,100	7.6	6.5 - 8.7	45,600	16.4	15.0 - 17.9	194,900	70.2	68.5 - 72.0	277,500

County	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	2,700	6.4	4.6 - 8.3	3,200	7.8	5.4 - 10.3	5,900	14.3	11.8 - 16.9	29,400	70.8	67.3 - 74.3	41,500
Honolulu	n/r	n/r	n/r	8,800	4.8	3.8 - 5.9	13,900	7.7	6.1 - 9.2	30,000	16.5	14.5 - 18.4	128,400	70.5	68.1 - 72.9	182,100
Kauai	n/r	n/r	n/r	1,000	6.6	3.8 - 9.5	700	4.8	2.9 - 6.7	2,100	14.4	10.8 - 18.0	10,600	73.9	69.5 - 78.4	14,400
Maui	n/r	n/r	n/r	1,800	5.0	3.1 - 6.9	2,800	7.7	5.5 - 9.8	7,000	19.2	15.5 - 23.0	24,800	67.8	63.7 - 71.8	36,600

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	2,700	6.4	4.6 - 8.3	3,200	7.8	5.4 - 10.3	5,900	14.3	11.8 - 16.9	29,400	70.8	67.3 - 74.3	41,500
Kauai	n/r	n/r	n/r	1,000	6.6	3.8 - 9.5	700	4.8	2.9 - 6.7	2,100	14.4	10.8 - 18.0	10,600	73.9	69.5 - 78.4	14,400
Lanai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	300	77.0	63.3 - 90.7	400
Maui	n/r	n/r	n/r	1,700	4.8	2.9 - 6.7	2,800	7.9	5.7 - 10.1	6,700	19.1	15.2 - 23.0	23,600	67.9	63.7 - 72.0	34,800
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	900	63.3	44.8 - 81.8	1,400
Oahu	n/r	n/r	n/r	8,800	4.8	3.8 - 5.9	13,900	7.7	6.1 - 9.2	30,000	16.5	14.5 - 18.4	128,400	70.5	68.1 - 72.9	182,100

Community	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	2,000	12.1	7.7 - 16.6	13,300	79.4	73.2 - 85.5	16,800
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,500	20.8	13.1 - 28.6	4,700	66.5	57.3 - 75.7	7,100

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300	19.4	13.1 - 25.7	4,400	67.9	60.7 - 75.1	6,500
Hilo	n/r	n/r	n/r	600	5.8	3.0 - 8.6	n/r	n/r	n/r	1,500	14.5	9.9 - 19.2	7,700	75.4	69.8 - 81.0	10,200
Kaaawa/ Kahaluu/ Kaneohe	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	2,200	16.6	8.3 - 25.0	10,300	77.2	68.7 - 85.7	13,400
Kahului	0	0.0	0.0 - 0.0	n/r	n/r	n/r	900	7.9	4.3 - 11.4	2,600	23.9	15.4 - 32.4	6,900	62.7	54.4 - 71.1	11,000
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,500	15.4	8.9 - 21.9	11,800	73.8	66.2 - 81.3	16,000
Kaimuki/ Palolo/ Waikiki	0	0.0	0.0 - 0.0	n/r	n/r	n/r	2,000	11.9	5.7 - 18.0	2,200	12.8	8.3 - 17.2	12,400	71.6	64.2 - 79.0	17,200
Kona	n/r	n/r	n/r	700	6.5	2.9 - 10.0	800	7.9	3.6 - 12.1	1,300	13.3	8.0 - 18.6	7,300	72.1	65.4 - 78.9	10,100
Lahaina/ Wailuku	n/r	n/r	n/r	800	6.1	2.5 - 9.8	1,300	10.4	5.6 - 15.2	2,100	16.8	11.3 - 22.4	8,300	66.5	59.7 - 73.3	12,500
Lanai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	300	77.0	63.3 - 90.7	400
Lihue-Waimea	0	0.0	0.0 - 0.0	500	6.2	2.6 - 9.8	400	4.7	2.3 - 7.2	800	10.2	6.4 - 14.1	6,200	78.8	73.5 - 84.2	7,900
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	1,100	9.5	4.3 - 14.7	1,200	11.2	5.8 - 16.6	8,200	73.2	65.9 - 80.4	11,200
Mililani/ Wahiawa	0	0.0	0.0 - 0.0	900	5.0	2.3 - 7.7	1,600	8.4	4.2 - 12.7	3,800	20.0	12.7 - 27.3	12,500	66.5	58.5 - 74.4	18,700

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	900	63.3	44.8 - 81.8	1,400
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,500	18.5	9.7 - 27.3	5,000	61.6	50.1 - 73.1	8,100
N.Hawaii	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	900	12.5	6.9 - 18.1	5,200	71.3	62.8 - 79.9	7,300
N.Shore/ Laie	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,900	77.1	66.2 - 88.0	5,000
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	800	6.0	2.8 - 9.1	700	5.1	2.2 - 7.9	2,900	21.0	12.5 - 29.5	9,100	66.5	57.6 - 75.3	13,700
Puna/ Kau	n/r	n/r	n/r	1,000	7.1	3.5 - 10.8	1,300	9.3	4.1 - 14.4	2,200	15.9	11.1 - 20.6	9,100	66.1	59.3 - 72.8	13,800
Salt Lake/ Foster Village	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,300	15.5	7.1 - 23.9	5,900	69.6	58.4 - 80.8	8,500
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	600	5.3	2.8 - 7.8	1,900	17.0	11.1 - 22.9	8,500	74.3	68.0 - 80.5	11,400
Waiialae/ Kahala/ Hawaii Kai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,200	9.2	4.1 - 14.3	10,300	79.9	72.1 - 87.7	12,900
Waipahu/ Kapolei/ Ewa	0	0.0	0.0 - 0.0	2,000	6.0	2.8 - 9.2	3,300	10.0	4.8 - 15.2	7,100	21.1	15.8 - 26.5	21,000	62.8	56.1 - 69.6	33,400

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	3,600	33.1	23.5 - 42.8	2,800	25.6	15.9 - 35.3	3,500	32.2	23.1 - 41.2	800	7.7	3.3 - 12.2	11,000
25-34	n/r	n/r	n/r	4,300	11.7	8.2 - 15.2	8,100	22.4	17.0 - 27.8	13,100	36.1	30.5 - 41.8	10,700	29.5	24.1 - 34.9	36,300
35-44	n/r	n/r	n/r	2,600	6.5	4.2 - 8.7	3,600	9.1	5.8 - 12.4	10,800	27.0	22.1 - 32.0	22,400	56.1	50.7 - 61.6	39,900
45-54	n/r	n/r	n/r	2,300	5.2	3.4 - 7.1	2,800	6.6	4.4 - 8.8	7,700	18.0	14.2 - 21.9	29,900	69.7	65.2 - 74.1	43,000
55-64	n/r	n/r	n/r	1,000	1.6	1.0 - 2.3	2,100	3.4	2.4 - 4.4	6,200	10.2	8.0 - 12.4	51,600	84.5	82.0 - 86.9	61,000
65-74	n/r	n/r	n/r	500	1.0	0.4 - 1.6	1,000	2.1	1.2 - 3.1	3,400	7.0	5.0 - 8.9	43,400	89.2	87.0 - 91.5	48,600
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	800	2.3	1.3 - 3.3	34,500	96.4	94.8 - 97.9	35,800

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	n/r	n/r	n/r	6,300	5.9	4.4 - 7.4	8,200	7.7	6.1 - 9.3	15,800	14.8	12.9 - 16.7	75,800	71.0	68.4 - 73.6	106,800
Native Hawaiian	n/r	n/r	n/r	1,900	6.9	4.6 - 9.2	2,600	9.4	6.6 - 12.2	5,400	19.4	14.7 - 24.0	17,900	64.0	58.9 - 69.1	28,000
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,400	19.7	11.8 - 27.6	8,900	73.7	65.4 - 81.9	12,100
Filipino	n/r	n/r	n/r	1,900	5.8	2.9 - 8.7	n/r	n/r	n/r	7,600	23.7	17.6 - 29.7	19,700	61.1	54.2 - 68.0	32,200
Japanese	n/r	n/r	n/r	2,000	3.0	1.8 - 4.1	3,600	5.5	3.4 - 7.6	7,000	10.7	8.2 - 13.2	52,800	80.7	77.5 - 83.9	65,400
Black	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,900	58.1	38.3 - 78.0	3,200
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300	70.3	47.9 - 92.6	1,800
Other Asian	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,200	22.3	10.9 - 33.7	3,600	66.8	53.7 - 79.9	5,400
Other Pacific Islander	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,600	33.5	20.6 - 46.4	2,200	44.8	30.8 - 58.8	4,800
Other	0	0.0	0.0 - 0.0	800	12.4	6.0 - 18.7	n/r	n/r	n/r	1,800	26.6	15.9 - 37.3	3,200	47.6	36.8 - 58.4	6,800

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	8,500	5.4	4.2 - 6.5	11,300	7.2	5.9 - 8.4	24,500	15.6	13.7 - 17.5	112,200	71.3	69.0 - 73.5	157,500
Female	n/r	n/r	n/r	6,000	5.0	3.9 - 6.1	9,700	8.1	6.1 - 10.1	21,100	17.6	15.4 - 19.8	82,600	68.9	66.2 - 71.6	120,000

Education Level	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,700
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	1,400	7.1	3.2 - 11.0	n/r	n/r	n/r	4,600	22.5	14.3 - 30.7	12,500	61.4	52.3 - 70.4	20,300
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	5,700	6.9	5.4 - 8.3	7,100	8.5	6.6 - 10.5	15,200	18.2	15.5 - 20.9	55,100	66.0	62.8 - 69.1	83,500
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	4,600	4.5	3.1 - 6.0	9,300	9.2	6.9 - 11.5	16,200	16.1	13.7 - 18.5	70,300	69.7	66.5 - 72.8	101,000
College 4 years or more (College Grad)	n/r	n/r	n/r	2,500	3.7	2.5 - 4.8	3,100	4.5	3.5 - 5.6	9,200	13.4	11.4 - 15.4	53,600	78.1	75.8 - 80.4	68,600

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	n/r	n/r	n/r	8,900	5.7	4.6 - 6.8	15,000	9.6	7.9 - 11.2	32,500	20.7	18.5 - 22.9	99,500	63.4	60.9 - 65.9	156,900
Unemployed	n/r	n/r	n/r	1,800	11.7	7.0 - 16.3	1,800	11.5	6.0 - 17.1	3,400	22.0	15.0 - 29.0	8,500	54.7	46.0 - 63.3	15,500
Retired/Unable to work	n/r	n/r	n/r	1,500	1.7	1.0 - 2.4	2,400	2.6	1.7 - 3.5	5,800	6.5	5.2 - 7.9	79,600	88.8	87.1 - 90.6	89,600
Student/Homemaker	n/r	n/r	n/r	2,200	14.5	8.0 - 20.9	1,900	12.6	5.9 - 19.4	3,800	24.9	17.9 - 32.0	7,000	46.6	38.6 - 54.5	15,100

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	1,100	10.6	5.2 - 15.9	1,500	14.2	5.8 - 22.5	2,400	23.0	15.8 - 30.3	5,400	52.2	42.3 - 62.0	10,300
\$10,000 to \$14,999	0	0.0	0.0 - 0.0	900	9.7	5.0 - 14.4	700	8.2	3.4 - 13.0	1,500	16.6	10.4 - 22.8	5,800	65.4	56.8 - 74.1	8,800
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,900	26.6	19.3 - 33.9	8,300	56.5	48.6 - 64.4	14,600
\$20,000 to \$24,999	n/r	n/r	n/r	1,700	9.3	5.4 - 13.2	1,800	9.7	5.7 - 13.7	2,900	16.0	11.4 - 20.6	11,600	63.7	57.4 - 69.9	18,200
\$25,000 to \$34,999	n/r	n/r	n/r	1,600	5.9	3.1 - 8.6	2,200	7.7	4.6 - 10.8	5,200	18.7	13.6 - 23.7	18,800	66.8	61.1 - 72.5	28,100
\$35,000 to \$49,999	n/r	n/r	n/r	1,600	4.2	2.5 - 5.9	3,900	10.0	5.7 - 14.3	6,600	16.9	13.1 - 20.7	26,900	68.5	63.5 - 73.5	39,300
\$50,000 to \$74,999	n/r	n/r	n/r	2,300	5.0	2.8 - 7.2	3,200	6.8	4.7 - 9.0	7,900	17.1	13.5 - 20.8	32,800	70.9	66.7 - 75.1	46,200
\$75,000 or more	n/r	n/r	n/r	2,700	3.0	1.9 - 4.0	5,600	6.2	4.4 - 8.0	11,800	13.1	10.8 - 15.4	69,700	77.2	74.3 - 80.0	90,300

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	1,700	6.6	2.9 - 10.3	n/r	n/r	n/r	4,200	16.6	11.3 - 22.0	17,900	70.7	64.2 - 77.2	25,300
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,500	15.7	9.7 - 21.7	16,000	71.0	62.7 - 79.4	22,500
186+%	n/r	n/r	n/r	1,500	1.6	0.8 - 2.4	3,900	4.2	2.9 - 5.5	9,100	9.9	7.8 - 11.9	77,500	83.8	81.4 - 86.3	92,400

Marital Status (Grouped)	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	n/r	n/r	n/r	5,000	3.1	2.2 - 3.9	10,300	6.3	5.1 - 7.6	22,800	14.1	12.2 - 15.9	123,300	76.0	73.8 - 78.2	162,200
Unmarried Couple	0	0.0	0.0 - 0.0	1,000	10.4	4.7 - 16.1	n/r	n/r	n/r	2,300	23.1	12.7 - 33.5	4,600	47.3	34.8 - 59.8	9,800
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,400	6.3	4.1 - 8.5	19,600	89.1	85.8 - 92.5	22,000
Other	n/r	n/r	n/r	8,100	9.7	7.7 - 11.6	8,300	10.0	7.8 - 12.1	19,100	22.9	20.2 - 25.7	47,400	56.7	53.5 - 59.9	83,500

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	5,400	3.3	2.4 - 4.2	10,600	6.4	5.2 - 7.6	23,500	14.1	12.3 - 16.0	125,800	75.7	73.5 - 77.9	166,200
No	n/r	n/r	n/r	9,000	8.1	6.6 - 9.6	10,400	9.4	7.3 - 11.5	22,000	19.9	17.6 - 22.2	68,600	62.0	59.1 - 64.8	110,700

Health Care Coverage	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	1,400	0.5	0.2 - 0.8	12,500	4.9	4.0 - 5.7	18,800	7.3	6.1 - 8.4	41,100	15.9	14.5 - 17.4	184,300	71.4	69.6 - 73.2	258,100
No	n/r	n/r	n/r	1,800	9.5	5.9 - 13.2	2,200	11.7	6.7 - 16.7	4,500	23.4	17.1 - 29.8	10,500	54.7	47.3 - 62.2	19,100

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	n/r	n/r	n/r	14,500	5.2	4.4 - 6.0	20,700	7.4	6.3 - 8.6	43,400	15.6	14.2 - 17.0	198,400	71.3	69.6 - 73.1	278,200

County	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	2,800	6.7	4.8 - 8.6	3,100	7.5	4.7 - 10.2	5,800	14.1	11.3 - 16.9	29,500	71.1	67.4 - 74.9	41,500
Honolulu	n/r	n/r	n/r	9,200	4.9	3.9 - 6.0	13,700	7.4	5.9 - 8.9	28,500	15.4	13.5 - 17.3	133,100	71.8	69.5 - 74.2	185,300
Kauai	0	0.0	0.0 - 0.0	700	5.0	2.5 - 7.6	600	4.0	2.3 - 5.8	2,200	14.9	10.5 - 19.3	11,100	76.0	71.1 - 80.9	14,700
Maui	n/r	n/r	n/r	1,700	5.0	2.8 - 7.1	2,800	8.1	5.8 - 10.5	6,600	19.0	15.2 - 22.8	23,500	67.7	63.5 - 71.9	34,700

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	2,800	6.7	4.8 - 8.6	3,100	7.5	4.7 - 10.2	5,800	14.1	11.3 - 16.9	29,500	71.1	67.4 - 74.9	41,500
Kauai	0	0.0	0.0 - 0.0	700	5.0	2.5 - 7.6	600	4.0	2.3 - 5.8	2,200	14.9	10.5 - 19.3	11,100	76.0	71.1 - 80.9	14,700
Lanai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	500	78.4	68.8 - 88.1	600
Maui	n/r	n/r	n/r	1,600	5.0	2.7 - 7.2	2,700	8.5	5.9 - 11.0	6,100	19.0	14.9 - 23.0	21,700	67.4	62.9 - 71.8	32,300
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300	69.6	55.4 - 83.8	1,800
Oahu	n/r	n/r	n/r	9,200	4.9	3.9 - 6.0	13,700	7.4	5.9 - 8.9	28,500	15.4	13.5 - 17.3	133,100	71.8	69.5 - 74.2	185,300

Community	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,800	10.3	6.4 - 14.2	14,200	79.7	73.6 - 85.9	17,800
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300	17.7	10.7 - 24.7	5,100	68.4	59.5 - 77.2	7,500

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,300	19.6	12.5 - 26.6	4,900	71.8	64.0 - 79.6	6,800
Hilo	n/r	n/r	n/r	500	5.0	2.7 - 7.4	n/r	n/r	n/r	1,600	14.9	10.1 - 19.7	8,300	76.9	71.5 - 82.3	10,800
Kaaawa/ Kahaluu/ Kaneohe	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	2,400	15.6	8.3 - 22.8	11,000	73.1	64.6 - 81.7	15,100
Kahului	0	0.0	0.0 - 0.0	n/r	n/r	n/r	800	8.1	4.3 - 11.8	2,200	21.1	12.6 - 29.6	6,600	62.9	54.3 - 71.5	10,500
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,700	15.8	9.4 - 22.3	12,400	73.3	65.9 - 80.7	16,900
Kaimuki/ Palolo/ Waikiki	0	0.0	0.0 - 0.0	n/r	n/r	n/r	2,100	11.5	5.4 - 17.6	2,700	14.6	9.5 - 19.7	13,000	70.1	62.6 - 77.5	18,500
Kona	n/r	n/r	n/r	900	8.6	4.3 - 12.8	n/r	n/r	n/r	1,200	11.5	6.5 - 16.4	7,500	73.7	67.1 - 80.3	10,200
Lahaina/ Wailuku	0	0.0	0.0 - 0.0	n/r	n/r	n/r	1,200	10.5	5.3 - 15.7	2,300	20.4	13.8 - 26.9	7,100	63.9	56.4 - 71.4	11,200
Lanai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	500	78.4	68.8 - 88.1	600
Lihue-Waimea	0	0.0	0.0 - 0.0	n/r	n/r	n/r	300	4.1	1.8 - 6.4	900	10.9	5.4 - 16.4	6,300	79.7	73.5 - 85.9	7,800
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	1,500	12.6	6.6 - 18.7	1,200	9.8	5.5 - 14.0	8,800	73.2	66.2 - 80.2	12,000
Mililani/ Wahiawa	0	0.0	0.0 - 0.0	1,100	5.5	2.5 - 8.5	1,700	8.7	4.6 - 12.7	3,900	19.4	11.9 - 27.0	13,200	66.4	58.4 - 74.4	19,800

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300	69.6	55.4 - 83.8	1,800
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,600	22.6	11.7 - 33.5	4,400	61.1	48.5 - 73.6	7,100
N.Hawaii	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,000	13.7	7.8 - 19.5	5,100	71.8	63.1 - 80.4	7,200
N.Shore/ Laie	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,200	74.2	61.4 - 87.0	5,700
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,900	15.3	7.2 - 23.5	9,100	72.8	63.4 - 82.2	12,500
Puna/ Kau	n/r	n/r	n/r	1,100	7.8	3.9 - 11.7	n/r	n/r	n/r	2,100	15.6	9.6 - 21.6	8,600	64.2	56.2 - 72.1	13,400
Salt Lake/ Foster Village	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,400	70.2	59.6 - 80.9	7,600
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,600	15.4	9.8 - 20.9	8,000	75.3	68.9 - 81.8	10,700
Waialae/ Kahala/ Hawaii Kai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,300	10.9	5.9 - 15.9	10,500	85.0	79.4 - 90.5	12,300
Waipahu/ Kapolei/ Ewa	0	0.0	0.0 - 0.0	1,900	5.9	3.0 - 8.9	n/r	n/r	n/r	6,100	18.8	13.6 - 24.0	21,900	67.8	61.2 - 74.4	32,300

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	3,500	34.8	24.4 - 45.1	2,800	28.1	17.3 - 38.9	2,800	27.7	18.8 - 36.5	800	8.0	3.5 - 12.6	10,100
25-34	0	0.0	0.0 - 0.0	4,100	10.5	7.6 - 13.4	8,600	22.2	16.8 - 27.5	12,500	32.2	26.6 - 37.7	13,600	35.1	29.7 - 40.5	38,700
35-44	n/r	n/r	n/r	2,800	7.5	4.4 - 10.5	3,500	9.3	5.7 - 12.9	9,600	25.2	20.2 - 30.2	21,700	57.2	51.5 - 62.8	38,100
45-54	n/r	n/r	n/r	2,300	5.1	3.2 - 6.9	2,500	5.4	3.7 - 7.1	8,300	18.3	14.5 - 22.1	32,100	70.7	66.4 - 75.0	45,300
55-64	n/r	n/r	n/r	1,100	1.9	1.1 - 2.6	1,800	3.1	2.1 - 4.0	5,800	9.6	7.5 - 11.7	51,200	85.3	82.9 - 87.6	60,100
65-74	n/r	n/r	n/r	400	0.9	0.5 - 1.3	900	2.0	1.0 - 3.0	3,100	6.6	4.7 - 8.6	42,200	89.9	87.7 - 92.2	47,000
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,400	3.7	1.9 - 5.4	35,900	95.3	93.4 - 97.1	37,700

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	n/r	n/r	n/r	5,500	5.1	3.9 - 6.3	8,500	7.9	6.2 - 9.6	16,700	15.5	13.4 - 17.6	76,500	71.1	68.5 - 73.7	107,600
Native Hawaiian	n/r	n/r	n/r	2,200	7.7	4.4 - 11.0	2,500	8.9	5.4 - 12.4	5,500	19.4	14.8 - 24.0	18,000	63.6	58.2 - 69.0	28,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,400	12.5	6.6 - 18.4	9,400	81.5	74.8 - 88.3	11,600
Filipino	n/r	n/r	n/r	2,200	6.3	3.2 - 9.4	3,200	9.4	4.3 - 14.6	6,800	20.0	14.3 - 25.7	21,600	63.3	56.5 - 70.1	34,200
Japanese	n/r	n/r	n/r	1,800	2.7	1.6 - 3.8	3,200	4.8	2.9 - 6.6	6,800	10.3	7.9 - 12.7	54,300	82.1	79.1 - 85.2	66,200
Black	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,800	70.8	55.2 - 86.4	2,500
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,000
Other Asian	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,000	15.3	6.4 - 24.3	4,500	69.4	57.2 - 81.6	6,400
Other Pacific Islander	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,500	31.5	18.7 - 44.4	1,900	40.6	27.2 - 54.1	4,800
Other	0	0.0	0.0 - 0.0	1,100	15.6	7.7 - 23.5	n/r	n/r	n/r	1,500	21.6	11.2 - 31.9	3,600	51.7	40.6 - 62.9	7,000

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	8,300	5.2	4.1 - 6.3	11,600	7.3	6.0 - 8.7	22,300	14.1	12.2 - 15.9	115,700	72.9	70.7 - 75.2	158,600
Female	n/r	n/r	n/r	6,300	5.2	4.0 - 6.4	9,000	7.6	5.6 - 9.5	21,100	17.6	15.4 - 19.9	82,800	69.2	66.4 - 72.0	119,600

Education Level	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,300
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,200	14.7	7.3 - 22.0	14,800	67.8	58.7 - 76.8	21,800
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	5,200	6.2	4.8 - 7.6	6,800	8.1	6.1 - 10.1	15,100	18.0	15.2 - 20.8	56,500	67.5	64.3 - 70.7	83,700
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	4,900	4.9	3.5 - 6.2	9,100	9.1	6.8 - 11.4	16,200	16.1	13.7 - 18.6	69,800	69.5	66.3 - 72.6	100,400
College 4 years or more (College Grad)	n/r	n/r	n/r	2,600	3.8	2.6 - 5.0	3,100	4.6	3.5 - 5.7	8,500	12.6	10.8 - 14.4	53,300	78.8	76.6 - 81.1	67,600

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	n/r	n/r	n/r	8,500	5.5	4.5 - 6.5	14,700	9.6	7.8 - 11.3	30,600	19.9	17.7 - 22.0	99,600	64.6	62.0 - 67.1	154,200
Unemployed	0	0.0	0.0 - 0.0	2,000	11.7	6.4 - 17.1	1,800	10.6	4.7 - 16.5	3,500	20.3	13.3 - 27.4	9,900	57.3	48.5 - 66.2	17,300
Retired/Unable to work	n/r	n/r	n/r	2,000	2.2	1.2 - 3.2	2,200	2.5	1.7 - 3.2	5,900	6.5	5.0 - 7.9	80,700	88.7	86.8 - 90.5	91,000
Student/Homemaker	n/r	n/r	n/r	2,000	13.2	7.1 - 19.2	1,800	12.1	5.2 - 19.0	3,300	21.6	15.3 - 27.8	8,000	52.3	44.3 - 60.3	15,300

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,800	20.4	12.8 - 28.0	5,000	57.6	46.7 - 68.6	8,700
\$10,000 to \$14,999	0	0.0	0.0 - 0.0	600	7.7	3.2 - 12.1	900	10.3	4.7 - 15.9	1,300	15.6	7.9 - 23.2	5,500	66.5	56.9 - 76.1	8,300
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,700	25.0	17.6 - 32.5	8,700	58.7	50.6 - 66.8	14,800
\$20,000 to \$24,999	n/r	n/r	n/r	1,800	9.4	4.9 - 13.9	2,100	11.0	5.7 - 16.4	2,800	14.7	10.3 - 19.2	11,900	63.6	56.8 - 70.4	18,700
\$25,000 to \$34,999	n/r	n/r	n/r	1,600	5.7	3.3 - 8.2	2,300	8.1	4.8 - 11.4	5,000	17.8	12.9 - 22.6	19,000	67.7	62.1 - 73.3	28,100
\$35,000 to \$49,999	n/r	n/r	n/r	1,600	4.0	2.4 - 5.6	3,300	8.1	4.2 - 11.9	6,700	16.5	12.9 - 20.1	28,900	71.0	66.3 - 75.7	40,700
\$50,000 to \$74,999	0	0.0	0.0 - 0.0	2,000	4.5	2.8 - 6.1	4,000	8.8	6.1 - 11.5	7,200	15.8	12.0 - 19.6	32,100	70.9	66.6 - 75.3	45,300
\$75,000 or more	n/r	n/r	n/r	2,900	3.2	2.1 - 4.3	4,700	5.1	3.5 - 6.8	12,100	13.4	11.0 - 15.7	70,400	77.9	75.1 - 80.8	90,400

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	2,000	6.1	2.8 - 9.5	n/r	n/r	n/r	5,900	18.6	13.4 - 23.8	21,900	68.5	62.3 - 74.7	31,900
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,100	14.5	9.4 - 19.6	21,200	74.7	67.8 - 81.6	28,400
186+%	n/r	n/r	n/r	2,200	1.9	1.1 - 2.7	5,200	4.4	3.1 - 5.6	12,700	10.7	8.8 - 12.7	97,500	82.7	80.4 - 85.0	117,900

Marital Status (Grouped)	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	n/r	n/r	n/r	4,800	3.0	2.3 - 3.8	8,900	5.6	4.4 - 6.7	20,900	13.1	11.3 - 14.9	124,300	77.9	75.8 - 80.0	159,700
Unmarried Couple	0	0.0	0.0 - 0.0	1,000	8.6	3.6 - 13.5	n/r	n/r	n/r	3,400	30.4	19.8 - 41.0	5,100	45.2	33.7 - 56.7	11,300
Widowed	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,700	6.9	4.4 - 9.5	21,400	89.8	86.7 - 93.0	23,800
Other	n/r	n/r	n/r	8,400	10.0	7.9 - 12.1	9,600	11.5	9.0 - 14.0	17,500	20.9	18.1 - 23.7	47,600	57.1	53.7 - 60.4	83,500

Smoke - how long since last by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	5,500	3.4	2.5 - 4.2	9,200	5.6	4.5 - 6.8	21,400	13.1	11.3 - 14.9	126,500	77.5	75.4 - 79.6	163,300
No	n/r	n/r	n/r	9,000	7.9	6.4 - 9.4	11,400	10.0	7.8 - 12.2	21,900	19.2	16.8 - 21.6	71,400	62.5	59.6 - 65.4	114,300

Health Care Coverage	Never smoked regularly			<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	12,900	5.0	4.2 - 5.9	18,200	7.1	5.9 - 8.2	39,200	15.2	13.7 - 16.7	186,500	72.3	70.5 - 74.1	257,800
No	n/r	n/r	n/r	1,500	7.3	4.2 - 10.3	2,400	12.1	6.8 - 17.4	4,200	20.9	15.2 - 26.6	11,900	59.2	52.1 - 66.2	20,200