

Smoke - 4 level smoking status, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Smoke - 4 level smoking status	Cigarette smoking status (4 Levels)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/15/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse


profiles@hhdw.org

(855) 946-5899 x15

Smoke - 4 level smoking status, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	
2011-2013	111,000	10.4	9.8 - 11.1	47,300	4.4	4.0 - 4.9	279,000	26.3	25.4 - 27.1	625,600	58.9	57.9 - 59.8	1,062,900
2012-2014	102,000	9.6	9.0 - 10.2	46,700	4.4	4.0 - 4.8	278,700	26.3	25.4 - 27.1	633,800	59.7	58.8 - 60.7	1,061,200



Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	102,000	9.6	9.0 - 10.2	46,700	4.4	4.0 - 4.8	278,700	26.3	25.4 - 27.1	633,800	59.7	58.8 - 60.7	1,061,200

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	12.9	11.4 - 14.5	7,400	5.2	4.1 - 6.2	41,700	29.0	27.1 - 30.8	76,200	53.0	50.8 - 55.1	143,800
Honolulu	65,800	9.0	8.3 - 9.8	30,400	4.2	3.7 - 4.7	182,900	25.1	24.0 - 26.2	450,700	61.8	60.5 - 63.0	729,800
Kauai	5,100	10.1	7.8 - 12.3	2,400	4.7	3.3 - 6.0	14,400	28.2	25.7 - 30.7	29,100	57.0	54.1 - 60.0	51,000
Maui	10,900	9.2	7.8 - 10.5	5,600	4.8	3.7 - 5.8	36,900	31.0	29.0 - 33.1	65,400	55.1	52.8 - 57.3	118,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	12.9	11.4 - 14.5	7,400	5.2	4.1 - 6.2	41,700	29.0	27.1 - 30.8	76,200	53.0	50.8 - 55.1	143,800
Kauai	5,100	10.1	7.8 - 12.3	2,400	4.7	3.3 - 6.0	14,400	28.2	25.7 - 30.7	29,100	57.0	54.1 - 60.0	51,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	400	15.8	9.8 - 21.8	1,400	59.0	45.6 - 72.3	2,400
Maui	9,700	8.8	7.4 - 10.2	5,100	4.6	3.6 - 5.7	35,100	31.9	29.7 - 34.1	60,100	54.7	52.3 - 57.0	110,000
Molokai	1,000	14.8	7.7 - 21.9	n/r	n/r	n/r	1,400	21.9	15.0 - 28.7	3,900	60.5	52.1 - 69.0	6,500
Oahu	65,800	9.0	8.3 - 9.8	30,400	4.2	3.7 - 4.7	182,900	25.1	24.0 - 26.2	450,700	61.8	60.5 - 63.0	729,800

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,400	10.9	7.7 - 14.1	3,000	4.4	2.7 - 6.1	17,000	25.2	21.6 - 28.7	40,200	59.5	55.3 - 63.7	67,500
Ala Moana	3,900	11.4	8.2 - 14.7	1,800	5.4	2.4 - 8.5	7,100	21.1	17.3 - 25.0	21,000	62.0	56.8 - 67.1	33,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,900	9.0	5.0 - 13.1	900	4.4	2.8 - 6.0	6,500	30.6	26.6 - 34.5	11,900	56.0	51.3 - 60.7	21,200
Hilo	4,900	12.3	9.7 - 14.8	1,800	4.6	3.1 - 6.1	10,300	25.8	22.6 - 29.0	22,800	57.3	53.6 - 61.0	39,800
Kaaawa/ Kahaluu/ Kaneohe	4,500	8.8	5.9 - 11.6	1,800	3.5	1.8 - 5.1	13,500	26.3	22.3 - 30.3	31,400	61.4	56.9 - 65.9	51,200
Kahului	2,900	8.0	5.7 - 10.3	1,500	4.1	2.6 - 5.7	11,000	30.6	26.7 - 34.6	20,600	57.2	53.0 - 61.5	36,000
Kailua/ Waimanalo	4,000	7.5	4.9 - 10.1	2,400	4.4	2.6 - 6.3	16,100	30.0	25.7 - 34.2	31,200	58.1	53.5 - 62.7	53,700
Kaimuki/ Palolo/ Waikiki	4,100	6.6	4.5 - 8.7	2,000	3.1	2.0 - 4.2	17,400	27.9	24.3 - 31.5	39,000	62.4	58.5 - 66.3	62,500
Kona	3,700	11.1	8.2 - 14.0	1,800	5.2	2.9 - 7.5	10,200	30.5	26.7 - 34.3	17,900	53.2	48.9 - 57.6	33,600
Lahaina/ Wailuku	3,700	9.8	7.5 - 12.1	1,300	3.4	2.0 - 4.8	12,600	33.0	29.4 - 36.7	20,600	53.8	49.8 - 57.7	38,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	400	15.8	9.8 - 21.8	1,400	59.0	45.6 - 72.3	2,400
Lihue-Waimea	3,200	10.8	8.3 - 13.4	1,500	4.9	2.9 - 6.9	7,900	26.5	23.3 - 29.7	17,200	57.8	54.0 - 61.6	29,800
Manoa/ Upper Makiki	4,500	9.2	6.8 - 11.5	1,300	2.7	1.6 - 3.9	11,200	22.9	19.6 - 26.2	32,000	65.2	61.3 - 69.0	49,100
Mililani/ Wahiawa	8,400	12.3	9.2 - 15.5	3,300	4.9	3.2 - 6.6	18,700	27.4	23.5 - 31.3	37,900	55.4	51.0 - 59.7	68,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,000	14.8	7.7 - 21.9	n/r	n/r	n/r	1,400	21.9	15.0 - 28.7	3,900	60.5	52.1 - 69.0	6,500
Nanakuli/ Waianae	6,200	15.6	11.4 - 19.7	3,100	7.7	4.8 - 10.6	8,100	20.4	16.1 - 24.7	22,300	56.3	50.5 - 62.1	39,600
N.Hawaii	3,000	11.1	8.1 - 14.0	1,300	5.0	2.8 - 7.2	7,300	27.4	23.5 - 31.3	15,200	56.6	52.0 - 61.1	26,800
N.Shore/ Laie	2,100	8.5	4.3 - 12.6	n/r	n/r	n/r	5,000	20.5	15.0 - 26.1	15,900	64.5	57.6 - 71.4	24,600
Nuuanu/ Kalihi/ Moanalua	6,800	10.0	7.6 - 12.3	2,600	3.8	2.0 - 5.7	13,700	20.3	17.0 - 23.5	44,700	65.9	62.0 - 69.8	67,800
Puna/ Kau	7,000	16.1	12.7 - 19.4	2,500	5.7	3.5 - 8.0	13,800	31.7	28.0 - 35.5	20,300	46.5	42.3 - 50.7	43,600
Salt Lake/ Foster Village	1,600	5.3	2.8 - 7.7	1,100	3.5	1.6 - 5.5	8,500	27.8	22.1 - 33.5	19,300	63.4	57.5 - 69.3	30,400
Upcountry/ Hana	3,100	8.6	6.1 - 11.1	2,300	6.4	4.0 - 8.9	11,400	31.9	28.3 - 35.6	19,000	53.0	48.8 - 57.2	35,800
Waiialae/ Kahala/ Hawaii Kai	1,900	4.0	2.4 - 5.6	n/r	n/r	n/r	12,900	28.0	23.8 - 32.1	30,500	66.0	61.6 - 70.3	46,300
Waipahu/ Kapolei/ Ewa	10,500	7.8	6.1 - 9.5	5,500	4.1	2.8 - 5.4	33,500	24.8	21.9 - 27.7	85,400	63.3	60.1 - 66.5	134,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	10,700	8.5	6.7 - 10.3	8,600	6.8	5.1 - 8.4	11,100	8.8	7.1 - 10.5	95,600	75.9	73.2 - 78.6	125,900
25-34	25,700	13.7	11.9 - 15.6	13,800	7.4	6.0 - 8.7	36,300	19.4	17.3 - 21.5	111,300	59.5	56.9 - 62.1	187,100
35-44	18,200	10.8	9.3 - 12.3	7,700	4.6	3.7 - 5.5	39,900	23.7	21.5 - 26.0	102,500	60.9	58.4 - 63.4	168,300
45-54	20,200	11.3	9.7 - 13.0	7,400	4.2	3.3 - 5.1	43,100	24.2	22.1 - 26.3	107,400	60.3	57.9 - 62.7	178,200
55-64	17,300	9.8	8.6 - 11.0	6,000	3.4	2.6 - 4.2	61,300	34.7	32.7 - 36.7	92,100	52.1	50.0 - 54.2	176,700
65-74	7,600	6.5	5.2 - 7.7	2,400	2.1	1.4 - 2.7	48,800	41.3	38.9 - 43.7	59,300	50.2	47.8 - 52.6	118,100
75+	1,800	1.9	1.2 - 2.5	600	0.7	0.3 - 1.0	36,200	37.7	35.0 - 40.4	57,500	59.8	57.1 - 62.5	96,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	30,200	9.0	8.1 - 10.0	13,700	4.1	3.5 - 4.7	107,100	32.1	30.6 - 33.5	182,900	54.8	53.2 - 56.4	334,000
Native Hawaiian	19,900	16.2	14.1 - 18.4	9,300	7.6	6.0 - 9.1	28,100	22.9	20.8 - 25.1	65,200	53.3	50.5 - 56.0	122,400
Chinese	1,900	3.1	1.9 - 4.2	n/r	n/r	n/r	12,200	19.1	16.0 - 22.2	48,200	75.9	72.5 - 79.2	63,600
Filipino	14,200	8.2	6.6 - 9.9	8,300	4.8	3.6 - 6.1	32,300	18.8	16.5 - 21.0	117,400	68.2	65.5 - 70.9	172,100
Japanese	16,600	7.4	6.3 - 8.5	5,800	2.6	1.9 - 3.3	65,900	29.3	27.5 - 31.2	136,200	60.6	58.6 - 62.7	224,600
Black	2,700	14.0	8.2 - 19.8	n/r	n/r	n/r	3,200	16.6	10.6 - 22.6	12,900	66.0	58.1 - 73.9	19,500
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	1,800	31.5	20.0 - 42.9	2,800	48.5	36.8 - 60.1	5,700
Other Asian	3,500	12.9	8.1 - 17.8	1,200	4.5	2.4 - 6.7	5,500	19.9	14.6 - 25.2	17,200	62.7	56.2 - 69.1	27,400
Other Pacific Islander	4,400	17.2	12.0 - 22.4	1,600	6.3	3.5 - 9.1	4,800	18.7	14.0 - 23.5	14,900	57.8	51.6 - 63.9	25,800
Other	2,800	9.7	6.3 - 13.0	1,900	6.5	3.0 - 9.9	6,800	23.6	18.8 - 28.4	17,400	60.2	54.3 - 66.2	28,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	58,300	11.0	10.1 - 11.9	28,700	5.4	4.8 - 6.1	158,300	30.0	28.7 - 31.2	283,200	53.6	52.2 - 55.0	528,500
Female	43,700	8.2	7.4 - 9.0	18,000	3.4	2.9 - 3.9	120,400	22.6	21.5 - 23.7	350,600	65.8	64.5 - 67.1	532,700

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,500	12.1	5.3 - 19.0	n/r	n/r	n/r	3,700	17.7	10.8 - 24.5	13,700	66.1	57.4 - 74.8	20,700
Grades 9 thru 11 (Some High School)	15,400	19.1	15.4 - 22.8	4,700	5.9	3.8 - 8.0	20,300	25.3	21.2 - 29.3	40,100	49.8	44.9 - 54.7	80,500
Grades 12 or GED (High School Grad)	39,000	12.4	11.2 - 13.5	18,600	5.9	5.1 - 6.7	83,900	26.7	25.2 - 28.2	172,800	55.0	53.2 - 56.8	314,200
College 1 to 3 years (Some College/ Tech)	33,600	9.5	8.5 - 10.5	15,900	4.5	3.7 - 5.3	101,500	28.6	27.0 - 30.2	203,700	57.4	55.7 - 59.2	354,700
College 4 years or more (College Grad)	11,400	3.9	3.4 - 4.5	6,600	2.3	1.9 - 2.7	68,900	23.8	22.7 - 25.0	202,100	69.9	68.6 - 71.2	289,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	62,400	9.7	8.9 - 10.4	31,500	4.9	4.3 - 5.5	157,400	24.4	23.3 - 25.5	394,300	61.1	59.8 - 62.3	645,600
Unemployed	12,600	18.8	15.4 - 22.1	4,400	6.6	4.4 - 8.7	15,600	23.3	19.7 - 26.9	34,500	51.4	47.1 - 55.7	67,100
Retired/Unable to work	19,600	8.1	6.9 - 9.2	6,800	2.8	2.3 - 3.3	90,100	37.2	35.5 - 38.9	125,900	52.0	50.2 - 53.7	242,200
Student/Homemaker	7,100	6.8	5.0 - 8.7	4,000	3.8	2.6 - 5.0	15,200	14.6	12.4 - 16.9	77,900	74.8	71.9 - 77.7	104,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	10,600	19.4	15.7 - 23.2	4,600	8.4	6.0 - 10.7	10,400	19.0	15.6 - 22.5	28,900	53.1	48.7 - 57.6	54,400
\$10,000 to \$14,999	6,300	16.4	12.6 - 20.3	2,700	7.0	5.0 - 9.0	8,900	23.2	19.0 - 27.4	20,400	53.4	48.3 - 58.5	38,200
\$15,000 to \$19,999	8,800	13.7	11.2 - 16.3	4,100	6.3	4.4 - 8.2	14,700	22.8	19.7 - 25.9	36,800	57.2	53.4 - 61.0	64,400
\$20,000 to \$24,999	9,500	12.9	10.5 - 15.3	4,700	6.4	4.7 - 8.2	18,200	24.7	21.8 - 27.6	41,200	56.0	52.4 - 59.6	73,500
\$25,000 to \$34,999	12,600	11.3	9.2 - 13.4	6,800	6.2	4.5 - 7.8	28,400	25.6	23.0 - 28.2	63,200	56.9	53.9 - 60.0	111,100
\$35,000 to \$49,999	12,600	9.0	7.5 - 10.5	6,000	4.3	3.2 - 5.4	39,500	28.3	26.0 - 30.6	81,500	58.3	55.7 - 60.9	139,700
\$50,000 to \$74,999	14,500	9.3	8.0 - 10.7	6,700	4.3	3.2 - 5.5	46,300	29.9	27.7 - 32.1	87,400	56.4	54.0 - 58.9	154,900
\$75,000 or more	18,500	5.9	5.0 - 6.8	7,500	2.4	1.9 - 3.0	90,500	29.1	27.4 - 30.7	194,900	62.6	60.9 - 64.3	311,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	15,700	13.5	10.9 - 16.2	7,200	6.2	4.4 - 8.1	25,400	21.9	19.1 - 24.6	67,700	58.4	54.8 - 61.9	116,000
131-185%	5,000	7.3	5.1 - 9.5	2,000	2.8	1.6 - 4.1	22,600	32.9	28.8 - 37.1	39,100	56.9	52.6 - 61.2	68,700
186+%	15,900	5.7	4.8 - 6.5	6,400	2.3	1.7 - 2.9	92,600	32.8	31.2 - 34.5	167,200	59.2	57.5 - 61.0	282,200

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	37,600	6.9	6.2 - 7.6	15,600	2.9	2.4 - 3.3	162,900	29.9	28.7 - 31.1	328,100	60.3	59.0 - 61.6	544,100
Unmarried Couple	3,300	10.2	7.1 - 13.3	2,500	7.7	4.1 - 11.2	9,800	30.4	24.3 - 36.5	16,700	51.7	45.6 - 57.9	32,300
Widowed	4,100	5.9	4.5 - 7.2	1,400	2.0	1.3 - 2.8	22,100	31.5	28.4 - 34.6	42,500	60.6	57.3 - 63.9	70,200
Other	57,000	13.8	12.6 - 14.9	27,200	6.6	5.7 - 7.4	84,000	20.2	19.1 - 21.4	246,500	59.4	57.9 - 61.0	414,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	41,100	7.3	6.6 - 8.1	16,600	3.0	2.5 - 3.4	166,900	29.8	28.6 - 31.0	335,600	59.9	58.6 - 61.2	560,000
No	60,800	12.2	11.2 - 13.2	30,100	6.0	5.3 - 6.8	111,300	22.3	21.2 - 23.5	296,000	59.4	58.0 - 60.8	498,200

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	87,600	9.1	8.5 - 9.7	38,700	4.0	3.6 - 4.4	259,300	26.8	26.0 - 27.7	580,500	60.1	59.1 - 61.1	966,000
No	14,300	15.4	12.8 - 17.9	7,800	8.4	6.6 - 10.2	19,200	20.7	17.9 - 23.4	51,700	55.6	52.1 - 59.0	92,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	111,000	10.4	9.8 - 11.1	47,300	4.4	4.0 - 4.9	279,000	26.3	25.4 - 27.1	625,600	58.9	57.9 - 59.8	1,062,900

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,300	13.3	11.7 - 14.8	6,400	4.4	3.6 - 5.3	41,600	28.6	26.8 - 30.5	78,000	53.7	51.5 - 55.8	145,400
Honolulu	72,100	9.8	9.0 - 10.6	32,100	4.4	3.8 - 4.9	185,800	25.3	24.2 - 26.3	445,900	60.6	59.3 - 61.9	735,800
Kauai	6,200	12.0	9.3 - 14.6	2,400	4.6	3.2 - 6.1	14,700	28.5	25.8 - 31.2	28,300	54.9	51.6 - 58.1	51,500
Maui	11,700	10.0	8.5 - 11.4	5,600	4.7	3.7 - 5.8	34,800	29.5	27.5 - 31.6	65,800	55.8	53.5 - 58.1	118,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,300	13.3	11.7 - 14.8	6,400	4.4	3.6 - 5.3	41,600	28.6	26.8 - 30.5	78,000	53.7	51.5 - 55.8	145,400
Kauai	6,200	12.0	9.3 - 14.6	2,400	4.6	3.2 - 6.1	14,700	28.5	25.8 - 31.2	28,300	54.9	51.6 - 58.1	51,500
Lanai	200	7.6	3.2 - 12.1	n/r	n/r	n/r	600	20.7	15.6 - 25.8	1,900	64.5	56.4 - 72.7	2,900
Maui	10,900	10.1	8.5 - 11.6	5,100	4.7	3.6 - 5.9	32,400	30.1	27.9 - 32.3	59,300	55.1	52.6 - 57.5	107,700
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,800	24.8	18.7 - 30.9	4,600	62.5	55.1 - 69.9	7,300
Oahu	72,100	9.8	9.0 - 10.6	32,100	4.4	3.8 - 4.9	185,800	25.3	24.2 - 26.3	445,900	60.6	59.3 - 61.9	735,800

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,600	11.2	7.8 - 14.5	3,200	4.7	2.9 - 6.4	18,000	26.5	22.9 - 30.0	39,100	57.7	53.5 - 61.9	67,800
Ala Moana	4,600	13.7	9.8 - 17.5	1,900	5.6	2.7 - 8.6	7,600	22.6	18.6 - 26.7	19,400	58.0	52.8 - 63.3	33,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,600	11.4	7.1 - 15.8	1,100	5.0	2.8 - 7.1	6,800	30.1	25.8 - 34.5	12,200	53.5	48.5 - 58.5	22,700
Hilo	5,400	13.1	10.5 - 15.7	1,700	4.1	2.8 - 5.5	10,800	26.3	23.1 - 29.5	23,100	56.4	52.7 - 60.2	41,000
Kaaawa/ Kahaluu/ Kaneohe	4,600	9.0	6.3 - 11.7	1,300	2.6	1.3 - 3.9	15,200	29.8	25.5 - 34.0	29,800	58.6	54.0 - 63.2	50,900
Kahului	3,000	8.4	6.1 - 10.7	1,200	3.4	2.0 - 4.7	10,500	29.0	25.1 - 32.9	21,500	59.2	55.0 - 63.5	36,300
Kailua/ Waimanalo	5,600	10.3	6.9 - 13.6	3,000	5.5	3.2 - 7.7	16,900	30.8	26.5 - 35.2	29,300	53.4	48.7 - 58.2	54,900
Kaimuki/ Palolo/ Waikiki	5,100	7.9	5.6 - 10.1	2,300	3.6	2.3 - 4.8	18,500	28.5	24.9 - 32.1	39,000	60.1	56.1 - 64.0	64,900
Kona	3,500	10.9	8.3 - 13.6	1,400	4.3	2.4 - 6.2	10,200	31.6	27.7 - 35.6	17,200	53.2	48.8 - 57.5	32,400
Lahaina/ Wailuku	4,100	11.3	8.4 - 14.2	1,200	3.4	2.0 - 4.9	11,200	30.9	27.1 - 34.8	19,700	54.3	50.1 - 58.5	36,300
Lanai	200	7.6	3.2 - 12.1	n/r	n/r	n/r	600	20.7	15.6 - 25.8	1,900	64.5	56.4 - 72.7	2,900
Lihue-Waimea	3,600	12.4	9.0 - 15.7	1,300	4.4	2.4 - 6.4	7,800	27.3	23.8 - 30.7	16,100	56.0	51.8 - 60.1	28,800
Manoa/ Upper Makiki	4,200	8.5	6.1 - 10.8	1,900	3.9	2.3 - 5.5	12,000	24.5	21.2 - 27.8	31,000	63.1	59.2 - 67.0	49,100
Mililani/ Wahiawa	8,200	11.5	8.6 - 14.4	3,500	4.9	2.9 - 6.8	19,800	27.7	23.8 - 31.5	40,200	56.0	51.7 - 60.3	71,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,800	24.8	18.7 - 30.9	4,600	62.5	55.1 - 69.9	7,300
Nanakuli/ Waianae	6,300	17.5	12.5 - 22.4	3,200	8.9	5.5 - 12.4	7,100	19.9	15.4 - 24.4	19,300	53.7	47.5 - 59.9	35,900
N.Hawaii	3,300	11.7	8.6 - 14.8	1,400	4.9	2.8 - 6.9	7,200	25.1	21.5 - 28.8	16,600	58.3	53.8 - 62.9	28,500
N.Shore/ Laie	2,200	9.0	4.8 - 13.2	n/r	n/r	n/r	5,700	23.7	17.5 - 29.9	14,600	61.2	54.0 - 68.4	23,900
Nuuanu/ Kalihi/ Moanalua	7,400	10.9	8.2 - 13.6	3,100	4.6	2.4 - 6.8	12,500	18.5	15.4 - 21.7	44,500	65.9	61.9 - 70.0	67,500
Puna/ Kau	7,100	16.3	12.8 - 19.7	2,000	4.6	3.0 - 6.1	13,400	30.8	26.9 - 34.8	21,100	48.4	44.0 - 52.7	43,600
Salt Lake/ Foster Village	2,400	7.0	4.4 - 9.7	900	2.6	1.1 - 4.1	7,600	22.7	17.9 - 27.6	22,700	67.7	62.3 - 73.0	33,600
Upcountry/ Hana	3,700	10.6	7.8 - 13.3	2,600	7.5	4.7 - 10.3	10,700	30.3	26.6 - 34.1	18,100	51.6	47.3 - 55.9	35,100
Waialae/ Kahala/ Hawaii Kai	2,100	4.7	2.1 - 7.3	900	2.1	0.9 - 3.2	12,300	27.8	23.9 - 31.7	29,000	65.5	61.1 - 69.8	44,300
Waipahu/ Kapolei/ Ewa	11,900	8.7	6.9 - 10.4	5,400	3.9	2.6 - 5.3	32,500	23.6	20.8 - 26.4	87,800	63.8	60.6 - 67.0	137,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	13,900	10.9	8.6 - 13.2	9,800	7.7	5.7 - 9.7	10,300	8.1	6.4 - 9.8	93,200	73.3	70.1 - 76.4	127,200
25-34	28,900	15.2	13.3 - 17.1	13,700	7.2	5.8 - 8.5	38,800	20.4	18.3 - 22.5	108,800	57.2	54.6 - 59.8	190,300
35-44	19,100	11.1	9.6 - 12.6	7,600	4.4	3.5 - 5.3	38,200	22.1	19.9 - 24.3	107,900	62.5	60.0 - 64.9	172,800
45-54	22,000	12.0	10.3 - 13.6	6,900	3.7	3.0 - 4.5	45,500	24.7	22.7 - 26.8	109,400	59.5	57.2 - 61.9	183,800
55-64	17,100	10.0	8.7 - 11.2	6,300	3.6	2.8 - 4.5	60,200	35.1	33.1 - 37.0	88,200	51.3	49.3 - 53.4	171,700
65-74	7,000	6.3	5.0 - 7.5	2,100	1.8	1.3 - 2.4	47,000	42.0	39.6 - 44.4	55,700	49.9	47.4 - 52.3	111,800
75+	2,600	2.7	1.7 - 3.7	800	0.8	0.4 - 1.2	37,800	38.6	36.0 - 41.2	56,800	57.9	55.2 - 60.6	98,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	36,700	10.7	9.7 - 11.8	14,900	4.4	3.7 - 5.0	107,900	31.5	30.1 - 32.9	182,900	53.4	51.8 - 55.0	342,500
Native Hawaiian	19,100	16.4	14.2 - 18.7	8,600	7.4	5.8 - 9.0	28,500	24.5	22.2 - 26.8	60,000	51.7	48.8 - 54.5	116,200
Chinese	2,900	4.4	2.5 - 6.3	n/r	n/r	n/r	11,700	17.5	14.7 - 20.4	51,300	76.9	73.6 - 80.3	66,700
Filipino	15,300	8.6	7.0 - 10.3	8,500	4.8	3.5 - 6.1	34,400	19.4	17.1 - 21.7	119,500	67.2	64.5 - 69.9	177,700
Japanese	18,800	8.3	7.2 - 9.5	6,000	2.7	2.0 - 3.3	66,200	29.3	27.5 - 31.2	134,700	59.7	57.7 - 61.7	225,800
Black	1,900	12.0	7.1 - 16.9	n/r	n/r	n/r	2,500	15.7	10.2 - 21.2	11,000	69.4	62.1 - 76.7	15,800
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	2,000	38.8	25.8 - 51.7	2,200	43.3	31.5 - 55.0	5,100
Other Asian	3,700	13.0	8.3 - 17.6	1,800	6.5	3.8 - 9.1	6,500	22.8	17.1 - 28.4	16,400	57.8	51.4 - 64.3	28,400
Other Pacific Islander	5,000	18.5	12.2 - 24.9	1,500	5.7	2.8 - 8.5	4,800	18.0	13.3 - 22.6	15,500	57.8	51.1 - 64.6	26,700
Other	3,800	11.7	7.9 - 15.6	2,700	8.1	4.2 - 12.1	7,000	21.5	16.9 - 26.0	19,200	58.7	52.5 - 64.8	32,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	64,700	12.2	11.2 - 13.2	28,500	5.4	4.7 - 6.1	159,100	30.1	28.8 - 31.4	276,500	52.3	50.8 - 53.7	528,900
Female	46,300	8.7	7.9 - 9.5	18,800	3.5	3.0 - 4.0	119,900	22.4	21.4 - 23.5	349,100	65.4	64.1 - 66.7	534,000

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,800	12.3	5.6 - 19.1	n/r	n/r	n/r	4,300	19.4	12.3 - 26.5	14,500	65.0	56.4 - 73.6	22,400
Grades 9 thru 11 (Some High School)	18,200	22.3	18.3 - 26.4	4,300	5.3	3.4 - 7.2	21,800	26.7	22.4 - 30.9	37,400	45.7	40.9 - 50.6	81,800
Grades 12 or GED (High School Grad)	43,800	13.7	12.4 - 15.0	18,100	5.7	4.8 - 6.5	84,000	26.3	24.7 - 27.8	173,800	54.3	52.5 - 56.2	319,700
College 1 to 3 years (Some College/ Tech)	34,200	9.7	8.7 - 10.8	17,100	4.9	4.0 - 5.7	100,700	28.6	27.0 - 30.2	199,900	56.8	55.0 - 58.6	351,900
College 4 years or more (College Grad)	11,800	4.1	3.6 - 4.7	6,900	2.4	2.0 - 2.9	67,900	23.8	22.6 - 24.9	199,100	69.7	68.4 - 70.9	285,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	65,500	10.3	9.5 - 11.1	31,100	4.9	4.3 - 5.5	154,800	24.3	23.2 - 25.4	385,300	60.5	59.3 - 61.8	636,600
Unemployed	16,900	22.9	19.1 - 26.6	5,100	6.9	4.8 - 8.9	17,300	23.4	19.8 - 27.1	34,500	46.8	42.6 - 51.1	73,700
Retired/Unable to work	20,700	8.6	7.4 - 9.8	6,200	2.6	2.1 - 3.0	91,100	37.7	36.0 - 39.4	123,500	51.1	49.4 - 52.9	241,400
Student/Homemaker	7,700	7.0	5.2 - 8.9	5,000	4.5	3.1 - 6.0	15,400	14.0	11.9 - 16.1	81,600	74.4	71.5 - 77.3	109,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	10,300	21.2	17.1 - 25.4	4,400	9.1	6.5 - 11.7	8,800	18.1	14.5 - 21.7	24,900	51.5	46.9 - 56.1	48,300
\$10,000 to \$14,999	6,700	17.7	13.6 - 21.8	2,700	7.1	4.5 - 9.7	8,400	22.0	17.7 - 26.2	20,300	53.2	48.0 - 58.5	38,100
\$15,000 to \$19,999	10,600	16.6	13.6 - 19.7	3,500	5.5	3.6 - 7.4	14,800	23.1	19.9 - 26.3	34,900	54.7	50.7 - 58.7	63,800
\$20,000 to \$24,999	10,500	14.2	11.6 - 16.8	4,300	5.8	4.2 - 7.3	18,700	25.4	22.3 - 28.5	40,300	54.6	50.9 - 58.3	73,800
\$25,000 to \$34,999	14,600	13.3	11.0 - 15.6	6,600	6.0	4.3 - 7.7	28,200	25.5	23.0 - 28.1	61,000	55.2	52.2 - 58.3	110,400
\$35,000 to \$49,999	14,600	10.1	8.4 - 11.8	7,000	4.8	3.5 - 6.1	40,900	28.3	26.0 - 30.5	82,400	56.9	54.2 - 59.5	144,900
\$50,000 to \$74,999	15,400	9.6	8.1 - 11.1	6,700	4.2	3.1 - 5.3	45,400	28.5	26.2 - 30.7	91,900	57.7	55.2 - 60.2	159,300
\$75,000 or more	19,200	6.2	5.3 - 7.1	8,100	2.6	2.0 - 3.2	90,600	29.1	27.5 - 30.7	193,600	62.1	60.4 - 63.9	311,500

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,000	15.0	12.6 - 17.4	8,400	5.7	4.2 - 7.3	32,000	21.8	19.3 - 24.3	84,200	57.4	54.2 - 60.6	146,600
131-185%	9,000	9.6	7.3 - 11.9	3,500	3.7	2.3 - 5.2	28,500	30.6	27.3 - 33.9	52,100	56.0	52.4 - 59.6	92,900
186+%	24,000	6.4	5.6 - 7.2	10,400	2.8	2.2 - 3.3	118,200	31.5	30.1 - 33.0	222,300	59.3	57.7 - 60.9	374,900

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	37,300	7.0	6.3 - 7.7	15,100	2.8	2.4 - 3.2	160,100	30.1	28.9 - 31.3	319,000	60.0	58.7 - 61.3	531,500
Unmarried Couple	5,600	13.9	10.2 - 17.5	4,000	9.9	5.8 - 14.1	11,300	28.1	22.7 - 33.6	19,300	48.1	42.3 - 53.8	40,200
Widowed	4,400	6.0	4.5 - 7.4	1,200	1.7	1.0 - 2.3	23,800	32.2	29.2 - 35.2	44,400	60.2	57.0 - 63.3	73,900
Other	63,700	15.3	14.0 - 16.5	27,000	6.5	5.6 - 7.3	83,800	20.1	18.8 - 21.3	242,800	58.2	56.5 - 59.8	417,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	40,400	7.4	6.7 - 8.1	15,900	2.9	2.5 - 3.3	163,700	30.0	28.8 - 31.2	325,300	59.7	58.4 - 60.9	545,400
No	70,500	13.7	12.6 - 14.8	31,300	6.1	5.3 - 6.8	114,600	22.3	21.1 - 23.4	298,400	58.0	56.5 - 59.4	514,800

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	92,800	9.7	9.0 - 10.3	38,500	4.0	3.6 - 4.4	258,500	26.9	26.0 - 27.8	571,700	59.5	58.4 - 60.5	961,600
No	17,800	18.0	15.1 - 20.8	8,700	8.8	7.0 - 10.7	20,300	20.5	17.8 - 23.1	52,200	52.7	49.3 - 56.2	98,900