

Smoke - 3 level smoking status, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Smoke - 3 level smoking status	Cigarette smoking status (3 Levels)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/21/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse

profiles@hhdw.org

(855) 946-5899 x15

Smoke - 3 level smoking status, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011-2013	158,300	14.9	14.2 - 15.6	279,000	26.3	25.4 - 27.1	625,600	58.9	57.9 - 59.8	1,062,900
2012-2014	148,700	14.0	13.3 - 14.7	278,700	26.3	25.4 - 27.1	633,800	59.7	58.8 - 60.7	1,061,200



Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	148,700	14.0	13.3 - 14.7	278,700	26.3	25.4 - 27.1	633,800	59.7	58.8 - 60.7	1,061,200

County	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	26,000	18.1	16.3 - 19.8	41,700	29.0	27.1 - 30.8	76,200	53.0	50.8 - 55.1	143,800
Honolulu	96,200	13.2	12.3 - 14.1	182,900	25.1	24.0 - 26.2	450,700	61.8	60.5 - 63.0	729,800
Kauai	7,500	14.8	12.3 - 17.3	14,400	28.2	25.7 - 30.7	29,100	57.0	54.1 - 60.0	51,000
Maui	16,500	13.9	12.3 - 15.5	36,900	31.0	29.0 - 33.1	65,400	55.1	52.8 - 57.3	118,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	26,000	18.1	16.3 - 19.8	41,700	29.0	27.1 - 30.8	76,200	53.0	50.8 - 55.1	143,800
Kauai	7,500	14.8	12.3 - 17.3	14,400	28.2	25.7 - 30.7	29,100	57.0	54.1 - 60.0	51,000
Lanai	600	25.3	10.5 - 40.0	400	15.8	9.8 - 21.8	1,400	59.0	45.6 - 72.3	2,400
Maui	14,800	13.4	11.8 - 15.1	35,100	31.9	29.7 - 34.1	60,100	54.7	52.3 - 57.0	110,000
Molokai	1,100	17.6	10.5 - 24.8	1,400	21.9	15.0 - 28.7	3,900	60.5	52.1 - 69.0	6,500
Oahu	96,200	13.2	12.3 - 14.1	182,900	25.1	24.0 - 26.2	450,700	61.8	60.5 - 63.0	729,800

Community	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,400	15.3	11.9 - 18.8	17,000	25.2	21.6 - 28.7	40,200	59.5	55.3 - 63.7	67,500
Ala Moana	5,700	16.9	12.6 - 21.1	7,100	21.1	17.3 - 25.0	21,000	62.0	56.8 - 67.1	33,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,900	13.4	9.2 - 17.6	6,500	30.6	26.6 - 34.5	11,900	56.0	51.3 - 60.7	21,200
Hilo	6,700	16.9	14.0 - 19.8	10,300	25.8	22.6 - 29.0	22,800	57.3	53.6 - 61.0	39,800
Kaaawa/ Kahaluu/ Kaneohe	6,300	12.2	9.0 - 15.5	13,500	26.3	22.3 - 30.3	31,400	61.4	56.9 - 65.9	51,200
Kahului	4,400	12.1	9.4 - 14.8	11,000	30.6	26.7 - 34.6	20,600	57.2	53.0 - 61.5	36,000
Kailua/ Waimanalo	6,400	11.9	8.8 - 15.0	16,100	30.0	25.7 - 34.2	31,200	58.1	53.5 - 62.7	53,700
Kaimuki/ Palolo/ Waikiki	6,100	9.7	7.4 - 12.0	17,400	27.9	24.3 - 31.5	39,000	62.4	58.5 - 66.3	62,500
Kona	5,500	16.3	12.8 - 19.8	10,200	30.5	26.7 - 34.3	17,900	53.2	48.9 - 57.6	33,600
Lahaina/ Wailuku	5,000	13.2	10.6 - 15.8	12,600	33.0	29.4 - 36.7	20,600	53.8	49.8 - 57.7	38,200
Lanai	600	25.3	10.5 - 40.0	400	15.8	9.8 - 21.8	1,400	59.0	45.6 - 72.3	2,400
Lihue-Waimea	4,700	15.7	12.6 - 18.8	7,900	26.5	23.3 - 29.7	17,200	57.8	54.0 - 61.6	29,800
Manoa/ Upper Makiki	5,900	11.9	9.4 - 14.5	11,200	22.9	19.6 - 26.2	32,000	65.2	61.3 - 69.0	49,100
Mililani/ Wahiawa	11,800	17.2	13.8 - 20.7	18,700	27.4	23.5 - 31.3	37,900	55.4	51.0 - 59.7	68,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	1,100	17.6	10.5 - 24.8	1,400	21.9	15.0 - 28.7	3,900	60.5	52.1 - 69.0	6,500
Nanakuli/ Waianae	9,200	23.3	18.4 - 28.1	8,100	20.4	16.1 - 24.7	22,300	56.3	50.5 - 62.1	39,600
N.Hawaii	4,300	16.0	12.5 - 19.6	7,300	27.4	23.5 - 31.3	15,200	56.6	52.0 - 61.1	26,800
N.Shore/ Laie	3,700	15.0	9.3 - 20.7	5,000	20.5	15.0 - 26.1	15,900	64.5	57.6 - 71.4	24,600
Nuuanu/ Kalihi/ Moanalua	9,400	13.8	10.9 - 16.7	13,700	20.3	17.0 - 23.5	44,700	65.9	62.0 - 69.8	67,800
Puna/ Kau	9,500	21.8	18.0 - 25.5	13,800	31.7	28.0 - 35.5	20,300	46.5	42.3 - 50.7	43,600
Salt Lake/ Foster Village	2,700	8.8	5.7 - 11.9	8,500	27.8	22.1 - 33.5	19,300	63.4	57.5 - 69.3	30,400
Upcountry/ Hana	5,400	15.0	11.7 - 18.4	11,400	31.9	28.3 - 35.6	19,000	53.0	48.8 - 57.2	35,800
Waiialae/ Kahala/ Hawaii Kai	2,800	6.0	4.0 - 8.1	12,900	28.0	23.8 - 32.1	30,500	66.0	61.6 - 70.3	46,300
Waipahu/ Kapolei/ Ewa	16,000	11.9	9.8 - 13.9	33,500	24.8	21.9 - 27.7	85,400	63.3	60.1 - 66.5	134,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	19,200	15.3	12.9 - 17.6	11,100	8.8	7.1 - 10.5	95,600	75.9	73.2 - 78.6	125,900
25-34	39,500	21.1	18.9 - 23.2	36,300	19.4	17.3 - 21.5	111,300	59.5	56.9 - 62.1	187,100
35-44	25,900	15.4	13.7 - 17.1	39,900	23.7	21.5 - 26.0	102,500	60.9	58.4 - 63.4	168,300
45-54	27,700	15.5	13.7 - 17.3	43,100	24.2	22.1 - 26.3	107,400	60.3	57.9 - 62.7	178,200
55-64	23,300	13.2	11.8 - 14.6	61,300	34.7	32.7 - 36.7	92,100	52.1	50.0 - 54.2	176,700
65-74	10,100	8.5	7.1 - 9.9	48,800	41.3	38.9 - 43.7	59,300	50.2	47.8 - 52.6	118,100
75+	2,400	2.5	1.8 - 3.3	36,200	37.7	35.0 - 40.4	57,500	59.8	57.1 - 62.5	96,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,900	13.1	12.0 - 14.2	107,100	32.1	30.6 - 33.5	182,900	54.8	53.2 - 56.4	334,000
Native Hawaiian	29,100	23.8	21.4 - 26.2	28,100	22.9	20.8 - 25.1	65,200	53.3	50.5 - 56.0	122,400
Chinese	3,200	5.0	3.4 - 6.6	12,200	19.1	16.0 - 22.2	48,200	75.9	72.5 - 79.2	63,600
Filipino	22,500	13.1	11.1 - 15.0	32,300	18.8	16.5 - 21.0	117,400	68.2	65.5 - 70.9	172,100
Japanese	22,500	10.0	8.7 - 11.3	65,900	29.3	27.5 - 31.2	136,200	60.6	58.6 - 62.7	224,600
Black	3,400	17.4	11.2 - 23.6	3,200	16.6	10.6 - 22.6	12,900	66.0	58.1 - 73.9	19,500
Native Alaskan/ American Indian	1,100	20.0	10.6 - 29.5	1,800	31.5	20.0 - 42.9	2,800	48.5	36.8 - 60.1	5,700
Other Asian	4,800	17.4	12.3 - 22.6	5,500	19.9	14.6 - 25.2	17,200	62.7	56.2 - 69.1	27,400
Other Pacific Islander	6,100	23.5	17.9 - 29.0	4,800	18.7	14.0 - 23.5	14,900	57.8	51.6 - 63.9	25,800
Other	4,700	16.2	11.6 - 20.7	6,800	23.6	18.8 - 28.4	17,400	60.2	54.3 - 66.2	28,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	87,000	16.5	15.4 - 17.5	158,300	30.0	28.7 - 31.2	283,200	53.6	52.2 - 55.0	528,500
Female	61,700	11.6	10.7 - 12.5	120,400	22.6	21.5 - 23.7	350,600	65.8	64.5 - 67.1	532,700

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,400	16.2	9.0 - 23.4	3,700	17.7	10.8 - 24.5	13,700	66.1	57.4 - 74.8	20,700
Grades 9 thru 11 (Some High School)	20,100	25.0	20.9 - 29.0	20,300	25.3	21.2 - 29.3	40,100	49.8	44.9 - 54.7	80,500
Grades 12 or GED (High School Grad)	57,500	18.3	17.0 - 19.6	83,900	26.7	25.2 - 28.2	172,800	55.0	53.2 - 56.8	314,200
College 1 to 3 years (Some College/ Tech)	49,500	14.0	12.7 - 15.2	101,500	28.6	27.0 - 30.2	203,700	57.4	55.7 - 59.2	354,700
College 4 years or more (College Grad)	18,000	6.2	5.6 - 6.9	68,900	23.8	22.7 - 25.0	202,100	69.9	68.6 - 71.2	289,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	93,900	14.5	13.7 - 15.4	157,400	24.4	23.3 - 25.5	394,300	61.1	59.8 - 62.3	645,600
Unemployed	17,000	25.3	21.6 - 29.1	15,600	23.3	19.7 - 26.9	34,500	51.4	47.1 - 55.7	67,100
Retired/Unable to work	26,300	10.9	9.6 - 12.1	90,100	37.2	35.5 - 38.9	125,900	52.0	50.2 - 53.7	242,200
Student/Homemaker	11,100	10.6	8.5 - 12.7	15,200	14.6	12.4 - 16.9	77,900	74.8	71.9 - 77.7	104,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	15,100	27.8	23.7 - 31.9	10,400	19.0	15.6 - 22.5	28,900	53.1	48.7 - 57.6	54,400
\$10,000 to \$14,999	8,900	23.4	19.2 - 27.6	8,900	23.2	19.0 - 27.4	20,400	53.4	48.3 - 58.5	38,200
\$15,000 to \$19,999	12,900	20.0	17.0 - 23.1	14,700	22.8	19.7 - 25.9	36,800	57.2	53.4 - 61.0	64,400
\$20,000 to \$24,999	14,200	19.3	16.5 - 22.1	18,200	24.7	21.8 - 27.6	41,200	56.0	52.4 - 59.6	73,500
\$25,000 to \$34,999	19,400	17.5	15.0 - 20.0	28,400	25.6	23.0 - 28.2	63,200	56.9	53.9 - 60.0	111,100
\$35,000 to \$49,999	18,700	13.4	11.6 - 15.2	39,500	28.3	26.0 - 30.6	81,500	58.3	55.7 - 60.9	139,700
\$50,000 to \$74,999	21,200	13.7	11.9 - 15.4	46,300	29.9	27.7 - 32.1	87,400	56.4	54.0 - 58.9	154,900
\$75,000 or more	26,000	8.3	7.3 - 9.4	90,500	29.1	27.4 - 30.7	194,900	62.6	60.9 - 64.3	311,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,900	19.8	16.7 - 22.8	25,400	21.9	19.1 - 24.6	67,700	58.4	54.8 - 61.9	116,000
131-185%	7,000	10.2	7.7 - 12.6	22,600	32.9	28.8 - 37.1	39,100	56.9	52.6 - 61.2	68,700
186+%	22,400	7.9	6.9 - 9.0	92,600	32.8	31.2 - 34.5	167,200	59.2	57.5 - 61.0	282,200

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	53,200	9.8	8.9 - 10.6	162,900	29.9	28.7 - 31.1	328,100	60.3	59.0 - 61.6	544,100
Unmarried Couple	5,800	17.9	13.4 - 22.4	9,800	30.4	24.3 - 36.5	16,700	51.7	45.6 - 57.9	32,300
Widowed	5,500	7.9	6.3 - 9.4	22,100	31.5	28.4 - 34.6	42,500	60.6	57.3 - 63.9	70,200
Other	84,200	20.3	19.0 - 21.6	84,000	20.2	19.1 - 21.4	246,500	59.4	57.9 - 61.0	414,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	57,600	10.3	9.5 - 11.1	166,900	29.8	28.6 - 31.0	335,600	59.9	58.6 - 61.2	560,000
No	90,900	18.2	17.1 - 19.4	111,300	22.3	21.2 - 23.5	296,000	59.4	58.0 - 60.8	498,200

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	126,300	13.1	12.4 - 13.8	259,300	26.8	26.0 - 27.7	580,500	60.1	59.1 - 61.1	966,000
No	22,100	23.8	20.8 - 26.7	19,200	20.7	17.9 - 23.4	51,700	55.6	52.1 - 59.0	92,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	158,300	14.9	14.2 - 15.6	279,000	26.3	25.4 - 27.1	625,600	58.9	57.9 - 59.8	1,062,900

County	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,800	17.7	16.0 - 19.4	41,600	28.6	26.8 - 30.5	78,000	53.7	51.5 - 55.8	145,400
Honolulu	104,100	14.2	13.2 - 15.1	185,800	25.3	24.2 - 26.3	445,900	60.6	59.3 - 61.9	735,800
Kauai	8,600	16.6	13.7 - 19.5	14,700	28.5	25.8 - 31.2	28,300	54.9	51.6 - 58.1	51,500
Maui	17,300	14.7	13.0 - 16.4	34,800	29.5	27.5 - 31.6	65,800	55.8	53.5 - 58.1	118,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,800	17.7	16.0 - 19.4	41,600	28.6	26.8 - 30.5	78,000	53.7	51.5 - 55.8	145,400
Kauai	8,600	16.6	13.7 - 19.5	14,700	28.5	25.8 - 31.2	28,300	54.9	51.6 - 58.1	51,500
Lanai	400	14.8	6.9 - 22.7	600	20.7	15.6 - 25.8	1,900	64.5	56.4 - 72.7	2,900
Maui	16,000	14.8	13.0 - 16.7	32,400	30.1	27.9 - 32.3	59,300	55.1	52.6 - 57.5	107,700
Molokai	900	12.7	6.9 - 18.5	1,800	24.8	18.7 - 30.9	4,600	62.5	55.1 - 69.9	7,300
Oahu	104,100	14.2	13.2 - 15.1	185,800	25.3	24.2 - 26.3	445,900	60.6	59.3 - 61.9	735,800

Community	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,800	15.9	12.2 - 19.5	18,000	26.5	22.9 - 30.0	39,100	57.7	53.5 - 61.9	67,800
Ala Moana	6,500	19.3	14.8 - 23.9	7,600	22.6	18.6 - 26.7	19,400	58.0	52.8 - 63.3	33,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	3,700	16.4	11.8 - 21.0	6,800	30.1	25.8 - 34.5	12,200	53.5	48.5 - 58.5	22,700
Hilo	7,100	17.3	14.4 - 20.1	10,800	26.3	23.1 - 29.5	23,100	56.4	52.7 - 60.2	41,000
Kaaawa/ Kahaluu/ Kaneohe	5,900	11.6	8.7 - 14.6	15,200	29.8	25.5 - 34.0	29,800	58.6	54.0 - 63.2	50,900
Kahului	4,300	11.8	9.1 - 14.4	10,500	29.0	25.1 - 32.9	21,500	59.2	55.0 - 63.5	36,300
Kailua/ Waimanalo	8,600	15.7	11.9 - 19.5	16,900	30.8	26.5 - 35.2	29,300	53.4	48.7 - 58.2	54,900
Kaimuki/ Palolo/ Waikiki	7,400	11.4	8.9 - 14.0	18,500	28.5	24.9 - 32.1	39,000	60.1	56.1 - 64.0	64,900
Kona	4,900	15.2	12.1 - 18.3	10,200	31.6	27.7 - 35.6	17,200	53.2	48.8 - 57.5	32,400
Lahaina/ Wailuku	5,400	14.7	11.6 - 17.9	11,200	30.9	27.1 - 34.8	19,700	54.3	50.1 - 58.5	36,300
Lanai	400	14.8	6.9 - 22.7	600	20.7	15.6 - 25.8	1,900	64.5	56.4 - 72.7	2,900
Lihue-Waimea	4,800	16.8	13.1 - 20.5	7,800	27.3	23.8 - 30.7	16,100	56.0	51.8 - 60.1	28,800
Manoa/ Upper Makiki	6,100	12.4	9.6 - 15.1	12,000	24.5	21.2 - 27.8	31,000	63.1	59.2 - 67.0	49,100
Mililani/ Wahiawa	11,700	16.3	13.0 - 19.7	19,800	27.7	23.8 - 31.5	40,200	56.0	51.7 - 60.3	71,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	900	12.7	6.9 - 18.5	1,800	24.8	18.7 - 30.9	4,600	62.5	55.1 - 69.9	7,300
Nanakuli/ Waianae	9,500	26.4	20.8 - 32.0	7,100	19.9	15.4 - 24.4	19,300	53.7	47.5 - 59.9	35,900
N.Hawaii	4,700	16.5	13.0 - 20.1	7,200	25.1	21.5 - 28.8	16,600	58.3	53.8 - 62.9	28,500
N.Shore/ Laie	3,600	15.1	9.6 - 20.6	5,700	23.7	17.5 - 29.9	14,600	61.2	54.0 - 68.4	23,900
Nuuanu/ Kalihi/ Moanalua	10,500	15.6	12.3 - 18.9	12,500	18.5	15.4 - 21.7	44,500	65.9	61.9 - 70.0	67,500
Puna/ Kau	9,100	20.8	17.1 - 24.5	13,400	30.8	26.9 - 34.8	21,100	48.4	44.0 - 52.7	43,600
Salt Lake/ Foster Village	3,200	9.6	6.6 - 12.6	7,600	22.7	17.9 - 27.6	22,700	67.7	62.3 - 73.0	33,600
Upcountry/ Hana	6,300	18.1	14.4 - 21.8	10,700	30.3	26.6 - 34.1	18,100	51.6	47.3 - 55.9	35,100
Waiialae/ Kahala/ Hawaii Kai	3,000	6.7	3.9 - 9.5	12,300	27.8	23.9 - 31.7	29,000	65.5	61.1 - 69.8	44,300
Waipahu/ Kapolei/ Ewa	17,300	12.6	10.4 - 14.7	32,500	23.6	20.8 - 26.4	87,800	63.8	60.6 - 67.0	137,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	23,700	18.6	15.8 - 21.5	10,300	8.1	6.4 - 9.8	93,200	73.3	70.1 - 76.4	127,200
25-34	42,600	22.4	20.2 - 24.6	38,800	20.4	18.3 - 22.5	108,800	57.2	54.6 - 59.8	190,300
35-44	26,700	15.5	13.7 - 17.2	38,200	22.1	19.9 - 24.3	107,900	62.5	60.0 - 64.9	172,800
45-54	28,900	15.7	13.9 - 17.5	45,500	24.7	22.7 - 26.8	109,400	59.5	57.2 - 61.9	183,800
55-64	23,400	13.6	12.2 - 15.1	60,200	35.1	33.1 - 37.0	88,200	51.3	49.3 - 53.4	171,700
65-74	9,100	8.1	6.8 - 9.4	47,000	42.0	39.6 - 44.4	55,700	49.9	47.4 - 52.3	111,800
75+	3,400	3.5	2.4 - 4.5	37,800	38.6	36.0 - 41.2	56,800	57.9	55.2 - 60.6	98,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	51,700	15.1	13.9 - 16.3	107,900	31.5	30.1 - 32.9	182,900	53.4	51.8 - 55.0	342,500
Native Hawaiian	27,700	23.8	21.3 - 26.4	28,500	24.5	22.2 - 26.8	60,000	51.7	48.8 - 54.5	116,200
Chinese	3,700	5.6	3.5 - 7.7	11,700	17.5	14.7 - 20.4	51,300	76.9	73.6 - 80.3	66,700
Filipino	23,900	13.4	11.4 - 15.4	34,400	19.4	17.1 - 21.7	119,500	67.2	64.5 - 69.9	177,700
Japanese	24,800	11.0	9.7 - 12.3	66,200	29.3	27.5 - 31.2	134,700	59.7	57.7 - 61.7	225,800
Black	2,400	14.9	9.7 - 20.1	2,500	15.7	10.2 - 21.2	11,000	69.4	62.1 - 76.7	15,800
Native Alaskan/ American Indian	900	18.0	8.0 - 28.0	2,000	38.8	25.8 - 51.7	2,200	43.3	31.5 - 55.0	5,100
Other Asian	5,500	19.4	14.3 - 24.5	6,500	22.8	17.1 - 28.4	16,400	57.8	51.4 - 64.3	28,400
Other Pacific Islander	6,500	24.2	17.7 - 30.8	4,800	18.0	13.3 - 22.6	15,500	57.8	51.1 - 64.6	26,700
Other	6,500	19.9	14.7 - 25.0	7,000	21.5	16.9 - 26.0	19,200	58.7	52.5 - 64.8	32,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	93,300	17.6	16.5 - 18.8	159,100	30.1	28.8 - 31.4	276,500	52.3	50.8 - 53.7	528,900
Female	65,000	12.2	11.3 - 13.1	119,900	22.4	21.4 - 23.5	349,100	65.4	64.1 - 66.7	534,000

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,500	15.6	8.5 - 22.6	4,300	19.4	12.3 - 26.5	14,500	65.0	56.4 - 73.6	22,400
Grades 9 thru 11 (Some High School)	22,600	27.6	23.4 - 31.9	21,800	26.7	22.4 - 30.9	37,400	45.7	40.9 - 50.6	81,800
Grades 12 or GED (High School Grad)	61,900	19.4	17.9 - 20.8	84,000	26.3	24.7 - 27.8	173,800	54.3	52.5 - 56.2	319,700
College 1 to 3 years (Some College/ Tech)	51,300	14.6	13.3 - 15.9	100,700	28.6	27.0 - 30.2	199,900	56.8	55.0 - 58.6	351,900
College 4 years or more (College Grad)	18,800	6.6	5.9 - 7.3	67,900	23.8	22.6 - 24.9	199,100	69.7	68.4 - 70.9	285,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	96,500	15.2	14.2 - 16.1	154,800	24.3	23.2 - 25.4	385,300	60.5	59.3 - 61.8	636,600
Unemployed	21,900	29.7	25.8 - 33.7	17,300	23.4	19.8 - 27.1	34,500	46.8	42.6 - 51.1	73,700
Retired/Unable to work	26,900	11.1	9.9 - 12.4	91,100	37.7	36.0 - 39.4	123,500	51.1	49.4 - 52.9	241,400
Student/Homemaker	12,700	11.6	9.3 - 13.9	15,400	14.0	11.9 - 16.1	81,600	74.4	71.5 - 77.3	109,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	14,700	30.4	25.9 - 34.8	8,800	18.1	14.5 - 21.7	24,900	51.5	46.9 - 56.1	48,300
\$10,000 to \$14,999	9,400	24.8	20.2 - 29.4	8,400	22.0	17.7 - 26.2	20,300	53.2	48.0 - 58.5	38,100
\$15,000 to \$19,999	14,100	22.2	18.8 - 25.5	14,800	23.1	19.9 - 26.3	34,900	54.7	50.7 - 58.7	63,800
\$20,000 to \$24,999	14,700	20.0	17.1 - 22.9	18,700	25.4	22.3 - 28.5	40,300	54.6	50.9 - 58.3	73,800
\$25,000 to \$34,999	21,300	19.3	16.6 - 22.0	28,200	25.5	23.0 - 28.1	61,000	55.2	52.2 - 58.3	110,400
\$35,000 to \$49,999	21,600	14.9	12.9 - 16.9	40,900	28.3	26.0 - 30.5	82,400	56.9	54.2 - 59.5	144,900
\$50,000 to \$74,999	22,000	13.8	12.0 - 15.6	45,400	28.5	26.2 - 30.7	91,900	57.7	55.2 - 60.2	159,300
\$75,000 or more	27,300	8.8	7.7 - 9.8	90,600	29.1	27.5 - 30.7	193,600	62.1	60.4 - 63.9	311,500

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	30,400	20.8	18.0 - 23.5	32,000	21.8	19.3 - 24.3	84,200	57.4	54.2 - 60.6	146,600
131-185%	12,400	13.4	10.8 - 16.0	28,500	30.6	27.3 - 33.9	52,100	56.0	52.4 - 59.6	92,900
186+%	34,400	9.2	8.2 - 10.2	118,200	31.5	30.1 - 33.0	222,300	59.3	57.7 - 60.9	374,900

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	52,400	9.9	9.0 - 10.7	160,100	30.1	28.9 - 31.3	319,000	60.0	58.7 - 61.3	531,500
Unmarried Couple	9,600	23.8	18.7 - 28.9	11,300	28.1	22.7 - 33.6	19,300	48.1	42.3 - 53.8	40,200
Widowed	5,600	7.6	6.1 - 9.2	23,800	32.2	29.2 - 35.2	44,400	60.2	57.0 - 63.3	73,900
Other	90,700	21.7	20.3 - 23.2	83,800	20.1	18.8 - 21.3	242,800	58.2	56.5 - 59.8	417,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	56,300	10.3	9.5 - 11.1	163,700	30.0	28.8 - 31.2	325,300	59.7	58.4 - 60.9	545,400
No	101,800	19.8	18.5 - 21.0	114,600	22.3	21.1 - 23.4	298,400	58.0	56.5 - 59.4	514,800

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	131,300	13.7	12.9 - 14.4	258,500	26.9	26.0 - 27.8	571,700	59.5	58.4 - 60.5	961,600
No	26,500	26.8	23.6 - 30.0	20,300	20.5	17.8 - 23.1	52,200	52.7	49.3 - 56.2	98,900