

Use of smokeless tobacco products, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Use of smokeless tobacco products	Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all?

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/15/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Use of smokeless tobacco products, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011-2013	8,200	0.8	0.6 - 0.9	11,400	1.1	0.8 - 1.3	1,045,700	98.2	97.9 - 98.4	1,065,300
2012-2014	7,100	0.7	0.5 - 0.8	11,000	1.0	0.8 - 1.3	1,045,600	98.3	98.0 - 98.6	1,063,600



Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	7,100	0.7	0.5 - 0.8	11,000	1.0	0.8 - 1.3	1,045,600	98.3	98.0 - 98.6	1,063,600

County	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	700	0.5	0.2 - 0.8	2,000	1.4	0.8 - 1.9	141,300	98.1	97.5 - 98.7	144,000
Honolulu	5,100	0.7	0.5 - 0.9	6,900	0.9	0.7 - 1.2	720,000	98.4	98.0 - 98.7	732,000
Kauai	n/r	n/r	n/r	400	0.8	0.4 - 1.2	50,500	98.7	98.1 - 99.3	51,200
Maui	900	0.7	0.3 - 1.1	n/r	n/r	n/r	116,300	98.2	97.3 - 99.1	118,400

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	700	0.5	0.2 - 0.8	2,000	1.4	0.8 - 1.9	141,300	98.1	97.5 - 98.7	144,000
Kauai	n/r	n/r	n/r	400	0.8	0.4 - 1.2	50,500	98.7	98.1 - 99.3	51,200
Lanai	0	0.0	0.0 - 0.0	0	0.0	0.0 - 0.0	2,400	100.0	100.0 - 100.0	2,400
Maui	900	0.8	0.4 - 1.2	n/r	n/r	n/r	107,600	98.1	97.1 - 99.0	109,700
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	6,400	99.5	98.6 - 100.0	6,400
Oahu	5,100	0.7	0.5 - 0.9	6,900	0.9	0.7 - 1.2	720,000	98.4	98.0 - 98.7	732,000

Community	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	66,800	99.0	98.2 - 99.8	67,500
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	32,300	95.7	92.9 - 98.5	33,700

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	21,100	99.1	98.3 - 99.9	21,300
Hilo	n/r	n/r	n/r	500	1.3	0.6 - 2.1	39,000	98.3	97.4 - 99.2	39,700
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	50,800	98.1	96.4 - 99.7	51,800
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	35,200	98.4	97.6 - 99.3	35,800
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	53,300	99.1	98.3 - 99.8	53,900
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	61,700	98.3	97.5 - 99.2	62,700
Kona	n/r	n/r	n/r	n/r	n/r	n/r	32,700	97.0	95.4 - 98.7	33,700
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	37,300	97.9	95.6 - 100.0	38,100
Lanai	0	0.0	0.0 - 0.0	0	0.0	0.0 - 0.0	2,400	100.0	100.0 - 100.0	2,400
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	29,400	98.4	97.5 - 99.2	29,900
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	48,800	99.0	98.4 - 99.6	49,300
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	67,700	98.3	97.4 - 99.2	68,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	6,400	99.5	98.6 - 100.0	6,400
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	38,900	98.2	95.8 - 100.0	39,600
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	26,300	98.0	96.4 - 99.7	26,800
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	23,900	97.5	95.7 - 99.4	24,500
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	66,700	98.0	97.0 - 99.1	68,000
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	43,300	98.9	98.1 - 99.6	43,800
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	29,700	97.1	95.2 - 99.0	30,600
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	35,100	97.8	96.3 - 99.3	35,800
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	46,000	98.9	98.0 - 99.8	46,500
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	133,300	98.8	98.2 - 99.4	134,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,200	1.0	0.4 - 1.5	2,400	1.9	0.9 - 3.0	122,500	97.1	95.9 - 98.3	126,200
25-34	2,800	1.5	1.0 - 2.0	3,200	1.7	1.2 - 2.3	181,200	96.8	96.0 - 97.5	187,200
35-44	1,500	0.9	0.5 - 1.3	2,400	1.4	0.7 - 2.1	164,800	97.7	96.9 - 98.5	168,600
45-54	n/r	n/r	n/r	n/r	n/r	n/r	176,500	99.0	98.5 - 99.4	178,400
55-64	n/r	n/r	n/r	900	0.5	0.2 - 0.8	176,100	99.3	98.9 - 99.6	177,400
65-74	n/r	n/r	n/r	n/r	n/r	n/r	117,400	99.1	98.3 - 99.8	118,500
75+	n/r	n/r	n/r	n/r	n/r	n/r	96,200	99.8	99.7 - 100.0	96,300

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,500	0.8	0.5 - 1.0	3,000	0.9	0.6 - 1.2	329,400	98.3	97.9 - 98.7	335,000
Native Hawaiian	n/r	n/r	n/r	1,500	1.3	0.7 - 1.8	119,900	98.0	97.2 - 98.7	122,400
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	63,300	99.3	98.7 - 99.9	63,700
Filipino	900	0.5	0.2 - 0.8	n/r	n/r	n/r	169,200	98.2	97.2 - 99.1	172,300
Japanese	n/r	n/r	n/r	1,000	0.4	0.2 - 0.7	223,700	99.4	99.1 - 99.7	225,100
Black	n/r	n/r	n/r	n/r	n/r	n/r	19,400	97.2	93.6 - 100.0	19,900
Native Alaskan/ American Indian	0	0.0	0.0 - 0.0	n/r	n/r	n/r	5,700	99.3	98.3 - 100.0	5,700
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	27,000	98.5	97.2 - 99.8	27,400
Other Pacific Islander	1,500	5.7	3.2 - 8.3	1,400	5.4	2.8 - 7.9	23,000	88.9	85.4 - 92.4	25,800
Other	n/r	n/r	n/r	n/r	n/r	n/r	28,500	98.4	97.0 - 99.8	28,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	5,800	1.1	0.8 - 1.3	8,700	1.6	1.3 - 2.0	515,600	97.3	96.8 - 97.7	530,000
Female	1,300	0.2	0.1 - 0.4	2,300	0.4	0.2 - 0.6	530,000	99.3	99.1 - 99.6	533,600

Education Level	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	20,100	96.4	92.0 - 100.0	20,800
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	78,600	97.4	96.2 - 98.7	80,700
Grades 12 or GED (High School Grad)	3,000	1.0	0.7 - 1.3	3,300	1.0	0.7 - 1.3	308,100	98.0	97.6 - 98.4	314,400
College 1 to 3 years (Some College/ Tech)	1,900	0.5	0.3 - 0.7	4,200	1.2	0.7 - 1.7	349,800	98.3	97.8 - 98.8	355,900
College 4 years or more (College Grad)	900	0.3	0.1 - 0.5	1,900	0.7	0.5 - 0.9	287,000	99.0	98.8 - 99.3	289,800

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	5,700	0.9	0.7 - 1.1	8,600	1.3	1.0 - 1.7	632,900	97.8	97.4 - 98.2	647,200
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	66,000	98.3	97.4 - 99.1	67,100
Retired/Unable to work	n/r	n/r	n/r	800	0.3	0.2 - 0.5	241,700	99.4	99.2 - 99.6	243,100
Student/Homemaker	n/r	n/r	n/r	800	0.7	0.3 - 1.2	103,100	98.9	98.4 - 99.5	104,200

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	53,500	98.0	97.1 - 99.0	54,600
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	37,300	97.6	96.1 - 99.0	38,300
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	62,400	96.9	95.3 - 98.5	64,400
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	72,300	98.2	97.2 - 99.2	73,600
\$25,000 to \$34,999	n/r	n/r	n/r	2,100	1.9	0.9 - 2.9	108,500	97.6	96.5 - 98.7	111,200
\$35,000 to \$49,999	1,400	1.0	0.5 - 1.4	n/r	n/r	n/r	137,700	98.4	97.9 - 99.0	139,800
\$50,000 to \$74,999	900	0.6	0.3 - 0.9	1,100	0.7	0.3 - 1.1	152,900	98.7	98.2 - 99.2	154,900
\$75,000 or more	1,500	0.5	0.3 - 0.7	3,100	1.0	0.5 - 1.4	307,600	98.5	98.0 - 99.0	312,200

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	113,900	98.1	96.9 - 99.3	116,100
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	67,600	98.4	96.9 - 100.0	68,600
186+%	n/r	n/r	n/r	1,000	0.3	0.2 - 0.5	281,000	99.5	99.3 - 99.7	282,500

Marital Status (Grouped)	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	2,900	0.5	0.4 - 0.7	4,000	0.7	0.5 - 1.0	537,900	98.7	98.4 - 99.1	544,700
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	31,000	96.7	95.1 - 98.3	32,100
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	69,500	98.8	97.6 - 100.0	70,300
Other	3,500	0.8	0.6 - 1.1	5,800	1.4	1.0 - 1.8	407,200	97.8	97.3 - 98.2	416,600

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	3,000	0.5	0.4 - 0.7	4,000	0.7	0.5 - 1.0	553,700	98.7	98.4 - 99.1	560,700
No	4,000	0.8	0.6 - 1.0	7,000	1.4	1.0 - 1.8	488,700	97.8	97.4 - 98.2	499,700

Health Care Coverage	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	6,100	0.6	0.5 - 0.8	9,100	0.9	0.7 - 1.2	953,300	98.4	98.2 - 98.7	968,500
No	1,000	1.1	0.5 - 1.7	1,800	1.9	1.0 - 2.9	90,100	97.0	95.9 - 98.1	92,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	8,200	0.8	0.6 - 0.9	11,400	1.1	0.8 - 1.3	1,045,700	98.2	97.9 - 98.4	1,065,300

County	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	900	0.6	0.3 - 0.9	1,900	1.3	0.7 - 1.8	142,900	98.1	97.5 - 98.7	145,700
Honolulu	6,300	0.9	0.6 - 1.1	7,300	1.0	0.7 - 1.3	724,300	98.2	97.8 - 98.5	737,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	50,900	98.7	98.0 - 99.5	51,600
Maui	n/r	n/r	n/r	n/r	n/r	n/r	115,700	98.2	97.3 - 99.1	117,800

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	900	0.6	0.3 - 0.9	1,900	1.3	0.7 - 1.8	142,900	98.1	97.5 - 98.7	145,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	50,900	98.7	98.0 - 99.5	51,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	2,900	99.5	98.9 - 100.0	2,900
Maui	n/r	n/r	n/r	n/r	n/r	n/r	105,600	98.1	97.1 - 99.1	107,700
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	7,200	99.9	99.8 - 100.0	7,200
Oahu	6,300	0.9	0.6 - 1.1	7,300	1.0	0.7 - 1.3	724,300	98.2	97.8 - 98.5	737,900

Community	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	67,000	99.0	98.2 - 99.8	67,700
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	32,500	96.9	94.5 - 99.4	33,500

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	22,600	99.2	98.5 - 100.0	22,700
Hilo	n/r	n/r	n/r	n/r	n/r	n/r	40,000	97.8	96.6 - 99.0	40,900
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	50,300	98.3	97.2 - 99.5	51,100
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	35,700	98.3	97.2 - 99.5	36,300
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	53,800	97.8	96.3 - 99.2	55,100
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	63,800	98.0	97.0 - 99.1	65,100
Kona	n/r	n/r	n/r	n/r	n/r	n/r	31,700	97.5	95.9 - 99.2	32,500
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	35,400	97.6	95.3 - 100.0	36,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	2,900	99.5	98.9 - 100.0	2,900
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	28,400	98.3	97.1 - 99.6	28,800
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	48,700	98.7	98.0 - 99.5	49,300
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	70,700	97.9	96.7 - 99.0	72,300

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	7,200	99.9	99.8 - 100.0	7,200
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	35,100	97.5	94.6 - 100.0	36,000
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	27,900	97.6	96.0 - 99.3	28,600
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	23,200	96.6	94.3 - 99.0	24,000
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	66,700	98.4	97.5 - 99.3	67,800
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	43,400	99.1	98.6 - 99.7	43,700
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	33,000	97.9	96.5 - 99.2	33,800
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	34,600	98.3	96.9 - 99.7	35,200
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	43,900	98.9	98.0 - 99.8	44,400
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	135,600	98.3	97.5 - 99.0	138,000

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,400	1.1	0.5 - 1.8	2,100	1.7	0.8 - 2.5	123,700	97.2	96.1 - 98.3	127,300
25-34	2,800	1.5	1.0 - 2.0	4,300	2.3	1.6 - 3.0	183,400	96.2	95.4 - 97.1	190,500
35-44	1,500	0.9	0.5 - 1.3	2,500	1.5	0.8 - 2.2	169,100	97.6	96.8 - 98.4	173,200
45-54	1,500	0.8	0.4 - 1.3	n/r	n/r	n/r	181,400	98.6	98.1 - 99.2	184,000
55-64	n/r	n/r	n/r	n/r	n/r	n/r	171,600	99.5	99.3 - 99.8	172,400
65-74	n/r	n/r	n/r	n/r	n/r	n/r	111,200	99.2	98.4 - 100.0	112,100
75+	n/r	n/r	n/r	n/r	n/r	n/r	97,700	99.4	98.9 - 100.0	98,300

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	3,400	1.0	0.6 - 1.3	4,100	1.2	0.8 - 1.5	336,000	97.8	97.3 - 98.3	343,400
Native Hawaiian	n/r	n/r	n/r	1,400	1.2	0.6 - 1.8	113,900	98.0	97.2 - 98.8	116,300
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	66,400	99.7	99.4 - 100.0	66,600
Filipino	900	0.5	0.2 - 0.8	n/r	n/r	n/r	175,400	98.4	97.5 - 99.3	178,300
Japanese	n/r	n/r	n/r	1,400	0.6	0.3 - 1.0	224,000	99.0	98.6 - 99.5	226,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	15,500	97.9	96.0 - 99.9	15,800
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	4,900	97.0	92.3 - 100.0	5,100
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	27,800	97.6	95.9 - 99.4	28,500
Other Pacific Islander	1,300	4.8	2.5 - 7.2	1,400	5.3	2.9 - 7.7	24,100	89.9	86.6 - 93.2	26,800
Other	n/r	n/r	n/r	n/r	n/r	n/r	32,500	98.9	98.0 - 99.8	32,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	6,500	1.2	0.9 - 1.5	9,200	1.7	1.3 - 2.1	514,300	97.0	96.5 - 97.5	530,100
Female	1,600	0.3	0.2 - 0.5	2,200	0.4	0.2 - 0.6	531,400	99.3	99.0 - 99.5	535,200

Education Level	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	21,700	96.7	92.6 - 100.0	22,500
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	79,500	97.0	95.5 - 98.4	82,000
Grades 12 or GED (High School Grad)	3,100	1.0	0.7 - 1.3	3,100	1.0	0.7 - 1.3	313,900	98.0	97.6 - 98.5	320,200
College 1 to 3 years (Some College/ Tech)	2,100	0.6	0.4 - 0.9	4,600	1.3	0.8 - 1.8	346,100	98.1	97.5 - 98.6	352,800
College 4 years or more (College Grad)	1,200	0.4	0.2 - 0.6	2,100	0.7	0.5 - 1.0	283,200	98.8	98.5 - 99.2	286,500

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	5,900	0.9	0.7 - 1.2	8,900	1.4	1.0 - 1.7	623,300	97.7	97.3 - 98.1	638,100
Unemployed	n/r	n/r	n/r	1,200	1.6	0.8 - 2.5	72,000	97.4	96.3 - 98.5	73,900
Retired/Unable to work	n/r	n/r	n/r	600	0.2	0.1 - 0.4	240,500	99.4	99.0 - 99.7	242,100
Student/Homemaker	n/r	n/r	n/r	700	0.7	0.3 - 1.0	108,500	98.9	98.3 - 99.4	109,700

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	47,600	97.9	96.9 - 98.9	48,600
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	37,200	97.4	95.8 - 98.9	38,200
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	61,600	96.7	95.0 - 98.4	63,700
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	72,200	97.8	96.5 - 99.0	73,800
\$25,000 to \$34,999	n/r	n/r	n/r	1,900	1.7	0.7 - 2.7	108,400	97.7	96.7 - 98.8	110,900
\$35,000 to \$49,999	1,000	0.7	0.4 - 1.0	n/r	n/r	n/r	142,900	98.5	97.9 - 99.1	145,100
\$50,000 to \$74,999	n/r	n/r	n/r	1,200	0.7	0.4 - 1.1	157,200	98.6	98.1 - 99.2	159,400
\$75,000 or more	2,300	0.7	0.4 - 1.0	3,200	1.0	0.6 - 1.5	306,400	98.2	97.7 - 98.8	311,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	144,000	98.1	97.1 - 99.1	146,800
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	91,400	98.1	96.8 - 99.4	93,100
186+%	1,300	0.3	0.1 - 0.6	1,800	0.5	0.3 - 0.7	372,300	99.2	98.9 - 99.5	375,400

Marital Status (Grouped)	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	3,900	0.7	0.5 - 1.0	4,100	0.8	0.5 - 1.0	524,200	98.5	98.1 - 98.9	532,300
Unmarried Couple	n/r	n/r	n/r	700	1.6	0.7 - 2.6	38,800	96.9	95.6 - 98.3	40,000
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	73,300	98.8	97.6 - 100.0	74,200
Other	3,500	0.8	0.6 - 1.1	6,000	1.4	1.0 - 1.8	409,400	97.7	97.3 - 98.2	418,900

Use of smokeless tobacco products by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	4,000	0.7	0.5 - 1.0	4,200	0.8	0.5 - 1.0	538,000	98.5	98.2 - 98.9	546,200
No	4,200	0.8	0.6 - 1.0	7,300	1.4	1.0 - 1.8	504,900	97.8	97.4 - 98.2	516,400

Health Care Coverage	Every day			Some days			Not at all			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	7,100	0.7	0.6 - 0.9	9,500	1.0	0.8 - 1.2	947,100	98.3	98.0 - 98.6	963,700
No	n/r	n/r	n/r	2,000	2.0	1.1 - 2.9	96,200	97.0	95.9 - 98.1	99,100