

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	172,300	19.1	18.4 - 19.9	217,300	24.1	23.3 - 24.9	511,100	56.7	55.8 - 57.7	900,700
2001-2005	170,700	18.5	17.8 - 19.3	225,800	24.5	23.7 - 25.3	523,800	56.9	56.0 - 57.9	920,300
2002-2006	168,100	18.0	17.2 - 18.7	231,300	24.7	23.9 - 25.5	536,900	57.3	56.4 - 58.3	936,200
2003-2007	163,900	17.2	16.5 - 17.9	238,600	25.1	24.3 - 25.8	549,700	57.7	56.8 - 58.6	952,200
2004-2008	163,200	16.9	16.2 - 17.6	244,600	25.3	24.5 - 26.0	559,400	57.8	57.0 - 58.7	967,200
2005-2009	162,300	16.5	15.9 - 17.1	255,600	25.9	25.3 - 26.6	568,200	57.6	56.9 - 58.4	986,100
2006-2010	158,200	15.9	15.3 - 16.5	255,400	25.7	25.1 - 26.4	578,600	58.3	57.6 - 59.1	992,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	158,200	15.9	15.3 - 16.5	255,400	25.7	25.1 - 26.4	578,600	58.3	57.6 - 59.1	992,200

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,900	19.5	18.3 - 20.8	38,900	29.4	28.1 - 30.6	67,800	51.1	49.6 - 52.6	132,500
Honolulu	106,200	15.1	14.4 - 15.9	172,500	24.6	23.7 - 25.4	423,400	60.3	59.3 - 61.3	702,100
Kauai	7,800	16.2	14.5 - 18.0	14,100	29.3	27.3 - 31.3	26,300	54.5	52.2 - 56.8	48,200
Maui	18,300	16.7	15.4 - 18.0	29,900	27.3	25.9 - 28.7	61,200	55.9	54.3 - 57.6	109,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,900	19.5	18.3 - 20.8	38,900	29.4	28.1 - 30.6	67,800	51.1	49.6 - 52.6	132,500
Kauai	7,800	16.2	14.5 - 18.0	14,100	29.3	27.3 - 31.3	26,300	54.5	52.2 - 56.8	48,200
Lanai	400	21.2	17.2 - 25.1	500	24.6	21.3 - 28.0	1,000	54.2	50.0 - 58.4	1,900
Maui	16,300	16.3	14.9 - 17.7	27,400	27.4	25.9 - 29.0	56,200	56.3	54.5 - 58.0	99,900
Molokai	1,600	21.4	18.5 - 24.4	2,000	26.5	23.4 - 29.5	4,000	52.1	48.5 - 55.7	7,600
Oahu	106,200	15.1	14.4 - 15.9	172,500	24.6	23.7 - 25.4	423,400	60.3	59.3 - 61.3	702,100

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,900	16.7	14.0 - 19.5	16,200	24.7	22.1 - 27.4	38,300	58.5	55.3 - 61.8	65,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	4,000	14.2	11.1 - 17.3	7,100	24.9	21.6 - 28.3	17,400	60.9	56.8 - 65.0	28,600
Hanalei/ Kapaa	2,800	13.7	11.4 - 15.9	6,500	32.1	29.1 - 35.2	10,900	54.2	50.9 - 57.5	20,200
Hilo	7,300	18.7	16.4 - 21.0	10,800	27.6	25.2 - 29.9	21,000	53.7	51.0 - 56.5	39,100
Kaaawa/ Kahaluu/ Kaneohe	6,600	13.3	10.5 - 16.0	13,800	27.8	24.7 - 30.8	29,400	59.0	55.4 - 62.6	49,800
Kahului	5,900	17.6	15.0 - 20.2	9,400	27.9	25.2 - 30.7	18,400	54.5	51.3 - 57.6	33,700
Kailua/ Waimanalo	6,300	12.3	9.8 - 14.8	14,400	28.3	25.2 - 31.3	30,300	59.4	56.0 - 62.9	51,000
Kaimuki/ Palolo/ Waikiki	8,300	14.6	12.1 - 17.1	15,100	26.6	23.9 - 29.3	33,400	58.8	55.7 - 62.0	56,800
Kona	5,300	18.2	15.6 - 20.8	9,100	31.0	28.4 - 33.6	14,800	50.8	47.8 - 53.9	29,200
Lahaina/ Wailuku	5,200	16.0	13.5 - 18.5	8,100	24.9	22.3 - 27.4	19,400	59.1	56.0 - 62.3	32,700
Lanai	400	21.2	17.2 - 25.1	500	24.6	21.3 - 28.0	1,000	54.2	50.0 - 58.4	1,900
Lihue-Waimea	5,100	18.0	15.5 - 20.6	7,600	27.2	24.6 - 29.9	15,300	54.7	51.6 - 57.8	28,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	6,500	13.5	10.8 - 16.2	13,400	28.0	24.9 - 31.0	28,100	58.6	55.1 - 62.0	48,000
Mililani/ Wahiawa	12,000	16.4	14.1 - 18.7	16,300	22.3	19.9 - 24.6	44,800	61.3	58.4 - 64.2	73,100
Molokai	1,600	21.4	18.5 - 24.4	2,000	26.5	23.4 - 29.5	4,000	52.1	48.5 - 55.7	7,600
Nanakuli/ Waianae	8,300	24.1	19.3 - 28.9	7,900	23.1	18.9 - 27.2	18,200	52.9	47.2 - 58.5	34,400
N.Hawaii	4,700	17.4	14.6 - 20.3	7,700	28.5	25.7 - 31.4	14,600	54.0	50.6 - 57.4	27,100
N.Shore/ Laie	3,400	14.7	10.5 - 18.9	5,700	24.9	20.2 - 29.6	13,800	60.4	54.7 - 66.0	22,900
Nuuanu/ Kalihi/ Moanalua	10,600	15.1	12.5 - 17.7	12,900	18.4	16.0 - 20.8	46,700	66.5	63.3 - 69.8	70,100
Puna/ Kau	8,500	23.0	20.5 - 25.4	11,400	30.5	28.1 - 33.0	17,300	46.5	43.6 - 49.4	37,200
Salt Lake/ Foster Village	5,300	15.1	11.9 - 18.3	7,700	21.9	18.3 - 25.6	22,000	63.0	58.6 - 67.3	35,000
Upcountry/ Hana	5,100	15.2	13.2 - 17.3	9,900	29.5	27.0 - 32.0	18,500	55.3	52.4 - 58.1	33,500
Waialae/ Kahala/ Hawaii Kai	3,300	7.5	5.4 - 9.7	12,000	27.2	24.0 - 30.4	28,800	65.2	61.7 - 68.7	44,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	20,800	16.9	14.9 - 18.9	29,900	24.3	22.2 - 26.5	72,200	58.7	56.2 - 61.3	122,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	21,400	17.5	15.2 - 19.8	10,200	8.3	6.7 - 10.0	90,800	74.2	71.5 - 76.9	122,400
25-34	39,300	22.9	20.9 - 24.8	32,900	19.2	17.4 - 20.9	99,700	58.0	55.7 - 60.2	172,000
35-44	30,500	17.3	15.9 - 18.7	34,500	19.6	18.2 - 21.0	111,100	63.1	61.3 - 64.8	176,200
45-54	32,600	18.2	16.9 - 19.4	47,400	26.3	25.0 - 27.7	99,800	55.5	53.9 - 57.1	179,700
55-64	20,900	13.8	12.7 - 14.8	55,100	36.3	34.9 - 37.8	75,600	49.9	48.3 - 51.4	151,600
65-74	8,700	9.8	8.7 - 10.9	37,400	42.1	40.3 - 43.9	42,700	48.1	46.3 - 49.9	88,700
75+	4,100	4.3	3.4 - 5.1	36,600	38.0	36.1 - 39.8	55,700	57.8	55.9 - 59.7	96,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	49,900	15.7	14.8 - 16.6	104,400	32.8	31.7 - 33.8	163,900	51.5	50.3 - 52.7	318,200
Native Hawaiian	31,400	24.3	22.4 - 26.3	30,800	23.8	22.0 - 25.6	67,100	51.9	49.6 - 54.2	129,300
Chinese	4,800	8.3	6.2 - 10.4	11,800	20.4	17.9 - 23.0	41,100	71.3	68.3 - 74.2	57,700
Filipino	23,000	14.4	12.7 - 16.0	27,500	17.1	15.5 - 18.8	109,900	68.5	66.4 - 70.6	160,400
Japanese	28,800	12.8	11.7 - 14.0	59,300	26.5	25.2 - 27.8	136,000	60.7	59.2 - 62.2	224,100
Black	2,600	17.4	12.3 - 22.5	2,900	19.4	14.5 - 24.3	9,500	63.2	56.9 - 69.5	15,000
Native Alaskan/ American Indian	800	15.0	9.3 - 20.7	1,900	36.3	27.5 - 45.1	2,500	48.7	39.4 - 58.0	5,100
Other Asian	4,200	16.9	12.8 - 21.1	5,800	23.3	18.9 - 27.6	14,900	59.8	54.6 - 65.1	25,000
Other Pacific Islander	5,700	20.7	15.6 - 25.8	4,300	15.7	11.5 - 19.9	17,500	63.6	57.6 - 69.6	27,600
Mixed Ethnicity	1,300	26.2	15.7 - 36.7	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	5,300	24.4	19.4 - 29.5	5,000	23.0	18.9 - 27.2	11,300	52.5	47.0 - 58.1	21,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	88,400	18.0	17.0 - 18.9	145,700	29.6	28.6 - 30.6	257,900	52.4	51.2 - 53.6	491,900
Female	69,900	14.0	13.3 - 14.7	109,800	21.9	21.2 - 22.7	320,700	64.1	63.2 - 65.0	500,300

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,600	11.7	7.6 - 15.7	3,100	23.3	18.6 - 28.0	8,700	65.0	59.4 - 70.6	13,400
Grades 9 thru 11 (Some High School)	13,500	34.3	30.1 - 38.5	10,000	25.5	22.0 - 29.0	15,800	40.2	35.9 - 44.5	39,400
Grades 12 or GED (High School Grad)	65,400	22.2	20.9 - 23.5	73,700	25.0	23.8 - 26.3	155,100	52.7	51.2 - 54.2	294,100
College 1 to 3 years (Some College/ Tech)	48,400	16.9	15.8 - 18.0	77,300	27.0	25.8 - 28.2	160,800	56.1	54.7 - 57.6	286,500
College 4 years or more (College Grad)	29,200	8.2	7.5 - 8.8	91,200	25.5	24.5 - 26.4	237,400	66.4	65.3 - 67.4	357,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	108,000	17.4	16.6 - 18.2	146,300	23.5	22.7 - 24.3	368,000	59.1	58.2 - 60.1	622,300
Unemployed	12,700	25.3	21.8 - 28.7	10,600	21.2	18.2 - 24.3	26,800	53.5	49.5 - 57.6	50,200
Retired/Unable to work	23,900	10.9	10.0 - 11.8	83,900	38.3	37.1 - 39.6	111,000	50.8	49.4 - 52.1	218,800
Student/Homemaker	13,400	13.4	11.7 - 15.2	14,400	14.4	12.7 - 16.0	72,200	72.2	69.9 - 74.5	100,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,300	27.9	23.9 - 31.9	6,100	20.6	17.5 - 23.8	15,200	51.4	47.0 - 55.9	29,600
\$10,000 to \$14,999	6,100	23.3	19.3 - 27.4	5,600	21.4	18.3 - 24.5	14,400	55.2	50.7 - 59.8	26,200
\$15,000 to \$19,999	12,500	26.9	23.7 - 30.1	11,100	23.9	21.2 - 26.6	22,900	49.2	45.8 - 52.7	46,600
\$20,000 to \$24,999	13,400	21.9	19.2 - 24.5	15,000	24.5	22.0 - 27.0	32,900	53.6	50.4 - 56.8	61,300
\$25,000 to \$34,999	20,600	19.7	17.8 - 21.6	27,800	26.5	24.5 - 28.6	56,300	53.8	51.4 - 56.2	104,600
\$35,000 to \$49,999	25,600	17.3	15.7 - 18.8	40,500	27.4	25.7 - 29.0	82,000	55.4	53.4 - 57.3	148,100
\$50,000 to \$74,999	23,000	13.6	12.3 - 15.0	46,900	27.7	26.2 - 29.3	99,300	58.7	56.9 - 60.5	169,200
\$75,000 or more	32,300	11.0	10.0 - 12.0	80,800	27.4	26.2 - 28.6	181,800	61.6	60.3 - 63.0	294,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	48,700	24.4	22.8 - 26.1	41,200	20.7	19.2 - 22.2	109,300	54.9	52.9 - 56.8	199,200
131-185%	24,400	19.1	17.2 - 20.9	33,200	26.0	24.1 - 27.9	70,200	54.9	52.7 - 57.2	127,800
186+%	68,800	12.4	11.8 - 13.1	159,400	28.8	28.0 - 29.6	325,200	58.8	57.9 - 59.7	553,300

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	72,000	12.4	11.7 - 13.0	171,200	29.4	28.5 - 30.2	339,700	58.3	57.3 - 59.2	583,000
Unmarried Couple	9,100	29.6	24.9 - 34.4	7,400	23.9	19.8 - 28.1	14,200	46.4	41.3 - 51.5	30,700
Widowed	6,300	10.9	9.3 - 12.5	17,800	30.9	28.8 - 33.0	33,600	58.2	55.9 - 60.5	57,700
Other	70,800	22.1	20.8 - 23.4	59,000	18.4	17.4 - 19.4	191,000	59.5	58.0 - 61.0	320,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	75,200	12.7	12.0 - 13.3	174,500	29.4	28.5 - 30.2	344,200	58.0	57.0 - 58.9	593,800
No	82,900	20.9	19.8 - 22.0	80,800	20.4	19.4 - 21.3	233,000	58.7	57.4 - 60.0	396,700

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	139,000	15.1	14.5 - 15.7	242,500	26.3	25.7 - 27.0	540,200	58.6	57.8 - 59.4	921,700
No	18,900	27.6	24.4 - 30.8	12,800	18.6	16.3 - 20.9	36,800	53.8	50.2 - 57.3	68,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	162,300	16.5	15.9 - 17.1	255,600	25.9	25.3 - 26.6	568,200	57.6	56.9 - 58.4	986,100

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,100	19.5	18.3 - 20.7	37,400	29.1	27.8 - 30.3	66,100	51.4	49.9 - 52.8	128,600
Honolulu	110,600	15.7	15.0 - 16.5	174,500	24.8	24.0 - 25.7	417,200	59.4	58.4 - 60.4	702,300
Kauai	7,800	16.4	14.7 - 18.1	13,700	28.9	27.0 - 30.9	25,900	54.6	52.4 - 56.9	47,500
Maui	18,800	17.5	16.2 - 18.8	30,000	27.9	26.4 - 29.3	58,900	54.7	53.0 - 56.3	107,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,100	19.5	18.3 - 20.7	37,400	29.1	27.8 - 30.3	66,100	51.4	49.9 - 52.8	128,600
Kauai	7,800	16.4	14.7 - 18.1	13,700	28.9	27.0 - 30.9	25,900	54.6	52.4 - 56.9	47,500
Lanai	400	19.7	16.2 - 23.2	500	23.8	20.6 - 27.1	1,200	56.5	52.5 - 60.5	2,100
Maui	16,900	17.2	15.8 - 18.5	27,700	28.2	26.6 - 29.7	53,800	54.7	52.9 - 56.5	98,400
Molokai	1,500	21.2	18.1 - 24.2	1,800	25.2	22.2 - 28.3	3,900	53.6	49.9 - 57.3	7,200
Oahu	110,600	15.7	15.0 - 16.5	174,500	24.8	24.0 - 25.7	417,200	59.4	58.4 - 60.4	702,300

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,800	16.5	13.8 - 19.1	17,400	26.4	23.7 - 29.2	37,600	57.1	53.8 - 60.4	65,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	4,700	15.1	12.1 - 18.1	7,400	23.8	20.5 - 27.0	19,000	61.1	57.2 - 65.1	31,100
Hanalei/ Kapaa	2,900	14.5	12.2 - 16.8	6,400	32.1	29.0 - 35.1	10,600	53.4	50.1 - 56.7	19,800
Hilo	7,100	18.9	16.7 - 21.1	10,000	26.5	24.3 - 28.7	20,600	54.6	51.9 - 57.3	37,800
Kaaawa/ Kahaluu/ Kaneohe	6,600	13.3	10.7 - 15.8	15,200	30.7	27.4 - 34.0	27,800	56.0	52.4 - 59.6	49,700
Kahului	6,200	18.2	15.6 - 20.8	9,700	28.6	25.8 - 31.3	18,000	53.2	50.1 - 56.4	33,800
Kailua/ Waimanalo	6,100	12.0	9.6 - 14.4	14,700	29.1	26.0 - 32.1	29,800	58.9	55.5 - 62.4	50,500
Kaimuki/ Palolo/ Waikiki	8,600	14.6	12.2 - 17.0	16,400	27.9	25.2 - 30.6	33,700	57.4	54.3 - 60.5	58,700
Kona	5,100	17.6	15.2 - 20.0	9,000	31.2	28.6 - 33.8	14,800	51.2	48.2 - 54.1	28,900
Lahaina/ Wailuku	5,300	16.4	14.1 - 18.8	8,500	26.4	23.8 - 29.0	18,400	57.2	54.1 - 60.3	32,100
Lanai	400	19.7	16.2 - 23.2	500	23.8	20.6 - 27.1	1,200	56.5	52.5 - 60.5	2,100
Lihue-Waimea	4,900	17.8	15.4 - 20.2	7,400	26.7	24.1 - 29.3	15,400	55.5	52.5 - 58.5	27,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	6,600	14.3	11.6 - 17.0	12,800	27.9	24.8 - 30.9	26,500	57.9	54.4 - 61.3	45,900
Mililani/ Wahiawa	12,200	16.6	14.3 - 18.9	16,300	22.2	19.9 - 24.5	44,900	61.2	58.3 - 64.1	73,400
Molokai	1,500	21.2	18.1 - 24.2	1,800	25.2	22.2 - 28.3	3,900	53.6	49.9 - 57.3	7,200
Nanakuli/ Waianae	8,600	26.3	21.4 - 31.2	7,400	22.7	18.7 - 26.6	16,700	51.0	45.5 - 56.5	32,700
N.Hawaii	4,600	17.1	14.5 - 19.7	7,700	28.7	25.9 - 31.4	14,600	54.2	51.0 - 57.4	27,000
N.Shore/ Laie	3,800	17.4	12.8 - 21.9	5,000	22.7	18.3 - 27.0	13,200	60.0	54.5 - 65.5	22,000
Nuuanu/ Kalihi/ Moanalua	11,200	15.8	13.2 - 18.5	13,400	18.9	16.4 - 21.3	46,300	65.3	62.0 - 68.5	70,900
Puna/ Kau	8,300	23.7	21.2 - 26.2	10,600	30.4	27.8 - 32.9	16,000	45.9	43.1 - 48.8	34,900
Salt Lake/ Foster Village	5,200	15.1	11.8 - 18.3	8,300	23.9	19.9 - 27.8	21,200	61.1	56.6 - 65.6	34,600
Upcountry/ Hana	5,500	16.8	14.6 - 19.0	9,600	29.4	26.8 - 32.1	17,500	53.7	50.8 - 56.7	32,500
Waiālae/ Kahala/ Hawaii Kai	4,200	9.2	6.8 - 11.6	12,200	27.1	24.0 - 30.2	28,800	63.7	60.2 - 67.2	45,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	22,000	18.1	16.1 - 20.2	28,000	23.0	20.9 - 25.1	71,700	58.9	56.4 - 61.4	121,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	23,000	18.8	16.4 - 21.1	11,800	9.6	7.9 - 11.3	87,800	71.6	68.9 - 74.3	122,600
25-34	37,100	22.0	20.1 - 23.8	34,400	20.3	18.6 - 22.0	97,600	57.7	55.6 - 59.9	169,100
35-44	32,200	18.1	16.7 - 19.4	34,400	19.3	17.9 - 20.7	111,400	62.6	60.9 - 64.3	178,000
45-54	35,000	19.4	18.1 - 20.6	48,600	26.9	25.6 - 28.2	97,000	53.7	52.2 - 55.3	180,600
55-64	21,800	14.6	13.4 - 15.8	53,500	35.8	34.3 - 37.3	74,100	49.6	48.0 - 51.2	149,400
65-74	8,100	9.4	8.3 - 10.5	36,500	42.1	40.2 - 44.0	42,200	48.6	46.6 - 50.5	86,800
75+	4,400	4.6	3.7 - 5.5	35,400	37.6	35.7 - 39.6	54,300	57.7	55.7 - 59.8	94,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	52,200	16.3	15.4 - 17.2	103,300	32.2	31.2 - 33.3	165,100	51.5	50.3 - 52.7	320,600
Native Hawaiian	31,000	24.5	22.6 - 26.4	31,200	24.7	22.8 - 26.5	64,400	50.9	48.6 - 53.1	126,500
Chinese	5,100	9.0	6.9 - 11.1	11,400	20.0	17.4 - 22.5	40,700	71.0	68.0 - 74.1	57,300
Filipino	23,800	14.9	13.2 - 16.6	28,900	18.1	16.4 - 19.8	106,700	66.9	64.8 - 69.1	159,400
Japanese	29,500	13.4	12.3 - 14.6	58,000	26.5	25.2 - 27.8	131,600	60.1	58.5 - 61.6	219,100
Black	2,900	18.0	13.0 - 23.1	3,200	19.7	14.9 - 24.5	10,000	62.2	56.1 - 68.4	16,100
Native Alaskan/ American Indian	900	16.5	10.5 - 22.5	2,200	40.9	32.1 - 49.6	2,300	42.6	33.7 - 51.6	5,300
Other Asian	3,700	15.5	11.8 - 19.2	5,900	24.5	19.9 - 29.2	14,300	59.9	54.7 - 65.2	23,900
Other Pacific Islander	6,200	24.2	18.8 - 29.7	3,900	15.4	11.6 - 19.3	15,400	60.3	54.4 - 66.3	25,600
Mixed Ethnicity	1,300	26.2	15.7 - 36.7	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	5,300	22.3	18.1 - 26.5	5,700	24.2	20.1 - 28.4	12,600	53.4	48.4 - 58.5	23,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	90,900	18.6	17.6 - 19.6	145,700	29.8	28.8 - 30.9	251,800	51.6	50.4 - 52.7	488,400
Female	71,400	14.3	13.7 - 15.0	109,900	22.1	21.3 - 22.9	316,400	63.6	62.6 - 64.5	497,700

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,300	15.1	10.0 - 20.1	3,200	20.9	16.6 - 25.3	9,700	64.0	58.2 - 69.9	15,100
Grades 9 thru 11 (Some High School)	12,700	32.5	28.7 - 36.4	10,300	26.3	23.0 - 29.7	16,100	41.2	37.2 - 45.1	39,000
Grades 12 or GED (High School Grad)	65,300	22.4	21.1 - 23.7	74,300	25.4	24.2 - 26.7	152,200	52.2	50.7 - 53.7	291,800
College 1 to 3 years (Some College/ Tech)	49,800	17.4	16.3 - 18.5	78,100	27.3	26.1 - 28.6	158,000	55.3	53.8 - 56.7	285,900
College 4 years or more (College Grad)	32,000	9.1	8.4 - 9.8	89,600	25.4	24.4 - 26.4	231,300	65.5	64.4 - 66.6	352,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	113,100	18.0	17.2 - 18.8	149,500	23.8	23.0 - 24.6	366,100	58.2	57.3 - 59.2	628,700
Unemployed	10,700	26.9	23.0 - 30.7	7,900	19.8	16.5 - 23.1	21,200	53.3	48.9 - 57.8	39,800
Retired/Unable to work	25,000	11.3	10.4 - 12.2	82,800	37.4	36.1 - 38.6	113,700	51.3	50.0 - 52.7	221,500
Student/Homemaker	13,200	13.9	12.1 - 15.7	15,100	16.0	14.2 - 17.8	66,300	70.1	67.7 - 72.5	94,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,000	29.9	25.8 - 34.0	6,500	24.4	20.7 - 28.2	12,200	45.7	41.4 - 50.0	26,700
\$10,000 to \$14,999	6,600	25.2	21.2 - 29.1	6,200	23.9	20.3 - 27.5	13,300	51.0	46.4 - 55.5	26,200
\$15,000 to \$19,999	12,200	26.7	23.6 - 29.9	11,200	24.6	21.9 - 27.3	22,200	48.7	45.3 - 52.1	45,600
\$20,000 to \$24,999	13,400	22.2	19.6 - 24.8	14,800	24.5	22.0 - 26.9	32,200	53.3	50.3 - 56.4	60,400
\$25,000 to \$34,999	19,100	18.3	16.4 - 20.1	27,900	26.7	24.7 - 28.7	57,600	55.1	52.7 - 57.4	104,600
\$35,000 to \$49,999	25,600	17.1	15.6 - 18.6	40,200	26.7	25.1 - 28.3	84,300	56.2	54.3 - 58.1	150,200
\$50,000 to \$74,999	25,600	14.7	13.3 - 16.0	48,500	27.8	26.3 - 29.4	100,400	57.5	55.8 - 59.3	174,400
\$75,000 or more	33,300	12.0	10.9 - 13.0	76,900	27.6	26.4 - 28.9	168,100	60.4	59.0 - 61.8	278,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	46,400	25.0	23.2 - 26.7	41,000	22.1	20.5 - 23.6	98,500	53.0	51.0 - 55.0	186,000
131-185%	22,500	19.1	17.1 - 21.1	29,400	25.0	23.1 - 27.0	65,800	55.9	53.5 - 58.2	117,700
186+%	74,900	13.3	12.7 - 14.0	161,800	28.8	28.0 - 29.6	326,000	57.9	57.0 - 58.8	562,700

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	76,000	13.0	12.4 - 13.7	168,400	28.9	28.0 - 29.7	338,900	58.1	57.2 - 59.0	583,300
Unmarried Couple	8,600	29.6	25.1 - 34.2	7,200	24.8	20.6 - 29.0	13,200	45.6	40.7 - 50.5	29,000
Widowed	6,200	10.8	9.3 - 12.3	17,400	30.2	28.1 - 32.3	34,000	59.0	56.7 - 61.3	57,600
Other	71,500	22.6	21.3 - 23.9	62,600	19.8	18.7 - 20.9	182,100	57.6	56.1 - 59.1	316,300

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	79,200	13.3	12.7 - 14.0	171,200	28.8	28.0 - 29.7	343,400	57.8	56.9 - 58.8	593,800
No	83,000	21.3	20.2 - 22.4	84,100	21.5	20.6 - 22.5	223,400	57.2	55.9 - 58.5	390,500

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	142,300	15.6	15.0 - 16.2	242,000	26.5	25.8 - 27.1	529,700	58.0	57.2 - 58.7	914,000
No	19,600	28.0	24.9 - 31.0	13,500	19.3	17.0 - 21.5	36,900	52.7	49.4 - 56.1	70,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	163,200	16.9	16.2 - 17.6	244,600	25.3	24.5 - 26.0	559,400	57.8	57.0 - 58.7	967,200

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	24,900	19.6	18.2 - 21.0	36,200	28.5	27.0 - 29.9	66,100	51.9	50.3 - 53.6	127,200
Honolulu	111,100	16.1	15.2 - 17.0	165,800	24.1	23.1 - 25.0	412,200	59.8	58.7 - 61.0	689,000
Kauai	8,100	17.6	15.7 - 19.5	13,000	28.3	26.2 - 30.4	24,900	54.1	51.7 - 56.5	46,000
Maui	19,100	18.2	16.6 - 19.9	29,600	28.2	26.5 - 29.9	56,300	53.6	51.6 - 55.6	105,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	24,900	19.6	18.2 - 21.0	36,200	28.5	27.0 - 29.9	66,100	51.9	50.3 - 53.6	127,200
Kauai	8,100	17.6	15.7 - 19.5	13,000	28.3	26.2 - 30.4	24,900	54.1	51.7 - 56.5	46,000
Lanai	400	18.9	15.2 - 22.5	500	24.1	20.5 - 27.6	1,200	57.1	52.7 - 61.4	2,000
Maui	17,300	18.0	16.2 - 19.8	27,400	28.5	26.7 - 30.4	51,500	53.5	51.3 - 55.7	96,200
Molokai	1,400	21.4	17.7 - 25.2	1,600	24.4	20.9 - 28.0	3,600	54.1	49.6 - 58.6	6,700
Oahu	111,100	16.1	15.2 - 17.0	165,800	24.1	23.1 - 25.0	412,200	59.8	58.7 - 61.0	689,000

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,900	14.9	12.3 - 17.6	17,400	26.3	23.1 - 29.5	39,000	58.8	55.2 - 62.4	66,300

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	4,700	14.9	11.5 - 18.4	7,500	23.5	19.6 - 27.4	19,600	61.6	56.8 - 66.3	31,800
Hanalei/ Kapaa	3,200	16.7	13.9 - 19.5	5,900	30.8	27.6 - 34.1	10,100	52.5	48.9 - 56.1	19,200
Hilo	7,400	20.3	17.6 - 23.1	9,600	26.1	23.7 - 28.6	19,600	53.5	50.5 - 56.6	36,500
Kaaawa/ Kahaluu/ Kaneohe	6,700	13.9	11.0 - 16.7	15,100	31.3	26.9 - 35.6	26,600	54.9	50.4 - 59.3	48,400
Kahului	5,900	17.9	14.6 - 21.2	9,600	29.0	25.8 - 32.2	17,500	53.1	49.3 - 56.8	32,900
Kailua/ Waimanalo	5,500	11.2	8.6 - 13.9	13,300	27.3	24.0 - 30.7	29,900	61.4	57.6 - 65.3	48,600
Kaimuki/ Palolo/ Waikiki	9,500	15.9	12.9 - 18.9	16,200	27.2	24.1 - 30.4	33,800	56.9	53.2 - 60.5	59,500
Kona	4,700	16.6	14.0 - 19.1	8,600	30.6	27.7 - 33.6	14,900	52.8	49.5 - 56.2	28,100
Lahaina/ Wailuku	5,900	18.7	15.7 - 21.7	8,200	26.0	22.8 - 29.2	17,400	55.3	51.5 - 59.2	31,500
Lanai	400	18.9	15.2 - 22.5	500	24.1	20.5 - 27.6	1,200	57.1	52.7 - 61.4	2,000
Lihue-Waimea	4,900	18.3	15.7 - 20.9	7,100	26.5	23.7 - 29.3	14,800	55.2	52.0 - 58.4	26,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	7,700	16.6	13.3 - 20.0	12,800	27.7	23.9 - 31.5	25,600	55.7	51.5 - 59.8	46,100
Mililani/ Wahiawa	12,100	17.6	14.9 - 20.3	14,300	20.8	17.4 - 24.2	42,500	61.6	57.9 - 65.4	69,000
Molokai	1,400	21.4	17.7 - 25.2	1,600	24.4	20.9 - 28.0	3,600	54.1	49.6 - 58.6	6,700
Nanakuli/ Waianae	9,400	27.5	22.2 - 32.9	6,400	18.8	15.0 - 22.6	18,400	53.7	47.7 - 59.7	34,300
N.Hawaii	4,600	17.6	14.8 - 20.5	7,100	27.4	24.4 - 30.3	14,300	55.0	51.5 - 58.5	26,000
N.Shore/ Laie	4,100	18.5	13.1 - 24.0	4,800	21.6	16.6 - 26.6	13,300	59.9	53.5 - 66.2	22,200
Nuuanu/ Kalihi/ Moanalua	11,800	17.2	14.1 - 20.3	13,200	19.3	16.5 - 22.1	43,400	63.5	59.8 - 67.2	68,300
Puna/ Kau	8,200	22.6	19.8 - 25.3	11,000	30.0	26.9 - 33.1	17,300	47.4	44.0 - 50.9	36,500
Salt Lake/ Foster Village	5,100	15.4	11.6 - 19.2	8,900	26.7	22.0 - 31.5	19,200	57.9	52.7 - 63.0	33,200
Upcountry/ Hana	5,500	17.4	14.3 - 20.4	9,700	30.5	27.3 - 33.6	16,600	52.1	48.6 - 55.7	31,800
Waialae/ Kahala/ Hawaii Kai	3,500	8.6	6.2 - 11.1	10,600	26.0	22.3 - 29.6	26,800	65.4	61.4 - 69.5	41,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	21,100	17.5	15.2 - 19.8	25,200	20.9	18.6 - 23.2	74,100	61.5	58.7 - 64.4	120,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	24,300	20.2	17.5 - 23.0	12,700	10.6	8.2 - 13.1	83,100	69.2	65.9 - 72.4	120,100
25-34	36,300	21.8	19.7 - 23.8	33,300	20.0	18.0 - 21.9	97,100	58.3	55.9 - 60.7	166,700
35-44	32,200	18.1	16.5 - 19.6	35,000	19.7	18.0 - 21.4	110,700	62.2	60.2 - 64.2	177,800
45-54	34,000	19.1	17.7 - 20.5	47,500	26.6	25.0 - 28.2	96,800	54.3	52.5 - 56.1	178,200
55-64	22,200	15.5	14.1 - 16.9	49,800	34.7	32.9 - 36.5	71,300	49.8	47.8 - 51.7	143,200
65-74	8,300	9.8	8.4 - 11.2	33,700	39.7	37.3 - 42.1	42,900	50.5	48.0 - 52.9	85,000
75+	4,800	5.3	4.1 - 6.5	31,300	34.9	32.6 - 37.3	53,500	59.8	57.3 - 62.2	89,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	50,700	16.0	15.0 - 17.1	101,900	32.3	31.0 - 33.5	163,400	51.7	50.3 - 53.1	316,000
Native Hawaiian	31,400	24.9	22.7 - 27.0	29,200	23.1	21.0 - 25.1	65,800	52.1	49.5 - 54.6	126,400
Chinese	4,600	8.3	6.3 - 10.4	9,700	17.7	15.0 - 20.3	40,700	74.0	70.8 - 77.2	55,000
Filipino	25,100	16.3	14.3 - 18.3	26,500	17.2	15.3 - 19.0	102,700	66.6	64.1 - 69.0	154,300
Japanese	29,300	14.0	12.6 - 15.3	54,800	26.1	24.5 - 27.6	126,000	60.0	58.2 - 61.8	210,100
Black	2,500	16.9	11.5 - 22.3	2,500	17.1	12.3 - 21.9	9,700	65.9	59.4 - 72.5	14,700
Native Alaskan/ American Indian	1,300	22.0	10.4 - 33.5	2,200	38.8	28.9 - 48.7	2,200	39.2	29.1 - 49.3	5,700
Other Asian	3,900	16.8	12.1 - 21.5	4,400	18.8	14.3 - 23.3	15,100	64.3	58.3 - 70.3	23,400
Other Pacific Islander	5,700	23.2	17.0 - 29.4	4,900	19.9	11.8 - 27.9	14,000	56.9	48.9 - 65.0	24,600
Mixed Ethnicity	1,300	26.2	15.7 - 36.7	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	5,400	22.7	18.1 - 27.3	5,600	23.4	19.1 - 27.7	12,900	53.9	48.4 - 59.3	24,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	91,800	19.3	18.1 - 20.4	140,400	29.4	28.2 - 30.7	244,700	51.3	49.9 - 52.7	477,000
Female	71,400	14.6	13.8 - 15.4	104,200	21.3	20.4 - 22.1	314,700	64.2	63.1 - 65.2	490,300

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,300	15.7	10.4 - 21.1	3,200	21.9	16.7 - 27.0	9,000	62.4	56.0 - 68.8	14,500
Grades 9 thru 11 (Some High School)	10,700	28.4	24.3 - 32.6	10,200	27.1	23.2 - 30.9	16,800	44.5	39.7 - 49.2	37,700
Grades 12 or GED (High School Grad)	65,800	22.7	21.2 - 24.2	70,900	24.4	23.1 - 25.8	153,500	52.9	51.1 - 54.6	290,200
College 1 to 3 years (Some College/ Tech)	52,000	18.2	16.9 - 19.5	75,900	26.6	25.0 - 28.1	157,900	55.2	53.6 - 56.9	285,800
College 4 years or more (College Grad)	32,100	9.5	8.7 - 10.4	84,100	24.9	23.8 - 26.1	221,400	65.6	64.3 - 66.9	337,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	113,000	18.2	17.3 - 19.1	146,200	23.6	22.6 - 24.5	360,800	58.2	57.1 - 59.3	620,000
Unemployed	10,400	33.0	27.7 - 38.3	5,200	16.6	13.2 - 20.1	15,800	50.3	44.8 - 55.9	31,400
Retired/Unable to work	25,700	11.7	10.7 - 12.7	77,200	35.1	33.6 - 36.6	117,100	53.2	51.6 - 54.8	220,000
Student/Homemaker	13,700	14.6	12.5 - 16.7	15,700	16.7	14.3 - 19.1	64,700	68.7	65.8 - 71.6	94,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	7,700	31.2	26.2 - 36.1	5,500	22.5	18.6 - 26.3	11,400	46.4	41.3 - 51.4	24,600
\$10,000 to \$14,999	7,600	28.5	23.9 - 33.2	5,800	21.8	18.1 - 25.5	13,200	49.7	44.7 - 54.6	26,600
\$15,000 to \$19,999	12,200	26.9	23.1 - 30.7	10,800	23.8	20.7 - 26.8	22,400	49.3	45.3 - 53.4	45,300
\$20,000 to \$24,999	13,900	22.6	19.6 - 25.5	13,700	22.2	19.7 - 24.7	34,100	55.2	51.8 - 58.6	61,700
\$25,000 to \$34,999	20,200	18.7	16.5 - 20.9	26,600	24.7	22.5 - 26.8	61,100	56.6	53.9 - 59.3	107,800
\$35,000 to \$49,999	25,400	17.2	15.5 - 18.8	38,600	26.1	24.2 - 28.1	83,900	56.7	54.5 - 58.9	147,900
\$50,000 to \$74,999	29,900	15.2	13.7 - 16.8	51,300	26.2	24.3 - 28.1	114,600	58.5	56.4 - 60.7	195,800
\$75,000 or more	30,400	11.8	10.6 - 12.9	72,700	28.2	26.7 - 29.7	154,700	60.0	58.4 - 61.7	257,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	45,300	25.7	23.7 - 27.7	36,100	20.5	18.8 - 22.2	94,800	53.8	51.5 - 56.1	176,200
131-185%	21,600	19.3	17.0 - 21.6	27,000	24.1	21.3 - 26.9	63,300	56.6	53.5 - 59.7	111,900
186+%	80,300	13.9	13.1 - 14.6	162,000	28.0	27.0 - 28.9	337,100	58.2	57.1 - 59.3	579,300

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	74,500	13.0	12.3 - 13.8	158,500	27.7	26.8 - 28.7	338,300	59.2	58.1 - 60.3	571,300
Unmarried Couple	8,300	30.9	25.8 - 35.9	6,600	24.3	20.0 - 28.7	12,100	44.8	39.4 - 50.2	27,000
Widowed	6,200	10.9	9.1 - 12.6	16,200	28.6	26.0 - 31.2	34,400	60.5	57.7 - 63.4	56,800
Other	74,300	23.8	22.3 - 25.3	63,300	20.3	18.9 - 21.6	174,500	55.9	54.2 - 57.7	312,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	78,000	13.4	12.6 - 14.2	161,000	27.7	26.7 - 28.6	342,800	58.9	57.8 - 60.0	581,700
No	85,000	22.2	20.9 - 23.4	83,200	21.7	20.5 - 22.9	215,200	56.1	54.6 - 57.6	383,300

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	140,800	15.8	15.1 - 16.4	230,600	25.8	25.1 - 26.6	521,300	58.4	57.5 - 59.3	892,700
No	22,200	30.7	27.3 - 34.2	13,600	18.8	16.3 - 21.3	36,400	50.4	46.7 - 54.1	72,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	163,900	17.2	16.5 - 17.9	238,600	25.1	24.3 - 25.8	549,700	57.7	56.8 - 58.6	952,200

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,600	19.1	17.7 - 20.5	35,200	28.5	27.0 - 30.0	64,700	52.4	50.7 - 54.1	123,400
Honolulu	112,800	16.6	15.7 - 17.5	163,000	23.9	22.9 - 24.9	405,300	59.5	58.3 - 60.7	681,100
Kauai	8,500	18.9	16.8 - 20.9	12,300	27.4	25.3 - 29.6	24,100	53.7	51.2 - 56.2	44,900
Maui	19,100	18.6	16.9 - 20.3	28,100	27.3	25.6 - 29.1	55,600	54.1	52.0 - 56.1	102,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,600	19.1	17.7 - 20.5	35,200	28.5	27.0 - 30.0	64,700	52.4	50.7 - 54.1	123,400
Kauai	8,500	18.9	16.8 - 20.9	12,300	27.4	25.3 - 29.6	24,100	53.7	51.2 - 56.2	44,900
Lanai	400	18.9	14.4 - 23.4	400	18.9	15.5 - 22.4	1,300	62.2	56.9 - 67.5	2,100
Maui	17,300	18.3	16.5 - 20.2	26,200	27.9	26.0 - 29.8	50,600	53.8	51.5 - 56.0	94,200
Molokai	1,400	22.1	17.8 - 26.4	1,500	22.4	18.7 - 26.2	3,600	55.5	50.5 - 60.4	6,500
Oahu	112,800	16.6	15.7 - 17.5	163,000	23.9	22.9 - 24.9	405,300	59.5	58.3 - 60.7	681,100

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	8,900	13.8	11.2 - 16.4	17,000	26.5	23.2 - 29.8	38,300	59.7	55.9 - 63.4	64,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	5,400	17.2	13.4 - 21.1	6,700	21.5	17.6 - 25.4	19,300	61.3	56.4 - 66.2	31,400
Hanalei/ Kapaa	3,400	17.9	15.0 - 20.9	5,700	30.1	26.8 - 33.4	9,800	52.0	48.3 - 55.6	18,800
Hilo	6,900	19.8	17.0 - 22.5	8,900	25.5	23.0 - 28.1	19,200	54.7	51.6 - 57.9	35,000
Kaaawa/ Kahaluu/ Kaneohe	6,900	14.5	11.6 - 17.4	15,500	32.4	27.9 - 36.8	25,400	53.1	48.6 - 57.6	47,900
Kahului	6,300	19.1	15.7 - 22.6	8,800	26.9	23.8 - 30.1	17,700	53.9	50.1 - 57.8	32,700
Kailua/ Waimanalo	6,700	13.7	10.7 - 16.7	13,500	27.7	24.3 - 31.1	28,500	58.6	54.7 - 62.6	48,700
Kaimuki/ Palolo/ Waikiki	9,700	16.0	13.0 - 18.9	16,200	26.7	23.4 - 29.9	34,900	57.4	53.7 - 61.0	60,900
Kona	4,600	16.2	13.6 - 18.7	9,000	31.5	28.5 - 34.5	15,000	52.3	48.9 - 55.7	28,600
Lahaina/ Wailuku	5,200	17.3	14.3 - 20.3	7,700	25.3	21.9 - 28.7	17,400	57.4	53.4 - 61.5	30,300
Lanai	400	18.9	14.4 - 23.4	400	18.9	15.5 - 22.4	1,300	62.2	56.9 - 67.5	2,100
Lihue-Waimea	5,100	19.5	16.8 - 22.3	6,700	25.5	22.7 - 28.4	14,400	54.9	51.6 - 58.2	26,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	9,200	19.3	15.5 - 23.0	12,900	27.1	23.3 - 30.9	25,500	53.7	49.4 - 57.9	47,500
Mililani/ Wahiawa	11,600	17.0	14.4 - 19.7	14,900	22.0	18.4 - 25.6	41,400	61.0	57.1 - 64.9	67,900
Molokai	1,400	22.1	17.8 - 26.4	1,500	22.4	18.7 - 26.2	3,600	55.5	50.5 - 60.4	6,500
Nanakuli/ Waianae	8,900	27.5	22.0 - 32.9	5,600	17.3	13.5 - 21.1	17,900	55.2	49.2 - 61.2	32,500
N.Hawaii	4,200	16.8	13.9 - 19.7	7,000	27.6	24.6 - 30.7	14,000	55.6	52.0 - 59.2	25,300
N.Shore/ Laie	4,200	18.8	13.4 - 24.2	4,700	20.8	15.9 - 25.7	13,600	60.4	54.2 - 66.7	22,400
Nuuanu/ Kalihi/ Moanalua	12,400	17.8	14.7 - 20.8	13,000	18.8	16.0 - 21.6	44,000	63.4	59.7 - 67.1	69,400
Puna/ Kau	7,800	22.5	19.6 - 25.4	10,300	29.7	26.5 - 32.9	16,500	47.8	44.2 - 51.4	34,600
Salt Lake/ Foster Village	5,600	16.1	12.4 - 19.8	8,900	25.7	21.0 - 30.4	20,200	58.2	53.1 - 63.3	34,800
Upcountry/ Hana	5,800	18.5	15.3 - 21.7	9,800	31.4	28.0 - 34.8	15,600	50.1	46.4 - 53.8	31,100
Waialae/ Kahala/ Hawaii Kai	3,600	9.3	6.6 - 12.0	10,300	26.5	22.6 - 30.5	25,000	64.1	59.8 - 68.5	39,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	19,700	17.2	14.8 - 19.6	23,600	20.6	18.3 - 23.0	71,200	62.2	59.2 - 65.1	114,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	24,900	21.0	18.2 - 23.8	13,600	11.5	9.0 - 14.0	80,100	67.5	64.2 - 70.9	118,600
25-34	34,900	21.4	19.4 - 23.4	30,700	18.8	16.9 - 20.7	97,900	59.9	57.5 - 62.2	163,500
35-44	33,400	18.7	17.1 - 20.3	35,300	19.8	18.1 - 21.5	109,700	61.5	59.5 - 63.5	178,400
45-54	34,400	19.3	17.9 - 20.8	49,800	28.0	26.3 - 29.7	93,800	52.7	50.8 - 54.6	178,100
55-64	21,700	15.8	14.3 - 17.3	47,100	34.2	32.3 - 36.2	68,900	50.0	47.9 - 52.1	137,700
65-74	8,400	10.0	8.5 - 11.6	32,400	38.6	36.1 - 41.1	43,200	51.4	48.8 - 54.0	84,000
75+	4,900	5.7	4.5 - 7.0	28,600	33.2	30.8 - 35.7	52,600	61.0	58.5 - 63.6	86,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	53,400	16.7	15.7 - 17.8	100,800	31.6	30.3 - 32.9	164,600	51.6	50.2 - 53.0	318,800
Native Hawaiian	29,800	25.9	23.6 - 28.2	27,300	23.7	21.5 - 25.9	58,100	50.4	47.7 - 53.1	115,200
Chinese	6,400	10.0	7.8 - 12.1	11,500	18.0	15.4 - 20.7	45,900	72.0	68.8 - 75.2	63,800
Filipino	24,600	16.0	14.0 - 18.0	26,400	17.2	15.3 - 19.1	102,800	66.8	64.3 - 69.3	153,800
Japanese	28,300	14.3	12.8 - 15.7	51,300	25.8	24.2 - 27.5	119,000	59.9	58.0 - 61.8	198,500
Black	2,200	15.4	10.1 - 20.8	2,300	16.0	11.3 - 20.7	9,900	68.6	62.1 - 75.1	14,400
Native Alaskan/ American Indian	1,200	23.1	10.4 - 35.7	2,000	38.0	27.1 - 48.9	2,100	38.9	27.9 - 50.0	5,300
Other Asian	3,900	18.2	13.1 - 23.2	3,800	17.5	12.9 - 22.2	14,000	64.3	58.0 - 70.6	21,700
Other Pacific Islander	5,000	22.2	15.7 - 28.7	4,800	21.3	12.4 - 30.1	12,700	56.6	47.9 - 65.2	22,400
Mixed Ethnicity	1,300	26.2	15.7 - 36.7	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	5,700	23.2	18.6 - 27.8	5,200	21.2	17.0 - 25.5	13,600	55.5	50.2 - 60.9	24,500

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	92,000	19.6	18.4 - 20.7	139,900	29.8	28.5 - 31.1	237,700	50.6	49.2 - 52.0	469,700
Female	71,900	14.9	14.1 - 15.7	98,700	20.4	19.6 - 21.3	312,000	64.6	63.6 - 65.7	482,600

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,400	15.9	10.6 - 21.2	3,100	20.6	15.5 - 25.6	9,700	63.5	57.1 - 69.9	15,200
Grades 9 thru 11 (Some High School)	10,500	28.5	24.2 - 32.8	10,000	27.2	23.2 - 31.3	16,300	44.3	39.4 - 49.1	36,800
Grades 12 or GED (High School Grad)	65,900	22.9	21.5 - 24.4	70,700	24.7	23.2 - 26.1	150,400	52.4	50.6 - 54.2	287,000
College 1 to 3 years (Some College/ Tech)	53,100	18.8	17.5 - 20.1	73,000	25.8	24.3 - 27.4	156,500	55.4	53.7 - 57.1	282,600
College 4 years or more (College Grad)	31,700	9.6	8.8 - 10.5	81,400	24.7	23.5 - 25.9	216,000	65.6	64.3 - 67.0	329,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	113,600	18.5	17.6 - 19.4	144,500	23.5	22.5 - 24.5	356,000	58.0	56.8 - 59.1	614,000
Unemployed	10,100	35.0	29.5 - 40.6	4,600	15.8	12.3 - 19.2	14,200	49.2	43.5 - 54.9	28,900
Retired/Unable to work	26,000	12.1	11.1 - 13.2	73,600	34.4	32.8 - 35.9	114,600	53.5	51.8 - 55.2	214,200
Student/Homemaker	13,900	14.9	12.7 - 17.0	15,700	16.7	14.3 - 19.1	64,200	68.4	65.5 - 71.3	93,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,000	27.5	23.0 - 32.0	6,200	21.2	17.6 - 24.7	15,000	51.3	46.6 - 56.1	29,200
\$10,000 to \$14,999	9,200	28.5	24.0 - 32.9	6,700	20.7	17.3 - 24.1	16,400	50.9	46.1 - 55.6	32,300
\$15,000 to \$19,999	12,000	25.4	21.7 - 29.2	12,000	25.3	22.1 - 28.6	23,300	49.2	45.2 - 53.3	47,200
\$20,000 to \$24,999	13,800	22.4	19.5 - 25.3	13,300	21.6	19.1 - 24.2	34,500	56.0	52.5 - 59.4	61,600
\$25,000 to \$34,999	19,800	18.9	16.7 - 21.2	24,800	23.8	21.6 - 26.0	59,800	57.3	54.5 - 60.0	104,300
\$35,000 to \$49,999	26,000	17.7	16.0 - 19.4	37,700	25.7	23.7 - 27.7	83,100	56.6	54.3 - 58.9	146,900
\$50,000 to \$74,999	28,100	15.1	13.5 - 16.8	48,200	25.9	23.9 - 28.0	109,500	58.9	56.7 - 61.1	185,900
\$75,000 or more	26,900	12.0	10.7 - 13.2	64,600	28.7	27.0 - 30.3	133,800	59.4	57.6 - 61.2	225,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	44,800	25.2	23.2 - 27.2	36,100	20.3	18.6 - 21.9	97,100	54.5	52.3 - 56.8	178,000
131-185%	20,400	19.5	17.1 - 21.8	26,200	24.9	21.9 - 27.9	58,500	55.6	52.4 - 58.9	105,100
186+%	78,600	14.3	13.5 - 15.1	151,300	27.5	26.5 - 28.5	319,800	58.2	57.1 - 59.3	549,800

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	73,400	13.1	12.3 - 13.9	154,000	27.5	26.5 - 28.5	332,400	59.4	58.2 - 60.5	559,900
Unmarried Couple	7,600	30.1	24.8 - 35.4	6,100	24.0	19.4 - 28.6	11,600	45.9	40.3 - 51.6	25,300
Widowed	6,900	11.8	9.9 - 13.6	15,900	27.2	24.6 - 29.8	35,800	61.1	58.1 - 64.0	58,700
Other	76,000	24.6	23.1 - 26.1	62,600	20.3	18.9 - 21.7	169,900	55.1	53.3 - 56.8	308,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	77,000	13.5	12.7 - 14.3	156,400	27.4	26.4 - 28.4	336,900	59.1	58.0 - 60.2	570,300
No	86,700	22.8	21.5 - 24.1	81,700	21.5	20.3 - 22.7	211,800	55.7	54.2 - 57.2	380,200

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	141,100	16.1	15.4 - 16.8	224,100	25.6	24.8 - 26.4	510,300	58.3	57.4 - 59.2	875,600
No	22,600	30.3	27.0 - 33.7	14,100	18.9	16.4 - 21.4	37,800	50.7	47.2 - 54.3	74,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	168,100	18.0	17.2 - 18.7	231,300	24.7	23.9 - 25.5	536,900	57.3	56.4 - 58.3	936,200

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,600	19.7	18.3 - 21.1	33,900	28.3	26.8 - 29.8	62,300	52.0	50.3 - 53.8	119,700
Honolulu	115,200	17.1	16.2 - 18.1	158,800	23.6	22.6 - 24.6	398,100	59.2	58.1 - 60.4	672,100
Kauai	8,900	20.2	18.1 - 22.2	11,900	27.0	24.8 - 29.1	23,300	52.9	50.4 - 55.3	44,000
Maui	20,300	20.2	18.5 - 22.0	26,800	26.7	24.9 - 28.5	53,300	53.0	50.9 - 55.1	100,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,600	19.7	18.3 - 21.1	33,900	28.3	26.8 - 29.8	62,300	52.0	50.3 - 53.8	119,700
Kauai	8,900	20.2	18.1 - 22.2	11,900	27.0	24.8 - 29.1	23,300	52.9	50.4 - 55.3	44,000
Lanai	500	19.7	14.2 - 25.3	500	18.1	14.3 - 21.8	1,600	62.2	56.3 - 68.1	2,500
Maui	18,300	20.0	18.1 - 21.9	25,000	27.3	25.3 - 29.2	48,300	52.7	50.5 - 55.0	91,500
Molokai	1,500	24.1	19.6 - 28.7	1,400	22.2	18.3 - 26.2	3,400	53.6	48.4 - 58.9	6,400
Oahu	115,200	17.1	16.2 - 18.1	158,800	23.6	22.6 - 24.6	398,100	59.2	58.1 - 60.4	672,100

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,300	14.6	11.9 - 17.2	16,500	26.0	22.7 - 29.3	37,800	59.4	55.7 - 63.2	63,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	6,100	18.7	14.9 - 22.6	7,000	21.7	17.8 - 25.5	19,400	59.6	54.8 - 64.4	32,500
Hanalei/ Kapaa	3,500	19.0	15.9 - 22.0	5,500	29.8	26.5 - 33.1	9,400	51.3	47.6 - 54.9	18,400
Hilo	7,400	21.2	18.4 - 24.0	8,500	24.5	21.9 - 27.1	18,900	54.3	51.1 - 57.4	34,800
Kaaawa/ Kahaluu/ Kaneohe	7,500	16.4	13.3 - 19.5	14,800	32.3	27.7 - 37.0	23,500	51.3	46.7 - 55.9	45,800
Kahului	6,900	21.5	18.0 - 25.0	8,000	25.1	22.0 - 28.2	17,100	53.4	49.5 - 57.3	31,900
Kailua/ Waimanalo	7,600	16.0	12.8 - 19.3	13,000	27.2	23.7 - 30.7	27,100	56.8	52.7 - 60.8	47,700
Kaimuki/ Palolo/ Waikiki	9,900	15.7	13.0 - 18.5	16,600	26.3	23.1 - 29.4	36,600	58.0	54.5 - 61.6	63,100
Kona	4,800	16.7	14.2 - 19.3	9,000	31.0	28.1 - 34.0	15,100	52.2	48.9 - 55.6	28,900
Lahaina/ Wailuku	5,700	19.1	16.0 - 22.2	7,500	25.3	21.9 - 28.6	16,600	55.7	51.6 - 59.7	29,800
Lanai	500	19.7	14.2 - 25.3	500	18.1	14.3 - 21.8	1,600	62.2	56.3 - 68.1	2,500
Lihue-Waimea	5,400	21.1	18.3 - 23.8	6,400	24.9	22.1 - 27.8	13,800	54.0	50.7 - 57.3	25,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	9,700	19.5	15.9 - 23.1	12,000	24.1	20.4 - 27.7	28,200	56.4	52.2 - 60.6	49,900
Mililani/ Wahiawa	11,600	17.7	14.9 - 20.4	15,500	23.6	19.7 - 27.5	38,600	58.7	54.6 - 62.8	65,700
Molokai	1,500	24.1	19.6 - 28.7	1,400	22.2	18.3 - 26.2	3,400	53.6	48.4 - 58.9	6,400
Nanakuli/ Waianae	8,900	29.7	23.9 - 35.4	5,100	17.1	13.2 - 20.9	15,900	53.2	47.0 - 59.5	29,900
N.Hawaii	4,300	17.7	14.8 - 20.6	6,800	28.0	24.8 - 31.2	13,100	54.3	50.7 - 58.0	24,100
N.Shore/ Laie	4,300	20.0	14.4 - 25.6	4,200	19.4	14.5 - 24.2	13,100	60.7	54.3 - 67.0	21,600
Nuuanu/ Kalihi/ Moanalua	12,600	18.2	15.1 - 21.3	12,500	18.1	15.3 - 20.9	44,000	63.7	60.0 - 67.4	69,200
Puna/ Kau	7,100	22.3	19.3 - 25.3	9,600	30.1	26.7 - 33.5	15,200	47.6	43.8 - 51.4	31,800
Salt Lake/ Foster Village	6,200	17.0	13.4 - 20.7	9,000	24.6	20.1 - 29.1	21,300	58.4	53.4 - 63.3	36,600
Upcountry/ Hana	5,700	19.2	15.9 - 22.5	9,400	31.6	28.2 - 35.1	14,600	49.1	45.3 - 52.9	29,700
Waialae/ Kahala/ Hawaii Kai	3,700	9.2	6.6 - 11.7	10,600	26.0	22.2 - 29.8	26,400	64.9	60.7 - 69.1	40,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	17,700	16.7	14.3 - 19.1	21,900	20.7	18.2 - 23.2	66,200	62.6	59.5 - 65.7	105,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	26,200	22.6	19.8 - 25.3	13,200	11.3	8.8 - 13.9	76,900	66.1	62.8 - 69.4	116,400
25-34	35,200	21.4	19.5 - 23.3	31,800	19.4	17.5 - 21.3	97,300	59.2	56.9 - 61.5	164,300
35-44	35,200	19.5	17.9 - 21.1	36,900	20.5	18.8 - 22.2	108,000	60.0	58.0 - 62.0	180,000
45-54	36,000	20.5	19.0 - 22.0	48,800	27.8	26.1 - 29.5	90,800	51.7	49.8 - 53.6	175,500
55-64	21,600	16.7	15.0 - 18.5	42,300	32.8	30.8 - 34.8	65,100	50.4	48.2 - 52.6	129,000
65-74	8,400	10.1	8.5 - 11.7	30,900	37.1	34.6 - 39.7	43,900	52.8	50.1 - 55.5	83,100
75+	4,300	5.2	4.0 - 6.4	26,600	32.4	29.9 - 35.0	51,200	62.4	59.7 - 65.0	82,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	56,900	17.8	16.8 - 18.9	98,100	30.8	29.5 - 32.1	163,900	51.4	50.0 - 52.8	319,000
Native Hawaiian	30,900	27.9	25.4 - 30.3	25,100	22.6	20.4 - 24.8	55,000	49.6	46.8 - 52.3	111,100
Chinese	6,600	9.9	8.0 - 11.9	12,400	18.7	16.1 - 21.3	47,200	71.4	68.3 - 74.4	66,100
Filipino	24,300	16.6	14.6 - 18.6	26,300	17.9	16.0 - 19.9	96,000	65.5	63.0 - 68.0	146,700
Japanese	28,100	14.6	13.2 - 16.1	48,600	25.2	23.5 - 26.9	115,900	60.2	58.3 - 62.1	192,600
Black	2,300	16.0	10.8 - 21.1	2,500	17.4	12.5 - 22.2	9,600	66.7	60.2 - 73.1	14,400
Native Alaskan/ American Indian	1,200	25.6	11.6 - 39.5	1,700	35.6	24.2 - 47.1	1,800	38.8	27.0 - 50.6	4,600
Other Asian	4,300	19.9	14.7 - 25.1	3,600	16.7	12.2 - 21.2	13,700	63.4	57.0 - 69.8	21,600
Other Pacific Islander	5,300	24.0	17.4 - 30.6	4,600	21.1	12.0 - 30.2	12,100	55.0	46.3 - 63.7	21,900
Mixed Ethnicity	1,300	26.2	15.7 - 36.7	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	4,700	19.1	15.0 - 23.2	5,300	21.6	17.4 - 25.8	14,700	59.3	54.1 - 64.5	24,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	95,800	20.7	19.6 - 21.9	136,000	29.4	28.2 - 30.7	230,300	49.8	48.4 - 51.3	462,100
Female	72,200	15.2	14.4 - 16.1	95,300	20.1	19.2 - 21.0	306,600	64.7	63.6 - 65.8	474,100

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,500	15.8	10.6 - 21.1	3,300	20.8	15.8 - 25.7	10,100	63.4	57.1 - 69.6	15,900
Grades 9 thru 11 (Some High School)	9,900	27.5	23.3 - 31.7	9,900	27.5	23.3 - 31.7	16,200	45.0	40.1 - 49.9	36,000
Grades 12 or GED (High School Grad)	69,300	24.1	22.6 - 25.6	68,800	23.9	22.5 - 25.3	149,600	52.0	50.3 - 53.7	287,700
College 1 to 3 years (Some College/ Tech)	54,100	19.5	18.2 - 20.8	70,200	25.3	23.7 - 26.9	153,200	55.2	53.5 - 56.9	277,500
College 4 years or more (College Grad)	32,000	10.1	9.1 - 11.0	78,900	24.8	23.6 - 26.1	206,900	65.1	63.7 - 66.5	317,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	114,400	18.9	18.0 - 19.8	141,900	23.5	22.5 - 24.5	348,200	57.6	56.4 - 58.8	604,500
Unemployed	12,100	39.9	34.5 - 45.3	4,700	15.6	12.2 - 18.9	13,500	44.6	39.2 - 49.9	30,300
Retired/Unable to work	24,800	12.1	11.0 - 13.3	68,300	33.4	31.8 - 35.1	111,200	54.4	52.7 - 56.2	204,400
Student/Homemaker	16,500	17.2	15.0 - 19.4	16,100	16.8	14.4 - 19.2	63,100	66.0	63.0 - 68.9	95,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,400	27.3	23.2 - 31.5	6,300	20.5	17.0 - 23.9	16,000	52.2	47.7 - 56.7	30,600
\$10,000 to \$14,999	9,600	28.8	24.6 - 33.1	7,000	21.1	17.7 - 24.4	16,700	50.1	45.6 - 54.6	33,400
\$15,000 to \$19,999	11,300	24.1	20.2 - 28.0	12,100	26.0	22.4 - 29.5	23,300	49.9	45.7 - 54.2	46,700
\$20,000 to \$24,999	13,200	22.6	19.6 - 25.6	12,700	21.8	19.1 - 24.4	32,400	55.7	52.1 - 59.2	58,200
\$25,000 to \$34,999	18,900	19.6	17.2 - 22.0	23,500	24.3	22.0 - 26.6	54,200	56.1	53.2 - 59.0	96,700
\$35,000 to \$49,999	24,300	17.6	15.8 - 19.3	36,300	26.2	24.1 - 28.3	77,900	56.2	53.8 - 58.6	138,500
\$50,000 to \$74,999	27,400	15.5	13.8 - 17.1	44,500	25.1	23.0 - 27.2	105,300	59.4	57.1 - 61.7	177,100
\$75,000 or more	23,600	12.1	10.8 - 13.4	55,800	28.6	26.8 - 30.4	115,600	59.3	57.3 - 61.2	194,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	41,900	25.3	23.2 - 27.4	34,500	20.8	19.0 - 22.6	89,400	53.9	51.6 - 56.3	165,800
131-185%	18,300	19.2	16.8 - 21.6	24,500	25.6	22.4 - 28.9	52,800	55.2	51.8 - 58.6	95,600
186+%	76,400	14.8	14.0 - 15.7	139,200	27.0	26.0 - 28.1	299,200	58.1	56.9 - 59.3	514,800

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	74,600	13.6	12.8 - 14.4	148,300	27.0	26.0 - 28.0	326,400	59.4	58.3 - 60.6	549,200
Unmarried Couple	7,700	31.6	26.1 - 37.1	5,400	22.4	17.8 - 26.9	11,200	46.1	40.3 - 51.8	24,300
Widowed	6,400	10.9	9.1 - 12.8	15,900	27.2	24.5 - 30.0	36,000	61.8	58.8 - 64.8	58,200
Other	79,500	26.1	24.6 - 27.6	61,700	20.3	18.9 - 21.7	163,300	53.6	51.9 - 55.4	304,500

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	78,200	14.0	13.2 - 14.8	150,800	26.9	25.9 - 27.9	330,900	59.1	58.0 - 60.2	559,900
No	89,600	23.9	22.6 - 25.2	80,100	21.4	20.1 - 22.6	205,000	54.7	53.2 - 56.2	374,600

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	142,000	16.6	15.9 - 17.3	216,600	25.3	24.5 - 26.1	496,900	58.1	57.1 - 59.0	855,500
No	25,700	32.8	29.6 - 36.0	14,400	18.3	16.0 - 20.7	38,300	48.9	45.4 - 52.3	78,500

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	170,700	18.5	17.8 - 19.3	225,800	24.5	23.7 - 25.3	523,800	56.9	56.0 - 57.9	920,300

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,800	20.4	18.9 - 21.8	33,000	28.2	26.7 - 29.8	60,100	51.4	49.6 - 53.2	116,900
Honolulu	117,000	17.7	16.7 - 18.6	154,800	23.4	22.3 - 24.4	390,100	58.9	57.7 - 60.1	661,900
Kauai	9,400	22.0	19.8 - 24.1	10,900	25.5	23.4 - 27.7	22,400	52.5	50.0 - 55.0	42,700
Maui	20,500	20.7	18.9 - 22.5	27,100	27.4	25.4 - 29.4	51,300	51.9	49.7 - 54.1	98,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,800	20.4	18.9 - 21.8	33,000	28.2	26.7 - 29.8	60,100	51.4	49.6 - 53.2	116,900
Kauai	9,400	22.0	19.8 - 24.1	10,900	25.5	23.4 - 27.7	22,400	52.5	50.0 - 55.0	42,700
Lanai	500	19.9	14.2 - 25.6	500	18.4	14.2 - 22.7	1,600	61.7	55.5 - 67.9	2,500
Maui	18,500	20.5	18.6 - 22.5	25,300	28.0	25.9 - 30.2	46,500	51.5	49.1 - 53.8	90,300
Molokai	1,500	24.1	19.2 - 29.0	1,300	21.9	17.7 - 26.0	3,300	54.0	48.5 - 59.6	6,000
Oahu	117,000	17.7	16.7 - 18.6	154,800	23.4	22.3 - 24.4	390,100	58.9	57.7 - 60.1	661,900

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,000	14.4	11.7 - 17.0	16,300	25.9	22.5 - 29.4	37,500	59.7	55.8 - 63.6	62,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	5,900	19.0	15.0 - 23.0	6,100	19.6	15.6 - 23.5	19,100	61.4	56.4 - 66.4	31,100
Hanalei/ Kapaa	4,000	22.9	19.5 - 26.2	4,900	27.7	24.3 - 31.0	8,800	49.5	45.7 - 53.3	17,700
Hilo	7,900	22.9	20.0 - 25.9	8,300	24.1	21.5 - 26.8	18,100	52.9	49.7 - 56.1	34,200
Kaaawa/ Kahaluu/ Kaneohe	7,400	16.7	13.4 - 20.0	14,500	32.8	27.9 - 37.7	22,300	50.5	45.7 - 55.3	44,100
Kahului	7,100	22.0	18.4 - 25.6	8,500	26.4	22.3 - 30.4	16,600	51.6	47.4 - 55.9	32,100
Kailua/ Waimanalo	8,200	17.2	13.9 - 20.6	12,700	26.5	22.9 - 30.1	26,900	56.2	52.0 - 60.4	47,800
Kaimuki/ Palolo/ Waikiki	10,300	15.6	13.0 - 18.3	17,300	26.2	23.1 - 29.4	38,400	58.1	54.6 - 61.7	66,000
Kona	4,900	16.8	14.3 - 19.3	9,300	32.0	29.0 - 35.1	14,900	51.2	47.8 - 54.5	29,100
Lahaina/ Wailuku	5,700	19.5	16.3 - 22.6	7,900	27.1	23.5 - 30.7	15,600	53.4	49.2 - 57.6	29,200
Lanai	500	19.9	14.2 - 25.6	500	18.4	14.2 - 22.7	1,600	61.7	55.5 - 67.9	2,500
Lihue-Waimea	5,300	21.3	18.5 - 24.2	6,000	24.0	21.2 - 26.8	13,600	54.7	51.3 - 58.0	25,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	10,100	19.6	16.0 - 23.2	11,400	22.1	18.6 - 25.7	30,100	58.3	54.0 - 62.5	51,700
Mililani/ Wahiawa	10,900	17.1	14.3 - 19.9	15,600	24.5	20.4 - 28.6	37,300	58.4	54.2 - 62.6	63,800
Molokai	1,500	24.1	19.2 - 29.0	1,300	21.9	17.7 - 26.0	3,300	54.0	48.5 - 59.6	6,000
Nanakuli/ Waianae	10,000	32.9	26.8 - 39.0	5,200	17.3	13.1 - 21.4	15,100	49.9	43.4 - 56.3	30,400
N.Hawaii	4,100	17.3	14.4 - 20.2	6,600	27.8	24.6 - 31.0	13,000	54.9	51.2 - 58.6	23,700
N.Shore/ Laie	4,400	19.9	13.9 - 25.8	4,300	19.8	14.8 - 24.8	13,200	60.3	53.7 - 66.9	21,900
Nuuanu/ Kalihi/ Moanalua	12,900	19.2	15.9 - 22.5	11,900	17.7	14.8 - 20.6	42,400	63.0	59.2 - 66.9	67,300
Puna/ Kau	7,000	23.4	20.2 - 26.6	8,800	29.5	25.9 - 33.0	14,000	47.1	43.2 - 51.1	29,800
Salt Lake/ Foster Village	6,200	17.2	13.4 - 21.0	9,300	25.7	21.0 - 30.3	20,700	57.1	52.1 - 62.1	36,300
Upcountry/ Hana	5,800	19.9	16.6 - 23.3	8,900	30.8	27.3 - 34.3	14,200	49.3	45.4 - 53.1	28,900
Waialae/ Kahala/ Hawaii Kai	4,200	10.8	7.9 - 13.6	10,100	25.6	21.6 - 29.7	25,000	63.6	59.1 - 68.0	39,300

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	17,300	17.4	14.8 - 20.0	20,000	20.1	17.5 - 22.7	62,100	62.5	59.2 - 65.7	99,500

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	28,000	24.7	21.9 - 27.6	14,600	12.9	10.2 - 15.7	70,500	62.3	58.9 - 65.7	113,100
25-34	35,600	21.5	19.5 - 23.4	31,300	18.9	17.0 - 20.8	98,700	59.6	57.3 - 61.9	165,600
35-44	36,500	20.1	18.5 - 21.8	37,400	20.6	18.9 - 22.3	107,500	59.2	57.2 - 61.3	181,500
45-54	34,000	19.9	18.4 - 21.4	48,000	28.1	26.3 - 29.8	89,000	52.0	50.0 - 54.1	171,000
55-64	22,200	18.0	16.1 - 19.8	39,300	31.8	29.6 - 33.9	62,300	50.3	47.9 - 52.7	123,800
65-74	9,100	10.8	9.1 - 12.5	29,900	35.5	32.8 - 38.2	45,200	53.7	50.9 - 56.6	84,100
75+	4,100	5.4	4.1 - 6.8	24,500	32.2	29.5 - 35.0	47,300	62.3	59.4 - 65.2	75,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	59,600	18.9	17.8 - 20.0	95,400	30.2	28.9 - 31.6	160,500	50.9	49.4 - 52.3	315,600
Native Hawaiian	30,800	28.0	25.5 - 30.5	24,800	22.6	20.3 - 24.8	54,400	49.4	46.6 - 52.3	110,000
Chinese	6,900	10.2	8.3 - 12.2	12,200	18.0	15.4 - 20.6	48,700	71.8	68.7 - 74.8	67,800
Filipino	24,800	17.5	15.4 - 19.6	26,400	18.7	16.5 - 20.8	90,300	63.8	61.1 - 66.5	141,600
Japanese	27,700	14.8	13.2 - 16.3	47,000	25.0	23.3 - 26.8	113,200	60.2	58.2 - 62.2	188,000
Black	2,500	17.3	11.9 - 22.6	2,500	16.8	12.0 - 21.6	9,700	65.9	59.4 - 72.4	14,800
Native Alaskan/ American Indian	1,300	27.5	13.7 - 41.4	1,500	31.4	20.4 - 42.3	1,900	41.1	28.9 - 53.2	4,700
Other Asian	4,400	20.6	15.1 - 26.2	3,600	17.1	12.1 - 22.0	13,200	62.3	55.6 - 69.1	21,200
Other Pacific Islander	5,100	24.7	17.7 - 31.6	4,200	20.2	10.6 - 29.7	11,500	55.2	46.0 - 64.3	20,800
Other	5,200	19.0	14.7 - 23.3	6,100	22.5	18.2 - 26.9	15,900	58.4	53.2 - 63.7	27,100

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	99,500	21.8	20.6 - 23.0	132,000	28.9	27.6 - 30.3	224,800	49.3	47.8 - 50.7	456,300
Female	71,200	15.3	14.5 - 16.2	93,800	20.2	19.3 - 21.1	299,100	64.4	63.3 - 65.6	464,000

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,700	17.1	11.7 - 22.5	3,600	22.8	17.6 - 28.1	9,600	60.0	53.7 - 66.4	15,900
Grades 9 thru 11 (Some High School)	9,300	26.2	21.9 - 30.5	9,800	27.6	23.2 - 32.0	16,400	46.2	41.0 - 51.4	35,600
Grades 12 or GED (High School Grad)	71,100	24.6	23.1 - 26.1	68,900	23.9	22.4 - 25.3	148,900	51.5	49.8 - 53.3	289,000
College 1 to 3 years (Some College/ Tech)	55,200	20.0	18.6 - 21.4	68,500	24.8	23.2 - 26.4	152,500	55.2	53.4 - 57.0	276,200
College 4 years or more (College Grad)	32,000	10.6	9.6 - 11.6	74,500	24.7	23.4 - 26.0	195,400	64.7	63.3 - 66.2	301,900

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	116,000	19.4	18.5 - 20.4	139,800	23.4	22.4 - 24.4	341,100	57.1	56.0 - 58.3	596,900
Unemployed	12,200	41.9	36.3 - 47.5	4,700	16.1	12.6 - 19.6	12,200	42.0	36.5 - 47.6	29,100
Retired/Unable to work	24,700	12.4	11.2 - 13.7	65,600	33.1	31.4 - 34.8	108,000	54.5	52.6 - 56.3	198,300
Student/Homemaker	17,600	18.5	16.2 - 20.9	15,500	16.3	13.9 - 18.8	61,800	65.1	62.1 - 68.1	94,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	9,100	27.6	23.5 - 31.6	6,400	19.6	16.2 - 23.0	17,400	52.9	48.3 - 57.4	32,900
\$10,000 to \$14,999	10,600	28.8	24.6 - 32.9	7,300	19.9	16.7 - 23.0	18,900	51.4	46.9 - 55.8	36,800
\$15,000 to \$19,999	10,600	23.1	19.2 - 27.1	11,500	25.2	21.6 - 28.9	23,600	51.6	47.2 - 56.1	45,700
\$20,000 to \$24,999	13,300	23.4	20.1 - 26.7	12,300	21.6	18.5 - 24.7	31,200	55.0	51.2 - 58.9	56,800
\$25,000 to \$34,999	18,200	19.5	17.0 - 22.0	22,500	24.1	21.7 - 26.6	52,600	56.4	53.4 - 59.3	93,300
\$35,000 to \$49,999	25,000	18.0	16.2 - 19.8	35,600	25.6	23.5 - 27.8	78,300	56.3	53.9 - 58.8	139,000
\$50,000 to \$74,999	26,500	15.5	13.8 - 17.2	43,800	25.6	23.4 - 27.8	100,700	58.9	56.5 - 61.3	171,000
\$75,000 or more	21,600	12.7	11.2 - 14.1	49,500	29.0	26.9 - 31.0	99,800	58.4	56.2 - 60.6	171,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	40,900	25.6	23.5 - 27.8	32,600	20.4	18.5 - 22.3	86,100	53.9	51.5 - 56.4	159,700
131-185%	17,400	18.4	16.0 - 20.8	24,600	26.0	22.7 - 29.3	52,500	55.6	52.1 - 59.1	94,500
186+%	76,600	15.6	14.6 - 16.5	131,800	26.8	25.7 - 27.9	283,900	57.7	56.4 - 58.9	492,300

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	74,200	13.8	13.0 - 14.7	144,900	27.0	26.0 - 28.1	316,800	59.1	57.9 - 60.3	536,000
Unmarried Couple	6,100	30.7	24.7 - 36.8	4,400	22.2	17.4 - 27.0	9,300	47.0	40.6 - 53.4	19,700
Widowed	6,200	10.9	8.9 - 12.8	14,800	26.1	23.2 - 28.9	35,900	63.1	59.9 - 66.2	56,900
Other	84,200	27.4	25.9 - 28.9	61,700	20.0	18.6 - 21.4	161,800	52.6	50.9 - 54.3	307,700

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	78,100	14.3	13.4 - 15.1	147,200	26.8	25.8 - 27.9	322,800	58.9	57.7 - 60.1	548,100
No	92,400	24.9	23.6 - 26.2	78,100	21.1	19.8 - 22.3	200,100	54.0	52.5 - 55.5	370,500

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	144,400	17.1	16.4 - 17.9	211,900	25.1	24.3 - 26.0	486,600	57.7	56.8 - 58.7	842,900
No	26,000	34.4	31.1 - 37.8	13,500	17.8	15.4 - 20.3	36,000	47.7	44.2 - 51.2	75,500

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

State	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	172,300	19.1	18.4 - 19.9	217,300	24.1	23.3 - 24.9	511,100	56.7	55.8 - 57.7	900,700

County	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,800	21.0	19.5 - 22.5	31,400	27.7	26.1 - 29.2	58,200	51.3	49.5 - 53.1	113,400
Honolulu	119,400	18.4	17.4 - 19.3	149,700	23.0	22.0 - 24.1	381,100	58.6	57.4 - 59.8	650,200
Kauai	9,200	22.0	19.8 - 24.1	10,800	25.9	23.8 - 28.1	21,700	52.1	49.6 - 54.6	41,700
Maui	19,900	20.8	19.0 - 22.7	25,400	26.6	24.6 - 28.7	50,100	52.5	50.3 - 54.8	95,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Island	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,800	21.0	19.5 - 22.5	31,400	27.7	26.1 - 29.2	58,200	51.3	49.5 - 53.1	113,400
Kauai	9,200	22.0	19.8 - 24.1	10,800	25.9	23.8 - 28.1	21,700	52.1	49.6 - 54.6	41,700
Lanai	500	21.7	15.8 - 27.5	500	19.5	15.0 - 23.9	1,500	58.8	52.5 - 65.2	2,500
Maui	17,900	20.6	18.6 - 22.6	23,500	27.1	24.9 - 29.3	45,400	52.3	49.9 - 54.8	86,800
Molokai	1,400	23.8	18.9 - 28.8	1,400	23.4	19.2 - 27.7	3,200	52.8	47.2 - 58.3	6,000
Oahu	119,400	18.4	17.4 - 19.3	149,700	23.0	22.0 - 24.1	381,100	58.6	57.4 - 59.8	650,200

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,700	15.9	13.1 - 18.7	15,900	26.1	22.6 - 29.6	35,400	58.0	54.1 - 62.0	61,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	6,100	20.0	15.8 - 24.2	5,600	18.4	14.6 - 22.2	18,800	61.6	56.6 - 66.6	30,500
Hanalei/ Kapaa	4,100	23.7	20.3 - 27.1	4,700	27.0	23.7 - 30.3	8,500	49.3	45.5 - 53.1	17,300
Hilo	7,900	23.1	20.3 - 26.0	8,000	23.4	20.8 - 26.0	18,200	53.5	50.3 - 56.6	34,000
Kaaawa/ Kahaluu/ Kaneohe	7,500	17.8	14.2 - 21.4	12,800	30.6	25.6 - 35.6	21,600	51.6	46.6 - 56.6	41,900
Kahului	6,800	21.9	18.4 - 25.4	7,800	25.1	20.9 - 29.2	16,400	53.1	48.7 - 57.4	31,000
Kailua/ Waimanalo	8,400	17.7	14.3 - 21.0	12,400	26.1	22.6 - 29.6	26,700	56.2	52.1 - 60.4	47,600
Kaimuki/ Palolo/ Waikiki	11,300	17.5	14.6 - 20.4	16,400	25.4	22.2 - 28.6	36,700	57.1	53.4 - 60.7	64,400
Kona	5,200	18.1	15.5 - 20.6	9,200	31.8	28.7 - 34.8	14,500	50.2	46.8 - 53.6	29,000
Lahaina/ Wailuku	5,900	20.8	17.5 - 24.1	7,200	25.3	21.7 - 28.9	15,200	53.9	49.6 - 58.2	28,200
Lanai	500	21.7	15.8 - 27.5	500	19.5	15.0 - 23.9	1,500	58.8	52.5 - 65.2	2,500
Lihue-Waimea	5,100	20.8	18.0 - 23.5	6,100	25.2	22.3 - 28.1	13,200	54.1	50.7 - 57.4	24,400

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	10,300	19.1	15.6 - 22.5	12,400	22.8	19.2 - 26.4	31,500	58.1	54.0 - 62.3	54,200
Mililani/ Wahiawa	10,400	16.8	13.9 - 19.7	15,000	24.2	20.0 - 28.4	36,400	59.0	54.6 - 63.3	61,800
Molokai	1,400	23.8	18.9 - 28.8	1,400	23.4	19.2 - 27.7	3,200	52.8	47.2 - 58.3	6,000
Nanakuli/ Waianae	9,700	32.8	26.7 - 38.8	5,000	17.0	12.8 - 21.1	14,800	50.3	43.8 - 56.7	29,500
N.Hawaii	4,200	18.4	15.3 - 21.4	6,300	27.6	24.3 - 31.0	12,400	54.0	50.2 - 57.8	22,900
N.Shore/ Laie	4,300	19.5	13.7 - 25.4	4,300	19.2	14.2 - 24.1	13,600	61.3	54.7 - 67.9	22,200
Nuuanu/ Kalihi/ Moanalua	13,600	20.4	17.0 - 23.7	12,200	18.3	15.4 - 21.3	40,800	61.3	57.4 - 65.2	66,600
Puna/ Kau	6,600	23.8	20.5 - 27.1	7,900	28.6	24.9 - 32.3	13,100	47.7	43.5 - 51.8	27,600
Salt Lake/ Foster Village	7,000	18.6	14.9 - 22.4	9,200	24.6	20.3 - 28.9	21,300	56.8	52.0 - 61.6	37,500
Upcountry/ Hana	5,200	19.0	15.6 - 22.4	8,600	31.1	27.7 - 34.6	13,800	49.9	46.0 - 53.8	27,600
Waialae/ Kahala/ Hawaii Kai	3,800	9.7	7.0 - 12.4	9,600	24.4	20.4 - 28.4	25,800	65.9	61.5 - 70.3	39,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	17,400	18.5	15.8 - 21.3	19,000	20.2	17.5 - 22.9	57,500	61.2	57.8 - 64.7	94,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	29,100	26.4	23.4 - 29.4	14,200	12.9	10.1 - 15.7	66,800	60.7	57.3 - 64.1	110,100
25-34	36,600	22.1	20.2 - 24.0	28,900	17.4	15.6 - 19.3	100,300	60.5	58.2 - 62.8	165,900
35-44	37,700	20.7	19.0 - 22.4	38,000	20.9	19.2 - 22.6	106,200	58.4	56.3 - 60.4	181,900
45-54	33,400	20.2	18.7 - 21.8	45,400	27.5	25.7 - 29.3	86,300	52.3	50.2 - 54.3	165,100
55-64	21,100	17.8	15.8 - 19.8	38,900	32.9	30.5 - 35.2	58,400	49.3	46.8 - 51.9	118,400
65-74	9,600	11.3	9.5 - 13.1	29,900	35.0	32.3 - 37.7	46,000	53.7	50.9 - 56.6	85,500
75+	3,600	5.3	3.9 - 6.7	21,000	30.5	27.6 - 33.4	44,100	64.2	61.2 - 67.2	68,600

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	59,200	19.5	18.3 - 20.6	91,000	30.0	28.6 - 31.3	153,600	50.6	49.1 - 52.0	303,900
Native Hawaiian	33,000	28.8	26.3 - 31.2	25,800	22.5	20.2 - 24.8	55,900	48.7	46.0 - 51.5	114,700
Chinese	7,100	10.8	8.7 - 12.9	12,000	18.2	15.5 - 20.8	46,800	71.1	67.9 - 74.2	65,800
Filipino	25,100	18.4	16.2 - 20.5	23,600	17.2	15.1 - 19.3	88,200	64.4	61.7 - 67.1	136,900
Japanese	27,700	14.9	13.4 - 16.5	46,800	25.3	23.5 - 27.0	110,800	59.8	57.8 - 61.8	185,300
Black	2,100	15.2	10.1 - 20.3	2,000	14.8	10.2 - 19.4	9,600	70.0	63.6 - 76.4	13,700
Native Alaskan/ American Indian	1,200	27.7	12.6 - 42.9	1,200	29.2	17.5 - 41.0	1,800	43.0	29.5 - 56.5	4,200
Other Asian	4,300	21.0	15.3 - 26.8	3,100	15.2	10.7 - 19.8	13,000	63.7	57.0 - 70.5	20,400
Other Pacific Islander	4,700	26.1	18.3 - 33.9	3,200	18.0	6.9 - 29.0	10,000	55.9	45.6 - 66.2	17,800
Mixed Ethnicity	900	19.8	11.8 - 27.7	600	14.4	7.7 - 21.2	3,000	65.8	56.5 - 75.1	4,500
Other	5,100	20.2	15.6 - 24.7	5,900	23.3	18.7 - 27.8	14,200	56.5	51.0 - 62.1	25,200

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Gender	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	101,300	22.6	21.4 - 23.9	126,300	28.2	26.9 - 29.6	219,800	49.1	47.7 - 50.6	447,500
Female	71,000	15.7	14.8 - 16.5	90,900	20.1	19.1 - 21.0	291,300	64.3	63.1 - 65.4	453,200

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,200	13.7	9.3 - 18.2	4,400	27.3	20.5 - 34.0	9,500	59.0	52.2 - 65.8	16,100
Grades 9 thru 11 (Some High School)	10,100	27.4	23.0 - 31.8	9,000	24.5	20.4 - 28.6	17,700	48.1	42.9 - 53.2	36,800
Grades 12 or GED (High School Grad)	74,600	25.7	24.2 - 27.2	67,600	23.3	21.9 - 24.7	147,900	51.0	49.2 - 52.7	290,000
College 1 to 3 years (Some College/ Tech)	54,700	20.2	18.8 - 21.7	66,000	24.4	22.8 - 26.0	149,800	55.4	53.6 - 57.2	270,500
College 4 years or more (College Grad)	30,500	10.7	9.6 - 11.7	70,000	24.5	23.1 - 25.8	185,500	64.9	63.3 - 66.4	286,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	117,600	19.9	19.0 - 20.9	135,300	22.9	21.9 - 23.9	337,400	57.2	56.0 - 58.3	590,300
Unemployed	13,500	43.5	38.1 - 49.0	5,000	16.1	12.7 - 19.6	12,500	40.3	34.9 - 45.7	30,900
Retired/Unable to work	23,400	12.5	11.2 - 13.8	61,900	33.1	31.2 - 34.9	101,900	54.4	52.4 - 56.4	187,300
Student/Homemaker	17,600	19.2	16.8 - 21.6	14,900	16.3	13.8 - 18.8	58,800	64.4	61.4 - 67.5	91,300

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	10,000	28.0	24.2 - 31.9	6,500	18.0	15.2 - 20.9	19,300	53.9	49.7 - 58.1	35,800
\$10,000 to \$14,999	11,200	27.8	23.9 - 31.7	7,500	18.7	16.0 - 21.5	21,500	53.4	49.3 - 57.5	40,200
\$15,000 to \$19,999	10,100	23.0	19.0 - 27.0	10,600	24.1	20.4 - 27.7	23,300	53.0	48.4 - 57.5	43,900
\$20,000 to \$24,999	14,600	25.5	22.2 - 28.9	12,100	21.0	18.0 - 24.1	30,600	53.4	49.6 - 57.3	57,300
\$25,000 to \$34,999	20,600	21.5	19.1 - 24.0	22,500	23.5	21.1 - 25.8	52,700	55.0	52.1 - 57.9	95,800
\$35,000 to \$49,999	24,900	17.9	16.0 - 19.7	36,300	26.1	24.0 - 28.2	78,000	56.0	53.6 - 58.4	139,200
\$50,000 to \$74,999	23,700	14.8	13.0 - 16.6	40,400	25.3	23.0 - 27.6	95,500	59.9	57.4 - 62.4	159,500
\$75,000 or more	18,500	12.3	10.7 - 13.8	44,100	29.2	27.0 - 31.5	88,200	58.5	56.1 - 60.9	150,800

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	39,300	26.5	24.2 - 28.8	28,600	19.3	17.4 - 21.3	80,200	54.1	51.6 - 56.7	148,100
131-185%	19,400	19.6	17.2 - 21.9	24,900	25.2	22.0 - 28.3	54,700	55.3	51.9 - 58.6	99,000
186+%	75,000	15.8	14.8 - 16.7	126,400	26.6	25.4 - 27.7	274,200	57.7	56.4 - 58.9	475,500

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	73,500	14.1	13.2 - 14.9	139,700	26.8	25.7 - 27.9	308,300	59.1	57.9 - 60.3	521,500
Unmarried Couple	5,300	31.9	25.2 - 38.6	3,500	20.8	15.7 - 26.0	7,900	47.2	40.2 - 54.3	16,600
Widowed	6,100	11.2	9.1 - 13.3	13,900	25.5	22.6 - 28.4	34,500	63.3	60.0 - 66.6	54,500
Other	87,400	28.4	26.8 - 29.9	60,200	19.5	18.1 - 20.9	160,400	52.1	50.4 - 53.8	308,000

Smoke - 3 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Married	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	77,400	14.5	13.6 - 15.4	142,100	26.6	25.5 - 27.7	314,200	58.9	57.7 - 60.1	533,700
No	94,700	25.9	24.6 - 27.3	74,700	20.4	19.2 - 21.7	196,100	53.6	52.1 - 55.2	365,500

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	146,300	17.7	16.9 - 18.5	204,300	24.7	23.9 - 25.6	475,900	57.6	56.6 - 58.6	826,500
No	25,800	35.6	32.1 - 39.1	12,600	17.3	14.8 - 19.8	34,100	47.1	43.5 - 50.7	72,400