

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	138,900	15.4	14.7 - 16.1	33,400	3.7	3.3 - 4.1	217,300	24.1	23.3 - 24.9	511,100	56.7	55.8 - 57.7	900,700
2001-2005	134,500	14.6	13.9 - 15.3	36,100	3.9	3.6 - 4.3	225,800	24.5	23.7 - 25.3	523,800	56.9	56.0 - 57.9	920,300
2002-2006	130,400	13.9	13.3 - 14.6	37,700	4.0	3.7 - 4.4	231,300	24.7	23.9 - 25.5	536,900	57.3	56.4 - 58.3	936,200
2003-2007	125,200	13.2	12.5 - 13.8	38,700	4.1	3.7 - 4.4	238,600	25.1	24.3 - 25.8	549,700	57.7	56.8 - 58.6	952,200
2004-2008	123,100	12.7	12.1 - 13.3	40,200	4.2	3.8 - 4.5	244,600	25.3	24.5 - 26.0	559,400	57.8	57.0 - 58.7	967,200
2005-2009	118,500	12.0	11.5 - 12.5	43,800	4.4	4.1 - 4.8	255,600	25.9	25.3 - 26.6	568,200	57.6	56.9 - 58.4	986,100
2006-2010	116,500	11.7	11.2 - 12.3	41,700	4.2	3.9 - 4.5	255,400	25.7	25.1 - 26.4	578,600	58.3	57.6 - 59.1	992,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	116,500	11.7	11.2 - 12.3	41,700	4.2	3.9 - 4.5	255,400	25.7	25.1 - 26.4	578,600	58.3	57.6 - 59.1	992,200

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,400	14.6	13.5 - 15.8	6,500	4.9	4.2 - 5.6	38,900	29.4	28.1 - 30.6	67,800	51.1	49.6 - 52.6	132,500
Honolulu	78,800	11.2	10.5 - 11.9	27,400	3.9	3.5 - 4.3	172,500	24.6	23.7 - 25.4	423,400	60.3	59.3 - 61.3	702,100
Kauai	5,500	11.4	9.8 - 12.9	2,300	4.9	3.8 - 5.9	14,100	29.3	27.3 - 31.3	26,300	54.5	52.2 - 56.8	48,200
Maui	12,800	11.7	10.6 - 12.8	5,500	5.1	4.3 - 5.8	29,900	27.3	25.9 - 28.7	61,200	55.9	54.3 - 57.6	109,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,400	14.6	13.5 - 15.8	6,500	4.9	4.2 - 5.6	38,900	29.4	28.1 - 30.6	67,800	51.1	49.6 - 52.6	132,500
Kauai	5,500	11.4	9.8 - 12.9	2,300	4.9	3.8 - 5.9	14,100	29.3	27.3 - 31.3	26,300	54.5	52.2 - 56.8	48,200
Lanai	300	14.4	11.1 - 17.8	100	6.7	4.1 - 9.4	500	24.6	21.3 - 28.0	1,000	54.2	50.0 - 58.4	1,900
Maui	11,300	11.3	10.1 - 12.5	5,000	5.0	4.2 - 5.8	27,400	27.4	25.9 - 29.0	56,200	56.3	54.5 - 58.0	99,900
Molokai	1,200	15.9	13.2 - 18.6	400	5.5	3.9 - 7.1	2,000	26.5	23.4 - 29.5	4,000	52.1	48.5 - 55.7	7,600
Oahu	78,800	11.2	10.5 - 11.9	27,400	3.9	3.5 - 4.3	172,500	24.6	23.7 - 25.4	423,400	60.3	59.3 - 61.3	702,100

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,200	14.0	11.4 - 16.6	1,800	2.7	1.5 - 3.9	16,200	24.7	22.1 - 27.4	38,300	58.5	55.3 - 61.8	65,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	2,600	9.2	6.7 - 11.7	1,400	5.0	2.9 - 7.0	7,100	24.9	21.6 - 28.3	17,400	60.9	56.8 - 65.0	28,600
Hanalei/ Kapaa	1,900	9.6	7.6 - 11.6	800	4.1	2.9 - 5.2	6,500	32.1	29.1 - 35.2	10,900	54.2	50.9 - 57.5	20,200
Hilo	5,700	14.5	12.4 - 16.7	1,600	4.2	3.1 - 5.2	10,800	27.6	25.2 - 29.9	21,000	53.7	51.0 - 56.5	39,100
Kaaawa/ Kahaluu/ Kaneohe	4,500	9.0	6.7 - 11.2	2,100	4.3	2.6 - 6.0	13,800	27.8	24.7 - 30.8	29,400	59.0	55.4 - 62.6	49,800
Kahului	4,500	13.3	10.9 - 15.6	1,500	4.4	2.9 - 5.8	9,400	27.9	25.2 - 30.7	18,400	54.5	51.3 - 57.6	33,700
Kailua/ Waimanalo	4,800	9.4	7.1 - 11.7	1,500	2.9	1.9 - 3.9	14,400	28.3	25.2 - 31.3	30,300	59.4	56.0 - 62.9	51,000
Kaimuki/ Palolo/ Waikiki	6,900	12.1	9.7 - 14.4	1,400	2.5	1.5 - 3.5	15,100	26.6	23.9 - 29.3	33,400	58.8	55.7 - 62.0	56,800
Kona	3,900	13.5	11.1 - 15.8	1,400	4.7	3.2 - 6.2	9,100	31.0	28.4 - 33.6	14,800	50.8	47.8 - 53.9	29,200
Lahaina/ Wailuku	3,800	11.5	9.3 - 13.7	1,500	4.5	3.1 - 5.9	8,100	24.9	22.3 - 27.4	19,400	59.1	56.0 - 62.3	32,700
Lanai	300	14.4	11.1 - 17.8	100	6.7	4.1 - 9.4	500	24.6	21.3 - 28.0	1,000	54.2	50.0 - 58.4	1,900
Lihue-Waimea	3,500	12.6	10.4 - 14.8	1,500	5.4	3.9 - 7.0	7,600	27.2	24.6 - 29.9	15,300	54.7	51.6 - 57.8	28,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	4,000	8.3	6.4 - 10.2	2,500	5.2	3.1 - 7.3	13,400	28.0	24.9 - 31.0	28,100	58.6	55.1 - 62.0	48,000
Mililani/ Wahiawa	8,700	11.9	9.8 - 13.9	3,300	4.5	3.2 - 5.9	16,300	22.3	19.9 - 24.6	44,800	61.3	58.4 - 64.2	73,100
Molokai	1,200	15.9	13.2 - 18.6	400	5.5	3.9 - 7.1	2,000	26.5	23.4 - 29.5	4,000	52.1	48.5 - 55.7	7,600
Nanakuli/ Waianae	6,300	18.3	14.0 - 22.7	2,000	5.7	3.2 - 8.2	7,900	23.1	18.9 - 27.2	18,200	52.9	47.2 - 58.5	34,400
N.Hawaii	3,400	12.7	10.2 - 15.3	1,300	4.7	3.1 - 6.3	7,700	28.5	25.7 - 31.4	14,600	54.0	50.6 - 57.4	27,100
N.Shore/ Laie	2,900	12.6	8.6 - 16.7	500	2.1	0.6 - 3.5	5,700	24.9	20.2 - 29.6	13,800	60.4	54.7 - 66.0	22,900
Nuuanu/ Kalihi/ Moanalua	8,100	11.6	9.3 - 13.8	2,500	3.5	2.1 - 5.0	12,900	18.4	16.0 - 20.8	46,700	66.5	63.3 - 69.8	70,100
Puna/ Kau	6,300	17.0	14.8 - 19.2	2,200	5.9	4.6 - 7.3	11,400	30.5	28.1 - 33.0	17,300	46.5	43.6 - 49.4	37,200
Salt Lake/ Foster Village	3,800	10.9	8.0 - 13.7	1,500	4.2	2.4 - 6.1	7,700	21.9	18.3 - 25.6	22,000	63.0	58.6 - 67.3	35,000
Upcountry/ Hana	3,100	9.1	7.5 - 10.8	2,000	6.1	4.6 - 7.6	9,900	29.5	27.0 - 32.0	18,500	55.3	52.4 - 58.1	33,500
Waialae/ Kahala/ Hawaii Kai	1,800	4.1	2.6 - 5.7	1,500	3.4	1.9 - 4.9	12,000	27.2	24.0 - 30.4	28,800	65.2	61.7 - 68.7	44,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	15,400	12.5	10.7 - 14.3	5,400	4.4	3.4 - 5.5	29,900	24.3	22.2 - 26.5	72,200	58.7	56.2 - 61.3	122,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	14,800	12.1	10.0 - 14.1	6,600	5.4	4.1 - 6.7	10,200	8.3	6.7 - 10.0	90,800	74.2	71.5 - 76.9	122,400
25-34	27,600	16.0	14.3 - 17.7	11,700	6.8	5.7 - 8.0	32,900	19.2	17.4 - 20.9	99,700	58.0	55.7 - 60.2	172,000
35-44	22,700	12.9	11.6 - 14.2	7,800	4.4	3.7 - 5.1	34,500	19.6	18.2 - 21.0	111,100	63.1	61.3 - 64.8	176,200
45-54	24,900	13.8	12.7 - 15.0	7,800	4.3	3.7 - 4.9	47,400	26.3	25.0 - 27.7	99,800	55.5	53.9 - 57.1	179,700
55-64	16,000	10.6	9.6 - 11.5	4,900	3.2	2.7 - 3.7	55,100	36.3	34.9 - 37.8	75,600	49.9	48.3 - 51.4	151,600
65-74	7,000	7.8	6.8 - 8.9	1,700	1.9	1.5 - 2.4	37,400	42.1	40.3 - 43.9	42,700	48.1	46.3 - 49.9	88,700
75+	3,100	3.2	2.5 - 3.9	1,000	1.1	0.6 - 1.5	36,600	38.0	36.1 - 39.8	55,700	57.8	55.9 - 59.7	96,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	35,900	11.3	10.5 - 12.1	14,000	4.4	3.9 - 4.9	104,400	32.8	31.7 - 33.8	163,900	51.5	50.3 - 52.7	318,200
Native Hawaiian	23,600	18.2	16.5 - 20.0	7,900	6.1	5.1 - 7.1	30,800	23.8	22.0 - 25.6	67,100	51.9	49.6 - 54.2	129,300
Chinese	3,500	6.0	4.2 - 7.8	1,300	2.3	1.1 - 3.4	11,800	20.4	17.9 - 23.0	41,100	71.3	68.3 - 74.2	57,700
Filipino	17,700	11.0	9.5 - 12.5	5,400	3.4	2.5 - 4.2	27,500	17.1	15.5 - 18.8	109,900	68.5	66.4 - 70.6	160,400
Japanese	21,300	9.5	8.5 - 10.5	7,500	3.3	2.7 - 4.0	59,300	26.5	25.2 - 27.8	136,000	60.7	59.2 - 62.2	224,100
Black	1,700	11.3	7.2 - 15.4	900	6.1	2.7 - 9.5	2,900	19.4	14.5 - 24.3	9,500	63.2	56.9 - 69.5	15,000
Native Alaskan/ American Indian	500	9.7	4.8 - 14.5	300	5.4	2.2 - 8.5	1,900	36.3	27.5 - 45.1	2,500	48.7	39.4 - 58.0	5,100
Other Asian	3,000	12.2	8.6 - 15.8	1,200	4.7	2.2 - 7.2	5,800	23.3	18.9 - 27.6	14,900	59.8	54.6 - 65.1	25,000
Other Pacific Islander	4,200	15.3	10.7 - 19.9	1,500	5.4	2.6 - 8.2	4,300	15.7	11.5 - 19.9	17,500	63.6	57.6 - 69.6	27,600
Mixed Ethnicity	700	15.4	6.8 - 24.1	500	10.8	3.4 - 18.1	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	4,100	18.9	14.2 - 23.7	1,200	5.5	3.2 - 7.8	5,000	23.0	18.9 - 27.2	11,300	52.5	47.0 - 58.1	21,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	64,800	13.2	12.3 - 14.0	23,600	4.8	4.3 - 5.3	145,700	29.6	28.6 - 30.6	257,900	52.4	51.2 - 53.6	491,900
Female	51,700	10.3	9.7 - 10.9	18,200	3.6	3.3 - 4.0	109,800	21.9	21.2 - 22.7	320,700	64.1	63.2 - 65.0	500,300

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,200	9.3	5.5 - 13.0	300	2.4	0.7 - 4.1	3,100	23.3	18.6 - 28.0	8,700	65.0	59.4 - 70.6	13,400
Grades 9 thru 11 (Some High School)	11,500	29.1	25.0 - 33.2	2,100	5.2	3.4 - 7.0	10,000	25.5	22.0 - 29.0	15,800	40.2	35.9 - 44.5	39,400
Grades 12 or GED (High School Grad)	49,300	16.7	15.6 - 17.9	16,100	5.5	4.8 - 6.2	73,700	25.0	23.8 - 26.3	155,100	52.7	51.2 - 54.2	294,100
College 1 to 3 years (Some College/ Tech)	34,400	12.0	11.1 - 13.0	14,000	4.9	4.2 - 5.6	77,300	27.0	25.8 - 28.2	160,800	56.1	54.7 - 57.6	286,500
College 4 years or more (College Grad)	20,100	5.6	5.0 - 6.2	9,100	2.6	2.2 - 2.9	91,200	25.5	24.5 - 26.4	237,400	66.4	65.3 - 67.4	357,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	78,300	12.6	11.9 - 13.3	29,700	4.8	4.3 - 5.2	146,300	23.5	22.7 - 24.3	368,000	59.1	58.2 - 60.1	622,300
Unemployed	10,400	20.7	17.4 - 23.9	2,300	4.6	3.1 - 6.0	10,600	21.2	18.2 - 24.3	26,800	53.5	49.5 - 57.6	50,200
Retired/Unable to work	18,200	8.3	7.6 - 9.1	5,600	2.6	2.2 - 3.0	83,900	38.3	37.1 - 39.6	111,000	50.8	49.4 - 52.1	218,800
Student/Homemaker	9,400	9.4	7.9 - 10.8	4,100	4.1	3.0 - 5.2	14,400	14.4	12.7 - 16.0	72,200	72.2	69.9 - 74.5	100,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,500	21.9	18.2 - 25.7	1,800	6.0	4.1 - 7.9	6,100	20.6	17.5 - 23.8	15,200	51.4	47.0 - 55.9	29,600
\$10,000 to \$14,999	4,600	17.4	13.8 - 21.1	1,500	5.9	3.7 - 8.1	5,600	21.4	18.3 - 24.5	14,400	55.2	50.7 - 59.8	26,200
\$15,000 to \$19,999	9,700	20.8	17.7 - 23.9	2,800	6.1	4.6 - 7.7	11,100	23.9	21.2 - 26.6	22,900	49.2	45.8 - 52.7	46,600
\$20,000 to \$24,999	10,100	16.5	14.1 - 18.9	3,300	5.4	3.9 - 6.8	15,000	24.5	22.0 - 27.0	32,900	53.6	50.4 - 56.8	61,300
\$25,000 to \$34,999	15,100	14.4	12.7 - 16.0	5,500	5.3	4.2 - 6.4	27,800	26.5	24.5 - 28.6	56,300	53.8	51.4 - 56.2	104,600
\$35,000 to \$49,999	18,600	12.6	11.2 - 13.9	7,000	4.7	3.9 - 5.6	40,500	27.4	25.7 - 29.0	82,000	55.4	53.4 - 57.3	148,100
\$50,000 to \$74,999	16,600	9.8	8.6 - 10.9	6,500	3.8	3.0 - 4.6	46,900	27.7	26.2 - 29.3	99,300	58.7	56.9 - 60.5	169,200
\$75,000 or more	22,800	7.7	6.9 - 8.6	9,500	3.2	2.7 - 3.8	80,800	27.4	26.2 - 28.6	181,800	61.6	60.3 - 63.0	294,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	37,000	18.6	17.0 - 20.1	11,700	5.9	5.0 - 6.8	41,200	20.7	19.2 - 22.2	109,300	54.9	52.9 - 56.8	199,200
131-185%	18,300	14.3	12.6 - 16.0	6,000	4.7	3.7 - 5.7	33,200	26.0	24.1 - 27.9	70,200	54.9	52.7 - 57.2	127,800
186+%	48,600	8.8	8.2 - 9.3	20,200	3.6	3.3 - 4.0	159,400	28.8	28.0 - 29.6	325,200	58.8	57.9 - 59.7	553,300

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	53,800	9.2	8.7 - 9.8	18,300	3.1	2.8 - 3.5	171,200	29.4	28.5 - 30.2	339,700	58.3	57.3 - 59.2	583,000
Unmarried Couple	6,100	20.0	16.0 - 24.0	3,000	9.7	6.3 - 13.1	7,400	23.9	19.8 - 28.1	14,200	46.4	41.3 - 51.5	30,700
Widowed	4,800	8.4	6.9 - 9.8	1,500	2.5	1.8 - 3.3	17,800	30.9	28.8 - 33.0	33,600	58.2	55.9 - 60.5	57,700
Other	51,800	16.1	15.0 - 17.3	19,000	5.9	5.2 - 6.7	59,000	18.4	17.4 - 19.4	191,000	59.5	58.0 - 61.0	320,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	56,000	9.4	8.9 - 10.0	19,200	3.2	2.9 - 3.6	174,500	29.4	28.5 - 30.2	344,200	58.0	57.0 - 58.9	593,800
No	60,400	15.2	14.2 - 16.2	22,500	5.7	5.0 - 6.3	80,800	20.4	19.4 - 21.3	233,000	58.7	57.4 - 60.0	396,700

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	101,700	11.0	10.5 - 11.6	37,300	4.0	3.7 - 4.4	242,500	26.3	25.7 - 27.0	540,200	58.6	57.8 - 59.4	921,700
No	14,600	21.3	18.3 - 24.4	4,300	6.3	4.7 - 7.9	12,800	18.6	16.3 - 20.9	36,800	53.8	50.2 - 57.3	68,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	118,500	12.0	11.5 - 12.5	43,800	4.4	4.1 - 4.8	255,600	25.9	25.3 - 26.6	568,200	57.6	56.9 - 58.4	986,100

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	14.4	13.3 - 15.5	6,600	5.1	4.4 - 5.8	37,400	29.1	27.8 - 30.3	66,100	51.4	49.9 - 52.8	128,600
Honolulu	81,100	11.6	10.9 - 12.2	29,500	4.2	3.8 - 4.6	174,500	24.8	24.0 - 25.7	417,200	59.4	58.4 - 60.4	702,300
Kauai	5,500	11.6	10.1 - 13.0	2,300	4.8	3.8 - 5.8	13,700	28.9	27.0 - 30.9	25,900	54.6	52.4 - 56.9	47,500
Maui	13,400	12.4	11.3 - 13.5	5,500	5.1	4.3 - 5.9	30,000	27.9	26.4 - 29.3	58,900	54.7	53.0 - 56.3	107,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	14.4	13.3 - 15.5	6,600	5.1	4.4 - 5.8	37,400	29.1	27.8 - 30.3	66,100	51.4	49.9 - 52.8	128,600
Kauai	5,500	11.6	10.1 - 13.0	2,300	4.8	3.8 - 5.8	13,700	28.9	27.0 - 30.9	25,900	54.6	52.4 - 56.9	47,500
Lanai	300	13.6	10.5 - 16.8	100	6.0	4.0 - 8.0	500	23.8	20.6 - 27.1	1,200	56.5	52.5 - 60.5	2,100
Maui	12,000	12.2	11.0 - 13.3	4,900	5.0	4.1 - 5.8	27,700	28.2	26.6 - 29.7	53,800	54.7	52.9 - 56.5	98,400
Molokai	1,100	15.3	12.6 - 18.0	400	5.9	4.1 - 7.6	1,800	25.2	22.2 - 28.3	3,900	53.6	49.9 - 57.3	7,200
Oahu	81,100	11.6	10.9 - 12.2	29,500	4.2	3.8 - 4.6	174,500	24.8	24.0 - 25.7	417,200	59.4	58.4 - 60.4	702,300

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	8,800	13.4	10.9 - 15.8	2,000	3.1	1.9 - 4.3	17,400	26.4	23.7 - 29.2	37,600	57.1	53.8 - 60.4	65,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	3,000	9.6	7.2 - 12.0	1,700	5.5	3.5 - 7.6	7,400	23.8	20.5 - 27.0	19,000	61.1	57.2 - 65.1	31,100
Hanalei/ Kapaa	2,200	10.9	8.9 - 13.0	700	3.5	2.5 - 4.6	6,400	32.1	29.0 - 35.1	10,600	53.4	50.1 - 56.7	19,800
Hilo	5,400	14.4	12.4 - 16.4	1,700	4.5	3.4 - 5.6	10,000	26.5	24.3 - 28.7	20,600	54.6	51.9 - 57.3	37,800
Kaaawa/ Kahaluu/ Kaneohe	4,600	9.2	7.1 - 11.3	2,000	4.1	2.5 - 5.7	15,200	30.7	27.4 - 34.0	27,800	56.0	52.4 - 59.6	49,700
Kahului	4,400	12.9	10.7 - 15.0	1,800	5.3	3.5 - 7.1	9,700	28.6	25.8 - 31.3	18,000	53.2	50.1 - 56.4	33,800
Kailua/ Waimanalo	4,500	8.9	6.8 - 11.0	1,600	3.1	1.8 - 4.3	14,700	29.1	26.0 - 32.1	29,800	58.9	55.5 - 62.4	50,500
Kaimuki/ Palolo/ Waikiki	6,800	11.5	9.3 - 13.7	1,800	3.1	2.0 - 4.2	16,400	27.9	25.2 - 30.6	33,700	57.4	54.3 - 60.5	58,700
Kona	3,600	12.6	10.5 - 14.7	1,400	5.0	3.6 - 6.4	9,000	31.2	28.6 - 33.8	14,800	51.2	48.2 - 54.1	28,900
Lahaina/ Wailuku	4,000	12.5	10.3 - 14.6	1,300	3.9	2.8 - 5.0	8,500	26.4	23.8 - 29.0	18,400	57.2	54.1 - 60.3	32,100
Lanai	300	13.6	10.5 - 16.8	100	6.0	4.0 - 8.0	500	23.8	20.6 - 27.1	1,200	56.5	52.5 - 60.5	2,100
Lihue-Waimea	3,300	12.0	10.0 - 14.0	1,600	5.8	4.2 - 7.3	7,400	26.7	24.1 - 29.3	15,400	55.5	52.5 - 58.5	27,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	4,300	9.3	7.4 - 11.2	2,300	5.0	2.9 - 7.1	12,800	27.9	24.8 - 30.9	26,500	57.9	54.4 - 61.3	45,900
Mililani/ Wahiawa	8,900	12.1	10.0 - 14.1	3,300	4.5	3.2 - 5.8	16,300	22.2	19.9 - 24.5	44,900	61.2	58.3 - 64.1	73,400
Molokai	1,100	15.3	12.6 - 18.0	400	5.9	4.1 - 7.6	1,800	25.2	22.2 - 28.3	3,900	53.6	49.9 - 57.3	7,200
Nanakuli/ Waianae	6,400	19.5	15.2 - 23.8	2,200	6.8	3.8 - 9.9	7,400	22.7	18.7 - 26.6	16,700	51.0	45.5 - 56.5	32,700
N.Hawaii	3,300	12.4	10.1 - 14.6	1,300	4.8	3.2 - 6.3	7,700	28.7	25.9 - 31.4	14,600	54.2	51.0 - 57.4	27,000
N.Shore/ Laie	3,200	14.7	10.3 - 19.1	600	2.7	1.1 - 4.3	5,000	22.7	18.3 - 27.0	13,200	60.0	54.5 - 65.5	22,000
Nuuanu/ Kalihi/ Moanalua	8,300	11.7	9.4 - 14.0	2,900	4.1	2.6 - 5.6	13,400	18.9	16.4 - 21.3	46,300	65.3	62.0 - 68.5	70,900
Puna/ Kau	6,100	17.5	15.3 - 19.7	2,200	6.2	4.7 - 7.7	10,600	30.4	27.8 - 32.9	16,000	45.9	43.1 - 48.8	34,900
Salt Lake/ Foster Village	3,800	10.8	8.0 - 13.7	1,500	4.2	2.4 - 6.1	8,300	23.9	19.9 - 27.8	21,200	61.1	56.6 - 65.6	34,600
Upcountry/ Hana	3,600	11.1	9.3 - 12.9	1,900	5.7	4.3 - 7.1	9,600	29.4	26.8 - 32.1	17,500	53.7	50.8 - 56.7	32,500
Waiālae/ Kahala/ Hawaii Kai	2,600	5.7	3.8 - 7.6	1,600	3.5	1.9 - 5.0	12,200	27.1	24.0 - 30.2	28,800	63.7	60.2 - 67.2	45,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	16,100	13.2	11.4 - 15.1	5,900	4.9	3.8 - 6.0	28,000	23.0	20.9 - 25.1	71,700	58.9	56.4 - 61.4	121,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	15,400	12.5	10.5 - 14.6	7,600	6.2	4.9 - 7.6	11,800	9.6	7.9 - 11.3	87,800	71.6	68.9 - 74.3	122,600
25-34	25,300	15.0	13.4 - 16.5	11,800	7.0	5.8 - 8.2	34,400	20.3	18.6 - 22.0	97,600	57.7	55.6 - 59.9	169,100
35-44	23,700	13.3	12.1 - 14.5	8,500	4.8	4.1 - 5.5	34,400	19.3	17.9 - 20.7	111,400	62.6	60.9 - 64.3	178,000
45-54	26,600	14.7	13.6 - 15.8	8,400	4.6	4.0 - 5.3	48,600	26.9	25.6 - 28.2	97,000	53.7	52.2 - 55.3	180,600
55-64	17,000	11.4	10.3 - 12.5	4,800	3.2	2.7 - 3.8	53,500	35.8	34.3 - 37.3	74,100	49.6	48.0 - 51.2	149,400
65-74	6,700	7.7	6.7 - 8.7	1,500	1.7	1.2 - 2.1	36,500	42.1	40.2 - 44.0	42,200	48.6	46.6 - 50.5	86,800
75+	3,400	3.6	2.8 - 4.4	900	1.0	0.6 - 1.4	35,400	37.6	35.7 - 39.6	54,300	57.7	55.7 - 59.8	94,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	37,100	11.6	10.8 - 12.4	15,000	4.7	4.1 - 5.2	103,300	32.2	31.2 - 33.3	165,100	51.5	50.3 - 52.7	320,600
Native Hawaiian	22,700	18.0	16.3 - 19.7	8,200	6.5	5.4 - 7.6	31,200	24.7	22.8 - 26.5	64,400	50.9	48.6 - 53.1	126,500
Chinese	3,500	6.1	4.3 - 7.9	1,600	2.9	1.6 - 4.1	11,400	20.0	17.4 - 22.5	40,700	71.0	68.0 - 74.1	57,300
Filipino	18,600	11.7	10.1 - 13.2	5,200	3.2	2.4 - 4.0	28,900	18.1	16.4 - 19.8	106,700	66.9	64.8 - 69.1	159,400
Japanese	22,000	10.0	9.1 - 11.0	7,500	3.4	2.7 - 4.1	58,000	26.5	25.2 - 27.8	131,600	60.1	58.5 - 61.6	219,100
Black	1,900	12.0	7.8 - 16.2	1,000	6.1	2.7 - 9.4	3,200	19.7	14.9 - 24.5	10,000	62.2	56.1 - 68.4	16,100
Native Alaskan/ American Indian	700	12.3	6.8 - 17.7	200	4.2	1.4 - 7.0	2,200	40.9	32.1 - 49.6	2,300	42.6	33.7 - 51.6	5,300
Other Asian	2,600	11.0	7.9 - 14.0	1,100	4.6	2.2 - 6.9	5,900	24.5	19.9 - 29.2	14,300	59.9	54.7 - 65.2	23,900
Other Pacific Islander	4,400	17.0	12.2 - 21.8	1,800	7.2	3.9 - 10.5	3,900	15.4	11.6 - 19.3	15,400	60.3	54.4 - 66.3	25,600
Mixed Ethnicity	700	15.4	6.8 - 24.1	500	10.8	3.4 - 18.1	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	3,800	16.1	12.3 - 19.9	1,500	6.2	3.8 - 8.6	5,700	24.2	20.1 - 28.4	12,600	53.4	48.4 - 58.5	23,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	66,300	13.6	12.7 - 14.4	24,700	5.1	4.5 - 5.6	145,700	29.8	28.8 - 30.9	251,800	51.6	50.4 - 52.7	488,400
Female	52,200	10.5	9.9 - 11.1	19,100	3.8	3.5 - 4.2	109,900	22.1	21.3 - 22.9	316,400	63.6	62.6 - 64.5	497,700

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,800	12.1	7.7 - 16.5	400	3.0	0.0 - 5.9	3,200	20.9	16.6 - 25.3	9,700	64.0	58.2 - 69.9	15,100
Grades 9 thru 11 (Some High School)	10,600	27.1	23.4 - 30.8	2,100	5.4	3.7 - 7.2	10,300	26.3	23.0 - 29.7	16,100	41.2	37.2 - 45.1	39,000
Grades 12 or GED (High School Grad)	48,900	16.8	15.6 - 17.9	16,400	5.6	4.9 - 6.3	74,300	25.4	24.2 - 26.7	152,200	52.2	50.7 - 53.7	291,800
College 1 to 3 years (Some College/ Tech)	34,900	12.2	11.3 - 13.1	14,900	5.2	4.5 - 5.9	78,100	27.3	26.1 - 28.6	158,000	55.3	53.8 - 56.7	285,900
College 4 years or more (College Grad)	22,200	6.3	5.7 - 6.9	9,900	2.8	2.4 - 3.2	89,600	25.4	24.4 - 26.4	231,300	65.5	64.4 - 66.6	352,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	80,300	12.8	12.1 - 13.5	32,700	5.2	4.7 - 5.7	149,500	23.8	23.0 - 24.6	366,100	58.2	57.3 - 59.2	628,700
Unemployed	8,500	21.2	17.7 - 24.8	2,200	5.6	3.8 - 7.5	7,900	19.8	16.5 - 23.1	21,200	53.3	48.9 - 57.8	39,800
Retired/Unable to work	20,000	9.0	8.2 - 9.8	5,000	2.3	1.9 - 2.7	82,800	37.4	36.1 - 38.6	113,700	51.3	50.0 - 52.7	221,500
Student/Homemaker	9,500	10.0	8.5 - 11.5	3,700	3.9	2.8 - 5.0	15,100	16.0	14.2 - 17.8	66,300	70.1	67.7 - 72.5	94,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,100	22.8	19.0 - 26.7	1,900	7.0	4.8 - 9.3	6,500	24.4	20.7 - 28.2	12,200	45.7	41.4 - 50.0	26,700
\$10,000 to \$14,999	4,800	18.2	14.7 - 21.7	1,800	6.9	4.6 - 9.3	6,200	23.9	20.3 - 27.5	13,300	51.0	46.4 - 55.5	26,200
\$15,000 to \$19,999	9,300	20.3	17.4 - 23.2	2,900	6.4	4.7 - 8.1	11,200	24.6	21.9 - 27.3	22,200	48.7	45.3 - 52.1	45,600
\$20,000 to \$24,999	10,500	17.4	15.0 - 19.8	2,900	4.8	3.6 - 6.0	14,800	24.5	22.0 - 26.9	32,200	53.3	50.3 - 56.4	60,400
\$25,000 to \$34,999	13,900	13.3	11.7 - 14.8	5,200	5.0	3.9 - 6.1	27,900	26.7	24.7 - 28.7	57,600	55.1	52.7 - 57.4	104,600
\$35,000 to \$49,999	18,500	12.3	11.1 - 13.6	7,100	4.7	3.9 - 5.6	40,200	26.7	25.1 - 28.3	84,300	56.2	54.3 - 58.1	150,200
\$50,000 to \$74,999	18,400	10.5	9.4 - 11.7	7,200	4.1	3.3 - 4.9	48,500	27.8	26.3 - 29.4	100,400	57.5	55.8 - 59.3	174,400
\$75,000 or more	23,200	8.3	7.5 - 9.2	10,100	3.6	3.0 - 4.2	76,900	27.6	26.4 - 28.9	168,100	60.4	59.0 - 61.8	278,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	34,600	18.6	17.1 - 20.1	11,800	6.4	5.4 - 7.3	41,000	22.1	20.5 - 23.6	98,500	53.0	51.0 - 55.0	186,000
131-185%	17,000	14.4	12.6 - 16.2	5,500	4.7	3.6 - 5.9	29,400	25.0	23.1 - 27.0	65,800	55.9	53.5 - 58.2	117,700
186+%	53,100	9.4	8.9 - 10.0	21,800	3.9	3.5 - 4.3	161,800	28.8	28.0 - 29.6	326,000	57.9	57.0 - 58.8	562,700

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	56,000	9.6	9.0 - 10.2	20,000	3.4	3.1 - 3.8	168,400	28.9	28.0 - 29.7	338,900	58.1	57.2 - 59.0	583,300
Unmarried Couple	5,900	20.3	16.5 - 24.0	2,700	9.4	6.0 - 12.7	7,200	24.8	20.6 - 29.0	13,200	45.6	40.7 - 50.5	29,000
Widowed	4,800	8.4	7.0 - 9.7	1,400	2.4	1.7 - 3.1	17,400	30.2	28.1 - 32.3	34,000	59.0	56.7 - 61.3	57,600
Other	51,800	16.4	15.2 - 17.5	19,700	6.2	5.5 - 7.0	62,600	19.8	18.7 - 20.9	182,100	57.6	56.1 - 59.1	316,300

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,400	9.8	9.3 - 10.4	20,700	3.5	3.1 - 3.9	171,200	28.8	28.0 - 29.7	343,400	57.8	56.9 - 58.8	593,800
No	60,000	15.4	14.4 - 16.3	23,000	5.9	5.2 - 6.5	84,100	21.5	20.6 - 22.5	223,400	57.2	55.9 - 58.5	390,500

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	103,200	11.3	10.8 - 11.8	39,200	4.3	3.9 - 4.6	242,000	26.5	25.8 - 27.1	529,700	58.0	57.2 - 58.7	914,000
No	15,100	21.6	18.7 - 24.5	4,500	6.4	4.9 - 7.8	13,500	19.3	17.0 - 21.5	36,900	52.7	49.4 - 56.1	70,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	123,100	12.7	12.1 - 13.3	40,200	4.2	3.8 - 4.5	244,600	25.3	24.5 - 26.0	559,400	57.8	57.0 - 58.7	967,200

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	14.6	13.4 - 15.8	6,300	5.0	4.2 - 5.8	36,200	28.5	27.0 - 29.9	66,100	51.9	50.3 - 53.6	127,200
Honolulu	84,300	12.2	11.4 - 13.0	26,800	3.9	3.4 - 4.3	165,800	24.1	23.1 - 25.0	412,200	59.8	58.7 - 61.0	689,000
Kauai	6,000	13.1	11.4 - 14.8	2,100	4.5	3.5 - 5.6	13,000	28.3	26.2 - 30.4	24,900	54.1	51.7 - 56.5	46,000
Maui	14,200	13.5	12.0 - 15.1	4,900	4.7	3.8 - 5.5	29,600	28.2	26.5 - 29.9	56,300	53.6	51.6 - 55.6	105,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	14.6	13.4 - 15.8	6,300	5.0	4.2 - 5.8	36,200	28.5	27.0 - 29.9	66,100	51.9	50.3 - 53.6	127,200
Kauai	6,000	13.1	11.4 - 14.8	2,100	4.5	3.5 - 5.6	13,000	28.3	26.2 - 30.4	24,900	54.1	51.7 - 56.5	46,000
Lanai	300	13.9	10.5 - 17.2	100	5.0	3.1 - 6.9	500	24.1	20.5 - 27.6	1,200	57.1	52.7 - 61.4	2,000
Maui	13,000	13.5	11.8 - 15.1	4,300	4.5	3.6 - 5.4	27,400	28.5	26.7 - 30.4	51,500	53.5	51.3 - 55.7	96,200
Molokai	1,000	14.4	11.2 - 17.7	500	7.0	4.6 - 9.3	1,600	24.4	20.9 - 28.0	3,600	54.1	49.6 - 58.6	6,700
Oahu	84,300	12.2	11.4 - 13.0	26,800	3.9	3.4 - 4.3	165,800	24.1	23.1 - 25.0	412,200	59.8	58.7 - 61.0	689,000

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	8,500	12.9	10.3 - 15.4	1,400	2.0	1.2 - 2.9	17,400	26.3	23.1 - 29.5	39,000	58.8	55.2 - 62.4	66,300

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	3,300	10.4	7.3 - 13.4	1,400	4.6	2.8 - 6.3	7,500	23.5	19.6 - 27.4	19,600	61.6	56.8 - 66.3	31,800
Hanalei/ Kapaa	2,500	13.0	10.4 - 15.6	700	3.7	2.5 - 5.0	5,900	30.8	27.6 - 34.1	10,100	52.5	48.9 - 56.1	19,200
Hilo	5,600	15.4	13.0 - 17.8	1,800	4.9	3.3 - 6.5	9,600	26.1	23.7 - 28.6	19,600	53.5	50.5 - 56.6	36,500
Kaaawa/ Kahaluu/ Kaneohe	5,100	10.6	8.0 - 13.2	1,600	3.3	1.8 - 4.7	15,100	31.3	26.9 - 35.6	26,600	54.9	50.4 - 59.3	48,400
Kahului	4,400	13.3	10.3 - 16.3	1,500	4.6	2.9 - 6.4	9,600	29.0	25.8 - 32.2	17,500	53.1	49.3 - 56.8	32,900
Kailua/ Waimanalo	4,100	8.4	6.0 - 10.9	1,400	2.8	1.6 - 4.1	13,300	27.3	24.0 - 30.7	29,900	61.4	57.6 - 65.3	48,600
Kaimuki/ Palolo/ Waikiki	7,600	12.7	9.9 - 15.5	1,900	3.2	1.9 - 4.5	16,200	27.2	24.1 - 30.4	33,800	56.9	53.2 - 60.5	59,500
Kona	3,400	12.2	10.0 - 14.4	1,200	4.4	2.9 - 5.8	8,600	30.6	27.7 - 33.6	14,900	52.8	49.5 - 56.2	28,100
Lahaina/ Wailuku	4,700	14.8	12.0 - 17.6	1,200	3.9	2.6 - 5.2	8,200	26.0	22.8 - 29.2	17,400	55.3	51.5 - 59.2	31,500
Lanai	300	13.9	10.5 - 17.2	100	5.0	3.1 - 6.9	500	24.1	20.5 - 27.6	1,200	57.1	52.7 - 61.4	2,000
Lihue-Waimea	3,500	13.2	10.9 - 15.4	1,400	5.1	3.6 - 6.6	7,100	26.5	23.7 - 29.3	14,800	55.2	52.0 - 58.4	26,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	5,400	11.8	8.9 - 14.6	2,200	4.9	2.7 - 7.0	12,800	27.7	23.9 - 31.5	25,600	55.7	51.5 - 59.8	46,100
Mililani/ Wahiawa	9,100	13.2	10.8 - 15.6	3,000	4.4	3.0 - 5.8	14,300	20.8	17.4 - 24.2	42,500	61.6	57.9 - 65.4	69,000
Molokai	1,000	14.4	11.2 - 17.7	500	7.0	4.6 - 9.3	1,600	24.4	20.9 - 28.0	3,600	54.1	49.6 - 58.6	6,700
Nanakuli/ Waianae	7,000	20.5	15.8 - 25.1	2,400	7.1	3.7 - 10.4	6,400	18.8	15.0 - 22.6	18,400	53.7	47.7 - 59.7	34,300
N.Hawaii	3,300	12.6	10.1 - 15.1	1,300	5.0	3.3 - 6.8	7,100	27.4	24.4 - 30.3	14,300	55.0	51.5 - 58.5	26,000
N.Shore/ Laie	3,600	16.1	10.8 - 21.5	500	2.4	0.8 - 4.0	4,800	21.6	16.6 - 26.6	13,300	59.9	53.5 - 66.2	22,200
Nuuanu/ Kalihi/ Moanalua	8,600	12.6	9.9 - 15.2	3,200	4.7	2.7 - 6.6	13,200	19.3	16.5 - 22.1	43,400	63.5	59.8 - 67.2	68,300
Puna/ Kau	6,200	17.1	14.7 - 19.5	2,000	5.5	4.0 - 7.0	11,000	30.0	26.9 - 33.1	17,300	47.4	44.0 - 50.9	36,500
Salt Lake/ Foster Village	3,900	11.9	8.4 - 15.4	1,200	3.5	1.7 - 5.3	8,900	26.7	22.0 - 31.5	19,200	57.9	52.7 - 63.0	33,200
Upcountry/ Hana	3,900	12.4	9.5 - 15.2	1,600	5.0	3.5 - 6.5	9,700	30.5	27.3 - 33.6	16,600	52.1	48.6 - 55.7	31,800
Waialae/ Kahala/ Hawaii Kai	2,300	5.6	3.5 - 7.7	1,200	3.0	1.6 - 4.5	10,600	26.0	22.3 - 29.6	26,800	65.4	61.4 - 69.5	41,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	15,800	13.1	10.9 - 15.2	5,300	4.4	3.3 - 5.5	25,200	20.9	18.6 - 23.2	74,100	61.5	58.7 - 64.4	120,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	17,300	14.4	12.0 - 16.9	7,000	5.8	4.3 - 7.3	12,700	10.6	8.2 - 13.1	83,100	69.2	65.9 - 72.4	120,100
25-34	25,800	15.5	13.7 - 17.3	10,500	6.3	5.1 - 7.5	33,300	20.0	18.0 - 21.9	97,100	58.3	55.9 - 60.7	166,700
35-44	24,500	13.8	12.3 - 15.2	7,700	4.3	3.6 - 5.1	35,000	19.7	18.0 - 21.4	110,700	62.2	60.2 - 64.2	177,800
45-54	26,400	14.8	13.5 - 16.1	7,600	4.3	3.6 - 5.0	47,500	26.6	25.0 - 28.2	96,800	54.3	52.5 - 56.1	178,200
55-64	17,400	12.2	10.9 - 13.4	4,800	3.3	2.6 - 4.0	49,800	34.7	32.9 - 36.5	71,300	49.8	47.8 - 51.7	143,200
65-74	7,100	8.3	7.0 - 9.7	1,300	1.5	1.0 - 1.9	33,700	39.7	37.3 - 42.1	42,900	50.5	48.0 - 52.9	85,000
75+	3,700	4.1	3.0 - 5.2	1,100	1.2	0.7 - 1.7	31,300	34.9	32.6 - 37.3	53,500	59.8	57.3 - 62.2	89,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	37,600	11.9	11.0 - 12.8	13,100	4.1	3.6 - 4.7	101,900	32.3	31.0 - 33.5	163,400	51.7	50.3 - 53.1	316,000
Native Hawaiian	23,700	18.7	16.7 - 20.7	7,700	6.1	5.0 - 7.3	29,200	23.1	21.0 - 25.1	65,800	52.1	49.5 - 54.6	126,400
Chinese	3,400	6.2	4.3 - 8.0	1,200	2.2	1.2 - 3.1	9,700	17.7	15.0 - 20.3	40,700	74.0	70.8 - 77.2	55,000
Filipino	19,200	12.5	10.7 - 14.2	5,900	3.8	2.7 - 4.9	26,500	17.2	15.3 - 19.0	102,700	66.6	64.1 - 69.0	154,300
Japanese	23,200	11.1	9.8 - 12.3	6,100	2.9	2.3 - 3.5	54,800	26.1	24.5 - 27.6	126,000	60.0	58.2 - 61.8	210,100
Black	1,600	11.2	6.7 - 15.7	800	5.7	2.3 - 9.2	2,500	17.1	12.3 - 21.9	9,700	65.9	59.4 - 72.5	14,700
Native Alaskan/ American Indian	1,000	17.4	5.8 - 29.0	300	4.6	0.9 - 8.2	2,200	38.8	28.9 - 48.7	2,200	39.2	29.1 - 49.3	5,700
Other Asian	2,900	12.2	8.0 - 16.4	1,100	4.6	2.2 - 7.0	4,400	18.8	14.3 - 23.3	15,100	64.3	58.3 - 70.3	23,400
Other Pacific Islander	4,100	16.8	11.3 - 22.3	1,600	6.4	3.1 - 9.7	4,900	19.9	11.8 - 27.9	14,000	56.9	48.9 - 65.0	24,600
Mixed Ethnicity	700	15.4	6.8 - 24.1	500	10.8	3.4 - 18.1	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	4,100	17.1	12.9 - 21.4	1,300	5.6	3.3 - 7.8	5,600	23.4	19.1 - 27.7	12,900	53.9	48.4 - 59.3	24,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	68,700	14.4	13.4 - 15.4	23,200	4.9	4.3 - 5.5	140,400	29.4	28.2 - 30.7	244,700	51.3	49.9 - 52.7	477,000
Female	54,400	11.1	10.4 - 11.8	17,000	3.5	3.1 - 3.8	104,200	21.3	20.4 - 22.1	314,700	64.2	63.1 - 65.2	490,300

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,900	12.8	8.2 - 17.5	400	2.9	0.0 - 5.9	3,200	21.9	16.7 - 27.0	9,000	62.4	56.0 - 68.8	14,500
Grades 9 thru 11 (Some High School)	8,900	23.6	19.7 - 27.6	1,800	4.8	3.2 - 6.5	10,200	27.1	23.2 - 30.9	16,800	44.5	39.7 - 49.2	37,700
Grades 12 or GED (High School Grad)	51,500	17.8	16.4 - 19.1	14,300	4.9	4.2 - 5.7	70,900	24.4	23.1 - 25.8	153,500	52.9	51.1 - 54.6	290,200
College 1 to 3 years (Some College/ Tech)	38,000	13.3	12.2 - 14.4	14,000	4.9	4.2 - 5.6	75,900	26.6	25.0 - 28.1	157,900	55.2	53.6 - 56.9	285,800
College 4 years or more (College Grad)	22,600	6.7	6.0 - 7.4	9,500	2.8	2.3 - 3.3	84,100	24.9	23.8 - 26.1	221,400	65.6	64.3 - 66.9	337,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	82,200	13.3	12.5 - 14.1	30,800	5.0	4.5 - 5.5	146,200	23.6	22.6 - 24.5	360,800	58.2	57.1 - 59.3	620,000
Unemployed	8,900	28.2	23.0 - 33.4	1,500	4.8	2.7 - 6.9	5,200	16.6	13.2 - 20.1	15,800	50.3	44.8 - 55.9	31,400
Retired/Unable to work	21,000	9.6	8.6 - 10.5	4,700	2.1	1.7 - 2.5	77,200	35.1	33.6 - 36.6	117,100	53.2	51.6 - 54.8	220,000
Student/Homemaker	10,600	11.2	9.3 - 13.1	3,200	3.4	2.4 - 4.3	15,700	16.7	14.3 - 19.1	64,700	68.7	65.8 - 71.6	94,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,900	24.1	19.3 - 28.9	1,700	7.1	4.5 - 9.6	5,500	22.5	18.6 - 26.3	11,400	46.4	41.3 - 51.4	24,600
\$10,000 to \$14,999	5,700	21.4	17.3 - 25.6	1,900	7.1	4.3 - 9.9	5,800	21.8	18.1 - 25.5	13,200	49.7	44.7 - 54.6	26,600
\$15,000 to \$19,999	9,300	20.5	17.1 - 23.8	2,900	6.4	4.0 - 8.9	10,800	23.8	20.7 - 26.8	22,400	49.3	45.3 - 53.4	45,300
\$20,000 to \$24,999	11,400	18.6	15.7 - 21.4	2,500	4.0	2.9 - 5.1	13,700	22.2	19.7 - 24.7	34,100	55.2	51.8 - 58.6	61,700
\$25,000 to \$34,999	14,800	13.8	11.9 - 15.7	5,300	4.9	3.8 - 6.1	26,600	24.7	22.5 - 26.8	61,100	56.6	53.9 - 59.3	107,800
\$35,000 to \$49,999	18,400	12.5	11.0 - 13.9	7,000	4.7	3.8 - 5.7	38,600	26.1	24.2 - 28.1	83,900	56.7	54.5 - 58.9	147,900
\$50,000 to \$74,999	23,100	11.8	10.3 - 13.3	6,800	3.5	2.8 - 4.2	51,300	26.2	24.3 - 28.1	114,600	58.5	56.4 - 60.7	195,800
\$75,000 or more	22,400	8.7	7.7 - 9.7	8,000	3.1	2.5 - 3.7	72,700	28.2	26.7 - 29.7	154,700	60.0	58.4 - 61.7	257,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	34,800	19.7	17.9 - 21.6	10,500	6.0	4.9 - 7.0	36,100	20.5	18.8 - 22.2	94,800	53.8	51.5 - 56.1	176,200
131-185%	16,800	15.0	13.0 - 17.1	4,800	4.3	3.1 - 5.4	27,000	24.1	21.3 - 26.9	63,300	56.6	53.5 - 59.7	111,900
186+%	59,400	10.3	9.6 - 11.0	20,800	3.6	3.2 - 4.0	162,000	28.0	27.0 - 28.9	337,100	58.2	57.1 - 59.3	579,300

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	56,300	9.9	9.2 - 10.5	18,100	3.2	2.8 - 3.6	158,500	27.7	26.8 - 28.7	338,300	59.2	58.1 - 60.3	571,300
Unmarried Couple	6,100	22.7	18.1 - 27.3	2,200	8.2	5.1 - 11.3	6,600	24.3	20.0 - 28.7	12,100	44.8	39.4 - 50.2	27,000
Widowed	4,900	8.6	7.0 - 10.2	1,300	2.3	1.5 - 3.1	16,200	28.6	26.0 - 31.2	34,400	60.5	57.7 - 63.4	56,800
Other	55,800	17.9	16.5 - 19.2	18,500	5.9	5.1 - 6.7	63,300	20.3	18.9 - 21.6	174,500	55.9	54.2 - 57.7	312,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,600	10.1	9.4 - 10.8	19,400	3.3	2.9 - 3.7	161,000	27.7	26.7 - 28.6	342,800	58.9	57.8 - 60.0	581,700
No	64,300	16.8	15.6 - 17.9	20,700	5.4	4.8 - 6.0	83,200	21.7	20.5 - 22.9	215,200	56.1	54.6 - 57.6	383,300

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	105,200	11.8	11.2 - 12.4	35,600	4.0	3.6 - 4.4	230,600	25.8	25.1 - 26.6	521,300	58.4	57.5 - 59.3	892,700
No	17,700	24.6	21.2 - 28.0	4,400	6.1	4.7 - 7.6	13,600	18.8	16.3 - 21.3	36,400	50.4	46.7 - 54.1	72,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	125,200	13.2	12.5 - 13.8	38,700	4.1	3.7 - 4.4	238,600	25.1	24.3 - 25.8	549,700	57.7	56.8 - 58.6	952,200

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	17,700	14.4	13.2 - 15.6	5,800	4.7	3.9 - 5.5	35,200	28.5	27.0 - 30.0	64,700	52.4	50.7 - 54.1	123,400
Honolulu	86,600	12.7	11.9 - 13.5	26,200	3.9	3.4 - 4.3	163,000	23.9	22.9 - 24.9	405,300	59.5	58.3 - 60.7	681,100
Kauai	6,500	14.5	12.7 - 16.4	2,000	4.4	3.3 - 5.4	12,300	27.4	25.3 - 29.6	24,100	53.7	51.2 - 56.2	44,900
Maui	14,400	14.0	12.4 - 15.6	4,700	4.6	3.7 - 5.4	28,100	27.3	25.6 - 29.1	55,600	54.1	52.0 - 56.1	102,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	17,700	14.4	13.2 - 15.6	5,800	4.7	3.9 - 5.5	35,200	28.5	27.0 - 30.0	64,700	52.4	50.7 - 54.1	123,400
Kauai	6,500	14.5	12.7 - 16.4	2,000	4.4	3.3 - 5.4	12,300	27.4	25.3 - 29.6	24,100	53.7	51.2 - 56.2	44,900
Lanai	300	13.1	9.4 - 16.8	100	5.8	2.8 - 8.7	400	18.9	15.5 - 22.4	1,300	62.2	56.9 - 67.5	2,100
Maui	13,100	13.9	12.2 - 15.7	4,200	4.4	3.5 - 5.3	26,200	27.9	26.0 - 29.8	50,600	53.8	51.5 - 56.0	94,200
Molokai	1,000	16.0	12.1 - 19.9	400	6.1	3.9 - 8.3	1,500	22.4	18.7 - 26.2	3,600	55.5	50.5 - 60.4	6,500
Oahu	86,600	12.7	11.9 - 13.5	26,200	3.9	3.4 - 4.3	163,000	23.9	22.9 - 24.9	405,300	59.5	58.3 - 60.7	681,100

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,400	11.6	9.1 - 14.0	1,500	2.3	1.3 - 3.2	17,000	26.5	23.2 - 29.8	38,300	59.7	55.9 - 63.4	64,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	4,100	13.0	9.4 - 16.6	1,300	4.2	2.6 - 5.9	6,700	21.5	17.6 - 25.4	19,300	61.3	56.4 - 66.2	31,400
Hanalei/ Kapaa	2,700	14.4	11.6 - 17.2	700	3.5	2.3 - 4.8	5,700	30.1	26.8 - 33.4	9,800	52.0	48.3 - 55.6	18,800
Hilo	5,100	14.6	12.2 - 16.9	1,800	5.2	3.4 - 6.9	8,900	25.5	23.0 - 28.1	19,200	54.7	51.6 - 57.9	35,000
Kaaawa/ Kahaluu/ Kaneohe	5,500	11.4	8.8 - 14.1	1,500	3.1	1.7 - 4.4	15,500	32.4	27.9 - 36.8	25,400	53.1	48.6 - 57.6	47,900
Kahului	4,600	14.0	10.9 - 17.1	1,700	5.1	3.2 - 7.0	8,800	26.9	23.8 - 30.1	17,700	53.9	50.1 - 57.8	32,700
Kailua/ Waimanalo	5,200	10.7	7.9 - 13.4	1,500	3.1	1.7 - 4.4	13,500	27.7	24.3 - 31.1	28,500	58.6	54.7 - 62.6	48,700
Kaimuki/ Palolo/ Waikiki	7,600	12.6	9.8 - 15.3	2,100	3.4	2.1 - 4.7	16,200	26.7	23.4 - 29.9	34,900	57.4	53.7 - 61.0	60,900
Kona	3,500	12.2	10.0 - 14.4	1,100	4.0	2.6 - 5.4	9,000	31.5	28.5 - 34.5	15,000	52.3	48.9 - 55.7	28,600
Lahaina/ Wailuku	4,100	13.7	10.8 - 16.5	1,100	3.7	2.3 - 5.0	7,700	25.3	21.9 - 28.7	17,400	57.4	53.4 - 61.5	30,300
Lanai	300	13.1	9.4 - 16.8	100	5.8	2.8 - 8.7	400	18.9	15.5 - 22.4	1,300	62.2	56.9 - 67.5	2,100
Lihue-Waimea	3,800	14.6	12.1 - 17.1	1,300	5.0	3.5 - 6.5	6,700	25.5	22.7 - 28.4	14,400	54.9	51.6 - 58.2	26,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	6,200	13.1	10.1 - 16.1	2,900	6.1	3.5 - 8.7	12,900	27.1	23.3 - 30.9	25,500	53.7	49.4 - 57.9	47,500
Mililani/ Wahiawa	9,100	13.4	11.0 - 15.7	2,500	3.7	2.4 - 5.0	14,900	22.0	18.4 - 25.6	41,400	61.0	57.1 - 64.9	67,900
Molokai	1,000	16.0	12.1 - 19.9	400	6.1	3.9 - 8.3	1,500	22.4	18.7 - 26.2	3,600	55.5	50.5 - 60.4	6,500
Nanakuli/ Waianae	6,700	20.8	16.1 - 25.5	2,200	6.7	3.2 - 10.2	5,600	17.3	13.5 - 21.1	17,900	55.2	49.2 - 61.2	32,500
N.Hawaii	3,100	12.2	9.7 - 14.7	1,200	4.6	2.8 - 6.3	7,000	27.6	24.6 - 30.7	14,000	55.6	52.0 - 59.2	25,300
N.Shore/ Laie	3,700	16.5	11.3 - 21.7	500	2.3	0.4 - 4.2	4,700	20.8	15.9 - 25.7	13,600	60.4	54.2 - 66.7	22,400
Nuuanu/ Kalihi/ Moanalua	9,000	13.0	10.4 - 15.6	3,300	4.8	2.8 - 6.7	13,000	18.8	16.0 - 21.6	44,000	63.4	59.7 - 67.1	69,400
Puna/ Kau	6,100	17.6	15.0 - 20.1	1,700	4.9	3.4 - 6.5	10,300	29.7	26.5 - 32.9	16,500	47.8	44.2 - 51.4	34,600
Salt Lake/ Foster Village	4,300	12.2	8.9 - 15.6	1,300	3.9	2.0 - 5.7	8,900	25.7	21.0 - 30.4	20,200	58.2	53.1 - 63.3	34,800
Upcountry/ Hana	4,400	14.1	11.1 - 17.1	1,400	4.4	3.0 - 5.9	9,800	31.4	28.0 - 34.8	15,600	50.1	46.4 - 53.8	31,100
Wailae/ Kahala/ Hawaii Kai	2,500	6.3	4.0 - 8.7	1,200	3.0	1.5 - 4.5	10,300	26.5	22.6 - 30.5	25,000	64.1	59.8 - 68.5	39,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	15,200	13.3	11.1 - 15.5	4,500	3.9	2.9 - 5.0	23,600	20.6	18.3 - 23.0	71,200	62.2	59.2 - 65.1	114,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	17,200	14.5	12.0 - 16.9	7,700	6.5	4.9 - 8.1	13,600	11.5	9.0 - 14.0	80,100	67.5	64.2 - 70.9	118,600
25-34	24,900	15.3	13.5 - 17.0	10,000	6.1	4.9 - 7.3	30,700	18.8	16.9 - 20.7	97,900	59.9	57.5 - 62.2	163,500
35-44	26,300	14.8	13.3 - 16.2	7,100	4.0	3.2 - 4.7	35,300	19.8	18.1 - 21.5	109,700	61.5	59.5 - 63.5	178,400
45-54	27,300	15.3	14.0 - 16.6	7,100	4.0	3.3 - 4.7	49,800	28.0	26.3 - 29.7	93,800	52.7	50.8 - 54.6	178,100
55-64	17,400	12.6	11.2 - 14.0	4,400	3.2	2.5 - 3.9	47,100	34.2	32.3 - 36.2	68,900	50.0	47.9 - 52.1	137,700
65-74	7,300	8.6	7.2 - 10.1	1,200	1.4	0.9 - 1.8	32,400	38.6	36.1 - 41.1	43,200	51.4	48.8 - 54.0	84,000
75+	3,900	4.6	3.4 - 5.7	1,000	1.2	0.7 - 1.7	28,600	33.2	30.8 - 35.7	52,600	61.0	58.5 - 63.6	86,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	40,600	12.7	11.8 - 13.7	12,800	4.0	3.5 - 4.5	100,800	31.6	30.3 - 32.9	164,600	51.6	50.2 - 53.0	318,800
Native Hawaiian	22,700	19.7	17.5 - 21.8	7,200	6.2	5.0 - 7.5	27,300	23.7	21.5 - 25.9	58,100	50.4	47.7 - 53.1	115,200
Chinese	5,000	7.9	5.9 - 9.8	1,300	2.1	1.2 - 3.0	11,500	18.0	15.4 - 20.7	45,900	72.0	68.8 - 75.2	63,800
Filipino	19,400	12.6	10.9 - 14.4	5,200	3.4	2.3 - 4.4	26,400	17.2	15.3 - 19.1	102,800	66.8	64.3 - 69.3	153,800
Japanese	22,300	11.2	9.9 - 12.5	6,000	3.0	2.3 - 3.7	51,300	25.8	24.2 - 27.5	119,000	59.9	58.0 - 61.8	198,500
Black	1,500	10.1	5.8 - 14.4	800	5.3	1.8 - 8.9	2,300	16.0	11.3 - 20.7	9,900	68.6	62.1 - 75.1	14,400
Native Alaskan/ American Indian	1,000	19.4	6.7 - 32.1	200	3.7	0.1 - 7.2	2,000	38.0	27.1 - 48.9	2,100	38.9	27.9 - 50.0	5,300
Other Asian	2,900	13.3	8.7 - 18.0	1,100	4.8	2.6 - 7.1	3,800	17.5	12.9 - 22.2	14,000	64.3	58.0 - 70.6	21,700
Other Pacific Islander	3,500	15.6	9.8 - 21.3	1,500	6.6	3.1 - 10.2	4,800	21.3	12.4 - 30.1	12,700	56.6	47.9 - 65.2	22,400
Mixed Ethnicity	700	15.4	6.8 - 24.1	500	10.8	3.4 - 18.1	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	4,100	16.8	12.7 - 20.9	1,600	6.4	3.9 - 9.0	5,200	21.2	17.0 - 25.5	13,600	55.5	50.2 - 60.9	24,500

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	69,700	14.8	13.8 - 15.9	22,300	4.7	4.1 - 5.4	139,900	29.8	28.5 - 31.1	237,700	50.6	49.2 - 52.0	469,700
Female	55,500	11.5	10.8 - 12.3	16,400	3.4	3.0 - 3.8	98,700	20.4	19.6 - 21.3	312,000	64.6	63.6 - 65.7	482,600

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,000	13.2	8.5 - 17.9	400	2.8	0.0 - 5.7	3,100	20.6	15.5 - 25.6	9,700	63.5	57.1 - 69.9	15,200
Grades 9 thru 11 (Some High School)	8,800	23.8	19.7 - 28.0	1,700	4.6	3.0 - 6.3	10,000	27.2	23.2 - 31.3	16,300	44.3	39.4 - 49.1	36,800
Grades 12 or GED (High School Grad)	52,300	18.2	16.9 - 19.6	13,500	4.7	4.0 - 5.5	70,700	24.7	23.2 - 26.1	150,400	52.4	50.6 - 54.2	287,000
College 1 to 3 years (Some College/ Tech)	39,400	14.0	12.8 - 15.1	13,700	4.8	4.1 - 5.6	73,000	25.8	24.3 - 27.4	156,500	55.4	53.7 - 57.1	282,600
College 4 years or more (College Grad)	22,400	6.8	6.1 - 7.5	9,200	2.8	2.3 - 3.3	81,400	24.7	23.5 - 25.9	216,000	65.6	64.3 - 67.0	329,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	84,000	13.7	12.9 - 14.5	29,500	4.8	4.3 - 5.3	144,500	23.5	22.5 - 24.5	356,000	58.0	56.8 - 59.1	614,000
Unemployed	8,600	29.8	24.4 - 35.2	1,500	5.2	3.0 - 7.5	4,600	15.8	12.3 - 19.2	14,200	49.2	43.5 - 54.9	28,900
Retired/Unable to work	21,700	10.1	9.1 - 11.1	4,300	2.0	1.6 - 2.4	73,600	34.4	32.8 - 35.9	114,600	53.5	51.8 - 55.2	214,200
Student/Homemaker	10,700	11.4	9.4 - 13.3	3,300	3.5	2.5 - 4.5	15,700	16.7	14.3 - 19.1	64,200	68.4	65.5 - 71.3	93,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,000	20.7	16.5 - 24.9	2,000	6.8	4.5 - 9.1	6,200	21.2	17.6 - 24.7	15,000	51.3	46.6 - 56.1	29,200
\$10,000 to \$14,999	7,400	22.8	18.7 - 27.0	1,800	5.6	3.3 - 8.0	6,700	20.7	17.3 - 24.1	16,400	50.9	46.1 - 55.6	32,300
\$15,000 to \$19,999	8,900	18.8	15.5 - 22.0	3,200	6.7	4.1 - 9.2	12,000	25.3	22.1 - 28.6	23,300	49.2	45.2 - 53.3	47,200
\$20,000 to \$24,999	11,400	18.5	15.8 - 21.3	2,400	3.9	2.7 - 5.0	13,300	21.6	19.1 - 24.2	34,500	56.0	52.5 - 59.4	61,600
\$25,000 to \$34,999	14,400	13.8	11.8 - 15.8	5,400	5.2	3.8 - 6.5	24,800	23.8	21.6 - 26.0	59,800	57.3	54.5 - 60.0	104,300
\$35,000 to \$49,999	19,600	13.4	11.8 - 14.9	6,400	4.3	3.4 - 5.2	37,700	25.7	23.7 - 27.7	83,100	56.6	54.3 - 58.9	146,900
\$50,000 to \$74,999	22,200	11.9	10.4 - 13.5	5,900	3.2	2.5 - 3.9	48,200	25.9	23.9 - 28.0	109,500	58.9	56.7 - 61.1	185,900
\$75,000 or more	20,100	8.9	7.9 - 10.0	6,800	3.0	2.4 - 3.7	64,600	28.7	27.0 - 30.3	133,800	59.4	57.6 - 61.2	225,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	34,300	19.3	17.4 - 21.1	10,500	5.9	4.8 - 7.0	36,100	20.3	18.6 - 21.9	97,100	54.5	52.3 - 56.8	178,000
131-185%	16,000	15.2	13.1 - 17.4	4,400	4.2	3.0 - 5.4	26,200	24.9	21.9 - 27.9	58,500	55.6	52.4 - 58.9	105,100
186+%	59,800	10.9	10.1 - 11.6	18,900	3.4	3.0 - 3.8	151,300	27.5	26.5 - 28.5	319,800	58.2	57.1 - 59.3	549,800

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	56,400	10.1	9.4 - 10.8	17,100	3.0	2.7 - 3.4	154,000	27.5	26.5 - 28.5	332,400	59.4	58.2 - 60.5	559,900
Unmarried Couple	5,800	23.1	18.3 - 28.0	1,800	7.0	3.9 - 10.0	6,100	24.0	19.4 - 28.6	11,600	45.9	40.3 - 51.6	25,300
Widowed	5,500	9.3	7.6 - 11.1	1,400	2.4	1.6 - 3.2	15,900	27.2	24.6 - 29.8	35,800	61.1	58.1 - 64.0	58,700
Other	57,500	18.7	17.3 - 20.0	18,400	6.0	5.2 - 6.8	62,600	20.3	18.9 - 21.7	169,900	55.1	53.3 - 56.8	308,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	58,700	10.3	9.6 - 11.0	18,200	3.2	2.8 - 3.6	156,400	27.4	26.4 - 28.4	336,900	59.1	58.0 - 60.2	570,300
No	66,300	17.4	16.3 - 18.6	20,400	5.4	4.7 - 6.0	81,700	21.5	20.3 - 22.7	211,800	55.7	54.2 - 57.2	380,200

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	107,000	12.2	11.6 - 12.8	34,100	3.9	3.5 - 4.3	224,100	25.6	24.8 - 26.4	510,300	58.3	57.4 - 59.2	875,600
No	18,100	24.3	21.1 - 27.5	4,500	6.0	4.6 - 7.5	14,100	18.9	16.4 - 21.4	37,800	50.7	47.2 - 54.3	74,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	130,400	13.9	13.3 - 14.6	37,700	4.0	3.7 - 4.4	231,300	24.7	23.9 - 25.5	536,900	57.3	56.4 - 58.3	936,200

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,000	15.1	13.8 - 16.3	5,600	4.7	3.8 - 5.5	33,900	28.3	26.8 - 29.8	62,300	52.0	50.3 - 53.8	119,700
Honolulu	89,400	13.3	12.5 - 14.1	25,900	3.8	3.4 - 4.3	158,800	23.6	22.6 - 24.6	398,100	59.2	58.1 - 60.4	672,100
Kauai	6,900	15.6	13.7 - 17.5	2,000	4.6	3.5 - 5.7	11,900	27.0	24.8 - 29.1	23,300	52.9	50.4 - 55.3	44,000
Maui	16,100	16.0	14.4 - 17.7	4,200	4.2	3.4 - 5.1	26,800	26.7	24.9 - 28.5	53,300	53.0	50.9 - 55.1	100,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,000	15.1	13.8 - 16.3	5,600	4.7	3.8 - 5.5	33,900	28.3	26.8 - 29.8	62,300	52.0	50.3 - 53.8	119,700
Kauai	6,900	15.6	13.7 - 17.5	2,000	4.6	3.5 - 5.7	11,900	27.0	24.8 - 29.1	23,300	52.9	50.4 - 55.3	44,000
Lanai	400	15.3	10.0 - 20.5	100	4.5	2.0 - 7.0	500	18.1	14.3 - 21.8	1,600	62.2	56.3 - 68.1	2,500
Maui	14,600	15.9	14.1 - 17.7	3,700	4.1	3.2 - 5.0	25,000	27.3	25.3 - 29.2	48,300	52.7	50.5 - 55.0	91,500
Molokai	1,100	17.7	13.6 - 21.8	400	6.4	3.8 - 9.0	1,400	22.2	18.3 - 26.2	3,400	53.6	48.4 - 58.9	6,400
Oahu	89,400	13.3	12.5 - 14.1	25,900	3.8	3.4 - 4.3	158,800	23.6	22.6 - 24.6	398,100	59.2	58.1 - 60.4	672,100

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,300	11.5	9.1 - 13.9	2,000	3.1	1.8 - 4.4	16,500	26.0	22.7 - 29.3	37,800	59.4	55.7 - 63.2	63,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	4,600	14.3	10.7 - 17.9	1,400	4.5	2.8 - 6.2	7,000	21.7	17.8 - 25.5	19,400	59.6	54.8 - 64.4	32,500
Hanalei/ Kapaa	2,900	15.5	12.7 - 18.4	600	3.5	2.2 - 4.8	5,500	29.8	26.5 - 33.1	9,400	51.3	47.6 - 54.9	18,400
Hilo	5,300	15.3	12.9 - 17.7	2,100	5.9	4.1 - 7.7	8,500	24.5	21.9 - 27.1	18,900	54.3	51.1 - 57.4	34,800
Kaaawa/ Kahaluu/ Kaneohe	6,300	13.8	10.8 - 16.7	1,200	2.6	1.5 - 3.8	14,800	32.3	27.7 - 37.0	23,500	51.3	46.7 - 55.9	45,800
Kahului	5,300	16.6	13.3 - 19.8	1,600	5.0	3.1 - 6.8	8,000	25.1	22.0 - 28.2	17,100	53.4	49.5 - 57.3	31,900
Kailua/ Waimanalo	5,900	12.4	9.4 - 15.4	1,700	3.6	2.1 - 5.2	13,000	27.2	23.7 - 30.7	27,100	56.8	52.7 - 60.8	47,700
Kaimuki/ Palolo/ Waikiki	8,000	12.7	10.1 - 15.3	1,900	3.0	1.8 - 4.2	16,600	26.3	23.1 - 29.4	36,600	58.0	54.5 - 61.6	63,100
Kona	3,700	13.0	10.7 - 15.2	1,100	3.8	2.4 - 5.2	9,000	31.0	28.1 - 34.0	15,100	52.2	48.9 - 55.6	28,900
Lahaina/ Wailuku	4,600	15.3	12.4 - 18.2	1,100	3.8	2.4 - 5.2	7,500	25.3	21.9 - 28.6	16,600	55.7	51.6 - 59.7	29,800
Lanai	400	15.3	10.0 - 20.5	100	4.5	2.0 - 7.0	500	18.1	14.3 - 21.8	1,600	62.2	56.3 - 68.1	2,500
Lihue-Waimea	4,000	15.7	13.2 - 18.2	1,400	5.4	3.8 - 7.0	6,400	24.9	22.1 - 27.8	13,800	54.0	50.7 - 57.3	25,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	6,900	13.9	10.8 - 16.9	2,800	5.6	3.2 - 8.1	12,000	24.1	20.4 - 27.7	28,200	56.4	52.2 - 60.6	49,900
Mililani/ Wahiawa	9,200	14.0	11.5 - 16.4	2,400	3.7	2.4 - 5.0	15,500	23.6	19.7 - 27.5	38,600	58.7	54.6 - 62.8	65,700
Molokai	1,100	17.7	13.6 - 21.8	400	6.4	3.8 - 9.0	1,400	22.2	18.3 - 26.2	3,400	53.6	48.4 - 58.9	6,400
Nanakuli/ Waianae	6,700	22.5	17.5 - 27.5	2,100	7.2	3.3 - 11.1	5,100	17.1	13.2 - 20.9	15,900	53.2	47.0 - 59.5	29,900
N.Hawaii	3,300	13.5	10.9 - 16.1	1,000	4.2	2.6 - 5.7	6,800	28.0	24.8 - 31.2	13,100	54.3	50.7 - 58.0	24,100
N.Shore/ Laie	3,600	16.6	11.3 - 21.9	700	3.4	1.0 - 5.7	4,200	19.4	14.5 - 24.2	13,100	60.7	54.3 - 67.0	21,600
Nuuanu/ Kalihi/ Moanalua	9,900	14.3	11.6 - 17.0	2,700	4.0	2.2 - 5.7	12,500	18.1	15.3 - 20.9	44,000	63.7	60.0 - 67.4	69,200
Puna/ Kau	5,700	17.8	15.1 - 20.5	1,400	4.5	2.9 - 6.1	9,600	30.1	26.7 - 33.5	15,200	47.6	43.8 - 51.4	31,800
Salt Lake/ Foster Village	5,000	13.6	10.2 - 17.0	1,300	3.4	1.9 - 5.0	9,000	24.6	20.1 - 29.1	21,300	58.4	53.4 - 63.3	36,600
Upcountry/ Hana	4,700	15.8	12.7 - 19.0	1,000	3.4	2.2 - 4.6	9,400	31.6	28.2 - 35.1	14,600	49.1	45.3 - 52.9	29,700
Waialae/ Kahala/ Hawaii Kai	2,400	5.9	3.8 - 7.9	1,400	3.3	1.7 - 4.9	10,600	26.0	22.2 - 29.8	26,400	64.9	60.7 - 69.1	40,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	13,500	12.8	10.6 - 15.0	4,200	3.9	2.8 - 5.0	21,900	20.7	18.2 - 23.2	66,200	62.6	59.5 - 65.7	105,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	18,800	16.2	13.7 - 18.6	7,400	6.4	4.8 - 8.0	13,200	11.3	8.8 - 13.9	76,900	66.1	62.8 - 69.4	116,400
25-34	24,900	15.1	13.4 - 16.8	10,300	6.3	5.1 - 7.4	31,800	19.4	17.5 - 21.3	97,300	59.2	56.9 - 61.5	164,300
35-44	27,900	15.5	14.1 - 17.0	7,200	4.0	3.3 - 4.8	36,900	20.5	18.8 - 22.2	108,000	60.0	58.0 - 62.0	180,000
45-54	29,400	16.7	15.4 - 18.1	6,600	3.8	3.1 - 4.4	48,800	27.8	26.1 - 29.5	90,800	51.7	49.8 - 53.6	175,500
55-64	17,700	13.7	12.1 - 15.3	4,000	3.1	2.3 - 3.9	42,300	32.8	30.8 - 34.8	65,100	50.4	48.2 - 52.6	129,000
65-74	7,200	8.7	7.1 - 10.2	1,200	1.4	0.9 - 1.9	30,900	37.1	34.6 - 39.7	43,900	52.8	50.1 - 55.5	83,100
75+	3,500	4.3	3.1 - 5.4	800	0.9	0.5 - 1.3	26,600	32.4	29.9 - 35.0	51,200	62.4	59.7 - 65.0	82,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,500	13.6	12.7 - 14.6	13,400	4.2	3.7 - 4.8	98,100	30.8	29.5 - 32.1	163,900	51.4	50.0 - 52.8	319,000
Native Hawaiian	24,000	21.6	19.4 - 23.8	6,900	6.2	4.9 - 7.6	25,100	22.6	20.4 - 24.8	55,000	49.6	46.8 - 52.3	111,100
Chinese	5,200	7.8	6.1 - 9.6	1,400	2.1	1.2 - 3.0	12,400	18.7	16.1 - 21.3	47,200	71.4	68.3 - 74.4	66,100
Filipino	19,100	13.0	11.3 - 14.8	5,200	3.5	2.4 - 4.7	26,300	17.9	16.0 - 19.9	96,000	65.5	63.0 - 68.0	146,700
Japanese	22,700	11.8	10.5 - 13.1	5,400	2.8	2.1 - 3.5	48,600	25.2	23.5 - 26.9	115,900	60.2	58.3 - 62.1	192,600
Black	1,700	11.8	7.2 - 16.4	600	4.2	1.5 - 6.8	2,500	17.4	12.5 - 22.2	9,600	66.7	60.2 - 73.1	14,400
Native Alaskan/ American Indian	1,000	21.9	7.8 - 35.9	200	3.7	0.0 - 7.6	1,700	35.6	24.2 - 47.1	1,800	38.8	27.0 - 50.6	4,600
Other Asian	3,300	15.1	10.3 - 20.0	1,000	4.8	2.5 - 7.1	3,600	16.7	12.2 - 21.2	13,700	63.4	57.0 - 69.8	21,600
Other Pacific Islander	4,000	18.1	12.1 - 24.1	1,300	5.8	2.6 - 9.1	4,600	21.1	12.0 - 30.2	12,100	55.0	46.3 - 63.7	21,900
Mixed Ethnicity	700	15.4	6.8 - 24.1	500	10.8	3.4 - 18.1	1,200	23.9	14.8 - 33.0	2,400	49.9	38.2 - 61.6	4,800
Other	3,500	14.3	10.6 - 17.9	1,200	4.8	2.6 - 7.1	5,300	21.6	17.4 - 25.8	14,700	59.3	54.1 - 64.5	24,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	74,000	16.0	15.0 - 17.1	21,800	4.7	4.1 - 5.3	136,000	29.4	28.2 - 30.7	230,300	49.8	48.4 - 51.3	462,100
Female	56,300	11.9	11.1 - 12.6	15,900	3.4	3.0 - 3.7	95,300	20.1	19.2 - 21.0	306,600	64.7	63.6 - 65.8	474,100

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,100	13.1	8.4 - 17.9	400	2.7	0.0 - 5.6	3,300	20.8	15.8 - 25.7	10,100	63.4	57.1 - 69.6	15,900
Grades 9 thru 11 (Some High School)	8,500	23.6	19.5 - 27.7	1,400	3.9	2.5 - 5.3	9,900	27.5	23.3 - 31.7	16,200	45.0	40.1 - 49.9	36,000
Grades 12 or GED (High School Grad)	56,100	19.5	18.1 - 20.9	13,200	4.6	3.8 - 5.3	68,800	23.9	22.5 - 25.3	149,600	52.0	50.3 - 53.7	287,700
College 1 to 3 years (Some College/ Tech)	40,200	14.5	13.3 - 15.7	13,900	5.0	4.3 - 5.7	70,200	25.3	23.7 - 26.9	153,200	55.2	53.5 - 56.9	277,500
College 4 years or more (College Grad)	23,200	7.3	6.5 - 8.1	8,700	2.8	2.2 - 3.3	78,900	24.8	23.6 - 26.1	206,900	65.1	63.7 - 66.5	317,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	86,400	14.3	13.5 - 15.1	28,000	4.6	4.1 - 5.1	141,900	23.5	22.5 - 24.5	348,200	57.6	56.4 - 58.8	604,500
Unemployed	10,100	33.3	28.0 - 38.6	2,000	6.6	3.9 - 9.2	4,700	15.6	12.2 - 18.9	13,500	44.6	39.2 - 49.9	30,300
Retired/Unable to work	20,800	10.2	9.1 - 11.3	4,000	1.9	1.5 - 2.4	68,300	33.4	31.8 - 35.1	111,200	54.4	52.7 - 56.2	204,400
Student/Homemaker	12,700	13.3	11.3 - 15.4	3,700	3.9	2.9 - 4.9	16,100	16.8	14.4 - 19.2	63,100	66.0	63.0 - 68.9	95,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	6,800	22.1	18.1 - 26.1	1,600	5.2	3.4 - 7.1	6,300	20.5	17.0 - 23.9	16,000	52.2	47.7 - 56.7	30,600
\$10,000 to \$14,999	7,700	23.0	19.1 - 27.0	1,900	5.8	3.5 - 8.2	7,000	21.1	17.7 - 24.4	16,700	50.1	45.6 - 54.6	33,400
\$15,000 to \$19,999	8,200	17.6	14.2 - 20.9	3,100	6.5	3.9 - 9.1	12,100	26.0	22.4 - 29.5	23,300	49.9	45.7 - 54.2	46,700
\$20,000 to \$24,999	10,700	18.3	15.5 - 21.2	2,500	4.3	3.1 - 5.5	12,700	21.8	19.1 - 24.4	32,400	55.7	52.1 - 59.2	58,200
\$25,000 to \$34,999	14,100	14.6	12.5 - 16.7	4,800	5.0	3.6 - 6.3	23,500	24.3	22.0 - 26.6	54,200	56.1	53.2 - 59.0	96,700
\$35,000 to \$49,999	18,200	13.2	11.6 - 14.7	6,100	4.4	3.5 - 5.4	36,300	26.2	24.1 - 28.3	77,900	56.2	53.8 - 58.6	138,500
\$50,000 to \$74,999	21,700	12.3	10.7 - 13.8	5,600	3.2	2.5 - 3.9	44,500	25.1	23.0 - 27.2	105,300	59.4	57.1 - 61.7	177,100
\$75,000 or more	18,300	9.4	8.2 - 10.5	5,300	2.7	2.1 - 3.4	55,800	28.6	26.8 - 30.4	115,600	59.3	57.3 - 61.2	194,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	32,200	19.4	17.6 - 21.3	9,700	5.9	4.7 - 7.0	34,500	20.8	19.0 - 22.6	89,400	53.9	51.6 - 56.3	165,800
131-185%	14,300	15.0	12.8 - 17.1	4,000	4.2	2.9 - 5.5	24,500	25.6	22.4 - 28.9	52,800	55.2	51.8 - 58.6	95,600
186+%	59,100	11.5	10.7 - 12.3	17,200	3.3	2.9 - 3.8	139,200	27.0	26.0 - 28.1	299,200	58.1	56.9 - 59.3	514,800

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	57,900	10.5	9.8 - 11.3	16,700	3.0	2.6 - 3.4	148,300	27.0	26.0 - 28.0	326,400	59.4	58.3 - 60.6	549,200
Unmarried Couple	5,700	23.6	18.7 - 28.6	1,900	7.9	4.5 - 11.4	5,400	22.4	17.8 - 26.9	11,200	46.1	40.3 - 51.8	24,300
Widowed	5,200	8.9	7.1 - 10.6	1,200	2.1	1.4 - 2.7	15,900	27.2	24.5 - 30.0	36,000	61.8	58.8 - 64.8	58,200
Other	61,500	20.2	18.9 - 21.6	17,900	5.9	5.1 - 6.7	61,700	20.3	18.9 - 21.7	163,300	53.6	51.9 - 55.4	304,500

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	60,400	10.8	10.1 - 11.5	17,800	3.2	2.8 - 3.6	150,800	26.9	25.9 - 27.9	330,900	59.1	58.0 - 60.2	559,900
No	69,800	18.6	17.5 - 19.8	19,800	5.3	4.6 - 5.9	80,100	21.4	20.1 - 22.6	205,000	54.7	53.2 - 56.2	374,600

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	109,700	12.8	12.2 - 13.5	32,300	3.8	3.4 - 4.2	216,600	25.3	24.5 - 26.1	496,900	58.1	57.1 - 59.0	855,500
No	20,500	26.1	23.0 - 29.2	5,300	6.7	5.2 - 8.2	14,400	18.3	16.0 - 20.7	38,300	48.9	45.4 - 52.3	78,500

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	134,500	14.6	13.9 - 15.3	36,100	3.9	3.6 - 4.3	225,800	24.5	23.7 - 25.3	523,800	56.9	56.0 - 57.9	920,300

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	15.9	14.6 - 17.2	5,200	4.5	3.6 - 5.3	33,000	28.2	26.7 - 29.8	60,100	51.4	49.6 - 53.2	116,900
Honolulu	92,200	13.9	13.1 - 14.8	24,800	3.8	3.3 - 4.2	154,800	23.4	22.3 - 24.4	390,100	58.9	57.7 - 60.1	661,900
Kauai	7,300	17.1	15.1 - 19.1	2,100	4.9	3.8 - 6.0	10,900	25.5	23.4 - 27.7	22,400	52.5	50.0 - 55.0	42,700
Maui	16,500	16.7	15.0 - 18.4	4,000	4.0	3.2 - 4.9	27,100	27.4	25.4 - 29.4	51,300	51.9	49.7 - 54.1	98,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,600	15.9	14.6 - 17.2	5,200	4.5	3.6 - 5.3	33,000	28.2	26.7 - 29.8	60,100	51.4	49.6 - 53.2	116,900
Kauai	7,300	17.1	15.1 - 19.1	2,100	4.9	3.8 - 6.0	10,900	25.5	23.4 - 27.7	22,400	52.5	50.0 - 55.0	42,700
Lanai	400	15.5	10.1 - 20.9	100	4.4	1.9 - 7.0	500	18.4	14.2 - 22.7	1,600	61.7	55.5 - 67.9	2,500
Maui	15,000	16.6	14.8 - 18.4	3,500	3.9	3.0 - 4.8	25,300	28.0	25.9 - 30.2	46,500	51.5	49.1 - 53.8	90,300
Molokai	1,100	18.4	13.9 - 22.8	300	5.7	3.0 - 8.4	1,300	21.9	17.7 - 26.0	3,300	54.0	48.5 - 59.6	6,000
Oahu	92,200	13.9	13.1 - 14.8	24,800	3.8	3.3 - 4.2	154,800	23.4	22.3 - 24.4	390,100	58.9	57.7 - 60.1	661,900

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,200	11.4	9.0 - 13.8	1,900	3.0	1.7 - 4.2	16,300	25.9	22.5 - 29.4	37,500	59.7	55.8 - 63.6	62,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	4,700	15.1	11.4 - 18.9	1,200	3.9	2.2 - 5.6	6,100	19.6	15.6 - 23.5	19,100	61.4	56.4 - 66.4	31,100
Hanalei/ Kapaa	3,300	18.6	15.4 - 21.7	800	4.3	2.7 - 5.8	4,900	27.7	24.3 - 31.0	8,800	49.5	45.7 - 53.3	17,700
Hilo	5,700	16.7	14.1 - 19.2	2,200	6.3	4.4 - 8.2	8,300	24.1	21.5 - 26.8	18,100	52.9	49.7 - 56.1	34,200
Kaaawa/ Kahaluu/ Kaneohe	6,400	14.6	11.4 - 17.7	900	2.1	1.1 - 3.2	14,500	32.8	27.9 - 37.7	22,300	50.5	45.7 - 55.3	44,100
Kahului	5,500	17.0	13.7 - 20.3	1,600	5.0	3.1 - 6.9	8,500	26.4	22.3 - 30.4	16,600	51.6	47.4 - 55.9	32,100
Kailua/ Waimanalo	6,400	13.5	10.3 - 16.6	1,800	3.8	2.2 - 5.4	12,700	26.5	22.9 - 30.1	26,900	56.2	52.0 - 60.4	47,800
Kaimuki/ Palolo/ Waikiki	8,300	12.6	10.1 - 15.1	2,000	3.1	1.9 - 4.3	17,300	26.2	23.1 - 29.4	38,400	58.1	54.6 - 61.7	66,000
Kona	3,800	13.2	10.9 - 15.5	1,000	3.6	2.3 - 4.9	9,300	32.0	29.0 - 35.1	14,900	51.2	47.8 - 54.5	29,100
Lahaina/ Wailuku	4,700	16.1	13.2 - 19.0	1,000	3.4	2.0 - 4.7	7,900	27.1	23.5 - 30.7	15,600	53.4	49.2 - 57.6	29,200
Lanai	400	15.5	10.1 - 20.9	100	4.4	1.9 - 7.0	500	18.4	14.2 - 22.7	1,600	61.7	55.5 - 67.9	2,500
Lihue-Waimea	4,000	16.0	13.4 - 18.6	1,300	5.3	3.8 - 6.9	6,000	24.0	21.2 - 26.8	13,600	54.7	51.3 - 58.0	25,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	7,600	14.7	11.6 - 17.8	2,500	4.9	2.6 - 7.2	11,400	22.1	18.6 - 25.7	30,100	58.3	54.0 - 62.5	51,700
Mililani/ Wahiawa	8,700	13.6	11.0 - 16.2	2,200	3.5	2.2 - 4.8	15,600	24.5	20.4 - 28.6	37,300	58.4	54.2 - 62.6	63,800
Molokai	1,100	18.4	13.9 - 22.8	300	5.7	3.0 - 8.4	1,300	21.9	17.7 - 26.0	3,300	54.0	48.5 - 59.6	6,000
Nanakuli/ Waianae	7,100	23.4	18.2 - 28.6	2,900	9.5	5.2 - 13.8	5,200	17.3	13.1 - 21.4	15,100	49.9	43.4 - 56.3	30,400
N.Hawaii	3,100	13.2	10.6 - 15.8	1,000	4.1	2.5 - 5.7	6,600	27.8	24.6 - 31.0	13,000	54.9	51.2 - 58.6	23,700
N.Shore/ Laie	3,400	15.7	10.2 - 21.2	900	4.2	1.1 - 7.2	4,300	19.8	14.8 - 24.8	13,200	60.3	53.7 - 66.9	21,900
Nuuanu/ Kalihi/ Moanalua	10,000	14.9	11.9 - 17.8	2,900	4.4	2.5 - 6.3	11,900	17.7	14.8 - 20.6	42,400	63.0	59.2 - 66.9	67,300
Puna/ Kau	5,900	19.9	17.0 - 22.9	1,000	3.5	1.9 - 5.0	8,800	29.5	25.9 - 33.0	14,000	47.1	43.2 - 51.1	29,800
Salt Lake/ Foster Village	5,200	14.4	10.8 - 18.0	1,000	2.8	1.4 - 4.2	9,300	25.7	21.0 - 30.3	20,700	57.1	52.1 - 62.1	36,300
Upcountry/ Hana	4,800	16.6	13.4 - 19.8	1,000	3.3	2.1 - 4.6	8,900	30.8	27.3 - 34.3	14,200	49.3	45.4 - 53.1	28,900
Waialae/ Kahala/ Hawaii Kai	3,200	8.1	5.5 - 10.6	1,100	2.7	1.3 - 4.1	10,100	25.6	21.6 - 29.7	25,000	63.6	59.1 - 68.0	39,300

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	13,900	14.0	11.6 - 16.5	3,400	3.4	2.4 - 4.5	20,000	20.1	17.5 - 22.7	62,100	62.5	59.2 - 65.7	99,500

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	20,300	18.0	15.4 - 20.5	7,700	6.8	5.1 - 8.5	14,600	12.9	10.2 - 15.7	70,500	62.3	58.9 - 65.7	113,100
25-34	25,800	15.6	13.9 - 17.3	9,700	5.9	4.8 - 7.0	31,300	18.9	17.0 - 20.8	98,700	59.6	57.3 - 61.9	165,600
35-44	29,400	16.2	14.7 - 17.7	7,200	3.9	3.2 - 4.7	37,400	20.6	18.9 - 22.3	107,500	59.2	57.2 - 61.3	181,500
45-54	27,900	16.3	14.9 - 17.8	6,100	3.6	2.9 - 4.3	48,000	28.1	26.3 - 29.8	89,000	52.0	50.0 - 54.1	171,000
55-64	18,700	15.1	13.3 - 16.8	3,600	2.9	2.0 - 3.7	39,300	31.8	29.6 - 33.9	62,300	50.3	47.9 - 52.7	123,800
65-74	7,800	9.3	7.7 - 10.9	1,200	1.5	0.9 - 2.0	29,900	35.5	32.8 - 38.2	45,200	53.7	50.9 - 56.6	84,100
75+	3,500	4.7	3.3 - 6.0	600	0.8	0.4 - 1.2	24,500	32.2	29.5 - 35.0	47,300	62.3	59.4 - 65.2	75,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	47,400	15.0	14.0 - 16.1	12,200	3.9	3.3 - 4.4	95,400	30.2	28.9 - 31.6	160,500	50.9	49.4 - 52.3	315,600
Native Hawaiian	24,100	21.9	19.6 - 24.2	6,700	6.1	4.8 - 7.5	24,800	22.6	20.3 - 24.8	54,400	49.4	46.6 - 52.3	110,000
Chinese	5,500	8.2	6.4 - 10.0	1,400	2.1	1.2 - 3.0	12,200	18.0	15.4 - 20.6	48,700	71.8	68.7 - 74.8	67,800
Filipino	19,500	13.7	11.9 - 15.6	5,400	3.8	2.6 - 5.0	26,400	18.7	16.5 - 20.8	90,300	63.8	61.1 - 66.5	141,600
Japanese	22,500	12.0	10.6 - 13.4	5,200	2.8	2.0 - 3.5	47,000	25.0	23.3 - 26.8	113,200	60.2	58.2 - 62.2	188,000
Black	1,900	12.8	8.0 - 17.5	700	4.5	1.8 - 7.3	2,500	16.8	12.0 - 21.6	9,700	65.9	59.4 - 72.4	14,800
Native Alaskan/ American Indian	1,100	23.6	9.6 - 37.6	200	3.9	0.0 - 7.9	1,500	31.4	20.4 - 42.3	1,900	41.1	28.9 - 53.2	4,700
Other Asian	3,500	16.5	11.3 - 21.8	900	4.1	1.9 - 6.2	3,600	17.1	12.1 - 22.0	13,200	62.3	55.6 - 69.1	21,200
Other Pacific Islander	3,500	16.9	10.9 - 22.9	1,600	7.7	3.8 - 11.7	4,200	20.2	10.6 - 29.7	11,500	55.2	46.0 - 64.3	20,800
Other	3,900	14.5	10.6 - 18.5	1,200	4.5	2.4 - 6.6	6,100	22.5	18.2 - 26.9	15,900	58.4	53.2 - 63.7	27,100

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	77,800	17.1	16.0 - 18.1	21,600	4.7	4.1 - 5.4	132,000	28.9	27.6 - 30.3	224,800	49.3	47.8 - 50.7	456,300
Female	56,700	12.2	11.4 - 13.0	14,500	3.1	2.8 - 3.5	93,800	20.2	19.3 - 21.1	299,100	64.4	63.3 - 65.6	464,000

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,300	14.6	9.7 - 19.5	400	2.5	0.0 - 5.3	3,600	22.8	17.6 - 28.1	9,600	60.0	53.7 - 66.4	15,900
Grades 9 thru 11 (Some High School)	8,100	22.8	18.6 - 26.9	1,200	3.5	1.9 - 5.1	9,800	27.6	23.2 - 32.0	16,400	46.2	41.0 - 51.4	35,600
Grades 12 or GED (High School Grad)	58,100	20.1	18.7 - 21.5	13,000	4.5	3.7 - 5.3	68,900	23.9	22.4 - 25.3	148,900	51.5	49.8 - 53.3	289,000
College 1 to 3 years (Some College/ Tech)	41,900	15.2	13.9 - 16.4	13,300	4.8	4.1 - 5.5	68,500	24.8	23.2 - 26.4	152,500	55.2	53.4 - 57.0	276,200
College 4 years or more (College Grad)	23,900	7.9	7.1 - 8.7	8,100	2.7	2.1 - 3.2	74,500	24.7	23.4 - 26.0	195,400	64.7	63.3 - 66.2	301,900

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	89,000	14.9	14.1 - 15.8	26,900	4.5	4.0 - 5.0	139,800	23.4	22.4 - 24.4	341,100	57.1	56.0 - 58.3	596,900
Unemployed	10,100	34.6	29.1 - 40.0	2,100	7.3	4.3 - 10.3	4,700	16.1	12.6 - 19.6	12,200	42.0	36.5 - 47.6	29,100
Retired/Unable to work	21,100	10.6	9.5 - 11.8	3,600	1.8	1.4 - 2.3	65,600	33.1	31.4 - 34.8	108,000	54.5	52.6 - 56.3	198,300
Student/Homemaker	14,100	14.9	12.7 - 17.1	3,400	3.6	2.6 - 4.6	15,500	16.3	13.9 - 18.8	61,800	65.1	62.1 - 68.1	94,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	7,200	21.9	18.1 - 25.6	1,900	5.7	3.6 - 7.8	6,400	19.6	16.2 - 23.0	17,400	52.9	48.3 - 57.4	32,900
\$10,000 to \$14,999	8,300	22.7	18.8 - 26.5	2,200	6.1	3.8 - 8.5	7,300	19.9	16.7 - 23.0	18,900	51.4	46.9 - 55.8	36,800
\$15,000 to \$19,999	7,800	17.0	13.7 - 20.4	2,800	6.1	3.5 - 8.7	11,500	25.2	21.6 - 28.9	23,600	51.6	47.2 - 56.1	45,700
\$20,000 to \$24,999	10,700	18.9	15.8 - 22.0	2,600	4.5	3.0 - 6.0	12,300	21.6	18.5 - 24.7	31,200	55.0	51.2 - 58.9	56,800
\$25,000 to \$34,999	14,200	15.2	13.0 - 17.4	4,000	4.3	3.0 - 5.7	22,500	24.1	21.7 - 26.6	52,600	56.4	53.4 - 59.3	93,300
\$35,000 to \$49,999	18,800	13.5	11.9 - 15.2	6,200	4.5	3.5 - 5.4	35,600	25.6	23.5 - 27.8	78,300	56.3	53.9 - 58.8	139,000
\$50,000 to \$74,999	21,600	12.6	11.0 - 14.3	4,900	2.9	2.2 - 3.6	43,800	25.6	23.4 - 27.8	100,700	58.9	56.5 - 61.3	171,000
\$75,000 or more	17,100	10.0	8.7 - 11.3	4,500	2.7	1.9 - 3.4	49,500	29.0	26.9 - 31.0	99,800	58.4	56.2 - 60.6	171,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	31,200	19.5	17.6 - 21.4	9,700	6.1	4.8 - 7.4	32,600	20.4	18.5 - 22.3	86,100	53.9	51.5 - 56.4	159,700
131-185%	14,100	14.9	12.7 - 17.1	3,300	3.5	2.3 - 4.6	24,600	26.0	22.7 - 29.3	52,500	55.6	52.1 - 59.1	94,500
186+%	60,500	12.3	11.4 - 13.1	16,100	3.3	2.8 - 3.7	131,800	26.8	25.7 - 27.9	283,900	57.7	56.4 - 58.9	492,300

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	58,900	11.0	10.2 - 11.8	15,300	2.8	2.4 - 3.2	144,900	27.0	26.0 - 28.1	316,800	59.1	57.9 - 60.3	536,000
Unmarried Couple	4,600	23.3	17.8 - 28.8	1,500	7.4	3.6 - 11.2	4,400	22.2	17.4 - 27.0	9,300	47.0	40.6 - 53.4	19,700
Widowed	5,200	9.1	7.2 - 10.9	1,000	1.8	1.1 - 2.5	14,800	26.1	23.2 - 28.9	35,900	63.1	59.9 - 66.2	56,900
Other	65,800	21.4	20.0 - 22.8	18,400	6.0	5.1 - 6.8	61,700	20.0	18.6 - 21.4	161,800	52.6	50.9 - 54.3	307,700

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	61,800	11.3	10.5 - 12.0	16,300	3.0	2.6 - 3.4	147,200	26.8	25.8 - 27.9	322,800	58.9	57.7 - 60.1	548,100
No	72,600	19.6	18.4 - 20.8	19,800	5.3	4.7 - 6.0	78,100	21.1	19.8 - 22.3	200,100	54.0	52.5 - 55.5	370,500

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	113,800	13.5	12.8 - 14.2	30,600	3.6	3.3 - 4.0	211,900	25.1	24.3 - 26.0	486,600	57.7	56.8 - 58.7	842,900
No	20,600	27.3	24.2 - 30.5	5,400	7.1	5.4 - 8.8	13,500	17.8	15.4 - 20.3	36,000	47.7	44.2 - 51.2	75,500

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	138,900	15.4	14.7 - 16.1	33,400	3.7	3.3 - 4.1	217,300	24.1	23.3 - 24.9	511,100	56.7	55.8 - 57.7	900,700

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,800	16.6	15.3 - 17.9	5,000	4.4	3.6 - 5.2	31,400	27.7	26.1 - 29.2	58,200	51.3	49.5 - 53.1	113,400
Honolulu	96,700	14.9	14.0 - 15.8	22,700	3.5	3.0 - 4.0	149,700	23.0	22.0 - 24.1	381,100	58.6	57.4 - 59.8	650,200
Kauai	7,200	17.3	15.3 - 19.3	1,900	4.7	3.6 - 5.7	10,800	25.9	23.8 - 28.1	21,700	52.1	49.6 - 54.6	41,700
Maui	16,100	16.9	15.2 - 18.7	3,700	3.9	3.1 - 4.6	25,400	26.6	24.6 - 28.7	50,100	52.5	50.3 - 54.8	95,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,800	16.6	15.3 - 17.9	5,000	4.4	3.6 - 5.2	31,400	27.7	26.1 - 29.2	58,200	51.3	49.5 - 53.1	113,400
Kauai	7,200	17.3	15.3 - 19.3	1,900	4.7	3.6 - 5.7	10,800	25.9	23.8 - 28.1	21,700	52.1	49.6 - 54.6	41,700
Lanai	400	17.5	12.0 - 23.1	100	4.1	1.4 - 6.8	500	19.5	15.0 - 23.9	1,500	58.8	52.5 - 65.2	2,500
Maui	14,600	16.8	15.0 - 18.7	3,300	3.8	3.0 - 4.6	23,500	27.1	24.9 - 29.3	45,400	52.3	49.9 - 54.8	86,800
Molokai	1,100	18.1	13.6 - 22.6	300	5.7	3.0 - 8.5	1,400	23.4	19.2 - 27.7	3,200	52.8	47.2 - 58.3	6,000
Oahu	96,700	14.9	14.0 - 15.8	22,700	3.5	3.0 - 4.0	149,700	23.0	22.0 - 24.1	381,100	58.6	57.4 - 59.8	650,200

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,700	12.6	10.1 - 15.2	2,000	3.2	1.9 - 4.6	15,900	26.1	22.6 - 29.6	35,400	58.0	54.1 - 62.0	61,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	5,200	16.9	13.0 - 20.9	900	3.1	1.5 - 4.6	5,600	18.4	14.6 - 22.2	18,800	61.6	56.6 - 66.6	30,500
Hanalei/ Kapaa	3,200	18.7	15.6 - 21.9	900	5.0	3.3 - 6.6	4,700	27.0	23.7 - 30.3	8,500	49.3	45.5 - 53.1	17,300
Hilo	5,800	17.1	14.6 - 19.6	2,000	6.0	4.2 - 7.8	8,000	23.4	20.8 - 26.0	18,200	53.5	50.3 - 56.6	34,000
Kaaawa/ Kahaluu/ Kaneohe	6,700	15.9	12.5 - 19.4	800	1.9	0.9 - 2.9	12,800	30.6	25.6 - 35.6	21,600	51.6	46.6 - 56.6	41,900
Kahului	5,600	17.9	14.6 - 21.3	1,200	4.0	2.6 - 5.3	7,800	25.1	20.9 - 29.2	16,400	53.1	48.7 - 57.4	31,000
Kailua/ Waimanalo	6,800	14.4	11.2 - 17.6	1,600	3.3	1.9 - 4.7	12,400	26.1	22.6 - 29.6	26,700	56.2	52.1 - 60.4	47,600
Kaimuki/ Palolo/ Waikiki	9,100	14.2	11.5 - 16.9	2,100	3.3	2.0 - 4.6	16,400	25.4	22.2 - 28.6	36,700	57.1	53.4 - 60.7	64,400
Kona	4,200	14.6	12.2 - 17.0	1,000	3.5	2.3 - 4.6	9,200	31.8	28.7 - 34.8	14,500	50.2	46.8 - 53.6	29,000
Lahaina/ Wailuku	4,800	16.8	13.8 - 19.9	1,100	3.9	2.4 - 5.4	7,200	25.3	21.7 - 28.9	15,200	53.9	49.6 - 58.2	28,200
Lanai	400	17.5	12.0 - 23.1	100	4.1	1.4 - 6.8	500	19.5	15.0 - 23.9	1,500	58.8	52.5 - 65.2	2,500
Lihue-Waimea	4,000	16.3	13.8 - 18.8	1,100	4.5	3.1 - 5.8	6,100	25.2	22.3 - 28.1	13,200	54.1	50.7 - 57.4	24,400

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	7,800	14.4	11.4 - 17.3	2,600	4.7	2.6 - 6.9	12,400	22.8	19.2 - 26.4	31,500	58.1	54.0 - 62.3	54,200
Mililani/ Wahiawa	8,700	14.0	11.3 - 16.7	1,700	2.8	1.6 - 4.0	15,000	24.2	20.0 - 28.4	36,400	59.0	54.6 - 63.3	61,800
Molokai	1,100	18.1	13.6 - 22.6	300	5.7	3.0 - 8.5	1,400	23.4	19.2 - 27.7	3,200	52.8	47.2 - 58.3	6,000
Nanakuli/ Waianae	7,400	25.2	19.8 - 30.7	2,200	7.5	3.7 - 11.3	5,000	17.0	12.8 - 21.1	14,800	50.3	43.8 - 56.7	29,500
N.Hawaii	3,200	13.8	11.2 - 16.5	1,000	4.5	2.9 - 6.2	6,300	27.6	24.3 - 31.0	12,400	54.0	50.2 - 57.8	22,900
N.Shore/ Laie	3,400	15.5	10.1 - 20.8	900	4.1	1.0 - 7.1	4,300	19.2	14.2 - 24.1	13,600	61.3	54.7 - 67.9	22,200
Nuuanu/ Kalihi/ Moanalua	10,400	15.6	12.7 - 18.6	3,200	4.8	2.7 - 6.8	12,200	18.3	15.4 - 21.3	40,800	61.3	57.4 - 65.2	66,600
Puna/ Kau	5,600	20.4	17.4 - 23.5	900	3.3	1.8 - 4.8	7,900	28.6	24.9 - 32.3	13,100	47.7	43.5 - 51.8	27,600
Salt Lake/ Foster Village	5,900	15.7	12.2 - 19.3	1,100	2.9	1.5 - 4.3	9,200	24.6	20.3 - 28.9	21,300	56.8	52.0 - 61.6	37,500
Upcountry/ Hana	4,300	15.6	12.3 - 18.9	900	3.3	2.0 - 4.6	8,600	31.1	27.7 - 34.6	13,800	49.9	46.0 - 53.8	27,600
Wailae/ Kahala/ Hawaii Kai	2,900	7.3	4.9 - 9.7	900	2.4	1.0 - 3.8	9,600	24.4	20.4 - 28.4	25,800	65.9	61.5 - 70.3	39,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	14,700	15.6	13.0 - 18.3	2,700	2.9	1.9 - 3.9	19,000	20.2	17.5 - 22.9	57,500	61.2	57.8 - 64.7	94,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	21,500	19.6	16.9 - 22.2	7,500	6.8	5.1 - 8.6	14,200	12.9	10.1 - 15.7	66,800	60.7	57.3 - 64.1	110,100
25-34	27,500	16.6	14.8 - 18.3	9,100	5.5	4.5 - 6.5	28,900	17.4	15.6 - 19.3	100,300	60.5	58.2 - 62.8	165,900
35-44	31,300	17.2	15.7 - 18.8	6,300	3.5	2.8 - 4.2	38,000	20.9	19.2 - 22.6	106,200	58.4	56.3 - 60.4	181,900
45-54	28,100	17.0	15.6 - 18.5	5,300	3.2	2.6 - 3.9	45,400	27.5	25.7 - 29.3	86,300	52.3	50.2 - 54.3	165,100
55-64	17,900	15.1	13.3 - 17.0	3,200	2.7	1.8 - 3.6	38,900	32.9	30.5 - 35.2	58,400	49.3	46.8 - 51.9	118,400
65-74	8,400	9.9	8.1 - 11.6	1,200	1.4	0.9 - 1.9	29,900	35.0	32.3 - 37.7	46,000	53.7	50.9 - 56.6	85,500
75+	3,100	4.5	3.1 - 5.8	600	0.8	0.4 - 1.3	21,000	30.5	27.6 - 33.4	44,100	64.2	61.2 - 67.2	68,600

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	48,500	15.9	14.9 - 17.0	10,700	3.5	3.1 - 4.0	91,000	30.0	28.6 - 31.3	153,600	50.6	49.1 - 52.0	303,900
Native Hawaiian	26,700	23.3	21.0 - 25.6	6,300	5.5	4.3 - 6.7	25,800	22.5	20.2 - 24.8	55,900	48.7	46.0 - 51.5	114,700
Chinese	5,700	8.7	6.8 - 10.6	1,400	2.1	1.1 - 3.0	12,000	18.2	15.5 - 20.8	46,800	71.1	67.9 - 74.2	65,800
Filipino	19,400	14.2	12.3 - 16.1	5,700	4.1	2.9 - 5.4	23,600	17.2	15.1 - 19.3	88,200	64.4	61.7 - 67.1	136,900
Japanese	23,100	12.5	11.1 - 13.9	4,500	2.5	1.7 - 3.2	46,800	25.3	23.5 - 27.0	110,800	59.8	57.8 - 61.8	185,300
Black	1,600	11.4	6.8 - 16.0	500	3.8	1.4 - 6.3	2,000	14.8	10.2 - 19.4	9,600	70.0	63.6 - 76.4	13,700
Native Alaskan/ American Indian	900	20.8	5.4 - 36.3	300	6.9	1.9 - 11.9	1,200	29.2	17.5 - 41.0	1,800	43.0	29.5 - 56.5	4,200
Other Asian	3,600	17.8	12.3 - 23.3	700	3.2	1.3 - 5.2	3,100	15.2	10.7 - 19.8	13,000	63.7	57.0 - 70.5	20,400
Other Pacific Islander	3,400	19.2	12.3 - 26.1	1,200	6.9	3.0 - 10.8	3,200	18.0	6.9 - 29.0	10,000	55.9	45.6 - 66.2	17,800
Mixed Ethnicity	500	11.3	5.3 - 17.3	400	8.5	2.5 - 14.5	600	14.4	7.7 - 21.2	3,000	65.8	56.5 - 75.1	4,500
Other	4,000	16.1	11.8 - 20.4	1,000	4.1	2.1 - 6.1	5,900	23.3	18.7 - 27.8	14,200	56.5	51.0 - 62.1	25,200

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	81,200	18.1	17.0 - 19.3	20,100	4.5	3.9 - 5.1	126,300	28.2	26.9 - 29.6	219,800	49.1	47.7 - 50.6	447,500
Female	57,700	12.7	11.9 - 13.6	13,300	2.9	2.6 - 3.3	90,900	20.1	19.1 - 21.0	291,300	64.3	63.1 - 65.4	453,200

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	2,000	12.3	8.0 - 16.6	200	1.4	0.1 - 2.8	4,400	27.3	20.5 - 34.0	9,500	59.0	52.2 - 65.8	16,100
Grades 9 thru 11 (Some High School)	8,800	23.9	19.7 - 28.1	1,300	3.5	1.7 - 5.3	9,000	24.5	20.4 - 28.6	17,700	48.1	42.9 - 53.2	36,800
Grades 12 or GED (High School Grad)	62,100	21.4	20.0 - 22.8	12,500	4.3	3.6 - 5.0	67,600	23.3	21.9 - 24.7	147,900	51.0	49.2 - 52.7	290,000
College 1 to 3 years (Some College/ Tech)	42,600	15.7	14.4 - 17.1	12,100	4.5	3.8 - 5.2	66,000	24.4	22.8 - 26.0	149,800	55.4	53.6 - 57.2	270,500
College 4 years or more (College Grad)	23,300	8.1	7.3 - 9.0	7,200	2.5	2.0 - 3.1	70,000	24.5	23.1 - 25.8	185,500	64.9	63.3 - 66.4	286,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	93,200	15.8	14.9 - 16.7	24,400	4.1	3.6 - 4.6	135,300	22.9	21.9 - 23.9	337,400	57.2	56.0 - 58.3	590,300
Unemployed	11,400	36.9	31.6 - 42.3	2,000	6.6	3.9 - 9.4	5,000	16.1	12.7 - 19.6	12,500	40.3	34.9 - 45.7	30,900
Retired/Unable to work	19,900	10.7	9.4 - 11.9	3,500	1.9	1.4 - 2.3	61,900	33.1	31.2 - 34.9	101,900	54.4	52.4 - 56.4	187,300
Student/Homemaker	14,100	15.5	13.2 - 17.7	3,400	3.8	2.7 - 4.8	14,900	16.3	13.8 - 18.8	58,800	64.4	61.4 - 67.5	91,300

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,000	22.4	18.8 - 25.9	2,000	5.7	3.7 - 7.6	6,500	18.0	15.2 - 20.9	19,300	53.9	49.7 - 58.1	35,800
\$10,000 to \$14,999	9,100	22.7	19.0 - 26.3	2,100	5.1	3.0 - 7.2	7,500	18.7	16.0 - 21.5	21,500	53.4	49.3 - 57.5	40,200
\$15,000 to \$19,999	7,200	16.5	13.1 - 19.8	2,900	6.5	3.8 - 9.2	10,600	24.1	20.4 - 27.7	23,300	53.0	48.4 - 57.5	43,900
\$20,000 to \$24,999	12,100	21.1	17.9 - 24.3	2,500	4.4	2.9 - 5.9	12,100	21.0	18.0 - 24.1	30,600	53.4	49.6 - 57.3	57,300
\$25,000 to \$34,999	16,300	17.0	14.8 - 19.2	4,400	4.6	3.3 - 5.9	22,500	23.5	21.1 - 25.8	52,700	55.0	52.1 - 57.9	95,800
\$35,000 to \$49,999	19,500	14.0	12.3 - 15.7	5,400	3.9	3.0 - 4.8	36,300	26.1	24.0 - 28.2	78,000	56.0	53.6 - 58.4	139,200
\$50,000 to \$74,999	20,000	12.6	10.9 - 14.3	3,600	2.3	1.6 - 2.9	40,400	25.3	23.0 - 27.6	95,500	59.9	57.4 - 62.4	159,500
\$75,000 or more	15,300	10.2	8.7 - 11.6	3,200	2.1	1.5 - 2.7	44,100	29.2	27.0 - 31.5	88,200	58.5	56.1 - 60.9	150,800

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	30,700	20.7	18.6 - 22.8	8,600	5.8	4.5 - 7.1	28,600	19.3	17.4 - 21.3	80,200	54.1	51.6 - 56.7	148,100
131-185%	16,200	16.3	14.1 - 18.5	3,200	3.2	2.4 - 4.1	24,900	25.2	22.0 - 28.3	54,700	55.3	51.9 - 58.6	99,000
186+%	60,700	12.8	11.9 - 13.7	14,300	3.0	2.6 - 3.4	126,400	26.6	25.4 - 27.7	274,200	57.7	56.4 - 58.9	475,500

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	60,400	11.6	10.8 - 12.4	13,000	2.5	2.1 - 2.9	139,700	26.8	25.7 - 27.9	308,300	59.1	57.9 - 60.3	521,500
Unmarried Couple	4,100	24.7	18.5 - 30.8	1,200	7.2	3.1 - 11.4	3,500	20.8	15.7 - 26.0	7,900	47.2	40.2 - 54.3	16,600
Widowed	4,900	8.9	7.0 - 10.8	1,300	2.3	1.3 - 3.3	13,900	25.5	22.6 - 28.4	34,500	63.3	60.0 - 66.6	54,500
Other	69,500	22.6	21.2 - 24.0	17,900	5.8	5.0 - 6.6	60,200	19.5	18.1 - 20.9	160,400	52.1	50.4 - 53.8	308,000

Smoke - 4 level smoking status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	63,400	11.9	11.1 - 12.7	14,000	2.6	2.2 - 3.0	142,100	26.6	25.5 - 27.7	314,200	58.9	57.7 - 60.1	533,700
No	75,300	20.6	19.4 - 21.8	19,400	5.3	4.6 - 6.0	74,700	20.4	19.2 - 21.7	196,100	53.6	52.1 - 55.2	365,500

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	117,900	14.3	13.6 - 15.0	28,400	3.4	3.1 - 3.8	204,300	24.7	23.9 - 25.6	475,900	57.6	56.6 - 58.6	826,500
No	20,900	28.8	25.5 - 32.1	4,900	6.8	5.0 - 8.5	12,600	17.3	14.8 - 19.8	34,100	47.1	43.5 - 50.7	72,400