

Smoke - how long since last, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Smoke - how long since last	How long has it been since you last smoked cigarettes regularly

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/11/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse


profiles@hhdw.org

(855) 946-5899 x15

Smoke - how long since last, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	15,400	5.7	4.0 - 7.4	15,000	5.5	3.8 - 7.3	41,000	15.2	12.7 - 17.6	199,100	73.6	70.6 - 76.6	0	0.0	--	270,500
2012	14,700	5.4	4.2 - 6.6	18,800	6.9	5.0 - 8.8	45,800	16.8	14.2 - 19.5	193,300	70.9	67.9 - 73.9	0	0.0	--	272,700
2013	13,400	4.6	3.3 - 5.9	28,300	9.7	7.5 - 11.9	43,500	14.9	12.6 - 17.3	202,800	69.6	66.6 - 72.6	n/r	n/r	n/r	291,400
2014	15,200	5.7	4.0 - 7.3	16,200	6.0	4.4 - 7.6	47,600	17.7	15.3 - 20.2	188,500	70.2	67.2 - 73.2	n/r	n/r	n/r	268,500



Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	15,200	5.7	4.0 - 7.3	16,200	6.0	4.4 - 7.6	47,600	17.7	15.3 - 20.2	188,500	70.2	67.2 - 73.2	n/r	n/r	n/r	268,500

County	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,100	5.2	2.5 - 7.8	3,000	7.3	4.2 - 10.4	7,100	17.5	12.7 - 22.4	28,500	69.9	64.3 - 75.5	n/r	n/r	n/r	40,700
Honolulu	9,500	5.5	3.2 - 7.8	10,200	5.9	3.6 - 8.2	30,800	17.8	14.4 - 21.2	121,700	70.4	66.3 - 74.5	n/r	n/r	n/r	172,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	2,200	16.2	9.8 - 22.5	9,800	71.6	64.0 - 79.2	n/r	n/r	n/r	13,700
Maui	2,400	6.6	3.4 - 9.8	1,900	5.1	2.5 - 7.7	6,400	17.5	12.0 - 23.0	25,900	70.4	64.3 - 76.5	n/r	n/r	n/r	36,800

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,100	5.2	2.5 - 7.8	3,000	7.3	4.2 - 10.4	7,100	17.5	12.7 - 22.4	28,500	69.9	64.3 - 75.5	n/r	n/r	n/r	40,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	2,200	16.2	9.8 - 22.5	9,800	71.6	64.0 - 79.2	n/r	n/r	n/r	13,700
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	300
Maui	2,100	6.1	3.1 - 9.1	1,900	5.3	2.6 - 8.0	6,100	17.5	11.8 - 23.2	24,900	70.8	64.5 - 77.0	n/r	n/r	n/r	35,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300
Oahu	9,500	5.5	3.2 - 7.8	10,200	5.9	3.6 - 8.2	30,800	17.8	14.4 - 21.2	121,700	70.4	66.3 - 74.5	n/r	n/r	n/r	172,900

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,600	79.7	68.4 - 90.9	0	0.0	0.0 - 0.0	14,600
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,700

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	1,000	18.4	8.4 - 28.5	3,500	63.9	52.3 - 75.6	n/r	n/r	n/r	5,400
Hilo	n/r	n/r	n/r	n/r	n/r	n/r	1,400	14.2	6.8 - 21.6	7,400	74.4	64.7 - 84.1	0	0.0	0.0 - 0.0	9,900
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,200	79.8	64.9 - 94.6	0	0.0	0.0 - 0.0	11,600
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	3,100	25.8	14.3 - 37.3	7,600	64.3	52.4 - 76.2	0	0.0	0.0 - 0.0	11,800
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,800	79.6	68.1 - 91.1	0	0.0	0.0 - 0.0	12,400
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,400	78.7	67.7 - 89.8	0	0.0	0.0 - 0.0	13,200
Kona	n/r	n/r	n/r	n/r	n/r	n/r	1,600	17.9	7.6 - 28.3	6,400	69.4	57.3 - 81.4	n/r	n/r	n/r	9,200
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	1,400	11.7	5.0 - 18.4	8,800	74.6	65.3 - 83.9	n/r	n/r	n/r	11,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	300
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	1,200	14.7	6.4 - 22.9	6,400	76.6	66.7 - 86.5	0	0.0	0.0 - 0.0	8,300
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,800	75.2	62.1 - 88.4	n/r	n/r	n/r	10,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	3,500	26.5	11.1 - 41.8	8,600	65.7	50.1 - 81.2	0	0.0	0.0 - 0.0	13,100	
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300	
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,900	
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,300	73.0	61.3 - 84.8	0	0.0	0.0 - 0.0	7,300
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,100	
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	4,400	24.8	12.3 - 37.3	11,000	62.5	49.2 - 75.8	0	0.0	0.0 - 0.0	17,500	
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	3,000	21.2	11.4 - 31.0	9,400	65.5	55.1 - 76.0	0	0.0	0.0 - 0.0	14,400	
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,700	
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,500	73.5	62.6 - 84.4	n/r	n/r	n/r	11,500
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,900	72.4	56.8 - 88.1	0	0.0	0.0 - 0.0	15,100
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	6,100	17.6	9.7 - 25.5	22,300	64.4	53.5 - 75.4	0	0.0	0.0 - 0.0	34,600	

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,000
25-34	4,600	13.3	5.5 - 21.1	5,000	14.5	7.2 - 21.7	15,000	43.7	33.5 - 53.8	9,600	27.8	18.4 - 37.3	n/r	n/r	n/r	34,400
35-44	3,300	7.7	3.7 - 11.8	n/r	n/r	n/r	10,800	25.0	17.3 - 32.7	25,800	59.7	50.8 - 68.6	n/r	n/r	n/r	43,200
45-54	n/r	n/r	n/r	n/r	n/r	n/r	6,600	18.0	11.6 - 24.5	26,200	71.1	63.5 - 78.8	0	0.0	0.0 - 0.0	36,800
55-64	n/r	n/r	n/r	2,300	4.0	2.1 - 5.8	7,200	12.4	8.3 - 16.4	47,700	81.9	77.4 - 86.3	n/r	n/r	n/r	58,300
65-74	n/r	n/r	n/r	n/r	n/r	n/r	2,800	6.1	3.7 - 8.5	42,100	90.1	86.9 - 93.2	n/r	n/r	n/r	46,800
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	33,500	95.9	92.4 - 99.4	<50	n/r	n/r	34,900

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,700	7.1	3.8 - 10.4	5,800	5.3	3.1 - 7.5	17,300	15.8	12.2 - 19.5	77,900	71.2	66.6 - 75.9	n/r	n/r	n/r	109,300
Native Hawaiian	2,000	7.5	3.3 - 11.8	2,600	9.5	4.5 - 14.4	5,300	19.4	11.7 - 27.0	17,300	63.7	55.1 - 72.2	0	0.0	0.0 - 0.0	27,100
Chinese	0	0.0	0.0 - 0.0	n/r	n/r	n/r	3,800	35.5	18.0 - 53.1	6,600	60.9	43.7 - 78.2	n/r	n/r	n/r	10,800
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	6,900	25.2	16.2 - 34.2	18,200	66.2	56.3 - 76.1	0	0.0	0.0 - 0.0	27,500
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	7,100	11.7	7.2 - 16.1	48,800	80.0	74.3 - 85.7	n/r	n/r	n/r	61,000
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,100
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,300
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,100

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	9,000	6.0	3.6 - 8.4	8,300	5.5	3.5 - 7.5	28,400	18.8	15.3 - 22.3	104,200	69.1	65.1 - 73.2	n/r	n/r	n/r	150,700
Female	6,200	5.2	3.1 - 7.4	7,800	6.6	3.9 - 9.4	19,200	16.3	12.8 - 19.8	84,300	71.6	67.2 - 75.9	n/r	n/r	n/r	117,700

Education Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,000
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	5,100	32.0	17.2 - 46.9	8,900	56.5	40.8 - 72.1	0	0.0	0.0 - 0.0	15,800
Grades 12 or GED (High School Grad)	6,100	7.4	4.5 - 10.2	7,000	8.3	4.7 - 12.0	16,000	19.2	14.6 - 23.7	53,800	64.5	58.9 - 70.0	n/r	n/r	n/r	83,400
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	5,900	6.0	3.1 - 8.9	16,100	16.5	12.4 - 20.6	70,600	72.1	66.9 - 77.4	n/r	n/r	n/r	97,800
College 4 years or more (College Grad)	2,400	3.6	2.0 - 5.1	2,500	3.7	2.1 - 5.4	10,300	15.2	11.1 - 19.3	52,500	77.1	72.7 - 81.5	n/r	n/r	n/r	68,100

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,800	6.3	4.0 - 8.5	11,000	7.0	4.8 - 9.3	35,500	22.7	19.0 - 26.4	99,600	63.7	59.4 - 67.9	n/r	n/r	n/r	156,500
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	3,100	28.9	15.7 - 42.0	4,900	44.6	31.2 - 57.9	n/r	n/r	n/r	10,900
Retired/Unable to work	n/r	n/r	n/r	n/r	n/r	n/r	4,800	5.6	3.8 - 7.5	76,500	89.9	87.1 - 92.7	n/r	n/r	n/r	85,000
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	4,200	26.2	13.0 - 39.3	7,400	46.4	31.9 - 60.9	n/r	n/r	n/r	16,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	3,200	24.8	12.8 - 36.8	6,200	48.9	34.6 - 63.2	0	0.0	0.0 - 0.0	12,800
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	2,100	24.6	12.9 - 36.4	4,700	56.3	42.8 - 69.8	0	0.0	0.0 - 0.0	8,300
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	3,700	26.4	14.4 - 38.3	8,600	61.8	49.0 - 74.6	0	0.0	0.0 - 0.0	13,900
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	3,200	19.6	9.7 - 29.5	10,600	65.0	53.6 - 76.3	n/r	n/r	n/r	16,300
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	5,100	18.4	10.5 - 26.2	18,700	67.6	58.2 - 77.1	n/r	n/r	n/r	27,700
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	6,900	18.6	11.3 - 25.8	24,700	66.7	58.0 - 75.4	0	0.0	0.0 - 0.0	37,100
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	8,900	18.4	12.2 - 24.6	35,000	72.1	64.7 - 79.5	n/r	n/r	n/r	48,500
\$75,000 or more	n/r	n/r	n/r	5,400	6.3	3.4 - 9.2	11,200	13.0	9.0 - 17.0	66,200	77.2	72.2 - 82.1	n/r	n/r	n/r	85,700

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	2,500	16.9	8.3 - 25.4	10,700	73.2	62.8 - 83.5	0	0.0	0.0 - 0.0	14,600
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,600	75.0	60.9 - 89.2	0	0.0	0.0 - 0.0	14,200
186+%	n/r	n/r	n/r	n/r	n/r	n/r	5,500	9.8	6.2 - 13.4	47,900	85.9	81.7 - 90.1	n/r	n/r	n/r	55,700

Marital Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	5,300	3.3	1.5 - 5.1	9,900	6.1	3.9 - 8.3	24,200	15.1	12.0 - 18.2	120,900	75.3	71.4 - 79.1	n/r	n/r	n/r	160,700
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,300	73.3	60.2 - 86.3	0	0.0	0.0 - 0.0	7,200
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	16,500	86.1	78.7 - 93.4	n/r	n/r	n/r	19,200
Other	8,600	10.6	6.8 - 14.3	4,700	5.8	3.1 - 8.5	21,700	26.7	21.6 - 31.8	45,700	56.2	50.6 - 61.8	n/r	n/r	n/r	81,400

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	5,900	3.5	1.6 - 5.4	10,100	6.1	3.9 - 8.2	25,200	15.2	12.1 - 18.2	124,700	75.0	71.2 - 78.8	n/r	n/r	n/r	166,300
No	9,300	9.2	6.2 - 12.1	6,100	6.0	3.5 - 8.5	22,200	21.8	17.7 - 26.0	63,300	62.3	57.6 - 67.1	n/r	n/r	n/r	101,500

Health Care Coverage	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	13,300	5.3	3.6 - 7.0	14,200	5.6	4.0 - 7.2	42,500	16.9	14.4 - 19.4	180,100	71.7	68.7 - 74.7	n/r	n/r	n/r	251,100
No	n/r	n/r	n/r	n/r	n/r	n/r	5,100	29.7	16.8 - 42.7	8,200	47.7	33.9 - 61.5	0	0.0	0.0 - 0.0	17,200

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	13,400	4.6	3.3 - 5.9	28,300	9.7	7.5 - 11.9	43,500	14.9	12.6 - 17.3	202,800	69.6	66.6 - 72.6	n/r	n/r	n/r	291,400

County	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,100	7.7	4.1 - 11.4	2,600	6.5	3.5 - 9.5	4,900	12.2	8.4 - 16.0	28,600	71.7	66.1 - 77.2	n/r	n/r	n/r	39,900
Honolulu	7,500	3.8	2.2 - 5.5	19,900	10.2	7.1 - 13.2	29,400	15.0	11.8 - 18.2	136,800	69.9	65.7 - 74.0	n/r	n/r	n/r	195,900
Kauai	900	5.8	2.4 - 9.2	n/r	n/r	n/r	2,000	12.8	8.2 - 17.4	11,900	77.1	71.4 - 82.8	0	0.0	0.0 - 0.0	15,400
Maui	n/r	n/r	n/r	4,800	12.7	8.1 - 17.3	7,000	18.7	13.4 - 24.0	23,800	63.3	56.9 - 69.7	n/r	n/r	n/r	37,600

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,100	7.7	4.1 - 11.4	2,600	6.5	3.5 - 9.5	4,900	12.2	8.4 - 16.0	28,600	71.7	66.1 - 77.2	n/r	n/r	n/r	39,900
Kauai	900	5.8	2.4 - 9.2	n/r	n/r	n/r	2,000	12.8	8.2 - 17.4	11,900	77.1	71.4 - 82.8	0	0.0	0.0 - 0.0	15,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	n/r	n/r	n/r	4,700	13.0	8.2 - 17.9	6,600	18.4	13.1 - 23.7	22,700	63.5	56.9 - 70.0	n/r	n/r	n/r	35,700
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,600
Oahu	7,500	3.8	2.2 - 5.5	19,900	10.2	7.1 - 13.2	29,400	15.0	11.8 - 18.2	136,800	69.9	65.7 - 74.0	n/r	n/r	n/r	195,900

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	15,100	78.6	67.2 - 90.0	0	0.0	0.0 - 0.0	19,300
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	2,200	26.7	12.4 - 41.1	4,300	52.1	36.6 - 67.7	n/r	n/r	n/r	8,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	1,100	16.6	8.6 - 24.5	5,200	76.0	67.0 - 85.1	0	0.0	0.0 - 0.0	6,900
Hilo	n/r	n/r	n/r	n/r	n/r	n/r	1,300	13.7	6.7 - 20.7	6,800	71.9	62.8 - 81.0	<50	n/r	n/r	9,500
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,100	74.3	59.1 - 89.4	0	0.0	0.0 - 0.0	13,700
Kahului	n/r	n/r	n/r	1,900	15.9	7.7 - 24.1	2,500	20.3	9.7 - 30.9	6,900	56.7	44.7 - 68.7	0	0.0	0.0 - 0.0	12,200
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	15,300	77.2	66.6 - 87.8	n/r	n/r	n/r	19,800
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,200	77.8	65.8 - 89.7	0	0.0	0.0 - 0.0	18,300
Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,500	78.1	68.1 - 88.1	<50	n/r	n/r	10,900
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	2,300	19.5	10.6 - 28.5	7,000	59.4	47.8 - 70.9	0	0.0	0.0 - 0.0	11,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	200
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	800	9.8	4.4 - 15.2	6,600	78.0	70.4 - 85.6	0	0.0	0.0 - 0.0	8,500
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,300	63.4	50.8 - 76.0	n/r	n/r	n/r	11,600

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	13,900	65.3	52.2 - 78.3	0	0.0	0.0 - 0.0	21,300
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,600
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,700
N.Hawaii	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	5,300	75.2	60.7 - 89.8	0	0.0	0.0 - 0.0	7,000
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,400
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,900	67.4	49.8 - 85.0	n/r	n/r	n/r	14,700
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	1,900	14.8	7.8 - 21.7	8,100	64.0	52.9 - 75.0	n/r	n/r	n/r	12,600
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,900
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	1,800	15.1	7.8 - 22.4	8,700	74.8	65.8 - 83.8	n/r	n/r	n/r	11,600
Waialae/ Kahala/ Hawaii Kai	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	10,500	82.6	71.7 - 93.5	0	0.0	0.0 - 0.0	12,700
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	9,300	25.5	15.6 - 35.3	20,600	56.4	44.4 - 68.3	0	0.0	0.0 - 0.0	36,500

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	3,400	27.9	11.9 - 43.8	3,300	27.5	13.9 - 41.1	3,900	32.0	18.1 - 45.9	n/r	n/r	n/r	n/r	n/r	n/r	12,000
25-34	3,600	8.6	4.6 - 12.7	12,200	29.3	18.7 - 39.9	14,600	34.8	24.9 - 44.7	11,400	27.3	18.7 - 35.8	0	0.0	0.0 - 0.0	41,800
35-44	n/r	n/r	n/r	4,100	10.6	5.1 - 16.2	8,700	22.9	15.1 - 30.7	22,100	57.8	48.7 - 66.8	n/r	n/r	n/r	38,200
45-54	n/r	n/r	n/r	4,600	9.9	5.6 - 14.1	7,700	16.4	10.4 - 22.4	31,600	67.2	59.5 - 74.9	n/r	n/r	n/r	47,000
55-64	n/r	n/r	n/r	2,500	4.0	2.0 - 5.9	4,900	7.7	4.8 - 10.6	54,400	85.7	82.0 - 89.4	n/r	n/r	n/r	63,500
65-74	n/r	n/r	n/r	n/r	n/r	n/r	2,700	5.5	3.4 - 7.6	45,100	90.4	87.3 - 93.5	n/r	n/r	n/r	49,900
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	36,000	96.5	94.2 - 98.8	n/r	n/r	n/r	37,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	5,500	5.0	2.9 - 7.2	12,200	11.2	7.7 - 14.6	15,000	13.7	10.8 - 16.7	75,500	68.9	64.6 - 73.3	n/r	n/r	n/r	109,500
Native Hawaiian	n/r	n/r	n/r	3,900	13.9	8.0 - 19.8	3,500	12.6	6.9 - 18.3	17,800	64.3	56.2 - 72.5	n/r	n/r	n/r	27,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,900	81.3	70.7 - 92.0	n/r	n/r	n/r	13,400
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	8,900	21.8	11.8 - 31.7	23,400	57.4	45.8 - 69.0	n/r	n/r	n/r	40,700
Japanese	n/r	n/r	n/r	3,700	5.5	2.9 - 8.2	6,900	10.4	6.0 - 14.8	53,800	81.1	75.9 - 86.2	n/r	n/r	n/r	66,300
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,600
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,200
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,500
Other	n/r	n/r	n/r	n/r	n/r	n/r	2,000	28.5	12.2 - 44.8	3,500	49.9	31.9 - 67.9	0	0.0	0.0 - 0.0	7,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	8,200	5.0	3.1 - 6.9	15,300	9.3	7.0 - 11.5	21,400	12.9	10.1 - 15.7	118,500	71.6	67.9 - 75.3	n/r	n/r	n/r	165,500
Female	5,200	4.1	2.4 - 5.8	12,900	10.3	6.2 - 14.4	22,100	17.5	13.6 - 21.5	84,300	67.0	62.0 - 72.0	n/r	n/r	n/r	125,900

Education Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,900
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,900	61.7	45.8 - 77.5	n/r	n/r	n/r	21,000
Grades 12 or GED (High School Grad)	4,700	5.5	3.5 - 7.6	9,400	11.0	7.4 - 14.6	12,500	14.7	10.7 - 18.7	58,000	68.1	63.0 - 73.2	n/r	n/r	n/r	85,200
College 1 to 3 years (Some College/ Tech)	4,100	3.8	1.6 - 5.9	12,200	11.3	6.7 - 15.8	18,100	16.8	12.5 - 21.0	72,200	66.8	61.2 - 72.4	n/r	n/r	n/r	108,100
College 4 years or more (College Grad)	n/r	n/r	n/r	4,800	6.8	4.4 - 9.2	9,000	12.7	9.6 - 15.8	53,300	75.7	71.6 - 79.9	n/r	n/r	n/r	70,400

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,000	5.3	3.6 - 7.0	21,600	12.7	9.3 - 16.1	32,200	18.9	15.3 - 22.5	105,000	61.6	57.3 - 66.0	n/r	n/r	n/r	170,200
Unemployed	n/r	n/r	n/r	1,500	11.0	4.6 - 17.4	2,800	20.7	10.3 - 31.1	8,200	60.9	48.8 - 73.0	0	0.0	0.0 - 0.0	13,400
Retired/Unable to work	n/r	n/r	n/r	3,000	3.2	1.7 - 4.7	4,500	4.8	3.3 - 6.4	83,600	90.1	87.6 - 92.5	n/r	n/r	n/r	92,700
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	4,000	26.7	14.8 - 38.6	6,200	41.3	28.1 - 54.4	n/r	n/r	n/r	15,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	1,700	21.0	10.0 - 32.0	4,500	55.3	41.4 - 69.1	<50	n/r	n/r	8,100
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,600	61.0	45.0 - 77.1	0	0.0	0.0 - 0.0	9,200
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	3,300	20.4	10.9 - 29.9	9,300	58.0	45.4 - 70.5	n/r	n/r	n/r	16,100
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	3,300	17.4	9.4 - 25.5	10,700	56.2	45.2 - 67.2	n/r	n/r	n/r	19,000
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	5,600	18.7	11.5 - 25.9	18,700	62.8	53.5 - 72.1	n/r	n/r	n/r	29,800
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	5,600	12.7	7.6 - 17.9	30,800	70.0	60.7 - 79.3	n/r	n/r	n/r	43,900
\$50,000 to \$74,999	1,800	4.0	1.7 - 6.3	4,800	10.9	6.0 - 15.8	7,600	17.1	11.0 - 23.2	30,000	68.0	60.7 - 75.2	0	0.0	0.0 - 0.0	44,200
\$75,000 or more	n/r	n/r	n/r	7,300	7.4	4.5 - 10.3	10,700	10.9	7.2 - 14.5	77,000	78.4	73.6 - 83.1	n/r	n/r	n/r	98,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	3,400	11.9	5.4 - 18.5	19,600	68.8	58.6 - 79.1	n/r	n/r	n/r	28,500
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	4,200	15.4	6.5 - 24.2	18,300	66.5	52.3 - 80.6	n/r	n/r	n/r	27,600
186+%	n/r	n/r	n/r	6,400	6.0	3.5 - 8.6	8,900	8.4	5.5 - 11.2	88,200	82.8	78.9 - 86.8	n/r	n/r	n/r	106,500

Marital Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	4,900	2.8	1.6 - 4.1	13,000	7.6	5.3 - 9.9	22,600	13.2	10.0 - 16.5	128,400	75.1	71.2 - 78.9	n/r	n/r	n/r	171,000
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0	10,300
Widowed	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	22,500	93.4	89.4 - 97.3	0	0.0	0.0 - 0.0	24,100
Other	7,900	9.2	5.8 - 12.6	10,500	12.2	8.8 - 15.6	17,200	19.9	15.7 - 24.1	49,200	57.2	52.0 - 62.4	n/r	n/r	n/r	86,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	5,400	3.1	1.7 - 4.4	13,800	7.9	5.6 - 10.2	23,000	13.2	10.0 - 16.3	130,300	74.7	70.8 - 78.5	n/r	n/r	n/r	174,500
No	8,000	6.9	4.4 - 9.4	14,500	12.5	8.2 - 16.7	20,400	17.6	14.1 - 21.0	71,900	61.9	57.1 - 66.8	n/r	n/r	n/r	116,000

Health Care Coverage	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,500	4.2	2.9 - 5.5	25,800	9.4	7.1 - 11.7	40,700	14.8	12.4 - 17.2	193,800	70.5	67.4 - 73.7	n/r	n/r	n/r	274,800
No	n/r	n/r	n/r	2,400	14.8	8.1 - 21.4	2,700	16.9	9.2 - 24.6	9,000	55.6	44.7 - 66.4	n/r	n/r	n/r	16,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	14,700	5.4	4.2 - 6.6	18,800	6.9	5.0 - 8.8	45,800	16.8	14.2 - 19.5	193,300	70.9	67.9 - 73.9	0	0.0	--	272,700

County	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	6.4	3.3 - 9.6	n/r	n/r	n/r	5,800	13.3	8.9 - 17.6	31,100	70.8	64.1 - 77.5	0	0.0	--	43,900
Honolulu	9,300	5.3	3.8 - 6.7	11,700	6.6	4.2 - 9.0	29,800	16.8	13.3 - 20.3	126,500	71.3	67.3 - 75.3	0	0.0	--	177,400
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	2,000	14.4	6.8 - 22.0	10,200	72.7	63.2 - 82.2	0	0.0	--	14,000
Maui	n/r	n/r	n/r	n/r	n/r	n/r	7,700	21.6	13.2 - 30.0	24,800	69.7	61.3 - 78.2	0	0.0	--	35,600

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	6.4	3.3 - 9.6	n/r	n/r	n/r	5,800	13.3	8.9 - 17.6	31,100	70.8	64.1 - 77.5	0	0.0	--	43,900
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	2,000	14.4	6.8 - 22.0	10,200	72.7	63.2 - 82.2	0	0.0	--	14,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	600
Maui	n/r	n/r	n/r	n/r	n/r	n/r	7,300	21.6	12.8 - 30.3	23,400	69.5	60.6 - 78.3	0	0.0	--	33,700
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300
Oahu	9,300	5.3	3.8 - 6.7	11,700	6.6	4.2 - 9.0	29,800	16.8	13.3 - 20.3	126,500	71.3	67.3 - 75.3	0	0.0	--	177,400

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	2,300	14.1	6.7 - 21.4	13,200	80.0	71.1 - 88.9	0	0.0	--	16,500
Ala Moana	<50	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,700	75.5	62.4 - 88.5	0	0.0	--	6,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	1,600	22.9	9.8 - 36.1	4,500	63.2	48.6 - 77.7	0	0.0	--	7,200
Hilo	n/r	n/r	n/r	n/r	n/r	n/r	1,700	15.5	6.4 - 24.7	8,900	79.2	69.3 - 89.1	0	0.0	--	11,200
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,700	78.0	64.0 - 92.0	0	0.0	--	15,000
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,100	69.0	47.1 - 90.9	0	0.0	--	8,800
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,300	65.0	49.3 - 80.6	0	0.0	--	15,900
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	4,200	21.0	11.6 - 30.3	12,500	61.4	48.4 - 74.5	0	0.0	--	20,300
Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,100	68.4	56.0 - 80.7	0	0.0	--	10,400
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,000	65.7	52.7 - 78.6	0	0.0	--	13,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	600
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,700	82.6	72.3 - 92.9	0	0.0	--	6,900
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,400	81.1	70.0 - 92.1	0	0.0	--	11,600

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,900	68.2	55.1 - 81.3	0	0.0	--	21,800
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,300
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,600
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,100	66.2	49.5 - 83.0	0	0.0	--	7,800
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,500
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,500	72.8	60.2 - 85.3	0	0.0	--	9,000
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	1,700	11.5	4.8 - 18.3	9,900	68.4	55.1 - 81.7	0	0.0	--	14,500
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,800
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	2,400	21.1	8.8 - 33.5	8,300	74.5	62.2 - 86.8	0	0.0	--	11,200
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,600	87.0	77.8 - 96.2	0	0.0	--	11,100
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	5,800	19.9	10.0 - 29.9	20,000	69.1	58.0 - 80.1	0	0.0	--	29,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	3,600	37.3	21.3 - 53.3	n/r	n/r	n/r	2,100	21.9	9.4 - 34.4	n/r	n/r	n/r	0	0.0	--	9,800
25-34	4,600	14.0	8.0 - 20.0	7,200	22.0	13.7 - 30.2	9,800	29.9	20.9 - 39.0	11,100	34.1	24.2 - 44.0	0	0.0	--	32,700
35-44	2,100	5.5	2.3 - 8.6	n/r	n/r	n/r	12,800	33.4	23.5 - 43.4	19,300	50.5	40.2 - 60.9	0	0.0	--	38,200
45-54	2,900	6.4	2.9 - 9.9	n/r	n/r	n/r	8,900	19.7	12.4 - 27.0	32,000	71.0	63.2 - 78.7	0	0.0	--	45,100
55-64	n/r	n/r	n/r	n/r	n/r	n/r	6,600	10.8	6.5 - 15.1	52,600	85.7	81.2 - 90.3	0	0.0	--	61,300
65-74	n/r	n/r	n/r	n/r	n/r	n/r	4,600	9.3	4.4 - 14.1	42,800	87.3	82.2 - 92.4	0	0.0	--	49,100
75+	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	34,000	96.7	94.7 - 98.6	0	0.0	--	35,200

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	5,700	5.6	3.6 - 7.7	6,700	6.6	3.9 - 9.2	15,100	14.8	11.5 - 18.2	74,200	73.0	68.7 - 77.2	0	0.0	--	101,600
Native Hawaiian	1,500	5.3	2.3 - 8.3	n/r	n/r	n/r	7,500	25.8	16.2 - 35.5	18,600	63.9	54.4 - 73.5	0	0.0	--	29,000
Chinese	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	9,200	76.5	63.3 - 89.8	0	0.0	--	12,000
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	7,100	25.0	12.9 - 37.0	17,400	61.5	48.7 - 74.3	0	0.0	--	28,300
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	7,000	10.2	5.9 - 14.4	55,800	80.9	75.1 - 86.8	0	0.0	--	69,000
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,300
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,500
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,000
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,900	39.7	21.6 - 57.8	0	0.0	--	7,300

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	8,200	5.2	3.6 - 6.9	10,300	6.6	4.4 - 8.8	23,800	15.2	11.6 - 18.9	114,000	72.9	68.8 - 77.0	0	0.0	--	156,300
Female	6,600	5.6	3.8 - 7.5	8,400	7.2	4.1 - 10.4	22,000	18.9	15.0 - 22.8	79,400	68.2	63.6 - 72.8	0	0.0	--	116,400

Education Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	15,600	64.3	49.2 - 79.5	0	0.0	--	24,300
Grades 12 or GED (High School Grad)	6,300	7.7	5.1 - 10.4	5,100	6.2	3.5 - 8.9	17,100	20.8	15.6 - 26.1	53,500	65.2	59.5 - 71.0	0	0.0	--	81,900
College 1 to 3 years (Some College/ Tech)	4,600	4.8	2.7 - 6.9	9,700	10.0	6.0 - 14.0	14,500	14.9	10.8 - 19.0	68,200	70.3	65.0 - 75.7	0	0.0	--	97,000
College 4 years or more (College Grad)	2,100	3.1	1.6 - 4.6	2,000	3.0	1.6 - 4.4	8,300	12.3	9.3 - 15.2	55,000	81.6	78.2 - 85.0	0	0.0	--	67,400

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,900	5.5	3.8 - 7.2	12,300	8.5	5.7 - 11.4	29,800	20.7	16.7 - 24.7	93,800	65.3	60.8 - 69.7	0	0.0	--	143,800
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	4,300	19.4	8.1 - 30.8	12,400	55.8	40.9 - 70.8	0	0.0	--	22,300
Retired/Unable to work	1,900	2.1	1.1 - 3.2	n/r	n/r	n/r	8,300	9.1	5.8 - 12.3	78,800	86.5	82.9 - 90.1	0	0.0	--	91,100
Student/Homemaker	2,200	15.1	6.4 - 23.8	n/r	n/r	n/r	3,100	21.8	10.3 - 33.3	7,500	52.3	39.3 - 65.4	0	0.0	--	14,400

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,400	53.8	32.9 - 74.8	0	0.0	--	10,100
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,000	78.6	66.5 - 90.6	0	0.0	--	8,900
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	4,700	34.0	18.6 - 49.4	6,900	49.5	34.8 - 64.2	0	0.0	--	13,900
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	2,200	11.5	6.1 - 17.0	13,400	70.0	60.4 - 79.6	0	0.0	--	19,200
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	5,100	18.9	7.9 - 30.0	18,800	70.4	59.4 - 81.4	0	0.0	--	26,700
\$35,000 to \$49,999	n/r	n/r	n/r	2,600	7.0	3.4 - 10.6	7,400	20.1	12.8 - 27.4	25,300	68.4	60.7 - 76.1	0	0.0	--	36,900
\$50,000 to \$74,999	n/r	n/r	n/r	3,500	7.7	3.8 - 11.6	7,200	15.8	9.0 - 22.5	33,300	72.5	65.1 - 79.8	0	0.0	--	45,900
\$75,000 or more	3,300	3.8	1.8 - 5.7	n/r	n/r	n/r	13,600	15.6	11.2 - 20.0	65,900	75.8	70.5 - 81.1	0	0.0	--	87,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	6,800	20.6	10.4 - 30.8	23,500	71.2	60.0 - 82.4	0	0.0	--	33,000
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	19,100	73.7	60.3 - 87.2	0	0.0	--	25,800
186+%	n/r	n/r	n/r	3,800	3.3	1.6 - 5.0	13,000	11.3	7.5 - 15.1	96,300	83.7	79.6 - 87.9	0	0.0	--	115,000

Marital Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	4,900	3.1	1.9 - 4.4	7,900	5.1	3.2 - 7.1	21,600	13.9	10.6 - 17.3	120,600	77.8	74.0 - 81.6	0	0.0	--	154,900
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,900	49.2	28.8 - 69.7	0	0.0	--	11,900
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	1,800	8.1	3.8 - 12.4	19,800	87.2	81.1 - 93.3	0	0.0	--	22,700
Other	7,700	9.3	6.5 - 12.1	9,700	11.7	7.1 - 16.3	18,600	22.3	17.3 - 27.3	47,100	56.7	50.9 - 62.6	0	0.0	--	83,100

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	5,100	3.2	2.0 - 4.4	8,100	5.1	3.2 - 7.0	22,400	14.2	10.9 - 17.5	122,300	77.5	73.8 - 81.2	0	0.0	--	157,800
No	9,700	8.4	6.0 - 10.9	10,700	9.3	5.8 - 12.9	23,500	20.5	16.1 - 24.8	70,700	61.7	56.7 - 66.8	0	0.0	--	114,500

Health Care Coverage	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,700	5.1	3.9 - 6.4	16,400	6.6	4.7 - 8.5	40,200	16.2	13.5 - 18.9	179,100	72.1	69.0 - 75.2	0	0.0	--	248,500
No	n/r	n/r	n/r	n/r	n/r	n/r	5,600	23.3	12.7 - 33.9	14,200	59.2	46.7 - 71.8	0	0.0	--	23,900

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	15,400	5.7	4.0 - 7.4	15,000	5.5	3.8 - 7.3	41,000	15.2	12.7 - 17.6	199,100	73.6	70.6 - 76.6	0	0.0	--	270,500

County	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,500	6.0	3.1 - 9.0	n/r	n/r	n/r	6,800	16.8	10.8 - 22.8	28,900	71.0	63.9 - 78.0	0	0.0	--	40,700
Honolulu	10,600	5.8	3.5 - 8.1	9,500	5.2	3.0 - 7.4	26,400	14.4	11.3 - 17.6	136,000	74.5	70.6 - 78.4	0	0.0	--	182,500
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	2,600	17.7	7.9 - 27.5	11,400	78.0	68.1 - 88.0	0	0.0	--	14,600
Maui	n/r	n/r	n/r	n/r	n/r	n/r	5,100	16.4	10.9 - 21.8	21,900	70.6	63.6 - 77.6	0	0.0	--	31,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,500	6.0	3.1 - 9.0	n/r	n/r	n/r	6,800	16.8	10.8 - 22.8	28,900	71.0	63.9 - 78.0	0	0.0	--	40,700
Kauai	n/r	n/r	n/r	n/r	n/r	n/r	2,600	17.7	7.9 - 27.5	11,400	78.0	68.1 - 88.0	0	0.0	--	14,600
Lanai	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	800	82.5	72.3 - 92.8	0	0.0	--	1,000
Maui	n/r	n/r	n/r	n/r	n/r	n/r	4,500	16.5	10.6 - 22.5	19,200	69.9	62.1 - 77.6	0	0.0	--	27,500
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,900	74.2	60.2 - 88.2	0	0.0	--	2,500
Oahu	10,600	5.8	3.5 - 8.1	9,500	5.2	3.0 - 7.4	26,400	14.4	11.3 - 17.6	136,000	74.5	70.6 - 78.4	0	0.0	--	182,500

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	14,300	80.8	69.6 - 92.1	0	0.0	--	17,700
Ala Moana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,400	79.5	66.4 - 92.6	0	0.0	--	8,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	<50	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,000	76.8	62.1 - 91.5	0	0.0	--	6,400
Hilo	n/r	n/r	n/r	n/r	n/r	n/r	1,800	15.2	7.2 - 23.3	9,100	78.8	69.9 - 87.6	0	0.0	--	11,600
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,300	67.9	53.2 - 82.6	0	0.0	--	16,700
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	1,800	17.6	8.2 - 27.1	6,800	65.1	52.2 - 78.1	0	0.0	--	10,400
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,600	76.9	65.2 - 88.6	0	0.0	--	15,100
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	12,200	72.1	58.9 - 85.2	0	0.0	--	17,000
Kona	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,900	74.6	63.1 - 86.0	0	0.0	--	9,200
Lahaina/ Wailuku	n/r	n/r	n/r	n/r	n/r	n/r	1,900	24.2	10.1 - 38.3	5,300	67.8	53.2 - 82.4	0	0.0	--	7,900
Lanai	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r	800	82.5	72.3 - 92.8	0	0.0	--	1,000
Lihue-Waimea	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,400	79.0	65.5 - 92.5	0	0.0	--	8,200
Manoa/ Upper Makiki	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	9,700	74.9	63.0 - 86.7	0	0.0	--	12,900

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,800	65.5	49.6 - 81.4	0	0.0	--	16,500
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,900	74.2	60.2 - 88.2	0	0.0	--	2,500
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,100
N.Hawaii	n/r	n/r	n/r	n/r	n/r	n/r	1,200	18.1	8.0 - 28.2	5,000	74.6	63.0 - 86.3	0	0.0	--	6,800
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,100
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r	10,700	78.6	63.6 - 93.6	0	0.0	--	13,700
Puna/ Kau	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,900	59.7	44.0 - 75.4	0	0.0	--	13,200
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,300
Upcountry/ Hana	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,100	77.0	64.6 - 89.3	0	0.0	--	9,200
Waialae/ Kahala/ Hawaii Kai	<50	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,300	85.5	77.0 - 94.1	0	0.0	--	13,200
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	25,100	80.0	71.2 - 88.8	0	0.0	--	31,400

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	8,600
25-34	4,000	9.7	4.6 - 14.7	6,300	15.2	7.5 - 22.9	13,000	31.3	21.8 - 40.8	18,200	43.8	34.4 - 53.3	0	0.0	--	41,600
35-44	n/r	n/r	n/r	n/r	n/r	n/r	7,300	19.2	11.7 - 26.8	23,900	63.3	53.3 - 73.2	0	0.0	--	37,700
45-54	n/r	n/r	n/r	n/r	n/r	n/r	8,300	18.9	12.8 - 25.1	32,600	74.3	67.5 - 81.1	0	0.0	--	43,900
55-64	n/r	n/r	n/r	1,600	2.9	1.4 - 4.4	5,800	10.4	7.1 - 13.7	46,700	84.3	80.5 - 88.1	0	0.0	--	55,400
65-74	n/r	n/r	n/r	n/r	n/r	n/r	2,100	4.9	2.8 - 7.0	38,800	92.5	90.0 - 95.0	0	0.0	--	41,900
75+	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	37,800	92.9	88.5 - 97.3	0	0.0	--	40,600

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	5,200	4.6	2.5 - 6.8	6,700	6.0	3.4 - 8.6	19,900	17.9	13.5 - 22.2	79,800	71.5	66.6 - 76.3	0	0.0	--	111,600
Native Hawaiian	n/r	n/r	n/r	n/r	n/r	n/r	5,500	19.5	12.3 - 26.7	17,700	62.5	52.4 - 72.7	0	0.0	--	28,400
Chinese	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	8,200	88.3	79.1 - 97.4	0	0.0	--	9,300
Filipino	n/r	n/r	n/r	n/r	n/r	n/r	4,600	13.7	6.9 - 20.5	24,200	72.0	61.8 - 82.1	0	0.0	--	33,600
Japanese	n/r	n/r	n/r	n/r	n/r	n/r	6,500	10.3	6.3 - 14.3	53,400	84.6	80.1 - 89.1	0	0.0	--	63,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,800
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,800
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	7,100
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,900
Other	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	6,800

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	8,400	5.4	3.2 - 7.7	9,200	6.0	3.6 - 8.4	21,800	14.2	11.1 - 17.3	114,500	74.4	70.4 - 78.4	0	0.0	--	153,900
Female	7,100	6.0	3.4 - 8.7	5,700	4.9	2.3 - 7.6	19,200	16.5	12.5 - 20.4	84,700	72.6	67.9 - 77.3	0	0.0	--	116,700

Education Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,000
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	15,800	78.2	62.8 - 93.7	0	0.0	--	20,200
Grades 12 or GED (High School Grad)	4,600	5.4	2.8 - 8.1	5,800	7.0	3.1 - 10.9	15,600	18.6	13.5 - 23.7	58,000	69.0	63.1 - 74.9	0	0.0	--	84,100
College 1 to 3 years (Some College/ Tech)	5,900	6.1	3.3 - 9.0	5,400	5.7	2.7 - 8.7	16,000	16.6	12.4 - 20.9	68,900	71.6	66.4 - 76.7	0	0.0	--	96,200
College 4 years or more (College Grad)	2,600	4.0	2.0 - 6.0	2,500	3.9	2.2 - 5.5	8,300	12.8	9.4 - 16.2	51,600	79.3	75.4 - 83.3	0	0.0	--	65,000

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	8,500	5.7	3.7 - 7.7	10,300	6.9	4.4 - 9.4	29,900	20.1	16.4 - 23.9	99,900	67.2	63.0 - 71.5	0	0.0	--	148,700
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,100	56.4	39.7 - 73.1	0	0.0	--	16,200
Retired/Unable to work	n/r	n/r	n/r	1,700	1.9	0.8 - 2.9	4,900	5.5	3.3 - 7.7	79,600	89.4	86.0 - 92.8	0	0.0	--	89,100
Student/Homemaker	n/r	n/r	n/r	n/r	n/r	n/r	2,800	16.8	7.7 - 25.9	10,300	62.3	48.1 - 76.6	0	0.0	--	16,500

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,100	64.8	43.2 - 86.4	0	0.0	--	7,900
\$10,000 to \$14,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,000	58.3	39.3 - 77.2	0	0.0	--	6,900
\$15,000 to \$19,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,800	68.4	54.4 - 82.5	0	0.0	--	14,300
\$20,000 to \$24,999	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,700	64.7	50.5 - 78.9	0	0.0	--	18,000
\$25,000 to \$34,999	n/r	n/r	n/r	n/r	n/r	n/r	4,300	15.6	9.3 - 22.0	19,400	70.4	61.9 - 78.9	0	0.0	--	27,600
\$35,000 to \$49,999	n/r	n/r	n/r	n/r	n/r	n/r	7,100	17.1	10.9 - 23.3	30,700	74.5	67.7 - 81.2	0	0.0	--	41,200
\$50,000 to \$74,999	n/r	n/r	n/r	n/r	n/r	n/r	6,700	14.6	7.7 - 21.5	33,000	72.2	64.1 - 80.3	0	0.0	--	45,700
\$75,000 or more	3,100	3.6	1.5 - 5.7	n/r	n/r	n/r	12,000	13.9	9.9 - 18.0	68,300	79.5	74.8 - 84.3	0	0.0	--	85,900

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population	
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	
0-130%	n/r	n/r	n/r	n/r	n/r	n/r	7,600	22.1	13.2 - 31.1	22,600	65.6	55.3 - 76.0	0	0.0	--	34,400	
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	26,200	82.6	75.7 - 89.5	0	0.0	--	31,700
186+%	2,800	2.1	0.9 - 3.4	5,300	4.0	1.8 - 6.2	16,100	12.2	8.8 - 15.5	107,900	81.7	77.8 - 85.5	0	0.0	--	132,100	

Marital Status (Grouped)	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	4,800	3.1	1.6 - 4.6	5,800	3.8	2.1 - 5.5	18,400	12.0	9.2 - 14.8	124,100	81.1	77.8 - 84.4	0	0.0	--	153,100
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	4,000	34.2	17.9 - 50.5	6,700	57.2	40.9 - 73.6	0	0.0	--	11,700
Widowed	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	21,800	88.8	82.8 - 94.8	0	0.0	--	24,600
Other	9,500	11.7	7.1 - 16.2	8,500	10.5	5.6 - 15.3	16,700	20.6	15.2 - 26.0	46,500	57.3	50.9 - 63.7	0	0.0	--	81,200

Smoke - how long since last, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	6,000	3.8	1.9 - 5.7	5,800	3.7	2.1 - 5.3	18,700	11.9	9.2 - 14.6	126,900	80.6	77.2 - 84.0	0	0.0	--	157,400
No	9,400	8.4	5.4 - 11.4	9,200	8.2	4.6 - 11.8	21,900	19.5	15.1 - 24.0	71,700	63.9	58.7 - 69.1	0	0.0	--	112,200

Health Care Coverage	<3 months			3 months to <1 yr			1 yr to <5 yrs			5+ years			Never smoked regularly			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	14,500	5.8	4.0 - 7.6	12,400	5.0	3.3 - 6.6	36,700	14.7	12.1 - 17.2	186,600	74.6	71.5 - 77.7	0	0.0	--	250,100
No	n/r	n/r	n/r	n/r	n/r	n/r	4,300	21.3	11.5 - 31.0	12,600	62.0	49.5 - 74.4	0	0.0	--	20,300