

Smoke - 4 level smoking status, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Smoke - 4 level smoking status	Cigarette smoking status (4 Levels)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/19/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Smoke - 4 level smoking status, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	127,500	12.2	11.0 - 13.4	48,700	4.6	3.8 - 5.5	271,300	25.9	24.5 - 27.3	599,900	57.3	55.6 - 59.0	1,047,400
2012	109,300	10.2	9.1 - 11.4	46,200	4.3	3.6 - 5.0	273,300	25.6	24.1 - 27.1	639,300	59.8	58.1 - 61.5	1,068,200
2013	96,200	9.0	8.0 - 9.9	46,900	4.4	3.7 - 5.0	292,500	27.3	25.8 - 28.7	637,500	59.4	57.8 - 61.0	1,073,100
2014	100,400	9.6	8.7 - 10.6	46,900	4.5	3.8 - 5.2	270,400	25.9	24.5 - 27.4	624,700	59.9	58.3 - 61.6	1,042,400



Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	100,400	9.6	8.7 - 10.6	46,900	4.5	3.8 - 5.2	270,400	25.9	24.5 - 27.4	624,700	59.9	58.3 - 61.6	1,042,400

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,500	13.8	11.2 - 16.4	9,200	6.5	4.1 - 8.9	40,900	28.9	25.9 - 31.9	71,900	50.8	47.2 - 54.4	141,400
Honolulu	65,000	9.2	7.9 - 10.5	29,500	4.2	3.3 - 5.1	174,400	24.7	22.8 - 26.6	436,500	61.9	59.7 - 64.0	705,400
Kauai	5,000	9.9	6.9 - 12.8	2,400	4.7	2.6 - 6.8	13,700	26.8	22.9 - 30.8	29,900	58.6	54.0 - 63.1	51,100
Maui	10,100	8.5	6.4 - 10.6	4,700	4.0	2.5 - 5.5	37,100	31.1	27.8 - 34.4	67,200	56.4	52.8 - 60.0	119,100

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	19,500	13.8	11.2 - 16.4	9,200	6.5	4.1 - 8.9	40,900	28.9	25.9 - 31.9	71,900	50.8	47.2 - 54.4	141,400
Kauai	5,000	9.9	6.9 - 12.8	2,400	4.7	2.6 - 6.8	13,700	26.8	22.9 - 30.8	29,900	58.6	54.0 - 63.1	51,100
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Maui	8,400	7.6	5.5 - 9.8	3,900	3.6	2.2 - 4.9	35,400	32.2	28.7 - 35.7	62,300	56.6	52.9 - 60.4	110,100
Molokai	1,500	21.4	10.2 - 32.6	n/r	n/r	n/r	1,300	18.9	9.3 - 28.6	4,000	57.8	45.6 - 70.0	7,000
Oahu	65,000	9.2	7.9 - 10.5	29,500	4.2	3.3 - 5.1	174,400	24.7	22.8 - 26.6	436,500	61.9	59.7 - 64.0	705,400

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	6,300	10.1	6.2 - 14.0	n/r	n/r	n/r	14,800	23.8	17.7 - 29.9	39,100	62.7	55.6 - 69.8	62,300
Ala Moana	3,500	10.8	4.6 - 17.0	n/r	n/r	n/r	6,800	21.3	14.4 - 28.1	20,400	63.5	54.3 - 72.7	32,100

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,500	7.3	3.5 - 11.1	n/r	n/r	n/r	5,400	27.1	21.3 - 32.9	12,400	62.2	55.6 - 68.9	19,900
Hilo	4,300	11.3	6.6 - 16.1	n/r	n/r	n/r	10,000	26.6	21.3 - 31.8	21,300	56.6	50.2 - 63.1	37,600
Kaaawa/ Kahaluu/ Kaneohe	5,400	10.7	4.7 - 16.6	n/r	n/r	n/r	11,600	22.8	16.5 - 29.2	30,200	59.7	51.6 - 67.9	50,600
Kahului	n/r	n/r	n/r	n/r	n/r	n/r	11,800	32.7	26.2 - 39.2	20,600	57.0	50.0 - 63.9	36,200
Kailua/ Waimanalo	3,300	6.5	2.9 - 10.1	n/r	n/r	n/r	12,700	25.2	18.6 - 31.8	32,800	65.3	57.8 - 72.8	50,300
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	n/r	n/r	n/r	13,700	24.3	18.5 - 30.1	38,500	68.1	61.8 - 74.4	56,500
Kona	4,500	13.8	7.7 - 19.9	n/r	n/r	n/r	9,200	28.3	22.0 - 34.5	16,400	50.2	42.4 - 57.9	32,700
Lahaina/ Wailuku	4,300	11.1	7.0 - 15.1	n/r	n/r	n/r	12,100	31.0	25.5 - 36.5	21,600	55.5	49.4 - 61.6	39,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Lihue-Waimea	3,600	11.5	7.4 - 15.7	1,700	5.5	2.4 - 8.7	8,300	26.7	21.3 - 32.0	17,500	56.2	50.2 - 62.3	31,200
Manoa/ Upper Makiki	3,700	8.1	4.1 - 12.1	n/r	n/r	n/r	10,500	22.8	17.0 - 28.6	30,900	66.9	60.2 - 73.7	46,100

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	7,900	13.7	8.4 - 18.9	n/r	n/r	n/r	13,100	22.7	16.5 - 29.0	33,200	57.5	49.8 - 65.2	57,700
Molokai	1,500	21.4	10.2 - 32.6	n/r	n/r	n/r	1,300	18.9	9.3 - 28.6	4,000	57.8	45.6 - 70.0	7,000
Nanakuli/ Waianae	6,100	14.5	9.0 - 20.1	3,100	7.4	3.2 - 11.6	9,900	23.7	16.2 - 31.2	22,700	54.3	45.1 - 63.5	41,900
N.Hawaii	3,300	12.5	7.2 - 17.8	n/r	n/r	n/r	7,300	27.8	21.4 - 34.1	14,700	56.0	48.4 - 63.5	26,200
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	5,200	19.9	9.8 - 30.1	16,100	61.6	49.2 - 74.0	26,100
Nuuanu/ Kalihi/ Moanalua	8,300	11.6	7.0 - 16.2	n/r	n/r	n/r	17,500	24.6	18.6 - 30.7	43,200	60.6	53.6 - 67.5	71,300
Puna/ Kau	7,500	16.6	11.7 - 21.6	n/r	n/r	n/r	14,400	32.0	26.0 - 37.9	19,500	43.4	36.8 - 50.0	44,900
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	8,700	31.3	19.8 - 42.9	16,900	60.7	49.0 - 72.5	27,900
Upcountry/ Hana	1,600	4.7	2.1 - 7.3	1,600	4.7	2.0 - 7.3	11,500	33.0	26.8 - 39.2	20,100	57.6	51.0 - 64.2	34,900
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	15,100	30.3	22.6 - 37.9	30,800	61.8	53.7 - 69.9	49,900
Waipahu/ Kapolei/ Ewa	10,900	8.2	5.1 - 11.4	5,500	4.1	2.0 - 6.3	34,600	26.1	21.0 - 31.1	81,800	61.5	56.0 - 67.1	132,800

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	8,200	6.8	4.2 - 9.4	7,200	6.0	3.1 - 8.8	11,100	9.2	5.9 - 12.6	94,000	78.0	73.2 - 82.7	120,600
25-34	24,100	12.9	9.8 - 15.9	13,700	7.3	4.9 - 9.7	34,400	18.3	14.9 - 21.8	115,100	61.5	57.1 - 65.9	187,200
35-44	18,800	11.6	8.6 - 14.5	8,400	5.1	3.4 - 6.9	43,200	26.6	22.4 - 30.8	92,200	56.7	52.1 - 61.3	162,600
45-54	21,100	12.9	10.2 - 15.5	7,900	4.8	2.9 - 6.8	36,800	22.5	19.1 - 25.9	97,800	59.8	55.8 - 63.8	163,600
55-64	18,300	10.4	8.4 - 12.3	5,300	3.0	1.9 - 4.1	58,600	33.3	30.1 - 36.4	94,200	53.4	50.0 - 56.8	176,400
65-74	7,500	6.3	4.4 - 8.1	3,600	3.0	1.4 - 4.5	47,300	39.6	35.9 - 43.4	61,000	51.1	47.2 - 55.0	119,400
75+	1,700	1.8	0.8 - 2.8	n/r	n/r	n/r	35,800	37.3	32.6 - 41.9	57,900	60.3	55.5 - 65.0	96,000

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	24,100	7.4	6.0 - 8.8	15,000	4.6	3.3 - 5.9	109,600	33.5	30.8 - 36.1	178,500	54.6	51.7 - 57.4	327,200
Native Hawaiian	24,900	19.2	15.5 - 22.8	10,100	7.8	5.1 - 10.5	27,300	21.0	17.7 - 24.4	67,300	52.0	47.4 - 56.5	129,600
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	10,800	19.8	14.0 - 25.7	39,800	73.4	66.8 - 79.9	54,300
Filipino	11,900	6.9	4.9 - 9.0	7,700	4.5	2.7 - 6.4	27,500	16.1	12.8 - 19.3	124,000	72.5	68.5 - 76.4	171,200
Japanese	13,500	6.3	4.6 - 7.9	5,400	2.5	1.3 - 3.7	62,400	29.0	25.7 - 32.3	134,100	62.3	58.7 - 65.8	215,400
Black	n/r	n/r	n/r	n/r	n/r	n/r	5,100	19.8	8.5 - 31.1	15,500	60.2	46.1 - 74.3	25,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,300	48.4	28.7 - 68.2	6,800
Other Asian	4,000	16.2	7.7 - 24.8	n/r	n/r	n/r	4,100	16.6	9.8 - 23.4	16,100	65.2	54.9 - 75.4	24,700
Other Pacific Islander	5,100	21.9	12.6 - 31.2	n/r	n/r	n/r	4,000	17.4	8.9 - 25.8	12,700	55.3	44.6 - 65.9	23,100
Other	3,400	14.1	7.0 - 21.3	n/r	n/r	n/r	6,100	25.6	17.6 - 33.6	13,200	55.4	46.1 - 64.6	23,800

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	53,000	10.1	8.8 - 11.5	31,500	6.0	4.8 - 7.2	151,800	29.1	27.0 - 31.2	286,000	54.8	52.4 - 57.1	522,300
Female	47,400	9.1	7.8 - 10.5	15,400	3.0	2.1 - 3.8	118,600	22.8	20.9 - 24.7	338,600	65.1	62.9 - 67.3	520,100

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	3,000	15.1	7.0 - 23.2	14,800	74.8	64.4 - 85.2	19,800
Grades 9 thru 11 (Some High School)	14,600	18.9	12.7 - 25.2	7,500	9.7	4.5 - 15.0	15,800	20.4	14.3 - 26.6	39,400	50.9	42.2 - 59.6	77,400
Grades 12 or GED (High School Grad)	36,700	12.2	10.3 - 14.1	19,800	6.5	5.0 - 8.1	83,800	27.8	25.1 - 30.5	161,500	53.5	50.5 - 56.6	301,800
College 1 to 3 years (Some College/ Tech)	36,100	10.3	8.6 - 12.0	13,800	3.9	2.8 - 5.1	98,600	28.1	25.4 - 30.8	202,700	57.7	54.7 - 60.7	351,200
College 4 years or more (College Grad)	11,500	4.0	2.9 - 5.0	5,200	1.8	1.2 - 2.4	68,600	23.7	21.6 - 25.8	203,900	70.5	68.3 - 72.8	289,200

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	63,900	9.9	8.7 - 11.2	31,400	4.9	3.9 - 5.9	156,900	24.4	22.5 - 26.2	391,500	60.8	58.7 - 62.9	643,700
Unemployed	11,200	19.0	13.6 - 24.4	4,700	7.9	3.4 - 12.4	11,200	19.0	14.2 - 23.9	31,900	54.1	47.0 - 61.2	58,900
Retired/Unable to work	16,800	7.1	5.6 - 8.6	8,300	3.5	2.4 - 4.7	86,000	36.4	33.6 - 39.3	125,000	53.0	50.0 - 56.0	236,100
Student/Homemaker	8,400	8.3	4.5 - 12.2	n/r	n/r	n/r	16,200	16.1	11.7 - 20.5	73,800	73.2	67.6 - 78.8	100,800

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	12,800	20.4	14.1 - 26.7	4,800	7.7	3.7 - 11.6	12,800	20.4	14.9 - 25.9	32,200	51.5	43.9 - 59.2	62,500
\$10,000 to \$14,999	8,200	22.1	14.8 - 29.4	3,700	10.1	5.9 - 14.4	8,300	22.6	16.7 - 28.6	16,700	45.2	36.7 - 53.7	36,900
\$15,000 to \$19,999	6,700	10.7	6.9 - 14.5	3,700	6.0	3.2 - 8.7	14,000	22.4	17.2 - 27.6	38,200	60.9	54.6 - 67.1	62,700
\$20,000 to \$24,999	11,400	14.9	10.5 - 19.2	6,100	8.0	4.2 - 11.7	16,300	21.3	16.8 - 25.8	42,900	55.9	49.8 - 62.1	76,700
\$25,000 to \$34,999	8,900	8.3	5.6 - 11.1	7,500	7.0	3.8 - 10.3	28,500	26.7	22.2 - 31.2	61,900	57.9	52.7 - 63.2	106,800
\$35,000 to \$49,999	11,200	8.9	6.6 - 11.3	4,600	3.7	1.8 - 5.6	37,100	29.6	25.3 - 33.8	72,600	57.8	53.2 - 62.4	125,600
\$50,000 to \$74,999	16,000	9.9	7.5 - 12.2	7,900	4.9	2.9 - 6.9	48,600	30.0	26.2 - 33.9	89,400	55.2	51.0 - 59.4	161,900
\$75,000 or more	18,000	6.0	4.4 - 7.5	6,300	2.1	1.2 - 3.0	86,000	28.4	25.6 - 31.2	192,100	63.5	60.5 - 66.6	302,300

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	10,900	14.7	9.6 - 19.8	6,200	8.4	3.6 - 13.2	14,600	19.6	15.2 - 24.0	42,500	57.3	50.6 - 63.9	74,200
131-185%	n/r	n/r	n/r	n/r	n/r	n/r	14,200	34.7	26.2 - 43.2	22,900	56.0	47.3 - 64.7	40,800
186+%	9,600	5.6	4.0 - 7.1	1,500	0.9	0.4 - 1.4	55,800	32.3	29.2 - 35.4	105,700	61.2	57.9 - 64.5	172,600

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	39,200	7.2	5.9 - 8.5	15,000	2.7	2.0 - 3.5	161,700	29.7	27.6 - 31.8	328,400	60.3	58.0 - 62.6	544,300
Unmarried Couple	1,800	7.7	3.4 - 12.0	n/r	n/r	n/r	7,200	30.8	21.4 - 40.1	12,600	53.9	43.6 - 64.2	23,400
Widowed	4,300	6.5	4.0 - 9.1	2,200	3.4	1.4 - 5.3	19,600	30.1	25.1 - 35.1	39,100	60.0	54.6 - 65.4	65,200
Other	55,100	13.5	11.7 - 15.2	28,000	6.8	5.4 - 8.3	81,800	20.0	17.9 - 22.0	244,500	59.7	57.1 - 62.4	409,500

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	44,400	7.9	6.6 - 9.1	15,900	2.8	2.0 - 3.6	167,400	29.6	27.5 - 31.7	337,800	59.7	57.5 - 62.0	565,500
No	56,000	11.8	10.3 - 13.3	31,000	6.5	5.2 - 7.9	102,400	21.6	19.7 - 23.5	284,100	60.0	57.6 - 62.4	473,500

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	88,000	9.2	8.2 - 10.2	41,500	4.3	3.6 - 5.1	253,000	26.4	24.9 - 27.9	574,800	60.0	58.4 - 61.7	957,200
No	12,200	14.8	10.6 - 18.9	5,000	6.0	3.4 - 8.7	17,300	20.9	15.7 - 26.1	48,200	58.3	52.0 - 64.6	82,600

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	96,200	9.0	8.0 - 9.9	46,900	4.4	3.7 - 5.0	292,500	27.3	25.8 - 28.7	637,500	59.4	57.8 - 61.0	1,073,100

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	12.7	10.0 - 15.3	7,300	5.0	3.4 - 6.6	40,200	27.5	24.5 - 30.5	80,300	54.9	51.3 - 58.4	146,400
Honolulu	59,000	7.9	6.7 - 9.2	30,900	4.2	3.3 - 5.0	196,500	26.5	24.5 - 28.4	455,800	61.4	59.3 - 63.5	742,200
Kauai	4,400	8.7	6.0 - 11.3	1,700	3.4	1.7 - 5.1	15,400	30.4	26.4 - 34.3	29,100	57.5	53.1 - 62.0	50,600
Maui	11,900	10.1	7.6 - 12.6	6,100	5.2	3.0 - 7.3	37,800	32.1	28.6 - 35.5	62,000	52.7	48.9 - 56.5	117,800

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,500	12.7	10.0 - 15.3	7,300	5.0	3.4 - 6.6	40,200	27.5	24.5 - 30.5	80,300	54.9	51.3 - 58.4	146,400
Kauai	4,400	8.7	6.0 - 11.3	1,700	3.4	1.7 - 5.1	15,400	30.4	26.4 - 34.3	29,100	57.5	53.1 - 62.0	50,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,200	56.8	34.7 - 79.0	2,100
Maui	11,000	9.9	7.3 - 12.6	5,600	5.1	2.9 - 7.3	35,900	32.6	29.0 - 36.2	57,700	52.4	48.4 - 56.3	110,300
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,600	30.0	14.9 - 45.2	3,100	57.1	41.6 - 72.5	5,400
Oahu	59,000	7.9	6.7 - 9.2	30,900	4.2	3.3 - 5.0	196,500	26.5	24.5 - 28.4	455,800	61.4	59.3 - 63.5	742,200

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	4,300	6.1	2.7 - 9.6	3,200	4.6	2.0 - 7.2	19,500	27.8	21.4 - 34.2	43,100	61.4	54.5 - 68.3	70,200
Ala Moana	4,600	13.7	7.1 - 20.4	n/r	n/r	n/r	8,400	25.2	18.3 - 32.1	18,400	55.5	47.1 - 64.0	33,200

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,800	8.8	4.9 - 12.7	n/r	n/r	n/r	6,900	33.5	27.2 - 39.8	10,900	53.3	46.4 - 60.1	20,500
Hilo	5,100	12.7	8.7 - 16.7	1,900	4.8	2.4 - 7.1	9,500	23.7	18.8 - 28.6	23,700	58.9	53.1 - 64.6	40,200
Kaaawa/ Kahaluu/ Kaneohe	3,700	7.2	3.2 - 11.2	n/r	n/r	n/r	13,900	26.9	19.9 - 33.9	32,800	63.4	55.9 - 70.9	51,700
Kahului	2,700	7.2	3.9 - 10.6	n/r	n/r	n/r	12,400	32.9	26.8 - 39.1	20,900	55.4	48.8 - 61.9	37,700
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	19,800	34.4	27.0 - 41.8	29,900	52.0	44.3 - 59.8	57,500
Kaimuki/ Palolo/ Waikiki	5,500	8.7	4.6 - 12.8	n/r	n/r	n/r	18,300	28.9	22.6 - 35.2	37,300	59.0	52.2 - 65.8	63,200
Kona	3,800	10.2	5.6 - 14.7	n/r	n/r	n/r	11,100	30.0	23.4 - 36.6	20,700	56.0	48.6 - 63.4	37,000
Lahaina/ Wailuku	3,700	10.7	6.4 - 14.9	n/r	n/r	n/r	11,800	33.7	27.4 - 39.9	18,100	51.3	44.7 - 57.9	35,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,200	56.8	34.7 - 79.0	2,100
Lihue-Waimea	2,600	8.6	5.1 - 12.2	n/r	n/r	n/r	8,500	28.3	23.2 - 33.4	18,200	60.4	54.6 - 66.3	30,100
Manoa/ Upper Makiki	4,400	8.7	4.8 - 12.6	n/r	n/r	n/r	11,600	22.8	17.5 - 28.1	33,100	65.1	58.7 - 71.5	50,900

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	7,000	9.7	4.5 - 14.9	n/r	n/r	n/r	21,300	29.4	22.5 - 36.4	40,400	55.8	48.4 - 63.3	72,300
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,600	30.0	14.9 - 45.2	3,100	57.1	41.6 - 72.5	5,400
Nanakuli/ Waianae	6,500	17.8	10.3 - 25.3	2,700	7.4	3.2 - 11.6	6,700	18.4	11.8 - 25.0	20,500	56.4	47.1 - 65.6	36,300
N.Hawaii	2,600	9.8	5.3 - 14.4	n/r	n/r	n/r	7,000	26.7	20.1 - 33.3	14,900	57.1	49.3 - 64.9	26,100
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	5,400	22.6	12.0 - 33.2	16,100	67.2	54.5 - 79.9	23,900
Nuuanu/ Kalihi/ Moanalua	3,600	5.2	2.8 - 7.6	n/r	n/r	n/r	14,700	21.5	15.3 - 27.8	46,600	68.2	61.5 - 74.9	68,200
Puna/ Kau	7,100	16.5	10.0 - 23.1	n/r	n/r	n/r	12,600	29.3	23.3 - 35.3	21,000	48.8	41.5 - 56.2	43,100
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	7,900	24.7	16.4 - 33.0	20,400	63.9	54.4 - 73.3	31,900
Upcountry/ Hana	4,500	12.0	6.4 - 17.7	n/r	n/r	n/r	11,600	31.1	25.0 - 37.3	18,800	50.3	43.0 - 57.7	37,300
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	12,700	29.1	22.0 - 36.3	29,800	68.6	61.4 - 75.8	43,500
Waipahu/ Kapolei/ Ewa	9,900	7.1	4.4 - 9.8	5,500	3.9	1.8 - 6.1	36,500	26.2	21.0 - 31.3	87,600	62.8	57.3 - 68.3	139,400

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	10,600	8.3	5.1 - 11.5	8,900	7.0	4.2 - 9.7	12,100	9.5	6.7 - 12.4	96,200	75.3	70.6 - 79.9	127,900
25-34	24,700	13.0	10.0 - 15.9	14,600	7.7	5.4 - 10.0	41,900	22.0	18.0 - 25.9	109,300	57.4	53.0 - 61.8	190,500
35-44	16,100	9.6	7.1 - 12.0	8,600	5.1	3.4 - 6.8	38,400	22.7	19.1 - 26.3	105,700	62.6	58.5 - 66.7	168,900
45-54	17,000	9.3	6.9 - 11.6	6,500	3.6	2.5 - 4.6	47,400	25.9	22.1 - 29.7	112,200	61.3	57.2 - 65.3	183,100
55-64	16,600	9.4	7.2 - 11.5	6,100	3.4	2.1 - 4.7	63,600	35.8	32.4 - 39.2	91,300	51.4	47.9 - 55.0	177,600
65-74	8,700	7.3	4.8 - 9.9	n/r	n/r	n/r	49,900	41.9	37.8 - 45.9	59,000	49.5	45.4 - 53.5	119,200
75+	n/r	n/r	n/r	n/r	n/r	n/r	37,600	38.8	34.0 - 43.5	56,800	58.6	53.8 - 63.4	97,100

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	33,000	9.6	7.8 - 11.3	12,400	3.6	2.6 - 4.6	109,800	31.8	29.4 - 34.2	190,000	55.0	52.4 - 57.7	345,200
Native Hawaiian	16,000	14.3	11.2 - 17.4	8,800	7.9	5.3 - 10.5	28,000	25.0	21.3 - 28.8	58,900	52.7	48.3 - 57.2	111,600
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	13,700	20.6	15.1 - 26.2	50,400	75.8	69.9 - 81.8	66,400
Filipino	13,900	7.8	4.9 - 10.6	9,700	5.4	3.3 - 7.6	40,900	22.8	18.5 - 27.2	114,400	63.9	59.2 - 68.7	178,900
Japanese	17,300	7.8	6.0 - 9.7	6,000	2.7	1.6 - 3.8	66,300	29.9	26.7 - 33.1	132,200	59.6	56.1 - 63.1	221,900
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	10,500	75.9	64.6 - 87.2	13,800
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,800
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	6,200	22.8	12.5 - 33.1	16,800	61.3	49.6 - 72.9	27,400
Other Pacific Islander	4,400	13.7	6.6 - 20.9	n/r	n/r	n/r	6,500	20.3	12.2 - 28.4	19,000	58.8	49.2 - 68.4	32,200
Other	n/r	n/r	n/r	n/r	n/r	n/r	7,000	20.2	13.1 - 27.3	24,300	69.7	60.8 - 78.5	34,900

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	54,600	10.3	8.8 - 11.7	29,000	5.4	4.4 - 6.5	166,300	31.2	29.0 - 33.4	282,900	53.1	50.7 - 55.5	532,900
Female	41,600	7.7	6.4 - 9.0	17,900	3.3	2.5 - 4.1	126,100	23.3	21.4 - 25.3	354,600	65.6	63.4 - 67.8	540,300

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	5,900	24.1	10.1 - 38.1	14,900	60.4	45.1 - 75.7	24,600
Grades 9 thru 11 (Some High School)	15,000	19.1	12.9 - 25.2	4,000	5.1	2.2 - 8.0	21,000	26.7	19.4 - 33.9	38,700	49.2	41.0 - 57.5	78,600
Grades 12 or GED (High School Grad)	36,900	11.6	9.7 - 13.4	17,800	5.6	4.3 - 6.9	85,600	26.8	24.2 - 29.5	178,500	56.0	53.0 - 59.0	318,900
College 1 to 3 years (Some College/ Tech)	30,500	8.5	6.8 - 10.2	16,100	4.5	3.3 - 5.7	108,500	30.3	27.5 - 33.0	203,200	56.7	53.8 - 59.7	358,300
College 4 years or more (College Grad)	11,000	3.8	2.9 - 4.6	8,000	2.8	1.8 - 3.7	70,800	24.3	22.3 - 26.3	201,300	69.1	67.0 - 71.3	291,100

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	57,100	8.6	7.5 - 9.8	34,700	5.2	4.3 - 6.2	170,800	25.8	23.9 - 27.7	399,500	60.3	58.2 - 62.4	662,100
Unemployed	12,600	19.1	13.2 - 24.9	3,600	5.4	3.1 - 7.8	13,400	20.2	15.4 - 25.1	36,600	55.3	48.5 - 62.0	66,200
Retired/Unable to work	18,900	7.7	5.8 - 9.7	4,900	2.0	1.3 - 2.7	93,100	38.2	35.2 - 41.2	127,000	52.1	49.0 - 55.2	243,900
Student/Homemaker	7,000	7.0	3.5 - 10.5	3,700	3.8	1.7 - 5.9	15,100	15.2	11.2 - 19.2	73,600	74.0	68.8 - 79.2	99,400

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	9,100	19.0	13.1 - 24.9	4,500	9.5	4.9 - 14.0	8,200	17.1	12.7 - 21.6	26,100	54.4	47.6 - 61.2	48,000
\$10,000 to \$14,999	5,300	13.3	7.0 - 19.7	n/r	n/r	n/r	9,300	23.5	16.4 - 30.5	23,500	59.0	50.7 - 67.3	39,800
\$15,000 to \$19,999	9,600	13.8	9.9 - 17.6	3,700	5.3	3.0 - 7.7	16,100	23.1	18.0 - 28.2	40,200	57.8	51.6 - 64.0	69,500
\$20,000 to \$24,999	7,500	10.5	6.8 - 14.3	4,900	6.9	4.0 - 9.7	19,000	26.5	21.3 - 31.6	40,200	56.1	50.1 - 62.0	71,600
\$25,000 to \$34,999	14,600	12.5	8.6 - 16.4	6,300	5.4	3.0 - 7.7	29,800	25.5	21.2 - 29.7	66,400	56.7	51.5 - 61.8	117,200
\$35,000 to \$49,999	10,700	7.3	5.2 - 9.4	6,400	4.4	2.6 - 6.2	44,300	30.4	26.2 - 34.6	84,300	57.9	53.5 - 62.3	145,700
\$50,000 to \$74,999	11,900	7.9	5.8 - 10.0	6,300	4.2	2.3 - 6.0	44,400	29.4	25.6 - 33.2	88,600	58.6	54.4 - 62.7	151,200
\$75,000 or more	19,000	6.1	4.5 - 7.7	8,100	2.6	1.6 - 3.6	98,500	31.4	28.5 - 34.3	187,800	59.9	56.9 - 63.0	313,500

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	14,300	11.8	8.0 - 15.6	5,200	4.4	2.5 - 6.2	28,600	23.7	19.2 - 28.2	72,400	60.1	54.7 - 65.5	120,400
131-185%	5,900	7.8	3.9 - 11.6	n/r	n/r	n/r	27,600	36.4	29.3 - 43.5	40,000	52.8	45.6 - 60.0	75,800
186+%	15,200	5.0	3.7 - 6.2	7,600	2.5	1.6 - 3.4	107,000	35.0	32.2 - 37.7	176,300	57.6	54.7 - 60.4	306,100

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	37,400	6.6	5.4 - 7.8	17,700	3.1	2.4 - 3.9	171,500	30.3	28.2 - 32.4	339,000	59.9	57.7 - 62.2	565,600
Unmarried Couple	3,900	10.3	4.4 - 16.2	n/r	n/r	n/r	10,300	27.3	16.6 - 38.1	21,700	57.9	47.1 - 68.7	37,600
Widowed	2,900	4.3	2.6 - 6.1	n/r	n/r	n/r	24,100	35.5	29.7 - 41.4	39,900	58.8	52.9 - 64.8	67,800
Other	52,000	12.9	11.0 - 14.8	26,700	6.6	5.3 - 8.0	86,600	21.5	19.5 - 23.6	236,900	58.9	56.3 - 61.5	402,200

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	40,900	7.0	5.8 - 8.3	18,300	3.2	2.4 - 3.9	175,000	30.1	28.1 - 32.2	346,400	59.6	57.5 - 61.8	580,600
No	55,300	11.3	9.7 - 12.9	28,500	5.8	4.7 - 7.0	116,600	23.8	21.8 - 25.9	289,000	59.1	56.6 - 61.5	489,400

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	82,700	8.4	7.4 - 9.4	37,600	3.8	3.2 - 4.5	275,800	28.0	26.5 - 29.6	588,200	59.8	58.1 - 61.5	984,300
No	13,500	15.7	11.4 - 20.0	9,300	10.8	7.1 - 14.5	16,400	19.0	15.1 - 22.9	47,000	54.5	49.1 - 59.9	86,300

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	109,300	10.2	9.1 - 11.4	46,200	4.3	3.6 - 5.0	273,300	25.6	24.1 - 27.1	639,300	59.8	58.1 - 61.5	1,068,200

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	17,700	12.3	9.7 - 15.0	5,800	4.0	2.7 - 5.3	43,900	30.6	27.1 - 34.1	76,300	53.1	49.3 - 56.9	143,600
Honolulu	73,500	9.9	8.5 - 11.3	30,800	4.1	3.2 - 5.1	177,700	24.0	22.1 - 25.8	459,900	62.0	59.8 - 64.2	741,800
Kauai	6,000	11.7	6.3 - 17.0	3,000	5.9	2.9 - 8.9	14,100	27.4	22.6 - 32.3	28,300	55.0	49.0 - 61.1	51,300
Maui	10,700	8.9	6.6 - 11.2	6,100	5.1	3.4 - 6.8	35,800	29.9	26.0 - 33.8	67,100	56.1	51.8 - 60.4	119,600

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	17,700	12.3	9.7 - 15.0	5,800	4.0	2.7 - 5.3	43,900	30.6	27.1 - 34.1	76,300	53.1	49.3 - 56.9	143,600
Kauai	6,000	11.7	6.3 - 17.0	3,000	5.9	2.9 - 8.9	14,100	27.4	22.6 - 32.3	28,300	55.0	49.0 - 61.1	51,300
Lanai	n/r	n/r	n/r	<50	n/r	n/r	600	19.6	10.1 - 29.2	2,100	73.1	61.1 - 85.1	2,900
Maui	9,700	8.9	6.6 - 11.2	5,700	5.2	3.3 - 7.1	33,900	30.9	26.7 - 35.1	60,300	55.0	50.4 - 59.5	109,600
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,300	18.5	7.8 - 29.2	4,700	65.8	50.3 - 81.4	7,100
Oahu	73,500	9.9	8.5 - 11.3	30,800	4.1	3.2 - 5.1	177,700	24.0	22.1 - 25.8	459,900	62.0	59.8 - 64.2	741,800

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	11,500	16.4	8.9 - 23.9	n/r	n/r	n/r	16,600	23.7	17.9 - 29.5	38,300	54.7	47.1 - 62.3	70,000
Ala Moana	3,600	9.9	6.0 - 13.8	n/r	n/r	n/r	6,300	17.3	11.4 - 23.2	24,100	66.6	57.8 - 75.3	36,100

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	n/r	n/r	n/r	7,200	31.0	23.2 - 38.9	12,400	53.1	43.5 - 62.6	23,300
Hilo	5,300	12.7	8.0 - 17.4	1,500	3.7	1.8 - 5.6	11,200	27.1	20.9 - 33.3	23,400	56.5	49.6 - 63.4	41,500
Kaaawa/ Kahaluu/ Kaneohe	4,400	8.5	3.9 - 13.2	n/r	n/r	n/r	15,000	29.2	21.9 - 36.5	31,300	61.1	53.3 - 69.0	51,200
Kahului	3,500	10.2	5.5 - 15.0	n/r	n/r	n/r	8,800	25.9	17.9 - 33.8	20,200	59.6	51.0 - 68.2	33,900
Kailua/ Waimanalo	n/r	n/r	n/r	n/r	n/r	n/r	15,900	29.7	22.0 - 37.5	31,000	57.9	49.8 - 65.9	53,500
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	2,100	3.1	1.5 - 4.8	20,300	29.9	23.4 - 36.3	41,300	60.9	54.1 - 67.7	67,900
Kona	2,900	9.4	5.2 - 13.7	n/r	n/r	n/r	10,400	33.3	26.5 - 40.1	16,600	53.2	45.9 - 60.5	31,200
Lahaina/ Wailuku	3,200	7.8	4.3 - 11.3	n/r	n/r	n/r	14,000	34.5	27.4 - 41.5	22,000	54.2	46.8 - 61.7	40,500
Lanai	n/r	n/r	n/r	<50	n/r	n/r	600	19.6	10.1 - 29.2	2,100	73.1	61.1 - 85.1	2,900
Lihue-Waimea	3,500	12.4	6.9 - 17.9	n/r	n/r	n/r	6,900	24.4	18.4 - 30.5	15,900	56.7	49.0 - 64.3	28,100
Manoa/ Upper Makiki	5,400	10.7	6.4 - 15.0	1,300	2.6	1.1 - 4.1	11,600	23.1	17.2 - 29.0	32,000	63.7	56.9 - 70.5	50,200

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	10,400	13.8	8.1 - 19.5	2,900	3.9	1.7 - 6.1	21,800	29.1	22.4 - 35.7	40,000	53.3	45.8 - 60.7	75,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,300	18.5	7.8 - 29.2	4,700	65.8	50.3 - 81.4	7,100
Nanakuli/ Waianae	5,900	14.6	6.3 - 22.9	n/r	n/r	n/r	7,600	18.8	11.1 - 26.5	23,700	58.3	47.0 - 69.7	40,700
N.Hawaii	3,000	10.8	5.3 - 16.3	n/r	n/r	n/r	7,800	27.6	20.5 - 34.8	15,900	56.7	48.5 - 64.8	28,000
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	4,500	19.1	11.5 - 26.6	15,400	64.9	54.6 - 75.2	23,700
Nuuanu/ Kalihi/ Moanalua	8,500	13.2	8.6 - 17.9	n/r	n/r	n/r	9,000	14.1	10.2 - 18.0	44,400	69.5	63.0 - 75.9	64,000
Puna/ Kau	6,500	15.0	9.2 - 20.9	1,600	3.7	1.6 - 5.7	14,500	33.8	26.4 - 41.2	20,300	47.4	39.6 - 55.3	42,900
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	8,800	27.9	18.2 - 37.5	20,600	65.2	55.4 - 75.0	31,600
Upcountry/ Hana	3,100	8.8	5.0 - 12.6	2,900	8.1	3.6 - 12.7	11,200	31.7	25.0 - 38.4	18,100	51.4	43.7 - 59.0	35,200
Waialae/ Kahala/ Hawaii Kai	1,900	4.2	1.8 - 6.6	n/r	n/r	n/r	11,100	24.3	18.0 - 30.7	31,000	68.1	61.1 - 75.1	45,500
Waipahu/ Kapolei/ Ewa	10,700	8.1	5.1 - 11.0	5,600	4.2	1.8 - 6.7	29,300	22.1	17.3 - 27.0	86,800	65.6	60.1 - 71.1	132,400

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	13,200	10.2	6.8 - 13.6	9,500	7.4	4.4 - 10.3	10,000	7.8	5.1 - 10.5	96,500	74.6	69.8 - 79.5	129,300
25-34	28,300	15.4	11.9 - 18.9	13,000	7.1	4.7 - 9.4	32,700	17.8	14.5 - 21.1	109,600	59.7	55.3 - 64.1	183,600
35-44	19,700	11.4	9.0 - 13.8	6,000	3.5	2.2 - 4.7	38,200	22.0	18.1 - 26.0	109,500	63.1	58.8 - 67.4	173,500
45-54	22,600	12.0	8.6 - 15.4	7,900	4.2	2.7 - 5.8	45,100	24.0	20.4 - 27.6	112,300	59.8	55.5 - 64.1	187,800
55-64	17,000	9.6	7.4 - 11.9	6,700	3.8	2.0 - 5.6	61,600	35.0	31.4 - 38.6	90,700	51.5	47.7 - 55.3	176,100
65-74	6,700	5.8	3.8 - 7.7	2,100	1.8	1.0 - 2.7	49,100	42.5	38.0 - 46.9	57,800	49.9	45.4 - 54.4	115,700
75+	n/r	n/r	n/r	n/r	n/r	n/r	35,200	37.0	32.3 - 41.6	57,700	60.6	55.9 - 65.3	95,200

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	33,400	10.1	8.4 - 11.9	13,700	4.2	3.2 - 5.1	102,000	31.0	28.5 - 33.4	180,300	54.7	52.0 - 57.5	329,400
Native Hawaiian	18,700	14.9	10.8 - 19.0	8,900	7.1	4.4 - 9.8	29,000	23.0	19.1 - 27.0	69,400	55.1	49.9 - 60.2	126,100
Chinese	2,600	3.8	2.0 - 5.6	n/r	n/r	n/r	12,000	17.2	12.5 - 21.8	54,500	77.8	72.8 - 82.8	70,000
Filipino	16,700	10.0	6.7 - 13.4	7,400	4.5	2.0 - 6.9	28,500	17.1	13.2 - 21.1	113,700	68.4	63.4 - 73.3	166,300
Japanese	19,000	8.0	5.9 - 10.2	6,200	2.6	1.4 - 3.8	69,100	29.2	25.9 - 32.5	142,400	60.2	56.6 - 63.8	236,700
Black	n/r	n/r	n/r	n/r	n/r	n/r	3,300	17.3	8.3 - 26.3	12,700	66.7	54.8 - 78.5	19,100
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	1,500	27.5	11.8 - 43.3	2,500	46.0	26.4 - 65.6	5,500
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	6,000	19.9	10.4 - 29.4	18,700	61.9	50.7 - 73.1	30,200
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	4,000	17.9	10.3 - 25.6	13,100	58.9	46.8 - 71.1	22,200
Other	2,900	10.3	5.0 - 15.5	n/r	n/r	n/r	7,300	26.2	16.6 - 35.7	14,700	52.6	40.8 - 64.4	27,900

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	67,300	12.7	10.9 - 14.5	25,600	4.8	3.8 - 5.9	156,700	29.6	27.3 - 31.8	280,700	52.9	50.4 - 55.4	530,400
Female	42,000	7.8	6.5 - 9.1	20,600	3.8	2.8 - 4.8	116,600	21.7	19.8 - 23.6	358,600	66.7	64.5 - 68.9	537,800

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	11,400	64.3	47.3 - 81.2	17,700
Grades 9 thru 11 (Some High School)	16,500	19.3	12.8 - 25.9	n/r	n/r	n/r	24,300	28.4	20.9 - 35.8	42,100	49.2	40.8 - 57.7	85,600
Grades 12 or GED (High School Grad)	43,300	13.4	11.2 - 15.6	18,100	5.6	4.4 - 6.9	82,200	25.5	22.8 - 28.2	178,500	55.4	52.3 - 58.6	322,100
College 1 to 3 years (Some College/ Tech)	34,100	9.6	7.8 - 11.5	17,900	5.0	3.4 - 6.7	97,200	27.4	24.7 - 30.1	205,300	57.9	54.8 - 61.0	354,500
College 4 years or more (College Grad)	11,700	4.1	3.1 - 5.1	6,700	2.3	1.7 - 3.0	67,500	23.5	21.5 - 25.5	201,100	70.1	67.9 - 72.3	287,000

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	66,100	10.5	9.1 - 11.9	28,500	4.5	3.5 - 5.5	144,500	22.9	21.1 - 24.7	392,000	62.1	59.9 - 64.3	631,100
Unemployed	14,000	18.4	12.4 - 24.3	n/r	n/r	n/r	22,300	29.2	21.8 - 36.6	35,000	45.9	38.0 - 53.9	76,300
Retired/Unable to work	23,000	9.3	6.9 - 11.8	7,100	2.9	2.0 - 3.7	91,100	36.9	33.9 - 39.9	125,500	50.9	47.7 - 54.1	246,700
Student/Homemaker	5,900	5.3	3.2 - 7.4	5,700	5.1	2.9 - 7.2	14,400	12.8	9.5 - 16.0	86,400	76.9	72.6 - 81.1	112,400

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	9,900	18.7	11.6 - 25.8	4,300	8.2	4.7 - 11.7	10,100	19.2	12.0 - 26.4	28,400	53.9	45.5 - 62.3	52,700
\$10,000 to \$14,999	5,400	14.2	8.2 - 20.1	2,600	6.9	3.3 - 10.4	8,900	23.4	15.0 - 31.8	21,100	55.5	45.7 - 65.4	37,900
\$15,000 to \$19,999	10,200	16.7	11.3 - 22.2	n/r	n/r	n/r	13,900	22.8	16.9 - 28.6	32,200	52.7	45.8 - 59.7	61,100
\$20,000 to \$24,999	9,500	13.2	9.1 - 17.2	3,200	4.4	2.4 - 6.3	19,200	26.5	21.1 - 31.9	40,400	55.9	49.5 - 62.4	72,300
\$25,000 to \$34,999	14,200	13.0	8.9 - 17.1	6,700	6.1	3.2 - 9.1	26,900	24.6	20.0 - 29.3	61,400	56.2	50.7 - 61.7	109,200
\$35,000 to \$49,999	16,000	10.8	7.7 - 13.9	7,000	4.7	2.7 - 6.8	37,200	25.2	21.6 - 28.8	87,600	59.3	54.8 - 63.7	147,900
\$50,000 to \$74,999	15,500	10.2	7.5 - 12.9	6,000	3.9	1.8 - 6.0	46,000	30.3	26.4 - 34.3	84,300	55.6	51.2 - 59.9	151,700
\$75,000 or more	18,400	5.8	4.3 - 7.3	8,100	2.6	1.6 - 3.5	87,100	27.3	24.6 - 30.1	204,800	64.3	61.4 - 67.2	318,400

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	21,900	14.3	9.7 - 18.8	10,300	6.7	3.6 - 9.8	33,000	21.5	16.8 - 26.3	88,200	57.5	51.5 - 63.6	153,400
131-185%	6,800	7.6	4.3 - 10.9	n/r	n/r	n/r	26,100	29.2	23.0 - 35.3	54,300	60.8	54.3 - 67.3	89,300
186+%	23,000	6.3	4.7 - 7.8	10,200	2.8	1.6 - 3.9	115,000	31.3	28.7 - 33.9	219,700	59.7	56.9 - 62.5	367,900

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	36,000	6.9	5.6 - 8.2	14,200	2.7	2.0 - 3.5	155,300	29.7	27.6 - 31.9	316,900	60.7	58.3 - 63.0	522,500
Unmarried Couple	4,200	11.7	6.8 - 16.5	n/r	n/r	n/r	11,900	33.4	23.0 - 43.7	15,700	43.9	34.3 - 53.4	35,800
Widowed	5,100	6.6	4.1 - 9.1	1,200	1.5	0.7 - 2.4	22,700	29.2	24.2 - 34.3	48,600	62.7	57.1 - 68.2	77,600
Other	64,000	14.8	12.6 - 17.0	26,900	6.2	4.8 - 7.6	83,400	19.3	17.2 - 21.4	258,000	59.7	56.9 - 62.5	432,300

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	37,900	7.1	5.8 - 8.4	15,400	2.9	2.2 - 3.6	158,200	29.6	27.5 - 31.7	322,500	60.4	58.1 - 62.7	534,000
No	71,000	13.4	11.5 - 15.2	30,800	5.8	4.6 - 7.0	114,800	21.6	19.6 - 23.6	315,000	59.2	56.7 - 61.8	531,600

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	92,100	9.6	8.5 - 10.8	36,900	3.9	3.1 - 4.6	249,100	26.0	24.5 - 27.6	578,400	60.5	58.7 - 62.2	956,500
No	17,100	15.5	10.9 - 20.2	9,100	8.3	5.5 - 11.2	23,900	21.8	16.8 - 26.7	59,800	54.4	48.4 - 60.4	109,900

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	127,500	12.2	11.0 - 13.4	48,700	4.6	3.8 - 5.5	271,300	25.9	24.5 - 27.3	599,900	57.3	55.6 - 59.0	1,047,400

County	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	21,700	14.8	12.2 - 17.5	6,300	4.3	2.9 - 5.8	40,700	27.9	24.7 - 31.1	77,400	53.0	49.2 - 56.7	146,100
Honolulu	83,700	11.6	10.0 - 13.1	34,500	4.8	3.7 - 5.9	183,200	25.3	23.5 - 27.2	421,900	58.3	56.1 - 60.6	723,400
Kauai	8,100	15.4	10.3 - 20.6	2,400	4.6	2.0 - 7.3	14,600	27.8	22.7 - 33.0	27,400	52.1	46.2 - 58.1	52,500
Maui	12,700	10.9	8.2 - 13.6	4,500	3.9	2.2 - 5.5	31,000	26.6	23.3 - 29.8	68,300	58.6	54.8 - 62.5	116,500

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	21,700	14.8	12.2 - 17.5	6,300	4.3	2.9 - 5.8	40,700	27.9	24.7 - 31.1	77,400	53.0	49.2 - 56.7	146,100
Kauai	8,100	15.4	10.3 - 20.6	2,400	4.6	2.0 - 7.3	14,600	27.8	22.7 - 33.0	27,400	52.1	46.2 - 58.1	52,500
Lanai	200	5.9	2.5 - 9.3	n/r	n/r	n/r	1,000	26.7	19.2 - 34.1	2,400	62.2	53.5 - 70.9	3,800
Maui	11,900	11.5	8.4 - 14.5	4,000	3.8	2.0 - 5.7	27,500	26.6	23.0 - 30.2	60,000	58.1	53.8 - 62.3	103,300
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,500	26.5	19.3 - 33.8	5,900	63.2	54.9 - 71.5	9,400
Oahu	83,700	11.6	10.0 - 13.1	34,500	4.8	3.7 - 5.9	183,200	25.3	23.5 - 27.2	421,900	58.3	56.1 - 60.6	723,400

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,000	11.0	5.9 - 16.2	n/r	n/r	n/r	17,700	28.0	21.8 - 34.3	35,900	56.8	49.8 - 63.8	63,200
Ala Moana	5,600	18.1	9.4 - 26.8	n/r	n/r	n/r	8,100	26.1	18.3 - 33.9	15,700	50.8	41.7 - 59.9	31,000

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	3,500	14.3	7.6 - 21.1	n/r	n/r	n/r	6,400	26.4	18.4 - 34.4	13,200	54.0	45.0 - 63.1	24,400
Hilo	5,800	14.0	9.2 - 18.7	n/r	n/r	n/r	11,600	28.1	22.6 - 33.7	22,200	53.9	47.1 - 60.8	41,200
Kaaawa/ Kahaluu/ Kaneohe	5,600	11.3	5.9 - 16.6	n/r	n/r	n/r	16,700	33.4	25.5 - 41.3	25,500	51.0	42.6 - 59.5	49,900
Kahului	2,900	7.9	4.0 - 11.7	n/r	n/r	n/r	10,400	27.9	21.6 - 34.1	23,400	62.8	56.0 - 69.7	37,300
Kailua/ Waimanalo	8,100	15.1	7.8 - 22.4	n/r	n/r	n/r	15,100	28.1	20.7 - 35.4	27,200	50.5	41.6 - 59.5	53,700
Kaimuki/ Palolo/ Waikiki	5,600	8.9	4.8 - 12.9	2,700	4.3	1.8 - 6.7	17,000	26.7	20.6 - 32.7	38,400	60.2	53.4 - 67.1	63,700
Kona	3,900	13.6	8.6 - 18.6	n/r	n/r	n/r	9,200	31.9	24.9 - 39.0	14,300	49.5	41.5 - 57.5	28,900
Lahaina/ Wailuku	5,400	16.3	9.4 - 23.2	n/r	n/r	n/r	7,900	23.8	17.9 - 29.7	19,100	57.6	49.9 - 65.2	33,200
Lanai	200	5.9	2.5 - 9.3	n/r	n/r	n/r	1,000	26.7	19.2 - 34.1	2,400	62.2	53.5 - 70.9	3,800
Lihue-Waimea	4,600	16.4	8.8 - 24.0	n/r	n/r	n/r	8,200	29.0	22.4 - 35.7	14,200	50.5	42.6 - 58.3	28,100
Manoa/ Upper Makiki	n/r	n/r	n/r	n/r	n/r	n/r	12,900	28.0	22.0 - 33.9	28,000	60.4	53.4 - 67.3	46,300

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	7,300	10.8	6.8 - 14.8	n/r	n/r	n/r	16,500	24.3	18.0 - 30.5	40,200	59.2	51.8 - 66.6	67,800
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	2,500	26.5	19.3 - 33.8	5,900	63.2	54.9 - 71.5	9,400
Nanakuli/ Waianae	6,400	21.0	11.1 - 30.8	n/r	n/r	n/r	7,100	23.2	14.2 - 32.2	13,600	44.4	33.9 - 54.9	30,700
N.Hawaii	4,400	13.9	8.2 - 19.7	n/r	n/r	n/r	6,800	21.6	16.2 - 27.0	19,000	60.9	53.4 - 68.3	31,300
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	7,100	29.4	16.7 - 42.1	12,500	51.6	38.2 - 64.9	24,200
Nuuanu/ Kalihi/ Moanalua	10,100	14.4	8.5 - 20.3	n/r	n/r	n/r	13,800	19.6	14.1 - 25.1	42,500	60.5	52.9 - 68.0	70,300
Puna/ Kau	7,700	17.1	11.5 - 22.8	2,100	4.7	2.1 - 7.3	13,200	29.4	22.5 - 36.4	21,800	48.8	41.4 - 56.1	44,700
Salt Lake/ Foster Village	3,500	9.4	4.3 - 14.5	n/r	n/r	n/r	6,300	16.8	9.9 - 23.7	27,300	72.9	64.7 - 81.2	37,400
Upcountry/ Hana	3,500	10.8	6.2 - 15.3	n/r	n/r	n/r	9,200	28.0	21.4 - 34.5	17,500	53.2	45.8 - 60.6	32,800
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	n/r	n/r	n/r	13,200	30.1	23.3 - 36.8	26,200	59.7	51.5 - 67.8	43,900
Waipahu/ Kapolei/ Ewa	15,200	10.8	7.3 - 14.2	n/r	n/r	n/r	31,900	22.5	18.0 - 27.1	89,100	63.1	57.6 - 68.6	141,300

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	17,900	14.4	9.2 - 19.5	10,900	8.8	4.5 - 13.1	8,700	7.0	3.8 - 10.2	86,800	69.8	63.2 - 76.4	124,300
25-34	33,800	17.2	13.7 - 20.7	13,400	6.8	4.5 - 9.1	41,900	21.3	17.6 - 25.0	107,500	54.7	50.1 - 59.3	196,600
35-44	21,600	12.2	9.3 - 15.2	8,100	4.6	2.8 - 6.4	37,900	21.5	17.7 - 25.3	108,600	61.7	57.3 - 66.0	176,100
45-54	26,500	14.7	11.9 - 17.4	6,200	3.5	2.1 - 4.8	43,900	24.3	20.9 - 27.8	103,800	57.5	53.7 - 61.4	180,500
55-64	17,700	11.0	9.0 - 12.9	6,000	3.7	2.6 - 4.8	55,400	34.3	31.3 - 37.3	82,400	51.0	47.8 - 54.2	161,500
65-74	5,600	5.6	3.9 - 7.3	2,400	2.4	1.4 - 3.4	41,900	41.7	37.9 - 45.6	50,400	50.2	46.3 - 54.1	100,400
75+	4,200	4.1	1.7 - 6.5	n/r	n/r	n/r	40,700	40.0	35.7 - 44.3	55,700	54.8	50.4 - 59.2	101,600

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	43,800	12.4	10.4 - 14.5	18,600	5.3	3.8 - 6.7	111,900	31.7	29.2 - 34.3	178,300	50.6	47.7 - 53.4	352,800
Native Hawaiian	22,500	20.4	16.1 - 24.6	8,100	7.3	4.4 - 10.2	28,400	25.6	21.4 - 29.9	51,700	46.7	41.9 - 51.6	110,700
Chinese	n/r	n/r	n/r	n/r	n/r	n/r	9,300	14.6	10.2 - 19.1	49,000	77.1	70.6 - 83.5	63,600
Filipino	15,300	8.2	5.8 - 10.5	8,500	4.5	2.2 - 6.8	33,900	18.0	14.4 - 21.6	130,300	69.3	65.0 - 73.7	187,900
Japanese	20,200	9.2	7.1 - 11.4	5,800	2.7	1.5 - 3.8	63,200	28.9	25.9 - 31.8	129,600	59.2	55.9 - 62.5	218,700
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	9,700	66.9	52.2 - 81.6	14,400
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,900
Other Asian	4,400	16.0	8.3 - 23.6	n/r	n/r	n/r	7,100	25.8	16.3 - 35.3	13,800	50.0	39.4 - 60.6	27,700
Other Pacific Islander	6,600	25.7	11.7 - 39.7	n/r	n/r	n/r	3,900	15.1	7.2 - 22.9	14,300	55.6	41.9 - 69.4	25,800
Other	6,500	18.3	10.1 - 26.6	n/r	n/r	n/r	6,800	19.0	12.0 - 26.1	18,700	52.6	41.9 - 63.2	35,600

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	72,300	13.8	11.9 - 15.7	30,900	5.9	4.5 - 7.3	154,300	29.5	27.3 - 31.7	265,800	50.8	48.2 - 53.4	523,400
Female	55,200	10.5	9.0 - 12.0	17,700	3.4	2.5 - 4.2	116,900	22.3	20.5 - 24.2	334,100	63.8	61.5 - 66.0	524,000

Education Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	5,000	20.3	9.1 - 31.4	17,400	70.1	57.6 - 82.6	24,800
Grades 9 thru 11 (Some High School)	23,200	28.6	20.7 - 36.5	6,400	7.9	3.5 - 12.2	20,200	24.9	17.4 - 32.3	31,300	38.6	30.5 - 46.7	81,100
Grades 12 or GED (High School Grad)	51,200	16.1	13.7 - 18.5	18,500	5.8	4.1 - 7.5	84,200	26.5	23.7 - 29.2	164,200	51.6	48.3 - 54.9	318,200
College 1 to 3 years (Some College/ Tech)	38,000	11.1	9.3 - 12.9	17,500	5.1	3.5 - 6.6	96,300	28.1	25.4 - 30.7	191,100	55.7	52.7 - 58.8	342,900
College 4 years or more (College Grad)	12,800	4.6	3.6 - 5.6	6,100	2.2	1.6 - 2.8	65,500	23.4	21.5 - 25.3	195,000	69.8	67.7 - 71.9	279,400

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	73,200	11.9	10.4 - 13.4	29,900	4.9	3.8 - 5.9	149,200	24.2	22.3 - 26.1	364,300	59.1	56.8 - 61.3	616,700
Unemployed	23,900	30.4	23.5 - 37.3	6,600	8.4	4.7 - 12.2	16,200	20.5	14.6 - 26.5	32,000	40.6	33.7 - 47.5	78,700
Retired/Unable to work	20,200	8.6	6.8 - 10.5	6,600	2.8	1.9 - 3.8	89,100	38.1	35.3 - 41.0	117,800	50.4	47.5 - 53.3	233,700
Student/Homemaker	10,200	8.7	4.9 - 12.4	n/r	n/r	n/r	16,700	14.2	10.5 - 18.0	84,900	72.4	66.9 - 77.9	117,200

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	11,800	26.7	18.4 - 35.0	4,300	9.8	4.3 - 15.3	7,900	17.9	11.6 - 24.3	20,100	45.5	37.4 - 53.6	44,200
\$10,000 to \$14,999	9,600	26.2	17.7 - 34.7	n/r	n/r	n/r	6,900	18.8	12.5 - 25.2	16,200	44.5	35.9 - 53.1	36,500
\$15,000 to \$19,999	12,100	19.8	13.4 - 26.3	n/r	n/r	n/r	14,300	23.5	17.6 - 29.4	32,400	53.2	45.5 - 60.9	60,800
\$20,000 to \$24,999	14,400	18.6	13.2 - 24.0	4,700	6.0	3.1 - 9.0	18,000	23.3	17.9 - 28.7	40,300	52.1	45.4 - 58.7	77,400
\$25,000 to \$34,999	15,100	14.4	10.4 - 18.4	6,900	6.5	3.0 - 10.1	27,800	26.5	22.2 - 30.8	55,100	52.6	47.3 - 57.8	104,800
\$35,000 to \$49,999	17,100	12.1	8.7 - 15.6	7,400	5.3	2.6 - 8.0	41,300	29.3	25.4 - 33.2	75,100	53.3	48.7 - 57.9	141,000
\$50,000 to \$74,999	18,700	10.7	7.8 - 13.5	7,800	4.5	2.8 - 6.2	45,700	26.1	22.3 - 29.8	102,900	58.8	54.4 - 63.1	175,100
\$75,000 or more	20,100	6.6	5.1 - 8.2	8,000	2.6	1.6 - 3.7	86,300	28.5	25.8 - 31.3	188,100	62.2	59.2 - 65.2	302,500

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	30,000	18.1	14.1 - 22.0	9,800	5.9	3.2 - 8.6	34,400	20.7	16.9 - 24.5	91,900	55.4	50.4 - 60.3	165,900
131-185%	14,200	12.5	8.3 - 16.7	5,900	5.2	2.3 - 8.1	31,700	27.9	23.6 - 32.2	61,800	54.4	49.0 - 59.8	113,700
186+%	33,800	7.5	6.1 - 8.9	13,400	3.0	2.1 - 3.9	132,400	29.4	27.2 - 31.6	271,000	60.1	57.7 - 62.6	450,600

Marital Status (Grouped)	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	38,500	7.6	6.4 - 8.8	13,300	2.6	2.0 - 3.3	153,600	30.3	28.3 - 32.4	301,000	59.4	57.3 - 61.6	506,400
Unmarried Couple	8,700	18.4	11.3 - 25.4	n/r	n/r	n/r	11,700	24.8	17.4 - 32.2	20,500	43.4	34.2 - 52.6	47,200
Widowed	5,100	6.7	3.9 - 9.6	n/r	n/r	n/r	24,600	32.3	27.7 - 37.0	44,900	58.8	53.9 - 63.7	76,200
Other	75,200	18.0	15.6 - 20.4	27,500	6.6	5.0 - 8.2	81,400	19.5	17.2 - 21.7	233,600	55.9	52.8 - 59.0	417,600

Smoke - 4 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	42,400	8.1	6.9 - 9.4	14,000	2.7	2.0 - 3.3	157,900	30.3	28.3 - 32.3	307,100	58.9	56.7 - 61.1	521,400
No	85,100	16.3	14.2 - 18.3	34,700	6.6	5.1 - 8.1	112,400	21.5	19.5 - 23.5	291,300	55.6	53.0 - 58.3	523,500

Health Care Coverage	Current smoker (smokes everyday)			Current smoker (smokes some days)			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	103,700	11.0	9.8 - 12.2	40,900	4.3	3.5 - 5.2	250,700	26.6	25.0 - 28.1	548,700	58.1	56.3 - 59.9	943,900
No	22,700	22.6	16.9 - 28.2	7,800	7.7	4.5 - 11.0	20,500	20.3	15.7 - 25.0	49,600	49.4	43.1 - 55.6	100,500