

Smoke - 3 level smoking status, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Smoke - 3 level smoking status	Cigarette smoking status (3 Levels)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/19/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Smoke - 3 level smoking status, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	176,200	16.8	15.4 - 18.2	271,300	25.9	24.5 - 27.3	599,900	57.3	55.6 - 59.0	1,047,400
2012	155,600	14.6	13.3 - 15.8	273,300	25.6	24.1 - 27.1	639,300	59.8	58.1 - 61.5	1,068,200
2013	143,100	13.3	12.2 - 14.5	292,500	27.3	25.8 - 28.7	637,500	59.4	57.8 - 61.0	1,073,100
2014	147,300	14.1	13.0 - 15.3	270,400	25.9	24.5 - 27.4	624,700	59.9	58.3 - 61.6	1,042,400



Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	147,300	14.1	13.0 - 15.3	270,400	25.9	24.5 - 27.4	624,700	59.9	58.3 - 61.6	1,042,400

County	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,700	20.3	17.0 - 23.6	40,900	28.9	25.9 - 31.9	71,900	50.8	47.2 - 54.4	141,400
Honolulu	94,500	13.4	11.9 - 14.9	174,400	24.7	22.8 - 26.6	436,500	61.9	59.7 - 64.0	705,400
Kauai	7,500	14.6	11.1 - 18.1	13,700	26.8	22.9 - 30.8	29,900	58.6	54.0 - 63.1	51,100
Maui	14,800	12.4	9.9 - 15.0	37,100	31.1	27.8 - 34.4	67,200	56.4	52.8 - 60.0	119,100

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,700	20.3	17.0 - 23.6	40,900	28.9	25.9 - 31.9	71,900	50.8	47.2 - 54.4	141,400
Kauai	7,500	14.6	11.1 - 18.1	13,700	26.8	22.9 - 30.8	29,900	58.6	54.0 - 63.1	51,100
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Maui	12,300	11.2	8.7 - 13.6	35,400	32.2	28.7 - 35.7	62,300	56.6	52.9 - 60.4	110,100
Molokai	1,600	23.3	12.0 - 34.6	1,300	18.9	9.3 - 28.6	4,000	57.8	45.6 - 70.0	7,000
Oahu	94,500	13.4	11.9 - 14.9	174,400	24.7	22.8 - 26.6	436,500	61.9	59.7 - 64.0	705,400

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	8,400	13.5	8.9 - 18.0	14,800	23.8	17.7 - 29.9	39,100	62.7	55.6 - 69.8	62,300
Ala Moana	4,900	15.3	7.8 - 22.8	6,800	21.3	14.4 - 28.1	20,400	63.5	54.3 - 72.7	32,100

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,100	10.7	6.3 - 15.1	5,400	27.1	21.3 - 32.9	12,400	62.2	55.6 - 68.9	19,900
Hilo	6,300	16.8	11.2 - 22.4	10,000	26.6	21.3 - 31.8	21,300	56.6	50.2 - 63.1	37,600
Kaaawa/ Kahaluu/ Kaneohe	8,800	17.4	10.4 - 24.4	11,600	22.8	16.5 - 29.2	30,200	59.7	51.6 - 67.9	50,600
Kahului	3,700	10.3	5.8 - 14.9	11,800	32.7	26.2 - 39.2	20,600	57.0	50.0 - 63.9	36,200
Kailua/ Waimanalo	4,800	9.5	5.2 - 13.8	12,700	25.2	18.6 - 31.8	32,800	65.3	57.8 - 72.8	50,300
Kaimuki/ Palolo/ Waikiki	4,300	7.6	4.3 - 11.0	13,700	24.3	18.5 - 30.1	38,500	68.1	61.8 - 74.4	56,500
Kona	7,100	21.6	14.2 - 29.0	9,200	28.3	22.0 - 34.5	16,400	50.2	42.4 - 57.9	32,700
Lahaina/ Wailuku	5,300	13.5	9.1 - 17.9	12,100	31.0	25.5 - 36.5	21,600	55.5	49.4 - 61.6	39,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Lihue-Waimea	5,300	17.1	12.1 - 22.0	8,300	26.7	21.3 - 32.0	17,500	56.2	50.2 - 62.3	31,200
Manoa/ Upper Makiki	4,700	10.3	6.0 - 14.5	10,500	22.8	17.0 - 28.6	30,900	66.9	60.2 - 73.7	46,100

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	11,400	19.7	13.5 - 26.0	13,100	22.7	16.5 - 29.0	33,200	57.5	49.8 - 65.2	57,700
Molokai	1,600	23.3	12.0 - 34.6	1,300	18.9	9.3 - 28.6	4,000	57.8	45.6 - 70.0	7,000
Nanakuli/ Waianae	9,200	21.9	15.1 - 28.7	9,900	23.7	16.2 - 31.2	22,700	54.3	45.1 - 63.5	41,900
N.Hawaii	4,300	16.3	10.4 - 22.1	7,300	27.8	21.4 - 34.1	14,700	56.0	48.4 - 63.5	26,200
N.Shore/ Laie	n/r	n/r	n/r	5,200	19.9	9.8 - 30.1	16,100	61.6	49.2 - 74.0	26,100
Nuuanu/ Kalihi/ Moanalua	10,600	14.8	9.8 - 19.9	17,500	24.6	18.6 - 30.7	43,200	60.6	53.6 - 67.5	71,300
Puna/ Kau	11,100	24.6	18.1 - 31.1	14,400	32.0	26.0 - 37.9	19,500	43.4	36.8 - 50.0	44,900
Salt Lake/ Foster Village	n/r	n/r	n/r	8,700	31.3	19.8 - 42.9	16,900	60.7	49.0 - 72.5	27,900
Upcountry/ Hana	3,300	9.4	5.7 - 13.1	11,500	33.0	26.8 - 39.2	20,100	57.6	51.0 - 64.2	34,900
Waialae/ Kahala/ Hawaii Kai	4,000	7.9	3.5 - 12.4	15,100	30.3	22.6 - 37.9	30,800	61.8	53.7 - 69.9	49,900
Waipahu/ Kapolei/ Ewa	16,400	12.4	8.7 - 16.1	34,600	26.1	21.0 - 31.1	81,800	61.5	56.0 - 67.1	132,800

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	15,500	12.8	9.1 - 16.6	11,100	9.2	5.9 - 12.6	94,000	78.0	73.2 - 82.7	120,600
25-34	37,800	20.2	16.5 - 23.8	34,400	18.3	14.9 - 21.8	115,100	61.5	57.1 - 65.9	187,200
35-44	27,200	16.7	13.4 - 20.0	43,200	26.6	22.4 - 30.8	92,200	56.7	52.1 - 61.3	162,600
45-54	29,000	17.7	14.6 - 20.8	36,800	22.5	19.1 - 25.9	97,800	59.8	55.8 - 63.8	163,600
55-64	23,500	13.4	11.1 - 15.6	58,600	33.3	30.1 - 36.4	94,200	53.4	50.0 - 56.8	176,400
65-74	11,000	9.2	6.9 - 11.6	47,300	39.6	35.9 - 43.4	61,000	51.1	47.2 - 55.0	119,400
75+	2,400	2.5	1.3 - 3.6	35,800	37.3	32.6 - 41.9	57,900	60.3	55.5 - 65.0	96,000

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	39,200	12.0	10.1 - 13.8	109,600	33.5	30.8 - 36.1	178,500	54.6	51.7 - 57.4	327,200
Native Hawaiian	35,000	27.0	22.8 - 31.2	27,300	21.0	17.7 - 24.4	67,300	52.0	47.4 - 56.5	129,600
Chinese	3,700	6.8	3.0 - 10.6	10,800	19.8	14.0 - 25.7	39,800	73.4	66.8 - 79.9	54,300
Filipino	19,600	11.5	8.8 - 14.2	27,500	16.1	12.8 - 19.3	124,000	72.5	68.5 - 76.4	171,200
Japanese	18,900	8.8	6.7 - 10.8	62,400	29.0	25.7 - 32.3	134,100	62.3	58.7 - 65.8	215,400
Black	5,100	20.0	8.3 - 31.6	5,100	19.8	8.5 - 31.1	15,500	60.2	46.1 - 74.3	25,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	3,300	48.4	28.7 - 68.2	6,800
Other Asian	4,500	18.2	9.4 - 27.0	4,100	16.6	9.8 - 23.4	16,100	65.2	54.9 - 75.4	24,700
Other Pacific Islander	6,300	27.4	17.8 - 37.0	4,000	17.4	8.9 - 25.8	12,700	55.3	44.6 - 65.9	23,100
Other	4,500	19.0	11.4 - 26.6	6,100	25.6	17.6 - 33.6	13,200	55.4	46.1 - 64.6	23,800

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	84,400	16.2	14.4 - 17.9	151,800	29.1	27.0 - 31.2	286,000	54.8	52.4 - 57.1	522,300
Female	62,900	12.1	10.5 - 13.7	118,600	22.8	20.9 - 24.7	338,600	65.1	62.9 - 67.3	520,100

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	3,000	15.1	7.0 - 23.2	14,800	74.8	64.4 - 85.2	19,800
Grades 9 thru 11 (Some High School)	22,200	28.6	21.1 - 36.2	15,800	20.4	14.3 - 26.6	39,400	50.9	42.2 - 59.6	77,400
Grades 12 or GED (High School Grad)	56,500	18.7	16.4 - 21.0	83,800	27.8	25.1 - 30.5	161,500	53.5	50.5 - 56.6	301,800
College 1 to 3 years (Some College/ Tech)	49,900	14.2	12.2 - 16.2	98,600	28.1	25.4 - 30.8	202,700	57.7	54.7 - 60.7	351,200
College 4 years or more (College Grad)	16,700	5.8	4.6 - 7.0	68,600	23.7	21.6 - 25.8	203,900	70.5	68.3 - 72.8	289,200

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	95,300	14.8	13.3 - 16.3	156,900	24.4	22.5 - 26.2	391,500	60.8	58.7 - 62.9	643,700
Unemployed	15,800	26.9	20.5 - 33.3	11,200	19.0	14.2 - 23.9	31,900	54.1	47.0 - 61.2	58,900
Retired/Unable to work	25,100	10.6	8.8 - 12.4	86,000	36.4	33.6 - 39.3	125,000	53.0	50.0 - 56.0	236,100
Student/Homemaker	10,800	10.7	6.5 - 14.9	16,200	16.1	11.7 - 20.5	73,800	73.2	67.6 - 78.8	100,800

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	17,600	28.1	21.2 - 35.0	12,800	20.4	14.9 - 25.9	32,200	51.5	43.9 - 59.2	62,500
\$10,000 to \$14,999	11,900	32.2	24.4 - 40.1	8,300	22.6	16.7 - 28.6	16,700	45.2	36.7 - 53.7	36,900
\$15,000 to \$19,999	10,500	16.7	12.2 - 21.2	14,000	22.4	17.2 - 27.6	38,200	60.9	54.6 - 67.1	62,700
\$20,000 to \$24,999	17,500	22.8	17.5 - 28.2	16,300	21.3	16.8 - 25.8	42,900	55.9	49.8 - 62.1	76,700
\$25,000 to \$34,999	16,400	15.4	11.3 - 19.4	28,500	26.7	22.2 - 31.2	61,900	57.9	52.7 - 63.2	106,800
\$35,000 to \$49,999	15,900	12.6	9.7 - 15.6	37,100	29.6	25.3 - 33.8	72,600	57.8	53.2 - 62.4	125,600
\$50,000 to \$74,999	23,900	14.7	11.8 - 17.7	48,600	30.0	26.2 - 33.9	89,400	55.2	51.0 - 59.4	161,900
\$75,000 or more	24,300	8.0	6.3 - 9.8	86,000	28.4	25.6 - 31.2	192,100	63.5	60.5 - 66.6	302,300

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	17,200	23.1	16.8 - 29.5	14,600	19.6	15.2 - 24.0	42,500	57.3	50.6 - 63.9	74,200
131-185%	3,800	9.2	3.9 - 14.5	14,200	34.7	26.2 - 43.2	22,900	56.0	47.3 - 64.7	40,800
186+%	11,100	6.5	4.8 - 8.1	55,800	32.3	29.2 - 35.4	105,700	61.2	57.9 - 64.5	172,600

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	54,200	10.0	8.5 - 11.4	161,700	29.7	27.6 - 31.8	328,400	60.3	58.0 - 62.6	544,300
Unmarried Couple	3,600	15.3	8.0 - 22.7	7,200	30.8	21.4 - 40.1	12,600	53.9	43.6 - 64.2	23,400
Widowed	6,400	9.9	6.7 - 13.1	19,600	30.1	25.1 - 35.1	39,100	60.0	54.6 - 65.4	65,200
Other	83,100	20.3	18.1 - 22.4	81,800	20.0	17.9 - 22.0	244,500	59.7	57.1 - 62.4	409,500

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	60,300	10.7	9.2 - 12.1	167,400	29.6	27.5 - 31.7	337,800	59.7	57.5 - 62.0	565,500
No	87,000	18.4	16.5 - 20.3	102,400	21.6	19.7 - 23.5	284,100	60.0	57.6 - 62.4	473,500

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	129,500	13.5	12.3 - 14.7	253,000	26.4	24.9 - 27.9	574,800	60.0	58.4 - 61.7	957,200
No	17,200	20.8	16.0 - 25.6	17,300	20.9	15.7 - 26.1	48,200	58.3	52.0 - 64.6	82,600

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	143,100	13.3	12.2 - 14.5	292,500	27.3	25.8 - 28.7	637,500	59.4	57.8 - 61.0	1,073,100

County	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,800	17.6	14.7 - 20.6	40,200	27.5	24.5 - 30.5	80,300	54.9	51.3 - 58.4	146,400
Honolulu	89,900	12.1	10.7 - 13.5	196,500	26.5	24.5 - 28.4	455,800	61.4	59.3 - 63.5	742,200
Kauai	6,100	12.1	9.0 - 15.1	15,400	30.4	26.4 - 34.3	29,100	57.5	53.1 - 62.0	50,600
Maui	18,000	15.3	12.2 - 18.4	37,800	32.1	28.6 - 35.5	62,000	52.7	48.9 - 56.5	117,800

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	25,800	17.6	14.7 - 20.6	40,200	27.5	24.5 - 30.5	80,300	54.9	51.3 - 58.4	146,400
Kauai	6,100	12.1	9.0 - 15.1	15,400	30.4	26.4 - 34.3	29,100	57.5	53.1 - 62.0	50,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,200	56.8	34.7 - 79.0	2,100
Maui	16,600	15.1	11.8 - 18.3	35,900	32.6	29.0 - 36.2	57,700	52.4	48.4 - 56.3	110,300
Molokai	n/r	n/r	n/r	1,600	30.0	14.9 - 45.2	3,100	57.1	41.6 - 72.5	5,400
Oahu	89,900	12.1	10.7 - 13.5	196,500	26.5	24.5 - 28.4	455,800	61.4	59.3 - 63.5	742,200

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,600	10.8	6.5 - 15.0	19,500	27.8	21.4 - 34.2	43,100	61.4	54.5 - 68.3	70,200
Ala Moana	6,400	19.3	11.9 - 26.6	8,400	25.2	18.3 - 32.1	18,400	55.5	47.1 - 64.0	33,200

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,700	13.2	8.6 - 17.9	6,900	33.5	27.2 - 39.8	10,900	53.3	46.4 - 60.1	20,500
Hilo	7,000	17.4	13.0 - 21.9	9,500	23.7	18.8 - 28.6	23,700	58.9	53.1 - 64.6	40,200
Kaaawa/ Kahaluu/ Kaneohe	5,000	9.8	5.4 - 14.1	13,900	26.9	19.9 - 33.9	32,800	63.4	55.9 - 70.9	51,700
Kahului	4,400	11.7	7.4 - 16.0	12,400	32.9	26.8 - 39.1	20,900	55.4	48.8 - 61.9	37,700
Kailua/ Waimanalo	7,800	13.6	7.8 - 19.3	19,800	34.4	27.0 - 41.8	29,900	52.0	44.3 - 59.8	57,500
Kaimuki/ Palolo/ Waikiki	7,700	12.1	7.6 - 16.7	18,300	28.9	22.6 - 35.2	37,300	59.0	52.2 - 65.8	63,200
Kona	5,200	14.0	9.0 - 19.1	11,100	30.0	23.4 - 36.6	20,700	56.0	48.6 - 63.4	37,000
Lahaina/ Wailuku	5,300	15.0	9.9 - 20.1	11,800	33.7	27.4 - 39.9	18,100	51.3	44.7 - 57.9	35,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,200	56.8	34.7 - 79.0	2,100
Lihue-Waimea	3,400	11.3	7.3 - 15.3	8,500	28.3	23.2 - 33.4	18,200	60.4	54.6 - 66.3	30,100
Manoa/ Upper Makiki	6,200	12.2	7.6 - 16.7	11,600	22.8	17.5 - 28.1	33,100	65.1	58.7 - 71.5	50,900

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	10,700	14.8	9.0 - 20.5	21,300	29.4	22.5 - 36.4	40,400	55.8	48.4 - 63.3	72,300
Molokai	n/r	n/r	n/r	1,600	30.0	14.9 - 45.2	3,100	57.1	41.6 - 72.5	5,400
Nanakuli/ Waianae	9,200	25.2	17.0 - 33.4	6,700	18.4	11.8 - 25.0	20,500	56.4	47.1 - 65.6	36,300
N.Hawaii	4,200	16.2	9.9 - 22.5	7,000	26.7	20.1 - 33.3	14,900	57.1	49.3 - 64.9	26,100
N.Shore/ Laie	n/r	n/r	n/r	5,400	22.6	12.0 - 33.2	16,100	67.2	54.5 - 79.9	23,900
Nuuanu/ Kalihi/ Moanalua	7,000	10.2	6.3 - 14.2	14,700	21.5	15.3 - 27.8	46,600	68.2	61.5 - 74.9	68,200
Puna/ Kau	9,400	21.8	14.9 - 28.8	12,600	29.3	23.3 - 35.3	21,000	48.8	41.5 - 56.2	43,100
Salt Lake/ Foster Village	3,600	11.4	5.3 - 17.5	7,900	24.7	16.4 - 33.0	20,400	63.9	54.4 - 73.3	31,900
Upcountry/ Hana	6,900	18.5	11.5 - 25.5	11,600	31.1	25.0 - 37.3	18,800	50.3	43.0 - 57.7	37,300
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	12,700	29.1	22.0 - 36.3	29,800	68.6	61.4 - 75.8	43,500
Waipahu/ Kapolei/ Ewa	15,400	11.0	7.7 - 14.4	36,500	26.2	21.0 - 31.3	87,600	62.8	57.3 - 68.3	139,400

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	19,500	15.2	11.2 - 19.3	12,100	9.5	6.7 - 12.4	96,200	75.3	70.6 - 79.9	127,900
25-34	39,300	20.6	17.1 - 24.2	41,900	22.0	18.0 - 25.9	109,300	57.4	53.0 - 61.8	190,500
35-44	24,800	14.7	11.8 - 17.5	38,400	22.7	19.1 - 26.3	105,700	62.6	58.5 - 66.7	168,900
45-54	23,500	12.8	10.3 - 15.4	47,400	25.9	22.1 - 29.7	112,200	61.3	57.2 - 65.3	183,100
55-64	22,700	12.8	10.3 - 15.2	63,600	35.8	32.4 - 39.2	91,300	51.4	47.9 - 55.0	177,600
65-74	10,400	8.7	6.0 - 11.4	49,900	41.9	37.8 - 45.9	59,000	49.5	45.4 - 53.5	119,200
75+	2,600	2.7	1.2 - 4.1	37,600	38.8	34.0 - 43.5	56,800	58.6	53.8 - 63.4	97,100

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	45,400	13.1	11.2 - 15.1	109,800	31.8	29.4 - 34.2	190,000	55.0	52.4 - 57.7	345,200
Native Hawaiian	24,800	22.2	18.5 - 26.0	28,000	25.0	21.3 - 28.8	58,900	52.7	48.3 - 57.2	111,600
Chinese	n/r	n/r	n/r	13,700	20.6	15.1 - 26.2	50,400	75.8	69.9 - 81.8	66,400
Filipino	23,700	13.2	9.8 - 16.6	40,900	22.8	18.5 - 27.2	114,400	63.9	59.2 - 68.7	178,900
Japanese	23,300	10.5	8.4 - 12.6	66,300	29.9	26.7 - 33.1	132,200	59.6	56.1 - 63.1	221,900
Black	n/r	n/r	n/r	n/r	n/r	n/r	10,500	75.9	64.6 - 87.2	13,800
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,800
Other Asian	4,400	15.9	7.1 - 24.8	6,200	22.8	12.5 - 33.1	16,800	61.3	49.6 - 72.9	27,400
Other Pacific Islander	6,700	20.9	12.6 - 29.2	6,500	20.3	12.2 - 28.4	19,000	58.8	49.2 - 68.4	32,200
Other	3,500	10.2	4.3 - 16.0	7,000	20.2	13.1 - 27.3	24,300	69.7	60.8 - 78.5	34,900

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	83,600	15.7	13.9 - 17.4	166,300	31.2	29.0 - 33.4	282,900	53.1	50.7 - 55.5	532,900
Female	59,500	11.0	9.5 - 12.5	126,100	23.3	21.4 - 25.3	354,600	65.6	63.4 - 67.8	540,300

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	5,900	24.1	10.1 - 38.1	14,900	60.4	45.1 - 75.7	24,600
Grades 9 thru 11 (Some High School)	19,000	24.1	17.6 - 30.7	21,000	26.7	19.4 - 33.9	38,700	49.2	41.0 - 57.5	78,600
Grades 12 or GED (High School Grad)	54,700	17.2	15.0 - 19.4	85,600	26.8	24.2 - 29.5	178,500	56.0	53.0 - 59.0	318,900
College 1 to 3 years (Some College/ Tech)	46,600	13.0	11.0 - 15.0	108,500	30.3	27.5 - 33.0	203,200	56.7	53.8 - 59.7	358,300
College 4 years or more (College Grad)	19,000	6.5	5.3 - 7.8	70,800	24.3	22.3 - 26.3	201,300	69.1	67.0 - 71.3	291,100

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	91,800	13.9	12.4 - 15.3	170,800	25.8	23.9 - 27.7	399,500	60.3	58.2 - 62.4	662,100
Unemployed	16,200	24.5	18.5 - 30.5	13,400	20.2	15.4 - 25.1	36,600	55.3	48.5 - 62.0	66,200
Retired/Unable to work	23,800	9.7	7.7 - 11.8	93,100	38.2	35.2 - 41.2	127,000	52.1	49.0 - 55.2	243,900
Student/Homemaker	10,700	10.8	6.8 - 14.8	15,100	15.2	11.2 - 19.2	73,600	74.0	68.8 - 79.2	99,400

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	13,700	28.5	21.8 - 35.1	8,200	17.1	12.7 - 21.6	26,100	54.4	47.6 - 61.2	48,000
\$10,000 to \$14,999	7,000	17.5	10.9 - 24.2	9,300	23.5	16.4 - 30.5	23,500	59.0	50.7 - 67.3	39,800
\$15,000 to \$19,999	13,300	19.1	14.7 - 23.5	16,100	23.1	18.0 - 28.2	40,200	57.8	51.6 - 64.0	69,500
\$20,000 to \$24,999	12,500	17.4	12.9 - 21.9	19,000	26.5	21.3 - 31.6	40,200	56.1	50.1 - 62.0	71,600
\$25,000 to \$34,999	21,000	17.9	13.6 - 22.2	29,800	25.5	21.2 - 29.7	66,400	56.7	51.5 - 61.8	117,200
\$35,000 to \$49,999	17,100	11.7	9.1 - 14.4	44,300	30.4	26.2 - 34.6	84,300	57.9	53.5 - 62.3	145,700
\$50,000 to \$74,999	18,200	12.0	9.3 - 14.8	44,400	29.4	25.6 - 33.2	88,600	58.6	54.4 - 62.7	151,200
\$75,000 or more	27,100	8.7	6.8 - 10.5	98,500	31.4	28.5 - 34.3	187,800	59.9	56.9 - 63.0	313,500

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	19,500	16.2	12.1 - 20.3	28,600	23.7	19.2 - 28.2	72,400	60.1	54.7 - 65.5	120,400
131-185%	8,200	10.8	6.5 - 15.2	27,600	36.4	29.3 - 43.5	40,000	52.8	45.6 - 60.0	75,800
186+%	22,900	7.5	6.0 - 9.0	107,000	35.0	32.2 - 37.7	176,300	57.6	54.7 - 60.4	306,100

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	55,100	9.7	8.4 - 11.1	171,500	30.3	28.2 - 32.4	339,000	59.9	57.7 - 62.2	565,600
Unmarried Couple	5,600	14.8	8.0 - 21.6	10,300	27.3	16.6 - 38.1	21,700	57.9	47.1 - 68.7	37,600
Widowed	3,800	5.6	3.6 - 7.6	24,100	35.5	29.7 - 41.4	39,900	58.8	52.9 - 64.8	67,800
Other	78,700	19.6	17.4 - 21.8	86,600	21.5	19.5 - 23.6	236,900	58.9	56.3 - 61.5	402,200

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	59,200	10.2	8.8 - 11.6	175,000	30.1	28.1 - 32.2	346,400	59.6	57.5 - 61.8	580,600
No	83,800	17.1	15.2 - 19.0	116,600	23.8	21.8 - 25.9	289,000	59.1	56.6 - 61.5	489,400

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	120,300	12.2	11.1 - 13.4	275,800	28.0	26.5 - 29.6	588,200	59.8	58.1 - 61.5	984,300
No	22,900	26.5	21.3 - 31.6	16,400	19.0	15.1 - 22.9	47,000	54.5	49.1 - 59.9	86,300

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	155,600	14.6	13.3 - 15.8	273,300	25.6	24.1 - 27.1	639,300	59.8	58.1 - 61.5	1,068,200

County	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,500	16.3	13.5 - 19.2	43,900	30.6	27.1 - 34.1	76,300	53.1	49.3 - 56.9	143,600
Honolulu	104,200	14.1	12.4 - 15.7	177,700	24.0	22.1 - 25.8	459,900	62.0	59.8 - 64.2	741,800
Kauai	9,000	17.6	11.8 - 23.3	14,100	27.4	22.6 - 32.3	28,300	55.0	49.0 - 61.1	51,300
Maui	16,800	14.0	11.2 - 16.8	35,800	29.9	26.0 - 33.8	67,100	56.1	51.8 - 60.4	119,600

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	23,500	16.3	13.5 - 19.2	43,900	30.6	27.1 - 34.1	76,300	53.1	49.3 - 56.9	143,600
Kauai	9,000	17.6	11.8 - 23.3	14,100	27.4	22.6 - 32.3	28,300	55.0	49.0 - 61.1	51,300
Lanai	n/r	n/r	n/r	600	19.6	10.1 - 29.2	2,100	73.1	61.1 - 85.1	2,900
Maui	15,500	14.1	11.2 - 17.0	33,900	30.9	26.7 - 35.1	60,300	55.0	50.4 - 59.5	109,600
Molokai	n/r	n/r	n/r	1,300	18.5	7.8 - 29.2	4,700	65.8	50.3 - 81.4	7,100
Oahu	104,200	14.1	12.4 - 15.7	177,700	24.0	22.1 - 25.8	459,900	62.0	59.8 - 64.2	741,800

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	15,100	21.6	13.8 - 29.3	16,600	23.7	17.9 - 29.5	38,300	54.7	47.1 - 62.3	70,000
Ala Moana	5,800	16.1	8.9 - 23.3	6,300	17.3	11.4 - 23.2	24,100	66.6	57.8 - 75.3	36,100

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	7,200	31.0	23.2 - 38.9	12,400	53.1	43.5 - 62.6	23,300
Hilo	6,800	16.4	11.5 - 21.4	11,200	27.1	20.9 - 33.3	23,400	56.5	49.6 - 63.4	41,500
Kaaawa/ Kahaluu/ Kaneohe	4,900	9.6	4.9 - 14.4	15,000	29.2	21.9 - 36.5	31,300	61.1	53.3 - 69.0	51,200
Kahului	4,900	14.5	9.1 - 19.9	8,800	25.9	17.9 - 33.8	20,200	59.6	51.0 - 68.2	33,900
Kailua/ Waimanalo	6,600	12.4	6.9 - 17.9	15,900	29.7	22.0 - 37.5	31,000	57.9	49.8 - 65.9	53,500
Kaimuki/ Palolo/ Waikiki	6,300	9.2	5.3 - 13.1	20,300	29.9	23.4 - 36.3	41,300	60.9	54.1 - 67.7	67,900
Kona	4,200	13.5	8.2 - 18.9	10,400	33.3	26.5 - 40.1	16,600	53.2	45.9 - 60.5	31,200
Lahaina/ Wailuku	4,600	11.3	7.3 - 15.3	14,000	34.5	27.4 - 41.5	22,000	54.2	46.8 - 61.7	40,500
Lanai	n/r	n/r	n/r	600	19.6	10.1 - 29.2	2,100	73.1	61.1 - 85.1	2,900
Lihue-Waimea	5,300	18.9	12.2 - 25.7	6,900	24.4	18.4 - 30.5	15,900	56.7	49.0 - 64.3	28,100
Manoa/ Upper Makiki	6,700	13.2	8.7 - 17.8	11,600	23.1	17.2 - 29.0	32,000	63.7	56.9 - 70.5	50,200

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	13,300	17.7	11.8 - 23.6	21,800	29.1	22.4 - 35.7	40,000	53.3	45.8 - 60.7	75,100
Molokai	n/r	n/r	n/r	1,300	18.5	7.8 - 29.2	4,700	65.8	50.3 - 81.4	7,100
Nanakuli/ Waianae	9,300	22.9	13.1 - 32.7	7,600	18.8	11.1 - 26.5	23,700	58.3	47.0 - 69.7	40,700
N.Hawaii	4,400	15.7	9.4 - 21.9	7,800	27.6	20.5 - 34.8	15,900	56.7	48.5 - 64.8	28,000
N.Shore/ Laie	3,800	16.0	7.5 - 24.5	4,500	19.1	11.5 - 26.6	15,400	64.9	54.6 - 75.2	23,700
Nuuanu/ Kalihi/ Moanalua	10,500	16.5	10.8 - 22.2	9,000	14.1	10.2 - 18.0	44,400	69.5	63.0 - 75.9	64,000
Puna/ Kau	8,000	18.7	12.7 - 24.8	14,500	33.8	26.4 - 41.2	20,300	47.4	39.6 - 55.3	42,900
Salt Lake/ Foster Village	n/r	n/r	n/r	8,800	27.9	18.2 - 37.5	20,600	65.2	55.4 - 75.0	31,600
Upcountry/ Hana	6,000	16.9	11.2 - 22.6	11,200	31.7	25.0 - 38.4	18,100	51.4	43.7 - 59.0	35,200
Waialae/ Kahala/ Hawaii Kai	3,400	7.6	4.2 - 11.0	11,100	24.3	18.0 - 30.7	31,000	68.1	61.1 - 75.1	45,500
Waipahu/ Kapolei/ Ewa	16,300	12.3	8.6 - 16.0	29,300	22.1	17.3 - 27.0	86,800	65.6	60.1 - 71.1	132,400

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	22,800	17.6	13.3 - 21.9	10,000	7.8	5.1 - 10.5	96,500	74.6	69.8 - 79.5	129,300
25-34	41,300	22.5	18.6 - 26.5	32,700	17.8	14.5 - 21.1	109,600	59.7	55.3 - 64.1	183,600
35-44	25,700	14.8	12.2 - 17.5	38,200	22.0	18.1 - 26.0	109,500	63.1	58.8 - 67.4	173,500
45-54	30,500	16.2	12.6 - 19.8	45,100	24.0	20.4 - 27.6	112,300	59.8	55.5 - 64.1	187,800
55-64	23,700	13.5	10.7 - 16.3	61,600	35.0	31.4 - 38.6	90,700	51.5	47.7 - 55.3	176,100
65-74	8,800	7.6	5.5 - 9.7	49,100	42.5	38.0 - 46.9	57,800	49.9	45.4 - 54.4	115,700
75+	2,300	2.5	1.1 - 3.8	35,200	37.0	32.3 - 41.6	57,700	60.6	55.9 - 65.3	95,200

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	47,100	14.3	12.4 - 16.2	102,000	31.0	28.5 - 33.4	180,300	54.7	52.0 - 57.5	329,400
Native Hawaiian	27,600	21.9	17.3 - 26.5	29,000	23.0	19.1 - 27.0	69,400	55.1	49.9 - 60.2	126,100
Chinese	3,500	5.0	3.0 - 7.1	12,000	17.2	12.5 - 21.8	54,500	77.8	72.8 - 82.8	70,000
Filipino	24,100	14.5	10.5 - 18.5	28,500	17.1	13.2 - 21.1	113,700	68.4	63.4 - 73.3	166,300
Japanese	25,200	10.7	8.2 - 13.1	69,100	29.2	25.9 - 32.5	142,400	60.2	56.6 - 63.8	236,700
Black	3,100	16.0	7.8 - 24.2	3,300	17.3	8.3 - 26.3	12,700	66.7	54.8 - 78.5	19,100
Native Alaskan/ American Indian	n/r	n/r	n/r	1,500	27.5	11.8 - 43.3	2,500	46.0	26.4 - 65.6	5,500
Other Asian	5,500	18.2	9.3 - 27.1	6,000	19.9	10.4 - 29.4	18,700	61.9	50.7 - 73.1	30,200
Other Pacific Islander	5,100	23.2	11.6 - 34.7	4,000	17.9	10.3 - 25.6	13,100	58.9	46.8 - 71.1	22,200
Other	5,900	21.2	11.3 - 31.2	7,300	26.2	16.6 - 35.7	14,700	52.6	40.8 - 64.4	27,900

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	93,000	17.5	15.5 - 19.5	156,700	29.6	27.3 - 31.8	280,700	52.9	50.4 - 55.4	530,400
Female	62,600	11.6	10.1 - 13.2	116,600	21.7	19.8 - 23.6	358,600	66.7	64.5 - 68.9	537,800

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	11,400	64.3	47.3 - 81.2	17,700
Grades 9 thru 11 (Some High School)	19,200	22.4	15.6 - 29.2	24,300	28.4	20.9 - 35.8	42,100	49.2	40.8 - 57.7	85,600
Grades 12 or GED (High School Grad)	61,300	19.0	16.6 - 21.5	82,200	25.5	22.8 - 28.2	178,500	55.4	52.3 - 58.6	322,100
College 1 to 3 years (Some College/ Tech)	52,000	14.7	12.3 - 17.0	97,200	27.4	24.7 - 30.1	205,300	57.9	54.8 - 61.0	354,500
College 4 years or more (College Grad)	18,400	6.4	5.3 - 7.6	67,500	23.5	21.5 - 25.5	201,100	70.1	67.9 - 72.3	287,000

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	94,600	15.0	13.3 - 16.7	144,500	22.9	21.1 - 24.7	392,000	62.1	59.9 - 64.3	631,100
Unemployed	19,000	24.9	18.1 - 31.6	22,300	29.2	21.8 - 36.6	35,000	45.9	38.0 - 53.9	76,300
Retired/Unable to work	30,100	12.2	9.7 - 14.7	91,100	36.9	33.9 - 39.9	125,500	50.9	47.7 - 54.1	246,700
Student/Homemaker	11,600	10.4	7.4 - 13.3	14,400	12.8	9.5 - 16.0	86,400	76.9	72.6 - 81.1	112,400

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	14,200	26.9	19.4 - 34.4	10,100	19.2	12.0 - 26.4	28,400	53.9	45.5 - 62.3	52,700
\$10,000 to \$14,999	8,000	21.0	14.1 - 27.9	8,900	23.4	15.0 - 31.8	21,100	55.5	45.7 - 65.4	37,900
\$15,000 to \$19,999	15,000	24.5	18.0 - 31.0	13,900	22.8	16.9 - 28.6	32,200	52.7	45.8 - 59.7	61,100
\$20,000 to \$24,999	12,700	17.5	13.1 - 22.0	19,200	26.5	21.1 - 31.9	40,400	55.9	49.5 - 62.4	72,300
\$25,000 to \$34,999	20,900	19.1	14.4 - 23.9	26,900	24.6	20.0 - 29.3	61,400	56.2	50.7 - 61.7	109,200
\$35,000 to \$49,999	23,000	15.6	12.0 - 19.2	37,200	25.2	21.6 - 28.8	87,600	59.3	54.8 - 63.7	147,900
\$50,000 to \$74,999	21,400	14.1	10.9 - 17.4	46,000	30.3	26.4 - 34.3	84,300	55.6	51.2 - 59.9	151,700
\$75,000 or more	26,600	8.3	6.6 - 10.1	87,100	27.3	24.6 - 30.1	204,800	64.3	61.4 - 67.2	318,400

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	32,100	20.9	15.7 - 26.2	33,000	21.5	16.8 - 26.3	88,200	57.5	51.5 - 63.6	153,400
131-185%	9,000	10.0	6.4 - 13.6	26,100	29.2	23.0 - 35.3	54,300	60.8	54.3 - 67.3	89,300
186+%	33,200	9.0	7.2 - 10.8	115,000	31.3	28.7 - 33.9	219,700	59.7	56.9 - 62.5	367,900

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	50,200	9.6	8.1 - 11.1	155,300	29.7	27.6 - 31.9	316,900	60.7	58.3 - 63.0	522,500
Unmarried Couple	8,200	22.8	14.4 - 31.2	11,900	33.4	23.0 - 43.7	15,700	43.9	34.3 - 53.4	35,800
Widowed	6,300	8.1	5.5 - 10.8	22,700	29.2	24.2 - 34.3	48,600	62.7	57.1 - 68.2	77,600
Other	90,900	21.0	18.6 - 23.5	83,400	19.3	17.2 - 21.4	258,000	59.7	56.9 - 62.5	432,300

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	53,300	10.0	8.5 - 11.4	158,200	29.6	27.5 - 31.7	322,500	60.4	58.1 - 62.7	534,000
No	101,800	19.2	17.1 - 21.2	114,800	21.6	19.6 - 23.6	315,000	59.2	56.7 - 61.8	531,600

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	129,000	13.5	12.2 - 14.8	249,100	26.0	24.5 - 27.6	578,400	60.5	58.7 - 62.2	956,500
No	26,200	23.8	18.7 - 29.0	23,900	21.8	16.8 - 26.7	59,800	54.4	48.4 - 60.4	109,900

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	176,200	16.8	15.4 - 18.2	271,300	25.9	24.5 - 27.3	599,900	57.3	55.6 - 59.0	1,047,400

County	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,000	19.2	16.2 - 22.1	40,700	27.9	24.7 - 31.1	77,400	53.0	49.2 - 56.7	146,100
Honolulu	118,200	16.3	14.5 - 18.2	183,200	25.3	23.5 - 27.2	421,900	58.3	56.1 - 60.6	723,400
Kauai	10,500	20.1	14.6 - 25.6	14,600	27.8	22.7 - 33.0	27,400	52.1	46.2 - 58.1	52,500
Maui	17,200	14.8	11.7 - 17.9	31,000	26.6	23.3 - 29.8	68,300	58.6	54.8 - 62.5	116,500

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	28,000	19.2	16.2 - 22.1	40,700	27.9	24.7 - 31.1	77,400	53.0	49.2 - 56.7	146,100
Kauai	10,500	20.1	14.6 - 25.6	14,600	27.8	22.7 - 33.0	27,400	52.1	46.2 - 58.1	52,500
Lanai	400	11.1	5.7 - 16.5	1,000	26.7	19.2 - 34.1	2,400	62.2	53.5 - 70.9	3,800
Maui	15,800	15.3	11.9 - 18.7	27,500	26.6	23.0 - 30.2	60,000	58.1	53.8 - 62.3	103,300
Molokai	1,000	10.3	5.0 - 15.5	2,500	26.5	19.3 - 33.8	5,900	63.2	54.9 - 71.5	9,400
Oahu	118,200	16.3	14.5 - 18.2	183,200	25.3	23.5 - 27.2	421,900	58.3	56.1 - 60.6	723,400

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,600	15.2	9.5 - 20.9	17,700	28.0	21.8 - 34.3	35,900	56.8	49.8 - 63.8	63,200
Ala Moana	7,200	23.1	14.1 - 32.1	8,100	26.1	18.3 - 33.9	15,700	50.8	41.7 - 59.9	31,000

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	4,800	19.5	11.8 - 27.3	6,400	26.4	18.4 - 34.4	13,200	54.0	45.0 - 63.1	24,400
Hilo	7,400	17.9	12.7 - 23.2	11,600	28.1	22.6 - 33.7	22,200	53.9	47.1 - 60.8	41,200
Kaaawa/ Kahaluu/ Kaneohe	7,800	15.6	9.6 - 21.6	16,700	33.4	25.5 - 41.3	25,500	51.0	42.6 - 59.5	49,900
Kahului	3,500	9.3	5.3 - 13.3	10,400	27.9	21.6 - 34.1	23,400	62.8	56.0 - 69.7	37,300
Kailua/ Waimanalo	11,500	21.4	13.3 - 29.5	15,100	28.1	20.7 - 35.4	27,200	50.5	41.6 - 59.5	53,700
Kaimuki/ Palolo/ Waikiki	8,400	13.1	8.5 - 17.7	17,000	26.7	20.6 - 32.7	38,400	60.2	53.4 - 67.1	63,700
Kona	5,300	18.5	12.5 - 24.6	9,200	31.9	24.9 - 39.0	14,300	49.5	41.5 - 57.5	28,900
Lahaina/ Wailuku	6,200	18.7	11.6 - 25.7	7,900	23.8	17.9 - 29.7	19,100	57.6	49.9 - 65.2	33,200
Lanai	400	11.1	5.7 - 16.5	1,000	26.7	19.2 - 34.1	2,400	62.2	53.5 - 70.9	3,800
Lihue-Waimea	5,800	20.5	12.8 - 28.3	8,200	29.0	22.4 - 35.7	14,200	50.5	42.6 - 58.3	28,100
Manoa/ Upper Makiki	5,400	11.7	6.2 - 17.1	12,900	28.0	22.0 - 33.9	28,000	60.4	53.4 - 67.3	46,300

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	11,200	16.6	10.7 - 22.4	16,500	24.3	18.0 - 30.5	40,200	59.2	51.8 - 66.6	67,800
Molokai	1,000	10.3	5.0 - 15.5	2,500	26.5	19.3 - 33.8	5,900	63.2	54.9 - 71.5	9,400
Nanakuli/ Waianae	9,900	32.5	21.7 - 43.3	7,100	23.2	14.2 - 32.2	13,600	44.4	33.9 - 54.9	30,700
N.Hawaii	5,500	17.5	11.5 - 23.5	6,800	21.6	16.2 - 27.0	19,000	60.9	53.4 - 68.3	31,300
N.Shore/ Laie	4,600	19.1	8.7 - 29.5	7,100	29.4	16.7 - 42.1	12,500	51.6	38.2 - 64.9	24,200
Nuuanu/ Kalihi/ Moanalua	14,000	19.9	13.1 - 26.8	13,800	19.6	14.1 - 25.1	42,500	60.5	52.9 - 68.0	70,300
Puna/ Kau	9,800	21.8	15.8 - 27.8	13,200	29.4	22.5 - 36.4	21,800	48.8	41.4 - 56.1	44,700
Salt Lake/ Foster Village	3,900	10.3	5.1 - 15.5	6,300	16.8	9.9 - 23.7	27,300	72.9	64.7 - 81.2	37,400
Upcountry/ Hana	6,200	18.8	12.5 - 25.1	9,200	28.0	21.4 - 34.5	17,500	53.2	45.8 - 60.6	32,800
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	13,200	30.1	23.3 - 36.8	26,200	59.7	51.5 - 67.8	43,900
Waipahu/ Kapolei/ Ewa	20,300	14.4	10.3 - 18.4	31,900	22.5	18.0 - 27.1	89,100	63.1	57.6 - 68.6	141,300

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	28,800	23.2	16.9 - 29.4	8,700	7.0	3.8 - 10.2	86,800	69.8	63.2 - 76.4	124,300
25-34	47,200	24.0	20.0 - 28.0	41,900	21.3	17.6 - 25.0	107,500	54.7	50.1 - 59.3	196,600
35-44	29,600	16.8	13.5 - 20.2	37,900	21.5	17.7 - 25.3	108,600	61.7	57.3 - 66.0	176,100
45-54	32,700	18.1	15.2 - 21.1	43,900	24.3	20.9 - 27.8	103,800	57.5	53.7 - 61.4	180,500
55-64	23,700	14.7	12.4 - 16.9	55,400	34.3	31.3 - 37.3	82,400	51.0	47.8 - 54.2	161,500
65-74	8,000	8.0	6.0 - 10.0	41,900	41.7	37.9 - 45.6	50,400	50.2	46.3 - 54.1	100,400
75+	5,300	5.2	2.7 - 7.7	40,700	40.0	35.7 - 44.3	55,700	54.8	50.4 - 59.2	101,600

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	62,500	17.7	15.3 - 20.1	111,900	31.7	29.2 - 34.3	178,300	50.6	47.7 - 53.4	352,800
Native Hawaiian	30,600	27.7	23.0 - 32.3	28,400	25.6	21.4 - 29.9	51,700	46.7	41.9 - 51.6	110,700
Chinese	n/r	n/r	n/r	9,300	14.6	10.2 - 19.1	49,000	77.1	70.6 - 83.5	63,600
Filipino	23,800	12.7	9.5 - 15.8	33,900	18.0	14.4 - 21.6	130,300	69.3	65.0 - 73.7	187,900
Japanese	26,000	11.9	9.5 - 14.2	63,200	28.9	25.9 - 31.8	129,600	59.2	55.9 - 62.5	218,700
Black	n/r	n/r	n/r	n/r	n/r	n/r	9,700	66.9	52.2 - 81.6	14,400
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,900
Other Asian	6,700	24.2	15.4 - 33.0	7,100	25.8	16.3 - 35.3	13,800	50.0	39.4 - 60.6	27,700
Other Pacific Islander	7,500	29.3	15.3 - 43.3	3,900	15.1	7.2 - 22.9	14,300	55.6	41.9 - 69.4	25,800
Other	10,100	28.4	18.4 - 38.3	6,800	19.0	12.0 - 26.1	18,700	52.6	41.9 - 63.2	35,600

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	103,200	19.7	17.5 - 21.9	154,300	29.5	27.3 - 31.7	265,800	50.8	48.2 - 53.4	523,400
Female	72,900	13.9	12.2 - 15.6	116,900	22.3	20.5 - 24.2	334,100	63.8	61.5 - 66.0	524,000

Education Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	5,000	20.3	9.1 - 31.4	17,400	70.1	57.6 - 82.6	24,800
Grades 9 thru 11 (Some High School)	29,600	36.5	28.2 - 44.8	20,200	24.9	17.4 - 32.3	31,300	38.6	30.5 - 46.7	81,100
Grades 12 or GED (High School Grad)	69,700	21.9	19.1 - 24.7	84,200	26.5	23.7 - 29.2	164,200	51.6	48.3 - 54.9	318,200
College 1 to 3 years (Some College/ Tech)	55,500	16.2	13.9 - 18.5	96,300	28.1	25.4 - 30.7	191,100	55.7	52.7 - 58.8	342,900
College 4 years or more (College Grad)	18,900	6.8	5.6 - 7.9	65,500	23.4	21.5 - 25.3	195,000	69.8	67.7 - 71.9	279,400

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	103,100	16.7	14.9 - 18.5	149,200	24.2	22.3 - 26.1	364,300	59.1	56.8 - 61.3	616,700
Unemployed	30,600	38.9	31.7 - 46.0	16,200	20.5	14.6 - 26.5	32,000	40.6	33.7 - 47.5	78,700
Retired/Unable to work	26,800	11.5	9.4 - 13.5	89,100	38.1	35.3 - 41.0	117,800	50.4	47.5 - 53.3	233,700
Student/Homemaker	15,700	13.4	8.7 - 18.0	16,700	14.2	10.5 - 18.0	84,900	72.4	66.9 - 77.9	117,200

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	16,200	36.5	27.9 - 45.2	7,900	17.9	11.6 - 24.3	20,100	45.5	37.4 - 53.6	44,200
\$10,000 to \$14,999	13,400	36.7	27.5 - 45.8	6,900	18.8	12.5 - 25.2	16,200	44.5	35.9 - 53.1	36,500
\$15,000 to \$19,999	14,200	23.3	16.7 - 29.9	14,300	23.5	17.6 - 29.4	32,400	53.2	45.5 - 60.9	60,800
\$20,000 to \$24,999	19,100	24.6	18.8 - 30.5	18,000	23.3	17.9 - 28.7	40,300	52.1	45.4 - 58.7	77,400
\$25,000 to \$34,999	22,000	21.0	16.0 - 25.9	27,800	26.5	22.2 - 30.8	55,100	52.6	47.3 - 57.8	104,800
\$35,000 to \$49,999	24,600	17.4	13.3 - 21.5	41,300	29.3	25.4 - 33.2	75,100	53.3	48.7 - 57.9	141,000
\$50,000 to \$74,999	26,500	15.1	11.9 - 18.4	45,700	26.1	22.3 - 29.8	102,900	58.8	54.4 - 63.1	175,100
\$75,000 or more	28,100	9.3	7.4 - 11.1	86,300	28.5	25.8 - 31.3	188,100	62.2	59.2 - 65.2	302,500

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	39,700	23.9	19.5 - 28.4	34,400	20.7	16.9 - 24.5	91,900	55.4	50.4 - 60.3	165,900
131-185%	20,100	17.7	12.9 - 22.5	31,700	27.9	23.6 - 32.2	61,800	54.4	49.0 - 59.8	113,700
186+%	47,200	10.5	8.9 - 12.1	132,400	29.4	27.2 - 31.6	271,000	60.1	57.7 - 62.6	450,600

Marital Status (Grouped)	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	51,800	10.2	8.9 - 11.6	153,600	30.3	28.3 - 32.4	301,000	59.4	57.3 - 61.6	506,400
Unmarried Couple	15,000	31.8	22.5 - 41.1	11,700	24.8	17.4 - 32.2	20,500	43.4	34.2 - 52.6	47,200
Widowed	6,800	8.9	5.7 - 12.0	24,600	32.3	27.7 - 37.0	44,900	58.8	53.9 - 63.7	76,200
Other	102,600	24.6	21.8 - 27.3	81,400	19.5	17.2 - 21.7	233,600	55.9	52.8 - 59.0	417,600

Smoke - 3 level smoking status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	56,400	10.8	9.4 - 12.2	157,900	30.3	28.3 - 32.3	307,100	58.9	56.7 - 61.1	521,400
No	119,800	22.9	20.5 - 25.3	112,400	21.5	19.5 - 23.5	291,300	55.6	53.0 - 58.3	523,500

Health Care Coverage	Current smoker			Former smoker			Never smoked			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	144,600	15.3	13.9 - 16.7	250,700	26.6	25.0 - 28.1	548,700	58.1	56.3 - 59.9	943,900
No	30,400	30.3	24.3 - 36.3	20,500	20.3	15.7 - 25.0	49,600	49.4	43.1 - 55.6	100,500