

Use of smokeless tobacco products, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

| BRFSS Health Indicator | Health Ind Desc |
|-----------------------------------|---|
| Use of smokeless tobacco products | Do you currently use chewing tobacco, snuff, or snus every day, some days, or not at all? |

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/19/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Use of smokeless tobacco products, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

| Year | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------|-----------|-----|-----------|-----------|-----|-----------|------------|------|-------------|----------------------|
| | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| 2011 | 9,100 | 0.9 | 0.5 - 1.2 | 10,700 | 1.0 | 0.7 - 1.4 | 1,051,300 | 98.1 | 97.6 - 98.6 | 1,051,100 |
| 2012 | 7,400 | 0.7 | 0.4 - 0.9 | 14,100 | 1.3 | 0.8 - 1.8 | 1,049,800 | 98.0 | 97.5 - 98.5 | 1,071,300 |
| 2013 | 8,100 | 0.8 | 0.5 - 1.0 | 9,600 | 0.9 | 0.6 - 1.2 | 1,055,800 | 98.4 | 98.0 - 98.7 | 1,073,500 |
| 2014 | 5,800 | 0.6 | 0.3 - 0.8 | 9,300 | 0.9 | 0.6 - 1.2 | 1,051,100 | 98.6 | 98.1 - 99.0 | 1,046,200 |



Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| State | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Totals | 5,800 | 0.6 | 0.3 - 0.8 | 9,300 | 0.9 | 0.6 - 1.2 | 1,031,100 | 98.6 | 98.1 - 99.0 | 1,046,200 |

| County | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 139,100 | 98.4 | 97.6 - 99.3 | 141,300 |
| Honolulu | 3,300 | 0.5 | 0.2 - 0.7 | 6,300 | 0.9 | 0.4 - 1.4 | 699,000 | 98.6 | 98.1 - 99.2 | 708,600 |
| Kauai | n/r | n/r | n/r | n/r | n/r | n/r | 50,500 | 98.5 | 97.6 - 99.5 | 51,300 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 116,800 | 98.2 | 97.2 - 99.3 | 118,900 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Island | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 139,100 | 98.4 | 97.6 - 99.3 | 141,300 |
| Kauai | n/r | n/r | n/r | n/r | n/r | n/r | 50,500 | 98.5 | 97.6 - 99.5 | 51,300 |
| Lanai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 2,100 | 100.0 | 100.0 - 100.0 | 2,100 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 107,900 | 98.2 | 97.0 - 99.3 | 109,900 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 6,900 | 98.7 | 96.2 - 100.0 | 7,000 |
| Oahu | 3,300 | 0.5 | 0.2 - 0.7 | 6,300 | 0.9 | 0.4 - 1.4 | 699,000 | 98.6 | 98.1 - 99.2 | 708,600 |

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Aiea/ Pearl City | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 62,000 | 98.9 | 97.6 - 100.0 | 62,600 |
| Ala Moana | n/r | n/r | n/r | n/r | n/r | n/r | 30,600 | 95.9 | 91.6 - 100.0 | 32,000 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hanalei/ Kapaa | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 20,000 | 99.7 | 99.0 - 100.0 | 20,000 |
| Hilo | <50 | n/r | n/r | n/r | n/r | n/r | 37,000 | 98.8 | 97.6 - 100.0 | 37,500 |
| Kaaawa/ Kahaluu/ Kaneohe | n/r | n/r | n/r | n/r | n/r | n/r | 50,800 | 97.8 | 93.8 - 100.0 | 52,000 |
| Kahului | n/r | n/r | n/r | n/r | n/r | n/r | 35,200 | 97.8 | 95.9 - 99.7 | 36,000 |
| Kailua/ Waimanalo | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 50,400 | 99.9 | 99.6 - 100.0 | 50,500 |
| Kaimuki/ Palolo/ Waikiki | n/r | n/r | n/r | n/r | n/r | n/r | 56,400 | 99.4 | 98.4 - 100.0 | 56,700 |
| Kona | n/r | n/r | n/r | n/r | n/r | n/r | 31,800 | 97.4 | 95.2 - 99.6 | 32,700 |
| Lahaina/ Wailuku | n/r | n/r | n/r | <50 | n/r | n/r | 38,400 | 98.6 | 96.6 - 100.0 | 39,000 |
| Lanai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 2,100 | 100.0 | 100.0 - 100.0 | 2,100 |
| Lihue-Waimea | n/r | n/r | n/r | n/r | n/r | n/r | 30,600 | 97.8 | 96.4 - 99.3 | 31,200 |
| Manoa/ Upper Makiki | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 46,100 | 99.4 | 98.6 - 100.0 | 46,400 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Mililani/ Wahiawa | n/r | n/r | n/r | n/r | n/r | n/r | 56,900 | 97.8 | 95.7 - 99.8 | 58,200 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 6,900 | 98.7 | 96.2 - 100.0 | 7,000 |
| Nanakuli/ Waianae | n/r | n/r | n/r | 0 | 0.0 | 0.0 - 0.0 | 41,400 | 98.9 | 96.8 - 100.0 | 41,900 |
| N.Hawaii | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 25,900 | 99.1 | 97.7 - 100.0 | 26,200 |
| N.Shore/ Laie | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 26,000 | 100.0 | 100.0 - 100.0 | 26,000 |
| Nuuanu/ Kalihi/ Moanalua | n/r | n/r | n/r | n/r | n/r | n/r | 70,200 | 98.3 | 96.4 - 100.0 | 71,400 |
| Puna/ Kau | n/r | n/r | n/r | n/r | n/r | n/r | 44,300 | 98.5 | 96.7 - 100.0 | 45,000 |
| Salt Lake/ Foster Village | n/r | n/r | n/r | n/r | n/r | n/r | 26,800 | 96.2 | 91.6 - 100.0 | 27,900 |
| Upcountry/ Hana | n/r | n/r | n/r | n/r | n/r | n/r | 34,200 | 98.0 | 96.0 - 100.0 | 34,900 |
| Waialae/ Kahala/ Hawaii Kai | n/r | n/r | n/r | n/r | n/r | n/r | 49,500 | 98.9 | 97.5 - 100.0 | 50,100 |
| Waipahu/ Kapolei/ Ewa | n/r | n/r | n/r | n/r | n/r | n/r | 131,800 | 99.1 | 98.2 - 100.0 | 133,000 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| BRFSS Age Group | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 18-24 | n/r | n/r | n/r | n/r | n/r | n/r | 118,200 | 97.3 | 95.0 - 99.6 | 121,500 |
| 25-34 | n/r | n/r | n/r | n/r | n/r | n/r | 182,600 | 97.4 | 96.2 - 98.6 | 187,400 |
| 35-44 | n/r | n/r | n/r | n/r | n/r | n/r | 160,700 | 98.4 | 97.5 - 99.4 | 163,300 |
| 45-54 | n/r | n/r | n/r | n/r | n/r | n/r | 163,400 | 99.5 | 99.1 - 99.8 | 164,200 |
| 55-64 | n/r | n/r | n/r | n/r | n/r | n/r | 175,100 | 98.8 | 98.1 - 99.5 | 177,200 |
| 65-74 | n/r | n/r | n/r | n/r | n/r | n/r | 118,600 | 99.0 | 98.1 - 99.9 | 119,800 |
| 75+ | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 96,000 | 99.9 | 99.6 - 100.0 | 96,100 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| DOH Race-Ethnicity | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Caucasian | n/r | n/r | n/r | n/r | n/r | n/r | 325,800 | 99.0 | 98.5 - 99.6 | 329,000 |
| Native Hawaiian | n/r | n/r | n/r | n/r | n/r | n/r | 127,700 | 98.5 | 97.7 - 99.3 | 129,600 |
| Chinese | n/r | n/r | n/r | n/r | n/r | n/r | 54,100 | 98.6 | 96.7 - 100.0 | 54,800 |
| Filipino | n/r | n/r | n/r | n/r | n/r | n/r | 168,600 | 98.5 | 97.5 - 99.5 | 171,100 |
| Japanese | n/r | n/r | n/r | n/r | n/r | n/r | 214,900 | 99.6 | 99.3 - 99.9 | 215,800 |
| Black | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 25,700 | 95.9 | 88.4 - 100.0 | 26,800 |
| Native Alaskan/ American Indian | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 6,800 | 99.3 | 97.8 - 100.0 | 6,900 |
| Other Asian | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 24,500 | 99.7 | 99.0 - 100.0 | 24,600 |
| Other Pacific Islander | n/r | n/r | n/r | n/r | n/r | n/r | 20,400 | 88.2 | 80.9 - 95.6 | 23,100 |
| Other | n/r | n/r | n/r | n/r | n/r | n/r | 23,200 | 97.6 | 93.6 - 100.0 | 23,800 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Gender | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Male | 4,700 | 0.9 | 0.5 - 1.3 | 7,300 | 1.4 | 0.8 - 2.0 | 513,300 | 97.7 | 97.0 - 98.4 | 525,200 |
| Female | n/r | n/r | n/r | n/r | n/r | n/r | 517,800 | 99.4 | 99.0 - 99.8 | 521,000 |

| Education Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Never attended school/ Only Kindergarten to Grades 8 | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 19,800 | 100.0 | 100.0 - 100.0 | 19,800 |
| Grades 9 thru 11 (Some High School) | n/r | n/r | n/r | n/r | n/r | n/r | 75,600 | 97.8 | 95.6 - 100.0 | 77,300 |
| Grades 12 or GED (High School Grad) | n/r | n/r | n/r | 3,300 | 1.1 | 0.5 - 1.7 | 296,300 | 98.1 | 97.2 - 98.9 | 302,200 |
| College 1 to 3 years (Some College/ Tech) | n/r | n/r | n/r | n/r | n/r | n/r | 347,700 | 98.4 | 97.6 - 99.2 | 353,400 |
| College 4 years or more (College Grad) | n/r | n/r | n/r | 1,400 | 0.5 | 0.2 - 0.8 | 288,600 | 99.4 | 99.1 - 99.7 | 290,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Employment Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed | 4,500 | 0.7 | 0.4 - 1.0 | 7,200 | 1.1 | 0.6 - 1.6 | 634,800 | 98.2 | 97.6 - 98.8 | 646,500 |
| Unemployed | n/r | n/r | n/r | n/r | n/r | n/r | 58,400 | 99.1 | 98.3 - 99.8 | 58,900 |
| Retired/Unable to work | n/r | n/r | n/r | n/r | n/r | n/r | 235,400 | 99.2 | 98.7 - 99.7 | 237,200 |
| Student/Homemaker | n/r | n/r | n/r | n/r | n/r | n/r | 99,700 | 98.9 | 97.9 - 100.0 | 100,800 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Household Income | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Less than \$10,000 | n/r | n/r | n/r | n/r | n/r | n/r | 61,900 | 98.9 | 97.6 - 100.0 | 62,600 |
| \$10,000 to \$14,999 | n/r | n/r | n/r | n/r | n/r | n/r | 36,200 | 98.1 | 96.7 - 99.6 | 36,900 |
| \$15,000 to \$19,999 | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 61,300 | 97.3 | 94.8 - 99.8 | 63,000 |
| \$20,000 to \$24,999 | n/r | n/r | n/r | n/r | n/r | n/r | 75,000 | 97.7 | 95.9 - 99.6 | 76,700 |
| \$25,000 to \$34,999 | n/r | n/r | n/r | n/r | n/r | n/r | 105,200 | 98.6 | 97.4 - 99.7 | 106,700 |
| \$35,000 to \$49,999 | n/r | n/r | n/r | n/r | n/r | n/r | 123,300 | 97.9 | 96.5 - 99.3 | 126,000 |
| \$50,000 to \$74,999 | n/r | n/r | n/r | n/r | n/r | n/r | 160,400 | 99.1 | 98.4 - 99.8 | 161,800 |
| \$75,000 or more | n/r | n/r | n/r | n/r | n/r | n/r | 300,700 | 98.8 | 98.0 - 99.7 | 304,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Poverty Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 0-130% | n/r | n/r | n/r | n/r | n/r | n/r | 73,300 | 98.5 | 97.1 - 100.0 | 74,400 |
| 131-185% | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 40,800 | 100.0 | 100.0 - 100.0 | 40,800 |
| 186+% | n/r | n/r | n/r | n/r | n/r | n/r | 172,400 | 99.7 | 99.4 - 99.9 | 173,000 |

| Marital Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Married | n/r | n/r | n/r | 3,700 | 0.7 | 0.3 - 1.1 | 539,600 | 98.9 | 98.5 - 99.4 | 545,500 |
| Unmarried Couple | n/r | n/r | n/r | n/r | n/r | n/r | 22,800 | 97.2 | 93.8 - 100.0 | 23,400 |
| Widowed | n/r | n/r | n/r | n/r | n/r | n/r | 64,600 | 99.4 | 98.8 - 100.0 | 64,900 |
| Other | 3,100 | 0.8 | 0.3 - 1.2 | 5,100 | 1.2 | 0.5 - 1.9 | 404,200 | 98.0 | 97.2 - 98.8 | 412,400 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

| Married | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | n/r | n/r | n/r | 3,700 | 0.7 | 0.3 - 1.0 | 560,400 | 98.9 | 98.5 - 99.3 | 566,700 |
| No | 3,300 | 0.7 | 0.3 - 1.1 | 5,600 | 1.2 | 0.6 - 1.8 | 466,600 | 98.1 | 97.4 - 98.9 | 475,500 |

| Health Care Coverage | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 4,400 | 0.5 | 0.2 - 0.7 | 7,700 | 0.8 | 0.5 - 1.1 | 949,200 | 98.7 | 98.3 - 99.1 | 961,200 |
| No | n/r | n/r | n/r | n/r | n/r | n/r | 79,600 | 96.6 | 94.4 - 98.8 | 82,400 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| State | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Totals | 8,100 | 0.8 | 0.5 - 1.0 | 9,600 | 0.9 | 0.6 - 1.2 | 1,055,800 | 98.4 | 98.0 - 98.7 | 1,073,500 |

| County | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 142,800 | 97.4 | 96.1 - 98.8 | 146,600 |
| Honolulu | 6,100 | 0.8 | 0.5 - 1.2 | 5,300 | 0.7 | 0.4 - 1.0 | 731,600 | 98.5 | 98.0 - 98.9 | 743,000 |
| Kauai | n/r | n/r | n/r | n/r | n/r | n/r | 50,000 | 98.7 | 97.6 - 99.8 | 50,700 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 115,700 | 98.8 | 98.2 - 99.5 | 117,100 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Island | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 142,800 | 97.4 | 96.1 - 98.8 | 146,600 |
| Kauai | n/r | n/r | n/r | n/r | n/r | n/r | 50,000 | 98.7 | 97.6 - 99.8 | 50,700 |
| Lanai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 2,100 | 100.0 | 100.0 - 100.0 | 2,100 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 108,500 | 98.8 | 98.0 - 99.5 | 109,900 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 5,100 | 100.0 | 100.0 - 100.0 | 5,100 |
| Oahu | 6,100 | 0.8 | 0.5 - 1.2 | 5,300 | 0.7 | 0.4 - 1.0 | 731,600 | 98.5 | 98.0 - 98.9 | 743,000 |

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Aiea/ Pearl City | n/r | n/r | n/r | n/r | n/r | n/r | 69,300 | 99.1 | 98.1 - 100.0 | 69,900 |
| Ala Moana | n/r | n/r | n/r | n/r | n/r | n/r | 32,300 | 97.1 | 94.9 - 99.4 | 33,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hanalei/ Kapaa | n/r | n/r | n/r | n/r | n/r | n/r | 20,200 | 98.1 | 96.0 - 100.0 | 20,600 |
| Hilo | n/r | n/r | n/r | n/r | n/r | n/r | 39,000 | 97.2 | 95.0 - 99.4 | 40,200 |
| Kaaawa/ Kahaluu/ Kaneohe | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 50,900 | 97.8 | 95.2 - 100.0 | 52,000 |
| Kahului | n/r | n/r | n/r | n/r | n/r | n/r | 37,300 | 99.1 | 98.4 - 99.8 | 37,600 |
| Kailua/ Waimanalo | n/r | n/r | n/r | <50 | n/r | n/r | 56,800 | 98.8 | 97.4 - 100.0 | 57,500 |
| Kaimuki/ Palolo/ Waikiki | n/r | n/r | n/r | n/r | n/r | n/r | 61,600 | 96.9 | 94.6 - 99.1 | 63,600 |
| Kona | n/r | n/r | n/r | n/r | n/r | n/r | 35,700 | 96.3 | 93.2 - 99.5 | 37,100 |
| Lahaina/ Wailuku | n/r | n/r | n/r | n/r | n/r | n/r | 34,400 | 98.8 | 97.5 - 100.0 | 34,900 |
| Lanai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 2,100 | 100.0 | 100.0 - 100.0 | 2,100 |
| Lihue-Waimea | n/r | n/r | n/r | <50 | n/r | n/r | 29,800 | 99.1 | 97.9 - 100.0 | 30,100 |
| Manoa/ Upper Makiki | n/r | n/r | n/r | n/r | n/r | n/r | 50,500 | 98.9 | 97.7 - 100.0 | 51,100 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Mililani/ Wahiawa | n/r | n/r | n/r | n/r | n/r | n/r | 71,500 | 98.9 | 97.6 - 100.0 | 72,300 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 5,100 | 100.0 | 100.0 - 100.0 | 5,100 |
| Nanakuli/ Waianae | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 36,400 | 100.0 | 100.0 - 100.0 | 36,400 |
| N.Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 25,300 | 96.6 | 92.1 - 100.0 | 26,200 |
| N.Shore/ Laie | n/r | n/r | n/r | n/r | n/r | n/r | 23,200 | 97.8 | 95.2 - 100.0 | 23,700 |
| Nuuanu/ Kalihi/ Moanalua | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 68,000 | 99.6 | 99.1 - 100.0 | 68,200 |
| Puna/ Kau | n/r | n/r | n/r | n/r | n/r | n/r | 42,700 | 99.2 | 98.1 - 100.0 | 43,100 |
| Salt Lake/ Foster Village | n/r | n/r | n/r | n/r | n/r | n/r | 31,300 | 97.1 | 93.9 - 100.0 | 32,200 |
| Upcountry/ Hana | n/r | n/r | n/r | n/r | n/r | n/r | 36,800 | 98.4 | 96.8 - 100.0 | 37,400 |
| Waialae/ Kahala/ Hawaii Kai | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 43,000 | 98.8 | 96.9 - 100.0 | 43,500 |
| Waipahu/ Kapolei/ Ewa | n/r | n/r | n/r | n/r | n/r | n/r | 136,900 | 98.3 | 97.1 - 99.5 | 139,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| BRFSS Age Group | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 18-24 | n/r | n/r | n/r | n/r | n/r | n/r | 125,000 | 97.8 | 96.5 - 99.2 | 127,800 |
| 25-34 | 3,500 | 1.8 | 0.9 - 2.8 | 2,900 | 1.5 | 0.7 - 2.3 | 184,300 | 96.7 | 95.4 - 97.9 | 190,700 |
| 35-44 | n/r | n/r | n/r | 3,000 | 1.8 | 0.8 - 2.9 | 163,600 | 97.1 | 95.8 - 98.4 | 168,400 |
| 45-54 | n/r | n/r | n/r | n/r | n/r | n/r | 181,100 | 99.0 | 98.3 - 99.7 | 182,900 |
| 55-64 | n/r | n/r | n/r | n/r | n/r | n/r | 177,000 | 99.4 | 98.8 - 100.0 | 178,000 |
| 65-74 | n/r | n/r | n/r | n/r | n/r | n/r | 119,100 | 99.5 | 99.1 - 99.9 | 119,700 |
| 75+ | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 97,200 | 99.9 | 99.8 - 100.0 | 97,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| DOH Race-Ethnicity | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Caucasian | 2,900 | 0.8 | 0.4 - 1.3 | 3,500 | 1.0 | 0.5 - 1.6 | 338,900 | 98.1 | 97.4 - 98.9 | 345,400 |
| Native Hawaiian | n/r | n/r | n/r | n/r | n/r | n/r | 108,800 | 97.7 | 96.1 - 99.4 | 111,300 |
| Chinese | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 65,800 | 99.5 | 98.6 - 100.0 | 66,200 |
| Filipino | n/r | n/r | n/r | n/r | n/r | n/r | 176,900 | 99.0 | 98.3 - 99.7 | 178,700 |
| Japanese | n/r | n/r | n/r | n/r | n/r | n/r | 220,600 | 99.1 | 98.6 - 99.7 | 222,500 |
| Black | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 13,700 | 99.2 | 97.5 - 100.0 | 13,800 |
| Native Alaskan/ American Indian | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | 4,800 |
| Other Asian | n/r | n/r | n/r | n/r | n/r | n/r | 26,400 | 96.2 | 92.6 - 99.9 | 27,400 |
| Other Pacific Islander | n/r | n/r | n/r | n/r | n/r | n/r | 29,700 | 92.3 | 88.2 - 96.3 | 32,200 |
| Other | n/r | n/r | n/r | <50 | n/r | n/r | 34,900 | 99.4 | 98.7 - 100.0 | 35,200 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Gender | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Male | 6,300 | 1.2 | 0.7 - 1.6 | 8,200 | 1.5 | 1.0 - 2.1 | 518,300 | 97.3 | 96.6 - 98.0 | 532,800 |
| Female | n/r | n/r | n/r | n/r | n/r | n/r | 537,600 | 99.4 | 99.1 - 99.7 | 540,600 |

| Education Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Never attended school/ Only Kindergarten to Grades 8 | n/r | n/r | n/r | 0 | 0.0 | 0.0 - 0.0 | 24,200 | 99.7 | 99.2 - 100.0 | 24,300 |
| Grades 9 thru 11 (Some High School) | n/r | n/r | n/r | n/r | n/r | n/r | 76,500 | 97.2 | 94.9 - 99.6 | 78,600 |
| Grades 12 or GED (High School Grad) | 3,000 | 0.9 | 0.4 - 1.4 | 3,200 | 1.0 | 0.5 - 1.5 | 312,500 | 98.1 | 97.3 - 98.8 | 318,700 |
| College 1 to 3 years (Some College/ Tech) | n/r | n/r | n/r | n/r | n/r | n/r | 353,300 | 98.5 | 97.9 - 99.2 | 358,500 |
| College 4 years or more (College Grad) | n/r | n/r | n/r | 2,500 | 0.8 | 0.4 - 1.3 | 287,700 | 98.6 | 98.1 - 99.2 | 291,600 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Employment Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed | 6,700 | 1.0 | 0.6 - 1.4 | 7,600 | 1.1 | 0.7 - 1.6 | 648,100 | 97.8 | 97.3 - 98.4 | 662,400 |
| Unemployed | n/r | n/r | n/r | n/r | n/r | n/r | 64,700 | 98.1 | 96.5 - 99.7 | 65,900 |
| Retired/Unable to work | n/r | n/r | n/r | n/r | n/r | n/r | 243,700 | 99.8 | 99.6 - 99.9 | 244,200 |
| Student/Homemaker | n/r | n/r | n/r | n/r | n/r | n/r | 98,100 | 98.6 | 97.7 - 99.6 | 99,500 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Household Income | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Less than \$10,000 | n/r | n/r | n/r | n/r | n/r | n/r | 46,800 | 96.9 | 94.6 - 99.3 | 48,300 |
| \$10,000 to \$14,999 | n/r | n/r | n/r | n/r | n/r | n/r | 38,900 | 97.5 | 94.9 - 100.0 | 39,800 |
| \$15,000 to \$19,999 | n/r | n/r | n/r | n/r | n/r | n/r | 68,400 | 98.4 | 97.2 - 99.7 | 69,400 |
| \$20,000 to \$24,999 | <50 | n/r | n/r | n/r | n/r | n/r | 71,300 | 99.2 | 98.6 - 99.8 | 71,900 |
| \$25,000 to \$34,999 | n/r | n/r | n/r | n/r | n/r | n/r | 114,900 | 97.8 | 96.3 - 99.3 | 117,500 |
| \$35,000 to \$49,999 | n/r | n/r | n/r | n/r | n/r | n/r | 142,900 | 98.5 | 97.6 - 99.3 | 145,100 |
| \$50,000 to \$74,999 | n/r | n/r | n/r | n/r | n/r | n/r | 148,700 | 98.7 | 97.8 - 99.5 | 150,700 |
| \$75,000 or more | n/r | n/r | n/r | 3,600 | 1.2 | 0.5 - 1.8 | 307,700 | 98.2 | 97.4 - 99.0 | 313,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Poverty Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 0-130% | n/r | n/r | n/r | n/r | n/r | n/r | 119,600 | 99.2 | 98.5 - 99.9 | 120,500 |
| 131-185% | n/r | n/r | n/r | n/r | n/r | n/r | 75,100 | 99.2 | 98.3 - 100.0 | 75,700 |
| 186+% | n/r | n/r | n/r | n/r | n/r | n/r | 303,500 | 99.4 | 98.9 - 99.8 | 305,400 |

| Marital Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Married | 3,900 | 0.7 | 0.4 - 1.0 | 5,200 | 0.9 | 0.5 - 1.4 | 555,700 | 98.4 | 97.8 - 98.9 | 564,800 |
| Unmarried Couple | n/r | n/r | n/r | n/r | n/r | n/r | 35,900 | 97.0 | 94.5 - 99.5 | 37,000 |
| Widowed | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 68,100 | 99.9 | 99.7 - 100.0 | 68,200 |
| Other | 3,300 | 0.8 | 0.4 - 1.2 | 3,900 | 1.0 | 0.5 - 1.4 | 396,200 | 98.2 | 97.6 - 98.8 | 403,500 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

| Married | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------|------------------|----------|-------------------|------------------|----------|-------------------|-------------------|----------|-------------------|-----------------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 3,900 | 0.7 | 0.3 - 1.0 | 5,200 | 0.9 | 0.5 - 1.3 | 570,800 | 98.4 | 97.9 - 99.0 | 580,000 |
| No | 4,100 | 0.8 | 0.5 - 1.2 | 4,300 | 0.9 | 0.5 - 1.3 | 481,900 | 98.3 | 97.7 - 98.8 | 490,300 |

| Health Care Coverage | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------------------|------------------|----------|-------------------|------------------|----------|-------------------|-------------------|----------|-------------------|-----------------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 7,600 | 0.8 | 0.5 - 1.0 | 7,200 | 0.7 | 0.5 - 1.0 | 970,100 | 98.5 | 98.1 - 98.9 | 984,900 |
| No | n/r | n/r | n/r | n/r | n/r | n/r | 83,100 | 96.7 | 94.6 - 98.9 | 85,900 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| State | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Totals | 7,400 | 0.7 | 0.4 - 0.9 | 14,100 | 1.3 | 0.8 - 1.8 | 1,049,800 | 98.0 | 97.5 - 98.5 | 1,071,300 |

| County | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 142,100 | 98.5 | 97.7 - 99.3 | 144,200 |
| Honolulu | 5,900 | 0.8 | 0.4 - 1.1 | 9,100 | 1.2 | 0.7 - 1.8 | 729,400 | 98.0 | 97.3 - 98.6 | 744,400 |
| Kauai | n/r | n/r | n/r | n/r | n/r | n/r | 50,900 | 98.8 | 97.8 - 99.8 | 51,500 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 116,300 | 97.5 | 95.1 - 99.8 | 119,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Island | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 142,100 | 98.5 | 97.7 - 99.3 | 144,200 |
| Kauai | n/r | n/r | n/r | n/r | n/r | n/r | 50,900 | 98.8 | 97.8 - 99.8 | 51,500 |
| Lanai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 2,900 | 100.0 | 100.0 - 100.0 | 2,900 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 106,300 | 97.2 | 94.6 - 99.8 | 109,300 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 7,100 | 100.0 | 100.0 - 100.0 | 7,100 |
| Oahu | 5,900 | 0.8 | 0.4 - 1.1 | 9,100 | 1.2 | 0.7 - 1.8 | 729,400 | 98.0 | 97.3 - 98.6 | 744,400 |

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Aiea/ Pearl City | n/r | n/r | n/r | <50 | n/r | n/r | 69,200 | 99.0 | 97.3 - 100.0 | 69,900 |
| Ala Moana | n/r | n/r | n/r | n/r | n/r | n/r | 33,900 | 94.1 | 87.6 - 100.0 | 36,000 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hanalei/ Kapaa | <50 | n/r | n/r | n/r | n/r | n/r | 23,200 | 99.5 | 98.7 - 100.0 | 23,300 |
| Hilo | n/r | n/r | n/r | n/r | n/r | n/r | 40,900 | 98.9 | 98.0 - 99.8 | 41,400 |
| Kaaawa/ Kahaluu/ Kaneohe | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 50,600 | 98.7 | 97.1 - 100.0 | 51,300 |
| Kahului | n/r | n/r | n/r | n/r | n/r | n/r | 33,100 | 98.4 | 96.6 - 100.0 | 33,700 |
| Kailua/ Waimanalo | n/r | n/r | n/r | n/r | n/r | n/r | 52,900 | 98.6 | 96.9 - 100.0 | 53,700 |
| Kaimuki/ Palolo/ Waikiki | n/r | n/r | n/r | n/r | n/r | n/r | 67,100 | 98.9 | 98.0 - 99.7 | 67,800 |
| Kona | n/r | n/r | n/r | n/r | n/r | n/r | 30,600 | 97.5 | 94.3 - 100.0 | 31,400 |
| Lahaina/ Wailuku | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 39,100 | 96.5 | 90.5 - 100.0 | 40,500 |
| Lanai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 2,900 | 100.0 | 100.0 - 100.0 | 2,900 |
| Lihue-Waimea | n/r | n/r | n/r | n/r | n/r | n/r | 27,700 | 98.2 | 96.5 - 100.0 | 28,200 |
| Manoa/ Upper Makiki | n/r | n/r | n/r | n/r | n/r | n/r | 49,900 | 98.8 | 97.8 - 99.8 | 50,500 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Mililani/ Wahiawa | n/r | n/r | n/r | n/r | n/r | n/r | 74,800 | 98.2 | 96.9 - 99.5 | 76,200 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 7,100 | 100.0 | 100.0 - 100.0 | 7,100 |
| Nanakuli/ Waianae | <50 | n/r | n/r | n/r | n/r | n/r | 39,000 | 95.9 | 89.2 - 100.0 | 40,700 |
| N.Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 27,600 | 98.4 | 97.0 - 99.9 | 28,100 |
| N.Shore/ Laie | n/r | n/r | n/r | n/r | n/r | n/r | 22,600 | 94.6 | 89.6 - 99.6 | 23,900 |
| Nuuanu/ Kalihi/ Moanalua | n/r | n/r | n/r | n/r | n/r | n/r | 61,900 | 96.1 | 93.5 - 98.8 | 64,400 |
| Puna/ Kau | n/r | n/r | n/r | n/r | n/r | n/r | 42,900 | 99.0 | 98.1 - 99.8 | 43,300 |
| Salt Lake/ Foster Village | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 31,000 | 97.9 | 96.0 - 99.7 | 31,600 |
| Upcountry/ Hana | n/r | n/r | n/r | n/r | n/r | n/r | 34,100 | 96.9 | 93.2 - 100.0 | 35,200 |
| Waialae/ Kahala/ Hawaii Kai | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 45,400 | 99.0 | 97.5 - 100.0 | 45,800 |
| Waipahu/ Kapolei/ Ewa | n/r | n/r | n/r | n/r | n/r | n/r | 131,200 | 99.0 | 98.2 - 99.8 | 132,500 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| BRFSS Age Group | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 18-24 | n/r | n/r | n/r | n/r | n/r | n/r | 124,400 | 96.2 | 94.0 - 98.5 | 129,300 |
| 25-34 | 2,700 | 1.5 | 0.7 - 2.3 | 4,300 | 2.3 | 1.2 - 3.4 | 176,600 | 96.2 | 94.8 - 97.6 | 183,600 |
| 35-44 | n/r | n/r | n/r | n/r | n/r | n/r | 170,100 | 97.6 | 95.9 - 99.3 | 174,200 |
| 45-54 | n/r | n/r | n/r | n/r | n/r | n/r | 185,100 | 98.5 | 97.4 - 99.5 | 188,000 |
| 55-64 | n/r | n/r | n/r | n/r | n/r | n/r | 176,100 | 99.5 | 99.3 - 99.8 | 176,900 |
| 65-74 | n/r | n/r | n/r | n/r | n/r | n/r | 114,400 | 98.7 | 96.5 - 100.0 | 116,000 |
| 75+ | n/r | n/r | n/r | n/r | n/r | n/r | 95,300 | 99.7 | 99.5 - 100.0 | 95,600 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| DOH Race-Ethnicity | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Caucasian | n/r | n/r | n/r | 4,600 | 1.4 | 0.8 - 2.0 | 323,600 | 97.9 | 97.1 - 98.7 | 330,700 |
| Native Hawaiian | n/r | n/r | n/r | n/r | n/r | n/r | 123,300 | 97.6 | 96.2 - 99.0 | 126,300 |
| Chinese | n/r | n/r | n/r | n/r | n/r | n/r | 69,900 | 99.7 | 99.4 - 100.0 | 70,000 |
| Filipino | n/r | n/r | n/r | n/r | n/r | n/r | 162,100 | 96.9 | 94.3 - 99.6 | 167,200 |
| Japanese | n/r | n/r | n/r | n/r | n/r | n/r | 235,600 | 99.5 | 99.1 - 99.8 | 236,900 |
| Black | n/r | n/r | n/r | n/r | n/r | n/r | 18,700 | 97.4 | 94.8 - 100.0 | 19,100 |
| Native Alaskan/ American Indian | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 5,400 | 98.9 | 96.6 - 100.0 | 5,500 |
| Other Asian | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 30,200 | 99.6 | 98.8 - 100.0 | 30,400 |
| Other Pacific Islander | n/r | n/r | n/r | n/r | n/r | n/r | 18,800 | 84.7 | 77.3 - 92.2 | 22,200 |
| Other | n/r | n/r | n/r | n/r | n/r | n/r | 27,300 | 97.8 | 95.3 - 100.0 | 27,900 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Gender | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Male | 6,300 | 1.2 | 0.7 - 1.7 | 10,600 | 2.0 | 1.2 - 2.8 | 515,100 | 96.8 | 95.9 - 97.8 | 532,000 |
| Female | n/r | n/r | n/r | n/r | n/r | n/r | 534,700 | 99.2 | 98.6 - 99.7 | 539,200 |

| Education Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Never attended school/ Only Kindergarten to Grades 8 | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 16,100 | 88.1 | 73.9 - 100.0 | 18,300 |
| Grades 9 thru 11 (Some High School) | n/r | n/r | n/r | n/r | n/r | n/r | 83,700 | 97.3 | 95.1 - 99.5 | 86,000 |
| Grades 12 or GED (High School Grad) | 3,600 | 1.1 | 0.5 - 1.7 | 3,300 | 1.0 | 0.6 - 1.5 | 315,500 | 97.9 | 97.1 - 98.6 | 322,400 |
| College 1 to 3 years (Some College/ Tech) | n/r | n/r | n/r | n/r | n/r | n/r | 348,400 | 97.9 | 96.8 - 99.0 | 355,800 |
| College 4 years or more (College Grad) | n/r | n/r | n/r | 1,800 | 0.6 | 0.3 - 0.9 | 284,800 | 99.1 | 98.7 - 99.5 | 287,400 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Employment Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed | 5,900 | 0.9 | 0.5 - 1.3 | 10,900 | 1.7 | 0.9 - 2.5 | 615,900 | 97.3 | 96.5 - 98.2 | 632,700 |
| Unemployed | n/r | n/r | n/r | n/r | n/r | n/r | 74,800 | 97.8 | 96.2 - 99.5 | 76,500 |
| Retired/Unable to work | n/r | n/r | n/r | n/r | n/r | n/r | 246,000 | 99.2 | 98.8 - 99.7 | 247,900 |
| Student/Homemaker | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 111,400 | 99.1 | 98.3 - 100.0 | 112,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Household Income | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Less than \$10,000 | n/r | n/r | n/r | n/r | n/r | n/r | 51,800 | 98.0 | 96.6 - 99.3 | 52,800 |
| \$10,000 to \$14,999 | n/r | n/r | n/r | n/r | n/r | n/r | 36,900 | 97.0 | 94.1 - 99.9 | 38,100 |
| \$15,000 to \$19,999 | n/r | n/r | n/r | n/r | n/r | n/r | 57,700 | 94.8 | 90.8 - 98.9 | 60,800 |
| \$20,000 to \$24,999 | n/r | n/r | n/r | n/r | n/r | n/r | 70,600 | 97.7 | 95.3 - 100.0 | 72,300 |
| \$25,000 to \$34,999 | n/r | n/r | n/r | n/r | n/r | n/r | 105,500 | 96.5 | 94.0 - 99.1 | 109,400 |
| \$35,000 to \$49,999 | n/r | n/r | n/r | n/r | n/r | n/r | 146,700 | 98.9 | 98.2 - 99.6 | 148,400 |
| \$50,000 to \$74,999 | n/r | n/r | n/r | n/r | n/r | n/r | 149,700 | 98.4 | 97.4 - 99.3 | 152,200 |
| \$75,000 or more | n/r | n/r | n/r | n/r | n/r | n/r | 314,200 | 98.5 | 97.5 - 99.5 | 319,000 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Poverty Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 0-130% | n/r | n/r | n/r | n/r | n/r | n/r | 148,700 | 97.0 | 94.6 - 99.5 | 153,200 |
| 131-185% | n/r | n/r | n/r | n/r | n/r | n/r | 86,700 | 97.0 | 93.7 - 100.0 | 89,300 |
| 186+% | n/r | n/r | n/r | n/r | n/r | n/r | 367,100 | 99.5 | 99.1 - 99.8 | 369,000 |

| Marital Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Married | 2,500 | 0.5 | 0.2 - 0.8 | n/r | n/r | n/r | 518,400 | 99.0 | 98.3 - 99.6 | 523,900 |
| Unmarried Couple | n/r | n/r | n/r | n/r | n/r | n/r | 34,400 | 96.2 | 93.6 - 98.7 | 35,800 |
| Widowed | n/r | n/r | n/r | n/r | n/r | n/r | 75,700 | 97.4 | 94.0 - 100.0 | 77,700 |
| Other | 4,200 | 1.0 | 0.5 - 1.5 | 8,400 | 1.9 | 1.2 - 2.7 | 421,200 | 97.1 | 96.2 - 98.0 | 433,800 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

| Married | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 2,700 | 0.5 | 0.2 - 0.8 | n/r | n/r | n/r | 529,800 | 98.9 | 98.3 - 99.5 | 535,500 |
| No | 4,700 | 0.9 | 0.5 - 1.3 | 11,100 | 2.1 | 1.3 - 2.9 | 517,400 | 97.0 | 96.1 - 98.0 | 533,200 |

| Health Care Coverage | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 6,200 | 0.6 | 0.4 - 0.9 | 12,500 | 1.3 | 0.8 - 1.8 | 940,500 | 98.1 | 97.5 - 98.6 | 959,200 |
| No | n/r | n/r | n/r | n/r | n/r | n/r | 107,600 | 97.5 | 96.0 - 99.0 | 110,400 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| State | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Totals | 9,100 | 0.9 | 0.5 - 1.2 | 10,700 | 1.0 | 0.7 - 1.4 | 1,031,300 | 98.1 | 97.6 - 98.6 | 1,051,100 |

| County | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 143,900 | 98.4 | 97.4 - 99.3 | 146,300 |
| Honolulu | 6,800 | 0.9 | 0.5 - 1.4 | 7,600 | 1.0 | 0.6 - 1.5 | 711,800 | 98.0 | 97.4 - 98.7 | 726,200 |
| Kauai | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 51,900 | 98.7 | 97.1 - 100.0 | 52,600 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 115,200 | 98.4 | 97.3 - 99.5 | 117,100 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Island | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 143,900 | 98.4 | 97.4 - 99.3 | 146,300 |
| Kauai | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 51,900 | 98.7 | 97.1 - 100.0 | 52,600 |
| Lanai | <50 | n/r | n/r | <50 | n/r | n/r | 3,800 | 98.8 | 97.5 - 100.0 | 3,900 |
| Maui | n/r | n/r | n/r | n/r | n/r | n/r | 102,000 | 98.3 | 97.0 - 99.5 | 103,800 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | <50 | n/r | n/r | 9,400 | 99.8 | 99.4 - 100.0 | 9,400 |
| Oahu | 6,800 | 0.9 | 0.5 - 1.4 | 7,600 | 1.0 | 0.6 - 1.5 | 711,800 | 98.0 | 97.4 - 98.7 | 726,200 |

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Aiea/ Pearl City | n/r | n/r | n/r | n/r | n/r | n/r | 62,400 | 98.8 | 97.5 - 100.0 | 63,200 |
| Ala Moana | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 31,200 | 100.0 | 100.0 - 100.0 | 31,200 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Hanalei/ Kapaa | 0 | 0.0 | 0.0 - 0.0 | <50 | n/r | n/r | 24,400 | 99.9 | 99.8 - 100.0 | 24,400 |
| Hilo | n/r | n/r | n/r | n/r | n/r | n/r | 40,100 | 97.3 | 94.7 - 100.0 | 41,200 |
| Kaaawa/ Kahaluu/ Kaneohe | n/r | n/r | n/r | n/r | n/r | n/r | 49,300 | 98.6 | 96.8 - 100.0 | 50,000 |
| Kahului | n/r | n/r | n/r | n/r | n/r | n/r | 36,600 | 97.5 | 94.7 - 100.0 | 37,500 |
| Kailua/ Waimanalo | n/r | n/r | n/r | n/r | n/r | n/r | 51,900 | 95.9 | 92.1 - 99.6 | 54,100 |
| Kaimuki/ Palolo/ Waikiki | n/r | n/r | n/r | n/r | n/r | n/r | 62,600 | 98.3 | 96.2 - 100.0 | 63,700 |
| Kona | n/r | n/r | n/r | n/r | n/r | n/r | 28,700 | 99.1 | 97.7 - 100.0 | 28,900 |
| Lahaina/ Wailuku | n/r | n/r | n/r | n/r | n/r | n/r | 32,600 | 97.9 | 95.9 - 99.9 | 33,300 |
| Lanai | <50 | n/r | n/r | <50 | n/r | n/r | 3,800 | 98.8 | 97.5 - 100.0 | 3,900 |
| Lihue-Waimea | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 27,500 | 97.7 | 94.7 - 100.0 | 28,200 |
| Manoa/ Upper Makiki | n/r | n/r | n/r | n/r | n/r | n/r | 45,600 | 98.4 | 96.7 - 100.0 | 46,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Community | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Mililani/ Wahiawa | n/r | n/r | n/r | n/r | n/r | n/r | 65,800 | 96.5 | 93.5 - 99.5 | 68,200 |
| Molokai | 0 | 0.0 | 0.0 - 0.0 | <50 | n/r | n/r | 9,400 | 99.8 | 99.4 - 100.0 | 9,400 |
| Nanakuli/ Waianae | n/r | n/r | n/r | n/r | n/r | n/r | 30,000 | 96.7 | 91.6 - 100.0 | 31,100 |
| N.Hawaii | n/r | n/r | n/r | n/r | n/r | n/r | 30,700 | 97.7 | 95.7 - 99.8 | 31,400 |
| N.Shore/ Laie | n/r | n/r | n/r | n/r | n/r | n/r | 23,800 | 97.5 | 93.4 - 100.0 | 24,400 |
| Nuuanu/ Kalihi/ Moanalua | n/r | n/r | n/r | n/r | n/r | n/r | 70,200 | 99.4 | 98.6 - 100.0 | 70,600 |
| Puna/ Kau | n/r | n/r | n/r | n/r | n/r | n/r | 44,500 | 99.3 | 98.4 - 100.0 | 44,800 |
| Salt Lake/ Foster Village | n/r | n/r | n/r | n/r | n/r | n/r | 36,800 | 98.5 | 96.7 - 100.0 | 37,400 |
| Upcountry/ Hana | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 32,800 | 99.6 | 99.0 - 100.0 | 33,000 |
| Waialae/ Kahala/ Hawaii Kai | n/r | n/r | n/r | n/r | n/r | n/r | 43,500 | 99.0 | 97.9 - 100.0 | 43,900 |
| Waipahu/ Kapolei/ Ewa | n/r | n/r | n/r | n/r | n/r | n/r | 138,700 | 97.6 | 95.9 - 99.4 | 142,100 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| BRFSS Age Group | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 18-24 | n/r | n/r | n/r | n/r | n/r | n/r | 121,700 | 97.6 | 95.7 - 99.4 | 124,700 |
| 25-34 | n/r | n/r | n/r | 5,800 | 2.9 | 1.4 - 4.5 | 189,200 | 95.9 | 94.2 - 97.6 | 197,300 |
| 35-44 | n/r | n/r | n/r | n/r | n/r | n/r | 173,600 | 98.2 | 97.1 - 99.3 | 176,800 |
| 45-54 | n/r | n/r | n/r | n/r | n/r | n/r | 178,000 | 98.3 | 97.3 - 99.4 | 181,000 |
| 55-64 | n/r | n/r | n/r | n/r | n/r | n/r | 161,700 | 99.7 | 99.4 - 99.9 | 162,200 |
| 65-74 | n/r | n/r | n/r | n/r | n/r | n/r | 100,100 | 99.5 | 99.2 - 99.8 | 100,600 |
| 75+ | n/r | n/r | n/r | n/r | n/r | n/r | 100,600 | 98.7 | 97.1 - 100.0 | 101,900 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| DOH Race-Ethnicity | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------------------------|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Caucasian | n/r | n/r | n/r | 4,100 | 1.2 | 0.5 - 1.8 | 345,300 | 97.5 | 96.5 - 98.5 | 354,100 |
| Native Hawaiian | n/r | n/r | n/r | n/r | n/r | n/r | 109,700 | 98.6 | 97.7 - 99.6 | 111,200 |
| Chinese | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 63,600 | 100.0 | 100.0 - 100.0 | 63,600 |
| Filipino | n/r | n/r | n/r | n/r | n/r | n/r | 187,100 | 99.1 | 98.4 - 99.8 | 188,900 |
| Japanese | n/r | n/r | n/r | n/r | n/r | n/r | 215,800 | 98.4 | 97.2 - 99.6 | 219,300 |
| Black | 0 | 0.0 | 0.0 - 0.0 | n/r | n/r | n/r | 14,100 | 97.4 | 92.3 - 100.0 | 14,400 |
| Native Alaskan/ American Indian | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | 4,900 |
| Other Asian | n/r | n/r | n/r | n/r | n/r | n/r | 26,800 | 96.8 | 92.9 - 100.0 | 27,700 |
| Other Pacific Islander | n/r | n/r | n/r | n/r | n/r | n/r | 23,700 | 91.3 | 85.1 - 97.5 | 26,000 |
| Other | n/r | n/r | n/r | 0 | 0.0 | 0.0 - 0.0 | 35,300 | 99.3 | 97.8 - 100.0 | 35,600 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Gender | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Male | 7,000 | 1.3 | 0.7 - 2.0 | 8,900 | 1.7 | 1.0 - 2.4 | 509,400 | 97.0 | 96.1 - 97.9 | 525,300 |
| Female | n/r | n/r | n/r | n/r | n/r | n/r | 521,900 | 99.3 | 98.8 - 99.7 | 525,700 |

| Education Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--|-----------|-----|------------|-----------|-----|------------|------------|-------|---------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Never attended school/ Only Kindergarten to Grades 8 | 0 | 0.0 | 0.0 - 0.0 | 0 | 0.0 | 0.0 - 0.0 | 24,800 | 100.0 | 100.0 - 100.0 | 24,800 |
| Grades 9 thru 11 (Some High School) | n/r | n/r | n/r | n/r | n/r | n/r | 78,300 | 96.4 | 93.4 - 99.4 | 81,200 |
| Grades 12 or GED (High School Grad) | n/r | n/r | n/r | 2,900 | 0.9 | 0.4 - 1.4 | 313,800 | 98.2 | 97.4 - 99.0 | 319,600 |
| College 1 to 3 years (Some College/ Tech) | n/r | n/r | n/r | 5,200 | 1.5 | 0.7 - 2.3 | 336,500 | 97.8 | 96.8 - 98.8 | 344,100 |
| College 4 years or more (College Grad) | n/r | n/r | n/r | n/r | n/r | n/r | 277,000 | 98.7 | 98.0 - 99.5 | 280,500 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Employment Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-------------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed | 5,100 | 0.8 | 0.4 - 1.3 | 8,300 | 1.3 | 0.8 - 1.9 | 605,900 | 97.8 | 97.1 - 98.6 | 619,200 |
| Unemployed | n/r | n/r | n/r | n/r | n/r | n/r | 76,600 | 96.4 | 94.2 - 98.7 | 79,500 |
| Retired/Unable to work | n/r | n/r | n/r | n/r | n/r | n/r | 231,800 | 99.1 | 98.2 - 99.9 | 234,100 |
| Student/Homemaker | n/r | n/r | n/r | n/r | n/r | n/r | 115,900 | 98.8 | 97.8 - 99.9 | 117,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Household Income | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Less than \$10,000 | n/r | n/r | n/r | n/r | n/r | n/r | 44,300 | 98.9 | 97.6 - 100.0 | 44,800 |
| \$10,000 to \$14,999 | n/r | n/r | n/r | n/r | n/r | n/r | 35,700 | 97.6 | 95.2 - 100.0 | 36,600 |
| \$15,000 to \$19,999 | n/r | n/r | n/r | n/r | n/r | n/r | 58,800 | 96.6 | 93.4 - 99.8 | 60,900 |
| \$20,000 to \$24,999 | n/r | n/r | n/r | n/r | n/r | n/r | 74,600 | 96.4 | 93.7 - 99.2 | 77,300 |
| \$25,000 to \$34,999 | n/r | n/r | n/r | n/r | n/r | n/r | 104,700 | 99.0 | 97.9 - 100.0 | 105,800 |
| \$35,000 to \$49,999 | n/r | n/r | n/r | n/r | n/r | n/r | 139,100 | 98.1 | 96.7 - 99.5 | 141,800 |
| \$50,000 to \$74,999 | n/r | n/r | n/r | n/r | n/r | n/r | 173,300 | 98.8 | 97.8 - 99.8 | 175,400 |
| \$75,000 or more | n/r | n/r | n/r | n/r | n/r | n/r | 297,300 | 98.0 | 97.0 - 98.9 | 303,400 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Poverty Level | Every day | | | Some days | | | Not at all | | | Estimated Population |
|---------------|-----------|-----|------------|-----------|-----|------------|------------|------|-------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 0-130% | n/r | n/r | n/r | n/r | n/r | n/r | 163,900 | 98.3 | 97.1 - 99.5 | 166,700 |
| 131-185% | n/r | n/r | n/r | n/r | n/r | n/r | 112,300 | 98.3 | 96.6 - 99.9 | 114,200 |
| 186+% | n/r | n/r | n/r | n/r | n/r | n/r | 446,300 | 98.8 | 98.2 - 99.4 | 451,800 |

| Marital Status (Grouped) | Every day | | | Some days | | | Not at all | | | Estimated Population |
|--------------------------|-----------|-----|------------|-----------|-----|------------|------------|------|--------------|----------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Married | 5,200 | 1.0 | 0.4 - 1.6 | 4,200 | 0.8 | 0.4 - 1.3 | 498,600 | 98.1 | 97.4 - 98.9 | 508,000 |
| Unmarried Couple | n/r | n/r | n/r | n/r | n/r | n/r | 46,000 | 97.5 | 95.5 - 99.5 | 47,200 |
| Widowed | n/r | n/r | n/r | <50 | n/r | n/r | 76,000 | 99.3 | 98.4 - 100.0 | 76,600 |
| Other | n/r | n/r | n/r | 5,600 | 1.3 | 0.6 - 2.0 | 410,700 | 97.9 | 97.1 - 98.8 | 419,300 |

Use of smokeless tobacco products, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

| Married | Every day | | | Some days | | | Not at all | | | Estimated Population |
|----------------|------------------|----------|-------------------|------------------|----------|-------------------|-------------------|----------|-------------------|-----------------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 5,400 | 1.0 | 0.4 - 1.6 | 4,200 | 0.8 | 0.4 - 1.2 | 513,500 | 98.2 | 97.4 - 98.9 | 523,100 |
| No | 3,600 | 0.7 | 0.3 - 1.1 | 6,400 | 1.2 | 0.7 - 1.8 | 515,500 | 98.1 | 97.4 - 98.8 | 525,500 |

| Health Care Coverage | Every day | | | Some days | | | Not at all | | | Estimated Population |
|-----------------------------|------------------|----------|-------------------|------------------|----------|-------------------|-------------------|----------|-------------------|-----------------------------|
| | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 7,400 | 0.8 | 0.4 - 1.1 | 8,800 | 0.9 | 0.6 - 1.3 | 930,800 | 98.3 | 97.8 - 98.8 | 947,000 |
| No | n/r | n/r | n/r | n/r | n/r | n/r | 97,700 | 96.6 | 94.5 - 98.7 | 101,100 |