

Pneumonia - ever had shot, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Pneumonia - ever had shot	Ever had a pneumonia shot

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/8/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Pneumonia - ever had shot, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	265,500	30.9	29.2 - 32.6	594,000	69.1	67.4 - 70.8	859,600
2012	262,000	29.3	27.7 - 31.0	631,200	70.7	69.0 - 72.3	893,200
2013	256,800	30.5	28.9 - 32.2	584,200	69.5	67.8 - 71.1	840,900
2014	276,800	31.6	30.0 - 33.2	599,700	68.4	66.8 - 70.0	876,500



Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	276,800	31.6	30.0 - 33.2	599,700	68.4	66.8 - 70.0	876,500

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	39,800	32.5	28.9 - 36.1	82,600	67.5	63.9 - 71.1	122,300
Honolulu	191,200	32.5	30.3 - 34.7	397,100	67.5	65.3 - 69.7	588,200
Kauai	12,700	28.4	24.1 - 32.6	32,100	71.6	67.4 - 75.9	44,800
Maui	29,000	28.1	24.6 - 31.5	74,400	71.9	68.5 - 75.4	103,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	39,800	32.5	28.9 - 36.1	82,600	67.5	63.9 - 71.1	122,300
Kauai	12,700	28.4	24.1 - 32.6	32,100	71.6	67.4 - 75.9	44,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,800
Maui	27,100	28.4	24.8 - 32.0	68,300	71.6	68.0 - 75.2	95,400
Molokai	1,400	22.4	11.0 - 33.9	4,900	77.6	66.1 - 89.0	6,300
Oahu	191,200	32.5	30.3 - 34.7	397,100	67.5	65.3 - 69.7	588,200

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	17,600	32.9	25.7 - 40.2	35,800	67.1	59.8 - 74.3	53,500
Ala Moana	8,500	32.7	23.5 - 41.8	17,600	67.3	58.2 - 76.5	26,200

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	4,400	25.1	18.6 - 31.6	13,100	74.9	68.4 - 81.4	17,400
Hilo	12,100	36.0	29.6 - 42.5	21,600	64.0	57.5 - 70.4	33,700
Kaaawa/ Kahaluu/ Kaneohe	13,400	31.6	23.9 - 39.4	29,000	68.4	60.6 - 76.1	42,500
Kahului	9,700	31.2	24.7 - 37.7	21,300	68.8	62.3 - 75.3	31,000
Kailua/ Waimanalo	16,600	40.4	31.7 - 49.1	24,500	59.6	50.9 - 68.3	41,200
Kaimuki/ Palolo/ Waikiki	15,100	32.5	25.7 - 39.3	31,300	67.5	60.7 - 74.3	46,400
Kona	8,400	29.4	21.9 - 36.9	20,200	70.6	63.1 - 78.1	28,600
Lahaina/ Wailuku	9,400	27.6	21.7 - 33.4	24,600	72.4	66.6 - 78.3	34,000
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	1,800
Lihue-Waimea	8,300	30.4	24.8 - 36.1	19,000	69.6	63.9 - 75.2	27,300
Manoa/ Upper Makiki	13,000	35.8	28.2 - 43.4	23,300	64.2	56.6 - 71.8	36,300

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	16,800	34.6	26.8 - 42.4	31,800	65.4	57.6 - 73.2	48,600
Molokai	1,400	22.4	11.0 - 33.9	4,900	77.6	66.1 - 89.0	6,300
Nanakuli/ Waianae	13,700	38.5	28.4 - 48.7	21,900	61.5	51.3 - 71.6	35,700
N.Hawaii	6,900	30.9	23.2 - 38.7	15,300	69.1	61.3 - 76.8	22,200
N.Shore/ Laie	6,200	27.7	17.6 - 37.8	16,300	72.3	62.2 - 82.4	22,500
Nuuanu/ Kalihi/ Moanalua	16,300	27.3	20.8 - 33.9	43,500	72.7	66.1 - 79.2	59,800
Puna/ Kau	12,300	32.7	25.3 - 40.0	25,500	67.3	60.0 - 74.7	37,800
Salt Lake/ Foster Village	7,900	34.9	22.6 - 47.3	14,700	65.1	52.7 - 77.4	22,600
Upcountry/ Hana	8,000	26.4	19.7 - 33.1	22,300	73.6	66.9 - 80.3	30,400
Waialae/ Kahala/ Hawaii Kai	17,900	41.8	33.0 - 50.7	24,800	58.2	49.3 - 67.0	42,700
Waipahu/ Kapolei/ Ewa	28,000	25.3	20.2 - 30.5	82,500	74.7	69.5 - 79.8	110,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	25,000	27.7	21.7 - 33.7	65,400	72.3	66.3 - 78.3	90,400
25-34	31,700	22.4	18.1 - 26.6	109,900	77.6	73.4 - 81.9	141,600
35-44	26,200	19.3	15.3 - 23.3	109,700	80.7	76.7 - 84.7	135,900
45-54	24,100	17.2	14.1 - 20.2	116,100	82.8	79.8 - 85.9	140,200
55-64	38,300	24.4	21.3 - 27.4	118,900	75.6	72.6 - 78.7	157,200
65-74	65,200	59.2	55.2 - 63.2	44,900	40.8	36.8 - 44.8	110,100
75+	63,100	71.3	66.4 - 76.3	25,300	28.7	23.7 - 33.6	88,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	86,800	31.3	28.6 - 34.0	190,800	68.7	66.0 - 71.4	277,500
Native Hawaiian	31,400	29.5	25.0 - 33.9	75,200	70.5	66.1 - 75.0	106,600
Chinese	17,700	38.9	31.2 - 46.7	27,700	61.1	53.3 - 68.8	45,300
Filipino	35,200	24.7	20.5 - 29.0	107,100	75.3	71.0 - 79.5	142,300
Japanese	71,000	38.4	34.7 - 42.1	113,700	61.6	57.9 - 65.3	184,700
Black	7,300	34.5	19.0 - 49.9	13,900	65.5	50.1 - 81.0	21,300
Native Alaskan/ American Indian	n/r	n/r	n/r	4,300	66.8	46.2 - 87.4	6,400
Other Asian	5,300	26.7	15.8 - 37.6	14,600	73.3	62.4 - 84.2	20,000
Other Pacific Islander	4,200	21.2	12.9 - 29.5	15,700	78.8	70.5 - 87.1	20,000
Other	6,800	33.5	23.5 - 43.4	13,400	66.5	56.6 - 76.5	20,200

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	130,000	30.4	28.1 - 32.7	297,800	69.6	67.3 - 71.9	427,700
Female	146,900	32.7	30.4 - 35.0	301,900	67.3	65.0 - 69.6	448,800

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	5,200	28.5	16.3 - 40.8	13,000	71.5	59.2 - 83.7	18,200
Grades 9 thru 11 (Some High School)	19,900	30.7	22.3 - 39.1	45,000	69.3	60.9 - 77.7	64,900
Grades 12 or GED (High School Grad)	78,900	30.3	27.4 - 33.3	181,000	69.7	66.7 - 72.6	259,900
College 1 to 3 years (Some College/ Tech)	93,300	32.4	29.4 - 35.4	194,700	67.6	64.6 - 70.6	288,000
College 4 years or more (College Grad)	79,200	32.6	30.1 - 35.1	163,700	67.4	64.9 - 69.9	242,900

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	116,700	22.1	20.2 - 24.0	411,600	77.9	76.0 - 79.8	528,300
Unemployed	12,200	24.4	18.2 - 30.7	37,700	75.6	69.3 - 81.8	49,900
Retired/Unable to work	125,400	58.3	55.2 - 61.5	89,600	41.7	38.5 - 44.8	215,000
Student/Homemaker	22,300	27.4	21.3 - 33.5	59,100	72.6	66.5 - 78.7	81,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	16,500	30.6	23.1 - 38.1	37,400	69.4	61.9 - 76.9	54,000
\$10,000 to \$14,999	10,200	33.2	24.8 - 41.5	20,500	66.8	58.5 - 75.2	30,600
\$15,000 to \$19,999	19,900	37.0	30.0 - 43.9	33,900	63.0	56.1 - 70.0	53,700
\$20,000 to \$24,999	17,200	26.9	21.4 - 32.4	46,900	73.1	67.6 - 78.6	64,100
\$25,000 to \$34,999	32,400	35.4	29.9 - 40.9	59,000	64.6	59.1 - 70.1	91,400
\$35,000 to \$49,999	39,300	37.0	32.4 - 41.5	66,900	63.0	58.5 - 67.6	106,200
\$50,000 to \$74,999	45,900	33.1	28.9 - 37.3	92,700	66.9	62.7 - 71.1	138,600
\$75,000 or more	70,800	27.8	24.9 - 30.6	184,000	72.2	69.4 - 75.1	254,800

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	27,200	42.6	35.5 - 49.7	36,700	57.4	50.3 - 64.5	63,900
131-185%	14,400	42.5	33.5 - 51.5	19,500	57.5	48.5 - 66.5	33,900
186+%	68,900	44.9	41.3 - 48.5	84,600	55.1	51.5 - 58.7	153,600

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	147,500	31.6	29.4 - 33.9	319,000	68.4	66.1 - 70.6	466,500
Unmarried Couple	4,300	20.8	12.3 - 29.2	16,200	79.2	70.8 - 87.7	20,500
Widowed	36,300	61.5	55.6 - 67.4	22,700	38.5	32.6 - 44.4	59,000
Other	88,800	26.9	24.2 - 29.5	241,700	73.1	70.5 - 75.8	330,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	152,800	31.6	29.4 - 33.8	331,000	68.4	66.2 - 70.6	483,900
No	123,400	31.6	29.2 - 34.1	266,700	68.4	65.9 - 70.8	390,100

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	263,800	32.8	31.1 - 34.5	541,400	67.2	65.5 - 68.9	805,200
No	12,800	18.3	12.3 - 24.2	57,100	81.7	75.8 - 87.7	69,800

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	256,800	30.5	28.9 - 32.2	584,200	69.5	67.8 - 71.1	840,900

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	37,100	31.1	27.6 - 34.6	82,200	68.9	65.4 - 72.4	119,300
Honolulu	176,000	30.9	28.8 - 33.1	393,100	69.1	66.9 - 71.2	569,100
Kauai	12,800	30.0	25.5 - 34.4	29,800	70.0	65.6 - 74.5	42,600
Maui	29,300	29.8	26.1 - 33.4	69,100	70.2	66.6 - 73.9	98,300

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	37,100	31.1	27.6 - 34.6	82,200	68.9	65.4 - 72.4	119,300
Kauai	12,800	30.0	25.5 - 34.4	29,800	70.0	65.6 - 74.5	42,600
Lanai	700	45.5	19.2 - 71.8	900	54.5	28.2 - 80.8	1,600
Maui	27,000	29.2	25.4 - 33.0	65,500	70.8	67.0 - 74.6	92,500
Molokai	1,500	36.2	22.0 - 50.4	2,700	63.8	49.6 - 78.0	4,200
Oahu	176,000	30.9	28.8 - 33.1	393,100	69.1	66.9 - 71.2	569,100

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	22,700	38.7	31.0 - 46.4	36,000	61.3	53.6 - 69.0	58,700
Ala Moana	4,700	21.0	13.8 - 28.2	17,800	79.0	71.8 - 86.2	22,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	5,300	31.3	24.1 - 38.4	11,500	68.7	61.6 - 75.9	16,800
Hilo	10,700	34.4	28.2 - 40.7	20,400	65.6	59.3 - 71.8	31,000
Kaaawa/ Kahaluu/ Kaneohe	14,700	35.9	27.7 - 44.1	26,300	64.1	55.9 - 72.3	41,100
Kahului	8,700	28.1	21.5 - 34.8	22,200	71.9	65.2 - 78.5	30,900
Kailua/ Waimanalo	14,100	34.4	25.9 - 42.8	27,000	65.6	57.2 - 74.1	41,100
Kaimuki/ Palolo/ Waikiki	14,600	29.9	23.3 - 36.6	34,200	70.1	63.4 - 76.7	48,900
Kona	8,500	28.0	20.8 - 35.2	21,900	72.0	64.8 - 79.2	30,400
Lahaina/ Wailuku	8,400	28.7	22.4 - 35.0	20,900	71.3	65.0 - 77.6	29,300
Lanai	700	45.5	19.2 - 71.8	900	54.5	28.2 - 80.8	1,600
Lihue-Waimea	7,500	29.1	23.4 - 34.8	18,300	70.9	65.2 - 76.6	25,800
Manoa/ Upper Makiki	11,000	27.5	20.6 - 34.4	28,900	72.5	65.6 - 79.4	39,900

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	14,500	25.9	19.2 - 32.7	41,300	74.1	67.3 - 80.8	55,800
Molokai	1,500	36.2	22.0 - 50.4	2,700	63.8	49.6 - 78.0	4,200
Nanakuli/ Waianae	9,400	32.1	22.7 - 41.6	19,900	67.9	58.4 - 77.3	29,400
N.Hawaii	7,500	36.2	27.6 - 44.7	13,300	63.8	55.3 - 72.4	20,900
N.Shore/ Laie	n/r	n/r	n/r	15,300	84.1	74.5 - 93.7	18,200
Nuuanu/ Kalihi/ Moanalua	16,300	31.0	23.9 - 38.0	36,300	69.0	62.0 - 76.1	52,600
Puna/ Kau	10,300	28.0	21.5 - 34.5	26,600	72.0	65.5 - 78.5	37,000
Salt Lake/ Foster Village	5,800	25.5	16.3 - 34.8	16,900	74.5	65.2 - 83.7	22,700
Upcountry/ Hana	9,900	30.6	23.9 - 37.4	22,400	69.4	62.6 - 76.1	32,300
Waialae/ Kahala/ Hawaii Kai	13,900	40.7	32.2 - 49.2	20,300	59.3	50.8 - 67.8	34,200
Waipahu/ Kapolei/ Ewa	31,300	30.1	24.3 - 35.9	72,800	69.9	64.1 - 75.7	104,100

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	20,700	24.0	18.2 - 29.9	65,500	76.0	70.1 - 81.8	86,200
25-34	24,200	18.4	14.4 - 22.4	107,500	81.6	77.6 - 85.6	131,700
35-44	21,400	16.7	13.3 - 20.1	106,600	83.3	79.9 - 86.7	128,000
45-54	22,200	15.1	11.9 - 18.3	124,800	84.9	81.7 - 88.1	147,000
55-64	34,700	23.2	20.1 - 26.3	114,800	76.8	73.7 - 79.9	149,500
65-74	63,400	60.6	56.1 - 65.1	41,200	39.4	34.9 - 43.9	104,600
75+	66,900	77.4	73.2 - 81.5	19,600	22.6	18.5 - 26.8	86,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	85,400	31.2	28.5 - 33.8	188,500	68.8	66.2 - 71.5	273,800
Native Hawaiian	20,200	23.3	19.5 - 27.1	66,600	76.7	72.9 - 80.5	86,800
Chinese	17,400	32.7	25.3 - 40.1	35,900	67.3	59.9 - 74.7	53,300
Filipino	34,600	25.2	20.9 - 29.5	102,700	74.8	70.5 - 79.1	137,200
Japanese	70,000	39.5	35.8 - 43.3	107,100	60.5	56.7 - 64.2	177,100
Black	2,800	32.9	14.8 - 50.9	5,700	67.1	49.1 - 85.2	8,500
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	4,500
Other Asian	5,200	26.8	16.3 - 37.2	14,300	73.2	62.8 - 83.7	19,600
Other Pacific Islander	4,900	20.3	11.4 - 29.1	19,400	79.7	70.9 - 88.6	24,300
Other	9,500	34.5	22.8 - 46.1	18,000	65.5	53.9 - 77.2	27,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	116,400	28.8	26.4 - 31.1	288,100	71.2	68.9 - 73.6	404,500
Female	140,400	32.2	29.9 - 34.4	296,000	67.8	65.6 - 70.1	436,400

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	8,700	41.7	25.4 - 58.0	12,200	58.3	42.0 - 74.6	20,900
Grades 9 thru 11 (Some High School)	18,200	27.0	19.4 - 34.5	49,400	73.0	65.5 - 80.6	67,600
Grades 12 or GED (High School Grad)	68,500	28.2	25.3 - 31.1	174,800	71.8	68.9 - 74.7	243,400
College 1 to 3 years (Some College/ Tech)	89,600	32.3	29.3 - 35.4	187,600	67.7	64.6 - 70.7	277,200
College 4 years or more (College Grad)	71,500	31.0	28.6 - 33.5	158,900	69.0	66.5 - 71.4	230,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	100,200	19.6	17.8 - 21.5	410,200	80.4	78.5 - 82.2	510,400
Unemployed	8,400	17.4	12.1 - 22.6	40,100	82.6	77.4 - 87.9	48,500
Retired/Unable to work	126,700	60.1	56.9 - 63.4	84,000	39.9	36.6 - 43.1	210,700
Student/Homemaker	21,400	30.5	24.0 - 36.9	48,700	69.5	63.1 - 76.0	70,100

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	8,500	23.1	17.2 - 29.1	28,300	76.9	70.9 - 82.8	36,900
\$10,000 to \$14,999	8,500	28.8	21.0 - 36.6	21,000	71.2	63.4 - 79.0	29,500
\$15,000 to \$19,999	19,400	35.7	28.7 - 42.8	34,900	64.3	57.2 - 71.3	54,300
\$20,000 to \$24,999	16,700	28.0	22.2 - 33.7	43,000	72.1	66.3 - 77.8	59,700
\$25,000 to \$34,999	29,400	30.8	25.8 - 35.9	65,900	69.2	64.1 - 74.2	95,300
\$35,000 to \$49,999	40,600	35.6	30.9 - 40.3	73,400	64.4	59.7 - 69.1	113,900
\$50,000 to \$74,999	40,900	34.1	29.8 - 38.5	79,100	65.9	61.5 - 70.2	120,000
\$75,000 or more	66,200	27.1	24.2 - 30.0	178,100	72.9	70.0 - 75.8	244,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	30,500	31.0	25.5 - 36.5	67,800	69.0	63.5 - 74.5	98,300
131-185%	27,100	44.9	37.0 - 52.9	33,300	55.1	47.1 - 63.0	60,400
186+%	97,900	39.2	36.3 - 42.2	151,700	60.8	57.8 - 63.7	249,700

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	134,600	30.1	27.9 - 32.3	312,000	69.9	67.7 - 72.1	446,600
Unmarried Couple	4,700	15.6	8.5 - 22.8	25,200	84.4	77.2 - 91.5	29,900
Widowed	40,600	67.5	61.3 - 73.8	19,500	32.5	26.2 - 38.7	60,100
Other	77,000	25.3	22.7 - 27.9	227,400	74.7	72.1 - 77.3	304,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	137,800	30.0	27.8 - 32.2	321,600	70.0	67.8 - 72.2	459,400
No	118,600	31.3	28.8 - 33.8	260,400	68.7	66.2 - 71.2	379,000

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	244,200	31.5	29.8 - 33.2	531,500	68.5	66.8 - 70.2	775,800
No	12,100	19.1	14.2 - 23.9	51,400	80.9	76.1 - 85.8	63,600

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	262,000	29.3	27.7 - 31.0	631,200	70.7	69.0 - 72.3	893,200

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	30,300	25.0	21.7 - 28.3	90,800	75.0	71.7 - 78.3	121,100
Honolulu	193,700	31.5	29.3 - 33.7	421,700	68.5	66.3 - 70.7	615,400
Kauai	9,900	22.7	18.5 - 26.9	33,700	77.3	73.1 - 81.5	43,600
Maui	26,400	25.4	21.5 - 29.4	77,400	74.6	70.6 - 78.5	103,800

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	30,300	25.0	21.7 - 28.3	90,800	75.0	71.7 - 78.3	121,100
Kauai	9,900	22.7	18.5 - 26.9	33,700	77.3	73.1 - 81.5	43,600
Lanai	1,000	38.1	22.4 - 53.7	1,600	61.9	46.3 - 77.6	2,600
Maui	23,900	25.3	21.1 - 29.4	70,600	74.7	70.6 - 78.9	94,500
Molokai	n/r	n/r	n/r	5,100	77.2	63.1 - 91.2	6,600
Oahu	193,700	31.5	29.3 - 33.7	421,700	68.5	66.3 - 70.7	615,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	24,500	42.3	34.6 - 50.0	33,400	57.7	50.0 - 65.4	57,800
Ala Moana	7,400	28.0	20.2 - 35.9	19,000	72.0	64.1 - 79.8	26,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	4,300	21.5	15.0 - 28.0	15,600	78.5	72.0 - 85.0	19,900
Hilo	9,100	26.7	20.4 - 33.0	25,000	73.3	67.0 - 79.6	34,100
Kaaawa/ Kahaluu/ Kaneohe	18,600	43.7	34.8 - 52.7	24,000	56.3	47.3 - 65.2	42,600
Kahului	10,100	34.4	25.4 - 43.5	19,200	65.6	56.5 - 74.6	29,300
Kailua/ Waimanalo	11,800	27.3	20.0 - 34.6	31,500	72.7	65.4 - 80.0	43,300
Kaimuki/ Palolo/ Waikiki	20,400	35.0	27.9 - 42.1	37,900	65.0	57.9 - 72.1	58,300
Kona	6,400	23.8	17.9 - 29.6	20,700	76.2	70.4 - 82.1	27,100
Lahaina/ Wailuku	7,100	20.9	14.9 - 27.0	26,900	79.1	73.0 - 85.1	34,000
Lanai	1,000	38.1	22.4 - 53.7	1,600	61.9	46.3 - 77.6	2,600
Lihue-Waimea	5,600	23.7	18.2 - 29.1	18,000	76.3	70.9 - 81.8	23,600
Manoa/ Upper Makiki	12,300	28.7	21.8 - 35.5	30,600	71.3	64.5 - 78.2	42,900

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	17,500	27.9	20.9 - 34.9	45,100	72.1	65.1 - 79.1	62,600
Molokai	n/r	n/r	n/r	5,100	77.2	63.1 - 91.2	6,600
Nanakuli/ Waianae	12,500	36.0	23.6 - 48.5	22,200	64.0	51.5 - 76.4	34,700
N.Hawaii	5,200	22.4	16.0 - 28.9	18,100	77.6	71.1 - 84.0	23,300
N.Shore/ Laie	3,300	16.8	9.0 - 24.5	16,300	83.2	75.5 - 91.0	19,600
Nuuanu/ Kalihi/ Moanalua	16,400	30.5	23.8 - 37.2	37,200	69.5	62.8 - 76.2	53,600
Puna/ Kau	9,500	25.9	18.8 - 33.1	27,000	74.1	66.9 - 81.2	36,500
Salt Lake/ Foster Village	7,700	29.7	20.4 - 38.9	18,300	70.3	61.1 - 79.6	26,000
Upcountry/ Hana	6,700	21.4	15.0 - 27.7	24,500	78.6	72.3 - 85.0	31,200
Waialae/ Kahala/ Hawaii Kai	13,600	34.3	26.1 - 42.5	26,100	65.7	57.5 - 73.9	39,700
Waipahu/ Kapolei/ Ewa	27,700	25.7	20.5 - 30.9	80,200	74.3	69.1 - 79.5	107,900

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	22,700	24.9	18.9 - 30.8	68,500	75.1	69.2 - 81.1	91,100
25-34	20,500	14.7	11.4 - 18.0	119,500	85.3	82.0 - 88.6	140,000
35-44	21,500	15.1	11.3 - 19.0	120,600	84.9	81.0 - 88.7	142,100
45-54	27,500	16.7	13.1 - 20.3	137,200	83.3	79.7 - 86.9	164,700
55-64	40,900	26.3	22.8 - 29.8	114,400	73.7	70.2 - 77.2	155,300
65-74	64,600	61.3	56.8 - 65.8	40,800	38.7	34.2 - 43.2	105,400
75+	61,200	69.7	64.7 - 74.8	26,600	30.3	25.2 - 35.3	87,800

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	81,200	29.1	26.4 - 31.8	197,800	70.9	68.2 - 73.6	279,100
Native Hawaiian	27,900	26.2	21.0 - 31.4	78,600	73.8	68.6 - 79.0	106,400
Chinese	19,400	32.4	25.5 - 39.3	40,500	67.6	60.7 - 74.5	60,000
Filipino	30,000	21.8	17.6 - 26.0	107,500	78.2	74.0 - 82.4	137,400
Japanese	77,100	39.5	35.8 - 43.2	118,200	60.5	56.8 - 64.2	195,400
Black	6,000	34.8	21.0 - 48.6	11,200	65.2	51.4 - 79.0	17,100
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	4,500
Other Asian	4,500	20.5	10.6 - 30.4	17,500	79.5	69.6 - 89.4	22,000
Other Pacific Islander	2,100	11.2	5.0 - 17.4	16,800	88.8	82.6 - 95.0	18,900
Other	6,800	28.3	15.2 - 41.5	17,200	71.7	58.5 - 84.8	24,000

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	118,600	27.4	25.0 - 29.8	314,200	72.6	70.2 - 75.0	432,800
Female	143,400	31.1	28.9 - 33.4	317,000	68.9	66.6 - 71.1	460,400

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,400	25.3	13.4 - 37.3	10,000	74.7	62.7 - 86.6	13,400
Grades 9 thru 11 (Some High School)	19,200	26.2	18.1 - 34.4	54,100	73.8	65.6 - 81.9	73,400
Grades 12 or GED (High School Grad)	78,300	29.0	25.8 - 32.2	191,700	71.0	67.8 - 74.2	270,000
College 1 to 3 years (Some College/ Tech)	86,400	29.8	26.9 - 32.8	203,100	70.2	67.2 - 73.1	289,500
College 4 years or more (College Grad)	74,500	30.2	27.9 - 32.6	171,700	69.8	67.4 - 72.1	246,100

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	99,800	19.1	17.2 - 21.1	421,900	80.9	78.9 - 82.8	521,700
Unemployed	13,900	23.0	15.2 - 30.8	46,600	77.0	69.2 - 84.8	60,500
Retired/Unable to work	127,000	56.2	52.9 - 59.5	99,100	43.8	40.5 - 47.1	226,100
Student/Homemaker	20,500	24.5	18.9 - 30.0	63,300	75.5	70.0 - 81.1	83,800

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	13,900	32.6	23.9 - 41.3	28,800	67.4	58.7 - 76.1	42,700
\$10,000 to \$14,999	8,800	26.8	18.2 - 35.5	24,000	73.2	64.5 - 81.8	32,700
\$15,000 to \$19,999	12,900	24.7	19.1 - 30.3	39,200	75.3	69.7 - 80.9	52,100
\$20,000 to \$24,999	20,000	32.1	25.5 - 38.7	42,300	67.9	61.3 - 74.5	62,300
\$25,000 to \$34,999	29,200	31.5	26.0 - 37.1	63,400	68.5	62.9 - 74.0	92,600
\$35,000 to \$49,999	40,000	33.4	29.0 - 37.8	79,700	66.6	62.2 - 71.0	119,600
\$50,000 to \$74,999	40,000	32.7	28.2 - 37.1	82,600	67.3	62.9 - 71.8	122,600
\$75,000 or more	65,200	23.9	21.2 - 26.5	208,100	76.1	73.5 - 78.8	273,300

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	42,300	33.3	27.3 - 39.3	84,600	66.7	60.7 - 72.7	126,800
131-185%	26,500	35.2	28.7 - 41.7	48,800	64.8	58.3 - 71.3	75,300
186+%	107,800	33.6	30.8 - 36.3	213,300	66.4	63.7 - 69.2	321,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	132,600	29.7	27.4 - 32.0	314,000	70.3	68.0 - 72.6	446,600
Unmarried Couple	7,400	26.2	16.2 - 36.3	20,700	73.8	63.7 - 83.8	28,100
Widowed	39,700	55.9	49.3 - 62.5	31,300	44.1	37.5 - 50.7	71,000
Other	82,300	23.7	21.1 - 26.3	265,100	76.3	73.7 - 78.9	347,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	134,000	29.4	27.1 - 31.6	322,500	70.6	68.4 - 72.9	456,500
No	127,100	29.2	26.8 - 31.7	307,400	70.8	68.3 - 73.2	434,500

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	246,300	30.8	29.1 - 32.6	552,300	69.2	67.4 - 70.9	798,600
No	15,600	16.7	11.9 - 21.4	77,900	83.3	78.6 - 88.1	93,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	265,500	30.9	29.2 - 32.6	594,000	69.1	67.4 - 70.8	859,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	36,000	29.0	25.6 - 32.4	88,200	71.0	67.6 - 74.4	124,200
Honolulu	189,300	32.1	29.9 - 34.4	400,000	67.9	65.6 - 70.1	589,300
Kauai	13,000	28.9	23.9 - 34.0	32,000	71.1	66.0 - 76.1	45,100
Maui	26,200	27.6	24.1 - 31.2	68,800	72.4	68.8 - 75.9	95,000

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	36,000	29.0	25.6 - 32.4	88,200	71.0	67.6 - 74.4	124,200
Kauai	13,000	28.9	23.9 - 34.0	32,000	71.1	66.0 - 76.1	45,100
Lanai	1,400	41.9	32.4 - 51.4	2,000	58.1	48.6 - 67.6	3,500
Maui	22,900	27.3	23.3 - 31.2	61,000	72.7	68.8 - 76.7	83,900
Molokai	1,900	24.7	17.6 - 31.7	5,800	75.3	68.3 - 82.4	7,700
Oahu	189,300	32.1	29.9 - 34.4	400,000	67.9	65.6 - 70.1	589,300

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	16,000	30.8	24.1 - 37.6	36,000	69.2	62.4 - 75.9	52,000
Ala Moana	7,800	30.6	21.9 - 39.4	17,700	69.4	60.6 - 78.1	25,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	4,600	22.2	15.0 - 29.4	16,000	77.8	70.6 - 85.0	20,600
Hilo	13,200	36.4	29.4 - 43.4	23,000	63.6	56.6 - 70.6	36,200
Kaaawa/ Kahaluu/ Kaneohe	15,200	32.9	25.1 - 40.8	30,900	67.1	59.2 - 74.9	46,000
Kahului	8,700	29.3	21.9 - 36.6	21,000	70.7	63.4 - 78.1	29,800
Kailua/ Waimanalo	13,900	30.8	22.6 - 39.1	31,200	69.2	60.9 - 77.4	45,200
Kaimuki/ Palolo/ Waikiki	17,200	36.3	29.3 - 43.3	30,100	63.7	56.7 - 70.7	47,200
Kona	8,100	31.2	23.2 - 39.2	17,800	68.8	60.8 - 76.8	25,900
Lahaina/ Wailuku	6,600	23.9	17.7 - 30.2	21,000	76.1	69.8 - 82.3	27,600
Lanai	1,400	41.9	32.4 - 51.4	2,000	58.1	48.6 - 67.6	3,500
Lihue-Waimea	8,500	34.5	27.5 - 41.6	16,000	65.5	58.4 - 72.5	24,500
Manoa/ Upper Makiki	13,500	35.7	28.6 - 42.7	24,400	64.3	57.3 - 71.4	37,900

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	18,200	34.6	26.7 - 42.5	34,300	65.4	57.5 - 73.3	52,500
Molokai	1,900	24.7	17.6 - 31.7	5,800	75.3	68.3 - 82.4	7,700
Nanakuli/ Waianae	8,200	32.5	21.8 - 43.2	17,100	67.5	56.8 - 78.2	25,300
N.Hawaii	6,000	23.4	17.1 - 29.7	19,800	76.6	70.3 - 82.9	25,800
N.Shore/ Laie	6,700	31.7	17.7 - 45.7	14,500	68.3	54.3 - 82.3	21,300
Nuuanu/ Kalihi/ Moanalua	15,400	28.8	22.0 - 35.5	38,300	71.2	64.5 - 78.0	53,700
Puna/ Kau	8,700	24.0	18.4 - 29.7	27,500	76.0	70.3 - 81.6	36,200
Salt Lake/ Foster Village	11,600	37.9	26.4 - 49.4	19,000	62.1	50.6 - 73.6	30,700
Upcountry/ Hana	7,600	28.6	22.0 - 35.2	18,900	71.4	64.8 - 78.0	26,500
Waialae/ Kahala/ Hawaii Kai	14,000	37.5	29.2 - 45.8	23,300	62.5	54.2 - 70.8	37,300
Waipahu/ Kapolei/ Ewa	31,600	27.5	21.9 - 33.1	83,300	72.5	66.9 - 78.1	114,800

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	21,800	24.9	17.3 - 32.4	65,800	75.1	67.6 - 82.7	87,600
25-34	25,200	17.7	13.2 - 22.1	117,300	82.3	77.9 - 86.8	142,500
35-44	20,200	14.2	10.9 - 17.6	121,800	85.8	82.4 - 89.1	142,000
45-54	31,500	20.3	16.8 - 23.8	123,400	79.7	76.2 - 83.2	154,900
55-64	41,100	28.5	25.4 - 31.6	103,200	71.5	68.4 - 74.6	144,300
65-74	56,000	62.3	58.4 - 66.2	33,800	37.7	33.8 - 41.6	89,800
75+	68,200	72.9	68.7 - 77.2	25,300	27.1	22.8 - 31.3	93,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	87,900	30.2	27.6 - 32.8	203,500	69.8	67.2 - 72.4	291,400
Native Hawaiian	22,900	24.9	20.4 - 29.4	69,000	75.1	70.6 - 79.6	91,900
Chinese	15,600	31.0	24.2 - 37.9	34,600	69.0	62.1 - 75.8	50,200
Filipino	40,300	26.4	21.6 - 31.2	112,400	73.6	68.8 - 78.4	152,700
Japanese	73,600	39.7	36.2 - 43.1	111,900	60.3	56.9 - 63.8	185,500
Black	4,600	45.9	28.9 - 62.9	5,400	54.1	37.1 - 71.1	10,100
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	3,700
Other Asian	6,800	30.8	19.2 - 42.4	15,200	69.2	57.6 - 80.8	22,000
Other Pacific Islander	3,000	15.4	7.6 - 23.3	16,700	84.6	76.7 - 92.4	19,700
Other	7,800	27.5	15.6 - 39.3	20,700	72.5	60.7 - 84.4	28,500

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	126,400	30.0	27.5 - 32.6	294,500	70.0	67.4 - 72.5	420,900
Female	139,100	31.7	29.5 - 33.9	299,600	68.3	66.1 - 70.5	438,600

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	7,800	38.2	24.5 - 51.8	12,600	61.8	48.2 - 75.5	20,400
Grades 9 thru 11 (Some High School)	19,900	31.7	23.4 - 40.0	42,800	68.3	60.0 - 76.6	62,600
Grades 12 or GED (High School Grad)	80,700	30.8	27.5 - 34.1	181,600	69.2	65.9 - 72.5	262,300
College 1 to 3 years (Some College/ Tech)	90,800	32.1	29.1 - 35.2	191,800	67.9	64.8 - 70.9	282,600
College 4 years or more (College Grad)	66,300	28.7	26.4 - 31.0	164,700	71.3	69.0 - 73.6	231,000

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	98,800	19.6	17.6 - 21.5	405,900	80.4	78.5 - 82.4	504,700
Unemployed	11,700	19.7	13.3 - 26.2	47,500	80.3	73.8 - 86.7	59,100
Retired/Unable to work	125,200	60.0	57.0 - 63.0	83,500	40.0	37.0 - 43.0	208,700
Student/Homemaker	29,700	34.4	27.3 - 41.5	56,700	65.6	58.5 - 72.7	86,400

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	9,700	26.7	19.7 - 33.7	26,700	73.3	66.3 - 80.3	36,400
\$10,000 to \$14,999	12,600	40.0	30.7 - 49.3	18,800	60.0	50.7 - 69.3	31,400
\$15,000 to \$19,999	16,100	35.0	26.3 - 43.7	29,900	65.0	56.3 - 73.7	46,000
\$20,000 to \$24,999	19,100	29.8	23.7 - 35.8	45,000	70.2	64.2 - 76.3	64,100
\$25,000 to \$34,999	28,600	33.5	28.2 - 38.8	56,700	66.5	61.2 - 71.8	85,300
\$35,000 to \$49,999	41,700	35.5	31.1 - 39.9	75,800	64.5	60.1 - 68.9	117,500
\$50,000 to \$74,999	42,600	29.8	25.8 - 33.8	100,100	70.2	66.2 - 74.2	142,700
\$75,000 or more	69,100	26.7	23.7 - 29.8	189,600	73.3	70.2 - 76.3	258,700

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	45,200	32.0	27.0 - 36.9	96,300	68.0	63.1 - 73.0	141,500
131-185%	30,800	32.0	27.2 - 36.8	65,400	68.0	63.2 - 72.8	96,100
186+%	130,100	33.6	31.1 - 36.0	257,500	66.4	64.0 - 68.9	387,600

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	125,000	29.1	27.0 - 31.2	304,500	70.9	68.8 - 73.0	429,500
Unmarried Couple	8,500	23.2	13.6 - 32.8	28,000	76.8	67.2 - 86.4	36,500
Widowed	44,500	63.7	58.8 - 68.6	25,400	36.3	31.4 - 41.2	69,900
Other	87,500	27.0	24.0 - 30.1	236,100	73.0	69.9 - 76.0	323,700

Pneumonia - ever had shot, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	128,800	29.2	27.2 - 31.3	312,200	70.8	68.7 - 72.8	441,000
No	136,000	32.6	29.9 - 35.3	281,100	67.4	64.7 - 70.1	417,100

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	249,000	31.8	30.1 - 33.6	532,700	68.2	66.4 - 69.9	781,700
No	16,400	21.3	14.8 - 27.8	60,700	78.7	72.2 - 85.2	77,100