

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

*The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2001	94,700	64.3	59.7 - 68.9	52,600	35.7	31.1 - 40.3	147,300
2002	89,200	60.4	56.6 - 64.1	58,600	39.6	35.9 - 43.4	147,700
2003	112,100	70.1	66.2 - 74.1	47,700	29.9	25.9 - 33.8	159,800
2004	99,000	63.9	57.4 - 70.4	56,000	36.1	29.6 - 42.6	155,000
2005	110,100	65.9	62.7 - 69.2	56,900	34.1	30.8 - 37.3	167,000
2006	114,000	68.8	65.7 - 71.9	51,700	31.2	28.1 - 34.3	165,700
2007	118,600	69.4	66.2 - 72.5	52,400	30.6	27.5 - 33.8	171,000
2008	113,100	65.6	62.6 - 68.5	59,400	34.4	31.5 - 37.4	172,600
2009	113,000	64.4	61.6 - 67.3	62,400	35.6	32.7 - 38.4	175,400
2010	120,400	66.8	64.1 - 69.5	59,800	33.2	30.5 - 35.9	180,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	120,400	66.8	64.1 - 69.5	59,800	33.2	30.5 - 35.9	180,200

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,800	64.3	59.0 - 69.6	8,200	35.7	30.4 - 41.0	22,900
Honolulu	87,900	67.1	63.6 - 70.7	43,000	32.9	29.3 - 36.4	130,900
Kauai	6,300	69.3	62.2 - 76.5	2,800	30.7	23.5 - 37.8	9,100
Maui	11,500	66.3	60.7 - 71.9	5,800	33.7	28.1 - 39.3	17,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,800	64.3	59.0 - 69.6	8,200	35.7	30.4 - 41.0	22,900
Kauai	6,300	69.3	62.2 - 76.5	2,800	30.7	23.5 - 37.8	9,100
Maui	10,500	66.2	60.1 - 72.2	5,400	33.8	27.8 - 39.9	15,900
Molokai	800	68.3	57.3 - 79.3	400	31.7	20.7 - 42.7	1,100
Oahu	87,900	67.1	63.6 - 70.7	43,000	32.9	29.3 - 36.4	130,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,200	67.8	57.6 - 78.1	4,900	32.2	21.9 - 42.4	15,100
Ala Moana	4,000	70.6	56.2 - 85.0	1,700	29.4	15.0 - 43.8	5,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,000	56.7	44.9 - 68.6	1,600	43.3	31.4 - 55.1	3,600
Hilo	4,900	67.8	58.9 - 76.6	2,300	32.2	23.4 - 41.1	7,200
Kaaawa/ Kahaluu/ Kaneohe	6,300	61.3	48.0 - 74.6	4,000	38.7	25.4 - 52.0	10,300
Kahului	4,100	69.2	59.4 - 79.0	1,800	30.8	21.0 - 40.6	5,900
Kailua/ Waimanalo	8,700	69.8	57.6 - 81.9	3,800	30.2	18.1 - 42.4	12,500
Kaimuki/ Palolo/ Waikiki	9,900	66.2	56.4 - 76.0	5,100	33.8	24.0 - 43.6	15,000
Kona	3,800	71.1	62.0 - 80.2	1,600	28.9	19.8 - 38.0	5,400
Lahaina/ Wailuku	3,100	60.3	49.4 - 71.3	2,000	39.7	28.7 - 50.6	5,200
Lihue-Waimea	4,300	77.5	69.1 - 85.8	1,200	22.5	14.2 - 30.9	5,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	9,300	75.5	66.7 - 84.3	3,000	24.5	15.7 - 33.3	12,300
Mililani/ Wahiawa	6,200	74.7	62.9 - 86.5	2,100	25.3	13.5 - 37.1	8,300
Molokai	800	68.3	57.3 - 79.3	400	31.7	20.7 - 42.7	1,100
N.Hawaii	2,400	55.8	43.7 - 67.9	1,900	44.2	32.1 - 56.3	4,300
Nuuanu/ Kalihi/ Moanalua	8,600	62.4	51.7 - 73.0	5,200	37.6	27.0 - 48.3	13,800
Puna/ Kau	3,600	60.2	48.4 - 72.1	2,400	39.8	27.9 - 51.6	6,000
Upcountry/ Hana	3,400	68.6	58.2 - 79.1	1,500	31.4	20.9 - 41.8	4,900
Waialae/ Kahala/ Hawaii Kai	7,500	74.9	65.2 - 84.5	2,500	25.1	15.5 - 34.8	10,000
Waipahu/ Kapolei/ Ewa	9,000	57.9	46.0 - 69.8	6,500	42.1	30.2 - 54.0	15,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	39,700	66.4	62.2 - 70.5	20,100	33.6	29.5 - 37.8	59,800
Native Hawaiian	11,000	60.6	50.8 - 70.4	7,200	39.4	29.6 - 49.2	18,200
Chinese	8,700	72.4	62.5 - 82.4	3,300	27.6	17.6 - 37.5	12,000
Filipino	10,300	50.9	40.8 - 60.9	9,900	49.1	39.1 - 59.2	20,200
Japanese	46,900	75.1	70.9 - 79.3	15,500	24.9	20.7 - 29.1	62,400



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	45,200	60.0	55.5 - 64.5	30,100	40.0	35.5 - 44.5	75,300
Female	75,300	71.7	68.5 - 74.9	29,700	28.3	25.1 - 31.5	104,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,400	61.1	45.0 - 77.1	2,100	38.9	22.9 - 55.0	5,500
Grades 9 thru 11 (Some High School)	5,800	55.1	39.6 - 70.6	4,700	44.9	29.4 - 60.4	10,500
Grades 12 or GED (High School Grad)	38,900	63.0	58.1 - 68.0	22,800	37.0	32.0 - 41.9	61,600
College 1 to 3 years (Some College/ Tech)	31,000	71.4	66.3 - 76.5	12,400	28.6	23.5 - 33.7	43,400
College 4 years or more (College Grad)	41,400	70.2	66.1 - 74.3	17,600	29.8	25.7 - 33.9	59,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	13,600	51.0	44.1 - 57.9	13,100	49.0	42.1 - 55.9	26,700
<b>Retired/Unable to work</b>	98,800	70.8	67.8 - 73.9	40,700	29.2	26.1 - 32.2	139,500
<b>Student/Homemaker</b>	7,300	67.4	56.5 - 78.4	3,500	32.6	21.6 - 43.5	10,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,200	49.7	35.8 - 63.6	4,200	50.3	36.4 - 64.2	8,400
\$10,000 to \$14,999	5,900	70.6	60.0 - 81.3	2,500	29.4	18.7 - 40.0	8,400
\$15,000 to \$19,999	8,500	59.5	49.5 - 69.5	5,800	40.5	30.5 - 50.5	14,300
\$20,000 to \$24,999	11,100	68.1	58.7 - 77.6	5,200	31.9	22.4 - 41.3	16,300
\$25,000 to \$34,999	13,500	59.5	51.5 - 67.5	9,200	40.5	32.5 - 48.5	22,700
\$35,000 to \$49,999	20,000	74.3	67.9 - 80.8	6,900	25.7	19.2 - 32.1	26,900
\$50,000 to \$74,999	20,100	70.5	64.1 - 76.8	8,400	29.5	23.2 - 35.9	28,600
\$75,000 or more	25,300	70.3	64.8 - 75.8	10,700	29.7	24.2 - 35.2	36,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	20,700	57.8	50.5 - 65.1	15,100	42.2	34.9 - 49.5	35,900
<b>131-185%</b>	21,700	65.6	59.5 - 71.7	11,400	34.4	28.3 - 40.5	33,100
<b>186+%</b>	66,200	71.5	68.2 - 74.8	26,400	28.5	25.2 - 31.8	92,500

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	71,100	65.5	61.7 - 69.2	37,500	34.5	30.8 - 38.3	108,600
<b>Widowed</b>	32,000	73.4	68.6 - 78.3	11,600	26.6	21.7 - 31.4	43,500
<b>Other</b>	16,700	61.7	55.7 - 67.7	10,400	38.3	32.3 - 44.3	27,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2010**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	72,200	65.5	61.8 - 69.2	38,000	34.5	30.8 - 38.2	110,200
<b>No</b>	48,100	68.9	65.1 - 72.8	21,700	31.1	27.2 - 34.9	69,700

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	120,000	67.0	64.3 - 69.7	59,000	33.0	30.3 - 35.7	179,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	113,000	64.4	61.6 - 67.3	62,400	35.6	32.7 - 38.4	175,400

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,300	63.8	58.4 - 69.2	8,100	36.2	30.8 - 41.6	22,400
Honolulu	82,800	64.8	61.1 - 68.5	44,900	35.2	31.5 - 38.9	127,700
Kauai	5,500	62.9	54.9 - 70.9	3,200	37.1	29.1 - 45.1	8,700
Maui	10,500	63.2	56.9 - 69.4	6,100	36.8	30.6 - 43.1	16,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,300	63.8	58.4 - 69.2	8,100	36.2	30.8 - 41.6	22,400
Kauai	5,500	62.9	54.9 - 70.9	3,200	37.1	29.1 - 45.1	8,700
Lanai	200	65.2	51.0 - 79.4	100	34.8	20.6 - 49.0	300
Maui	9,700	63.3	56.6 - 70.1	5,600	36.7	29.9 - 43.4	15,300
Oahu	82,800	64.8	61.1 - 68.5	44,900	35.2	31.5 - 38.9	127,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	7,300	68.4	56.3 - 80.6	3,400	31.6	19.4 - 43.7	10,700
Ala Moana	4,400	68.6	56.5 - 80.8	2,000	31.4	19.2 - 43.5	6,400



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	1,900	53.4	40.5 - 66.2	1,600	46.6	33.8 - 59.5	3,500
Hilo	4,300	63.0	53.5 - 72.4	2,500	37.0	27.6 - 46.5	6,800
Kaaawa/ Kahaluu/ Kaneohe	6,800	58.7	46.8 - 70.5	4,800	41.3	29.5 - 53.2	11,600
Kahului	3,900	68.4	57.9 - 78.9	1,800	31.6	21.1 - 42.1	5,700
Kailua/ Waimanalo	6,300	63.3	51.0 - 75.7	3,600	36.7	24.3 - 49.0	9,900
Kaimuki/ Palolo/ Waikiki	10,500	64.2	54.7 - 73.8	5,900	35.8	26.2 - 45.3	16,400
Kona	3,900	61.3	50.7 - 71.9	2,400	38.7	28.1 - 49.3	6,300
Lahaina/ Wailuku	3,300	66.2	54.6 - 77.7	1,700	33.8	22.3 - 45.4	5,000
Lanai	200	65.2	51.0 - 79.4	100	34.8	20.6 - 49.0	300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lihue-Waimea	3,600	69.3	59.6 - 79.0	1,600	30.7	21.0 - 40.4	5,200
Manoa/ Upper Makiki	6,900	62.1	50.1 - 74.1	4,200	37.9	25.9 - 49.9	11,100
Mililani/ Wahiawa	6,500	72.4	59.2 - 85.6	2,500	27.6	14.4 - 40.8	8,900
N.Hawaii	2,100	59.1	45.3 - 72.9	1,400	40.9	27.1 - 54.7	3,500
Nuuanu/ Kalihi/ Moanalua	9,900	60.6	48.7 - 72.4	6,500	39.4	27.6 - 51.3	16,400
Puna/ Kau	4,000	70.5	60.3 - 80.6	1,700	29.5	19.4 - 39.7	5,700
Upcountry/ Hana	2,400	53.7	40.8 - 66.6	2,100	46.3	33.4 - 59.2	4,500
Waialae/ Kahala/ Hawaii Kai	9,200	68.8	58.1 - 79.6	4,200	31.2	20.4 - 41.9	13,400
Waipahu/ Kapolei/ Ewa	8,300	64.3	50.9 - 77.8	4,600	35.7	22.2 - 49.1	13,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	39,600	65.8	61.7 - 70.0	20,600	34.2	30.0 - 38.3	60,200
Native Hawaiian	7,600	46.3	35.7 - 56.8	8,800	53.7	43.2 - 64.3	16,300
Chinese	9,000	63.0	52.4 - 73.5	5,300	37.0	26.5 - 47.6	14,300
Filipino	8,400	48.0	37.2 - 58.8	9,100	52.0	41.2 - 62.8	17,600
Japanese	44,200	72.4	67.7 - 77.0	16,900	27.6	23.0 - 32.3	61,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	42,700	57.6	53.1 - 62.1	31,400	42.4	37.9 - 46.9	74,100
Female	70,400	69.4	65.8 - 73.1	31,000	30.6	26.9 - 34.2	101,400

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	3,400	49.2	30.2 - 68.1	3,500	50.8	31.9 - 69.8	6,900
Grades 9 thru 11 (Some High School)	4,800	53.3	40.8 - 65.9	4,200	46.7	34.1 - 59.2	9,000
Grades 12 or GED (High School Grad)	34,900	62.5	57.2 - 67.8	21,000	37.5	32.2 - 42.8	55,900
College 1 to 3 years (Some College/ Tech)	31,200	70.4	65.2 - 75.5	13,100	29.6	24.5 - 34.8	44,300
College 4 years or more (College Grad)	38,500	65.1	60.6 - 69.7	20,600	34.9	30.3 - 39.4	59,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	15,700	52.4	45.3 - 59.6	14,200	47.6	40.4 - 54.7	29,900
<b>Retired/Unable to work</b>	91,500	67.3	64.1 - 70.5	44,500	32.7	29.5 - 35.9	136,000
<b>Student/Homemaker</b>	5,300	68.2	54.7 - 81.8	2,500	31.8	18.2 - 45.3	7,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,700	33.1	16.9 - 49.4	3,400	66.9	50.6 - 83.1	5,100
\$10,000 to \$14,999	4,400	51.4	39.8 - 63.0	4,200	48.6	37.0 - 60.2	8,600
\$15,000 to \$19,999	7,200	60.3	48.6 - 72.0	4,800	39.7	28.0 - 51.4	12,000
\$20,000 to \$24,999	10,200	64.4	55.3 - 73.5	5,600	35.6	26.5 - 44.7	15,800
\$25,000 to \$34,999	14,400	64.0	56.1 - 71.9	8,100	36.0	28.1 - 43.9	22,600
\$35,000 to \$49,999	22,200	73.0	66.9 - 79.1	8,200	27.0	20.9 - 33.1	30,400
\$50,000 to \$74,999	17,500	66.2	59.0 - 73.4	9,000	33.8	26.6 - 41.0	26,500
\$75,000 or more	22,700	64.5	58.3 - 70.7	12,500	35.5	29.3 - 41.7	35,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	17,700	53.0	45.1 - 60.9	15,700	47.0	39.1 - 54.9	33,400
<b>131-185%</b>	20,800	67.1	61.0 - 73.3	10,200	32.9	26.7 - 39.0	30,900
<b>186+%</b>	61,900	67.4	63.8 - 71.0	29,900	32.6	29.0 - 36.2	91,800

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	65,700	64.1	60.3 - 67.9	36,800	35.9	32.1 - 39.7	102,600
<b>Widowed</b>	31,000	67.9	62.1 - 73.7	14,600	32.1	26.3 - 37.9	45,600
<b>Other</b>	15,800	59.9	53.3 - 66.5	10,600	40.1	33.5 - 46.7	26,300



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2009**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	66,300	64.2	60.4 - 67.9	37,100	35.8	32.1 - 39.6	103,400
<b>No</b>	46,600	64.9	60.5 - 69.2	25,300	35.1	30.8 - 39.5	71,900

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	112,300	64.5	61.6 - 67.4	61,800	35.5	32.6 - 38.4	174,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	113,100	65.6	62.6 - 68.5	59,400	34.4	31.5 - 37.4	172,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,500	65.1	59.3 - 71.0	7,800	34.9	29.0 - 40.7	22,300
Honolulu	82,500	66.0	62.1 - 69.8	42,600	34.0	30.2 - 37.9	125,100
Kauai	6,300	70.4	61.6 - 79.2	2,700	29.6	20.8 - 38.4	9,000
Maui	9,800	60.3	53.6 - 67.0	6,400	39.7	33.0 - 46.4	16,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,500	65.1	59.3 - 71.0	7,800	34.9	29.0 - 40.7	22,300
Kauai	6,300	70.4	61.6 - 79.2	2,700	29.6	20.8 - 38.4	9,000
Lanai	200	59.5	43.8 - 75.2	200	40.5	24.8 - 56.2	400
Maui	9,000	60.5	53.3 - 67.7	5,900	39.5	32.3 - 46.7	14,900
Oahu	82,500	66.0	62.1 - 69.8	42,600	34.0	30.2 - 37.9	125,100

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,700	74.4	62.6 - 86.1	3,700	25.6	13.9 - 37.4	14,400
Ala Moana	4,800	68.2	54.4 - 81.9	2,200	31.8	18.1 - 45.6	7,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	5,500	68.6	59.1 - 78.2	2,500	31.4	21.8 - 40.9	8,100
Kaaawa/ Kahaluu/ Kaneohe	5,800	64.8	50.8 - 78.8	3,100	35.2	21.2 - 49.2	8,900
Kahului	2,600	53.1	41.4 - 64.8	2,300	46.9	35.2 - 58.6	4,800
Kailua/ Waimanalo	5,000	53.0	38.5 - 67.5	4,500	47.0	32.5 - 61.5	9,500
Kaimuki/ Palolo/ Waikiki	11,300	69.5	59.3 - 79.8	5,000	30.5	20.2 - 40.7	16,300
Kona	3,600	62.3	49.4 - 75.1	2,200	37.7	24.9 - 50.6	5,700
Lahaina/ Wailuku	3,500	65.6	53.1 - 78.2	1,800	34.4	21.8 - 46.9	5,300
Lanai	200	59.5	43.8 - 75.2	200	40.5	24.8 - 56.2	400
Lihue-Waimea	4,200	70.6	59.7 - 81.5	1,700	29.4	18.5 - 40.3	5,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	8,700	72.9	62.6 - 83.2	3,200	27.1	16.8 - 37.4	12,000
Mililani/ Wahiawa	4,800	62.4	47.3 - 77.5	2,900	37.6	22.5 - 52.7	7,700
N.Hawaii	2,800	66.5	54.3 - 78.8	1,400	33.5	21.2 - 45.7	4,100
Nuuanu/ Kalihi/ Moanalua	8,000	67.5	55.8 - 79.3	3,900	32.5	20.7 - 44.2	11,900
Puna/ Kau	2,600	61.1	48.9 - 73.3	1,700	38.9	26.7 - 51.1	4,300
Upcountry/ Hana	2,900	62.2	49.2 - 75.2	1,800	37.8	24.8 - 50.8	4,700
Waialae/ Kahala/ Hawaii Kai	8,600	69.1	57.7 - 80.4	3,800	30.9	19.6 - 42.3	12,400
Waipahu/ Kapolei/ Ewa	7,100	67.4	54.0 - 80.7	3,400	32.6	19.3 - 46.0	10,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	38,600	66.0	61.5 - 70.4	19,900	34.0	29.6 - 38.5	58,500
Native Hawaiian	7,900	51.3	40.5 - 62.1	7,500	48.7	37.9 - 59.5	15,500
Chinese	10,500	70.3	59.8 - 80.8	4,400	29.7	19.2 - 40.2	14,900
Filipino	8,600	54.8	42.8 - 66.8	7,100	45.2	33.2 - 57.2	15,600
Japanese	45,000	72.9	68.1 - 77.7	16,700	27.1	22.3 - 31.9	61,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	44,200	60.7	55.9 - 65.5	28,700	39.3	34.5 - 44.1	72,900
Female	68,900	69.1	65.4 - 72.9	30,800	30.9	27.1 - 34.6	99,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,900	35.7	21.3 - 50.1	3,400	64.3	49.9 - 78.7	5,300
Grades 9 thru 11 (Some High School)	8,800	71.1	60.0 - 82.2	3,600	28.9	17.8 - 40.0	12,400
Grades 12 or GED (High School Grad)	36,100	61.7	56.1 - 67.2	22,500	38.3	32.8 - 43.9	58,600
College 1 to 3 years (Some College/ Tech)	25,000	67.9	61.5 - 74.3	11,800	32.1	25.7 - 38.5	36,800
College 4 years or more (College Grad)	41,300	69.5	64.9 - 74.0	18,100	30.5	26.0 - 35.1	59,400



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	13,000	52.3	44.5 - 60.2	11,900	47.7	39.8 - 55.5	24,900
Retired/Unable to work	94,600	67.4	64.1 - 70.6	45,800	32.6	29.4 - 35.9	140,500
Student/Homemaker	5,100	74.7	60.8 - 88.6	1,700	25.3	11.4 - 39.2	6,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,200	55.6	40.4 - 70.8	1,700	44.4	29.2 - 59.6	3,900
\$10,000 to \$14,999	4,800	57.2	42.0 - 72.4	3,600	42.8	27.6 - 58.0	8,400
\$15,000 to \$19,999	6,700	59.9	49.1 - 70.7	4,500	40.1	29.3 - 50.9	11,200
\$20,000 to \$24,999	9,400	56.9	46.5 - 67.3	7,100	43.1	32.7 - 53.5	16,600
\$25,000 to \$34,999	12,800	57.0	48.8 - 65.1	9,700	43.0	34.9 - 51.2	22,400
\$35,000 to \$49,999	21,200	73.0	66.2 - 79.9	7,800	27.0	20.1 - 33.8	29,000
\$50,000 to \$74,999	19,600	69.1	61.5 - 76.6	8,800	30.9	23.4 - 38.5	28,400
\$75,000 or more	21,800	67.7	61.1 - 74.3	10,400	32.3	25.7 - 38.9	32,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	15,200	55.2	46.3 - 64.2	12,300	44.8	35.8 - 53.7	27,500
<b>131-185%</b>	11,200	56.2	46.3 - 66.1	8,700	43.8	33.9 - 53.7	20,000
<b>186+%</b>	72,000	68.9	65.4 - 72.3	32,600	31.1	27.7 - 34.6	104,600

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	66,300	64.7	60.6 - 68.8	36,200	35.3	31.2 - 39.4	102,500
<b>Widowed</b>	29,900	69.3	63.8 - 74.8	13,200	30.7	25.2 - 36.2	43,100
<b>Other</b>	16,300	62.4	55.6 - 69.2	9,800	37.6	30.8 - 44.4	26,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2008**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	66,600	64.5	60.4 - 68.6	36,700	35.5	31.4 - 39.6	103,200
<b>No</b>	46,500	67.2	62.9 - 71.4	22,800	32.8	28.6 - 37.1	69,300

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	112,700	65.6	62.6 - 68.6	59,200	34.4	31.4 - 37.4	171,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	118,600	69.4	66.2 - 72.5	52,400	30.6	27.5 - 33.8	171,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,400	69.3	63.9 - 74.7	6,800	30.7	25.3 - 36.1	22,200
Honolulu	87,100	70.3	66.3 - 74.3	36,800	29.7	25.7 - 33.7	123,900
Kauai	5,700	66.1	56.5 - 75.6	2,900	33.9	24.4 - 43.5	8,600
Maui	10,500	64.0	56.6 - 71.4	5,900	36.0	28.6 - 43.4	16,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,400	69.3	63.9 - 74.7	6,800	30.7	25.3 - 36.1	22,200
Kauai	5,700	66.1	56.5 - 75.6	2,900	33.9	24.4 - 43.5	8,600
Maui	9,700	64.2	56.3 - 72.1	5,400	35.8	27.9 - 43.7	15,100
Oahu	87,100	70.3	66.3 - 74.3	36,800	29.7	25.7 - 33.7	123,900

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,300	71.5	59.5 - 83.5	4,100	28.5	16.5 - 40.5	14,400
Ala Moana	6,500	75.5	61.4 - 89.6	2,100	24.5	10.4 - 38.6	8,700
Hanalei/ Kapaa	2,800	65.9	51.2 - 80.6	1,400	34.1	19.4 - 48.8	4,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	6,000	73.5	64.6 - 82.3	2,200	26.5	17.7 - 35.4	8,200
Kahului	3,600	57.9	45.5 - 70.2	2,600	42.1	29.8 - 54.5	6,200
Kailua/ Waimanalo	9,600	81.5	71.1 - 91.9	2,200	18.5	8.1 - 28.9	11,800
Kaimuki/ Palolo/ Waikiki	10,200	68.7	58.2 - 79.3	4,700	31.3	20.7 - 41.8	14,900
Kona	3,000	60.7	48.3 - 73.2	1,900	39.3	26.8 - 51.7	4,900
Lahaina/ Wailuku	3,000	70.8	58.3 - 83.3	1,200	29.2	16.7 - 41.7	4,200
Lihue-Waimea	2,900	66.3	54.0 - 78.6	1,500	33.7	21.4 - 46.0	4,400
Manoa/ Upper Makiki	8,500	72.9	61.0 - 84.8	3,200	27.1	15.2 - 39.0	11,700
N.Hawaii	3,400	77.3	66.8 - 87.8	1,000	22.7	12.2 - 33.2	4,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	8,800	70.6	58.0 - 83.2	3,700	29.4	16.8 - 42.0	12,400
Puna/ Kau	3,000	63.5	52.1 - 74.8	1,700	36.5	25.2 - 47.9	4,700
Upcountry/ Hana	3,200	66.6	51.1 - 82.1	1,600	33.4	17.9 - 48.9	4,700
Waipahu/ Kapolei/ Ewa	8,900	63.0	49.1 - 77.0	5,200	37.0	23.0 - 50.9	14,100



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	39,000	70.1	65.5 - 74.8	16,600	29.9	25.2 - 34.5	55,600
Native Hawaiian	8,200	57.1	45.7 - 68.4	6,200	42.9	31.6 - 54.3	14,400
Chinese	11,300	82.1	72.1 - 92.1	2,500	17.9	7.9 - 27.9	13,800
Filipino	11,300	52.0	40.8 - 63.2	10,400	48.0	36.8 - 59.2	21,700
Japanese	44,200	75.2	70.1 - 80.3	14,600	24.8	19.7 - 29.9	58,800

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	46,300	65.0	59.8 - 70.2	24,900	35.0	29.8 - 40.2	71,200
Female	72,300	72.5	68.7 - 76.3	27,500	27.5	23.7 - 31.3	99,800

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	6,000	56.8	40.1 - 73.6	4,500	43.2	26.4 - 59.9	10,500
Grades 9 thru 11 (Some High School)	6,600	58.1	44.6 - 71.5	4,800	41.9	28.5 - 55.4	11,400
Grades 12 or GED (High School Grad)	36,900	66.9	61.1 - 72.7	18,200	33.1	27.3 - 38.9	55,100
College 1 to 3 years (Some College/ Tech)	29,300	75.2	69.6 - 80.8	9,600	24.8	19.2 - 30.4	38,900
College 4 years or more (College Grad)	39,800	72.3	67.5 - 77.2	15,200	27.7	22.8 - 32.5	55,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,200	55.5	46.8 - 64.2	9,000	44.5	35.8 - 53.2	20,200
Retired/Unable to work	104,100	71.2	67.8 - 74.6	42,100	28.8	25.4 - 32.2	146,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,100	64.4	48.7 - 80.1	1,700	35.6	19.9 - 51.3	4,800
\$10,000 to \$14,999	5,900	66.7	54.8 - 78.6	2,900	33.3	21.4 - 45.2	8,800
\$15,000 to \$19,999	8,600	64.4	53.5 - 75.3	4,800	35.6	24.7 - 46.5	13,400
\$20,000 to \$24,999	9,500	59.5	48.6 - 70.4	6,500	40.5	29.6 - 51.4	16,000
\$25,000 to \$34,999	15,600	66.8	58.5 - 75.2	7,800	33.2	24.8 - 41.5	23,400
\$35,000 to \$49,999	24,600	76.5	70.5 - 82.5	7,600	23.5	17.5 - 29.5	32,200
\$50,000 to \$74,999	16,300	79.2	71.6 - 86.9	4,300	20.8	13.1 - 28.4	20,600
\$75,000 or more	22,000	67.5	60.4 - 74.7	10,600	32.5	25.3 - 39.6	32,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	21,000	63.5	55.7 - 71.3	12,100	36.5	28.7 - 44.3	33,000
<b>131-185%</b>	9,900	54.4	44.4 - 64.4	8,300	45.6	35.6 - 55.6	18,200
<b>186+%</b>	74,800	74.4	70.9 - 77.9	25,700	25.6	22.1 - 29.1	100,500

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	71,100	68.3	64.0 - 72.6	33,000	31.7	27.4 - 36.0	104,100
<b>Widowed</b>	32,300	74.3	69.0 - 79.5	11,200	25.7	20.5 - 31.0	43,500
<b>Other</b>	15,100	65.8	58.3 - 73.2	7,900	34.2	26.8 - 41.7	22,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2007**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	71,300	68.2	63.9 - 72.4	33,300	31.8	27.6 - 36.1	104,700
<b>No</b>	47,000	71.4	67.1 - 75.7	18,800	28.6	24.3 - 32.9	65,900

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	118,100	69.7	66.6 - 72.8	51,300	30.3	27.2 - 33.4	169,400

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	114,000	68.8	65.7 - 71.9	51,700	31.2	28.1 - 34.3	165,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,400	62.4	56.5 - 68.3	8,000	37.6	31.7 - 43.5	21,400
Honolulu	84,200	70.0	66.0 - 73.9	36,200	30.0	26.1 - 34.0	120,400
Kauai	6,300	74.8	65.2 - 84.3	2,100	25.2	15.7 - 34.8	8,400
Maui	10,100	65.3	58.0 - 72.5	5,400	34.7	27.5 - 42.0	15,500



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,400	62.4	56.5 - 68.3	8,000	37.6	31.7 - 43.5	21,400
Kauai	6,300	74.8	65.2 - 84.3	2,100	25.2	15.7 - 34.8	8,400
Maui	9,000	64.9	56.9 - 72.8	4,900	35.1	27.2 - 43.1	13,900
Molokai	900	73.1	59.9 - 86.4	300	26.9	13.6 - 40.1	1,300
Oahu	84,200	70.0	66.0 - 73.9	36,200	30.0	26.1 - 34.0	120,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,800	70.2	57.7 - 82.7	4,600	29.8	17.3 - 42.3	15,300
Ala Moana	6,100	72.4	60.3 - 84.4	2,300	27.6	15.6 - 39.7	8,400

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	5,200	62.5	53.1 - 71.9	3,100	37.5	28.1 - 46.9	8,400
Kaaawa/ Kahaluu/ Kaneohe	5,200	50.1	34.7 - 65.6	5,200	49.9	34.4 - 65.3	10,500
Kahului	3,300	73.9	61.5 - 86.2	1,200	26.1	13.8 - 38.5	4,500
Kailua/ Waimanalo	8,500	74.9	64.0 - 85.8	2,800	25.1	14.2 - 36.0	11,300
Kaimuki/ Palolo/ Waikiki	11,800	70.9	60.9 - 80.9	4,800	29.1	19.1 - 39.1	16,600
Kona	3,100	60.4	48.0 - 72.7	2,000	39.6	27.3 - 52.0	5,200
Lahaina/ Wailuku	3,000	58.5	44.1 - 72.9	2,100	41.5	27.1 - 55.9	5,100
Lihue-Waimea	4,200	76.2	63.7 - 88.7	1,300	23.8	11.3 - 36.3	5,500
Manoa/ Upper Makiki	9,700	80.0	70.9 - 89.2	2,400	20.0	10.8 - 29.1	12,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	900	73.1	59.9 - 86.4	300	26.9	13.6 - 40.1	1,300
N.Hawaii	2,200	58.4	44.3 - 72.5	1,600	41.6	27.5 - 55.7	3,800
Nuuanu/ Kalihi/ Moanalua	6,800	57.1	42.9 - 71.2	5,100	42.9	28.8 - 57.1	11,900
Puna/ Kau	2,800	68.5	55.5 - 81.5	1,300	31.5	18.5 - 44.5	4,100
Upcountry/ Hana	2,700	62.9	49.4 - 76.3	1,600	37.1	23.7 - 50.6	4,200
Waialae/ Kahala/ Hawaii Kai	6,500	74.3	61.4 - 87.2	2,300	25.7	12.8 - 38.6	8,800
Waipahu/ Kapolei/ Ewa	8,700	76.0	63.7 - 88.3	2,800	24.0	11.7 - 36.3	11,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	38,300	71.0	66.4 - 75.5	15,700	29.0	24.5 - 33.6	54,000
Native Hawaiian	8,700	59.7	49.3 - 70.2	5,900	40.3	29.8 - 50.7	14,600
Chinese	9,200	75.6	65.5 - 85.8	3,000	24.4	14.2 - 34.5	12,200
Filipino	8,800	59.0	45.7 - 72.3	6,100	41.0	27.7 - 54.3	14,900
Japanese	42,900	69.5	64.2 - 74.9	18,800	30.5	25.1 - 35.8	61,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	43,900	64.8	59.9 - 69.8	23,800	35.2	30.2 - 40.1	67,700
Female	70,100	71.5	67.6 - 75.5	27,900	28.5	24.5 - 32.4	97,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	5,400	64.7	48.4 - 80.9	3,000	35.3	19.1 - 51.6	8,400
Grades 9 thru 11 (Some High School)	7,800	64.5	52.8 - 76.3	4,300	35.5	23.7 - 47.2	12,000
Grades 12 or GED (High School Grad)	35,000	65.1	59.3 - 71.0	18,800	34.9	29.0 - 40.7	53,800
College 1 to 3 years (Some College/ Tech)	25,100	67.1	60.7 - 73.4	12,300	32.9	26.6 - 39.3	37,400
College 4 years or more (College Grad)	40,400	75.3	70.6 - 80.0	13,300	24.7	20.0 - 29.4	53,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	13,500	57.1	48.2 - 65.9	10,100	42.9	34.1 - 51.8	23,600
Retired/Unable to work	98,300	71.2	68.0 - 74.5	39,700	28.8	25.5 - 32.0	138,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,600	70.6	57.1 - 84.1	1,500	29.4	15.9 - 42.9	5,100
\$10,000 to \$14,999	5,400	68.9	55.2 - 82.5	2,400	31.1	17.5 - 44.8	7,900
\$15,000 to \$19,999	9,500	71.6	61.2 - 82.1	3,800	28.4	17.9 - 38.8	13,300
\$20,000 to \$24,999	8,600	60.7	49.8 - 71.6	5,600	39.3	28.4 - 50.2	14,200
\$25,000 to \$34,999	15,000	69.0	59.7 - 78.2	6,700	31.0	21.8 - 40.3	21,700
\$35,000 to \$49,999	15,900	70.3	62.6 - 78.0	6,700	29.7	22.0 - 37.4	22,600
\$50,000 to \$74,999	12,600	70.9	61.5 - 80.3	5,200	29.1	19.7 - 38.5	17,800
\$75,000 or more	16,800	68.5	60.3 - 76.8	7,700	31.5	23.2 - 39.7	24,500



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	19,500	68.1	59.6 - 76.5	9,100	31.9	23.5 - 40.4	28,600
<b>131-185%</b>	10,200	61.6	51.6 - 71.6	6,400	38.4	28.4 - 48.4	16,600
<b>186+%</b>	57,800	70.5	66.4 - 74.7	24,100	29.5	25.3 - 33.6	81,900

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	69,300	68.0	63.8 - 72.2	32,700	32.0	27.8 - 36.2	102,000
<b>Widowed</b>	28,300	71.0	65.4 - 76.6	11,600	29.0	23.4 - 34.6	39,800
<b>Other</b>	16,200	68.9	61.9 - 75.8	7,300	31.1	24.2 - 38.1	23,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2006**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	70,400	68.2	64.0 - 72.4	32,800	31.8	27.6 - 36.0	103,200
<b>No</b>	43,200	69.6	65.2 - 74.0	18,900	30.4	26.0 - 34.8	62,100

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	113,400	69.1	66.0 - 72.2	50,600	30.9	27.8 - 34.0	164,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	110,100	65.9	62.7 - 69.2	56,900	34.1	30.8 - 37.3	167,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,900	64.7	59.0 - 70.5	7,500	35.3	29.5 - 41.0	21,400
Honolulu	80,100	66.1	61.8 - 70.3	41,100	33.9	29.7 - 38.2	121,300
Kauai	5,900	69.7	60.6 - 78.8	2,600	30.3	21.2 - 39.4	8,400
Maui	10,200	64.5	56.5 - 72.6	5,600	35.5	27.4 - 43.5	15,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	13,900	64.7	59.0 - 70.5	7,500	35.3	29.5 - 41.0	21,400
Kauai	5,900	69.7	60.6 - 78.8	2,600	30.3	21.2 - 39.4	8,400
Maui	9,300	64.5	55.8 - 73.3	5,100	35.5	26.7 - 44.2	14,400
Oahu	80,100	66.1	61.8 - 70.3	41,100	33.9	29.7 - 38.2	121,300

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,700	67.7	55.6 - 79.9	4,600	32.3	20.1 - 44.4	14,200
Hanalei/ Kapaa	2,500	73.3	60.1 - 86.5	900	26.7	13.5 - 39.9	3,500
Hilo	5,100	69.6	59.4 - 79.8	2,200	30.4	20.2 - 40.6	7,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Kaaawa/ Kahaluu/ Kaneohe	6,200	70.1	54.9 - 85.3	2,700	29.9	14.7 - 45.1	8,900
Kahului	3,800	60.8	48.3 - 73.4	2,500	39.2	26.6 - 51.7	6,300
Kailua/ Waimanalo	6,500	66.1	50.2 - 82.0	3,300	33.9	18.0 - 49.8	9,800
Kaimuki/ Palolo/ Waikiki	10,600	70.5	60.5 - 80.4	4,400	29.5	19.6 - 39.5	15,000
Kona	4,000	67.9	56.4 - 79.4	1,900	32.1	20.6 - 43.6	5,900
Lihue-Waimea	3,300	67.2	54.9 - 79.5	1,600	32.8	20.5 - 45.1	5,000
Manoa/ Upper Makiki	6,200	63.2	47.1 - 79.3	3,600	36.8	20.7 - 52.9	9,800
Mililani/ Wahiawa	7,100	76.0	59.4 - 92.5	2,200	24.0	7.5 - 40.6	9,300
N.Hawaii	2,800	64.8	53.5 - 76.0	1,500	35.2	24.0 - 46.5	4,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nuuanu/ Kalihi/ Moanalua	8,100	56.3	42.9 - 69.7	6,300	43.7	30.3 - 57.1	14,300
Puna/ Kau	2,000	50.7	36.9 - 64.5	1,900	49.3	35.5 - 63.1	3,900
Waialae/ Kahala/ Hawaii Kai	8,200	66.9	54.7 - 79.0	4,100	33.1	21.0 - 45.3	12,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	34,800	68.5	63.6 - 73.5	16,000	31.5	26.5 - 36.4	50,800
Native Hawaiian	7,900	50.7	39.6 - 61.8	7,700	49.3	38.2 - 60.4	15,600
Chinese	7,900	65.1	52.8 - 77.5	4,200	34.9	22.5 - 47.2	12,200
Filipino	10,900	55.4	43.0 - 67.8	8,700	44.6	32.2 - 57.0	19,600
Japanese	43,100	72.2	67.2 - 77.2	16,600	27.8	22.8 - 32.8	59,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	45,800	63.7	58.3 - 69.0	26,200	36.3	31.0 - 41.7	72,000
Female	64,300	67.7	63.6 - 71.8	30,700	32.3	28.2 - 36.4	95,000



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	4,700	54.5	38.5 - 70.4	3,900	45.5	29.6 - 61.5	8,500
Grades 9 thru 11 (Some High School)	9,900	63.9	51.0 - 76.8	5,600	36.1	23.2 - 49.0	15,500
Grades 12 or GED (High School Grad)	38,100	65.8	60.1 - 71.5	19,800	34.2	28.5 - 39.9	58,000
College 1 to 3 years (Some College/ Tech)	23,600	61.0	54.1 - 68.0	15,100	39.0	32.0 - 45.9	38,700
College 4 years or more (College Grad)	33,600	73.0	67.8 - 78.2	12,400	27.0	21.8 - 32.2	46,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,500	51.7	42.5 - 60.9	10,700	48.3	39.1 - 57.5	22,100
Retired/Unable to work	95,200	68.1	64.5 - 71.6	44,700	31.9	28.4 - 35.5	139,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,200	63.4	46.4 - 80.5	2,400	36.6	19.5 - 53.6	6,700
\$10,000 to \$14,999	4,100	54.3	39.6 - 69.1	3,400	45.7	30.9 - 60.4	7,500
\$15,000 to \$19,999	8,600	64.2	53.4 - 75.1	4,800	35.8	24.9 - 46.6	13,400
\$20,000 to \$24,999	10,500	64.4	54.6 - 74.2	5,800	35.6	25.8 - 45.4	16,300
\$25,000 to \$34,999	12,600	63.2	53.8 - 72.6	7,300	36.8	27.4 - 46.2	19,900
\$35,000 to \$49,999	19,900	73.2	65.4 - 81.0	7,300	26.8	19.0 - 34.6	27,200
\$50,000 to \$74,999	14,400	69.7	60.6 - 78.9	6,200	30.3	21.1 - 39.4	20,600
\$75,000 or more	14,800	66.2	56.9 - 75.5	7,500	33.8	24.5 - 43.1	22,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	19,300	63.3	54.9 - 71.6	11,200	36.7	28.4 - 45.1	30,500
<b>131-185%</b>	9,800	56.8	46.1 - 67.6	7,400	43.2	32.4 - 53.9	17,200
<b>186+%</b>	60,000	69.6	65.4 - 73.7	26,300	30.4	26.3 - 34.6	86,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	67,500	67.0	62.5 - 71.6	33,200	33.0	28.4 - 37.5	100,600
<b>Widowed</b>	27,300	65.2	59.1 - 71.2	14,600	34.8	28.8 - 40.9	41,900
<b>Other</b>	15,000	62.6	55.8 - 69.3	9,000	37.4	30.7 - 44.2	24,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2005**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	67,800	66.8	62.3 - 71.3	33,700	33.2	28.7 - 37.7	101,500
<b>No</b>	42,000	64.5	59.9 - 69.1	23,100	35.5	30.9 - 40.1	65,200

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	109,300	66.4	63.1 - 69.7	55,300	33.6	30.3 - 36.9	164,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	99,000	63.9	57.4 - 70.4	56,000	36.1	29.6 - 42.6	155,000

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,100	61.7	51.3 - 72.1	8,800	38.3	27.9 - 48.7	22,900
Honolulu	72,000	63.8	55.2 - 72.3	40,900	36.2	27.7 - 44.8	113,000
Kauai	5,700	81.6	71.0 - 92.1	1,300	18.4	7.9 - 29.0	7,000
Maui	7,200	59.2	44.7 - 73.6	4,900	40.8	26.4 - 55.3	12,100

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,100	61.7	51.3 - 72.1	8,800	38.3	27.9 - 48.7	22,900
Kauai	5,700	81.6	71.0 - 92.1	1,300	18.4	7.9 - 29.0	7,000
Maui	6,500	58.2	42.8 - 73.5	4,700	41.8	26.5 - 57.2	11,300
Oahu	72,000	63.8	55.2 - 72.3	40,900	36.2	27.7 - 44.8	113,000

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	34,700	69.2	59.7 - 78.7	15,500	30.8	21.3 - 40.3	50,200
Japanese	34,000	66.0	54.3 - 77.7	17,500	34.0	22.3 - 45.7	51,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	38,100	55.9	45.3 - 66.6	30,000	44.1	33.4 - 54.7	68,100
Female	61,000	70.1	62.2 - 78.1	25,900	29.9	21.9 - 37.8	86,900

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 12 or GED (High School Grad)	37,200	72.7	62.0 - 83.4	14,000	27.3	16.6 - 38.0	51,200
College 1 to 3 years (Some College/ Tech)	24,300	55.2	42.8 - 67.7	19,700	44.8	32.3 - 57.2	43,900
College 4 years or more (College Grad)	26,700	60.7	48.3 - 73.2	17,300	39.3	26.8 - 51.7	44,000



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,500	48.4	31.4 - 65.4	11,200	51.6	34.6 - 68.6	21,700
Retired/Unable to work	86,600	66.7	59.6 - 73.9	43,200	33.3	26.1 - 40.4	129,700

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
\$25,000 to \$34,999	12,900	62.7	45.8 - 79.6	7,700	37.3	20.4 - 54.2	20,600
\$35,000 to \$49,999	16,000	71.6	55.3 - 87.9	6,300	28.4	12.1 - 44.7	22,400
\$50,000 to \$74,999	32,300	59.2	47.7 - 70.6	22,300	40.8	29.4 - 52.3	54,500
\$75,000 or more	14,400	53.6	35.1 - 72.0	12,500	46.4	28.0 - 64.9	26,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	19,300	77.9	64.2 - 91.6	5,500	22.1	8.4 - 35.8	24,800
<b>186+%</b>	72,900	62.0	54.4 - 69.7	44,600	38.0	30.3 - 45.6	117,500

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	55,000	61.1	52.2 - 70.0	35,000	38.9	30.0 - 47.8	90,100
<b>Widowed</b>	30,800	69.9	58.3 - 81.4	13,300	30.1	18.6 - 41.7	44,100
<b>Other</b>	12,400	61.9	46.0 - 77.8	7,600	38.1	22.2 - 54.0	20,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2004**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	55,000	60.7	51.8 - 69.5	35,700	39.3	30.5 - 48.2	90,700
<b>No</b>	44,000	68.5	59.1 - 77.9	20,300	31.5	22.1 - 40.9	64,300

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	98,300	64.1	57.6 - 70.7	55,000	35.9	29.3 - 42.4	153,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	112,100	70.1	66.2 - 74.1	47,700	29.9	25.9 - 33.8	159,800

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,200	64.2	56.2 - 72.2	7,900	35.8	27.8 - 43.8	22,200
Honolulu	83,100	71.7	66.8 - 76.7	32,800	28.3	23.3 - 33.2	115,900
Kauai	4,600	63.5	50.3 - 76.7	2,700	36.5	23.3 - 49.7	7,300
Maui	10,100	69.9	59.2 - 80.6	4,400	30.1	19.4 - 40.8	14,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	14,200	64.2	56.2 - 72.2	7,900	35.8	27.8 - 43.8	22,200
Kauai	4,600	63.5	50.3 - 76.7	2,700	36.5	23.3 - 49.7	7,300
Maui	8,600	68.4	56.3 - 80.6	4,000	31.6	19.4 - 43.7	12,500
Oahu	83,100	71.7	66.8 - 76.7	32,800	28.3	23.3 - 33.2	115,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	4,000	58.0	44.6 - 71.4	2,900	42.0	28.6 - 55.4	6,900
Kaimuki/ Palolo/ Waikiki	11,500	66.4	53.3 - 79.5	5,800	33.6	20.5 - 46.7	17,300
Kona	3,600	57.5	41.7 - 73.3	2,600	42.5	26.7 - 58.3	6,200
Manoa/ Upper Makiki	8,300	78.1	67.3 - 88.9	2,300	21.9	11.1 - 32.7	10,600
Nuuanu/ Kalihi/ Moanalua	11,200	69.1	53.4 - 84.8	5,000	30.9	15.2 - 46.6	16,300

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	35,300	65.9	59.7 - 72.1	18,300	34.1	27.9 - 40.3	53,600
Native Hawaiian	7,500	58.2	41.2 - 75.2	5,400	41.8	24.8 - 58.8	12,800
Chinese	17,400	75.5	65.9 - 85.0	5,700	24.5	15.0 - 34.1	23,100
Filipino	13,000	72.5	59.2 - 85.8	4,900	27.5	14.2 - 40.8	18,000
Japanese	36,200	76.0	69.4 - 82.7	11,400	24.0	17.3 - 30.6	47,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	45,500	65.8	59.2 - 72.5	23,600	34.2	27.5 - 40.8	69,100
Female	66,600	73.4	68.7 - 78.1	24,100	26.6	21.9 - 31.3	90,700

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	6,300	48.1	31.5 - 64.7	6,800	51.9	35.3 - 68.5	13,100
Grades 12 or GED (High School Grad)	41,100	73.5	66.9 - 80.1	14,800	26.5	19.9 - 33.1	55,900
College 1 to 3 years (Some College/ Tech)	24,800	69.3	61.9 - 76.8	11,000	30.7	23.2 - 38.1	35,800
College 4 years or more (College Grad)	34,800	75.5	69.1 - 81.8	11,300	24.5	18.2 - 30.9	46,100



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,100	61.2	48.7 - 73.8	7,000	38.8	26.2 - 51.3	18,100
Retired/Unable to work	99,600	71.8	67.7 - 75.9	39,000	28.2	24.1 - 32.3	138,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	7,700	59.3	44.8 - 73.7	5,300	40.7	26.3 - 55.2	13,000
\$10,000 to \$14,999	9,100	61.7	47.1 - 76.3	5,700	38.3	23.7 - 52.9	14,800
\$15,000 to \$19,999	7,500	71.1	58.5 - 83.7	3,000	28.9	16.3 - 41.5	10,500
\$20,000 to \$24,999	4,200	50.4	32.7 - 68.1	4,100	49.6	31.9 - 67.3	8,200
\$25,000 to \$34,999	13,000	75.4	65.4 - 85.5	4,200	24.6	14.5 - 34.6	17,300
\$35,000 to \$49,999	13,800	73.9	62.3 - 85.5	4,900	26.1	14.5 - 37.7	18,600
\$50,000 to \$74,999	8,900	68.6	54.6 - 82.7	4,000	31.4	17.3 - 45.4	12,900
\$75,000 or more	11,100	72.0	59.8 - 84.2	4,300	28.0	15.8 - 40.2	15,400

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	22,600	60.6	51.6 - 69.5	14,700	39.4	30.5 - 48.4	37,400
<b>131-185%</b>	9,100	78.6	65.8 - 91.4	2,500	21.4	8.6 - 34.2	11,600
<b>186+%</b>	43,400	70.3	64.3 - 76.4	18,300	29.7	23.6 - 35.7	61,800

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	67,200	73.2	67.9 - 78.6	24,500	26.8	21.4 - 32.1	91,700
<b>Widowed</b>	33,000	67.6	60.8 - 74.3	15,900	32.4	25.7 - 39.2	48,900
<b>Other</b>	11,900	63.4	53.1 - 73.7	6,900	36.6	26.3 - 46.9	18,800

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2003**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	67,800	73.4	68.1 - 78.8	24,500	26.6	21.2 - 31.9	92,300
<b>No</b>	44,300	65.7	60.0 - 71.3	23,200	34.3	28.7 - 40.0	67,500

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	111,300	70.2	66.3 - 74.1	47,200	29.8	25.9 - 33.7	158,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	89,200	60.4	56.6 - 64.1	58,600	39.6	35.9 - 43.4	147,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,300	58.1	51.7 - 64.5	7,400	41.9	35.5 - 48.3	17,700
Honolulu	67,600	61.8	57.0 - 66.6	41,800	38.2	33.4 - 43.0	109,400
Kauai	4,200	56.0	44.6 - 67.4	3,300	44.0	32.6 - 55.4	7,600
Maui	7,000	54.0	44.8 - 63.2	6,000	46.0	36.8 - 55.2	13,000

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	10,300	58.1	51.7 - 64.5	7,400	41.9	35.5 - 48.3	17,700
Kauai	4,200	56.0	44.6 - 67.4	3,300	44.0	32.6 - 55.4	7,600
Maui	5,900	55.3	44.7 - 65.9	4,800	44.7	34.1 - 55.3	10,700
Oahu	67,600	61.8	57.0 - 66.6	41,800	38.2	33.4 - 43.0	109,400

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	9,800	71.3	59.2 - 83.3	3,900	28.7	16.7 - 40.8	13,700
Hilo	3,700	59.6	48.5 - 70.8	2,500	40.4	29.2 - 51.5	6,200
Kaimuki/ Palolo/ Waikiki	12,100	65.7	54.5 - 76.8	6,400	34.3	23.2 - 45.5	18,500
Kona	2,800	56.9	44.7 - 69.1	2,100	43.1	30.9 - 55.3	4,900
Lihue-Waimea	2,800	56.0	41.2 - 70.9	2,200	44.0	29.1 - 58.8	5,100
Manoa/ Upper Makiki	7,500	65.9	54.0 - 77.9	3,900	34.1	22.1 - 46.0	11,400
N.Hawaii	2,000	56.5	42.1 - 70.9	1,500	43.5	29.1 - 57.9	3,500
Nuuanu/ Kalihi/ Moanalua	4,800	41.8	27.3 - 56.3	6,700	58.2	43.7 - 72.7	11,500
Puna/ Kau	1,800	58.6	45.0 - 72.2	1,300	41.4	27.8 - 55.0	3,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	26,600	61.3	55.1 - 67.5	16,800	38.7	32.5 - 44.9	43,300
Native Hawaiian	7,900	55.9	42.1 - 69.7	6,200	44.1	30.3 - 57.9	14,100
Chinese	8,900	64.3	53.0 - 75.7	5,000	35.7	24.3 - 47.0	13,900
Filipino	8,900	47.4	34.3 - 60.4	9,800	52.6	39.6 - 65.7	18,700
Japanese	35,100	65.2	59.3 - 71.1	18,800	34.8	28.9 - 40.7	53,900



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	34,900	53.8	47.8 - 59.7	30,000	46.2	40.3 - 52.2	64,900
Female	54,300	65.5	60.8 - 70.2	28,600	34.5	29.8 - 39.2	82,800

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	6,600	60.8	47.2 - 74.4	4,300	39.2	25.6 - 52.8	10,900
Grades 9 thru 11 (Some High School)	7,700	63.3	48.8 - 77.8	4,400	36.7	22.2 - 51.2	12,100
Grades 12 or GED (High School Grad)	33,200	55.8	49.4 - 62.2	26,300	44.2	37.8 - 50.6	59,500
College 1 to 3 years (Some College/ Tech)	19,100	59.2	51.5 - 66.8	13,200	40.8	33.2 - 48.5	32,300
College 4 years or more (College Grad)	22,400	68.4	61.8 - 75.0	10,400	31.6	25.0 - 38.2	32,800

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,600	42.8	30.9 - 54.6	10,200	57.2	45.4 - 69.1	17,800
Retired/Unable to work	80,200	64.5	60.5 - 68.4	44,200	35.5	31.6 - 39.5	124,400

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,100	51.7	36.2 - 67.1	3,800	48.3	32.9 - 63.8	7,800
\$10,000 to \$14,999	4,600	60.8	46.7 - 74.9	3,000	39.2	25.1 - 53.3	7,600
\$15,000 to \$19,999	3,400	67.0	51.8 - 82.1	1,700	33.0	17.9 - 48.2	5,100
\$20,000 to \$24,999	5,300	69.8	55.9 - 83.6	2,300	30.2	16.4 - 44.1	7,600
\$25,000 to \$34,999	8,400	76.5	66.2 - 86.8	2,600	23.5	13.2 - 33.8	11,000
\$35,000 to \$49,999	11,000	69.3	59.1 - 79.6	4,900	30.7	20.4 - 40.9	15,900
\$50,000 to \$74,999	11,700	72.6	61.7 - 83.6	4,400	27.4	16.4 - 38.3	16,100
\$75,000 or more	7,400	63.8	50.9 - 76.7	4,200	36.2	23.3 - 49.1	11,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	11,700	59.5	50.0 - 68.9	8,000	40.5	31.1 - 50.0	19,600
<b>131-185%</b>	8,500	75.2	62.9 - 87.5	2,800	24.8	12.5 - 37.1	11,300
<b>186+%</b>	35,800	69.0	63.4 - 74.6	16,100	31.0	25.4 - 36.6	51,900

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	54,400	58.6	53.7 - 63.5	38,400	41.4	36.5 - 46.3	92,800
<b>Widowed</b>	26,200	66.1	59.1 - 73.0	13,500	33.9	27.0 - 40.9	39,600
<b>Other</b>	8,500	56.3	46.0 - 66.5	6,600	43.7	33.5 - 54.0	15,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2002**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	54,600	58.3	53.5 - 63.2	39,100	41.7	36.8 - 46.5	93,700
<b>No</b>	34,500	63.9	58.0 - 69.7	19,500	36.1	30.3 - 42.0	54,000

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	88,500	60.6	56.8 - 64.3	57,700	39.4	35.7 - 43.2	146,200

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	94,700	64.3	59.7 - 68.9	52,600	35.7	31.1 - 40.3	147,300

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	12,700	65.1	57.5 - 72.7	6,800	34.9	27.3 - 42.5	19,600
Honolulu	69,300	66.2	60.1 - 72.2	35,400	33.8	27.8 - 39.9	104,700
Kauai	4,300	58.5	45.5 - 71.5	3,100	41.5	28.5 - 54.5	7,400
Maui	8,400	53.5	44.0 - 63.1	7,200	46.5	36.9 - 56.0	15,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	12,700	65.1	57.5 - 72.7	6,800	34.9	27.3 - 42.5	19,600
Kauai	4,300	58.5	45.5 - 71.5	3,100	41.5	28.5 - 54.5	7,400
Maui	7,600	53.9	43.6 - 64.2	6,500	46.1	35.8 - 56.4	14,100
Oahu	69,300	66.2	60.1 - 72.2	35,400	33.8	27.8 - 39.9	104,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	5,000	65.8	53.6 - 78.0	2,600	34.2	22.0 - 46.4	7,600
Lihue-Waimea	3,000	60.8	44.4 - 77.2	2,000	39.2	22.8 - 55.6	5,000



**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	26,200	61.9	53.8 - 69.9	16,200	38.1	30.1 - 46.2	42,400
Native Hawaiian	6,300	51.1	36.4 - 65.8	6,000	48.9	34.2 - 63.6	12,400
Chinese	10,200	62.9	48.5 - 77.4	6,000	37.1	22.6 - 51.5	16,200
Filipino	9,900	52.3	34.0 - 70.6	9,100	47.7	29.4 - 66.0	19,000
Japanese	37,100	73.6	67.2 - 80.0	13,300	26.4	20.0 - 32.8	50,500

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	42,200	63.3	56.5 - 70.1	24,500	36.7	29.9 - 43.5	66,700
Female	52,500	65.1	58.9 - 71.3	28,100	34.9	28.7 - 41.1	80,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	5,900	58.9	43.9 - 73.8	4,100	41.1	26.2 - 56.1	10,000
Grades 9 thru 11 (Some High School)	9,900	67.8	51.1 - 84.6	4,700	32.2	15.4 - 48.9	14,500
Grades 12 or GED (High School Grad)	36,900	68.8	62.0 - 75.5	16,800	31.2	24.5 - 38.0	53,600
College 1 to 3 years (Some College/ Tech)	23,900	61.6	51.6 - 71.5	14,900	38.4	28.5 - 48.4	38,800
College 4 years or more (College Grad)	18,100	60.8	51.5 - 70.1	11,700	39.2	29.9 - 48.5	29,800

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	6,300	51.1	35.6 - 66.7	6,000	48.9	33.3 - 64.4	12,400
Retired/Unable to work	85,700	65.5	60.6 - 70.3	45,200	34.5	29.7 - 39.4	130,900

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,800	48.3	29.1 - 67.5	3,000	51.7	32.5 - 70.9	5,900
\$10,000 to \$14,999	7,400	61.6	46.7 - 76.5	4,600	38.4	23.5 - 53.3	12,000
\$15,000 to \$19,999	6,700	67.9	47.3 - 88.6	3,200	32.1	11.4 - 52.7	9,800
\$25,000 to \$34,999	7,900	61.6	46.9 - 76.3	4,900	38.4	23.7 - 53.1	12,700
\$35,000 to \$49,999	11,600	63.9	49.3 - 78.4	6,500	36.1	21.6 - 50.7	18,100
\$50,000 to \$74,999	6,700	53.4	36.4 - 70.3	5,900	46.6	29.7 - 63.6	12,600

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	13,600	53.1	38.7 - 67.4	12,000	46.9	32.6 - 61.3	25,700
<b>131-185%</b>	8,300	54.7	41.3 - 68.2	6,900	45.3	31.8 - 58.7	15,200
<b>186+%</b>	33,500	68.2	61.2 - 75.2	15,600	31.8	24.8 - 38.8	49,100

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	61,700	66.0	60.2 - 71.8	31,700	34.0	28.2 - 39.8	93,400
<b>Widowed</b>	24,000	66.5	57.1 - 75.9	12,100	33.5	24.1 - 42.9	36,100
<b>Other</b>	9,100	51.1	40.2 - 61.9	8,700	48.9	38.1 - 59.8	17,700

**Pneumonia - ever had shot (65+) by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents*

**Year: 2001**

<b>Married</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	61,800	65.6	59.8 - 71.4	32,400	34.4	28.6 - 40.2	94,200
<b>No</b>	33,000	62.0	54.6 - 69.4	20,200	38.0	30.6 - 45.4	53,100

<b>Health Care Coverage</b>	<b>Yes</b>			<b>No</b>			<b>Estimated Population</b>
	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>	<b>%</b>	<b>C.I. (95%)</b>	<b>#</b>
<b>Yes</b>	94,600	64.7	60.1 - 69.2	51,700	35.3	30.8 - 39.9	146,300