

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2004	7,900	0.9	0.2 - 1.6	902,300	99.1	98.4 - 99.8	910,200
2005	12,000	1.2	0.8 - 1.6	962,300	98.8	98.4 - 99.2	974,300
2006	19,800	2.1	1.5 - 2.6	943,400	97.9	97.4 - 98.5	963,200
2007	23,300	2.4	1.8 - 2.9	961,300	97.6	97.1 - 98.2	984,600
2008	23,900	2.4	1.8 - 3.0	965,300	97.6	97.0 - 98.2	989,200
2009	28,600	2.9	2.1 - 3.7	957,900	97.1	96.3 - 97.9	986,400
2010	30,500	3.1	2.4 - 3.8	962,100	96.9	96.2 - 97.6	992,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	30,500	3.1	2.4 - 3.8	962,100	96.9	96.2 - 97.6	992,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,700	1.2	0.1 - 2.3	137,800	98.8	97.7 - 99.9	139,400
Honolulu	27,300	3.9	3.0 - 4.9	665,500	96.1	95.1 - 97.0	692,700
Kauai	1,300	2.7	0.3 - 5.0	47,000	97.3	95.0 - 99.7	48,300
Maui	200	0.2	0.0 - 0.5	111,800	99.8	99.5 - 100.0	112,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,700	1.2	0.1 - 2.3	137,800	98.8	97.7 - 99.9	139,400
Kauai	1,300	2.7	0.3 - 5.0	47,000	97.3	95.0 - 99.7	48,300
Lanai	<50	1.9	0.0 - 5.2	1,500	98.1	94.8 - 100.0	1,500
Maui	200	0.2	0.0 - 0.5	103,000	99.8	99.5 - 100.0	103,200
Molokai	0	0.0	--	7,300	100.0	100.0 - 100.0	7,300
Oahu	27,300	3.9	3.0 - 4.9	665,500	96.1	95.1 - 97.0	692,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,700	4.0	1.1 - 6.9	65,300	96.0	93.1 - 98.9	68,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	500	2.3	0.0 - 6.6	19,800	97.7	93.4 - 100.0	20,300
Hanalei/ Kapaa	400	1.7	0.0 - 4.4	20,100	98.3	95.6 - 100.0	20,400
Hilo	500	1.3	0.0 - 3.1	41,200	98.7	96.9 - 100.0	41,800
Kaaawa/ Kahaluu/ Kaneohe	1,100	2.0	0.0 - 4.6	51,100	98.0	95.4 - 100.0	52,100
Kahului	200	0.5	0.0 - 1.3	33,700	99.5	98.7 - 100.0	33,900
Kailua/ Waimanalo	800	1.6	0.0 - 4.1	49,600	98.4	95.9 - 100.0	50,400
Kaimuki/ Palolo/ Waikiki	200	0.3	0.0 - 0.9	55,500	99.7	99.1 - 100.0	55,600
Kona	100	0.2	0.0 - 0.6	30,300	99.8	99.4 - 100.0	30,400
Lahaina/ Wailuku	100	0.2	0.0 - 0.5	33,900	99.8	99.5 - 100.0	33,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	1.9	0.0 - 5.2	1,500	98.1	94.8 - 100.0	1,500
Lihue-Waimea	900	3.4	0.0 - 6.9	27,000	96.6	93.1 - 100.0	27,900
Manoa/ Upper Makiki	500	1.0	0.0 - 2.6	54,200	99.0	97.4 - 100.0	54,700
Mililani/ Wahiawa	6,800	9.9	5.1 - 14.7	62,200	90.1	85.3 - 94.9	69,100
Molokai	0	0.0	--	7,300	100.0	100.0 - 100.0	7,300
Nanakuli/ Waianae	800	1.8	0.0 - 5.2	40,800	98.2	94.8 - 100.0	41,500
N.Hawaii	600	2.6	0.0 - 7.0	24,200	97.4	93.0 - 100.0	24,900
N.Shore/ Laie	0	0.0	--	24,900	100.0	100.0 - 100.0	24,900
Nuuanu/ Kalihi/ Moanalua	1,500	2.4	0.3 - 4.4	63,300	97.6	95.6 - 99.7	64,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	400	1.0	0.0 - 3.0	42,000	99.0	97.0 - 100.0	42,400
Salt Lake/ Foster Village	6,600	19.6	11.4 - 27.8	27,200	80.4	72.2 - 88.6	33,800
Upcountry/ Hana	0	0.0	--	35,500	100.0	100.0 - 100.0	35,500
Waialae/ Kahala/ Hawaii Kai	700	2.0	0.0 - 4.2	36,700	98.0	95.8 - 100.0	37,400
Waipahu/ Kapolei/ Ewa	5,100	4.2	1.7 - 6.7	115,100	95.8	93.3 - 98.3	120,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,700	4.0	1.3 - 6.6	113,100	96.0	93.4 - 98.7	117,800
25-34	8,200	4.6	2.5 - 6.7	170,700	95.4	93.3 - 97.5	178,900
35-44	12,400	7.2	4.7 - 9.7	159,000	92.8	90.3 - 95.3	171,400
45-54	2,400	1.4	0.6 - 2.2	173,800	98.6	97.8 - 99.4	176,200
55-64	1,600	1.0	0.2 - 1.9	149,000	99.0	98.1 - 99.8	150,500
65-74	500	0.5	0.0 - 1.5	92,900	99.5	98.5 - 100.0	93,400
75+	700	0.7	0.1 - 1.3	99,000	99.3	98.7 - 99.9	99,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	15,800	5.1	3.6 - 6.7	290,900	94.9	93.3 - 96.4	306,600
Native Hawaiian	1,900	1.4	0.0 - 2.9	127,600	98.6	97.1 - 100.0	129,500
Chinese	100	0.1	0.0 - 0.3	57,100	99.9	99.7 - 100.0	57,100
Filipino	2,200	1.4	0.2 - 2.5	159,600	98.6	97.5 - 99.8	161,800
Japanese	3,700	1.6	0.6 - 2.6	229,200	98.4	97.4 - 99.4	232,900
Black	2,200	16.1	4.8 - 27.5	11,600	83.9	72.5 - 95.2	13,900
Other Asian	0	0.0	--	26,000	100.0	100.0 - 100.0	26,000
Other Pacific Islander	2,400	6.9	0.7 - 13.1	32,800	93.1	86.9 - 99.3	35,200
Other	1,800	7.9	0.7 - 15.0	20,900	92.1	85.0 - 99.3	22,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	23,800	4.8	3.6 - 6.1	469,300	95.2	93.9 - 96.4	493,100
Female	6,700	1.3	0.8 - 1.9	492,800	98.7	98.1 - 99.2	499,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	11,900	100.0	100.0 - 100.0	11,900
Grades 9 thru 11 (Some High School)	800	1.9	0.0 - 5.3	40,400	98.1	94.7 - 100.0	41,200
Grades 12 or GED (High School Grad)	5,700	2.0	1.0 - 3.0	281,200	98.0	97.0 - 99.0	286,800
College 1 to 3 years (Some College/ Tech)	11,100	3.9	2.4 - 5.5	270,700	96.1	94.5 - 97.6	281,800
College 4 years or more (College Grad)	12,900	3.5	2.3 - 4.6	357,100	96.5	95.4 - 97.7	370,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	26,100	4.5	3.4 - 5.5	559,700	95.5	94.5 - 96.6	585,800
Unemployed	1,600	2.3	0.0 - 4.9	68,500	97.7	95.1 - 100.0	70,000
Retired/Unable to work	1,300	0.6	0.1 - 1.1	214,300	99.4	98.9 - 99.9	215,600
Student/Homemaker	1,500	1.2	0.1 - 2.4	119,400	98.8	97.6 - 99.9	120,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,000	2.4	0.0 - 5.6	39,700	97.6	94.4 - 100.0	40,700
\$10,000 to \$14,999	400	1.4	0.0 - 3.5	27,800	98.6	96.5 - 100.0	28,200
\$15,000 to \$19,999	500	1.0	0.0 - 2.7	54,200	99.0	97.3 - 100.0	54,700
\$20,000 to \$24,999	1,700	2.6	0.3 - 4.9	63,900	97.4	95.1 - 99.7	65,600
\$25,000 to \$34,999	1,800	1.8	0.4 - 3.1	97,600	98.2	96.9 - 99.6	99,300
\$35,000 to \$49,999	3,100	2.2	0.7 - 3.8	137,100	97.8	96.2 - 99.3	140,200
\$50,000 to \$74,999	6,800	4.4	2.3 - 6.5	147,500	95.6	93.5 - 97.7	154,200
\$75,000 or more	12,600	4.0	2.6 - 5.5	298,300	96.0	94.5 - 97.4	310,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,800	1.7	0.6 - 2.7	227,100	98.3	97.3 - 99.4	230,900
131-185%	4,200	3.0	1.2 - 4.8	137,100	97.0	95.2 - 98.8	141,300
186+%	19,800	3.8	2.8 - 4.8	501,900	96.2	95.2 - 97.2	521,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	24,500	4.3	3.2 - 5.3	548,500	95.7	94.7 - 96.8	573,000
Unmarried Couple	800	2.3	0.0 - 5.9	33,300	97.7	94.1 - 100.0	34,100
Widowed	100	0.2	0.0 - 0.4	57,600	99.8	99.6 - 100.0	57,700
Other	5,100	1.6	0.7 - 2.5	322,600	98.4	97.5 - 99.3	327,800

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	25,500	4.4	3.3 - 5.4	559,800	95.6	94.6 - 96.7	585,200
No	5,000	1.2	0.5 - 2.0	400,700	98.8	98.0 - 99.5	405,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2010

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	30,000	3.2	2.5 - 4.0	895,500	96.8	96.0 - 97.5	925,400
No	500	0.7	0.0 - 2.2	65,300	99.3	97.8 - 100.0	65,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	28,600	2.9	2.1 - 3.7	957,900	97.1	96.3 - 97.9	986,400

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	1.0	0.2 - 1.7	134,400	99.0	98.3 - 99.8	135,700
Honolulu	26,400	3.8	2.7 - 4.9	668,600	96.2	95.1 - 97.3	695,000
Kauai	200	0.5	0.0 - 1.0	47,200	99.5	99.0 - 100.0	47,500
Maui	700	0.6	0.1 - 1.1	107,600	99.4	98.9 - 99.9	108,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,300	1.0	0.2 - 1.7	134,400	99.0	98.3 - 99.8	135,700
Kauai	200	0.5	0.0 - 1.0	47,200	99.5	99.0 - 100.0	47,500
Lanai	<50	1.1	0.0 - 2.9	1,500	98.9	97.1 - 100.0	1,600
Maui	600	0.6	0.0 - 1.1	98,000	99.4	98.9 - 100.0	98,600
Molokai	100	1.0	0.0 - 2.5	8,100	99.0	97.5 - 100.0	8,200
Oahu	26,400	3.8	2.7 - 4.9	668,600	96.2	95.1 - 97.3	695,000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	3,900	6.6	0.0 - 14.4	54,600	93.4	85.6 - 100.0	58,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	300	1.2	0.0 - 3.6	27,200	98.8	96.4 - 100.0	27,600
Hanalei/ Kapaa	100	0.3	0.0 - 0.9	19,400	99.7	99.1 - 100.0	19,500
Hilo	200	0.6	0.0 - 1.3	39,800	99.4	98.7 - 100.0	40,100
Kaaawa/ Kahaluu/ Kaneohe	2,300	4.7	0.6 - 8.8	46,200	95.3	91.2 - 99.4	48,400
Kahului	300	0.8	0.0 - 2.2	34,700	99.2	97.8 - 100.0	34,900
Kailua/ Waimanalo	100	0.3	0.0 - 0.8	50,500	99.7	99.2 - 100.0	50,600
Kaimuki/ Palolo/ Waikiki	600	1.1	0.0 - 2.3	55,200	98.9	97.7 - 100.0	55,800
Kona	100	0.4	0.0 - 1.0	29,900	99.6	99.0 - 100.0	30,000
Lahaina/ Wailuku	100	0.3	0.0 - 0.8	30,600	99.7	99.2 - 100.0	30,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	1.1	0.0 - 2.9	1,500	98.9	97.1 - 100.0	1,600
Lihue-Waimea	200	0.6	0.0 - 1.5	27,800	99.4	98.5 - 100.0	28,000
Manoa/ Upper Makiki	0	0.0	--	44,800	100.0	100.0 - 100.0	44,800
Mililani/ Wahiawa	6,500	7.9	3.7 - 12.2	75,100	92.1	87.8 - 96.3	81,600
Molokai	100	1.0	0.0 - 2.5	8,100	99.0	97.5 - 100.0	8,200
Nanakuli/ Waianae	0	0.0	--	27,600	100.0	100.0 - 100.0	27,600
N.Hawaii	900	3.5	0.0 - 7.1	25,700	96.5	92.9 - 100.0	26,700
N.Shore/ Laie	500	2.9	0.0 - 7.1	17,600	97.1	92.9 - 100.0	18,200
Nuuanu/ Kalihi/ Moanalua	700	0.9	0.0 - 1.9	72,300	99.1	98.1 - 100.0	73,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	<50	0.1	0.0 - 0.2	39,000	99.9	99.8 - 100.0	39,000
Salt Lake/ Foster Village	6,100	16.1	8.9 - 23.3	31,900	83.9	76.7 - 91.1	38,000
Upcountry/ Hana	200	0.6	0.0 - 1.3	32,700	99.4	98.7 - 100.0	32,900
Waialae/ Kahala/ Hawaii Kai	100	0.2	0.0 - 0.6	54,400	99.8	99.4 - 100.0	54,500
Waipahu/ Kapolei/ Ewa	5,300	4.6	1.7 - 7.5	111,200	95.4	92.5 - 98.3	116,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,300	3.7	0.0 - 7.8	113,400	96.3	92.2 - 100.0	117,800
25-34	12,600	7.2	4.5 - 9.9	162,100	92.8	90.1 - 95.5	174,600
35-44	8,600	5.0	2.9 - 7.0	165,600	95.0	93.0 - 97.1	174,200
45-54	1,600	0.9	0.2 - 1.6	176,800	99.1	98.4 - 99.8	178,400
55-64	200	0.2	0.0 - 0.3	151,500	99.8	99.7 - 100.0	151,800
65-74	500	0.6	0.0 - 1.1	90,300	99.4	98.9 - 100.0	90,900
75+	700	0.8	0.0 - 1.5	94,700	99.2	98.5 - 100.0	95,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	12,300	3.9	2.5 - 5.4	299,500	96.1	94.6 - 97.5	311,800
Native Hawaiian	2,200	1.8	0.1 - 3.4	119,300	98.2	96.6 - 99.9	121,400
Chinese	1,400	2.3	0.0 - 4.6	59,900	97.7	95.4 - 100.0	61,300
Filipino	2,600	1.6	0.3 - 2.9	160,500	98.4	97.1 - 99.7	163,100
Japanese	3,600	1.5	0.4 - 2.7	228,600	98.5	97.3 - 99.6	232,200
Black	2,800	18.0	5.6 - 30.4	12,800	82.0	69.6 - 94.4	15,600
Other Asian	300	1.1	0.0 - 3.1	23,600	98.9	96.9 - 100.0	23,800
Other Pacific Islander	2,300	7.5	0.0 - 21.2	28,100	92.5	78.8 - 100.0	30,300
Other	1,000	5.1	0.0 - 10.7	18,900	94.9	89.3 - 100.0	19,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	22,900	4.7	3.4 - 6.0	466,700	95.3	94.0 - 96.6	489,600
Female	5,700	1.1	0.2 - 2.1	491,100	98.9	97.9 - 99.8	496,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	200	1.3	0.0 - 3.7	13,300	98.7	96.3 - 100.0	13,500
Grades 9 thru 11 (Some High School)	100	0.2	0.0 - 0.5	36,200	99.8	99.5 - 100.0	36,300
Grades 12 or GED (High School Grad)	9,100	3.2	1.7 - 4.8	270,900	96.8	95.2 - 98.3	280,000
College 1 to 3 years (Some College/ Tech)	10,500	3.6	1.7 - 5.6	277,800	96.4	94.4 - 98.3	288,300
College 4 years or more (College Grad)	8,800	2.4	1.5 - 3.3	359,100	97.6	96.7 - 98.5	367,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	23,100	3.8	2.8 - 4.8	590,400	96.2	95.2 - 97.2	613,500
Unemployed	1,100	1.6	0.0 - 3.5	66,900	98.4	96.5 - 100.0	67,900
Retired/Unable to work	3,100	1.5	0.0 - 3.7	198,800	98.5	96.3 - 100.0	201,900
Student/Homemaker	1,400	1.3	0.0 - 3.1	100,900	98.7	96.9 - 100.0	102,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	0	0.0	--	27,000	100.0	100.0 - 100.0	27,000
\$10,000 to \$14,999	100	0.4	0.0 - 1.0	24,000	99.6	99.0 - 100.0	24,100
\$15,000 to \$19,999	100	0.3	0.0 - 0.7	47,300	99.7	99.3 - 100.0	47,400
\$20,000 to \$24,999	1,000	1.7	0.0 - 4.5	56,700	98.3	95.5 - 100.0	57,700
\$25,000 to \$34,999	3,200	3.3	1.1 - 5.5	94,000	96.7	94.5 - 98.9	97,200
\$35,000 to \$49,999	4,100	2.7	1.0 - 4.4	146,700	97.3	95.6 - 99.0	150,700
\$50,000 to \$74,999	6,900	3.9	1.8 - 6.0	169,900	96.1	94.0 - 98.2	176,900
\$75,000 or more	9,700	3.2	1.9 - 4.4	297,700	96.8	95.6 - 98.1	307,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,600	1.8	0.5 - 3.1	195,300	98.2	96.9 - 99.5	198,900
131-185%	4,800	3.3	1.2 - 5.3	141,600	96.7	94.7 - 98.8	146,300
186+%	16,700	3.1	2.1 - 4.0	526,500	96.9	96.0 - 97.9	543,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	19,600	3.4	2.4 - 4.3	558,600	96.6	95.7 - 97.6	578,200
Unmarried Couple	400	1.3	0.0 - 3.9	32,400	98.7	96.1 - 100.0	32,900
Widowed	<50	0.1	0.0 - 0.2	58,700	99.9	99.8 - 100.0	58,800
Other	8,500	2.7	1.0 - 4.4	308,100	97.3	95.6 - 99.0	316,600

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,600	3.3	2.4 - 4.3	568,600	96.7	95.7 - 97.6	588,100
No	9,000	2.3	0.9 - 3.7	387,600	97.7	96.3 - 99.1	396,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2009

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	25,500	2.8	2.1 - 3.5	886,100	97.2	96.5 - 97.9	911,700
No	3,100	4.3	0.0 - 10.5	68,400	95.7	89.5 - 100.0	71,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,900	2.4	1.8 - 3.0	965,300	97.6	97.0 - 98.2	989,200

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	700	0.6	0.2 - 0.9	133,300	99.4	99.1 - 99.8	134,000
Honolulu	21,600	3.1	2.3 - 3.9	675,400	96.9	96.1 - 97.7	697,000
Kauai	300	0.7	0.0 - 1.6	48,200	99.3	98.4 - 100.0	48,500
Maui	1,300	1.2	0.3 - 2.0	108,400	98.8	98.0 - 99.7	109,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	700	0.6	0.2 - 0.9	133,300	99.4	99.1 - 99.8	134,000
Kauai	300	0.7	0.0 - 1.6	48,200	99.3	98.4 - 100.0	48,500
Lanai	<50	1.9	0.0 - 5.6	2,000	98.1	94.4 - 100.0	2,100
Maui	1,200	1.2	0.3 - 2.1	98,700	98.8	97.9 - 99.7	99,900
Molokai	100	0.9	0.0 - 2.3	7,700	99.1	97.7 - 100.0	7,800
Oahu	21,600	3.1	2.3 - 3.9	675,400	96.9	96.1 - 97.7	697,000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	1.9	0.3 - 3.6	62,600	98.1	96.4 - 99.7	63,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	600	1.8	0.0 - 5.2	31,700	98.2	94.8 - 100.0	32,300
Hanalei/ Kapaa	<50	0.2	0.0 - 0.6	19,700	99.8	99.4 - 100.0	19,800
Hilo	200	0.6	0.0 - 1.2	42,200	99.4	98.8 - 100.0	42,400
Kaaawa/ Kahaluu/ Kaneohe	1,500	3.0	0.6 - 5.4	47,300	97.0	94.6 - 99.4	48,800
Kahului	600	1.7	0.0 - 3.8	32,900	98.3	96.2 - 100.0	33,500
Kailua/ Waimanalo	3,000	6.1	2.3 - 9.9	46,900	93.9	90.1 - 97.7	49,900
Kaimuki/ Palolo/ Waikiki	1,000	1.7	0.0 - 3.5	57,100	98.3	96.5 - 100.0	58,000
Kona	200	0.5	0.0 - 1.3	27,400	99.5	98.7 - 100.0	27,500
Lahaina/ Wailuku	100	0.4	0.0 - 1.1	34,100	99.6	98.9 - 100.0	34,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	1.9	0.0 - 5.6	2,000	98.1	94.4 - 100.0	2,100
Lihue-Waimea	300	1.1	0.0 - 2.6	28,400	98.9	97.4 - 100.0	28,700
Manoa/ Upper Makiki	2,000	4.3	0.0 - 8.7	45,100	95.7	91.3 - 100.0	47,100
Mililani/ Wahiawa	1,900	2.7	0.4 - 4.9	70,000	97.3	95.1 - 99.6	72,000
Molokai	100	0.9	0.0 - 2.3	7,700	99.1	97.7 - 100.0	7,800
Nanakuli/ Waianae	500	1.3	0.0 - 3.9	36,200	98.7	96.1 - 100.0	36,700
N.Hawaii	200	0.8	0.0 - 1.7	27,600	99.2	98.3 - 100.0	27,800
N.Shore/ Laie	400	1.7	0.0 - 5.0	23,400	98.3	95.0 - 100.0	23,800
Nuuanu/ Kalihi/ Moanalua	400	0.7	0.0 - 1.8	63,300	99.3	98.2 - 100.0	63,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	100	0.3	0.0 - 1.0	36,200	99.7	99.0 - 100.0	36,300
Salt Lake/ Foster Village	3,600	10.1	4.5 - 15.7	32,500	89.9	84.3 - 95.5	36,200
Upcountry/ Hana	400	1.3	0.0 - 3.0	31,700	98.7	97.0 - 100.0	32,100
Waialae/ Kahala/ Hawaii Kai	700	1.6	0.0 - 3.7	44,600	98.4	96.3 - 100.0	45,300
Waipahu/ Kapolei/ Ewa	4,700	3.9	1.5 - 6.3	114,700	96.1	93.7 - 98.5	119,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,500	1.2	0.0 - 2.5	120,800	98.8	97.5 - 100.0	122,300
25-34	11,600	6.6	4.1 - 9.1	164,200	93.4	90.9 - 95.9	175,800
35-44	8,100	4.6	3.0 - 6.1	169,100	95.4	93.9 - 97.0	177,300
45-54	1,400	0.8	0.3 - 1.4	173,900	99.2	98.6 - 99.7	175,300
55-64	100	0.1	0.0 - 0.2	149,600	99.9	99.8 - 100.0	149,800
65-74	600	0.7	0.0 - 1.7	88,300	99.3	98.3 - 100.0	89,000
75+	500	0.5	0.0 - 1.2	93,100	99.5	98.8 - 100.0	93,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	15,600	4.8	3.4 - 6.2	312,000	95.2	93.8 - 96.6	327,700
Native Hawaiian	2,100	1.5	0.0 - 3.1	135,200	98.5	96.9 - 100.0	137,300
Chinese	300	0.4	0.0 - 1.2	66,800	99.6	98.8 - 100.0	67,000
Filipino	1,500	1.1	0.2 - 2.0	139,400	98.9	98.0 - 99.8	141,000
Japanese	1,200	0.5	0.0 - 1.1	225,000	99.5	98.9 - 100.0	226,200
Black	2,100	16.4	5.8 - 27.0	10,900	83.6	73.0 - 94.2	13,000
Other Asian	500	2.0	0.0 - 4.5	23,200	98.0	95.5 - 100.0	23,700
Other Pacific Islander	0	0.0	--	22,900	100.0	100.0 - 100.0	22,900
Other	500	2.6	0.0 - 6.0	20,400	97.4	94.0 - 100.0	21,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	17,000	3.5	2.5 - 4.5	470,900	96.5	95.5 - 97.5	487,900
Female	6,900	1.4	0.9 - 1.9	494,400	98.6	98.1 - 99.1	501,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	0	0.0	--	9,300	100.0	100.0 - 100.0	9,300
Grades 9 thru 11 (Some High School)	400	0.9	0.0 - 2.5	38,300	99.1	97.5 - 100.0	38,600
Grades 12 or GED (High School Grad)	4,600	1.6	0.8 - 2.4	286,600	98.4	97.6 - 99.2	291,200
College 1 to 3 years (Some College/ Tech)	9,700	3.5	2.0 - 4.9	272,000	96.5	95.1 - 98.0	281,700
College 4 years or more (College Grad)	9,200	2.5	1.7 - 3.4	358,100	97.5	96.6 - 98.3	367,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	22,100	3.5	2.7 - 4.4	603,300	96.5	95.6 - 97.3	625,300
Unemployed	100	0.2	0.0 - 0.6	43,400	99.8	99.4 - 100.0	43,500
Retired/Unable to work	900	0.4	0.0 - 0.9	223,500	99.6	99.1 - 100.0	224,500
Student/Homemaker	800	0.9	0.0 - 1.8	93,900	99.1	98.2 - 100.0	94,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	100	0.2	0.0 - 0.7	24,200	99.8	99.3 - 100.0	24,200
\$10,000 to \$14,999	700	3.3	0.0 - 6.5	21,800	96.7	93.5 - 100.0	22,500
\$15,000 to \$19,999	0	0.0	--	41,000	100.0	100.0 - 100.0	41,000
\$20,000 to \$24,999	400	0.7	0.0 - 1.9	54,400	99.3	98.1 - 100.0	54,900
\$25,000 to \$34,999	3,200	3.1	0.7 - 5.6	98,700	96.9	94.4 - 99.3	101,900
\$35,000 to \$49,999	2,800	1.9	0.7 - 3.1	143,700	98.1	96.9 - 99.3	146,500
\$50,000 to \$74,999	7,300	4.0	2.2 - 5.7	176,100	96.0	94.3 - 97.8	183,400
\$75,000 or more	8,900	2.8	1.7 - 3.8	311,700	97.2	96.2 - 98.3	320,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	2,900	1.6	0.3 - 3.0	176,300	98.4	97.0 - 99.7	179,200
131-185%	2,100	1.8	0.5 - 3.1	116,300	98.2	96.9 - 99.5	118,400
186+%	18,300	3.1	2.3 - 3.9	578,600	96.9	96.1 - 97.7	596,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	18,100	3.1	2.3 - 3.9	564,200	96.9	96.1 - 97.7	582,300
Unmarried Couple	0	0.0	--	26,500	100.0	100.0 - 100.0	26,500
Widowed	200	0.4	0.0 - 0.7	56,400	99.6	99.3 - 100.0	56,600
Other	5,600	1.7	0.8 - 2.6	318,200	98.3	97.4 - 99.2	323,800

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	18,200	3.1	2.3 - 3.9	575,500	96.9	96.1 - 97.7	593,700
No	5,700	1.4	0.7 - 2.2	387,500	98.6	97.8 - 99.3	393,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2008

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	23,300	2.5	1.9 - 3.1	903,300	97.5	96.9 - 98.1	926,700
No	600	0.9	0.0 - 2.5	60,400	99.1	97.5 - 100.0	61,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,300	2.4	1.8 - 2.9	961,300	97.6	97.1 - 98.2	984,600

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	1.1	0.5 - 1.6	126,700	98.9	98.4 - 99.5	128,100
Honolulu	19,500	2.8	2.0 - 3.5	682,100	97.2	96.5 - 98.0	701,600
Kauai	500	1.0	0.1 - 1.9	46,700	99.0	98.1 - 99.9	47,200
Maui	2,000	1.8	0.8 - 2.9	105,700	98.2	97.1 - 99.2	107,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	1.1	0.5 - 1.6	126,700	98.9	98.4 - 99.5	128,100
Kauai	500	1.0	0.1 - 1.9	46,700	99.0	98.1 - 99.9	47,200
Lanai	<50	2.5	0.0 - 6.2	1,800	97.5	93.8 - 100.0	1,900
Maui	1,800	1.8	0.7 - 3.0	95,900	98.2	97.0 - 99.3	97,700
Molokai	100	1.5	0.0 - 3.9	8,000	98.5	96.1 - 100.0	8,100
Oahu	19,500	2.8	2.0 - 3.5	682,100	97.2	96.5 - 98.0	701,600

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,100	3.1	0.6 - 5.6	66,700	96.9	94.4 - 99.4	68,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	0	0.0	--	29,100	100.0	100.0 - 100.0	29,100
Hanalei/ Kapaa	0	0.0	--	20,100	100.0	100.0 - 100.0	20,100
Hilo	400	1.2	0.0 - 2.3	35,700	98.8	97.7 - 100.0	36,200
Kaaawa/ Kahaluu/ Kaneohe	2,300	4.7	0.3 - 9.1	47,400	95.3	90.9 - 99.7	49,700
Kahului	800	2.5	0.5 - 4.4	31,700	97.5	95.6 - 99.5	32,500
Kailua/ Waimanalo	1,300	2.4	0.0 - 4.8	51,500	97.6	95.2 - 100.0	52,700
Kaimuki/ Palolo/ Waikiki	100	0.1	0.0 - 0.4	56,000	99.9	99.6 - 100.0	56,100
Kona	200	0.8	0.0 - 1.7	27,200	99.2	98.3 - 100.0	27,400
Lahaina/ Wailuku	700	2.3	0.0 - 5.0	30,200	97.7	95.0 - 100.0	30,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	2.5	0.0 - 6.2	1,800	97.5	93.8 - 100.0	1,900
Lihue-Waimea	500	1.8	0.3 - 3.2	26,600	98.2	96.8 - 99.7	27,100
Manoa/ Upper Makiki	300	0.6	0.0 - 1.6	45,300	99.4	98.4 - 100.0	45,500
Mililani/ Wahiawa	3,400	4.6	2.0 - 7.3	71,100	95.4	92.7 - 98.0	74,600
Molokai	100	1.5	0.0 - 3.9	8,000	98.5	96.1 - 100.0	8,100
Nanakuli/ Waianae	100	0.4	0.0 - 1.1	39,400	99.6	98.9 - 100.0	39,500
N.Hawaii	400	1.4	0.1 - 2.6	27,800	98.6	97.4 - 99.9	28,100
N.Shore/ Laie	500	2.4	0.0 - 4.8	21,900	97.6	95.2 - 100.0	22,500
Nuuanu/ Kalihi/ Moanalua	2,000	3.0	0.5 - 5.6	64,900	97.0	94.4 - 99.5	66,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	400	1.0	0.0 - 2.0	36,100	99.0	98.0 - 100.0	36,400
Salt Lake/ Foster Village	2,200	7.8	1.9 - 13.8	26,000	92.2	86.2 - 98.1	28,200
Upcountry/ Hana	300	0.9	0.0 - 2.0	34,000	99.1	98.0 - 100.0	34,300
Waialae/ Kahala/ Hawaii Kai	600	1.5	0.0 - 3.3	37,700	98.5	96.7 - 100.0	38,200
Waipahu/ Kapolei/ Ewa	4,500	3.5	1.6 - 5.3	125,200	96.5	94.7 - 98.4	129,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	2,800	2.3	0.2 - 4.3	122,600	97.7	95.7 - 99.8	125,500
25-34	7,200	4.5	2.5 - 6.4	152,300	95.5	93.6 - 97.5	159,500
35-44	6,600	3.8	2.3 - 5.2	168,600	96.2	94.8 - 97.7	175,200
45-54	2,800	1.5	0.8 - 2.2	182,400	98.5	97.8 - 99.2	185,200
55-64	1,000	0.6	0.0 - 1.3	154,500	99.4	98.7 - 100.0	155,400
65-74	700	0.9	0.2 - 1.6	82,700	99.1	98.4 - 99.8	83,400
75+	2,200	2.3	0.6 - 4.0	94,200	97.7	96.0 - 99.4	96,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,000	2.6	1.7 - 3.4	304,700	97.4	96.6 - 98.3	312,700
Native Hawaiian	1,000	0.8	0.1 - 1.4	134,100	99.2	98.6 - 99.9	135,100
Chinese	300	0.5	0.0 - 1.3	54,700	99.5	98.7 - 100.0	55,000
Filipino	6,300	3.7	1.9 - 5.4	167,200	96.3	94.6 - 98.1	173,600
Japanese	2,100	1.0	0.3 - 1.7	212,500	99.0	98.3 - 99.7	214,600
Black	1,800	10.8	2.6 - 19.0	14,600	89.2	81.0 - 97.4	16,400
Other Asian	500	2.2	0.0 - 5.3	21,400	97.8	94.7 - 100.0	21,900
Other Pacific Islander	2,300	10.1	0.2 - 20.0	20,400	89.9	80.0 - 99.8	22,700
Other	100	0.2	0.0 - 0.7	22,400	99.8	99.3 - 100.0	22,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	16,000	3.3	2.4 - 4.3	469,500	96.7	95.7 - 97.6	485,600
Female	7,300	1.5	0.9 - 2.0	491,800	98.5	98.0 - 99.1	499,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	4.9	0.0 - 12.4	14,700	95.1	87.6 - 100.0	15,500
Grades 9 thru 11 (Some High School)	700	1.8	0.0 - 3.6	36,800	98.2	96.4 - 100.0	37,500
Grades 12 or GED (High School Grad)	8,200	2.6	1.5 - 3.8	301,900	97.4	96.2 - 98.5	310,100
College 1 to 3 years (Some College/ Tech)	7,200	2.5	1.5 - 3.5	282,500	97.5	96.5 - 98.5	289,800
College 4 years or more (College Grad)	6,400	1.9	1.2 - 2.7	323,700	98.1	97.3 - 98.8	330,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	16,700	2.6	2.0 - 3.3	617,900	97.4	96.7 - 98.0	634,600
Unemployed	<50	0.1	0.0 - 0.4	32,100	99.9	99.6 - 100.0	32,200
Retired/Unable to work	4,800	2.1	0.9 - 3.3	222,600	97.9	96.7 - 99.1	227,400
Student/Homemaker	1,800	2.0	0.2 - 3.7	88,200	98.0	96.3 - 99.8	90,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	500	1.8	0.0 - 3.9	27,800	98.2	96.1 - 100.0	28,300
\$10,000 to \$14,999	400	1.5	0.1 - 2.9	29,600	98.5	97.1 - 99.9	30,100
\$15,000 to \$19,999	900	2.0	0.1 - 3.9	43,400	98.0	96.1 - 99.9	44,300
\$20,000 to \$24,999	600	0.9	0.0 - 2.1	59,300	99.1	97.9 - 100.0	59,800
\$25,000 to \$34,999	4,900	4.3	2.0 - 6.6	109,500	95.7	93.4 - 98.0	114,400
\$35,000 to \$49,999	4,000	2.4	1.0 - 3.8	161,300	97.6	96.2 - 99.0	165,200
\$50,000 to \$74,999	4,600	2.7	1.5 - 4.0	164,700	97.3	96.0 - 98.5	169,300
\$75,000 or more	5,800	2.0	1.2 - 2.9	280,600	98.0	97.1 - 98.8	286,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,800	2.4	1.1 - 3.7	197,200	97.6	96.3 - 98.9	202,000
131-185%	2,900	2.5	1.0 - 4.0	113,300	97.5	96.0 - 99.0	116,200
186+%	13,900	2.4	1.7 - 3.1	565,600	97.6	96.9 - 98.3	579,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	15,800	2.7	2.0 - 3.4	569,900	97.3	96.6 - 98.0	585,700
Unmarried Couple	300	1.2	0.0 - 2.7	26,500	98.8	97.3 - 100.0	26,800
Widowed	1,400	2.4	0.1 - 4.7	56,700	97.6	95.3 - 99.9	58,100
Other	5,700	1.8	0.9 - 2.8	308,200	98.2	97.2 - 99.1	314,000

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	16,200	2.7	2.0 - 3.4	579,400	97.3	96.6 - 98.0	595,500
No	7,100	1.8	1.0 - 2.7	380,700	98.2	97.3 - 99.0	387,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2007

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	23,100	2.5	1.9 - 3.1	901,700	97.5	96.9 - 98.1	924,800
No	200	0.3	0.0 - 0.8	58,700	99.7	99.2 - 100.0	58,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	19,800	2.1	1.5 - 2.6	943,400	97.9	97.4 - 98.5	963,200

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	1.1	0.5 - 1.8	119,400	98.9	98.2 - 99.5	120,700
Honolulu	16,000	2.3	1.6 - 3.0	675,200	97.7	97.0 - 98.4	691,200
Kauai	1,300	2.8	0.2 - 5.3	45,900	97.2	94.7 - 99.8	47,200
Maui	1,200	1.2	0.5 - 1.8	102,900	98.8	98.2 - 99.5	104,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,400	1.1	0.5 - 1.8	119,400	98.9	98.2 - 99.5	120,700
Kauai	1,300	2.8	0.2 - 5.3	45,900	97.2	94.7 - 99.8	47,200
Lanai	<50	0.5	0.0 - 1.4	2,300	99.5	98.6 - 100.0	2,300
Maui	1,200	1.2	0.5 - 2.0	94,100	98.8	98.0 - 99.5	95,300
Molokai	<50	0.7	0.0 - 1.7	6,500	99.3	98.3 - 100.0	6,500
Oahu	16,000	2.3	1.6 - 3.0	675,200	97.7	97.0 - 98.4	691,200

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,400	2.1	0.0 - 4.2	64,800	97.9	95.8 - 100.0	66,200

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	500	1.6	0.0 - 3.6	32,100	98.4	96.4 - 100.0	32,600
Hanalei/ Kapaa	400	1.8	0.0 - 4.4	20,200	98.2	95.6 - 100.0	20,600
Hilo	400	1.2	0.0 - 2.5	34,000	98.8	97.5 - 100.0	34,400
Kaaawa/ Kahaluu/ Kaneohe	500	1.0	0.0 - 2.4	47,200	99.0	97.6 - 100.0	47,700
Kahului	600	2.0	0.2 - 3.7	31,000	98.0	96.3 - 99.8	31,600
Kailua/ Waimanalo	1,100	2.3	0.0 - 5.6	48,200	97.7	94.4 - 100.0	49,300
Kaimuki/ Palolo/ Waikiki	700	1.2	0.1 - 2.3	55,900	98.8	97.7 - 99.9	56,600
Kona	500	1.7	0.2 - 3.2	28,500	98.3	96.8 - 99.8	29,000
Lahaina/ Wailuku	400	1.1	0.1 - 2.1	31,600	98.9	97.9 - 99.9	32,000

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	0.5	0.0 - 1.4	2,300	99.5	98.6 - 100.0	2,300
Lihue-Waimea	900	3.5	0.0 - 7.5	25,700	96.5	92.5 - 100.0	26,600
Manoa/ Upper Makiki	900	1.8	0.1 - 3.6	46,500	98.2	96.4 - 99.9	47,400
Mililani/ Wahiawa	800	1.3	0.0 - 2.6	64,600	98.7	97.4 - 100.0	65,400
Molokai	<50	0.7	0.0 - 1.7	6,500	99.3	98.3 - 100.0	6,500
Nanakuli/ Waianae	1,600	5.7	0.0 - 13.4	26,300	94.3	86.6 - 100.0	27,900
N.Hawaii	300	1.0	0.0 - 2.3	25,700	99.0	97.7 - 100.0	26,000
N.Shore/ Laie	300	1.4	0.0 - 3.3	23,900	98.6	96.7 - 100.0	24,200
Nuuanu/ Kalihi/ Moanalua	2,900	3.9	0.8 - 6.9	71,500	96.1	93.1 - 99.2	74,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	200	0.6	0.0 - 1.5	31,100	99.4	98.5 - 100.0	31,300
Salt Lake/ Foster Village	1,200	3.2	0.6 - 5.8	35,100	96.8	94.2 - 99.4	36,200
Upcountry/ Hana	200	0.6	0.0 - 1.4	31,500	99.4	98.6 - 100.0	31,700
Waialae/ Kahala/ Hawaii Kai	400	0.9	0.0 - 2.4	41,100	99.1	97.6 - 100.0	41,500
Waipahu/ Kapolei/ Ewa	3,700	3.0	0.9 - 5.2	118,000	97.0	94.8 - 99.1	121,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,200	3.4	0.9 - 6.0	117,900	96.6	94.0 - 99.1	122,100
25-34	5,300	3.3	1.2 - 5.3	155,800	96.7	94.7 - 98.8	161,100
35-44	3,900	2.2	1.3 - 3.2	172,400	97.8	96.8 - 98.7	176,300
45-54	2,700	1.5	0.6 - 2.4	174,700	98.5	97.6 - 99.4	177,400
55-64	400	0.3	0.0 - 0.6	145,400	99.7	99.4 - 100.0	145,800
65-74	700	0.8	0.2 - 1.5	81,000	99.2	98.5 - 99.8	81,700
75+	2,600	2.9	1.5 - 4.3	88,800	97.1	95.7 - 98.5	91,400

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	5,400	1.7	1.1 - 2.3	311,700	98.3	97.7 - 98.9	317,100
Native Hawaiian	1,900	1.6	0.2 - 3.0	117,800	98.4	97.0 - 99.8	119,700
Chinese	1,100	2.3	0.4 - 4.1	45,300	97.7	95.9 - 99.6	46,400
Filipino	6,000	3.9	1.5 - 6.3	145,800	96.1	93.7 - 98.5	151,800
Japanese	1,200	0.6	0.2 - 1.0	203,700	99.4	99.0 - 99.8	204,900
Black	300	2.0	0.0 - 4.9	14,100	98.0	95.1 - 100.0	14,400
Other Asian	600	2.0	0.0 - 4.4	27,200	98.0	95.6 - 100.0	27,800
Other Pacific Islander	2,600	10.0	2.1 - 18.0	22,900	90.0	82.0 - 97.9	25,500
Mixed Ethnicity	600	2.6	0.0 - 7.1	23,700	97.4	92.9 - 100.0	24,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Other	300	1.4	0.0 - 4.0	21,300	98.6	96.0 - 100.0	21,600

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	12,400	2.6	1.7 - 3.5	462,400	97.4	96.5 - 98.3	474,800
Female	7,400	1.5	0.9 - 2.1	481,000	98.5	97.9 - 99.1	488,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	200	1.6	0.0 - 3.9	15,500	98.4	96.1 - 100.0	15,700
Grades 9 thru 11 (Some High School)	2,100	5.1	0.8 - 9.3	38,500	94.9	90.7 - 99.2	40,600
Grades 12 or GED (High School Grad)	8,100	2.8	1.6 - 4.0	280,600	97.2	96.0 - 98.4	288,700
College 1 to 3 years (Some College/ Tech)	4,700	1.7	0.7 - 2.7	273,100	98.3	97.3 - 99.3	277,800
College 4 years or more (College Grad)	4,800	1.4	0.8 - 2.0	335,000	98.6	98.0 - 99.2	339,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	12,800	2.0	1.4 - 2.7	609,500	98.0	97.3 - 98.6	622,200
Unemployed	400	1.2	0.0 - 2.8	35,000	98.8	97.2 - 100.0	35,400
Retired/Unable to work	4,700	2.2	1.0 - 3.4	210,500	97.8	96.6 - 99.0	215,200
Student/Homemaker	2,000	2.2	0.0 - 4.9	87,300	97.8	95.1 - 100.0	89,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,300	4.9	0.0 - 11.0	24,800	95.1	89.0 - 100.0	26,100
\$10,000 to \$14,999	300	1.2	0.0 - 2.7	25,000	98.8	97.3 - 100.0	25,300
\$15,000 to \$19,999	900	2.0	0.2 - 3.8	42,400	98.0	96.2 - 99.8	43,300
\$20,000 to \$24,999	2,400	3.7	0.0 - 7.4	63,400	96.3	92.6 - 100.0	65,800
\$25,000 to \$34,999	3,800	3.6	1.9 - 5.3	101,700	96.4	94.7 - 98.1	105,500
\$35,000 to \$49,999	1,700	1.2	0.4 - 2.1	131,300	98.8	97.9 - 99.6	133,000
\$50,000 to \$74,999	1,800	1.2	0.4 - 1.9	152,000	98.8	98.1 - 99.6	153,800
\$75,000 or more	3,700	1.5	0.6 - 2.5	236,900	98.5	97.5 - 99.4	240,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,000	2.9	1.1 - 4.7	168,800	97.1	95.3 - 98.9	173,800
131-185%	2,600	2.3	0.5 - 4.0	111,500	97.7	96.0 - 99.5	114,000
186+%	8,300	1.6	1.1 - 2.2	497,100	98.4	97.8 - 98.9	505,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	12,700	2.2	1.5 - 3.0	557,800	97.8	97.0 - 98.5	570,500
Unmarried Couple	300	0.9	0.0 - 2.8	31,700	99.1	97.2 - 100.0	32,000
Widowed	800	1.5	0.4 - 2.6	52,700	98.5	97.4 - 99.6	53,500
Other	6,000	2.0	1.1 - 2.9	301,200	98.0	97.1 - 98.9	307,200

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	12,900	2.2	1.5 - 3.0	567,700	97.8	97.0 - 98.5	580,600
No	6,900	1.8	1.1 - 2.6	374,200	98.2	97.4 - 98.9	381,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	16,400	1.9	1.4 - 2.4	863,500	98.1	97.6 - 98.6	879,900
No	3,400	4.2	0.6 - 7.8	76,900	95.8	92.2 - 99.4	80,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	12,000	1.2	0.8 - 1.6	962,300	98.8	98.4 - 99.2	974,300

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,100	0.9	0.4 - 1.5	119,100	99.1	98.5 - 99.6	120,200
Honolulu	10,100	1.4	0.9 - 2.0	693,300	98.6	98.0 - 99.1	703,400
Kauai	200	0.4	0.0 - 1.1	45,900	99.6	98.9 - 100.0	46,100
Maui	600	0.5	0.0 - 1.0	103,900	99.5	99.0 - 100.0	104,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	1,100	0.9	0.4 - 1.5	119,100	99.1	98.5 - 99.6	120,200
Kauai	200	0.4	0.0 - 1.1	45,900	99.6	98.9 - 100.0	46,100
Lanai	<50	1.3	0.0 - 3.3	2,400	98.7	96.7 - 100.0	2,500
Maui	500	0.5	0.0 - 1.1	96,200	99.5	98.9 - 100.0	96,700
Molokai	<50	0.6	0.0 - 1.9	5,400	99.4	98.1 - 100.0	5,400
Oahu	10,100	1.4	0.9 - 2.0	693,300	98.6	98.0 - 99.1	703,400

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	900	1.2	0.0 - 2.5	69,500	98.8	97.5 - 100.0	70,400

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	400	1.1	0.0 - 2.4	33,000	98.9	97.6 - 100.0	33,400
Hanalei/ Kapaa	<50	0.2	0.0 - 0.6	19,100	99.8	99.4 - 100.0	19,200
Hilo	300	0.8	0.1 - 1.6	35,200	99.2	98.4 - 99.9	35,500
Kaaawa/ Kahaluu/ Kaneohe	500	0.9	0.0 - 2.2	52,400	99.1	97.8 - 100.0	52,900
Kahului	200	0.6	0.0 - 1.6	34,300	99.4	98.4 - 100.0	34,500
Kailua/ Waimanalo	100	0.2	0.0 - 0.5	48,700	99.8	99.5 - 100.0	48,800
Kaimuki/ Palolo/ Waikiki	300	0.4	0.0 - 1.0	65,900	99.6	99.0 - 100.0	66,200
Kona	200	0.5	0.0 - 1.6	28,700	99.5	98.4 - 100.0	28,900
Lahaina/ Wailuku	100	0.4	0.0 - 1.2	31,600	99.6	98.8 - 100.0	31,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	1.3	0.0 - 3.3	2,400	98.7	96.7 - 100.0	2,500
Lihue-Waimea	200	0.6	0.0 - 1.7	26,800	99.4	98.3 - 100.0	27,000
Manoa/ Upper Makiki	300	0.6	0.0 - 1.4	43,800	99.4	98.6 - 100.0	44,000
Mililani/ Wahiawa	2,300	3.1	0.3 - 6.0	69,800	96.9	94.0 - 99.7	72,100
Molokai	<50	0.6	0.0 - 1.9	5,400	99.4	98.1 - 100.0	5,400
Nanakuli/ Waianae	600	1.8	0.0 - 4.3	32,400	98.2	95.7 - 100.0	33,000
N.Hawaii	100	0.2	0.0 - 0.7	24,700	99.8	99.3 - 100.0	24,800
N.Shore/ Laie	0	0.0	--	20,500	100.0	100.0 - 100.0	20,500
Nuuanu/ Kalihi/ Moanalua	800	1.2	0.0 - 2.9	68,800	98.8	97.1 - 100.0	69,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Puna/ Kau	600	2.0	0.2 - 3.9	30,500	98.0	96.1 - 99.8	31,100
Salt Lake/ Foster Village	1,500	4.5	0.2 - 8.9	31,500	95.5	91.1 - 99.8	33,000
Upcountry/ Hana	200	0.5	0.0 - 1.5	30,300	99.5	98.5 - 100.0	30,500
Waialae/ Kahala/ Hawaii Kai	500	1.1	0.0 - 3.4	42,800	98.9	96.6 - 100.0	43,300
Waipahu/ Kapolei/ Ewa	2,000	1.8	0.3 - 3.3	114,300	98.2	96.7 - 99.7	116,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	1,000	0.8	0.0 - 1.8	119,300	99.2	98.2 - 100.0	120,300
25-34	3,000	1.8	0.6 - 3.0	164,400	98.2	97.0 - 99.4	167,400
35-44	3,000	1.7	0.6 - 2.8	179,700	98.3	97.2 - 99.4	182,700
45-54	700	0.4	0.0 - 0.7	181,900	99.6	99.3 - 100.0	182,600
55-64	1,500	1.1	0.1 - 2.0	140,100	98.9	98.0 - 99.9	141,600
65-74	1,600	1.8	0.3 - 3.3	84,200	98.2	96.7 - 99.7	85,800
75+	1,200	1.4	0.0 - 3.0	86,700	98.6	97.0 - 100.0	87,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	2,400	0.8	0.2 - 1.3	323,900	99.2	98.7 - 99.8	326,300
Native Hawaiian	2,000	1.7	0.5 - 3.0	114,900	98.3	97.0 - 99.5	116,900
Chinese	100	0.2	0.0 - 0.5	55,400	99.8	99.5 - 100.0	55,500
Filipino	3,400	2.2	0.6 - 3.7	154,400	97.8	96.3 - 99.4	157,800
Japanese	1,900	0.9	0.3 - 1.5	208,200	99.1	98.5 - 99.7	210,100
Black	1,000	5.0	0.0 - 10.8	18,800	95.0	89.2 - 100.0	19,700
Other Asian	100	0.2	0.0 - 0.7	20,400	99.8	99.3 - 100.0	20,400
Other Pacific Islander	0	0.0	--	25,100	100.0	100.0 - 100.0	25,100
Other	1,100	3.3	0.0 - 7.0	31,600	96.7	93.0 - 100.0	32,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	7,000	1.4	0.8 - 2.1	477,000	98.6	97.9 - 99.2	484,000
Female	5,000	1.0	0.5 - 1.5	485,300	99.0	98.5 - 99.5	490,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	500	2.5	0.0 - 5.4	20,000	97.5	94.6 - 100.0	20,600
Grades 9 thru 11 (Some High School)	1,200	3.1	0.0 - 6.6	38,300	96.9	93.4 - 100.0	39,600
Grades 12 or GED (High School Grad)	1,800	0.6	0.2 - 1.1	276,100	99.4	98.9 - 99.8	277,900
College 1 to 3 years (Some College/ Tech)	5,600	2.0	1.0 - 3.0	277,300	98.0	97.0 - 99.0	282,900
College 4 years or more (College Grad)	2,700	0.8	0.2 - 1.3	348,300	99.2	98.7 - 99.8	350,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	7,400	1.2	0.7 - 1.7	620,200	98.8	98.3 - 99.3	627,600
Unemployed	0	0.0	--	18,800	100.0	100.0 - 100.0	18,800
Retired/Unable to work	3,300	1.4	0.6 - 2.3	226,700	98.6	97.7 - 99.4	229,900
Student/Homemaker	1,100	1.1	0.0 - 2.4	94,200	98.9	97.6 - 100.0	95,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	400	1.6	0.0 - 4.1	26,700	98.4	95.9 - 100.0	27,100
\$10,000 to \$14,999	200	0.8	0.0 - 1.9	28,000	99.2	98.1 - 100.0	28,300
\$15,000 to \$19,999	400	0.8	0.0 - 1.6	50,600	99.2	98.4 - 100.0	50,900
\$20,000 to \$24,999	600	0.9	0.0 - 2.1	61,300	99.1	97.9 - 100.0	61,900
\$25,000 to \$34,999	1,900	1.9	0.1 - 3.6	98,900	98.1	96.4 - 99.9	100,800
\$35,000 to \$49,999	3,700	2.4	0.9 - 3.9	148,500	97.6	96.1 - 99.1	152,200
\$50,000 to \$74,999	1,400	0.8	0.0 - 1.6	180,700	99.2	98.4 - 100.0	182,100
\$75,000 or more	2,200	1.0	0.3 - 1.6	228,400	99.0	98.4 - 99.7	230,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	2,500	1.5	0.4 - 2.5	165,600	98.5	97.5 - 99.6	168,100
131-185%	1,300	1.4	0.0 - 2.9	90,900	98.6	97.1 - 100.0	92,200
186+%	7,100	1.2	0.7 - 1.8	566,600	98.8	98.2 - 99.3	573,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	7,900	1.4	0.8 - 1.9	574,100	98.6	98.1 - 99.2	582,000
Unmarried Couple	600	2.2	0.0 - 4.7	25,600	97.8	95.3 - 100.0	26,100
Widowed	600	1.1	0.2 - 2.0	57,000	98.9	98.0 - 99.8	57,600
Other	2,900	0.9	0.3 - 1.5	305,600	99.1	98.5 - 99.7	308,500

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	7,900	1.3	0.8 - 1.9	585,600	98.7	98.1 - 99.2	593,400
No	4,000	1.1	0.5 - 1.6	374,800	98.9	98.4 - 99.5	378,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,400	1.3	0.8 - 1.7	885,500	98.7	98.3 - 99.2	896,800
No	600	0.8	0.0 - 1.6	75,100	99.2	98.4 - 100.0	75,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	7,900	0.9	0.2 - 1.6	902,300	99.1	98.4 - 99.8	910,200

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	600	0.4	0.1 - 0.8	129,600	99.6	99.2 - 99.9	130,100
Honolulu	6,600	1.0	0.0 - 2.0	635,400	99.0	98.0 - 100.0	642,000
Kauai	100	0.3	0.0 - 0.8	40,400	99.7	99.2 - 100.0	40,500
Maui	600	0.7	0.0 - 1.6	96,900	99.3	98.4 - 100.0	97,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	600	0.4	0.1 - 0.8	129,600	99.6	99.2 - 99.9	130,100
Kauai	100	0.3	0.0 - 0.8	40,400	99.7	99.2 - 100.0	40,500
Lanai	<50	1.6	0.0 - 4.8	1,300	98.4	95.2 - 100.0	1,300
Maui	600	0.7	0.0 - 1.7	89,800	99.3	98.3 - 100.0	90,400
Molokai	0	0.0	--	5,900	100.0	100.0 - 100.0	5,900
Oahu	6,600	1.0	0.0 - 2.0	635,400	99.0	98.0 - 100.0	642,000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	200	0.4	0.0 - 1.1	61,600	99.6	98.9 - 100.0	61,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,100	3.6	0.0 - 9.4	29,700	96.4	90.6 - 100.0	30,800
Hanalei/ Kapaa	0	0.0	--	16,300	100.0	100.0 - 100.0	16,300
Hilo	100	0.3	0.0 - 1.0	33,400	99.7	99.0 - 100.0	33,500
Kaaawa/ Kahaluu/ Kaneohe	0	0.0	--	42,400	100.0	100.0 - 100.0	42,400
Kahului	300	0.9	0.0 - 2.7	31,200	99.1	97.3 - 100.0	31,500
Kailua/ Waimanalo	0	0.0	--	42,100	100.0	100.0 - 100.0	42,100
Kaimuki/ Palolo/ Waikiki	1,000	1.6	0.0 - 4.7	59,000	98.4	95.3 - 100.0	60,000
Kona	0	0.0	--	26,500	100.0	100.0 - 100.0	26,500
Lahaina/ Wailuku	300	1.2	0.0 - 3.6	28,000	98.8	96.4 - 100.0	28,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Lanai	<50	1.6	0.0 - 4.8	1,300	98.4	95.2 - 100.0	1,300
Lihue-Waimea	100	0.4	0.0 - 1.3	24,100	99.6	98.7 - 100.0	24,200
Manoa/ Upper Makiki	500	1.1	0.0 - 3.4	46,100	98.9	96.6 - 100.0	46,600
Mililani/ Wahiawa	0	0.0	--	60,400	100.0	100.0 - 100.0	60,400
Molokai	0	0.0	--	5,900	100.0	100.0 - 100.0	5,900
N.Hawaii	200	1.0	0.0 - 2.4	22,900	99.0	97.6 - 100.0	23,200
Nuuanu/ Kalihi/ Moanalua	200	0.4	0.0 - 1.2	63,000	99.6	98.8 - 100.0	63,300
Puna/ Kau	200	0.5	0.0 - 1.0	46,800	99.5	99.0 - 100.0	47,000
Upcountry/ Hana	0	0.0	--	30,600	100.0	100.0 - 100.0	30,600

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waialae/ Kahala/ Hawaii Kai	800	2.2	0.0 - 6.5	33,700	97.8	93.5 - 100.0	34,500
Waipahu/ Kapolei/ Ewa	2,700	2.5	0.0 - 7.3	108,000	97.5	92.7 - 100.0	110,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

BRFSS Age Group	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	200	0.2	0.0 - 0.5	107,200	99.8	99.5 - 100.0	107,400
25-34	3,700	2.2	0.0 - 5.5	164,200	97.8	94.5 - 100.0	167,800
35-44	900	0.5	0.0 - 1.4	175,700	99.5	98.6 - 100.0	176,600
45-54	300	0.2	0.0 - 0.5	167,800	99.8	99.5 - 100.0	168,100
55-64	100	0.1	0.0 - 0.3	122,800	99.9	99.7 - 100.0	122,900
65-74	1,200	1.4	0.1 - 2.7	81,100	98.6	97.3 - 99.9	82,200
75+	1,600	2.2	0.0 - 5.0	74,100	97.8	95.0 - 100.0	75,700

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	1,400	0.5	0.0 - 1.1	293,500	99.5	98.9 - 100.0	295,000
Native Hawaiian	600	0.5	0.0 - 1.2	120,900	99.5	98.8 - 100.0	121,500
Chinese	0	0.0	--	51,100	100.0	100.0 - 100.0	51,100
Filipino	3,100	2.1	0.0 - 5.8	142,400	97.9	94.2 - 100.0	145,500
Japanese	2,500	1.3	0.0 - 2.7	185,700	98.7	97.3 - 100.0	188,100
Other	100	0.5	0.0 - 1.6	21,700	99.5	98.4 - 100.0	21,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	1,600	0.4	0.0 - 0.8	441,800	99.6	99.2 - 100.0	443,400
Female	6,300	1.4	0.1 - 2.6	460,500	98.6	97.4 - 99.9	466,800

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Grades 9 thru 11 (Some High School)	300	1.1	0.0 - 3.3	30,500	98.9	96.7 - 100.0	30,900
Grades 12 or GED (High School Grad)	3,400	1.2	0.0 - 3.1	278,500	98.8	96.9 - 100.0	281,900
College 1 to 3 years (Some College/ Tech)	800	0.3	0.0 - 0.6	289,500	99.7	99.4 - 100.0	290,300
College 4 years or more (College Grad)	3,100	1.1	0.0 - 2.1	292,800	99.0	97.9 - 100.0	295,900

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	3,200	0.6	0.0 - 1.5	580,600	99.4	98.5 - 100.0	583,900
Unemployed	0	0.0	--	26,500	100.0	100.0 - 100.0	26,500
Retired/Unable to work	2,800	1.4	0.2 - 2.6	195,200	98.6	97.4 - 99.8	198,000
Student/Homemaker	1,900	1.9	0.0 - 4.2	98,400	98.1	95.8 - 100.0	100,300

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	100	0.7	0.0 - 2.1	16,000	99.3	97.9 - 100.0	16,100
\$10,000 to \$14,999	0	0.0	--	26,300	100.0	100.0 - 100.0	26,300
\$15,000 to \$19,999	100	0.3	0.0 - 0.8	46,600	99.7	99.2 - 100.0	46,700
\$20,000 to \$24,999	900	1.3	0.0 - 3.5	68,100	98.7	96.5 - 100.0	69,000
\$25,000 to \$34,999	3,100	2.7	0.0 - 7.3	113,000	97.3	92.7 - 100.0	116,100
\$35,000 to \$49,999	1,300	0.9	0.0 - 2.3	140,100	99.1	97.7 - 100.0	141,400
\$50,000 to \$74,999	2,300	0.8	0.0 - 1.6	283,200	99.2	98.4 - 100.0	285,500
\$75,000 or more	0	0.0	--	209,100	100.0	100.0 - 100.0	209,100

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,800	2.4	0.0 - 5.8	154,700	97.6	94.2 - 100.0	158,400
131-185%	100	0.1	0.0 - 0.3	118,900	99.9	99.7 - 100.0	119,000
186+%	4,000	0.6	0.2 - 1.1	628,800	99.4	98.9 - 99.8	632,800

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	2,300	0.4	0.0 - 0.9	528,200	99.6	99.1 - 100.0	530,500
Unmarried Couple	0	0.0	--	23,300	100.0	100.0 - 100.0	23,300
Widowed	1,100	1.9	0.0 - 4.2	54,500	98.1	95.8 - 100.0	55,500
Other	4,500	1.5	0.0 - 3.4	296,300	98.5	96.6 - 100.0	300,800

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	2,300	0.4	0.0 - 0.9	537,900	99.6	99.1 - 100.0	540,300
No	5,500	1.5	0.0 - 3.1	360,900	98.5	96.9 - 100.0	366,500

Flu spray - 12 months by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2004, 2005, 2006, 2007, 2008, 2009, 2010

Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	5,100	0.6	0.2 - 1.0	817,100	99.4	99.0 - 99.8	822,200
No	2,700	3.3	0.0 - 9.6	80,600	96.7	90.4 - 100.0	83,400