

Flu - had shot or spray in past 12 mos (65+), for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Flu - had shot or spray in past 12 mos (65+)	Adults who have had a flu shot or spray in the past 12 months (65+)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/8/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Flu - had shot or spray in past 12 mos (65+), for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Yes			No			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	125,600	64.7	61.9 - 67.5	68,600	35.3	32.5 - 38.1	194,200
2012	130,900	62.7	59.5 - 65.9	77,800	37.3	34.1 - 40.5	208,700
2013	145,000	69.9	67.1 - 72.8	62,300	30.1	27.2 - 32.9	207,300
2014	140,000	65.5	62.6 - 68.3	73,800	34.5	31.7 - 37.4	213,900



Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	140,000	65.5	62.6 - 68.3	73,800	34.5	31.7 - 37.4	213,900

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,900	59.2	53.3 - 65.2	13,000	40.8	34.8 - 46.7	31,900
Honolulu	99,200	68.8	65.0 - 72.5	45,100	31.2	27.5 - 35.0	144,300
Kauai	6,500	57.4	49.2 - 65.5	4,900	42.6	34.5 - 50.8	11,400
Maui	13,900	58.3	51.8 - 64.7	9,900	41.7	35.3 - 48.2	23,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,900	59.2	53.3 - 65.2	13,000	40.8	34.8 - 46.7	31,900
Kauai	6,500	57.4	49.2 - 65.5	4,900	42.6	34.5 - 50.8	11,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	300
Maui	13,000	58.8	52.0 - 65.6	9,100	41.2	34.4 - 48.0	22,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,500
Oahu	99,200	68.8	65.0 - 72.5	45,100	31.2	27.5 - 35.0	144,300

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,400	77.0	66.9 - 87.1	3,100	23.0	12.9 - 33.1	13,600
Ala Moana	3,300	63.5	49.0 - 78.0	1,900	36.5	22.0 - 51.0	5,200

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,300	56.9	44.0 - 69.9	1,700	43.1	30.1 - 56.0	4,000
Hilo	6,000	63.9	53.5 - 74.4	3,400	36.1	25.6 - 46.5	9,300
Kaaawa/ Kahaluu/ Kaneohe	9,000	64.2	52.6 - 75.7	5,100	35.8	24.3 - 47.4	14,100
Kahului	5,000	70.1	58.8 - 81.5	2,100	29.9	18.5 - 41.2	7,100
Kailua/ Waimanalo	12,000	72.2	59.5 - 85.0	4,600	27.8	15.0 - 40.5	16,700
Kaimuki/ Palolo/ Waikiki	9,100	68.1	55.7 - 80.4	4,300	31.9	19.6 - 44.3	13,300
Kona	3,300	46.6	35.4 - 57.9	3,700	53.4	42.1 - 64.6	7,000
Lahaina/ Wailuku	4,700	55.0	43.8 - 66.2	3,900	45.0	33.8 - 56.2	8,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	300
Lihue-Waimea	4,300	57.6	47.1 - 68.0	3,200	42.4	32.0 - 52.9	7,400
Manoa/ Upper Makiki	7,600	64.5	52.8 - 76.2	4,200	35.5	23.8 - 47.2	11,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	9,000	68.8	53.9 - 83.8	4,100	31.2	16.2 - 46.1	13,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,500
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	3,900
N.Hawaii	3,800	62.6	48.6 - 76.6	2,300	37.4	23.4 - 51.4	6,100
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	3,000
Nuuanu/ Kalihi/ Moanalua	10,700	74.0	62.1 - 86.0	3,800	26.0	14.0 - 37.9	14,400
Puna/ Kau	5,800	61.7	49.9 - 73.5	3,600	38.3	26.5 - 50.1	9,500
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	6,000
Upcountry/ Hana	3,200	51.0	39.2 - 62.9	3,100	49.0	37.1 - 60.8	6,300
Waialae/ Kahala/ Hawaii Kai	11,400	73.3	63.3 - 83.4	4,100	26.7	16.6 - 36.7	15,500
Waipahu/ Kapolei/ Ewa	8,200	59.8	46.6 - 73.0	5,500	40.2	27.0 - 53.4	13,700

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	39,900	56.6	51.9 - 61.3	30,600	43.4	38.7 - 48.1	70,600
Native Hawaiian	8,100	60.5	51.0 - 69.9	5,300	39.5	30.1 - 49.0	13,400
Chinese	12,100	82.6	74.7 - 90.6	2,500	17.4	9.4 - 25.3	14,700
Filipino	16,300	61.7	52.1 - 71.2	10,100	38.3	28.8 - 47.9	26,400
Japanese	53,400	72.0	67.1 - 76.8	20,800	28.0	23.2 - 32.9	74,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	700
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	400
Other	n/r	n/r	n/r	n/r	n/r	n/r	2,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	62,500	63.7	59.5 - 68.0	35,500	36.3	32.0 - 40.5	98,000
Female	77,500	66.9	63.0 - 70.8	38,300	33.1	29.2 - 37.0	115,800

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	10,200
Grades 9 thru 11 (Some High School)	13,500	72.5	58.9 - 86.2	5,100	27.5	13.8 - 41.1	18,600
Grades 12 or GED (High School Grad)	38,800	69.1	63.9 - 74.3	17,400	30.9	25.7 - 36.1	56,200
College 1 to 3 years (Some College/ Tech)	45,700	64.6	59.5 - 69.6	25,000	35.4	30.4 - 40.5	70,700
College 4 years or more (College Grad)	36,000	62.1	57.8 - 66.3	22,000	37.9	33.7 - 42.2	57,900

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	22,800	58.2	51.6 - 64.8	16,300	41.8	35.2 - 48.4	39,100
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	2,300
Retired/Unable to work	111,500	67.1	63.8 - 70.4	54,600	32.9	29.6 - 36.2	166,100
Student/Homemaker	4,400	73.1	57.8 - 88.4	1,600	26.9	11.6 - 42.2	6,000

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,300	57.6	42.3 - 72.8	3,900	42.4	27.2 - 57.7	9,200
\$10,000 to \$14,999	3,900	55.0	40.8 - 69.2	3,200	45.0	30.8 - 59.2	7,100
\$15,000 to \$19,999	9,000	66.9	56.3 - 77.4	4,400	33.1	22.6 - 43.7	13,400
\$20,000 to \$24,999	10,100	61.4	49.9 - 72.8	6,400	38.6	27.2 - 50.1	16,500
\$25,000 to \$34,999	16,700	65.0	56.9 - 73.2	9,000	35.0	26.8 - 43.1	25,700
\$35,000 to \$49,999	23,000	70.0	62.9 - 77.1	9,900	30.0	22.9 - 37.1	32,900
\$50,000 to \$74,999	21,100	64.8	56.7 - 72.8	11,500	35.2	27.2 - 43.3	32,600
\$75,000 or more	32,200	67.2	61.8 - 72.6	15,700	32.8	27.4 - 38.2	47,900

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	17,600	70.8	63.2 - 78.3	7,300	29.2	21.7 - 36.8	24,800
131-185%	9,900	62.2	52.4 - 71.9	6,000	37.8	28.1 - 47.6	15,900
186+%	50,900	70.4	66.2 - 74.6	21,400	29.6	25.4 - 33.8	72,300

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	86,200	65.9	62.0 - 69.8	44,600	34.1	30.2 - 38.0	130,800
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Widowed	32,900	73.2	68.0 - 78.4	12,000	26.8	21.6 - 32.0	44,900
Other	20,500	55.2	48.8 - 61.6	16,700	44.8	38.4 - 51.2	37,200

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	87,100	65.5	61.6 - 69.4	45,800	34.5	30.6 - 38.4	133,000
No	52,900	65.6	61.5 - 69.7	27,800	34.4	30.3 - 38.5	80,600

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	138,100	65.9	63.0 - 68.8	71,500	34.1	31.2 - 37.0	209,600
No	n/r	n/r	n/r	n/r	n/r	n/r	4,000

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	145,000	69.9	67.1 - 72.8	62,300	30.1	27.2 - 32.9	207,300

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,800	62.4	56.3 - 68.4	11,400	37.6	31.6 - 43.7	30,200
Honolulu	104,200	73.0	69.4 - 76.7	38,500	27.0	23.3 - 30.6	142,700
Kauai	7,700	70.7	63.4 - 78.1	3,200	29.3	21.9 - 36.6	10,800
Maui	13,400	60.4	53.0 - 67.8	8,800	39.6	32.2 - 47.0	22,100

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	18,800	62.4	56.3 - 68.4	11,400	37.6	31.6 - 43.7	30,200
Kauai	7,700	70.7	63.4 - 78.1	3,200	29.3	21.9 - 36.6	10,800
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	400
Maui	12,400	60.2	52.5 - 68.0	8,200	39.8	32.0 - 47.5	20,600
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Oahu	104,200	73.0	69.4 - 76.7	38,500	27.0	23.3 - 30.6	142,700

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	16,900	82.2	73.9 - 90.6	3,600	17.8	9.4 - 26.1	20,500
Ala Moana	3,700	62.5	47.2 - 77.8	2,200	37.5	22.2 - 52.8	6,000

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,800	70.3	59.5 - 81.1	1,200	29.7	18.9 - 40.5	4,000
Hilo	5,600	61.3	49.9 - 72.8	3,500	38.7	27.2 - 50.1	9,100
Kaaawa/ Kahaluu/ Kaneohe	10,400	77.2	67.7 - 86.8	3,100	22.8	13.2 - 32.3	13,500
Kahului	4,500	69.5	57.6 - 81.4	2,000	30.5	18.6 - 42.4	6,500
Kailua/ Waimanalo	7,800	62.2	46.0 - 78.4	4,700	37.8	21.6 - 54.0	12,500
Kaimuki/ Palolo/ Waikiki	12,100	71.8	62.3 - 81.2	4,800	28.2	18.8 - 37.7	16,900
Kona	3,300	53.9	42.1 - 65.6	2,900	46.1	34.4 - 57.9	6,200
Lahaina/ Wailuku	4,200	61.2	49.1 - 73.3	2,700	38.8	26.7 - 50.9	6,900
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	400
Lihue-Waimea	4,800	71.0	61.4 - 80.7	2,000	29.0	19.3 - 38.6	6,800
Manoa/ Upper Makiki	6,400	59.3	46.9 - 71.7	4,400	40.7	28.3 - 53.1	10,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	6,800	73.6	61.2 - 86.1	2,400	26.4	13.9 - 38.8	9,300
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	5,000
N.Hawaii	4,000	66.2	54.0 - 78.3	2,000	33.8	21.7 - 46.0	6,000
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	1,500
Nuuanu/ Kalihi/ Moanalua	8,000	65.8	51.9 - 79.7	4,100	34.2	20.3 - 48.1	12,100
Puna/ Kau	5,900	66.7	55.2 - 78.3	3,000	33.3	21.7 - 44.8	8,900
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	4,200
Upcountry/ Hana	3,600	50.9	37.7 - 64.2	3,500	49.1	35.8 - 62.3	7,200
Waialae/ Kahala/ Hawaii Kai	11,200	83.8	75.7 - 92.0	2,200	16.2	8.0 - 24.3	13,300
Waipahu/ Kapolei/ Ewa	13,100	76.6	64.9 - 88.2	4,000	23.4	11.8 - 35.1	17,100

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	44,000	63.9	59.3 - 68.6	24,800	36.1	31.4 - 40.7	68,800
Native Hawaiian	8,400	68.8	59.6 - 78.1	3,800	31.2	21.9 - 40.4	12,200
Chinese	12,200	80.4	71.7 - 89.1	3,000	19.6	10.9 - 28.3	15,100
Filipino	18,900	76.8	67.9 - 85.7	5,700	23.2	14.3 - 32.1	24,700
Japanese	52,600	72.8	67.9 - 77.7	19,700	27.2	22.3 - 32.1	72,300
Black	n/r	n/r	n/r	n/r	n/r	n/r	300
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	200
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	3,800
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	500
Other	n/r	n/r	n/r	n/r	n/r	n/r	4,100

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	63,500	69.6	65.3 - 73.9	27,800	30.4	26.1 - 34.7	91,300
Female	81,500	70.2	66.5 - 74.0	34,600	29.8	26.0 - 33.5	116,100

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	12,100	81.9	70.4 - 93.3	n/r	n/r	n/r	14,700
Grades 9 thru 11 (Some High School)	13,700	69.8	56.8 - 82.8	5,900	30.2	17.2 - 43.2	19,600
Grades 12 or GED (High School Grad)	32,400	63.8	57.8 - 69.8	18,400	36.2	30.2 - 42.2	50,800
College 1 to 3 years (Some College/ Tech)	49,300	72.0	67.4 - 76.5	19,200	28.0	23.5 - 32.6	68,500
College 4 years or more (College Grad)	37,600	70.2	66.4 - 74.0	15,900	29.8	26.0 - 33.6	53,500

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	21,200	61.5	54.7 - 68.3	13,300	38.5	31.7 - 45.3	34,500
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	1,900
Retired/Unable to work	116,300	72.0	68.8 - 75.2	45,200	28.0	24.8 - 31.2	161,500
Student/Homemaker	6,200	68.0	53.3 - 82.7	2,900	32.0	17.3 - 46.7	9,100

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,500	61.2	45.6 - 76.8	2,200	38.8	23.2 - 54.4	5,700
\$10,000 to \$14,999	6,200	72.0	60.0 - 84.0	2,400	28.0	16.0 - 40.0	8,600
\$15,000 to \$19,999	10,400	68.5	57.8 - 79.2	4,800	31.5	20.8 - 42.2	15,200
\$20,000 to \$24,999	10,000	60.4	47.5 - 73.3	6,600	39.6	26.7 - 52.5	16,600
\$25,000 to \$34,999	17,900	67.0	58.2 - 75.8	8,800	33.0	24.2 - 41.8	26,700
\$35,000 to \$49,999	25,800	73.2	66.6 - 79.7	9,400	26.8	20.3 - 33.4	35,200
\$50,000 to \$74,999	22,700	74.4	67.9 - 80.8	7,800	25.6	19.2 - 32.1	30,500
\$75,000 or more	31,900	71.6	66.0 - 77.2	12,700	28.4	22.8 - 34.0	44,600

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	20,600	63.9	54.7 - 73.1	11,600	36.1	26.9 - 45.3	32,300
131-185%	21,400	71.4	63.1 - 79.6	8,600	28.6	20.4 - 36.9	30,000
186+%	69,700	73.1	69.5 - 76.7	25,700	26.9	23.3 - 30.5	95,400

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	82,000	70.3	66.5 - 74.1	34,700	29.7	25.9 - 33.5	116,700
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	1,200
Widowed	40,900	76.1	70.7 - 81.5	12,900	23.9	18.5 - 29.3	53,800
Other	21,000	59.0	52.8 - 65.1	14,600	41.0	34.9 - 47.2	35,600

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	83,000	70.4	66.6 - 74.2	35,000	29.6	25.8 - 33.4	117,900
No	62,000	69.6	65.4 - 73.8	27,100	30.4	26.2 - 34.6	89,100

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	143,800	70.3	67.4 - 73.1	60,900	29.7	26.9 - 32.6	204,600
No	n/r	n/r	n/r	n/r	n/r	n/r	2,300

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	130,900	62.7	59.5 - 65.9	77,800	37.3	34.1 - 40.5	208,700

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,100	52.5	45.5 - 59.5	13,700	47.5	40.5 - 54.5	28,800
Honolulu	96,400	65.6	61.5 - 69.7	50,600	34.4	30.3 - 38.5	147,000
Kauai	6,600	63.9	56.4 - 71.4	3,700	36.1	28.6 - 43.6	10,300
Maui	12,600	57.5	49.5 - 65.4	9,400	42.5	34.6 - 50.5	22,000

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,100	52.5	45.5 - 59.5	13,700	47.5	40.5 - 54.5	28,800
Kauai	6,600	63.9	56.4 - 71.4	3,700	36.1	28.6 - 43.6	10,300
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	700
Maui	11,400	58.8	50.2 - 67.4	8,000	41.2	32.6 - 49.8	19,400
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,900
Oahu	96,400	65.6	61.5 - 69.7	50,600	34.4	30.3 - 38.5	147,000

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	12,000	68.6	57.5 - 79.8	5,500	31.4	20.2 - 42.5	17,500
Ala Moana	3,800	57.1	42.2 - 72.0	2,800	42.9	28.0 - 57.8	6,600

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,800	60.6	49.1 - 72.1	1,800	39.4	27.9 - 50.9	4,600
Hilo	6,500	67.8	58.2 - 77.4	3,100	32.2	22.6 - 41.8	9,500
Kaaawa/ Kahaluu/ Kaneohe	10,500	68.7	55.1 - 82.2	4,800	31.3	17.8 - 44.9	15,300
Kahului	4,200	59.3	47.6 - 71.0	2,900	40.7	29.0 - 52.4	7,100
Kailua/ Waimanalo	6,600	60.8	41.8 - 79.8	4,200	39.2	20.2 - 58.2	10,800
Kaimuki/ Palolo/ Waikiki	11,800	65.7	53.3 - 78.1	6,200	34.3	21.9 - 46.7	17,900
Kona	2,400	36.1	23.2 - 49.0	4,300	63.9	51.0 - 76.8	6,700
Lahaina/ Wailuku	3,600	52.4	32.1 - 72.8	3,300	47.6	27.2 - 67.9	6,900
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	700
Lihue-Waimea	3,800	66.5	56.6 - 76.4	1,900	33.5	23.6 - 43.4	5,700
Manoa/ Upper Makiki	8,500	65.4	52.6 - 78.2	4,500	34.6	21.8 - 47.4	13,000

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	7,500	64.1	50.8 - 77.3	4,200	35.9	22.7 - 49.2	11,700
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	1,900
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	4,500
N.Hawaii	3,200	55.7	40.9 - 70.4	2,500	44.3	29.6 - 59.1	5,700
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Nuuanu/ Kalihi/ Moanalua	10,000	63.2	49.7 - 76.8	5,800	36.8	23.2 - 50.3	15,800
Puna/ Kau	3,100	44.7	30.1 - 59.2	3,900	55.3	40.8 - 69.9	7,000
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	6,600
Upcountry/ Hana	3,500	66.4	54.8 - 78.0	1,800	33.6	22.0 - 45.2	5,300
Waialae/ Kahala/ Hawaii Kai	7,500	63.5	51.9 - 75.1	4,300	36.5	24.9 - 48.1	11,800
Waipahu/ Kapolei/ Ewa	9,000	68.5	55.9 - 81.0	4,100	31.5	19.0 - 44.1	13,200

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	37,800	60.4	55.9 - 64.9	24,700	39.6	35.1 - 44.1	62,500
Native Hawaiian	8,600	62.7	50.8 - 74.7	5,100	37.3	25.3 - 49.2	13,700
Chinese	12,500	59.8	48.1 - 71.5	8,400	40.2	28.5 - 51.9	20,900
Filipino	12,900	63.5	52.7 - 74.3	7,400	36.5	25.7 - 47.3	20,200
Japanese	54,100	67.4	62.1 - 72.8	26,100	32.6	27.2 - 37.9	80,200
Black	n/r	n/r	n/r	n/r	n/r	n/r	1,000
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	500
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	2,200
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	900
Other	n/r	n/r	n/r	n/r	n/r	n/r	1,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	56,100	60.2	55.6 - 64.9	37,100	39.8	35.1 - 44.4	93,200
Female	74,700	64.7	60.3 - 69.1	40,800	35.3	30.9 - 39.7	115,500

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	7,300
Grades 9 thru 11 (Some High School)	12,700	56.5	41.1 - 71.9	9,800	43.5	28.1 - 58.9	22,500
Grades 12 or GED (High School Grad)	39,800	62.8	57.0 - 68.7	23,500	37.2	31.3 - 43.0	63,300
College 1 to 3 years (Some College/ Tech)	39,700	63.1	57.7 - 68.4	23,200	36.9	31.6 - 42.3	62,900
College 4 years or more (College Grad)	33,900	64.4	60.0 - 68.8	18,800	35.6	31.2 - 40.0	52,700

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	21,200	55.8	47.8 - 63.7	16,800	44.2	36.3 - 52.2	38,000
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Retired/Unable to work	104,100	64.8	61.1 - 68.4	56,700	35.2	31.6 - 38.9	160,800
Student/Homemaker	3,700	50.0	32.5 - 67.4	3,700	50.0	32.6 - 67.5	7,500

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	5,300	63.8	49.0 - 78.7	3,000	36.2	21.3 - 51.0	8,400
\$10,000 to \$14,999	4,200	53.1	36.4 - 69.7	3,700	46.9	30.3 - 63.6	7,900
\$15,000 to \$19,999	8,300	59.4	46.9 - 72.0	5,700	40.6	28.0 - 53.1	14,000
\$20,000 to \$24,999	11,700	61.9	51.0 - 72.8	7,200	38.1	27.2 - 49.0	18,800
\$25,000 to \$34,999	16,500	64.5	54.7 - 74.4	9,100	35.5	25.6 - 45.3	25,600
\$35,000 to \$49,999	19,700	58.6	51.3 - 65.9	14,000	41.4	34.1 - 48.7	33,700
\$50,000 to \$74,999	20,000	71.1	64.0 - 78.1	8,100	28.9	21.9 - 36.0	28,200
\$75,000 or more	26,900	63.0	56.9 - 69.0	15,800	37.0	31.0 - 43.1	42,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	25,500	64.4	55.7 - 73.1	14,100	35.6	26.9 - 44.3	39,600
131-185%	14,700	56.4	47.9 - 64.9	11,300	43.6	35.1 - 52.1	26,000
186+%	64,700	65.3	61.3 - 69.3	34,400	34.7	30.7 - 38.7	99,000

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	75,900	66.3	62.0 - 70.6	38,500	33.7	29.4 - 38.0	114,500
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	1,800
Widowed	34,000	59.7	53.0 - 66.5	22,900	40.3	33.5 - 47.0	56,900
Other	19,600	55.1	48.5 - 61.6	16,000	44.9	38.4 - 51.5	35,500

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	76,500	66.1	61.9 - 70.4	39,200	33.9	29.6 - 38.1	115,700
No	54,000	58.3	53.4 - 63.1	38,600	41.7	36.9 - 46.6	92,600

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	129,800	62.9	59.7 - 66.1	76,600	37.1	33.9 - 40.3	206,400
No	n/r	n/r	n/r	n/r	n/r	n/r	2,300

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	125,600	64.7	61.9 - 67.5	68,600	35.3	32.5 - 38.1	194,200

County	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,800	60.3	54.1 - 66.5	10,400	39.7	33.5 - 45.9	26,200
Honolulu	91,700	66.2	62.6 - 69.8	46,800	33.8	30.2 - 37.4	138,500
Kauai	6,000	59.4	51.9 - 67.0	4,100	40.6	33.0 - 48.1	10,200
Maui	11,900	63.1	57.1 - 69.1	7,000	36.9	30.9 - 42.9	18,800

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	15,800	60.3	54.1 - 66.5	10,400	39.7	33.5 - 45.9	26,200
Kauai	6,000	59.4	51.9 - 67.0	4,100	40.6	33.0 - 48.1	10,200
Lanai	700	65.1	53.0 - 77.2	400	34.9	22.8 - 47.0	1,000
Maui	9,900	63.6	56.6 - 70.5	5,700	36.4	29.5 - 43.4	15,600
Molokai	1,300	58.9	44.6 - 73.2	900	41.1	26.8 - 55.4	2,200
Oahu	91,700	66.2	62.6 - 69.8	46,800	33.8	30.2 - 37.4	138,500

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	10,600	65.2	53.7 - 76.6	5,700	34.8	23.4 - 46.3	16,300
Ala Moana	5,600	68.5	56.5 - 80.6	2,600	31.5	19.4 - 43.5	8,100

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	2,400	57.4	45.7 - 69.0	1,700	42.6	31.0 - 54.3	4,100
Hilo	5,700	63.4	53.0 - 73.9	3,300	36.6	26.1 - 47.0	9,000
Kaaawa/ Kahaluu/ Kaneohe	7,400	71.3	60.4 - 82.2	3,000	28.7	17.8 - 39.6	10,300
Kahului	3,800	65.3	55.4 - 75.3	2,000	34.7	24.7 - 44.6	5,800
Kailua/ Waimanalo	6,000	65.6	51.9 - 79.3	3,100	34.4	20.7 - 48.1	9,100
Kaimuki/ Palolo/ Waikiki	10,200	65.2	54.5 - 76.0	5,500	34.8	24.0 - 45.5	15,700
Kona	2,800	53.7	37.6 - 69.8	2,400	46.3	30.2 - 62.4	5,200
Lahaina/ Wailuku	2,600	64.2	51.2 - 77.1	1,400	35.8	22.9 - 48.8	4,000
Lanai	700	65.1	53.0 - 77.2	400	34.9	22.8 - 47.0	1,000
Lihue-Waimea	3,700	60.8	50.8 - 70.8	2,400	39.2	29.2 - 49.2	6,100
Manoa/ Upper Makiki	10,100	72.1	63.0 - 81.3	3,900	27.9	18.7 - 37.0	13,900

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Mililani/ Wahiawa	6,100	66.6	52.8 - 80.4	3,100	33.4	19.6 - 47.2	9,100
Molokai	1,300	58.9	44.6 - 73.2	900	41.1	26.8 - 55.4	2,200
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	4,900
N.Hawaii	3,700	61.1	49.2 - 73.0	2,400	38.9	27.0 - 50.8	6,100
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	4,300
Nuuanu/ Kalihi/ Moanalua	7,500	62.6	50.5 - 74.7	4,500	37.4	25.3 - 49.5	12,000
Puna/ Kau	3,600	60.6	49.3 - 71.8	2,300	39.4	28.2 - 50.7	5,900
Salt Lake/ Foster Village	3,500	59.1	40.4 - 77.8	2,400	40.9	22.2 - 59.6	5,900
Upcountry/ Hana	3,500	61.3	48.3 - 74.3	2,200	38.7	25.7 - 51.7	5,700
Waialae/ Kahala/ Hawaii Kai	9,600	68.9	59.0 - 78.8	4,300	31.1	21.2 - 41.0	13,900
Waipahu/ Kapolei/ Ewa	9,300	62.5	50.3 - 74.7	5,600	37.5	25.3 - 49.7	14,900

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	35,300	60.1	55.7 - 64.6	23,400	39.9	35.4 - 44.3	58,700
Native Hawaiian	10,000	63.6	54.0 - 73.3	5,700	36.4	26.7 - 46.0	15,700
Chinese	9,800	70.2	60.9 - 79.5	4,200	29.8	20.5 - 39.1	14,000
Filipino	20,400	69.2	60.8 - 77.6	9,100	30.8	22.4 - 39.2	29,500
Japanese	45,700	67.7	63.1 - 72.3	21,800	32.3	27.7 - 36.9	67,400
Black	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	400
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	4,300
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	1,000
Other	n/r	n/r	n/r	n/r	n/r	n/r	1,900

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	51,300	61.9	57.2 - 66.5	31,600	38.1	33.5 - 42.8	82,900
Female	74,300	66.8	63.4 - 70.2	37,000	33.2	29.8 - 36.6	111,300

Education Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	8,200	74.4	61.5 - 87.4	2,800	25.6	12.6 - 38.5	11,100
Grades 9 thru 11 (Some High School)	12,700	60.7	48.0 - 73.4	8,300	39.3	26.6 - 52.0	21,000
Grades 12 or GED (High School Grad)	37,600	63.8	58.9 - 68.7	21,300	36.2	31.3 - 41.1	58,900
College 1 to 3 years (Some College/ Tech)	37,500	65.0	59.9 - 70.0	20,200	35.0	30.0 - 40.1	57,700
College 4 years or more (College Grad)	29,400	64.8	61.0 - 68.6	16,000	35.2	31.4 - 39.0	45,400

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	15,800	57.3	50.2 - 64.3	11,800	42.7	35.7 - 49.8	27,600
Unemployed	n/r	n/r	n/r	n/r	n/r	n/r	2,200
Retired/Unable to work	100,800	66.0	62.8 - 69.1	52,000	34.0	30.9 - 37.2	152,900
Student/Homemaker	7,800	67.8	56.0 - 79.5	3,700	32.2	20.5 - 44.0	11,500

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	4,100	63.4	48.9 - 77.9	2,400	36.6	22.1 - 51.1	6,400
\$10,000 to \$14,999	4,800	66.4	55.2 - 77.5	2,400	33.6	22.5 - 44.8	7,200
\$15,000 to \$19,999	8,900	61.8	50.4 - 73.2	5,500	38.2	26.8 - 49.6	14,400
\$20,000 to \$24,999	9,400	63.1	54.2 - 72.0	5,500	36.9	28.0 - 45.8	14,800
\$25,000 to \$34,999	18,800	68.6	61.0 - 76.1	8,600	31.4	23.9 - 39.0	27,400
\$35,000 to \$49,999	20,600	60.7	53.6 - 67.8	13,300	39.3	32.2 - 46.4	34,000
\$50,000 to \$74,999	19,400	72.3	66.3 - 78.3	7,400	27.7	21.7 - 33.7	26,800
\$75,000 or more	21,700	58.7	52.4 - 64.9	15,300	41.3	35.1 - 47.6	37,100

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	22,400	66.6	58.5 - 74.6	11,300	33.4	25.4 - 41.5	33,700
131-185%	20,200	63.8	57.4 - 70.3	11,500	36.2	29.7 - 42.6	31,700
186+%	61,300	64.1	60.4 - 67.8	34,300	35.9	32.2 - 39.6	95,600

Marital Status (Grouped)	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	66,000	64.5	60.5 - 68.5	36,300	35.5	31.5 - 39.5	102,300
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Widowed	40,200	68.3	63.5 - 73.1	18,600	31.7	26.9 - 36.5	58,800
Other	17,900	58.2	51.8 - 64.5	12,800	41.8	35.5 - 48.2	30,700

Flu - had shot or spray in past 12 mos (65+), by State, County, Island, Community, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	67,000	64.5	60.5 - 68.4	36,900	35.5	31.6 - 39.5	103,900
No	58,400	64.9	61.0 - 68.8	31,600	35.1	31.2 - 39.0	90,000

Health Care Coverage	Yes			No			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	123,700	65.3	62.5 - 68.0	65,900	34.7	32.0 - 37.5	189,600
No	n/r	n/r	n/r	n/r	n/r	n/r	4,500