

Weight - BMI status, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Weight - BMI status	Body Mass Index (BMI) Weight Status

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/15/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse


profiles@hhdw.org

(855) 946-5899 x15

Weight - BMI status, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011-2013	27,300	2.6	2.3 - 3.0	435,200	41.7	40.7 - 42.7	347,200	33.3	32.3 - 34.2	233,800	22.4	21.5 - 23.3	1,043,500
2012-2014	26,400	2.5	2.2 - 2.8	431,500	41.0	40.0 - 42.0	357,900	34.0	33.1 - 34.9	236,400	22.5	21.6 - 23.3	1,052,300



Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	26,400	2.5	2.2 - 2.8	431,500	41.0	40.0 - 42.0	357,900	34.0	33.1 - 34.9	236,400	22.5	21.6 - 23.3	1,052,300

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,400	2.3	1.7 - 3.0	57,200	39.9	37.8 - 42.0	50,200	35.1	33.1 - 37.1	32,500	22.7	20.8 - 24.5	143,300
Honolulu	18,000	2.5	2.1 - 2.9	295,300	40.9	39.7 - 42.2	244,900	33.9	32.7 - 35.2	163,300	22.6	21.5 - 23.7	721,500
Kauai	1,300	2.6	1.6 - 3.6	22,900	44.8	41.8 - 47.8	16,500	32.3	29.6 - 34.9	10,400	20.3	17.9 - 22.7	51,100
Maui	3,200	2.7	1.9 - 3.4	47,800	40.5	38.2 - 42.7	39,900	33.8	31.7 - 36.0	27,200	23.0	21.1 - 25.0	118,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,400	2.3	1.7 - 3.0	57,200	39.9	37.8 - 42.0	50,200	35.1	33.1 - 37.1	32,500	22.7	20.8 - 24.5	143,300
Kauai	1,300	2.6	1.6 - 3.6	22,900	44.8	41.8 - 47.8	16,500	32.3	29.6 - 34.9	10,400	20.3	17.9 - 22.7	51,100
Lanai	n/r	n/r	n/r	800	33.3	20.3 - 46.3	1,100	47.5	34.9 - 60.0	300	14.1	7.4 - 20.7	2,400
Maui	3,000	2.7	1.9 - 3.5	45,200	41.4	39.1 - 43.8	36,000	33.0	30.8 - 35.3	25,000	22.9	20.8 - 24.9	109,100
Molokai	n/r	n/r	n/r	1,800	27.1	20.1 - 34.1	2,800	42.9	33.8 - 52.0	1,900	28.9	21.7 - 36.0	6,500
Oahu	18,000	2.5	2.1 - 2.9	295,300	40.9	39.7 - 42.2	244,900	33.9	32.7 - 35.2	163,300	22.6	21.5 - 23.7	721,500

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,700	2.5	1.3 - 3.8	26,900	40.0	35.7 - 44.3	21,000	31.2	27.4 - 35.0	17,600	26.2	22.3 - 30.1	67,300
Ala Moana	1,200	3.8	1.9 - 5.7	15,800	48.6	42.9 - 54.3	10,600	32.5	27.7 - 37.4	4,900	15.1	11.1 - 19.0	32,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	500	2.2	1.0 - 3.3	10,800	50.8	46.1 - 55.4	6,100	28.4	24.6 - 32.2	4,000	18.6	15.2 - 22.1	21,300
Hilo	900	2.2	1.1 - 3.3	15,100	38.5	34.9 - 42.2	13,600	34.8	31.2 - 38.3	9,600	24.5	21.1 - 27.9	39,200
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	17,200	33.8	29.5 - 38.1	21,100	41.4	36.8 - 46.1	12,100	23.7	19.8 - 27.7	50,900
Kahului	1,000	2.7	1.3 - 4.1	14,200	39.1	35.0 - 43.2	13,100	36.1	31.8 - 40.4	8,000	22.1	18.3 - 25.8	36,200
Kailua/ Waimanalo	n/r	n/r	n/r	23,900	44.9	40.3 - 49.5	17,900	33.6	29.1 - 38.0	10,700	20.1	16.2 - 24.1	53,200
Kaimuki/ Palolo/ Waikiki	3,100	5.0	3.1 - 6.9	29,700	48.1	44.1 - 52.1	19,500	31.7	28.0 - 35.4	9,400	15.2	12.2 - 18.2	61,700
Kona	n/r	n/r	n/r	14,200	42.3	38.0 - 46.6	11,800	35.4	31.3 - 39.5	6,500	19.5	16.1 - 23.0	33,500
Lahaina/ Wailuku	700	2.0	1.1 - 2.9	15,600	41.7	37.9 - 45.5	11,500	30.9	27.4 - 34.3	9,500	25.5	22.0 - 29.0	37,300
Lanai	n/r	n/r	n/r	800	33.3	20.3 - 46.3	1,100	47.5	34.9 - 60.0	300	14.1	7.4 - 20.7	2,400
Lihue-Waimea	900	3.0	1.5 - 4.5	12,100	40.5	36.8 - 44.3	10,400	35.0	31.5 - 38.6	6,400	21.5	18.3 - 24.7	29,700
Manoa/ Upper Makiki	1,600	3.3	1.9 - 4.6	23,600	48.8	44.5 - 53.0	14,900	30.8	26.9 - 34.6	8,300	17.2	14.0 - 20.3	48,500
Mililani/ Wahiawa	n/r	n/r	n/r	26,100	38.0	33.7 - 42.2	23,500	34.2	30.1 - 38.3	17,600	25.6	21.4 - 29.7	68,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	n/r	n/r	n/r	1,800	27.1	20.1 - 34.1	2,800	42.9	33.8 - 52.0	1,900	28.9	21.7 - 36.0	6,500
Nanakuli/ Waianae	n/r	n/r	n/r	11,100	28.3	22.6 - 34.0	11,200	28.5	23.4 - 33.7	16,500	42.2	36.3 - 48.2	39,100
N.Hawaii	600	2.2	0.9 - 3.4	10,500	39.4	34.8 - 43.9	9,900	37.2	32.7 - 41.6	5,700	21.3	17.6 - 25.0	26,700
N.Shore/ Laie	n/r	n/r	n/r	10,100	42.3	35.2 - 49.5	7,200	30.4	23.7 - 37.1	6,000	25.4	19.7 - 31.1	23,800
Nuuanu/ Kalihi/ Moanalua	1,600	2.3	1.2 - 3.5	28,100	41.4	37.3 - 45.5	23,300	34.3	30.4 - 38.2	15,000	22.0	18.5 - 25.5	68,000
Puna/ Kau	1,000	2.2	1.2 - 3.2	17,400	39.7	35.6 - 43.8	14,900	33.8	29.9 - 37.8	10,600	24.3	20.5 - 28.0	43,900
Salt Lake/ Foster Village	n/r	n/r	n/r	13,500	44.7	38.5 - 50.9	10,200	33.9	28.2 - 39.5	5,700	19.0	14.2 - 23.7	30,200
Upcountry/ Hana	1,200	3.5	1.7 - 5.3	15,500	43.5	39.2 - 47.8	11,400	32.1	28.3 - 35.9	7,400	20.9	17.5 - 24.4	35,600
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	22,900	49.9	45.3 - 54.6	16,600	36.2	31.7 - 40.7	4,800	10.6	7.9 - 13.2	45,800
Waipahu/ Kapolei/ Ewa	2,900	2.2	1.0 - 3.3	46,500	35.2	32.1 - 38.3	47,900	36.3	33.2 - 39.5	34,600	26.3	23.3 - 29.2	131,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,600	4.4	3.2 - 5.7	70,100	55.9	52.7 - 59.2	30,500	24.3	21.6 - 27.0	19,200	15.3	13.0 - 17.6	125,300
25-34	3,600	2.0	1.3 - 2.7	70,900	39.4	36.9 - 42.0	59,600	33.1	30.7 - 35.6	45,800	25.5	23.2 - 27.8	179,800
35-44	2,600	1.5	0.9 - 2.2	58,600	34.8	32.3 - 37.2	59,900	35.6	33.1 - 38.0	47,400	28.1	25.8 - 30.5	168,500
45-54	2,800	1.6	0.9 - 2.3	63,800	35.7	33.4 - 38.0	64,000	35.8	33.5 - 38.1	48,100	26.9	24.6 - 29.2	178,800
55-64	3,400	1.9	1.2 - 2.6	65,600	37.0	35.0 - 38.9	65,900	37.1	35.1 - 39.2	42,500	24.0	22.2 - 25.8	177,400
65-74	3,100	2.6	1.8 - 3.5	46,700	39.6	37.3 - 41.9	45,600	38.7	36.4 - 41.1	22,400	19.0	17.1 - 20.9	117,800
75+	5,200	5.3	4.2 - 6.5	51,900	53.3	50.5 - 56.1	31,000	31.8	29.2 - 34.4	9,300	9.6	7.9 - 11.2	97,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	8,500	2.6	2.0 - 3.1	141,500	42.7	41.1 - 44.2	114,900	34.6	33.1 - 36.1	66,900	20.2	18.8 - 21.5	331,800
Native Hawaiian	1,400	1.1	0.6 - 1.6	28,200	23.5	21.2 - 25.9	41,500	34.5	31.9 - 37.2	49,000	40.8	38.1 - 43.6	120,100
Chinese	2,200	3.4	2.2 - 4.7	35,500	55.8	51.7 - 60.0	18,100	28.5	24.8 - 32.1	7,800	12.3	9.5 - 15.0	63,500
Filipino	3,500	2.1	1.2 - 2.9	71,900	42.0	39.3 - 44.7	61,300	35.8	33.2 - 38.4	34,400	20.1	17.8 - 22.4	171,100
Japanese	7,400	3.3	2.6 - 4.0	105,000	47.0	44.9 - 49.1	76,900	34.4	32.4 - 36.4	34,200	15.3	13.7 - 16.9	223,500
Black	n/r	n/r	n/r	5,000	25.3	18.4 - 32.3	7,200	36.8	28.4 - 45.2	7,000	35.5	27.0 - 44.0	19,700
Native Alaskan/ American Indian	n/r	n/r	n/r	2,100	36.2	25.3 - 47.1	1,800	30.9	19.9 - 42.0	1,500	25.9	16.0 - 35.9	5,700
Other Asian	1,700	6.4	2.9 - 9.9	15,500	57.5	50.9 - 64.0	7,000	25.8	20.0 - 31.6	2,800	10.4	6.8 - 13.9	27,000
Other Pacific Islander	n/r	n/r	n/r	5,200	21.1	15.3 - 26.8	5,700	23.2	18.0 - 28.4	13,700	55.6	49.2 - 61.9	24,700
Other	n/r	n/r	n/r	9,900	33.7	27.9 - 39.6	11,000	37.8	32.0 - 43.6	8,100	27.7	21.4 - 34.0	29,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	6,600	1.2	0.9 - 1.6	179,200	33.3	32.0 - 34.7	218,100	40.6	39.2 - 41.9	133,600	24.9	23.6 - 26.1	537,600
Female	19,800	3.9	3.3 - 4.4	252,300	49.0	47.6 - 50.4	139,800	27.2	26.0 - 28.4	102,800	20.0	18.9 - 21.1	514,700

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	8,500	40.7	32.2 - 49.3	8,300	39.7	30.7 - 48.6	3,300	15.8	9.2 - 22.4	20,900
Grades 9 thru 11 (Some High School)	2,100	2.7	1.3 - 4.0	32,100	40.3	35.4 - 45.2	22,500	28.3	24.0 - 32.6	22,900	28.8	24.3 - 33.2	79,700
Grades 12 or GED (High School Grad)	8,200	2.6	2.0 - 3.2	119,600	37.9	36.2 - 39.7	106,200	33.7	32.0 - 35.4	81,200	25.8	24.1 - 27.4	315,200
College 1 to 3 years (Some College/ Tech)	8,900	2.5	2.0 - 3.1	140,900	40.1	38.4 - 41.9	120,400	34.3	32.6 - 36.0	80,800	23.0	21.5 - 24.5	351,100
College 4 years or more (College Grad)	6,300	2.2	1.8 - 2.6	130,100	45.7	44.3 - 47.2	100,200	35.2	33.8 - 36.6	47,800	16.8	15.7 - 17.9	284,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,700	1.8	1.5 - 2.2	248,500	38.6	37.4 - 39.8	232,300	36.1	34.9 - 37.3	151,500	23.5	22.4 - 24.6	644,000
Unemployed	n/r	n/r	n/r	23,700	36.1	31.9 - 40.3	20,600	31.3	27.4 - 35.2	19,400	29.5	25.5 - 33.4	65,800
Retired/Unable to work	8,300	3.4	2.8 - 4.0	103,900	42.9	41.2 - 44.7	83,200	34.4	32.7 - 36.1	46,700	19.3	17.8 - 20.7	242,100
Student/Homemaker	4,400	4.5	3.1 - 5.9	54,200	55.0	51.5 - 58.6	21,300	21.6	18.9 - 24.3	18,600	18.9	16.0 - 21.7	98,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,600	4.8	3.2 - 6.5	22,100	40.7	36.3 - 45.1	15,600	28.6	24.6 - 32.6	14,100	25.9	21.9 - 29.9	54,500
\$10,000 to \$14,999	n/r	n/r	n/r	14,300	37.7	32.9 - 42.6	12,600	33.2	28.2 - 38.3	9,100	24.0	19.6 - 28.3	37,900
\$15,000 to \$19,999	1,600	2.4	1.6 - 3.3	27,900	42.5	38.7 - 46.4	20,600	31.5	27.7 - 35.3	15,400	23.5	20.4 - 26.6	65,500
\$20,000 to \$24,999	2,100	2.8	1.7 - 3.9	29,000	38.6	35.0 - 42.1	24,300	32.2	28.9 - 35.6	19,800	26.4	22.9 - 29.9	75,200
\$25,000 to \$34,999	3,000	2.8	1.9 - 3.6	45,200	41.2	38.1 - 44.3	37,400	34.1	31.2 - 37.0	24,100	22.0	19.4 - 24.5	109,700
\$35,000 to \$49,999	3,200	2.3	1.6 - 3.0	56,200	40.7	38.2 - 43.3	46,300	33.6	31.2 - 36.0	32,300	23.4	21.1 - 25.7	138,000
\$50,000 to \$74,999	2,400	1.6	0.9 - 2.2	59,000	38.4	36.0 - 40.8	56,700	36.9	34.5 - 39.3	35,400	23.1	20.9 - 25.3	153,400
\$75,000 or more	5,200	1.7	1.2 - 2.2	122,700	39.6	37.9 - 41.4	114,500	37.0	35.3 - 38.7	67,200	21.7	20.2 - 23.2	309,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,600	3.1	1.9 - 4.4	43,400	37.8	34.3 - 41.2	37,000	32.2	28.9 - 35.5	31,000	26.9	23.5 - 30.3	115,100
131-185%	1,900	2.8	1.8 - 3.8	29,400	43.7	39.5 - 47.9	21,300	31.7	27.8 - 35.6	14,600	21.8	18.1 - 25.4	67,100
186+%	6,700	2.4	1.8 - 3.0	118,300	42.3	40.5 - 44.0	100,400	35.9	34.2 - 37.6	54,600	19.5	18.0 - 21.0	279,900

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,100	1.9	1.5 - 2.2	210,900	39.1	37.8 - 40.4	198,400	36.8	35.5 - 38.1	119,600	22.2	21.0 - 23.3	539,100
Unmarried Couple	n/r	n/r	n/r	12,400	39.6	33.9 - 45.3	9,600	30.6	25.7 - 35.5	8,700	27.7	22.0 - 33.5	31,400
Widowed	3,600	5.2	3.8 - 6.6	33,800	48.3	44.9 - 51.8	21,300	30.4	27.3 - 33.6	11,200	16.0	13.4 - 18.6	69,900
Other	12,100	2.9	2.3 - 3.5	174,400	42.3	40.7 - 43.9	128,600	31.2	29.8 - 32.7	96,900	23.5	22.1 - 24.9	411,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,600	1.9	1.5 - 2.3	217,100	39.1	37.8 - 40.4	204,200	36.8	35.5 - 38.1	123,100	22.2	21.1 - 23.3	554,800
No	15,800	3.2	2.7 - 3.7	213,600	43.1	41.6 - 44.5	153,200	30.9	29.6 - 32.2	113,100	22.8	21.5 - 24.1	495,600

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	24,100	2.5	2.2 - 2.8	392,400	41.0	40.0 - 42.0	328,600	34.3	33.4 - 35.3	212,500	22.2	21.3 - 23.1	957,600
No	2,200	2.4	1.5 - 3.3	38,100	41.3	37.9 - 44.7	28,600	31.0	27.8 - 34.1	23,400	25.3	22.1 - 28.5	92,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	27,300	2.6	2.3 - 3.0	435,200	41.7	40.7 - 42.7	347,200	33.3	32.3 - 34.2	233,800	22.4	21.5 - 23.3	1,043,500

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	2.0	1.4 - 2.5	57,400	40.0	37.9 - 42.2	48,900	34.1	32.1 - 36.2	34,200	23.9	22.0 - 25.7	143,300
Honolulu	19,800	2.7	2.3 - 3.2	300,600	41.6	40.4 - 42.9	239,500	33.2	32.0 - 34.4	162,000	22.4	21.3 - 23.6	722,000
Kauai	1,400	2.7	1.7 - 3.7	23,600	46.5	43.2 - 49.8	16,200	31.8	28.9 - 34.7	9,700	19.0	16.7 - 21.4	50,800
Maui	2,800	2.4	1.7 - 3.2	48,500	41.7	39.4 - 44.0	38,900	33.4	31.2 - 35.6	26,200	22.5	20.6 - 24.5	116,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	2.0	1.4 - 2.5	57,400	40.0	37.9 - 42.2	48,900	34.1	32.1 - 36.2	34,200	23.9	22.0 - 25.7	143,300
Kauai	1,400	2.7	1.7 - 3.7	23,600	46.5	43.2 - 49.8	16,200	31.8	28.9 - 34.7	9,700	19.0	16.7 - 21.4	50,800
Lanai	n/r	n/r	n/r	800	28.2	21.7 - 34.6	1,400	47.8	39.2 - 56.3	600	19.2	13.4 - 25.0	2,900
Maui	2,600	2.5	1.7 - 3.3	45,300	42.7	40.2 - 45.1	34,500	32.5	30.2 - 34.8	23,800	22.4	20.3 - 24.5	106,200
Molokai	n/r	n/r	n/r	2,400	33.0	26.2 - 39.8	3,000	41.0	32.9 - 49.0	1,900	25.3	19.3 - 31.3	7,300
Oahu	19,800	2.7	2.3 - 3.2	300,600	41.6	40.4 - 42.9	239,500	33.2	32.0 - 34.4	162,000	22.4	21.3 - 23.6	722,000

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,300	1.9	1.0 - 2.9	26,900	40.6	36.5 - 44.8	21,900	33.1	29.2 - 37.0	16,100	24.3	20.6 - 28.1	66,300
Ala Moana	1,100	3.5	2.0 - 5.0	17,000	52.0	46.6 - 57.4	9,500	29.1	24.5 - 33.6	5,000	15.4	11.4 - 19.4	32,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	500	2.4	1.3 - 3.5	11,300	50.2	45.2 - 55.3	6,800	30.5	26.0 - 34.9	3,800	17.0	13.7 - 20.2	22,400
Hilo	1,000	2.6	1.3 - 3.9	14,600	36.6	32.9 - 40.3	14,300	35.9	32.2 - 39.6	9,900	24.9	21.4 - 28.4	39,800
Kaaawa/ Kahaluu/ Kaneohe	900	1.7	0.8 - 2.7	18,800	37.3	32.8 - 41.8	19,900	39.4	34.8 - 44.0	10,900	21.6	17.8 - 25.4	50,500
Kahului	800	2.3	1.0 - 3.6	15,100	41.6	37.3 - 45.9	12,400	34.3	30.1 - 38.6	7,900	21.8	18.0 - 25.5	36,200
Kailua/ Waimanalo	n/r	n/r	n/r	21,900	40.4	35.9 - 45.0	18,800	34.7	30.0 - 39.3	11,900	21.9	17.9 - 26.0	54,300
Kaimuki/ Palolo/ Waikiki	2,900	4.5	2.8 - 6.2	32,200	50.3	46.3 - 54.4	19,000	29.7	26.0 - 33.3	9,900	15.5	12.4 - 18.6	64,000
Kona	n/r	n/r	n/r	13,900	43.2	38.7 - 47.6	10,900	34.0	29.9 - 38.1	6,800	21.1	17.4 - 24.7	32,200
Lahaina/ Wailuku	700	2.1	1.0 - 3.2	14,800	42.0	37.9 - 46.2	11,100	31.6	27.9 - 35.3	8,600	24.3	20.7 - 27.9	35,300
Lanai	n/r	n/r	n/r	800	28.2	21.7 - 34.6	1,400	47.8	39.2 - 56.3	600	19.2	13.4 - 25.0	2,900
Lihue-Waimea	800	2.9	1.3 - 4.5	12,400	43.5	39.3 - 47.8	9,300	32.9	29.1 - 36.7	5,900	20.6	17.4 - 23.9	28,400
Manoa/ Upper Makiki	1,900	3.9	2.5 - 5.3	24,000	49.9	45.8 - 54.1	14,800	30.8	27.0 - 34.6	7,400	15.3	12.4 - 18.3	48,100
Mililani/ Wahiawa	2,100	3.0	1.4 - 4.5	26,900	38.2	34.0 - 42.5	22,700	32.3	28.5 - 36.1	18,600	26.5	22.4 - 30.6	70,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	n/r	n/r	n/r	2,400	33.0	26.2 - 39.8	3,000	41.0	32.9 - 49.0	1,900	25.3	19.3 - 31.3	7,300
Nanakuli/ Waianae	n/r	n/r	n/r	10,100	28.2	22.3 - 34.1	10,600	29.6	24.1 - 35.2	14,600	40.8	34.5 - 47.1	35,800
N.Hawaii	n/r	n/r	n/r	11,300	40.2	35.6 - 44.8	10,100	36.1	31.5 - 40.8	6,100	21.8	18.2 - 25.5	28,100
N.Shore/ Laie	n/r	n/r	n/r	9,800	42.1	34.6 - 49.5	8,100	34.5	27.3 - 41.6	5,300	22.8	17.2 - 28.4	23,400
Nuuanu/ Kalihi/ Moanalua	1,800	2.7	1.4 - 3.9	28,300	43.0	38.7 - 47.2	20,500	31.0	27.2 - 34.9	15,400	23.3	19.5 - 27.2	65,900
Puna/ Kau	700	1.6	0.8 - 2.5	17,600	40.7	36.3 - 45.1	13,600	31.3	27.5 - 35.2	11,400	26.3	22.4 - 30.2	43,300
Salt Lake/ Foster Village	n/r	n/r	n/r	14,300	43.6	37.7 - 49.6	11,800	36.2	30.7 - 41.6	5,900	17.9	13.6 - 22.2	32,800
Upcountry/ Hana	1,100	3.1	1.3 - 4.8	15,400	44.4	40.1 - 48.8	10,900	31.4	27.5 - 35.3	7,300	21.1	17.6 - 24.6	34,700
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	21,700	50.5	45.9 - 55.2	15,100	35.3	30.9 - 39.7	4,800	11.1	8.3 - 13.8	42,900
Waipahu/ Kapolei/ Ewa	3,600	2.7	1.3 - 4.0	48,600	36.0	32.8 - 39.1	46,800	34.6	31.4 - 37.8	36,200	26.8	23.8 - 29.8	135,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	6,100	4.8	3.3 - 6.4	71,800	57.3	53.8 - 60.8	30,000	24.0	21.0 - 27.0	17,400	13.9	11.5 - 16.2	125,200
25-34	4,200	2.3	1.5 - 3.1	72,400	39.8	37.3 - 42.4	60,300	33.2	30.7 - 35.7	44,900	24.7	22.3 - 27.1	181,900
35-44	2,400	1.4	0.8 - 1.9	60,900	35.7	33.3 - 38.1	57,900	33.9	31.5 - 36.3	49,500	29.0	26.6 - 31.4	170,600
45-54	3,000	1.7	1.0 - 2.3	66,500	36.6	34.3 - 38.9	63,800	35.1	32.9 - 37.3	48,400	26.6	24.4 - 28.9	181,700
55-64	3,600	2.1	1.4 - 2.9	65,900	38.7	36.7 - 40.7	60,400	35.5	33.5 - 37.4	40,400	23.7	21.9 - 25.5	170,400
65-74	2,800	2.5	1.7 - 3.3	42,900	38.7	36.4 - 41.0	42,400	38.2	35.8 - 40.6	22,800	20.5	18.6 - 22.5	110,800
75+	5,200	5.3	4.2 - 6.5	51,800	52.7	50.0 - 55.5	31,200	31.7	29.2 - 34.2	10,100	10.2	8.5 - 12.0	98,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,800	2.9	2.3 - 3.5	144,300	42.8	41.2 - 44.4	113,900	33.8	32.3 - 35.2	69,400	20.6	19.2 - 21.9	337,400
Native Hawaiian	1,300	1.1	0.6 - 1.7	27,400	24.0	21.6 - 26.4	38,000	33.3	30.6 - 36.0	47,500	41.6	38.7 - 44.4	114,100
Chinese	2,400	3.7	2.4 - 5.0	37,700	58.0	54.0 - 62.1	18,100	27.9	24.2 - 31.5	6,700	10.4	7.9 - 12.8	65,000
Filipino	4,000	2.3	1.3 - 3.3	76,400	44.0	41.2 - 46.8	58,700	33.8	31.1 - 36.4	34,600	19.9	17.5 - 22.3	173,800
Japanese	7,200	3.2	2.6 - 3.9	103,400	46.5	44.5 - 48.6	76,600	34.5	32.5 - 36.4	35,100	15.8	14.2 - 17.3	222,200
Black	n/r	n/r	n/r	3,900	25.0	18.3 - 31.7	5,600	35.3	27.1 - 43.4	6,100	38.6	29.3 - 47.8	15,800
Native Alaskan/ American Indian	n/r	n/r	n/r	2,000	39.9	27.4 - 52.4	1,900	36.8	24.8 - 48.8	1,100	22.0	12.5 - 31.5	5,100
Other Asian	1,700	6.2	2.8 - 9.6	14,800	53.6	47.0 - 60.1	7,800	28.3	22.4 - 34.1	3,300	12.0	7.8 - 16.1	27,700
Other Pacific Islander	n/r	n/r	n/r	5,900	23.0	16.5 - 29.6	6,900	27.1	20.7 - 33.5	12,700	49.7	42.8 - 56.6	25,600
Other	n/r	n/r	n/r	11,300	34.7	28.7 - 40.6	11,500	35.4	29.4 - 41.3	9,500	29.1	22.7 - 35.5	32,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	6,600	1.2	0.9 - 1.6	181,200	34.1	32.7 - 35.5	209,500	39.4	38.0 - 40.8	134,400	25.3	24.0 - 26.6	531,800
Female	20,700	4.0	3.5 - 4.6	254,000	49.6	48.3 - 51.0	137,800	26.9	25.7 - 28.1	99,300	19.4	18.3 - 20.5	511,800

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	9,400	43.1	34.6 - 51.6	7,500	34.3	26.0 - 42.5	4,100	19.0	12.2 - 25.8	21,800
Grades 9 thru 11 (Some High School)	2,300	2.9	1.5 - 4.3	31,900	39.6	34.8 - 44.5	21,800	27.1	22.9 - 31.3	24,500	30.4	25.9 - 34.9	80,600
Grades 12 or GED (High School Grad)	8,200	2.6	1.9 - 3.2	121,800	38.4	36.6 - 40.2	105,700	33.4	31.6 - 35.1	81,300	25.7	24.0 - 27.3	317,000
College 1 to 3 years (Some College/ Tech)	9,300	2.7	2.1 - 3.3	141,100	41.1	39.3 - 42.9	114,500	33.3	31.7 - 35.0	78,500	22.9	21.3 - 24.4	343,500
College 4 years or more (College Grad)	6,600	2.4	1.9 - 2.8	130,800	46.7	45.3 - 48.1	97,400	34.8	33.4 - 36.2	45,200	16.1	15.1 - 17.2	280,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,700	1.9	1.5 - 2.2	248,700	39.7	38.5 - 41.0	218,200	34.8	33.6 - 36.0	147,700	23.6	22.4 - 24.7	626,300
Unemployed	n/r	n/r	n/r	26,700	37.0	32.8 - 41.1	22,400	31.0	27.0 - 35.0	21,100	29.3	25.4 - 33.2	72,200
Retired/Unable to work	7,700	3.2	2.7 - 3.7	100,600	42.1	40.3 - 43.8	82,800	34.6	32.9 - 36.3	48,100	20.1	18.6 - 21.6	239,200
Student/Homemaker	6,000	5.7	3.9 - 7.5	58,700	56.0	52.5 - 59.6	23,500	22.4	19.5 - 25.4	16,600	15.8	13.5 - 18.2	104,800

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,500	5.2	3.5 - 6.9	19,200	39.7	35.3 - 44.1	15,000	31.2	26.9 - 35.5	11,500	23.9	19.8 - 28.0	48,300
\$10,000 to \$14,999	n/r	n/r	n/r	13,800	37.6	32.7 - 42.5	12,600	34.2	28.9 - 39.5	8,600	23.5	18.9 - 28.1	36,800
\$15,000 to \$19,999	1,600	2.5	1.1 - 3.9	28,200	44.9	40.8 - 49.0	17,800	28.3	24.7 - 32.0	15,300	24.3	20.8 - 27.7	62,800
\$20,000 to \$24,999	2,200	2.9	1.7 - 4.2	29,500	40.0	36.3 - 43.7	24,300	32.9	29.4 - 36.4	17,800	24.2	20.8 - 27.6	73,800
\$25,000 to \$34,999	2,500	2.3	1.6 - 3.0	47,300	43.6	40.5 - 46.7	35,100	32.3	29.5 - 35.1	23,600	21.7	19.2 - 24.3	108,500
\$35,000 to \$49,999	3,900	2.7	2.0 - 3.5	59,900	42.0	39.4 - 44.6	46,300	32.5	30.1 - 34.8	32,500	22.8	20.5 - 25.0	142,500
\$50,000 to \$74,999	3,500	2.2	1.3 - 3.2	58,100	37.0	34.6 - 39.3	55,600	35.4	33.0 - 37.8	39,900	25.4	23.0 - 27.8	157,100
\$75,000 or more	5,400	1.8	1.3 - 2.3	125,000	40.6	38.8 - 42.4	111,000	36.1	34.4 - 37.8	66,400	21.6	20.1 - 23.1	307,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,100	2.9	1.8 - 3.9	54,900	38.0	34.8 - 41.1	47,800	33.1	30.1 - 36.1	37,700	26.1	23.1 - 29.0	144,600
131-185%	2,600	2.8	1.9 - 3.8	39,400	43.3	39.7 - 46.9	28,600	31.4	28.1 - 34.8	20,500	22.5	19.4 - 25.5	91,100
186+%	9,700	2.6	2.0 - 3.2	154,000	41.6	40.0 - 43.2	130,000	35.1	33.6 - 36.6	76,600	20.7	19.3 - 22.1	370,300

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,800	1.9	1.5 - 2.2	206,900	39.8	38.5 - 41.1	185,900	35.7	34.4 - 37.0	117,800	22.6	21.5 - 23.8	520,300
Unmarried Couple	n/r	n/r	n/r	15,600	40.5	34.9 - 46.1	11,100	28.7	24.0 - 33.4	11,200	29.1	23.7 - 34.5	38,600
Widowed	3,700	5.1	3.7 - 6.5	35,300	48.3	45.0 - 51.6	22,600	31.0	28.0 - 34.0	11,400	15.6	13.1 - 18.0	73,000
Other	13,100	3.2	2.5 - 3.8	177,400	43.1	41.4 - 44.8	127,700	31.0	29.5 - 32.6	93,400	22.7	21.2 - 24.2	411,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,100	1.9	1.5 - 2.3	211,100	39.5	38.3 - 40.8	191,000	35.8	34.5 - 37.0	121,900	22.8	21.7 - 24.0	534,100
No	17,100	3.4	2.8 - 3.9	223,200	44.0	42.5 - 45.5	155,700	30.7	29.3 - 32.0	111,700	22.0	20.7 - 23.3	507,800

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	25,200	2.7	2.3 - 3.0	391,700	41.5	40.5 - 42.5	315,600	33.4	32.5 - 34.4	210,900	22.4	21.5 - 23.3	943,500
No	2,000	2.0	1.2 - 2.8	42,400	43.3	39.9 - 46.7	31,000	31.7	28.5 - 34.9	22,500	23.0	20.0 - 26.0	97,800