

Weight - Expanded BMI, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Weight - Expanded BMI	Body Mass Index (BMI) Expanded Weight Status

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/21/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse


profiles@hhdw.org

(855) 946-5899 x15

Weight - Expanded BMI, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
2011-2013	27,300	2.6	2.3 - 3.0	435,200	41.7	40.7 - 42.7	347,200	33.3	32.3 - 34.2	153,700	14.7	14.0 - 15.5	51,300	4.9	4.5 - 5.4	28,800	2.8	2.4 - 3.1
2012-2014	26,400	2.5	2.2 - 2.8	431,500	41.0	40.0 - 42.0	357,900	34.0	33.1 - 34.9	156,800	14.9	14.2 - 15.6	50,100	4.8	4.3 - 5.2	29,500	2.8	2.5 - 3.1



Weight - Expanded BMI, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Estimated Population (3-Yr Avg)
#
1,043,500
1,052,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Totals	26,400	2.5	2.2 - 2.8	431,500	41.0	40.0 - 42.0	357,900	34.0	33.1 - 34.9	156,800	14.9	14.2 - 15.6	50,100	4.8	4.3 - 5.2

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	3,400	2.3	1.7 - 3.0	57,200	39.9	37.8 - 42.0	50,200	35.1	33.1 - 37.1	21,500	15.0	13.4 - 16.6	7,000	4.9	4.0 - 5.8
Honolulu	18,000	2.5	2.1 - 2.9	295,300	40.9	39.7 - 42.2	244,900	33.9	32.7 - 35.2	106,900	14.8	13.9 - 15.8	35,700	4.9	4.4 - 5.5
Kauai	1,300	2.6	1.6 - 3.6	22,900	44.8	41.8 - 47.8	16,500	32.3	29.6 - 34.9	7,000	13.7	11.6 - 15.7	1,900	3.8	2.8 - 4.8
Maui	3,200	2.7	1.9 - 3.4	47,800	40.5	38.2 - 42.7	39,900	33.8	31.7 - 36.0	19,500	16.5	14.7 - 18.3	4,800	4.1	3.2 - 4.9

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

State	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Totals	29,500	2.8	2.5 - 3.1	1,052,300

County	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Hawaii	4,000	2.8	2.1 - 3.5	143,300
Honolulu	20,700	2.9	2.4 - 3.3	721,500
Kauai	1,400	2.8	1.8 - 3.9	51,100
Maui	2,900	2.4	1.8 - 3.0	118,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	3,400	2.3	1.7 - 3.0	57,200	39.9	37.8 - 42.0	50,200	35.1	33.1 - 37.1	21,500	15.0	13.4 - 16.6	7,000	4.9	4.0 - 5.8
Kauai	1,300	2.6	1.6 - 3.6	22,900	44.8	41.8 - 47.8	16,500	32.3	29.6 - 34.9	7,000	13.7	11.6 - 15.7	1,900	3.8	2.8 - 4.8
Lanai	n/r	n/r	n/r	800	33.3	20.3 - 46.3	1,100	47.5	34.9 - 60.0	n/r	n/r	n/r	n/r	n/r	n/r
Maui	3,000	2.7	1.9 - 3.5	45,200	41.4	39.1 - 43.8	36,000	33.0	30.8 - 35.3	18,200	16.7	14.8 - 18.6	4,300	3.9	3.1 - 4.8
Molokai	n/r	n/r	n/r	1,800	27.1	20.1 - 34.1	2,800	42.9	33.8 - 52.0	1,100	16.2	10.3 - 22.1	500	7.0	3.3 - 10.7
Oahu	18,000	2.5	2.1 - 2.9	295,300	40.9	39.7 - 42.2	244,900	33.9	32.7 - 35.2	106,900	14.8	13.9 - 15.8	35,700	4.9	4.4 - 5.5

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Aiea/ Pearl City	1,700	2.5	1.3 - 3.8	26,900	40.0	35.7 - 44.3	21,000	31.2	27.4 - 35.0	11,800	17.5	14.1 - 21.0	3,500	5.2	3.5 - 6.9
Ala Moana	1,200	3.8	1.9 - 5.7	15,800	48.6	42.9 - 54.3	10,600	32.5	27.7 - 37.4	3,400	10.6	7.2 - 14.0	n/r	n/r	n/r

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Hawaii	4,000	2.8	2.1 - 3.5	143,300
Kauai	1,400	2.8	1.8 - 3.9	51,100
Lanai	n/r	n/r	n/r	2,400
Maui	2,500	2.2	1.6 - 2.9	109,100
Molokai	400	5.6	2.4 - 8.9	6,500
Oahu	20,700	2.9	2.4 - 3.3	721,500

Community	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Aiea/ Pearl City	2,300	3.5	1.6 - 5.3	67,300
Ala Moana	n/r	n/r	n/r	32,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hanalei/ Kapaa	500	2.2	1.0 - 3.3	10,800	50.8	46.1 - 55.4	6,100	28.4	24.6 - 32.2	2,700	12.5	9.6 - 15.3	700	3.1	1.7 - 4.5
Hilo	900	2.2	1.1 - 3.3	15,100	38.5	34.9 - 42.2	13,600	34.8	31.2 - 38.3	6,100	15.5	12.7 - 18.4	2,000	5.0	3.4 - 6.6
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	17,200	33.8	29.5 - 38.1	21,100	41.4	36.8 - 46.1	8,300	16.4	12.9 - 19.8	2,600	5.1	3.1 - 7.1
Kahului	1,000	2.7	1.3 - 4.1	14,200	39.1	35.0 - 43.2	13,100	36.1	31.8 - 40.4	6,400	17.5	13.9 - 21.1	1,100	3.0	1.7 - 4.3
Kailua/ Waimanalo	n/r	n/r	n/r	23,900	44.9	40.3 - 49.5	17,900	33.6	29.1 - 38.0	7,300	13.7	10.0 - 17.3	2,400	4.5	2.8 - 6.2
Kaimuki/ Palolo/ Waikiki	3,100	5.0	3.1 - 6.9	29,700	48.1	44.1 - 52.1	19,500	31.7	28.0 - 35.4	6,400	10.3	7.9 - 12.7	2,200	3.6	1.6 - 5.6
Kona	n/r	n/r	n/r	14,200	42.3	38.0 - 46.6	11,800	35.4	31.3 - 39.5	4,100	12.2	9.4 - 15.0	1,900	5.7	3.4 - 7.9
Lahaina/ Wailuku	700	2.0	1.1 - 2.9	15,600	41.7	37.9 - 45.5	11,500	30.9	27.4 - 34.3	6,600	17.8	14.7 - 21.0	1,800	4.8	3.1 - 6.6
Lanai	n/r	n/r	n/r	800	33.3	20.3 - 46.3	1,100	47.5	34.9 - 60.0	n/r	n/r	n/r	n/r	n/r	n/r
Lihue-Waimea	900	3.0	1.5 - 4.5	12,100	40.5	36.8 - 44.3	10,400	35.0	31.5 - 38.6	4,300	14.5	11.7 - 17.4	1,300	4.3	2.9 - 5.6
Manoa/ Upper Makiki	1,600	3.3	1.9 - 4.6	23,600	48.8	44.5 - 53.0	14,900	30.8	26.9 - 34.6	5,900	12.2	9.3 - 15.1	1,500	3.0	1.8 - 4.2
Mililani/ Wahiawa	n/r	n/r	n/r	26,100	38.0	33.7 - 42.2	23,500	34.2	30.1 - 38.3	10,500	15.3	12.0 - 18.6	4,700	6.8	4.0 - 9.6

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Hanalei/ Kapaa	700	3.1	1.3 - 4.8	21,300
Hilo	1,600	4.0	2.3 - 5.7	39,200
Kaaawa/ Kahaluu/ Kaneohe	1,200	2.3	1.1 - 3.5	50,900
Kahului	500	1.5	0.6 - 2.3	36,200
Kailua/ Waimanalo	1,100	2.0	1.0 - 3.0	53,200
Kaimuki/ Palolo/ Waikiki	800	1.3	0.5 - 2.0	61,700
Kona	600	1.7	0.8 - 2.6	33,500
Lahaina/ Wailuku	1,100	2.8	1.7 - 4.0	37,300
Lanai	n/r	n/r	n/r	2,400
Lihue-Waimea	800	2.7	1.4 - 4.0	29,700
Manoa/ Upper Makiki	900	1.9	1.0 - 2.8	48,500
Mililani/ Wahiawa	2,400	3.5	2.0 - 5.0	68,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Molokai	n/r	n/r	n/r	1,800	27.1	20.1 - 34.1	2,800	42.9	33.8 - 52.0	1,100	16.2	10.3 - 22.1	500	7.0	3.3 - 10.7
Nanakuli/ Waianae	n/r	n/r	n/r	11,100	28.3	22.6 - 34.0	11,200	28.5	23.4 - 33.7	9,400	23.9	18.6 - 29.3	4,500	11.4	7.6 - 15.1
N.Hawaii	600	2.2	0.9 - 3.4	10,500	39.4	34.8 - 43.9	9,900	37.2	32.7 - 41.6	4,200	15.6	12.2 - 19.0	1,100	4.3	2.6 - 5.9
N.Shore/ Laie	n/r	n/r	n/r	10,100	42.3	35.2 - 49.5	7,200	30.4	23.7 - 37.1	3,500	14.6	10.2 - 19.0	1,200	5.2	2.6 - 7.9
Nuuanu/ Kalihi/ Moanalua	1,600	2.3	1.2 - 3.5	28,100	41.4	37.3 - 45.5	23,300	34.3	30.4 - 38.2	10,400	15.2	12.1 - 18.4	2,600	3.8	2.4 - 5.1
Puna/ Kau	1,000	2.2	1.2 - 3.2	17,400	39.7	35.6 - 43.8	14,900	33.8	29.9 - 37.8	7,200	16.3	12.8 - 19.8	2,000	4.6	3.2 - 6.1
Salt Lake/ Foster Village	n/r	n/r	n/r	13,500	44.7	38.5 - 50.9	10,200	33.9	28.2 - 39.5	3,900	13.0	9.1 - 16.9	n/r	n/r	n/r
Upcountry/ Hana	1,200	3.5	1.7 - 5.3	15,500	43.5	39.2 - 47.8	11,400	32.1	28.3 - 35.9	5,200	14.6	11.5 - 17.7	1,400	3.9	2.5 - 5.3
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	22,900	49.9	45.3 - 54.6	16,600	36.2	31.7 - 40.7	3,800	8.2	5.8 - 10.6	700	1.5	0.7 - 2.4
Waipahu/ Kapolei/ Ewa	2,900	2.2	1.0 - 3.3	46,500	35.2	32.1 - 38.3	47,900	36.3	33.2 - 39.5	22,400	17.0	14.4 - 19.5	7,400	5.6	4.4 - 6.9

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Molokai	400	5.6	2.4 - 8.9	6,500
Nanakuli/ Waianae	2,700	6.9	4.4 - 9.5	39,100
N.Hawaii	n/r	n/r	n/r	26,700
N.Shore/ Laie	1,300	5.6	2.5 - 8.7	23,800
Nuuanu/ Kalihi/ Moanalua	2,000	3.0	1.7 - 4.4	68,000
Puna/ Kau	1,500	3.3	2.0 - 4.7	43,900
Salt Lake/ Foster Village	n/r	n/r	n/r	30,200
Upcountry/ Hana	800	2.4	1.2 - 3.5	35,600
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	45,800
Waipahu/ Kapolei/ Ewa	4,800	3.7	2.1 - 5.2	131,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
18-24	5,600	4.4	3.2 - 5.7	70,100	55.9	52.7 - 59.2	30,500	24.3	21.6 - 27.0	12,800	10.2	8.2 - 12.2	3,700	3.0	2.1 - 3.9
25-34	3,600	2.0	1.3 - 2.7	70,900	39.4	36.9 - 42.0	59,600	33.1	30.7 - 35.6	28,300	15.8	13.8 - 17.7	10,400	5.8	4.6 - 7.0
35-44	2,600	1.5	0.9 - 2.2	58,600	34.8	32.3 - 37.2	59,900	35.6	33.1 - 38.0	29,600	17.6	15.6 - 19.6	10,800	6.4	5.0 - 7.8
45-54	2,800	1.6	0.9 - 2.3	63,800	35.7	33.4 - 38.0	64,000	35.8	33.5 - 38.1	34,000	19.0	16.9 - 21.1	8,900	5.0	3.9 - 6.0
55-64	3,400	1.9	1.2 - 2.6	65,600	37.0	35.0 - 38.9	65,900	37.1	35.1 - 39.2	28,000	15.8	14.3 - 17.3	9,300	5.2	4.3 - 6.1
65-74	3,100	2.6	1.8 - 3.5	46,700	39.6	37.3 - 41.9	45,600	38.7	36.4 - 41.1	15,400	13.1	11.4 - 14.7	5,000	4.3	3.3 - 5.2
75+	5,200	5.3	4.2 - 6.5	51,900	53.3	50.5 - 56.1	31,000	31.8	29.2 - 34.4	7,400	7.6	6.1 - 9.1	1,600	1.7	1.0 - 2.4

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
18-24	2,700	2.2	1.1 - 3.2	125,300
25-34	7,000	3.9	2.8 - 5.0	179,800
35-44	7,000	4.1	3.1 - 5.2	168,500
45-54	5,100	2.9	2.2 - 3.6	178,800
55-64	5,200	3.0	2.2 - 3.7	177,400
65-74	2,000	1.7	1.2 - 2.2	117,800
75+	n/r	n/r	n/r	97,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Caucasian	8,500	2.6	2.0 - 3.1	141,500	42.7	41.1 - 44.2	114,900	34.6	33.1 - 36.1	46,200	13.9	12.8 - 15.1	13,100	3.9	3.4 - 4.5
Native Hawaiian	1,400	1.1	0.6 - 1.6	28,200	23.5	21.2 - 25.9	41,500	34.5	31.9 - 37.2	27,300	22.7	20.3 - 25.1	12,500	10.4	8.7 - 12.1
Chinese	2,200	3.4	2.2 - 4.7	35,500	55.8	51.7 - 60.0	18,100	28.5	24.8 - 32.1	5,200	8.2	6.0 - 10.5	1,900	2.9	1.6 - 4.3
Filipino	3,500	2.1	1.2 - 2.9	71,900	42.0	39.3 - 44.7	61,300	35.8	33.2 - 38.4	24,700	14.5	12.3 - 16.6	6,000	3.5	2.6 - 4.5
Japanese	7,400	3.3	2.6 - 4.0	105,000	47.0	44.9 - 49.1	76,900	34.4	32.4 - 36.4	25,800	11.5	10.1 - 12.9	6,200	2.8	2.1 - 3.5
Black	n/r	n/r	n/r	5,000	25.3	18.4 - 32.3	7,200	36.8	28.4 - 45.2	4,800	24.6	17.0 - 32.1	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	2,100	36.2	25.3 - 47.1	1,800	30.9	19.9 - 42.0	800	14.2	6.8 - 21.6	n/r	n/r	n/r
Other Asian	1,700	6.4	2.9 - 9.9	15,500	57.5	50.9 - 64.0	7,000	25.8	20.0 - 31.6	2,400	9.1	5.6 - 12.5	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	5,200	21.1	15.3 - 26.8	5,700	23.2	18.0 - 28.4	6,900	28.0	22.5 - 33.5	3,500	14.1	10.0 - 18.3
Other	n/r	n/r	n/r	9,900	33.7	27.9 - 39.6	11,000	37.8	32.0 - 43.6	5,400	18.6	13.4 - 23.8	n/r	n/r	n/r

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Caucasian	7,700	2.3	1.7 - 2.9	331,800
Native Hawaiian	9,300	7.7	6.2 - 9.3	120,100
Chinese	n/r	n/r	n/r	63,500
Filipino	3,600	2.1	1.3 - 3.0	171,100
Japanese	2,200	1.0	0.6 - 1.4	223,500
Black	n/r	n/r	n/r	19,700
Native Alaskan/ American Indian	n/r	n/r	n/r	5,700
Other Asian	n/r	n/r	n/r	27,000
Other Pacific Islander	3,300	13.4	9.4 - 17.5	24,700
Other	700	2.2	1.1 - 3.4	29,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Male	6,600	1.2	0.9 - 1.6	179,200	33.3	32.0 - 34.7	218,100	40.6	39.2 - 41.9	90,700	16.9	15.8 - 18.0	27,200	5.1	4.4 - 5.7
Female	19,800	3.9	3.3 - 4.4	252,300	49.0	47.6 - 50.4	139,800	27.2	26.0 - 28.4	66,000	12.8	11.9 - 13.8	22,900	4.4	3.9 - 5.0

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	8,500	40.7	32.2 - 49.3	8,300	39.7	30.7 - 48.6	2,500	12.1	6.2 - 18.0	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	2,100	2.7	1.3 - 4.0	32,100	40.3	35.4 - 45.2	22,500	28.3	24.0 - 32.6	16,000	20.1	16.0 - 24.2	4,700	5.9	3.7 - 8.0
Grades 12 or GED (High School Grad)	8,200	2.6	2.0 - 3.2	119,600	37.9	36.2 - 39.7	106,200	33.7	32.0 - 35.4	50,900	16.1	14.8 - 17.5	18,000	5.7	4.9 - 6.6
College 1 to 3 years (Some College/ Tech)	8,900	2.5	2.0 - 3.1	140,900	40.1	38.4 - 41.9	120,400	34.3	32.6 - 36.0	53,000	15.1	13.8 - 16.4	18,000	5.1	4.4 - 5.9
College 4 years or more (College Grad)	6,300	2.2	1.8 - 2.6	130,100	45.7	44.3 - 47.2	100,200	35.2	33.8 - 36.6	34,000	12.0	11.0 - 12.9	9,000	3.2	2.7 - 3.6

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Gender	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Male	15,600	2.9	2.4 - 3.4	537,600
Female	13,900	2.7	2.3 - 3.1	514,700

Education Level	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	20,900
Grades 9 thru 11 (Some High School)	2,200	2.8	1.6 - 4.0	79,700
Grades 12 or GED (High School Grad)	12,300	3.9	3.2 - 4.7	315,200
College 1 to 3 years (Some College/ Tech)	9,800	2.8	2.2 - 3.4	351,100
College 4 years or more (College Grad)	4,800	1.7	1.3 - 2.1	284,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Employed	11,700	1.8	1.5 - 2.2	248,500	38.6	37.4 - 39.8	232,300	36.1	34.9 - 37.3	103,100	16.0	15.0 - 17.0	31,300	4.9	4.3 - 5.4
Unemployed	n/r	n/r	n/r	23,700	36.1	31.9 - 40.3	20,600	31.3	27.4 - 35.2	11,500	17.5	14.2 - 20.7	4,400	6.6	4.3 - 8.9
Retired/Unable to work	8,300	3.4	2.8 - 4.0	103,900	42.9	41.2 - 44.7	83,200	34.4	32.7 - 36.1	30,800	12.7	11.5 - 14.0	9,800	4.1	3.4 - 4.7
Student/Homemaker	4,400	4.5	3.1 - 5.9	54,200	55.0	51.5 - 58.6	21,300	21.6	18.9 - 24.3	11,100	11.3	8.9 - 13.6	4,600	4.7	3.1 - 6.2

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Employment Status (Grouped)	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Employed	17,100	2.7	2.2 - 3.1	644,000
Unemployed	3,500	5.3	3.3 - 7.3	65,800
Retired/Unable to work	6,000	2.5	2.0 - 3.0	242,100
Student/Homemaker	2,900	2.9	1.9 - 4.0	98,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Less than \$10,000	2,600	4.8	3.2 - 6.5	22,100	40.7	36.3 - 45.1	15,600	28.6	24.6 - 32.6	7,300	13.3	10.4 - 16.3	3,500	6.5	4.2 - 8.8
\$10,000 to \$14,999	n/r	n/r	n/r	14,300	37.7	32.9 - 42.6	12,600	33.2	28.2 - 38.3	4,700	12.4	9.3 - 15.4	2,100	5.6	2.7 - 8.5
\$15,000 to \$19,999	1,600	2.4	1.6 - 3.3	27,900	42.5	38.7 - 46.4	20,600	31.5	27.7 - 35.3	9,400	14.4	11.7 - 17.1	3,600	5.4	3.9 - 6.9
\$20,000 to \$24,999	2,100	2.8	1.7 - 3.9	29,000	38.6	35.0 - 42.1	24,300	32.2	28.9 - 35.6	12,800	17.0	13.8 - 20.1	3,800	5.1	3.6 - 6.6
\$25,000 to \$34,999	3,000	2.8	1.9 - 3.6	45,200	41.2	38.1 - 44.3	37,400	34.1	31.2 - 37.0	16,500	15.0	12.7 - 17.3	5,200	4.7	3.6 - 5.9
\$35,000 to \$49,999	3,200	2.3	1.6 - 3.0	56,200	40.7	38.2 - 43.3	46,300	33.6	31.2 - 36.0	20,300	14.7	12.8 - 16.6	7,900	5.7	4.5 - 6.9
\$50,000 to \$74,999	2,400	1.6	0.9 - 2.2	59,000	38.4	36.0 - 40.8	56,700	36.9	34.5 - 39.3	24,300	15.8	13.9 - 17.7	7,700	5.0	4.0 - 6.1
\$75,000 or more	5,200	1.7	1.2 - 2.2	122,700	39.6	37.9 - 41.4	114,500	37.0	35.3 - 38.7	49,200	15.9	14.5 - 17.3	11,700	3.8	3.1 - 4.4

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Less than \$10,000	3,300	6.1	3.7 - 8.4	54,500
\$10,000 to \$14,999	2,300	6.0	3.7 - 8.2	37,900
\$15,000 to \$19,999	2,400	3.7	2.5 - 4.8	65,500
\$20,000 to \$24,999	3,200	4.3	2.5 - 6.1	75,200
\$25,000 to \$34,999	2,400	2.2	1.4 - 3.0	109,700
\$35,000 to \$49,999	4,100	3.0	1.9 - 4.0	138,000
\$50,000 to \$74,999	3,400	2.2	1.5 - 3.0	153,400
\$75,000 or more	6,400	2.1	1.5 - 2.6	309,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
0-130%	3,600	3.1	1.9 - 4.4	43,400	37.8	34.3 - 41.2	37,000	32.2	28.9 - 35.5	18,800	16.3	13.5 - 19.1	6,500	5.6	3.9 - 7.4
131-185%	1,900	2.8	1.8 - 3.8	29,400	43.7	39.5 - 47.9	21,300	31.7	27.8 - 35.6	10,200	15.2	12.0 - 18.4	3,100	4.7	3.0 - 6.3
186+%	6,700	2.4	1.8 - 3.0	118,300	42.3	40.5 - 44.0	100,400	35.9	34.2 - 37.6	38,700	13.8	12.5 - 15.1	11,400	4.1	3.4 - 4.8

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Married	10,100	1.9	1.5 - 2.2	210,900	39.1	37.8 - 40.4	198,400	36.8	35.5 - 38.1	84,900	15.7	14.7 - 16.8	22,600	4.2	3.7 - 4.7
Unmarried Couple	n/r	n/r	n/r	12,400	39.6	33.9 - 45.3	9,600	30.6	25.7 - 35.5	5,400	17.2	12.7 - 21.6	2,100	6.8	3.3 - 10.3
Widowed	3,600	5.2	3.8 - 6.6	33,800	48.3	44.9 - 51.8	21,300	30.4	27.3 - 33.6	7,300	10.5	8.2 - 12.8	3,000	4.3	3.0 - 5.5
Other	12,100	2.9	2.3 - 3.5	174,400	42.3	40.7 - 43.9	128,600	31.2	29.8 - 32.7	59,200	14.4	13.2 - 15.5	22,400	5.4	4.7 - 6.2

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Poverty Level	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
0-130%	5,800	5.0	3.2 - 6.8	115,100
131-185%	n/r	n/r	n/r	67,100
186+%	4,400	1.6	1.1 - 2.0	279,900

Marital Status (Grouped)	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Married	12,100	2.2	1.8 - 2.6	539,100
Unmarried Couple	n/r	n/r	n/r	31,400
Widowed	900	1.3	0.7 - 1.8	69,900
Other	15,300	3.7	3.1 - 4.3	411,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	10,600	1.9	1.5 - 2.3	217,100	39.1	37.8 - 40.4	204,200	36.8	35.5 - 38.1	86,700	15.6	14.6 - 16.6	23,100	4.2	3.7 - 4.7
No	15,800	3.2	2.7 - 3.7	213,600	43.1	41.6 - 44.5	153,200	30.9	29.6 - 32.2	69,900	14.1	13.1 - 15.2	26,900	5.4	4.7 - 6.1

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	24,100	2.5	2.2 - 2.8	392,400	41.0	40.0 - 42.0	328,600	34.3	33.4 - 35.3	143,000	14.9	14.2 - 15.7	44,600	4.7	4.2 - 5.1
No	2,200	2.4	1.5 - 3.3	38,100	41.3	37.9 - 44.7	28,600	31.0	27.8 - 34.1	13,500	14.6	12.0 - 17.1	5,500	6.0	4.2 - 7.8

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Married	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Yes	13,200	2.4	2.0 - 2.8	554,800
No	16,200	3.3	2.7 - 3.8	495,600

Health Care Coverage	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Yes	24,900	2.6	2.3 - 2.9	957,600
No	4,400	4.8	3.2 - 6.5	92,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Totals	27,300	2.6	2.3 - 3.0	435,200	41.7	40.7 - 42.7	347,200	33.3	32.3 - 34.2	153,700	14.7	14.0 - 15.5	51,300	4.9	4.5 - 5.4

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	2,800	2.0	1.4 - 2.5	57,400	40.0	37.9 - 42.2	48,900	34.1	32.1 - 36.2	22,000	15.3	13.7 - 16.9	8,400	5.9	4.8 - 6.9
Honolulu	19,800	2.7	2.3 - 3.2	300,600	41.6	40.4 - 42.9	239,500	33.2	32.0 - 34.4	106,100	14.7	13.7 - 15.6	36,000	5.0	4.4 - 5.6
Kauai	1,400	2.7	1.7 - 3.7	23,600	46.5	43.2 - 49.8	16,200	31.8	28.9 - 34.7	6,800	13.3	11.3 - 15.4	1,500	2.9	2.1 - 3.7
Maui	2,800	2.4	1.7 - 3.2	48,500	41.7	39.4 - 44.0	38,900	33.4	31.2 - 35.6	17,900	15.4	13.6 - 17.1	4,900	4.2	3.4 - 5.1

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

State	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Totals	28,800	2.8	2.4 - 3.1	1,043,500

County	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Hawaii	3,800	2.7	2.0 - 3.3	143,300
Honolulu	20,000	2.8	2.3 - 3.2	722,000
Kauai	1,400	2.8	1.8 - 3.7	50,800
Maui	3,400	2.9	2.2 - 3.6	116,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	2,800	2.0	1.4 - 2.5	57,400	40.0	37.9 - 42.2	48,900	34.1	32.1 - 36.2	22,000	15.3	13.7 - 16.9	8,400	5.9	4.8 - 6.9
Kauai	1,400	2.7	1.7 - 3.7	23,600	46.5	43.2 - 49.8	16,200	31.8	28.9 - 34.7	6,800	13.3	11.3 - 15.4	1,500	2.9	2.1 - 3.7
Lanai	n/r	n/r	n/r	800	28.2	21.7 - 34.6	1,400	47.8	39.2 - 56.3	400	13.1	8.0 - 18.2	n/r	n/r	n/r
Maui	2,600	2.5	1.7 - 3.3	45,300	42.7	40.2 - 45.1	34,500	32.5	30.2 - 34.8	16,500	15.6	13.7 - 17.4	4,400	4.1	3.2 - 5.0
Molokai	n/r	n/r	n/r	2,400	33.0	26.2 - 39.8	3,000	41.0	32.9 - 49.0	1,000	13.4	8.8 - 18.0	400	5.7	2.8 - 8.6
Oahu	19,800	2.7	2.3 - 3.2	300,600	41.6	40.4 - 42.9	239,500	33.2	32.0 - 34.4	106,100	14.7	13.7 - 15.6	36,000	5.0	4.4 - 5.6

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Aiea/ Pearl City	1,300	1.9	1.0 - 2.9	26,900	40.6	36.5 - 44.8	21,900	33.1	29.2 - 37.0	10,700	16.2	13.0 - 19.4	3,700	5.5	3.6 - 7.4
Ala Moana	1,100	3.5	2.0 - 5.0	17,000	52.0	46.6 - 57.4	9,500	29.1	24.5 - 33.6	3,400	10.5	7.0 - 13.9	n/r	n/r	n/r

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Hawaii	3,800	2.7	2.0 - 3.3	143,300
Kauai	1,400	2.8	1.8 - 3.7	50,800
Lanai	n/r	n/r	n/r	2,900
Maui	2,900	2.7	2.0 - 3.5	106,200
Molokai	500	6.2	3.0 - 9.5	7,300
Oahu	20,000	2.8	2.3 - 3.2	722,000

Community	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	66,300
Ala Moana	n/r	n/r	n/r	32,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hanalei/ Kapaa	500	2.4	1.3 - 3.5	11,300	50.2	45.2 - 55.3	6,800	30.5	26.0 - 34.9	2,500	11.1	8.5 - 13.6	700	3.0	1.7 - 4.3
Hilo	1,000	2.6	1.3 - 3.9	14,600	36.6	32.9 - 40.3	14,300	35.9	32.2 - 39.6	6,100	15.4	12.6 - 18.2	2,300	5.8	3.7 - 7.9
Kaaawa/ Kahaluu/ Kaneohe	900	1.7	0.8 - 2.7	18,800	37.3	32.8 - 41.8	19,900	39.4	34.8 - 44.0	7,900	15.6	12.2 - 19.1	1,800	3.5	1.9 - 5.1
Kahului	800	2.3	1.0 - 3.6	15,100	41.6	37.3 - 45.9	12,400	34.3	30.1 - 38.6	5,900	16.3	12.9 - 19.8	1,000	2.8	1.6 - 3.9
Kailua/ Waimanalo	n/r	n/r	n/r	21,900	40.4	35.9 - 45.0	18,800	34.7	30.0 - 39.3	8,100	15.0	11.2 - 18.7	2,600	4.7	3.0 - 6.5
Kaimuki/ Palolo/ Waikiki	2,900	4.5	2.8 - 6.2	32,200	50.3	46.3 - 54.4	19,000	29.7	26.0 - 33.3	6,700	10.4	7.9 - 12.9	2,500	3.9	1.9 - 5.9
Kona	n/r	n/r	n/r	13,900	43.2	38.7 - 47.6	10,900	34.0	29.9 - 38.1	4,200	13.0	10.1 - 15.9	2,000	6.2	3.8 - 8.6
Lahaina/ Wailuku	700	2.1	1.0 - 3.2	14,800	42.0	37.9 - 46.2	11,100	31.6	27.9 - 35.3	5,500	15.7	12.6 - 18.7	2,000	5.7	3.7 - 7.8
Lanai	n/r	n/r	n/r	800	28.2	21.7 - 34.6	1,400	47.8	39.2 - 56.3	400	13.1	8.0 - 18.2	n/r	n/r	n/r
Lihue-Waimea	800	2.9	1.3 - 4.5	12,400	43.5	39.3 - 47.8	9,300	32.9	29.1 - 36.7	4,300	15.1	12.1 - 18.2	800	2.9	1.9 - 3.9
Manoa/ Upper Makiki	1,900	3.9	2.5 - 5.3	24,000	49.9	45.8 - 54.1	14,800	30.8	27.0 - 34.6	4,900	10.2	7.6 - 12.8	1,500	3.1	1.9 - 4.4
Mililani/ Wahiawa	2,100	3.0	1.4 - 4.5	26,900	38.2	34.0 - 42.5	22,700	32.3	28.5 - 36.1	11,100	15.9	12.6 - 19.1	5,100	7.3	4.5 - 10.1

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	22,400
Hilo	1,500	3.7	2.0 - 5.3	39,800
Kaaawa/ Kahaluu/ Kaneohe	1,300	2.5	1.3 - 3.7	50,500
Kahului	1,000	2.7	1.3 - 4.1	36,200
Kailua/ Waimanalo	1,200	2.2	1.2 - 3.2	54,300
Kaimuki/ Palolo/ Waikiki	800	1.3	0.6 - 1.9	64,000
Kona	600	1.9	0.8 - 3.0	32,200
Lahaina/ Wailuku	1,000	2.9	1.7 - 4.1	35,300
Lanai	n/r	n/r	n/r	2,900
Lihue-Waimea	800	2.7	1.6 - 3.7	28,400
Manoa/ Upper Makiki	1,000	2.0	1.0 - 3.0	48,100
Mililani/ Wahiawa	2,400	3.4	1.6 - 5.1	70,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Molokai	n/r	n/r	n/r	2,400	33.0	26.2 - 39.8	3,000	41.0	32.9 - 49.0	1,000	13.4	8.8 - 18.0	400	5.7	2.8 - 8.6
Nanakuli/ Waianae	n/r	n/r	n/r	10,100	28.2	22.3 - 34.1	10,600	29.6	24.1 - 35.2	8,700	24.4	18.7 - 30.1	4,100	11.4	7.4 - 15.4
N.Hawaii	n/r	n/r	n/r	11,300	40.2	35.6 - 44.8	10,100	36.1	31.5 - 40.8	4,200	15.0	11.7 - 18.2	1,600	5.7	3.9 - 7.6
N.Shore/ Laie	n/r	n/r	n/r	9,800	42.1	34.6 - 49.5	8,100	34.5	27.3 - 41.6	3,100	13.3	8.9 - 17.8	900	3.9	1.8 - 5.9
Nuuanu/ Kalihi/ Moanalua	1,800	2.7	1.4 - 3.9	28,300	43.0	38.7 - 47.2	20,500	31.0	27.2 - 34.9	9,800	14.8	11.5 - 18.2	2,800	4.3	2.5 - 6.1
Puna/ Kau	700	1.6	0.8 - 2.5	17,600	40.7	36.3 - 45.1	13,600	31.3	27.5 - 35.2	7,500	17.3	13.7 - 20.8	2,500	5.7	3.8 - 7.6
Salt Lake/ Foster Village	n/r	n/r	n/r	14,300	43.6	37.7 - 49.6	11,800	36.2	30.7 - 41.6	3,900	11.8	8.2 - 15.4	1,300	4.1	2.0 - 6.1
Upcountry/ Hana	1,100	3.1	1.3 - 4.8	15,400	44.4	40.1 - 48.8	10,900	31.4	27.5 - 35.3	5,100	14.6	11.4 - 17.8	1,300	3.9	2.6 - 5.2
Waiialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	21,700	50.5	45.9 - 55.2	15,100	35.3	30.9 - 39.7	3,600	8.3	5.8 - 10.7	800	1.8	0.8 - 2.8
Waipahu/ Kapolei/ Ewa	3,600	2.7	1.3 - 4.0	48,600	36.0	32.8 - 39.1	46,800	34.6	31.4 - 37.8	24,100	17.9	15.3 - 20.4	7,800	5.8	4.3 - 7.2

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Molokai	500	6.2	3.0 - 9.5	7,300
Nanakuli/ Waianae	1,800	5.0	2.7 - 7.3	35,800
N.Hawaii	n/r	n/r	n/r	28,100
N.Shore/ Laie	1,300	5.6	2.4 - 8.8	23,400
Nuuanu/ Kalihi/ Moanalua	2,800	4.2	2.4 - 6.1	65,900
Puna/ Kau	1,500	3.4	2.1 - 4.6	43,300
Salt Lake/ Foster Village	n/r	n/r	n/r	32,800
Upcountry/ Hana	900	2.6	1.4 - 3.8	34,700
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	42,900
Waipahu/ Kapolei/ Ewa	4,300	3.1	1.7 - 4.6	135,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
18-24	6,100	4.8	3.3 - 6.4	71,800	57.3	53.8 - 60.8	30,000	24.0	21.0 - 27.0	10,700	8.5	6.7 - 10.4	3,600	2.8	1.9 - 3.8
25-34	4,200	2.3	1.5 - 3.1	72,400	39.8	37.3 - 42.4	60,300	33.2	30.7 - 35.7	29,300	16.1	14.1 - 18.1	9,000	4.9	3.8 - 6.1
35-44	2,400	1.4	0.8 - 1.9	60,900	35.7	33.3 - 38.1	57,900	33.9	31.5 - 36.3	30,100	17.6	15.6 - 19.6	13,200	7.7	6.1 - 9.3
45-54	3,000	1.7	1.0 - 2.3	66,500	36.6	34.3 - 38.9	63,800	35.1	32.9 - 37.3	33,200	18.3	16.2 - 20.3	9,600	5.3	4.2 - 6.4
55-64	3,600	2.1	1.4 - 2.9	65,900	38.7	36.7 - 40.7	60,400	35.5	33.5 - 37.4	26,600	15.6	14.1 - 17.1	8,800	5.2	4.3 - 6.1
65-74	2,800	2.5	1.7 - 3.3	42,900	38.7	36.4 - 41.0	42,400	38.2	35.8 - 40.6	15,700	14.2	12.4 - 15.9	5,200	4.7	3.8 - 5.7
75+	5,200	5.3	4.2 - 6.5	51,800	52.7	50.0 - 55.5	31,200	31.7	29.2 - 34.2	8,000	8.2	6.6 - 9.8	1,600	1.6	0.9 - 2.3

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
18-24	3,100	2.5	1.2 - 3.8	125,200
25-34	6,600	3.6	2.5 - 4.8	181,900
35-44	6,200	3.6	2.7 - 4.5	170,600
45-54	5,600	3.1	2.4 - 3.8	181,700
55-64	5,000	2.9	2.2 - 3.6	170,400
65-74	1,800	1.6	1.2 - 2.1	110,800
75+	n/r	n/r	n/r	98,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Caucasian	9,800	2.9	2.3 - 3.5	144,300	42.8	41.2 - 44.4	113,900	33.8	32.3 - 35.2	46,700	13.8	12.7 - 15.0	14,700	4.4	3.7 - 5.0
Native Hawaiian	1,300	1.1	0.6 - 1.7	27,400	24.0	21.6 - 26.4	38,000	33.3	30.6 - 36.0	25,600	22.5	20.1 - 24.8	12,400	10.8	9.0 - 12.6
Chinese	2,400	3.7	2.4 - 5.0	37,700	58.0	54.0 - 62.1	18,100	27.9	24.2 - 31.5	4,600	7.1	5.0 - 9.1	1,600	2.5	1.2 - 3.7
Filipino	4,000	2.3	1.3 - 3.3	76,400	44.0	41.2 - 46.8	58,700	33.8	31.1 - 36.4	25,300	14.6	12.4 - 16.7	6,000	3.5	2.5 - 4.5
Japanese	7,200	3.2	2.6 - 3.9	103,400	46.5	44.5 - 48.6	76,600	34.5	32.5 - 36.4	25,700	11.6	10.2 - 12.9	7,400	3.3	2.5 - 4.2
Black	n/r	n/r	n/r	3,900	25.0	18.3 - 31.7	5,600	35.3	27.1 - 43.4	3,800	24.2	16.6 - 31.8	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	2,000	39.9	27.4 - 52.4	1,900	36.8	24.8 - 48.8	700	13.9	6.1 - 21.8	n/r	n/r	n/r
Other Asian	1,700	6.2	2.8 - 9.6	14,800	53.6	47.0 - 60.1	7,800	28.3	22.4 - 34.1	2,900	10.4	6.3 - 14.4	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	5,900	23.0	16.5 - 29.6	6,900	27.1	20.7 - 33.5	6,700	26.2	20.6 - 31.7	3,100	12.2	7.9 - 16.5
Other	n/r	n/r	n/r	11,300	34.7	28.7 - 40.6	11,500	35.4	29.4 - 41.3	6,400	19.7	14.2 - 25.1	n/r	n/r	n/r

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Caucasian	8,000	2.4	1.8 - 2.9	337,400
Native Hawaiian	9,500	8.3	6.6 - 10.0	114,100
Chinese	n/r	n/r	n/r	65,000
Filipino	3,200	1.9	1.0 - 2.7	173,800
Japanese	1,900	0.9	0.6 - 1.2	222,200
Black	n/r	n/r	n/r	15,800
Native Alaskan/ American Indian	n/r	n/r	n/r	5,100
Other Asian	n/r	n/r	n/r	27,700
Other Pacific Islander	2,900	11.3	7.7 - 15.0	25,600
Other	n/r	n/r	n/r	32,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Male	6,600	1.2	0.9 - 1.6	181,200	34.1	32.7 - 35.5	209,500	39.4	38.0 - 40.8	90,200	17.0	15.8 - 18.1	28,500	5.4	4.7 - 6.0
Female	20,700	4.0	3.5 - 4.6	254,000	49.6	48.3 - 51.0	137,800	26.9	25.7 - 28.1	63,600	12.4	11.5 - 13.3	22,800	4.5	3.9 - 5.0

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	9,400	43.1	34.6 - 51.6	7,500	34.3	26.0 - 42.5	3,100	14.0	8.1 - 20.0	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	2,300	2.9	1.5 - 4.3	31,900	39.6	34.8 - 44.5	21,800	27.1	22.9 - 31.3	16,600	20.7	16.6 - 24.8	5,300	6.6	4.3 - 8.9
Grades 12 or GED (High School Grad)	8,200	2.6	1.9 - 3.2	121,800	38.4	36.6 - 40.2	105,700	33.4	31.6 - 35.1	50,600	16.0	14.6 - 17.4	18,200	5.7	4.9 - 6.6
College 1 to 3 years (Some College/ Tech)	9,300	2.7	2.1 - 3.3	141,100	41.1	39.3 - 42.9	114,500	33.3	31.7 - 35.0	51,500	15.0	13.7 - 16.3	18,500	5.4	4.5 - 6.2
College 4 years or more (College Grad)	6,600	2.4	1.9 - 2.8	130,800	46.7	45.3 - 48.1	97,400	34.8	33.4 - 36.2	31,700	11.3	10.4 - 12.2	8,900	3.2	2.7 - 3.7

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Gender	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Male	15,800	3.0	2.4 - 3.5	531,800
Female	13,000	2.5	2.1 - 2.9	511,800

Education Level	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	21,800
Grades 9 thru 11 (Some High School)	2,500	3.1	1.7 - 4.5	80,600
Grades 12 or GED (High School Grad)	12,500	3.9	3.1 - 4.7	317,000
College 1 to 3 years (Some College/ Tech)	8,500	2.5	2.0 - 3.0	343,500
College 4 years or more (College Grad)	4,600	1.6	1.3 - 2.0	280,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Employed	11,700	1.9	1.5 - 2.2	248,700	39.7	38.5 - 41.0	218,200	34.8	33.6 - 36.0	98,900	15.8	14.8 - 16.8	32,100	5.1	4.5 - 5.7
Unemployed	n/r	n/r	n/r	26,700	37.0	32.8 - 41.1	22,400	31.0	27.0 - 35.0	12,400	17.2	14.0 - 20.4	5,200	7.1	4.9 - 9.4
Retired/Unable to work	7,700	3.2	2.7 - 3.7	100,600	42.1	40.3 - 43.8	82,800	34.6	32.9 - 36.3	32,800	13.7	12.4 - 15.0	9,200	3.8	3.2 - 4.5
Student/Homemaker	6,000	5.7	3.9 - 7.5	58,700	56.0	52.5 - 59.6	23,500	22.4	19.5 - 25.4	9,500	9.0	7.3 - 10.7	4,800	4.6	3.1 - 6.1

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Employment Status (Grouped)	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Employed	16,800	2.7	2.2 - 3.1	626,300
Unemployed	3,600	4.9	3.1 - 6.8	72,200
Retired/Unable to work	6,100	2.5	2.0 - 3.1	239,200
Student/Homemaker	2,300	2.2	1.4 - 3.1	104,800

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Less than \$10,000	2,500	5.2	3.5 - 6.9	19,200	39.7	35.3 - 44.1	15,000	31.2	26.9 - 35.5	5,700	11.7	9.0 - 14.4	2,900	6.0	3.4 - 8.5
\$10,000 to \$14,999	n/r	n/r	n/r	13,800	37.6	32.7 - 42.5	12,600	34.2	28.9 - 39.5	4,900	13.4	10.0 - 16.8	2,100	5.8	2.6 - 8.9
\$15,000 to \$19,999	1,600	2.5	1.1 - 3.9	28,200	44.9	40.8 - 49.0	17,800	28.3	24.7 - 32.0	9,100	14.5	11.5 - 17.5	3,300	5.3	3.7 - 6.9
\$20,000 to \$24,999	2,200	2.9	1.7 - 4.2	29,500	40.0	36.3 - 43.7	24,300	32.9	29.4 - 36.4	11,800	16.0	13.0 - 19.0	3,400	4.7	3.2 - 6.1
\$25,000 to \$34,999	2,500	2.3	1.6 - 3.0	47,300	43.6	40.5 - 46.7	35,100	32.3	29.5 - 35.1	16,300	15.0	12.7 - 17.3	5,100	4.7	3.6 - 5.9
\$35,000 to \$49,999	3,900	2.7	2.0 - 3.5	59,900	42.0	39.4 - 44.6	46,300	32.5	30.1 - 34.8	20,000	14.0	12.2 - 15.9	8,200	5.8	4.6 - 7.0
\$50,000 to \$74,999	3,500	2.2	1.3 - 3.2	58,100	37.0	34.6 - 39.3	55,600	35.4	33.0 - 37.8	26,200	16.7	14.6 - 18.8	9,300	5.9	4.6 - 7.2
\$75,000 or more	5,400	1.8	1.3 - 2.3	125,000	40.6	38.8 - 42.4	111,000	36.1	34.4 - 37.8	48,900	15.9	14.5 - 17.3	12,100	3.9	3.2 - 4.6

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Less than \$10,000	3,000	6.2	3.5 - 9.0	48,300
\$10,000 to \$14,999	1,600	4.3	2.3 - 6.2	36,800
\$15,000 to \$19,999	2,800	4.5	3.0 - 6.0	62,800
\$20,000 to \$24,999	2,600	3.5	1.8 - 5.2	73,800
\$25,000 to \$34,999	2,200	2.0	1.4 - 2.6	108,500
\$35,000 to \$49,999	4,200	3.0	1.9 - 4.0	142,500
\$50,000 to \$74,999	4,400	2.8	1.7 - 3.9	157,100
\$75,000 or more	5,400	1.8	1.3 - 2.2	307,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
0-130%	4,100	2.9	1.8 - 3.9	54,900	38.0	34.8 - 41.1	47,800	33.1	30.1 - 36.1	23,400	16.2	13.7 - 18.7	8,000	5.6	4.0 - 7.1
131-185%	2,600	2.8	1.9 - 3.8	39,400	43.3	39.7 - 46.9	28,600	31.4	28.1 - 34.8	14,100	15.5	12.7 - 18.2	5,200	5.7	4.0 - 7.5
186+%	9,700	2.6	2.0 - 3.2	154,000	41.6	40.0 - 43.2	130,000	35.1	33.6 - 36.6	52,600	14.2	13.0 - 15.4	16,500	4.5	3.8 - 5.1

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Married	9,800	1.9	1.5 - 2.2	206,900	39.8	38.5 - 41.1	185,900	35.7	34.4 - 37.0	82,400	15.8	14.8 - 16.9	24,500	4.7	4.1 - 5.3
Unmarried Couple	n/r	n/r	n/r	15,600	40.5	34.9 - 46.1	11,100	28.7	24.0 - 33.4	7,400	19.1	14.7 - 23.5	2,600	6.8	3.5 - 10.1
Widowed	3,700	5.1	3.7 - 6.5	35,300	48.3	45.0 - 51.6	22,600	31.0	28.0 - 34.0	7,700	10.5	8.3 - 12.8	2,600	3.6	2.6 - 4.7
Other	13,100	3.2	2.5 - 3.8	177,400	43.1	41.4 - 44.8	127,700	31.0	29.5 - 32.6	56,300	13.7	12.5 - 14.9	21,500	5.2	4.4 - 6.0

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Poverty Level	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
0-130%	6,200	4.3	2.8 - 5.8	144,600
131-185%	1,200	1.3	0.8 - 1.7	91,100
186+%	7,400	2.0	1.5 - 2.5	370,300

Marital Status (Grouped)	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Married	10,900	2.1	1.8 - 2.4	520,300
Unmarried Couple	n/r	n/r	n/r	38,600
Widowed	1,000	1.4	0.9 - 1.9	73,000
Other	15,600	3.8	3.1 - 4.5	411,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	10,100	1.9	1.5 - 2.3	211,100	39.5	38.3 - 40.8	191,000	35.8	34.5 - 37.0	84,500	15.8	14.8 - 16.8	25,400	4.8	4.2 - 5.3
No	17,100	3.4	2.8 - 3.9	223,200	44.0	42.5 - 45.5	155,700	30.7	29.3 - 32.0	69,200	13.6	12.6 - 14.7	25,800	5.1	4.4 - 5.8

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	25,200	2.7	2.3 - 3.0	391,700	41.5	40.5 - 42.5	315,600	33.4	32.5 - 34.4	140,400	14.9	14.1 - 15.7	46,500	4.9	4.5 - 5.4
No	2,000	2.0	1.2 - 2.8	42,400	43.3	39.9 - 46.7	31,000	31.7	28.5 - 34.9	13,100	13.4	11.0 - 15.8	4,700	4.8	3.2 - 6.4

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Married	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Yes	12,000	2.2	1.9 - 2.6	534,100
No	16,800	3.3	2.7 - 3.9	507,800

Health Care Coverage	Obese 3 (BMI >= 40)			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#
Yes	24,000	2.5	2.2 - 2.9	943,500
No	4,700	4.8	3.2 - 6.3	97,800