

Weight - BMI for diabetes high risk, trying to lose, for the State of Hawaii, for the Aggregated Year(s) - 2011-2013, 2012-2014

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Description
Weight - BMI for diabetes high risk, trying to lose	Weight status of adults who are at high risk for diabetes and report trying to lose weight

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/29/16

For documentation on other terms and coding in this report, please go to the following links:

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

**Weight - BMI for diabetes high risk, trying to lose, for the State of Hawaii, for the Aggregated Year(s) -
2011-2013, 2012-2014**

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011-2013	n/r	n/r	n/r	31,300	27.0	24.6 - 29.5	42,100	36.4	33.7 - 39.1	40,800	35.2	32.5 - 38.0	115,700
2012-2014	n/r	n/r	n/r	38,600	28.9	26.5 - 31.3	51,500	38.6	36.0 - 41.1	41,700	31.2	28.7 - 33.7	133,700



Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

State	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	n/r	n/r	n/r	38,600	28.9	26.5 - 31.3	51,500	38.6	36.0 - 41.1	41,700	31.2	28.7 - 33.7	133,700

County	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	5,000	27.9	23.0 - 32.9	7,100	39.5	33.9 - 45.1	5,700	31.9	26.4 - 37.3	17,900
Honolulu	n/r	n/r	n/r	27,600	29.9	26.7 - 33.0	35,200	38.1	34.8 - 41.4	28,200	30.5	27.2 - 33.7	92,400
Kauai	n/r	n/r	n/r	1,800	29.9	22.9 - 36.9	2,400	39.5	32.6 - 46.4	1,800	29.5	23.2 - 35.9	6,200
Maui	n/r	n/r	n/r	3,900	25.0	20.0 - 30.0	5,900	38.0	32.3 - 43.7	5,600	36.3	30.9 - 41.7	15,500

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Island	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	5,000	27.9	23.0 - 32.9	7,100	39.5	33.9 - 45.1	5,700	31.9	26.4 - 37.3	17,900
Kauai	n/r	n/r	n/r	1,800	29.9	22.9 - 36.9	2,400	39.5	32.6 - 46.4	1,800	29.5	23.2 - 35.9	6,200
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	n/r	n/r	n/r	3,700	25.9	20.6 - 31.2	5,100	36.2	30.4 - 42.0	5,300	37.2	31.5 - 43.0	14,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Oahu	n/r	n/r	n/r	27,600	29.9	26.7 - 33.0	35,200	38.1	34.8 - 41.4	28,200	30.5	27.2 - 33.7	92,400

Community	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	2,900	31.2	20.7 - 41.6	2,800	29.7	20.8 - 38.7	3,700	38.9	27.8 - 50.1	9,400
Ala Moana	n/r	n/r	n/r	1,000	27.2	14.9 - 39.5	1,600	44.7	31.3 - 58.1	800	24.0	12.5 - 35.5	3,500

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	0	0.0	0.0 - 0.0	700	29.4	19.3 - 39.4	800	34.8	24.3 - 45.2	800	35.9	24.7 - 47.1	2,400
Hilo	n/r	n/r	n/r	1,600	29.5	20.5 - 38.6	2,300	41.9	31.8 - 51.9	1,600	28.2	18.8 - 37.6	5,600
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	1,300	19.8	10.0 - 29.6	3,100	46.0	34.2 - 57.7	2,300	33.1	21.7 - 44.5	6,800
Kahului	n/r	n/r	n/r	1,300	28.2	19.9 - 36.4	1,600	33.9	24.4 - 43.5	1,700	37.2	27.1 - 47.2	4,600
Kailua/ Waimanalo	0	0.0	0.0 - 0.0	1,800	23.9	14.0 - 33.8	3,500	46.2	32.5 - 60.0	2,200	29.8	16.5 - 43.1	7,500
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	3,900	45.9	34.8 - 56.9	2,800	32.8	23.1 - 42.5	1,700	19.4	11.0 - 27.8	8,500
Kona	n/r	n/r	n/r	1,400	30.0	20.3 - 39.6	2,000	42.5	32.0 - 53.0	1,200	26.8	17.2 - 36.4	4,600
Lahaina/ Wailuku	n/r	n/r	n/r	1,200	21.6	14.3 - 29.0	2,100	39.6	29.7 - 49.6	2,000	37.7	28.4 - 46.9	5,400
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	200
Lihue-Waimea	n/r	n/r	n/r	1,200	30.2	20.8 - 39.7	1,600	42.4	33.4 - 51.4	1,000	25.6	18.4 - 32.9	3,800
Manoa/ Upper Makiki	n/r	n/r	n/r	1,500	26.3	16.9 - 35.8	2,700	45.5	34.6 - 56.4	1,600	27.7	16.7 - 38.6	5,900
Mililani/ Wahiawa	n/r	n/r	n/r	2,000	22.9	15.0 - 30.9	3,900	43.9	32.6 - 55.2	2,900	32.6	22.1 - 43.1	8,800

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Community	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,100
Nanakuli/ Waianae	0	0.0	0.0 - 0.0	n/r	n/r	n/r	1,200	26.3	15.0 - 37.6	2,500	54.7	40.2 - 69.1	4,600
N.Hawaii	n/r	n/r	n/r	500	20.3	11.5 - 29.1	800	31.7	18.2 - 45.2	1,200	47.8	34.3 - 61.4	2,600
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,700
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	3,500	36.5	25.8 - 47.2	3,700	38.5	27.5 - 49.4	2,300	24.5	15.9 - 33.2	9,500
Puna/ Kau	n/r	n/r	n/r	1,400	28.3	18.1 - 38.4	1,900	38.0	26.5 - 49.5	1,600	32.3	21.0 - 43.5	5,100
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	3,100
Upcountry/ Hana	0	0.0	0.0 - 0.0	1,200	29.0	17.1 - 40.8	1,400	34.3	23.9 - 44.7	1,500	36.7	26.1 - 47.3	4,100
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	2,700	42.3	30.3 - 54.3	2,700	42.7	31.2 - 54.1	900	13.7	6.7 - 20.8	6,300
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	3,800	23.9	15.7 - 32.2	5,800	36.7	27.9 - 45.5	5,500	35.3	26.2 - 44.4	15,700

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

BRFSS Age Group	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	2,000	41.2	25.0 - 57.5	n/r	n/r	n/r	1,800	36.7	19.4 - 54.1	4,800
25-34	n/r	n/r	n/r	2,500	27.9	17.1 - 38.7	3,100	34.1	24.3 - 43.8	3,400	37.4	26.9 - 47.9	9,000
35-44	n/r	n/r	n/r	3,900	23.6	15.9 - 31.2	5,700	34.6	26.7 - 42.6	6,700	41.3	33.2 - 49.3	16,300
45-54	n/r	n/r	n/r	5,800	21.1	16.4 - 25.9	10,200	37.4	31.4 - 43.3	11,300	41.5	35.2 - 47.7	27,300
55-64	n/r	n/r	n/r	8,300	26.3	21.9 - 30.7	12,300	39.0	34.0 - 44.1	10,000	31.8	27.1 - 36.4	31,400
65-74	n/r	n/r	n/r	7,800	31.4	26.0 - 36.8	10,700	43.0	37.7 - 48.3	6,200	25.0	20.2 - 29.8	24,900
75+	n/r	n/r	n/r	7,800	41.0	34.7 - 47.4	8,400	44.4	38.0 - 50.9	2,300	12.0	8.2 - 15.8	18,900

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

DOH Race-Ethnicity	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	n/r	n/r	n/r	9,200	27.6	23.2 - 31.9	11,900	35.9	31.6 - 40.2	11,800	35.3	30.6 - 40.0	33,300
Native Hawaiian	0	0.0	0.0 - 0.0	2,000	13.9	9.5 - 18.3	4,900	33.9	27.7 - 40.0	7,600	52.2	45.6 - 58.9	14,500
Chinese	n/r	n/r	n/r	3,800	38.7	28.6 - 48.8	4,300	43.4	33.4 - 53.4	1,800	17.7	10.6 - 24.9	9,900
Filipino	n/r	n/r	n/r	7,000	30.5	23.5 - 37.5	9,300	40.9	33.5 - 48.2	5,900	26.0	19.6 - 32.5	22,800
Japanese	n/r	n/r	n/r	13,400	34.4	29.8 - 39.0	15,400	39.7	34.8 - 44.5	9,400	24.2	19.6 - 28.9	38,900
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	800
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,300
Other Pacific Islander	0	0.0	0.0 - 0.0	n/r	n/r	n/r	n/r	n/r	n/r	1,500	65.2	47.1 - 83.2	2,200
Other	0	0.0	0.0 - 0.0	n/r	n/r	n/r	1,000	44.6	27.6 - 61.5	900	37.0	21.1 - 53.0	2,300

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Gender	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	14,700	21.3	18.3 - 24.2	31,400	45.4	41.8 - 49.1	22,800	32.9	29.4 - 36.4	69,200
Female	n/r	n/r	n/r	23,900	37.0	33.3 - 40.8	20,100	31.2	27.9 - 34.6	18,900	29.3	25.9 - 32.8	64,500

Education Level	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,900
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	3,000	29.0	17.0 - 41.1	3,500	34.5	23.1 - 45.9	3,600	35.2	23.9 - 46.6	10,200
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	10,500	27.8	23.2 - 32.4	13,100	34.6	30.2 - 39.0	14,000	36.9	32.1 - 41.8	37,900
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	11,300	25.0	21.1 - 28.9	18,900	41.9	37.1 - 46.7	14,000	31.0	26.5 - 35.5	45,200
College 4 years or more (College Grad)	n/r	n/r	n/r	12,300	32.9	29.2 - 36.6	15,000	40.3	36.5 - 44.1	9,500	25.5	22.1 - 29.0	37,300

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Employment Status (Grouped)	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	n/r	n/r	n/r	19,100	26.3	22.9 - 29.7	27,900	38.3	34.8 - 41.9	25,300	34.7	31.1 - 38.3	72,800
Unemployed	n/r	n/r	n/r	1,700	21.9	13.4 - 30.4	2,900	37.7	26.9 - 48.4	2,400	32.3	22.6 - 42.1	7,600
Retired/Unable to work	600	1.4	0.6 - 2.2	14,800	32.5	28.7 - 36.4	18,600	40.7	36.7 - 44.8	11,600	25.4	21.7 - 29.0	45,600
Student/Homemaker	n/r	n/r	n/r	2,900	38.7	27.5 - 49.8	2,200	29.1	18.8 - 39.4	2,400	31.1	20.6 - 41.5	7,600

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Household Income	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	1,600	32.6	20.0 - 45.3	1,600	32.3	21.0 - 43.6	1,600	32.4	21.8 - 43.1	4,900
\$10,000 to \$14,999	n/r	n/r	n/r	1,500	26.1	15.0 - 37.2	2,000	33.4	21.2 - 45.7	1,900	31.7	18.5 - 44.8	5,900
\$15,000 to \$19,999	n/r	n/r	n/r	1,900	26.2	17.8 - 34.6	2,900	39.7	29.8 - 49.6	2,300	31.9	23.2 - 40.6	7,300
\$20,000 to \$24,999	n/r	n/r	n/r	2,600	26.4	15.8 - 37.0	3,900	39.6	29.8 - 49.4	3,300	33.2	24.0 - 42.3	9,900
\$25,000 to \$34,999	n/r	n/r	n/r	5,100	34.0	25.6 - 42.4	4,700	31.7	24.8 - 38.6	5,000	33.3	25.6 - 41.0	14,900
\$35,000 to \$49,999	n/r	n/r	n/r	5,800	28.7	22.6 - 34.9	7,200	35.8	29.2 - 42.3	6,800	34.1	27.0 - 41.1	20,100
\$50,000 to \$74,999	n/r	n/r	n/r	5,100	24.7	19.1 - 30.3	9,000	43.5	37.1 - 49.9	6,400	31.0	25.2 - 36.8	20,600
\$75,000 or more	n/r	n/r	n/r	11,400	28.4	24.2 - 32.6	16,300	40.7	36.0 - 45.5	12,100	30.4	25.8 - 35.0	39,900

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Poverty Level	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	2,900	18.2	11.3 - 25.2	6,700	41.8	33.3 - 50.2	5,800	36.1	27.4 - 44.7	16,100
131-185%	n/r	n/r	n/r	3,700	39.3	28.5 - 50.0	2,600	27.9	19.9 - 36.0	3,000	31.4	21.5 - 41.4	9,400
186+%	n/r	n/r	n/r	13,600	31.1	27.2 - 35.0	18,000	41.2	36.7 - 45.6	11,700	26.9	22.8 - 31.0	43,700

Marital Status (Grouped)	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	n/r	n/r	n/r	22,400	28.9	25.8 - 32.0	31,500	40.6	37.2 - 43.9	23,300	30.1	26.9 - 33.3	77,600
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	1,000	33.5	18.1 - 48.9	1,500	50.8	32.9 - 68.6	3,000
Widowed	n/r	n/r	n/r	5,100	42.5	33.6 - 51.5	4,400	36.7	29.0 - 44.4	2,100	17.8	12.5 - 23.1	12,000
Other	n/r	n/r	n/r	10,600	25.9	21.7 - 30.0	14,600	35.7	31.1 - 40.3	14,700	35.8	31.1 - 40.5	41,000

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012-2014

Married	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	23,400	29.2	26.1 - 32.3	32,500	40.5	37.2 - 43.8	24,000	29.9	26.7 - 33.0	80,200
No	n/r	n/r	n/r	15,100	28.5	24.6 - 32.3	18,900	35.6	31.7 - 39.5	17,700	33.2	29.2 - 37.2	53,200

Health Care Coverage	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	36,000	28.7	26.3 - 31.1	48,600	38.8	36.2 - 41.4	38,900	31.1	28.5 - 33.6	125,300
No	n/r	n/r	n/r	2,500	31.0	18.9 - 43.1	2,900	35.3	24.2 - 46.5	2,700	33.4	22.5 - 44.4	8,200

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

State	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	n/r	n/r	n/r	31,300	27.0	24.6 - 29.5	42,100	36.4	33.7 - 39.1	40,800	35.2	32.5 - 38.0	115,700

County	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	3,900	25.0	20.0 - 30.0	5,800	37.4	31.6 - 43.2	5,800	37.3	31.4 - 43.3	15,500
Honolulu	n/r	n/r	n/r	22,500	27.8	24.7 - 31.0	29,000	35.9	32.4 - 39.4	28,000	34.7	31.0 - 38.3	80,800
Kauai	n/r	n/r	n/r	1,500	26.3	19.3 - 33.4	2,100	37.6	29.5 - 45.6	2,000	35.3	27.7 - 42.8	5,700
Maui	n/r	n/r	n/r	3,400	25.6	19.5 - 31.6	5,000	37.5	31.4 - 43.6	4,800	36.3	30.5 - 42.2	13,300

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Island	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	n/r	n/r	n/r	3,900	25.0	20.0 - 30.0	5,800	37.4	31.6 - 43.2	5,800	37.3	31.4 - 43.3	15,500
Kauai	n/r	n/r	n/r	1,500	26.3	19.3 - 33.4	2,100	37.6	29.5 - 45.6	2,000	35.3	27.7 - 42.8	5,700
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	200
Maui	n/r	n/r	n/r	3,300	26.8	20.4 - 33.3	4,400	36.4	30.2 - 42.6	4,400	36.1	30.0 - 42.3	12,100
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,000
Oahu	n/r	n/r	n/r	22,500	27.8	24.7 - 31.0	29,000	35.9	32.4 - 39.4	28,000	34.7	31.0 - 38.3	80,800

Community	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	n/r	n/r	n/r	2,700	28.1	17.9 - 38.3	2,900	30.7	21.6 - 39.9	3,800	40.6	29.2 - 52.0	9,400
Ala Moana	n/r	n/r	n/r	1,100	33.9	19.8 - 48.0	1,100	33.9	20.2 - 47.7	1,000	30.1	13.9 - 46.4	3,300

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hanalei/ Kapaa	n/r	n/r	n/r	500	20.9	11.9 - 29.8	900	38.1	23.8 - 52.4	900	40.7	27.0 - 54.4	2,300
Hilo	n/r	n/r	n/r	1,200	26.7	16.9 - 36.6	1,800	38.7	28.0 - 49.5	1,600	33.8	22.5 - 45.2	4,700
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	1,400	24.9	13.8 - 36.1	2,600	46.2	33.5 - 59.0	1,600	28.1	16.0 - 40.2	5,700
Kahului	n/r	n/r	n/r	1,500	34.3	24.7 - 43.9	1,400	31.5	22.3 - 40.8	1,500	32.9	23.6 - 42.1	4,500
Kailua/ Waimanalo	0	0.0	0.0 - 0.0	1,400	20.3	10.8 - 29.7	3,200	47.4	32.0 - 62.7	2,200	32.4	17.8 - 46.9	6,700
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	3,400	40.3	29.0 - 51.7	3,200	37.9	27.2 - 48.7	1,700	19.8	10.9 - 28.8	8,400
Kona	0	0.0	0.0 - 0.0	1,200	30.2	20.3 - 40.1	1,500	40.0	29.0 - 51.0	1,200	29.8	19.2 - 40.5	3,900
Lahaina/ Wailuku	n/r	n/r	n/r	1,100	25.0	11.7 - 38.3	1,800	39.8	28.0 - 51.5	1,600	34.9	23.8 - 45.9	4,600
Lanai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	200
Lihue-Waimea	n/r	n/r	n/r	1,000	30.1	20.4 - 39.9	1,200	37.2	28.0 - 46.4	1,100	31.5	23.0 - 40.0	3,300
Manoa/ Upper Makiki	n/r	n/r	n/r	1,200	24.9	14.5 - 35.2	2,100	44.2	32.3 - 56.1	1,400	29.4	17.8 - 40.9	4,600
Mililani/ Wahiawa	n/r	n/r	n/r	1,900	22.7	14.2 - 31.2	3,400	41.5	29.6 - 53.3	2,900	35.0	23.8 - 46.3	8,200

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Community	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Molokai	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,000
Nanakuli/ Waianae	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,300	60.4	43.5 - 77.3	3,800
N.Hawaii	n/r	n/r	n/r	500	18.4	9.2 - 27.6	900	34.1	20.7 - 47.5	1,300	47.4	34.1 - 60.6	2,700
N.Shore/ Laie	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,100
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	2,600	34.6	24.0 - 45.3	2,400	32.2	22.3 - 42.0	2,400	32.3	21.0 - 43.6	7,600
Puna/ Kau	0	0.0	0.0 - 0.0	1,000	22.6	13.1 - 32.0	1,600	35.8	23.9 - 47.7	1,800	41.6	29.5 - 53.7	4,300
Salt Lake/ Foster Village	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,300
Upcountry/ Hana	0	0.0	0.0 - 0.0	600	18.6	11.5 - 25.7	1,200	38.7	27.8 - 49.5	1,300	42.8	31.5 - 54.0	3,100
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	2,200	41.6	30.2 - 53.1	1,900	36.9	26.2 - 47.6	1,100	20.7	11.2 - 30.3	5,200
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	2,700	20.0	12.9 - 27.1	4,200	31.1	22.1 - 40.1	6,000	44.8	34.5 - 55.0	13,400

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

BRFSS Age Group	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,300
25-34	n/r	n/r	n/r	800	15.9	7.1 - 24.6	1,800	34.5	22.1 - 46.9	2,500	48.5	34.8 - 62.2	5,200
35-44	0	0.0	0.0 - 0.0	2,100	15.8	9.0 - 22.7	3,900	29.0	20.7 - 37.3	7,400	55.1	45.9 - 64.4	13,500
45-54	n/r	n/r	n/r	4,200	17.2	12.6 - 21.9	8,500	35.3	28.9 - 41.7	11,500	47.4	40.7 - 54.2	24,200
55-64	n/r	n/r	n/r	7,200	24.5	20.2 - 28.8	11,500	39.0	33.7 - 44.3	10,000	34.0	29.1 - 38.9	29,400
65-74	n/r	n/r	n/r	7,600	34.3	28.5 - 40.1	9,100	41.3	35.7 - 46.8	5,100	23.1	18.3 - 28.0	22,100
75+	n/r	n/r	n/r	8,600	46.6	40.1 - 53.2	6,700	36.3	30.0 - 42.5	2,800	15.0	9.9 - 20.1	18,400

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

DOH Race-Ethnicity	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	400	1.5	0.6 - 2.4	6,400	23.2	19.1 - 27.4	9,700	35.0	30.4 - 39.5	11,100	40.3	35.1 - 45.4	27,600
Native Hawaiian	n/r	n/r	n/r	1,400	10.7	6.7 - 14.6	4,300	32.1	24.8 - 39.4	7,600	57.0	49.3 - 64.7	13,300
Chinese	n/r	n/r	n/r	4,000	42.1	31.7 - 52.4	4,000	42.0	31.8 - 52.2	1,400	15.2	8.6 - 21.8	9,500
Filipino	n/r	n/r	n/r	6,100	30.9	24.0 - 37.9	7,900	39.6	32.0 - 47.2	5,300	26.9	20.1 - 33.8	19,900
Japanese	n/r	n/r	n/r	11,200	32.8	28.1 - 37.5	12,700	37.4	32.4 - 42.3	9,700	28.5	23.3 - 33.7	34,000
Black	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	400
Other Asian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	1,800
Other Pacific Islander	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,400
Other	0	0.0	0.0 - 0.0	n/r	n/r	n/r	900	37.0	21.1 - 52.9	1,200	51.8	34.5 - 69.0	2,400

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Gender	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	n/r	n/r	n/r	12,800	21.5	18.4 - 24.6	23,300	39.0	35.1 - 42.9	23,400	39.2	35.1 - 43.2	59,700
Female	n/r	n/r	n/r	18,500	33.0	29.3 - 36.7	18,900	33.7	30.0 - 37.3	17,400	31.1	27.4 - 34.7	56,000

Education Level	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	2,300
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	2,600	25.1	12.6 - 37.6	2,900	28.4	17.4 - 39.5	4,600	44.8	31.8 - 57.7	10,200
Grades 12 or GED (High School Grad)	n/r	n/r	n/r	8,500	26.1	21.6 - 30.5	10,900	33.4	28.6 - 38.2	13,000	39.8	34.5 - 45.1	32,600
College 1 to 3 years (Some College/ Tech)	n/r	n/r	n/r	9,600	24.0	20.2 - 27.8	15,600	38.9	33.9 - 43.8	14,100	35.0	30.2 - 39.9	40,100
College 4 years or more (College Grad)	n/r	n/r	n/r	9,600	31.4	27.6 - 35.2	12,000	39.5	35.5 - 43.5	8,600	28.2	24.5 - 32.0	30,400

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Employment Status (Grouped)	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	n/r	n/r	n/r	12,600	21.7	18.4 - 25.1	21,500	37.0	33.1 - 40.9	23,700	40.8	36.7 - 44.9	58,000
Unemployed	n/r	n/r	n/r	1,100	17.0	8.9 - 25.1	2,500	39.6	27.2 - 52.0	2,300	35.3	24.2 - 46.3	6,400
Retired/Unable to work	700	1.5	0.7 - 2.4	15,800	35.6	31.5 - 39.6	15,900	35.9	31.8 - 39.9	12,000	27.1	23.0 - 31.1	44,300
Student/Homemaker	n/r	n/r	n/r	1,800	26.3	16.0 - 36.5	2,200	31.8	19.8 - 43.8	2,900	41.0	29.0 - 53.0	7,000

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Household Income	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	n/r	n/r	n/r	1,000	25.1	14.6 - 35.6	1,200	29.5	17.2 - 41.7	1,700	41.4	26.8 - 56.1	4,000
\$10,000 to \$14,999	n/r	n/r	n/r	800	15.6	8.2 - 22.9	1,600	31.7	18.9 - 44.5	2,100	40.8	25.0 - 56.5	5,100
\$15,000 to \$19,999	n/r	n/r	n/r	1,700	25.9	15.1 - 36.6	2,500	36.6	25.6 - 47.5	2,400	35.4	25.3 - 45.4	6,700
\$20,000 to \$24,999	n/r	n/r	n/r	2,400	28.6	17.2 - 40.0	3,000	35.6	24.3 - 46.9	3,000	35.6	24.7 - 46.4	8,400
\$25,000 to \$34,999	n/r	n/r	n/r	4,000	32.3	24.4 - 40.2	4,100	32.7	25.6 - 39.8	4,200	34.0	26.0 - 41.9	12,400
\$35,000 to \$49,999	n/r	n/r	n/r	5,300	27.9	21.7 - 34.1	6,300	33.1	27.0 - 39.2	7,100	37.7	30.5 - 44.9	18,900
\$50,000 to \$74,999	n/r	n/r	n/r	4,700	25.7	20.6 - 30.8	6,900	37.6	31.3 - 43.9	6,800	36.6	30.2 - 43.0	18,500
\$75,000 or more	n/r	n/r	n/r	8,500	25.4	20.9 - 29.8	12,900	38.4	33.3 - 43.6	12,100	36.0	30.6 - 41.4	33,700

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Poverty Level	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	n/r	n/r	n/r	3,400	19.0	12.5 - 25.6	6,600	36.7	28.7 - 44.7	7,200	40.0	31.4 - 48.6	18,000
131-185%	n/r	n/r	n/r	4,500	36.8	27.6 - 46.0	3,500	28.8	21.8 - 35.9	4,100	33.4	24.8 - 42.1	12,200
186+%	n/r	n/r	n/r	15,300	29.3	25.8 - 32.7	19,800	37.8	33.9 - 41.8	16,900	32.2	28.2 - 36.2	52,400

Marital Status (Grouped)	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	n/r	n/r	n/r	17,600	26.8	23.7 - 29.9	25,500	38.7	35.3 - 42.2	22,400	34.1	30.6 - 37.6	65,800
Unmarried Couple	n/r	n/r	n/r	n/r	n/r	n/r	1,000	30.5	14.8 - 46.3	1,700	55.9	37.3 - 74.5	3,100
Widowed	n/r	n/r	n/r	5,700	48.0	39.4 - 56.5	3,900	32.8	25.5 - 40.1	2,100	17.5	12.3 - 22.7	11,900
Other	n/r	n/r	n/r	7,600	21.7	17.8 - 25.6	11,800	33.8	28.6 - 38.9	14,500	41.6	36.1 - 47.1	34,900

Weight - BMI for diabetes high risk, trying to lose by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Aggregated Year(s) - 2011-2013, 2012-2014

Note: Weighted numbers (#) represent 3-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is > 0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011-2013

Married	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	17,800	26.2	23.1 - 29.2	26,200	38.5	35.1 - 42.0	23,700	34.9	31.4 - 38.4	68,000
No	n/r	n/r	n/r	13,400	28.3	24.3 - 32.3	15,800	33.3	29.1 - 37.5	17,000	35.8	31.3 - 40.3	47,500

Health Care Coverage	Underweight			Normal weight			Overweight			Obese			Estimated Population (3-Yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	n/r	n/r	n/r	29,900	27.2	24.7 - 29.7	40,000	36.5	33.7 - 39.2	38,400	35.0	32.1 - 37.8	109,800
No	0	0.0	0.0 - 0.0	1,400	24.3	12.3 - 36.3	2,000	34.9	23.1 - 46.6	2,400	40.8	28.0 - 53.6	5,800