

Weight - BMI status, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Weight - BMI status	Body Mass Index (BMI) Weight Status

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/28/15

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**


profiles@hhdw.org

(855) 946-5899 x15

Weight - BMI status, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	28,300	2.8	2.2 - 3.4	424,300	41.6	39.8 - 43.3	345,000	33.8	32.1 - 35.5	223,000	21.9	20.4 - 23.3	1,020,500
2012	28,700	2.7	2.1 - 3.4	432,700	41.2	39.5 - 43.0	340,700	32.5	30.9 - 34.1	247,100	23.6	22.0 - 25.1	1,049,200
2013	25,000	2.4	1.9 - 2.8	448,600	42.3	40.7 - 43.9	356,100	33.6	32.0 - 35.1	231,200	21.8	20.4 - 23.2	1,060,900



Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	25,000	2.4	1.9 - 2.8	448,600	42.3	40.7 - 43.9	356,100	33.6	32.0 - 35.1	231,200	21.8	20.4 - 23.2	1,060,900

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,600	1.8	1.1 - 2.5	61,000	41.6	37.9 - 45.2	49,700	33.8	30.6 - 37.1	33,500	22.8	19.7 - 26.0	146,900
Honolulu	15,900	2.2	1.6 - 2.8	312,100	42.7	40.6 - 44.8	244,900	33.5	31.5 - 35.5	157,900	21.6	19.8 - 23.4	730,800
Kauai	1,600	3.2	1.1 - 5.3	22,300	44.2	39.6 - 48.8	17,700	35.1	30.8 - 39.5	8,800	17.4	14.2 - 20.6	50,300
Maui	3,600	3.0	1.2 - 4.9	47,400	39.9	36.2 - 43.7	39,000	32.8	29.3 - 36.3	28,800	24.3	20.8 - 27.7	118,900

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,600	1.8	1.1 - 2.5	61,000	41.6	37.9 - 45.2	49,700	33.8	30.6 - 37.1	33,500	22.8	19.7 - 26.0	146,900
Kauai	1,600	3.2	1.1 - 5.3	22,300	44.2	39.6 - 48.8	17,700	35.1	30.8 - 39.5	8,800	17.4	14.2 - 20.6	50,300
Lanai	300	15.8	0.0 - 42.1	500	26.5	11.2 - 41.8	900	44.8	24.4 - 65.2	300	13.0	3.5 - 22.4	2,100
Maui	3,200	2.9	1.0 - 4.8	45,800	41.2	37.3 - 45.2	35,100	31.6	28.0 - 35.2	27,000	24.3	20.7 - 27.9	111,100
Molokai	100	1.4	0.0 - 3.1	1,100	18.8	8.4 - 29.2	3,000	52.2	37.5 - 66.9	1,600	27.6	15.4 - 39.7	5,700
Oahu	15,900	2.2	1.6 - 2.8	312,100	42.7	40.6 - 44.8	244,900	33.5	31.5 - 35.5	157,900	21.6	19.8 - 23.4	730,800

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	500	0.7	0.0 - 1.5	34,000	49.6	42.4 - 56.7	19,700	28.8	22.9 - 34.7	14,300	20.9	14.9 - 26.9	68,600
Ala Moana	900	2.7	0.3 - 5.2	15,300	45.9	37.4 - 54.3	10,500	31.4	23.8 - 38.9	6,700	20.0	12.7 - 27.3	33,400
Hanalei/ Kapaa	400	2.1	0.8 - 3.4	10,000	48.6	41.7 - 55.6	7,000	34.4	27.9 - 40.8	3,100	14.9	10.4 - 19.4	20,500

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	1,100	2.7	0.9 - 4.5	14,500	36.6	31.0 - 42.1	15,500	39.2	33.3 - 45.1	8,500	21.5	16.4 - 26.6	39,600
Kaaawa/ Kahaluu/ Kaneohe	300	0.7	0.0 - 1.7	16,600	32.4	25.5 - 39.4	22,100	43.2	35.4 - 51.0	12,100	23.7	16.7 - 30.7	51,100
Kahului	1,400	3.7	0.4 - 7.1	14,900	38.5	32.1 - 44.8	12,600	32.5	26.3 - 38.7	9,800	25.3	18.5 - 32.1	38,600
Kailua/ Waimanalo	700	1.3	0.1 - 2.5	23,900	41.7	34.3 - 49.1	19,400	33.8	26.3 - 41.2	13,300	23.2	15.8 - 30.7	57,300
Kaimuki/ Palolo/ Waikiki	2,300	3.8	1.6 - 5.9	29,100	47.0	40.1 - 53.8	20,300	32.8	26.3 - 39.2	10,200	16.5	10.4 - 22.6	62,000
Kona	600	1.6	0.4 - 2.7	16,700	45.4	37.7 - 53.1	11,600	31.4	25.0 - 37.9	7,900	21.6	15.5 - 27.6	36,800
Lahaina/ Wailuku	300	0.9	0.0 - 1.8	15,700	45.2	38.6 - 51.9	10,100	29.2	23.5 - 34.9	8,600	24.7	19.0 - 30.3	34,700
Lanai	300	15.8	0.0 - 42.1	500	26.5	11.2 - 41.8	900	44.8	24.4 - 65.2	300	13.0	3.5 - 22.4	2,100
Lihue-Waimea	1,200	4.0	0.5 - 7.4	12,300	41.2	35.1 - 47.3	10,600	35.7	29.8 - 41.6	5,700	19.1	14.7 - 23.6	29,800
Manoa/ Upper Makiki	1,200	2.4	0.6 - 4.1	26,700	53.2	46.1 - 60.3	15,600	31.0	24.3 - 37.6	6,800	13.5	9.0 - 17.9	50,300
Mililani/ Wahiawa	3,300	4.8	0.7 - 8.9	26,700	38.2	31.0 - 45.5	23,100	33.0	26.4 - 39.7	16,700	24.0	17.1 - 30.9	69,800
Molokai	100	1.4	0.0 - 3.1	1,100	18.8	8.4 - 29.2	3,000	52.2	37.5 - 66.9	1,600	27.6	15.4 - 39.7	5,700

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nanakuli/ Waianae	400	1.1	0.0 - 2.4	12,500	34.0	24.8 - 43.2	9,600	26.1	17.8 - 34.4	14,200	38.8	29.5 - 48.0	36,600
N.Hawaii	700	2.6	0.5 - 4.6	11,400	43.6	35.6 - 51.5	8,600	33.1	25.8 - 40.4	5,400	20.8	14.1 - 27.4	26,100
N.Shore/ Laie	200	1.0	0.0 - 2.6	11,000	46.9	33.2 - 60.6	5,500	23.4	11.7 - 35.2	6,700	28.6	17.4 - 39.8	23,400
Nuuanu/ Kalihi/ Moanalua	1,700	2.5	0.3 - 4.6	30,300	44.4	37.4 - 51.4	23,100	33.9	27.3 - 40.4	13,100	19.3	13.9 - 24.7	68,200
Puna/ Kau	300	0.7	0.0 - 1.6	18,400	41.6	34.3 - 48.9	13,900	31.4	25.2 - 37.5	11,700	26.3	19.5 - 33.2	44,300
Salt Lake/ Foster Village	1,000	3.3	0.1 - 6.5	12,200	38.9	28.4 - 49.4	12,000	38.1	28.5 - 47.8	6,200	19.7	12.0 - 27.3	31,400
Upcountry/ Hana	1,500	3.8	0.0 - 8.1	15,300	40.4	33.2 - 47.6	12,400	32.8	26.1 - 39.5	8,700	23.0	16.7 - 29.2	37,800
Waialae/ Kahala/ Hawaii Kai	1,500	3.5	0.9 - 6.2	22,300	51.5	43.8 - 59.1	15,600	36.0	28.6 - 43.5	3,900	8.9	5.0 - 12.9	43,300
Waipahu/ Kapolei/ Ewa	1,700	1.2	0.4 - 2.1	51,600	38.1	32.6 - 43.6	48,600	35.9	30.4 - 41.3	33,600	24.8	20.1 - 29.5	135,500

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,900	4.7	2.5 - 6.8	70,500	55.9	50.6 - 61.2	30,900	24.5	20.1 - 28.8	18,900	15.0	11.4 - 18.5	126,100
25-34	3,700	2.0	0.9 - 3.1	69,300	38.1	33.9 - 42.3	62,000	34.1	29.9 - 38.3	46,900	25.8	21.7 - 29.8	181,900
35-44	2,600	1.5	0.3 - 2.7	62,700	36.7	32.6 - 40.8	63,700	37.3	33.1 - 41.5	41,700	24.5	20.9 - 28.0	170,700
45-54	1,300	0.7	0.2 - 1.3	66,400	36.5	32.6 - 40.4	65,100	35.8	32.0 - 39.6	49,100	27.0	23.0 - 30.9	181,900
55-64	3,000	1.7	0.9 - 2.4	73,400	41.5	38.0 - 45.0	61,500	34.8	31.4 - 38.1	39,000	22.0	19.1 - 25.0	176,800
65-74	3,300	2.8	0.9 - 4.6	50,600	42.3	38.3 - 46.4	41,100	34.3	30.4 - 38.3	24,600	20.5	17.2 - 23.9	119,600
75+	5,200	5.3	3.4 - 7.2	52,200	52.8	47.9 - 57.6	30,900	31.2	26.9 - 35.5	10,700	10.8	7.5 - 14.1	99,000

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,600	2.8	1.8 - 3.8	142,100	41.5	38.9 - 44.1	119,900	35.1	32.5 - 37.6	70,500	20.6	18.3 - 22.9	342,100
Native Hawaiian	1,100	0.9	0.3 - 1.6	29,500	26.5	22.6 - 30.5	37,300	33.6	29.4 - 37.8	43,300	39.0	34.6 - 43.3	111,200
Chinese	2,400	3.7	1.3 - 6.2	39,500	60.7	53.9 - 67.4	17,600	26.9	20.8 - 33.1	5,700	8.7	5.3 - 12.2	65,200
Filipino	3,800	2.2	0.8 - 3.6	80,200	45.8	41.1 - 50.4	61,700	35.2	30.7 - 39.6	29,600	16.9	13.5 - 20.3	175,300
Japanese	6,000	2.7	1.8 - 3.7	109,100	49.5	45.9 - 53.1	73,600	33.4	30.1 - 36.6	31,800	14.4	11.7 - 17.1	220,400
Black	<50	0.1	0.0 - 0.2	4,300	31.6	17.6 - 45.6	5,100	37.3	23.4 - 51.2	4,300	31.0	15.9 - 46.2	13,700
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	5,200
Other Asian	1,700	6.3	2.1 - 10.5	13,800	51.6	39.9 - 63.3	8,100	30.2	18.5 - 41.9	3,200	11.9	5.0 - 18.7	26,800
Other Pacific Islander	0	0.0	0.0 - 0.0	6,600	21.2	12.6 - 29.9	6,600	21.3	14.4 - 28.3	17,700	57.4	47.9 - 67.0	30,900
Other	100	0.2	0.0 - 0.6	11,000	31.0	21.4 - 40.6	13,700	38.6	28.8 - 48.4	10,700	30.2	19.4 - 41.1	35,400

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	19,900	3.8	3.0 - 4.7	261,800	50.5	48.2 - 52.8	140,000	27.0	25.0 - 29.0	97,200	18.7	16.9 - 20.5	518,800
Male	5,200	1.0	0.4 - 1.5	186,900	34.5	32.2 - 36.8	216,100	39.9	37.6 - 42.2	134,000	24.7	22.6 - 26.8	542,100

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,200	4.5	0.0 - 11.0	10,600	41.2	26.9 - 55.5	8,000	31.0	17.0 - 45.0	6,000	23.3	10.4 - 36.2	25,900
Grades 9 thru 11 (Some High School)	2,900	3.8	0.8 - 6.8	30,600	39.7	31.4 - 47.9	19,500	25.3	18.6 - 31.9	24,100	31.3	23.4 - 39.1	77,100
Grades 12 or GED (High School Grad)	7,900	2.5	1.5 - 3.5	125,200	39.2	36.3 - 42.2	108,800	34.1	31.2 - 37.0	77,200	24.2	21.5 - 26.9	319,100
College 1 to 3 years (Some College/ Tech)	6,900	2.0	1.3 - 2.6	150,100	42.5	39.5 - 45.4	117,700	33.3	30.5 - 36.1	78,700	22.3	19.8 - 24.7	353,400
College 4 years or more (College Grad)	6,100	2.1	1.5 - 2.8	132,000	46.4	44.0 - 48.8	101,800	35.8	33.4 - 38.1	44,700	15.7	14.0 - 17.4	284,500

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,500	1.7	1.2 - 2.3	259,400	39.5	37.5 - 41.6	234,300	35.7	33.7 - 37.7	151,100	23.0	21.1 - 24.9	656,200
Unemployed	1,100	1.8	0.3 - 3.3	25,500	40.0	33.3 - 46.8	20,800	32.6	26.1 - 39.2	16,300	25.6	19.6 - 31.5	63,800
Retired/Unable to work	7,000	2.9	2.0 - 3.8	108,700	44.5	41.4 - 47.6	79,800	32.7	29.8 - 35.5	48,800	20.0	17.4 - 22.5	244,300
Student/Homemaker	5,400	5.6	2.9 - 8.4	54,300	57.0	51.1 - 63.0	20,700	21.7	17.0 - 26.4	14,900	15.6	11.9 - 19.4	95,300

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	3,000	6.3	2.9 - 9.7	20,100	41.6	35.1 - 48.2	14,400	29.8	23.5 - 36.1	10,800	22.3	17.2 - 27.3	48,300
\$10,000 to \$14,999	1,600	4.1	0.0 - 8.4	15,700	40.6	32.4 - 48.7	14,300	36.9	28.3 - 45.4	7,200	18.5	12.9 - 24.1	38,800
\$15,000 to \$19,999	1,600	2.3	1.0 - 3.6	30,700	44.7	38.2 - 51.3	19,700	28.7	22.6 - 34.8	16,600	24.3	18.8 - 29.8	68,600
\$20,000 to \$24,999	3,300	4.3	1.5 - 7.2	28,800	38.3	32.4 - 44.2	22,400	29.8	24.5 - 35.2	20,600	27.5	21.7 - 33.3	75,100
\$25,000 to \$34,999	2,400	2.1	1.1 - 3.1	50,700	43.9	38.6 - 49.3	39,500	34.2	29.3 - 39.1	22,800	19.8	16.0 - 23.5	115,500
\$35,000 to \$49,999	3,200	2.2	0.8 - 3.6	60,600	42.5	38.2 - 46.7	45,400	31.9	28.0 - 35.7	33,400	23.4	19.7 - 27.1	142,500
\$50,000 to \$74,999	2,300	1.5	0.7 - 2.3	53,200	35.4	31.5 - 39.3	58,800	39.1	35.0 - 43.3	36,000	23.9	19.9 - 28.0	150,200
\$75,000 or more	3,400	1.1	0.6 - 1.5	129,900	41.6	38.7 - 44.6	113,700	36.4	33.6 - 39.3	65,000	20.8	18.2 - 23.4	312,000

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,100	3.4	1.4 - 5.4	47,500	39.3	33.7 - 44.9	40,200	33.3	28.0 - 38.6	29,000	24.0	19.5 - 28.6	120,800
131-185%	1,700	2.3	0.8 - 3.8	32,700	44.6	37.8 - 51.5	22,400	30.6	24.6 - 36.6	16,500	22.5	17.1 - 27.9	73,200
186+%	5,700	1.9	1.2 - 2.6	134,800	44.3	41.4 - 47.2	108,100	35.5	32.8 - 38.2	55,700	18.3	15.9 - 20.8	304,400

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,100	1.6	1.1 - 2.1	226,400	40.6	38.4 - 42.8	203,400	36.5	34.3 - 38.7	118,800	21.3	19.4 - 23.2	557,700
Unmarried Couple	500	1.5	0.1 - 3.0	13,800	39.8	30.0 - 49.5	10,300	29.6	21.3 - 37.9	10,100	29.2	20.3 - 38.0	34,800
Widowed	3,900	5.7	2.7 - 8.8	31,900	46.4	40.3 - 52.5	21,700	31.5	25.9 - 37.1	11,300	16.4	12.1 - 20.7	68,800
Other	11,500	2.9	1.9 - 3.8	176,500	44.1	41.4 - 46.9	120,700	30.2	27.8 - 32.6	91,000	22.8	20.4 - 25.2	399,700

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	9,600	1.7	1.2 - 2.2	230,500	40.2	38.1 - 42.4	211,200	36.9	34.7 - 39.0	121,600	21.2	19.4 - 23.1	572,800
No	15,200	3.1	2.2 - 4.0	217,300	44.7	42.2 - 47.2	144,500	29.7	27.6 - 31.8	109,300	22.5	20.3 - 24.6	486,300

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,900	2.4	1.9 - 2.9	411,600	42.4	40.6 - 44.1	327,600	33.7	32.1 - 35.3	209,500	21.6	20.1 - 23.0	971,600
No	2,100	2.4	0.6 - 4.3	36,000	41.5	36.2 - 46.8	27,500	31.7	26.7 - 36.6	21,200	24.4	19.4 - 29.4	86,700

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	28,700	2.7	2.1 - 3.4	432,700	41.2	39.5 - 43.0	340,700	32.5	30.9 - 34.1	247,100	23.6	22.0 - 25.1	1,049,200

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,700	1.9	1.0 - 2.9	55,600	39.3	35.6 - 43.1	47,900	33.9	30.3 - 37.5	35,000	24.8	21.4 - 28.2	141,200
Honolulu	21,600	3.0	2.1 - 3.8	299,500	41.1	38.9 - 43.3	233,500	32.0	30.0 - 34.1	174,800	24.0	21.9 - 26.0	729,300
Kauai	1,300	2.5	0.8 - 4.2	25,400	49.7	43.7 - 55.7	13,800	27.0	22.2 - 31.8	10,700	20.8	16.0 - 25.6	51,200
Maui	3,100	2.7	1.6 - 3.7	46,700	39.9	35.7 - 44.1	42,400	36.2	31.9 - 40.5	24,900	21.3	17.7 - 24.8	117,100

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,700	1.9	1.0 - 2.9	55,600	39.3	35.6 - 43.1	47,900	33.9	30.3 - 37.5	35,000	24.8	21.4 - 28.2	141,200
Kauai	1,300	2.5	0.8 - 4.2	25,400	49.7	43.7 - 55.7	13,800	27.0	22.2 - 31.8	10,700	20.8	16.0 - 25.6	51,200
Lanai	<50	1.2	0.0 - 3.0	700	23.9	12.7 - 35.1	1,600	54.2	37.8 - 70.6	600	20.7	7.5 - 33.8	2,900
Maui	3,100	2.9	1.7 - 4.0	43,500	40.6	36.2 - 45.1	37,700	35.2	30.7 - 39.7	22,800	21.3	17.5 - 25.1	107,100
Molokai	<50	0.3	0.0 - 1.0	2,500	34.8	19.7 - 49.8	3,100	44.1	25.9 - 62.3	1,500	20.8	9.3 - 32.3	7,100
Oahu	21,600	3.0	2.1 - 3.8	299,500	41.1	38.9 - 43.3	233,500	32.0	30.0 - 34.1	174,800	24.0	21.9 - 26.0	729,300

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,500	2.2	0.5 - 3.9	24,700	35.5	28.4 - 42.6	24,100	34.7	27.5 - 41.8	19,200	27.6	20.5 - 34.7	69,500
Ala Moana	1,000	2.8	1.1 - 4.5	19,800	56.8	47.1 - 66.5	10,300	29.6	21.7 - 37.5	3,800	10.8	4.6 - 17.0	34,900
Hanalei/ Kapaa	500	2.1	0.0 - 4.5	12,700	54.4	45.3 - 63.6	5,300	22.9	16.3 - 29.4	4,800	20.5	14.0 - 27.1	23,400

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	800	2.1	0.3 - 3.8	16,200	40.1	33.1 - 47.1	12,500	31.1	24.8 - 37.4	10,800	26.7	20.3 - 33.1	40,300
Kaaawa/ Kahaluu/ Kaneohe	300	0.7	0.0 - 1.5	19,900	39.2	31.2 - 47.2	19,000	37.4	29.6 - 45.1	11,500	22.7	16.4 - 29.1	50,800
Kahului	500	1.5	0.3 - 2.7	11,900	35.2	27.4 - 43.0	14,300	42.1	32.9 - 51.2	7,200	21.2	14.3 - 28.2	33,900
Kailua/ Waimanalo	500	1.0	0.0 - 2.0	20,600	39.0	31.7 - 46.4	19,400	36.8	28.6 - 45.0	12,200	23.2	16.0 - 30.4	52,800
Kaimuki/ Palolo/ Waikiki	3,900	5.8	1.9 - 9.8	35,800	53.4	46.4 - 60.4	16,000	23.8	18.0 - 29.7	11,400	17.0	11.8 - 22.1	67,100
Kona	200	0.5	0.0 - 1.2	12,300	39.7	32.8 - 46.7	12,200	39.3	31.9 - 46.6	6,400	20.5	14.3 - 26.7	31,100
Lahaina/ Wailuku	1,200	3.1	0.9 - 5.4	15,900	41.0	34.0 - 48.0	13,000	33.6	26.9 - 40.2	8,700	22.3	15.9 - 28.8	38,800
Lanai	<50	1.2	0.0 - 3.0	700	23.9	12.7 - 35.1	1,600	54.2	37.8 - 70.6	600	20.7	7.5 - 33.8	2,900
Lihue-Waimea	800	2.7	0.3 - 5.2	12,700	45.7	38.0 - 53.4	8,500	30.5	23.6 - 37.3	5,900	21.1	14.2 - 28.0	27,800
Manoa/ Upper Makiki	1,700	3.5	1.2 - 5.8	23,300	47.0	39.7 - 54.3	16,600	33.6	26.6 - 40.6	7,900	15.9	10.5 - 21.4	49,500
Mililani/ Wahiawa	1,100	1.4	0.2 - 2.7	27,700	37.7	30.3 - 45.0	23,100	31.4	24.9 - 37.8	21,700	29.5	22.2 - 36.9	73,600
Molokai	<50	0.3	0.0 - 1.0	2,500	34.8	19.7 - 49.8	3,100	44.1	25.9 - 62.3	1,500	20.8	9.3 - 32.3	7,100

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nanakuli/ Waianae	400	0.9	0.0 - 2.1	9,400	23.6	13.0 - 34.1	11,500	28.8	18.4 - 39.3	18,700	46.7	34.6 - 58.8	40,000
N.Hawaii	700	2.6	0.0 - 5.3	9,500	34.8	26.9 - 42.7	10,200	37.4	29.2 - 45.7	6,900	25.2	18.3 - 32.1	27,300
N.Shore/ Laie	200	0.7	0.0 - 1.9	9,400	40.7	29.6 - 51.9	7,500	32.6	21.7 - 43.5	6,000	26.0	16.4 - 35.6	23,100
Nuuanu/ Kalihi/ Moanalua	2,600	4.2	1.4 - 7.0	27,300	43.8	36.3 - 51.3	17,800	28.5	22.3 - 34.8	14,600	23.5	16.6 - 30.4	62,300
Puna/ Kau	1,000	2.4	0.5 - 4.4	17,600	41.3	33.4 - 49.2	12,900	30.3	23.3 - 37.4	11,000	25.9	18.8 - 33.0	42,600
Salt Lake/ Foster Village	800	2.6	0.0 - 5.5	14,500	47.6	37.7 - 57.5	8,700	28.3	20.2 - 36.5	6,600	21.5	13.0 - 30.1	30,600
Upcountry/ Hana	1,300	3.9	1.5 - 6.2	15,700	45.6	37.7 - 53.5	10,400	30.3	23.6 - 37.0	7,000	20.2	13.9 - 26.6	34,400
Waialae/ Kahala/ Hawaii Kai	2,000	4.6	0.0 - 9.6	20,900	47.4	39.3 - 55.4	16,200	36.8	29.0 - 44.6	5,000	11.3	7.1 - 15.5	44,100
Waipahu/ Kapolei/ Ewa	5,500	4.2	1.0 - 7.4	46,200	35.2	29.9 - 40.5	43,300	33.0	27.6 - 38.3	36,200	27.6	22.0 - 33.1	131,100

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,300	4.1	2.0 - 6.3	72,400	57.0	51.2 - 62.9	27,400	21.6	16.9 - 26.3	21,900	17.3	12.7 - 21.9	127,000
25-34	3,900	2.2	0.7 - 3.7	75,400	42.5	38.0 - 47.0	54,100	30.5	26.5 - 34.6	43,800	24.7	20.7 - 28.8	177,200
35-44	2,500	1.5	0.7 - 2.3	57,900	34.0	29.9 - 38.1	55,300	32.5	28.3 - 36.7	54,400	32.0	27.4 - 36.6	170,100
45-54	4,700	2.6	0.8 - 4.3	66,700	35.9	31.8 - 40.0	62,900	33.9	29.9 - 37.8	51,400	27.7	23.5 - 31.8	185,700
55-64	3,500	2.0	0.2 - 3.8	62,700	35.7	32.1 - 39.2	64,100	36.4	32.8 - 40.1	45,600	25.9	22.5 - 29.3	175,900
65-74	2,900	2.6	1.5 - 3.7	43,100	37.8	33.6 - 42.0	47,800	42.0	37.5 - 46.5	20,000	17.6	14.4 - 20.8	113,800
75+	5,700	6.0	3.6 - 8.4	52,100	54.8	49.9 - 59.7	27,800	29.3	24.8 - 33.8	9,400	9.9	7.0 - 12.8	95,000

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	9,400	2.8	1.8 - 3.9	145,200	44.1	41.3 - 46.8	107,700	32.7	30.2 - 35.2	67,300	20.4	18.0 - 22.8	329,500
Native Hawaiian	2,200	1.7	0.6 - 2.7	28,700	21.5	17.5 - 25.5	43,200	32.4	27.7 - 37.1	59,200	44.4	39.3 - 49.5	133,400
Chinese	3,300	4.6	2.4 - 6.8	39,700	54.9	48.2 - 61.7	17,700	24.5	19.1 - 29.8	11,600	16.0	10.5 - 21.5	72,300
Filipino	3,600	2.2	0.2 - 4.1	68,600	41.5	36.5 - 46.5	55,600	33.6	29.0 - 38.3	37,500	22.7	18.0 - 27.3	165,300
Japanese	7,200	3.0	1.7 - 4.3	106,600	44.7	41.1 - 48.3	84,600	35.5	32.0 - 39.1	40,000	16.8	14.1 - 19.5	238,400
Black	300	1.4	0.0 - 3.2	5,500	26.6	16.2 - 37.0	7,400	35.9	22.2 - 49.6	7,500	36.1	21.7 - 50.5	20,700
Native Alaskan/ American Indian	<50	0.5	0.0 - 1.5	3,100	46.0	27.7 - 64.3	2,100	31.5	16.1 - 46.9	1,500	22.0	8.1 - 36.0	6,700
Other Asian	2,300	7.6	0.0 - 15.4	18,000	59.4	48.7 - 70.2	6,600	21.9	14.3 - 29.4	3,300	11.1	5.1 - 17.0	30,200
Other Pacific Islander	300	1.2	0.0 - 2.5	5,200	23.8	11.4 - 36.2	6,000	27.8	15.8 - 39.7	10,300	47.2	35.2 - 59.3	21,700
Other	100	0.3	0.0 - 0.8	10,300	37.1	25.5 - 48.7	8,700	31.3	21.1 - 41.4	8,700	31.4	18.6 - 44.3	27,800

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	21,100	4.1	3.1 - 5.1	255,600	49.4	47.0 - 51.9	135,600	26.2	24.1 - 28.4	104,700	20.3	18.3 - 22.2	517,000
Male	7,600	1.4	0.7 - 2.2	177,100	33.3	30.9 - 35.6	205,100	38.5	36.1 - 40.9	142,400	26.8	24.4 - 29.2	532,100

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	1,100	7.3	0.0 - 15.4	5,600	36.1	20.9 - 51.4	6,600	42.3	24.6 - 60.0	2,200	14.3	2.1 - 26.5	15,600
Grades 9 thru 11 (Some High School)	2,000	2.4	0.4 - 4.4	33,900	39.8	31.4 - 48.1	23,900	28.0	20.4 - 35.7	25,400	29.8	22.1 - 37.6	85,200
Grades 12 or GED (High School Grad)	9,300	2.9	1.7 - 4.1	120,800	38.0	34.9 - 41.1	99,400	31.3	28.4 - 34.1	88,500	27.8	24.8 - 30.9	318,000
College 1 to 3 years (Some College/ Tech)	11,000	3.2	1.9 - 4.5	140,400	40.5	37.4 - 43.7	113,600	32.8	29.8 - 35.7	81,700	23.6	20.8 - 26.4	346,600
College 4 years or more (College Grad)	5,100	1.8	1.3 - 2.3	131,900	46.6	44.1 - 49.1	96,800	34.2	31.8 - 36.6	49,300	17.4	15.4 - 19.4	283,100

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,400	1.8	1.1 - 2.5	246,300	39.6	37.4 - 41.8	210,900	33.9	31.8 - 36.0	153,600	24.7	22.6 - 26.8	622,300
Unemployed	3,800	5.1	0.3 - 9.8	24,400	32.1	24.7 - 39.5	20,800	27.5	20.6 - 34.3	26,800	35.4	27.6 - 43.1	75,900
Retired/Unable to work	9,000	3.7	2.6 - 4.8	101,000	41.6	38.5 - 44.8	84,600	34.9	31.8 - 38.0	47,900	19.8	17.1 - 22.4	242,600
Student/Homemaker	4,400	4.1	2.1 - 6.1	60,500	56.6	50.7 - 62.5	23,800	22.2	17.5 - 26.9	18,300	17.1	12.7 - 21.5	106,900

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,900	5.6	2.6 - 8.6	19,800	37.8	29.9 - 45.8	16,300	31.2	23.1 - 39.4	13,300	25.3	17.3 - 33.4	52,300
\$10,000 to \$14,999	2,500	6.7	0.0 - 14.5	11,600	31.2	23.2 - 39.2	11,900	31.9	21.9 - 41.9	11,200	30.2	20.3 - 40.0	37,300
\$15,000 to \$19,999	1,300	2.1	0.6 - 3.7	26,100	43.2	36.3 - 50.0	18,600	30.8	24.0 - 37.6	14,500	23.9	18.3 - 29.5	60,600
\$20,000 to \$24,999	1,500	2.1	0.6 - 3.6	29,400	41.2	34.6 - 47.7	21,600	30.2	24.4 - 35.9	19,000	26.5	19.7 - 33.4	71,500
\$25,000 to \$34,999	3,300	3.1	1.6 - 4.5	44,500	41.4	36.1 - 46.7	34,200	31.8	27.0 - 36.7	25,500	23.7	18.6 - 28.9	107,600
\$35,000 to \$49,999	3,400	2.3	1.3 - 3.3	61,500	42.2	37.5 - 46.9	44,600	30.6	26.6 - 34.5	36,400	24.9	20.5 - 29.4	145,800
\$50,000 to \$74,999	2,300	1.6	0.1 - 3.0	59,600	40.0	35.7 - 44.3	51,800	34.8	30.5 - 39.0	35,300	23.7	19.8 - 27.6	149,100
\$75,000 or more	7,400	2.4	1.2 - 3.5	125,300	39.8	36.8 - 42.8	110,200	35.0	32.1 - 37.9	72,000	22.9	20.2 - 25.5	315,000

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	4,700	3.1	0.9 - 5.2	55,900	36.9	31.1 - 42.7	45,200	29.8	24.4 - 35.2	45,800	30.2	24.1 - 36.4	151,600
131-185%	2,400	2.8	1.2 - 4.3	38,400	43.6	36.9 - 50.4	27,200	30.9	24.8 - 37.1	20,000	22.7	16.6 - 28.8	88,000
186+%	10,100	2.8	1.6 - 4.0	148,200	40.7	37.9 - 43.5	128,000	35.1	32.4 - 37.9	77,900	21.4	18.9 - 23.8	364,300

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,400	2.0	1.3 - 2.8	199,800	39.1	36.8 - 41.4	180,000	35.2	32.9 - 37.5	121,100	23.7	21.6 - 25.8	511,300
Unmarried Couple	900	2.6	0.0 - 5.2	14,300	40.5	30.9 - 50.2	9,500	27.0	19.4 - 34.6	10,600	29.9	19.1 - 40.6	35,300
Widowed	4,000	5.3	3.1 - 7.6	38,600	51.5	45.4 - 57.6	20,700	27.6	22.5 - 32.7	11,700	15.6	10.7 - 20.5	75,000
Other	13,400	3.1	2.0 - 4.3	180,000	42.1	39.2 - 45.0	130,400	30.5	27.9 - 33.1	103,800	24.3	21.6 - 26.9	427,600

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,600	2.0	1.3 - 2.8	203,700	39.0	36.7 - 41.2	184,000	35.2	33.0 - 37.5	124,100	23.8	21.7 - 25.8	522,500
No	18,100	3.4	2.4 - 4.5	228,400	43.5	40.9 - 46.1	155,600	29.6	27.3 - 32.0	122,800	23.4	21.0 - 25.8	524,800

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	26,600	2.8	2.1 - 3.5	386,800	41.2	39.4 - 43.0	307,900	32.8	31.1 - 34.5	217,600	23.2	21.5 - 24.8	938,900
No	1,900	1.8	0.9 - 2.7	45,400	41.7	35.8 - 47.6	32,500	29.8	24.3 - 35.3	29,100	26.7	21.0 - 32.4	108,800

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Totals	28,300	2.8	2.2 - 3.4	424,300	41.6	39.8 - 43.3	345,000	33.8	32.1 - 35.5	223,000	21.9	20.4 - 23.3	1,020,500

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,100	2.2	1.0 - 3.4	55,500	39.1	35.3 - 42.9	49,300	34.7	31.1 - 38.4	34,000	24.0	20.8 - 27.2	142,000
Honolulu	22,000	3.1	2.3 - 3.9	290,300	41.1	38.9 - 43.4	240,200	34.0	31.9 - 36.2	153,400	21.7	19.8 - 23.7	705,900
Kauai	1,200	2.4	1.1 - 3.7	23,200	45.5	39.4 - 51.6	17,000	33.4	27.7 - 39.0	9,600	18.8	14.8 - 22.7	51,000
Maui	1,700	1.5	0.8 - 2.2	51,500	45.4	41.4 - 49.4	35,200	31.1	27.6 - 34.6	24,900	22.0	18.9 - 25.0	113,300

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,100	2.2	1.0 - 3.4	55,500	39.1	35.3 - 42.9	49,300	34.7	31.1 - 38.4	34,000	24.0	20.8 - 27.2	142,000
Kauai	1,200	2.4	1.1 - 3.7	23,200	45.5	39.4 - 51.6	17,000	33.4	27.7 - 39.0	9,600	18.8	14.8 - 22.7	51,000
Lanai	100	1.7	0.0 - 3.7	1,200	32.3	24.0 - 40.5	1,700	44.5	34.8 - 54.3	800	21.5	14.6 - 28.4	3,800
Maui	1,600	1.6	0.8 - 2.4	46,500	46.4	42.0 - 50.8	30,600	30.5	26.7 - 34.4	21,500	21.5	18.1 - 24.8	100,300
Molokai	100	0.6	0.0 - 1.3	3,700	40.3	31.2 - 49.5	2,900	31.6	23.2 - 40.1	2,500	27.4	19.5 - 35.3	9,200
Oahu	22,000	3.1	2.3 - 3.9	290,300	41.1	38.9 - 43.4	240,200	34.0	31.9 - 36.2	153,400	21.7	19.8 - 23.7	705,900

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,800	3.0	0.9 - 5.2	22,100	36.4	29.7 - 43.1	22,000	36.1	29.2 - 43.0	14,900	24.5	18.2 - 30.7	60,800
Ala Moana	1,600	5.3	1.6 - 8.9	15,800	53.3	44.0 - 62.6	7,700	25.9	17.5 - 34.2	4,600	15.6	8.4 - 22.7	29,600
Hanalei/ Kapaa	700	2.8	1.0 - 4.6	11,100	47.4	38.2 - 56.6	8,100	34.6	25.5 - 43.6	3,600	15.2	9.7 - 20.8	23,400

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hilo	1,200	3.0	0.0 - 6.0	13,100	33.2	26.6 - 39.8	14,900	37.5	30.7 - 44.4	10,400	26.3	19.9 - 32.8	39,600
Kaaawa/ Kahaluu/ Kaneohe	1,900	3.9	1.3 - 6.5	20,000	40.3	32.0 - 48.7	18,600	37.5	29.1 - 45.8	9,100	18.3	11.9 - 24.6	49,600
Kahului	500	1.4	0.5 - 2.4	18,400	50.9	43.5 - 58.3	10,500	29.1	22.9 - 35.3	6,700	18.6	13.1 - 24.0	36,200
Kailua/ Waimanalo	3,600	6.8	0.6 - 13.0	21,300	40.4	31.5 - 49.3	17,700	33.6	25.0 - 42.1	10,200	19.2	13.2 - 25.3	52,800
Kaimuki/ Palolo/ Waikiki	2,400	3.8	1.5 - 6.1	31,800	50.4	43.2 - 57.7	20,700	32.8	26.2 - 39.3	8,200	13.0	8.1 - 17.9	63,000
Kona	1,000	3.4	0.0 - 6.9	12,600	44.0	36.0 - 52.0	9,000	31.6	24.2 - 38.9	6,000	21.0	14.3 - 27.8	28,600
Lahaina/ Wailuku	600	2.0	0.0 - 4.2	12,800	39.8	31.9 - 47.7	10,200	31.8	24.9 - 38.6	8,500	26.4	19.9 - 32.9	32,200
Lanai	100	1.7	0.0 - 3.7	1,200	32.3	24.0 - 40.5	1,700	44.5	34.8 - 54.3	800	21.5	14.6 - 28.4	3,800
Lihue-Waimea	500	2.0	0.2 - 3.8	12,100	43.9	35.6 - 52.1	8,900	32.3	25.4 - 39.3	6,000	21.8	16.2 - 27.4	27,500
Manoa/ Upper Makiki	2,700	6.1	2.9 - 9.4	22,100	49.5	42.3 - 56.7	12,300	27.5	21.5 - 33.6	7,500	16.8	11.4 - 22.1	44,600
Mililani/ Wahiawa	1,800	2.7	0.6 - 4.8	26,200	38.9	31.4 - 46.3	22,000	32.6	25.9 - 39.3	17,400	25.8	18.9 - 32.7	67,400
Molokai	100	0.6	0.0 - 1.3	3,700	40.3	31.2 - 49.5	2,900	31.6	23.2 - 40.1	2,500	27.4	19.5 - 35.3	9,200

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Nanakuli/ Waianae	600	2.1	0.0 - 5.3	8,400	27.3	16.9 - 37.8	10,800	34.9	24.9 - 45.0	11,000	35.6	25.5 - 45.7	30,800
N.Hawaii	200	0.7	0.0 - 1.5	13,000	42.0	34.1 - 49.9	11,600	37.5	29.3 - 45.7	6,100	19.8	14.1 - 25.4	30,900
N.Shore/ Laie	<50	0.2	0.0 - 0.6	9,100	38.5	25.2 - 51.8	11,200	47.3	33.8 - 60.8	3,300	14.0	6.3 - 21.7	23,600
Nuuanu/ Kalihi/ Moanalua	1,000	1.4	0.0 - 2.9	27,500	40.8	33.3 - 48.3	20,500	30.5	23.4 - 37.5	18,400	27.3	19.7 - 34.9	67,300
Puna/ Kau	800	1.8	0.4 - 3.2	16,800	39.2	31.6 - 46.7	13,800	32.3	25.4 - 39.1	11,500	26.8	20.5 - 33.1	42,900
Salt Lake/ Foster Village	500	1.2	0.0 - 3.0	16,100	44.4	34.0 - 54.8	14,900	41.0	31.0 - 51.0	4,800	13.3	7.4 - 19.2	36,300
Upcountry/ Hana	400	1.3	0.4 - 2.2	15,300	47.9	40.4 - 55.4	9,900	31.0	23.9 - 38.0	6,300	19.8	14.4 - 25.3	31,800
Waialae/ Kahala/ Hawaii Kai	500	1.1	0.0 - 2.3	21,900	52.9	44.6 - 61.3	13,600	32.9	25.3 - 40.5	5,400	13.1	7.1 - 19.0	41,300
Waipahu/ Kapolei/ Ewa	3,500	2.5	0.4 - 4.7	48,000	34.6	29.2 - 40.0	48,500	34.9	29.3 - 40.5	38,700	27.9	22.6 - 33.2	138,800

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	7,000	5.7	2.1 - 9.4	72,300	59.0	51.9 - 66.1	31,900	26.0	19.6 - 32.4	11,300	9.3	5.5 - 13.1	122,500
25-34	4,900	2.6	1.2 - 4.0	72,600	38.9	34.3 - 43.5	64,900	34.8	30.2 - 39.3	44,100	23.7	19.4 - 27.9	186,600
35-44	1,900	1.1	0.4 - 1.9	62,100	36.3	32.1 - 40.5	54,800	32.0	27.9 - 36.2	52,300	30.5	26.3 - 34.8	171,100
45-54	3,000	1.7	0.9 - 2.5	66,500	37.4	33.7 - 41.1	63,400	35.7	32.0 - 39.5	44,700	25.2	21.7 - 28.6	177,500
55-64	4,400	2.8	1.7 - 3.9	61,700	38.9	35.8 - 42.1	55,800	35.2	32.1 - 38.3	36,500	23.1	20.4 - 25.8	158,400
65-74	2,200	2.2	1.3 - 3.0	34,900	35.2	31.7 - 38.8	38,300	38.7	34.7 - 42.6	23,700	23.9	20.4 - 27.5	99,200
75+	4,800	4.7	3.1 - 6.4	51,200	50.8	46.4 - 55.1	34,800	34.5	30.4 - 38.7	10,100	10.0	7.1 - 12.8	100,800

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	10,600	3.1	1.9 - 4.2	147,600	42.8	39.9 - 45.7	115,500	33.5	30.9 - 36.1	71,200	20.6	18.3 - 23.0	344,900
Native Hawaiian	1,100	1.0	0.0 - 2.1	26,800	24.7	20.4 - 29.1	36,400	33.5	28.6 - 38.3	44,200	40.8	36.0 - 45.6	108,600
Chinese	1,500	2.5	0.5 - 4.4	36,400	59.1	51.7 - 66.4	19,600	31.8	24.6 - 38.9	4,100	6.7	3.7 - 9.7	61,600
Filipino	4,700	2.6	0.8 - 4.3	81,300	44.4	39.6 - 49.2	59,800	32.6	28.1 - 37.1	37,600	20.5	16.5 - 24.5	183,400
Japanese	8,300	3.9	2.7 - 5.1	95,500	45.0	41.6 - 48.4	74,100	34.9	31.6 - 38.2	34,200	16.1	13.6 - 18.7	212,100
Black	200	1.6	0.0 - 4.8	2,500	17.0	7.6 - 26.4	5,200	35.9	20.3 - 51.5	6,500	45.4	27.9 - 62.9	14,400
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	4,800
Other Asian	1,100	4.1	0.1 - 8.0	13,100	48.9	38.1 - 59.6	8,800	32.8	22.4 - 43.3	3,800	14.3	5.5 - 23.0	26,900
Other Pacific Islander	0	0.0	0.0 - 0.0	6,300	24.7	11.8 - 37.7	8,900	34.9	21.3 - 48.6	10,200	40.3	27.6 - 53.1	25,400
Other	600	1.8	0.0 - 4.0	11,400	33.1	23.3 - 42.8	12,300	35.7	24.9 - 46.5	10,200	29.5	19.3 - 39.6	34,500

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Female	21,100	4.2	3.3 - 5.2	244,500	49.0	46.6 - 51.3	137,700	27.6	25.5 - 29.7	96,000	19.2	17.4 - 21.1	499,400
Male	7,100	1.4	0.6 - 2.1	179,800	34.5	32.0 - 37.0	207,300	39.8	37.2 - 42.3	126,900	24.4	22.1 - 26.6	521,100

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	100	0.2	0.0 - 0.7	11,900	49.8	36.7 - 62.9	7,800	32.6	21.2 - 44.1	4,200	17.3	8.2 - 26.5	24,000
Grades 9 thru 11 (Some High School)	2,100	2.6	0.3 - 5.0	31,300	39.5	30.9 - 48.1	22,100	27.8	20.5 - 35.2	23,800	30.1	22.2 - 37.9	79,300
Grades 12 or GED (High School Grad)	7,300	2.3	1.2 - 3.5	119,300	38.0	34.8 - 41.3	108,900	34.7	31.4 - 38.0	78,200	24.9	22.1 - 27.8	313,800
College 1 to 3 years (Some College/ Tech)	10,100	3.1	1.9 - 4.2	132,800	40.2	37.1 - 43.3	112,300	34.0	31.0 - 36.9	75,200	22.8	20.1 - 25.4	330,500
College 4 years or more (College Grad)	8,700	3.2	2.2 - 4.1	128,500	47.2	44.6 - 49.7	93,800	34.4	32.0 - 36.8	41,500	15.2	13.5 - 17.0	272,500

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	12,200	2.0	1.4 - 2.6	240,400	40.0	37.8 - 42.3	209,300	34.9	32.7 - 37.1	138,400	23.1	21.0 - 25.1	600,300
Unemployed	1,000	1.3	0.2 - 2.3	30,100	39.2	32.0 - 46.4	25,500	33.2	26.2 - 40.2	20,300	26.4	20.3 - 32.5	76,900
Retired/Unable to work	7,000	3.0	2.3 - 3.8	92,200	40.0	37.1 - 42.8	84,000	36.4	33.6 - 39.3	47,500	20.6	18.1 - 23.1	230,600
Student/Homemaker	8,100	7.2	3.2 - 11.2	61,400	54.7	48.2 - 61.1	26,200	23.3	17.6 - 29.0	16,600	14.8	10.9 - 18.7	112,300

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,500	3.5	1.3 - 5.7	17,500	39.8	31.5 - 48.0	14,400	32.7	25.1 - 40.2	10,600	24.1	16.5 - 31.7	44,100
\$10,000 to \$14,999	1,100	3.3	1.2 - 5.4	14,200	41.1	32.3 - 49.9	11,600	33.8	24.9 - 42.6	7,500	21.9	14.3 - 29.4	34,400
\$15,000 to \$19,999	1,800	3.1	0.0 - 6.9	27,800	46.8	38.8 - 54.7	15,100	25.5	19.5 - 31.5	14,600	24.7	17.8 - 31.5	59,400
\$20,000 to \$24,999	1,800	2.4	0.3 - 4.4	30,400	40.6	33.9 - 47.3	28,900	38.5	31.8 - 45.2	13,900	18.5	13.9 - 23.2	75,000
\$25,000 to \$34,999	1,700	1.7	0.8 - 2.7	46,800	45.6	40.4 - 50.9	31,500	30.8	26.0 - 35.5	22,400	21.9	17.8 - 26.0	102,500
\$35,000 to \$49,999	5,100	3.7	2.1 - 5.3	57,700	41.4	36.9 - 46.0	48,800	35.0	30.5 - 39.5	27,700	19.9	16.6 - 23.2	139,300
\$50,000 to \$74,999	6,000	3.5	1.4 - 5.5	61,400	35.7	31.6 - 39.7	56,200	32.7	28.6 - 36.8	48,400	28.2	23.7 - 32.7	172,000
\$75,000 or more	5,500	1.9	1.1 - 2.6	119,800	40.4	37.2 - 43.5	109,100	36.8	33.7 - 39.9	62,300	21.0	18.4 - 23.6	296,700

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	3,600	2.2	0.7 - 3.8	61,300	38.0	33.0 - 43.0	58,200	36.1	31.3 - 40.9	38,300	23.7	19.6 - 27.9	161,300
131-185%	3,600	3.2	1.6 - 4.9	47,200	42.1	36.8 - 47.4	36,300	32.4	27.1 - 37.7	25,000	22.3	17.7 - 26.8	112,100
186+%	13,100	3.0	2.0 - 3.9	179,000	40.5	38.0 - 43.0	153,900	34.8	32.4 - 37.2	96,000	21.7	19.5 - 23.9	442,100

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,000	2.0	1.4 - 2.6	194,500	39.5	37.3 - 41.7	174,100	35.4	33.2 - 37.5	113,400	23.1	21.1 - 25.0	492,100
Unmarried Couple	500	1.2	0.0 - 2.6	18,800	41.1	31.6 - 50.7	13,400	29.3	21.1 - 37.5	13,000	28.4	20.0 - 36.8	45,700
Widowed	3,200	4.3	2.5 - 6.1	35,300	46.9	41.9 - 51.9	25,600	34.0	29.3 - 38.7	11,200	14.8	11.5 - 18.2	75,200
Other	14,500	3.6	2.3 - 4.8	175,700	43.1	39.9 - 46.3	131,900	32.4	29.4 - 35.4	85,400	21.0	18.4 - 23.5	407,600

Weight - BMI status, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,200	2.0	1.4 - 2.6	199,200	39.3	37.1 - 41.5	177,700	35.1	32.9 - 37.2	119,800	23.6	21.6 - 25.6	507,000
No	18,000	3.5	2.5 - 4.6	224,000	43.7	41.0 - 46.5	167,100	32.6	30.0 - 35.2	103,100	20.1	18.0 - 22.3	512,200

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	26,200	2.9	2.2 - 3.5	376,800	41.0	39.2 - 42.8	311,200	33.8	32.1 - 35.6	205,700	22.4	20.8 - 23.9	920,000
No	1,900	1.9	0.6 - 3.3	45,700	46.7	40.3 - 53.0	33,100	33.8	27.7 - 39.8	17,300	17.6	13.3 - 22.0	98,000