

Weight - Expanded BMI, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

The trend analysis report shows the values for the selected health variable in table and graph form. Due to the addition of cell phones to the survey and changes in the weighting methodology, results from 2011 and forward cannot be trended with data from prior years. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

Below are the indicators included in this report and the long description for each indicator.

BRFSS Health Indicator	Health Ind Desc
Weight - Expanded BMI	Body Mass Index (BMI) Expanded Weight Status

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System, (report title and years), Report Created: 1/29/16

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

For questions about this report, please contact
The Hawaii Health Data Warehouse


profiles@hhdw.org

(855) 946-5899 x15

Weight - Expanded BMI, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)		
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)
2011	28,300	2.8	2.2 - 3.4	424,300	41.6	39.8 - 43.3	345,000	33.8	32.1 - 35.5	141,800	13.9	12.7 - 15.1	51,000	5.0	4.2 - 5.8
2012	28,700	2.7	2.1 - 3.4	432,700	41.2	39.5 - 43.0	340,700	32.5	30.9 - 34.1	162,500	15.5	14.1 - 16.8	53,700	5.1	4.3 - 6.0
2013	25,000	2.4	1.9 - 2.8	448,600	42.3	40.7 - 43.9	356,100	33.6	32.0 - 35.1	156,900	14.8	13.5 - 16.0	49,100	4.6	3.9 - 5.3
2014	25,600	2.4	2.0 - 2.9	413,200	39.5	37.8 - 41.1	377,100	36.0	34.4 - 37.7	151,000	14.4	13.2 - 15.6	47,600	4.5	3.9 - 5.2



Weight - Expanded BMI, for the State of Hawaii, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Obese 3 (BMI >= 40)			Estimated Population
#	%	C.I.(95%)	#
30,200	3.0	2.3 - 3.6	1,020,500
30,900	2.9	2.3 - 3.6	1,049,200
25,200	2.4	1.9 - 2.8	1,060,900
32,300	3.1	2.5 - 3.7	1,046,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Totals	25,600	2.4	2.0 - 2.9	413,200	39.5	37.8 - 41.1	377,100	36.0	34.4 - 37.7	151,000	14.4	13.2 - 15.6	47,600	4.5	3.9 - 5.2	32,300	3.1	2.5 - 3.7

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	4,700	3.3	1.8 - 4.8	55,000	38.8	35.4 - 42.3	53,200	37.5	34.0 - 41.0	18,100	12.8	10.4 - 15.2	6,300	4.4	3.0 - 5.9	4,400	3.1	1.9 - 4.4
Honolulu	16,400	2.3	1.7 - 2.9	274,400	38.9	36.7 - 41.2	256,400	36.4	34.2 - 38.6	102,700	14.6	13.0 - 16.2	32,800	4.6	3.8 - 5.5	21,900	3.1	2.3 - 3.9
Kauai	1,200	2.2	1.1 - 3.4	20,900	40.5	36.0 - 44.9	17,900	34.7	30.4 - 39.0	7,200	14.0	10.7 - 17.3	2,800	5.4	3.3 - 7.5	n/r	n/r	n/r
Maui	2,700	2.3	1.4 - 3.2	49,100	41.6	38.0 - 45.3	38,400	32.6	29.2 - 35.9	19,600	16.6	13.8 - 19.3	4,900	4.2	2.7 - 5.7	3,200	2.7	1.6 - 3.9

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

State	Estimated Population
	#
Totals	1,046,700

County	Estimated Population
	#
Hawaii	141,800
Honolulu	704,500
Kauai	51,600
Maui	118,100

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	4,700	3.3	1.8 - 4.8	55,000	38.8	35.4 - 42.3	53,200	37.5	34.0 - 41.0	18,100	12.8	10.4 - 15.2	6,300	4.4	3.0 - 5.9	4,400	3.1	1.9 - 4.4
Kauai	1,200	2.2	1.1 - 3.4	20,900	40.5	36.0 - 44.9	17,900	34.7	30.4 - 39.0	7,200	14.0	10.7 - 17.3	2,800	5.4	3.3 - 7.5	n/r	n/r	n/r
Lanai	0	0.0	0.0 - 0.0	1,100	52.9	24.8 - 80.9	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r
Maui	2,600	2.4	1.4 - 3.4	46,300	42.4	38.5 - 46.2	35,300	32.3	28.8 - 35.9	18,000	16.4	13.6 - 19.3	4,300	4.0	2.4 - 5.6	2,700	2.5	1.4 - 3.7
Molokai	n/r	n/r	n/r	1,800	26.0	16.4 - 35.6	2,300	33.9	21.9 - 46.0	1,600	23.0	12.0 - 34.1	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	16,400	2.3	1.7 - 2.9	274,400	38.9	36.7 - 41.2	256,400	36.4	34.2 - 38.6	102,700	14.6	13.0 - 16.2	32,800	4.6	3.8 - 5.5	21,900	3.1	2.3 - 3.9

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Aiea/ Pearl City	n/r	n/r	n/r	22,100	34.7	27.1 - 42.2	19,200	30.1	23.4 - 36.7	13,400	20.9	14.3 - 27.6	4,000	6.2	3.0 - 9.5	n/r	n/r	n/r
Ala Moana	n/r	n/r	n/r	12,300	41.9	31.4 - 52.3	10,900	37.3	27.7 - 46.9	3,300	11.1	4.8 - 17.5	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	Estimated Population
	#
Hawaii	141,800
Kauai	51,600
Lanai	2,100
Maui	109,200
Molokai	6,800
Oahu	704,500

Community	Estimated Population
	#
Aiea/ Pearl City	63,900
Ala Moana	29,300

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hanalei/ Kapaa	n/r	n/r	n/r	9,800	48.7	41.6 - 55.7	5,800	28.8	22.6 - 35.0	3,200	15.7	9.7 - 21.8	n/r	n/r	n/r	n/r	n/r	n/r
Hilo	n/r	n/r	n/r	14,700	38.9	32.6 - 45.2	12,800	33.9	27.9 - 40.0	6,100	16.2	11.1 - 21.4	1,900	5.1	2.2 - 8.0	1,500	4.0	1.7 - 6.3
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	15,000	29.7	22.5 - 36.9	22,200	43.7	35.2 - 52.2	8,100	16.0	10.1 - 22.0	3,700	7.3	3.3 - 11.3	n/r	n/r	n/r
Kahului	n/r	n/r	n/r	15,700	43.5	36.5 - 50.4	12,400	34.4	27.8 - 41.0	4,900	13.7	8.9 - 18.4	n/r	n/r	n/r	n/r	n/r	n/r
Kailua/ Waimanalo	n/r	n/r	n/r	27,200	54.9	46.7 - 63.1	14,800	29.9	22.8 - 37.0	2,500	5.0	2.4 - 7.7	n/r	n/r	n/r	n/r	n/r	n/r
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	24,100	43.0	36.2 - 49.8	22,300	39.9	33.1 - 46.8	5,200	9.3	5.8 - 12.7	n/r	n/r	n/r	n/r	n/r	n/r
Kona	n/r	n/r	n/r	13,400	41.2	33.7 - 48.7	11,800	36.1	28.7 - 43.4	2,800	8.4	4.1 - 12.7	n/r	n/r	n/r	n/r	n/r	n/r
Lahaina/ Wailuku	n/r	n/r	n/r	15,100	39.2	33.2 - 45.1	11,400	29.6	24.1 - 35.0	8,700	22.5	16.9 - 28.1	1,200	3.0	1.3 - 4.8	n/r	n/r	n/r
Lanai	0	0.0	0.0 - 0.0	1,100	52.9	24.8 - 80.9	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r	n/r	n/r	n/r
Lihue-Waimea	n/r	n/r	n/r	11,100	35.3	29.6 - 41.0	12,100	38.4	32.6 - 44.2	4,100	12.9	9.1 - 16.6	2,400	7.6	4.4 - 10.9	n/r	n/r	n/r
Manoa/ Upper Makiki	n/r	n/r	n/r	20,900	45.9	38.2 - 53.5	12,600	27.5	21.3 - 33.7	7,500	16.5	10.5 - 22.5	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Hanalei/ Kapaa	20,100
Hilo	37,700
Kaaawa/ Kahaluu/ Kaneohe	50,700
Kahului	36,200
Kailua/ Waimanalo	49,600
Kaimuki/ Palolo/ Waikiki	56,000
Kona	32,600
Lahaina/ Wailuku	38,500
Lanai	2,100
Lihue-Waimea	31,600
Manoa/ Upper Makiki	45,600

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Mililani/ Wahiawa	n/r	n/r	n/r	23,800	38.0	30.3 - 45.7	24,300	38.8	30.6 - 47.0	9,500	15.1	9.0 - 21.2	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	1,800	26.0	16.4 - 35.6	2,300	33.9	21.9 - 46.0	1,600	23.0	12.0 - 34.1	n/r	n/r	n/r	n/r	n/r	n/r
Nanakuli/ Waianae	n/r	n/r	n/r	11,300	27.9	18.3 - 37.5	12,400	30.5	22.7 - 38.3	8,500	20.9	13.6 - 28.3	3,800	9.4	4.6 - 14.2	4,300	10.6	5.7 - 15.5
N.Hawaii	n/r	n/r	n/r	10,600	39.9	32.1 - 47.8	10,900	40.9	33.3 - 48.4	3,600	13.4	8.4 - 18.4	n/r	n/r	n/r	n/r	n/r	n/r
N.Shore/ Laie	n/r	n/r	n/r	9,800	39.5	27.6 - 51.4	8,700	35.0	23.3 - 46.8	3,100	12.6	5.9 - 19.4	n/r	n/r	n/r	n/r	n/r	n/r
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	26,800	36.5	29.8 - 43.2	29,100	39.6	32.5 - 46.6	13,000	17.6	12.2 - 23.1	2,200	3.0	1.3 - 4.7	n/r	n/r	n/r
Puna/ Kau	1,600	3.5	1.5 - 5.5	16,300	36.3	30.1 - 42.5	17,700	39.6	32.7 - 46.5	5,700	12.7	8.4 - 17.0	1,900	4.1	1.8 - 6.5	n/r	n/r	n/r
Salt Lake/ Foster Village	n/r	n/r	n/r	13,800	48.0	36.2 - 59.8	10,100	35.1	23.8 - 46.4	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0
Upcountry/ Hana	n/r	n/r	n/r	15,500	44.8	37.8 - 51.7	11,500	33.2	26.8 - 39.6	4,400	12.6	8.7 - 16.5	n/r	n/r	n/r	n/r	n/r	n/r
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	25,400	50.9	42.5 - 59.2	17,900	35.9	27.9 - 43.9	5,200	10.5	5.3 - 15.6	n/r	n/r	n/r	0	0.0	0.0 - 0.0
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	41,700	32.3	26.9 - 37.7	51,900	40.2	34.6 - 45.8	20,900	16.2	12.0 - 20.4	7,200	5.6	3.4 - 7.8	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Mililani/ Wahiawa	62,700
Molokai	6,800
Nanakuli/ Waianae	40,700
N.Hawaii	26,600
N.Shore/ Laie	24,800
Nuuanu/ Kalihi/ Moanalua	73,500
Puna/ Kau	44,800
Salt Lake/ Foster Village	28,800
Upcountry/ Hana	34,600
Waialae/ Kahala/ Hawaii Kai	49,900
Waipahu/ Kapolei/ Ewa	129,200

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
18-24	5,500	4.5	2.3 - 6.7	67,300	54.8	49.0 - 60.5	33,100	27.0	21.8 - 32.1	11,800	9.6	6.3 - 12.8	3,600	2.9	1.3 - 4.6	n/r	n/r	n/r
25-34	n/r	n/r	n/r	67,900	37.6	33.1 - 42.2	62,500	34.7	30.2 - 39.2	29,000	16.1	12.7 - 19.5	11,000	6.1	4.2 - 8.0	6,700	3.7	2.3 - 5.1
35-44	n/r	n/r	n/r	55,100	33.5	29.1 - 37.8	60,900	37.0	32.6 - 41.4	27,200	16.5	13.2 - 19.8	9,200	5.6	3.6 - 7.6	9,800	5.9	3.5 - 8.4
45-54	2,500	1.5	0.7 - 2.2	58,400	34.6	30.6 - 38.6	64,100	38.0	33.9 - 42.1	30,000	17.7	14.5 - 21.0	7,600	4.5	3.0 - 6.0	6,200	3.7	2.1 - 5.3
55-64	3,800	2.1	1.2 - 3.0	60,600	33.7	30.5 - 37.0	72,100	40.2	36.7 - 43.6	28,100	15.6	13.2 - 18.0	9,500	5.3	3.8 - 6.8	5,500	3.1	2.0 - 4.1
65-74	3,100	2.6	1.5 - 3.7	46,300	38.6	34.7 - 42.4	48,000	40.0	36.2 - 43.9	15,400	12.8	10.2 - 15.4	4,800	4.0	2.5 - 5.6	2,300	1.9	0.9 - 3.0
75+	4,700	4.7	3.1 - 6.4	51,500	52.3	47.5 - 57.1	34,400	34.9	30.3 - 39.5	6,200	6.3	4.2 - 8.4	n/r	n/r	n/r	0	0.0	0.0 - 0.0

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	Estimated Population
	#
18-24	122,800
25-34	180,400
35-44	164,600
45-54	168,800
55-64	179,500
65-74	120,000
75+	98,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Caucasian	6,700	2.1	1.2 - 2.9	139,400	42.5	39.6 - 45.4	118,400	36.1	33.3 - 38.8	43,300	13.2	11.3 - 15.1	12,200	3.7	2.8 - 4.7	8,200	2.5	1.3 - 3.7
Native Hawaiian	n/r	n/r	n/r	29,400	23.3	19.2 - 27.4	46,800	37.0	32.5 - 41.5	26,900	21.3	17.5 - 25.1	13,100	10.4	7.9 - 12.8	8,800	7.0	5.0 - 9.0
Chinese	n/r	n/r	n/r	29,600	51.9	44.2 - 59.6	19,400	34.0	26.7 - 41.2	4,900	8.7	4.5 - 12.8	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	3,100	1.8	0.8 - 2.7	67,800	38.7	34.3 - 43.0	67,500	38.5	34.0 - 42.9	26,500	15.1	11.7 - 18.5	6,500	3.7	2.0 - 5.4	4,100	2.3	1.1 - 3.6
Japanese	9,200	4.2	2.9 - 5.6	100,200	46.4	42.7 - 50.1	75,000	34.7	31.2 - 38.2	22,800	10.5	8.2 - 12.9	5,400	2.5	1.4 - 3.6	3,400	1.6	0.7 - 2.5
Black	n/r	n/r	n/r	5,500	21.3	10.1 - 32.6	10,200	39.1	24.5 - 53.7	6,900	26.4	13.6 - 39.2	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	2,000	30.1	14.0 - 46.1	2,200	32.6	13.7 - 51.6	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	15,200	61.1	50.1 - 72.1	6,300	25.1	14.8 - 35.5	n/r	n/r	n/r	0	0.0	0.0 - 0.0	n/r	n/r	n/r
Other Pacific Islander	0	0.0	0.0 - 0.0	4,200	18.5	10.1 - 26.8	5,200	23.1	14.7 - 31.4	6,800	29.9	19.7 - 40.0	2,600	11.7	6.0 - 17.4	3,800	16.9	9.1 - 24.8
Other	n/r	n/r	n/r	7,200	29.2	20.8 - 37.5	10,900	44.4	35.1 - 53.7	4,200	16.9	10.1 - 23.8	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Estimated Population
	#
Caucasian	328,200
Native Hawaiian	126,300
Chinese	57,000
Filipino	175,300
Japanese	215,900
Black	26,000
Native Alaskan/ American Indian	6,800
Other Asian	24,900
Other Pacific Islander	22,600
Other	24,600

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Male	7,100	1.3	0.8 - 1.8	173,800	32.3	30.0 - 34.6	233,200	43.3	40.9 - 45.7	84,500	15.7	14.0 - 17.4	24,600	4.6	3.6 - 5.5	15,300	2.8	2.1 - 3.6
Female	18,500	3.6	2.8 - 4.4	239,500	47.1	44.7 - 49.5	143,900	28.3	26.2 - 30.4	66,400	13.1	11.4 - 14.8	23,000	4.5	3.7 - 5.4	17,100	3.4	2.4 - 4.3

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	9,200	43.5	29.4 - 57.7	10,200	48.3	33.8 - 62.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	31,800	41.5	32.7 - 50.3	24,200	31.6	23.6 - 39.7	14,200	18.5	11.4 - 25.6	3,200	4.2	1.7 - 6.6	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	7,500	2.4	1.6 - 3.2	112,700	36.5	33.5 - 39.5	110,400	35.8	32.8 - 38.8	47,500	15.4	13.4 - 17.5	17,000	5.5	4.2 - 6.8	13,300	4.3	3.1 - 5.6
College 1 to 3 years (Some College/ Tech)	8,900	2.5	1.6 - 3.4	132,300	37.4	34.4 - 40.5	130,000	36.8	33.8 - 39.8	52,700	14.9	12.7 - 17.1	17,600	5.0	3.8 - 6.2	11,700	3.3	2.1 - 4.5
College 4 years or more (College Grad)	7,700	2.7	1.8 - 3.6	126,300	44.2	41.7 - 46.8	101,900	35.7	33.3 - 38.1	34,900	12.2	10.6 - 13.9	9,400	3.3	2.4 - 4.1	5,200	1.8	1.2 - 2.5

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Gender	Estimated Population
	#
Male	538,400
Female	508,300

Education Level	Estimated Population
	#
Never attended school/ Only Kindergarten to Grades 8	21,100
Grades 9 thru 11 (Some High School)	76,600
Grades 12 or GED (High School Grad)	308,500
College 1 to 3 years (Some College/ Tech)	353,200
College 4 years or more (College Grad)	285,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Employed	12,200	1.9	1.3 - 2.4	239,900	36.7	34.5 - 38.9	251,800	38.5	36.4 - 40.7	99,900	15.3	13.8 - 16.8	29,900	4.6	3.7 - 5.4	20,000	3.1	2.3 - 3.9
Unemployed	n/r	n/r	n/r	21,300	37.0	29.8 - 44.1	20,200	35.0	28.3 - 41.6	9,600	16.7	11.5 - 21.9	2,800	4.8	2.2 - 7.5	2,600	4.5	2.0 - 7.0
Retired/Unable to work	8,700	3.6	2.6 - 4.7	102,100	42.6	39.6 - 45.7	85,400	35.7	32.7 - 38.6	26,600	11.1	9.3 - 13.0	9,900	4.2	3.1 - 5.2	6,600	2.8	1.9 - 3.7
Student/Homemaker	n/r	n/r	n/r	47,800	51.2	44.9 - 57.6	19,400	20.8	16.1 - 25.5	14,600	15.7	9.9 - 21.5	4,900	5.2	2.8 - 7.7	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Employment Status (Grouped)	Estimated Population
	#
Employed	653,600
Unemployed	57,600
Retired/Unable to work	239,300
Student/Homemaker	93,400

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Less than \$10,000	n/r	n/r	n/r	26,500	42.3	34.6 - 50.0	16,000	25.5	19.6 - 31.4	10,300	16.4	10.2 - 22.5	4,100	6.5	3.8 - 9.2	4,000	6.3	3.2 - 9.5
\$10,000 to \$14,999	n/r	n/r	n/r	15,500	41.2	32.9 - 49.6	11,600	30.8	23.2 - 38.3	4,500	11.9	6.8 - 17.0	1,700	4.4	2.1 - 6.8	2,700	7.1	3.3 - 10.9
\$15,000 to \$19,999	1,900	2.8	1.2 - 4.5	26,700	39.7	33.1 - 46.3	23,600	35.1	28.3 - 41.9	9,700	14.4	10.1 - 18.7	3,300	5.0	2.6 - 7.3	2,000	2.9	1.5 - 4.4
\$20,000 to \$24,999	1,600	2.0	0.9 - 3.0	28,900	36.5	30.6 - 42.4	28,800	36.4	30.2 - 42.6	11,400	14.4	9.4 - 19.4	4,400	5.6	2.8 - 8.3	4,100	5.1	2.7 - 7.6
\$25,000 to \$34,999	3,300	3.1	1.4 - 4.9	40,300	38.0	32.8 - 43.2	38,500	36.3	31.1 - 41.5	16,000	15.1	11.4 - 18.9	4,200	3.9	1.9 - 6.0	n/r	n/r	n/r
\$35,000 to \$49,999	3,000	2.4	1.0 - 3.8	46,700	37.1	32.7 - 41.5	49,000	39.0	34.5 - 43.5	17,000	13.5	10.6 - 16.5	6,500	5.1	3.3 - 7.0	3,500	2.8	1.4 - 4.3
\$50,000 to \$74,999	2,600	1.6	0.7 - 2.5	64,100	39.8	35.6 - 44.1	59,300	36.8	32.8 - 40.9	23,000	14.3	11.5 - 17.1	8,900	5.5	3.7 - 7.3	3,100	1.9	0.9 - 2.9
\$75,000 or more	4,800	1.6	0.9 - 2.3	112,800	37.4	34.3 - 40.4	119,500	39.6	36.5 - 42.7	45,600	15.1	12.8 - 17.4	10,800	3.6	2.5 - 4.7	8,200	2.7	1.4 - 4.0

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	Estimated Population
	#
Less than \$10,000	62,700
\$10,000 to \$14,999	37,600
\$15,000 to \$19,999	67,300
\$20,000 to \$24,999	79,200
\$25,000 to \$34,999	106,100
\$35,000 to \$49,999	125,700
\$50,000 to \$74,999	161,000
\$75,000 or more	301,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
0-130%	n/r	n/r	n/r	26,900	37.0	31.0 - 43.0	25,800	35.4	29.1 - 41.6	10,400	14.3	9.4 - 19.2	3,600	5.0	2.5 - 7.4	4,000	5.5	2.9 - 8.1
131-185%	1,600	3.9	1.6 - 6.1	17,000	42.3	34.2 - 50.5	14,300	35.5	27.0 - 44.0	4,300	10.7	6.2 - 15.3	n/r	n/r	n/r	n/r	n/r	n/r
186+%	4,300	2.5	1.6 - 3.4	71,800	41.9	38.5 - 45.4	65,100	38.0	34.7 - 41.4	20,500	12.0	9.7 - 14.2	7,400	4.3	2.7 - 5.9	n/r	n/r	n/r

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Married	10,800	2.0	1.4 - 2.5	206,500	37.7	35.4 - 40.0	211,900	38.7	36.3 - 41.0	82,600	15.1	13.3 - 16.8	21,000	3.8	3.0 - 4.6	15,400	2.8	1.9 - 3.7
Unmarried Couple	n/r	n/r	n/r	9,100	37.9	27.8 - 48.0	9,000	37.2	27.6 - 46.8	4,200	17.2	8.4 - 26.1	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	3,000	4.5	2.6 - 6.4	30,800	46.8	41.1 - 52.5	21,500	32.6	27.2 - 38.0	6,500	9.9	6.6 - 13.2	3,500	5.3	2.8 - 7.7	n/r	n/r	n/r
Other	11,200	2.8	1.9 - 3.6	166,700	40.8	38.0 - 43.6	134,700	33.0	30.4 - 35.6	57,700	14.1	12.3 - 16.0	22,400	5.5	4.3 - 6.6	15,700	3.8	3.0 - 4.7

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Poverty Level	Estimated Population
	#
0-130%	72,800
131-185%	40,200
186+%	171,100

Marital Status (Grouped)	Estimated Population
	#
Married	548,200
Unmarried Couple	24,100
Widowed	65,900
Other	408,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2014

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	11,400	2.0	1.4 - 2.6	217,000	38.1	35.9 - 40.4	217,300	38.2	35.9 - 40.4	84,500	14.8	13.2 - 16.5	21,800	3.8	3.0 - 4.6	17,200	3.0	2.1 - 3.9
No	14,100	3.0	2.2 - 3.7	195,100	41.0	38.5 - 43.5	159,400	33.5	31.2 - 35.9	66,300	13.9	12.2 - 15.6	25,800	5.4	4.4 - 6.5	15,000	3.2	2.4 - 3.9

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	22,900	2.4	1.9 - 2.9	378,800	39.4	37.6 - 41.1	350,400	36.4	34.7 - 38.1	138,300	14.4	13.1 - 15.6	42,200	4.4	3.7 - 5.0	29,800	3.1	2.5 - 3.7
No	2,700	3.3	1.4 - 5.1	33,100	40.5	34.0 - 46.9	26,000	31.8	26.0 - 37.6	12,300	15.0	10.5 - 19.6	5,200	6.3	3.3 - 9.4	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Married	Estimated Population
	#
Yes	569,200
No	475,700

Health Care Coverage	Estimated Population
	#
Yes	962,500
No	81,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Totals	25,000	2.4	1.9 - 2.8	448,600	42.3	40.7 - 43.9	356,100	33.6	32.0 - 35.1	156,900	14.8	13.5 - 16.0	49,100	4.6	3.9 - 5.3	25,200	2.4	1.9 - 2.8

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	2,600	1.8	1.1 - 2.5	61,000	41.6	37.9 - 45.2	49,700	33.8	30.6 - 37.1	24,200	16.5	13.5 - 19.4	5,900	4.0	2.8 - 5.3	3,500	2.4	1.3 - 3.4
Honolulu	15,900	2.2	1.6 - 2.8	312,100	42.7	40.6 - 44.8	244,900	33.5	31.5 - 35.5	105,100	14.4	12.8 - 16.0	34,900	4.8	3.9 - 5.7	18,000	2.5	1.8 - 3.1
Kauai	n/r	n/r	n/r	22,300	44.2	39.6 - 48.8	17,700	35.1	30.8 - 39.5	5,900	11.8	9.1 - 14.4	1,700	3.4	2.0 - 4.7	n/r	n/r	n/r
Maui	n/r	n/r	n/r	47,400	39.9	36.2 - 43.7	39,000	32.8	29.3 - 36.3	20,600	17.3	14.0 - 20.6	5,700	4.8	3.3 - 6.3	2,600	2.2	1.3 - 3.0

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

State	Estimated Population
	#
Totals	1,060,900

County	Estimated Population
	#
Hawaii	146,900
Honolulu	730,800
Kauai	50,300
Maui	118,900

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	2,600	1.8	1.1 - 2.5	61,000	41.6	37.9 - 45.2	49,700	33.8	30.6 - 37.1	24,200	16.5	13.5 - 19.4	5,900	4.0	2.8 - 5.3	3,500	2.4	1.3 - 3.4
Kauai	n/r	n/r	n/r	22,300	44.2	39.6 - 48.8	17,700	35.1	30.8 - 39.5	5,900	11.8	9.1 - 14.4	1,700	3.4	2.0 - 4.7	n/r	n/r	n/r
Lanai	n/r	n/r	n/r	500	26.5	11.2 - 41.8	900	44.8	24.4 - 65.2	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r
Maui	n/r	n/r	n/r	45,800	41.2	37.3 - 45.2	35,100	31.6	28.0 - 35.2	19,700	17.7	14.3 - 21.2	5,200	4.7	3.2 - 6.2	2,100	1.9	1.1 - 2.7
Molokai	n/r	n/r	n/r	1,100	18.8	8.4 - 29.2	3,000	52.2	37.5 - 66.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	15,900	2.2	1.6 - 2.8	312,100	42.7	40.6 - 44.8	244,900	33.5	31.5 - 35.5	105,100	14.4	12.8 - 16.0	34,900	4.8	3.9 - 5.7	18,000	2.5	1.8 - 3.1

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Aiea/ Pearl City	n/r	n/r	n/r	34,000	49.6	42.4 - 56.7	19,700	28.8	22.9 - 34.7	9,000	13.2	7.9 - 18.4	n/r	n/r	n/r	n/r	n/r	n/r
Ala Moana	n/r	n/r	n/r	15,300	45.9	37.4 - 54.3	10,500	31.4	23.8 - 38.9	4,500	13.6	7.1 - 20.1	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	Estimated Population
	#
Hawaii	146,900
Kauai	50,300
Lanai	2,100
Maui	111,100
Molokai	5,700
Oahu	730,800

Community	Estimated Population
	#
Aiea/ Pearl City	68,600
Ala Moana	33,400

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hanalei/ Kapaa	n/r	n/r	n/r	10,000	48.6	41.7 - 55.6	7,000	34.4	27.9 - 40.8	1,800	8.7	5.6 - 11.8	n/r	n/r	n/r	n/r	n/r	n/r
Hilo	n/r	n/r	n/r	14,500	36.6	31.0 - 42.1	15,500	39.2	33.3 - 45.1	5,600	14.1	9.9 - 18.4	1,200	3.0	1.3 - 4.8	n/r	n/r	n/r
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	16,600	32.4	25.5 - 39.4	22,100	43.2	35.4 - 51.0	9,000	17.6	11.1 - 24.1	n/r	n/r	n/r	n/r	n/r	n/r
Kahului	n/r	n/r	n/r	14,900	38.5	32.1 - 44.8	12,600	32.5	26.3 - 38.7	8,300	21.5	14.7 - 28.3	n/r	n/r	n/r	n/r	n/r	n/r
Kailua/ Waimanalo	n/r	n/r	n/r	23,900	41.7	34.3 - 49.1	19,400	33.8	26.3 - 41.2	9,900	17.3	10.2 - 24.3	n/r	n/r	n/r	n/r	n/r	n/r
Kaimuki/ Palolo/ Waikiki	2,300	3.8	1.6 - 5.9	29,100	47.0	40.1 - 53.8	20,300	32.8	26.3 - 39.2	6,000	9.7	5.6 - 13.8	n/r	n/r	n/r	n/r	n/r	n/r
Kona	n/r	n/r	n/r	16,700	45.4	37.7 - 53.1	11,600	31.4	25.0 - 37.9	5,600	15.1	9.8 - 20.5	n/r	n/r	n/r	n/r	n/r	n/r
Lahaina/ Wailuku	n/r	n/r	n/r	15,700	45.2	38.6 - 51.9	10,100	29.2	23.5 - 34.9	5,200	15.1	10.5 - 19.8	2,200	6.4	2.9 - 9.8	n/r	n/r	n/r
Lanai	n/r	n/r	n/r	500	26.5	11.2 - 41.8	900	44.8	24.4 - 65.2	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r
Lihue-Waimea	n/r	n/r	n/r	12,300	41.2	35.1 - 47.3	10,600	35.7	29.8 - 41.6	4,200	13.9	10.0 - 17.8	800	2.8	1.4 - 4.2	n/r	n/r	n/r
Manoa/ Upper Makiki	n/r	n/r	n/r	26,700	53.2	46.1 - 60.3	15,600	31.0	24.3 - 37.6	5,200	10.3	6.2 - 14.3	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Hanalei/ Kapaa	20,500
Hilo	39,600
Kaaawa/ Kahaluu/ Kaneohe	51,100
Kahului	38,600
Kailua/ Waimanalo	57,300
Kaimuki/ Palolo/ Waikiki	62,000
Kona	36,800
Lahaina/ Wailuku	34,700
Lanai	2,100
Lihue-Waimea	29,800
Manoa/ Upper Makiki	50,300

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Mililani/ Wahiawa	n/r	n/r	n/r	26,700	38.2	31.0 - 45.5	23,100	33.0	26.4 - 39.7	12,600	18.0	11.5 - 24.6	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	1,100	18.8	8.4 - 29.2	3,000	52.2	37.5 - 66.9	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Nanakuli/ Waianae	n/r	n/r	n/r	12,500	34.0	24.8 - 43.2	9,600	26.1	17.8 - 34.4	7,700	21.1	13.1 - 29.0	4,500	12.4	6.6 - 18.1	n/r	n/r	n/r
N.Hawaii	n/r	n/r	n/r	11,400	43.6	35.6 - 51.5	8,600	33.1	25.8 - 40.4	4,500	17.1	10.8 - 23.5	n/r	n/r	n/r	n/r	n/r	n/r
N.Shore/ Laie	n/r	n/r	n/r	11,000	46.9	33.2 - 60.6	5,500	23.4	11.7 - 35.2	3,800	16.1	7.4 - 24.9	n/r	n/r	n/r	n/r	n/r	n/r
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	30,300	44.4	37.4 - 51.4	23,100	33.9	27.3 - 40.4	9,100	13.3	8.4 - 18.2	n/r	n/r	n/r	n/r	n/r	n/r
Puna/ Kau	n/r	n/r	n/r	18,400	41.6	34.3 - 48.9	13,900	31.4	25.2 - 37.5	8,500	19.2	12.5 - 25.9	1,900	4.2	1.9 - 6.6	n/r	n/r	n/r
Salt Lake/ Foster Village	n/r	n/r	n/r	12,200	38.9	28.4 - 49.4	12,000	38.1	28.5 - 47.8	3,800	12.2	6.4 - 18.0	n/r	n/r	n/r	n/r	n/r	n/r
Upcountry/ Hana	n/r	n/r	n/r	15,300	40.4	33.2 - 47.6	12,400	32.8	26.1 - 39.5	6,200	16.3	10.4 - 22.2	1,900	4.9	2.4 - 7.4	n/r	n/r	n/r
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	22,300	51.5	43.8 - 59.1	15,600	36.0	28.6 - 43.5	2,300	5.4	2.5 - 8.3	n/r	n/r	n/r	n/r	n/r	n/r
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	51,600	38.1	32.6 - 43.6	48,600	35.9	30.4 - 41.3	22,100	16.3	12.2 - 20.5	8,100	6.0	3.7 - 8.3	3,400	2.5	1.2 - 3.8

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Mililani/ Wahiawa	69,800
Molokai	5,700
Nanakuli/ Waianae	36,600
N.Hawaii	26,100
N.Shore/ Laie	23,400
Nuuanu/ Kalihi/ Moanalua	68,200
Puna/ Kau	44,300
Salt Lake/ Foster Village	31,400
Upcountry/ Hana	37,800
Waialae/ Kahala/ Hawaii Kai	43,300
Waipahu/ Kapolei/ Ewa	135,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
18-24	5,900	4.7	2.5 - 6.8	70,500	55.9	50.6 - 61.2	30,900	24.5	20.1 - 28.8	13,700	10.9	7.7 - 14.0	n/r	n/r	n/r	2,000	1.6	0.7 - 2.5
25-34	3,700	2.0	0.9 - 3.1	69,300	38.1	33.9 - 42.3	62,000	34.1	29.9 - 38.3	29,400	16.2	12.7 - 19.6	12,000	6.6	4.2 - 9.0	5,500	3.0	1.6 - 4.4
35-44	n/r	n/r	n/r	62,700	36.7	32.6 - 40.8	63,700	37.3	33.1 - 41.5	26,200	15.3	12.4 - 18.3	10,400	6.1	4.2 - 8.1	5,100	3.0	1.7 - 4.4
45-54	n/r	n/r	n/r	66,400	36.5	32.6 - 40.4	65,100	35.8	32.0 - 39.6	36,000	19.8	16.0 - 23.6	8,300	4.5	3.1 - 6.0	4,800	2.7	1.6 - 3.8
55-64	3,000	1.7	0.9 - 2.4	73,400	41.5	38.0 - 45.0	61,500	34.8	31.4 - 38.1	25,400	14.4	11.8 - 16.9	8,600	4.8	3.4 - 6.3	5,000	2.8	1.5 - 4.1
65-74	n/r	n/r	n/r	50,600	42.3	38.3 - 46.4	41,100	34.3	30.4 - 38.3	18,000	15.1	12.0 - 18.2	4,300	3.6	2.3 - 4.8	2,300	1.9	1.0 - 2.7
75+	5,200	5.3	3.4 - 7.2	52,200	52.8	47.9 - 57.6	30,900	31.2	26.9 - 35.5	8,100	8.1	5.3 - 11.0	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	Estimated Population
	#
18-24	126,100
25-34	181,900
35-44	170,700
45-54	181,900
55-64	176,800
65-74	119,600
75+	99,000

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Caucasian	9,600	2.8	1.8 - 3.8	142,100	41.5	38.9 - 44.1	119,900	35.1	32.5 - 37.6	50,600	14.8	12.7 - 16.9	14,100	4.1	3.1 - 5.2	5,800	1.7	1.0 - 2.4
Native Hawaiian	n/r	n/r	n/r	29,500	26.5	22.6 - 30.5	37,300	33.6	29.4 - 37.8	25,000	22.5	18.7 - 26.3	9,400	8.4	6.0 - 10.9	8,900	8.0	5.5 - 10.5
Chinese	n/r	n/r	n/r	39,500	60.7	53.9 - 67.4	17,600	26.9	20.8 - 33.1	4,300	6.6	3.5 - 9.7	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	80,200	45.8	41.1 - 50.4	61,700	35.2	30.7 - 39.6	20,600	11.8	8.6 - 14.9	6,300	3.6	2.2 - 4.9	n/r	n/r	n/r
Japanese	6,000	2.7	1.8 - 3.7	109,100	49.5	45.9 - 53.1	73,600	33.4	30.1 - 36.6	24,100	10.9	8.4 - 13.4	6,300	2.9	1.7 - 4.1	n/r	n/r	n/r
Black	<50	n/r	n/r	4,300	31.6	17.6 - 45.6	5,100	37.3	23.4 - 51.2	3,800	27.5	12.4 - 42.6	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	13,800	51.6	39.9 - 63.3	8,100	30.2	18.5 - 41.9	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r
Other Pacific Islander	0	0.0	0.0 - 0.0	6,600	21.2	12.6 - 29.9	6,600	21.3	14.4 - 28.3	8,600	27.8	19.3 - 36.4	5,400	17.5	9.9 - 25.0	3,700	12.1	5.5 - 18.7
Other	n/r	n/r	n/r	11,000	31.0	21.4 - 40.6	13,700	38.6	28.8 - 48.4	7,300	20.6	11.3 - 29.9	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Estimated Population
	#
Caucasian	342,100
Native Hawaiian	111,200
Chinese	65,200
Filipino	175,300
Japanese	220,400
Black	13,700
Native Alaskan/ American Indian	5,200
Other Asian	26,800
Other Pacific Islander	30,900
Other	35,400

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Male	5,200	1.0	0.4 - 1.5	186,900	34.5	32.2 - 36.8	216,100	39.9	37.6 - 42.2	89,900	16.6	14.7 - 18.5	29,100	5.4	4.3 - 6.5	15,000	2.8	2.0 - 3.5
Female	19,900	3.8	3.0 - 4.7	261,800	50.5	48.2 - 52.8	140,000	27.0	25.0 - 29.0	67,000	12.9	11.3 - 14.5	20,000	3.9	3.1 - 4.7	10,200	2.0	1.4 - 2.5

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	10,600	41.2	26.9 - 55.5	8,000	31.0	17.0 - 45.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	30,600	39.7	31.4 - 47.9	19,500	25.3	18.6 - 31.9	18,300	23.7	16.2 - 31.3	4,100	5.3	2.3 - 8.3	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	7,900	2.5	1.5 - 3.5	125,200	39.2	36.3 - 42.2	108,800	34.1	31.2 - 37.0	47,600	14.9	12.7 - 17.2	19,200	6.0	4.4 - 7.6	10,300	3.2	2.3 - 4.1
College 1 to 3 years (Some College/ Tech)	6,900	2.0	1.3 - 2.6	150,100	42.5	39.5 - 45.4	117,700	33.3	30.5 - 36.1	53,200	15.1	12.9 - 17.2	16,500	4.7	3.6 - 5.8	9,000	2.5	1.7 - 3.4
College 4 years or more (College Grad)	6,100	2.1	1.5 - 2.8	132,000	46.4	44.0 - 48.8	101,800	35.8	33.4 - 38.1	32,700	11.5	9.9 - 13.0	8,500	3.0	2.3 - 3.7	3,500	1.2	0.7 - 1.7

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Gender	Estimated Population
	#
Male	542,100
Female	518,800

Education Level	Estimated Population
	#
Never attended school/ Only Kindergarten to Grades 8	25,900
Grades 9 thru 11 (Some High School)	77,100
Grades 12 or GED (High School Grad)	319,100
College 1 to 3 years (Some College/ Tech)	353,400
College 4 years or more (College Grad)	284,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Employed	11,500	1.7	1.2 - 2.3	259,400	39.5	37.5 - 41.6	234,300	35.7	33.7 - 37.7	107,000	16.3	14.6 - 18.0	31,600	4.8	3.9 - 5.7	12,500	1.9	1.4 - 2.5
Unemployed	n/r	n/r	n/r	25,500	40.0	33.3 - 46.8	20,800	32.6	26.1 - 39.2	9,100	14.2	9.1 - 19.3	3,000	4.6	2.3 - 7.0	4,300	6.7	3.5 - 9.9
Retired/Unable to work	7,000	2.9	2.0 - 3.8	108,700	44.5	41.4 - 47.6	79,800	32.7	29.8 - 35.5	31,600	12.9	10.8 - 15.1	11,000	4.5	3.2 - 5.8	6,300	2.6	1.6 - 3.5
Student/Homemaker	5,400	5.6	2.9 - 8.4	54,300	57.0	51.1 - 63.0	20,700	21.7	17.0 - 26.4	9,200	9.6	6.7 - 12.6	3,500	3.7	1.7 - 5.7	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Employment Status (Grouped)	Estimated Population
	#
Employed	656,200
Unemployed	63,800
Retired/Unable to work	244,300
Student/Homemaker	95,300

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Less than \$10,000	3,000	6.3	2.9 - 9.7	20,100	41.6	35.1 - 48.2	14,400	29.8	23.5 - 36.1	6,200	12.9	8.7 - 17.0	2,300	4.7	2.5 - 6.9	2,300	4.7	2.4 - 7.0
\$10,000 to \$14,999	n/r	n/r	n/r	15,700	40.6	32.4 - 48.7	14,300	36.9	28.3 - 45.4	4,700	12.2	7.3 - 17.2	1,300	3.3	1.5 - 5.0	n/r	n/r	n/r
\$15,000 to \$19,999	1,600	2.3	1.0 - 3.6	30,700	44.7	38.2 - 51.3	19,700	28.7	22.6 - 34.8	10,800	15.7	10.8 - 20.7	3,700	5.3	2.8 - 7.8	2,200	3.2	1.4 - 5.0
\$20,000 to \$24,999	n/r	n/r	n/r	28,800	38.3	32.4 - 44.2	22,400	29.8	24.5 - 35.2	14,700	19.6	14.2 - 25.0	4,200	5.7	2.8 - 8.5	1,700	2.2	1.0 - 3.4
\$25,000 to \$34,999	2,400	2.1	1.1 - 3.1	50,700	43.9	38.6 - 49.3	39,500	34.2	29.3 - 39.1	15,200	13.2	9.8 - 16.5	5,300	4.6	3.0 - 6.3	2,300	2.0	1.1 - 2.9
\$35,000 to \$49,999	n/r	n/r	n/r	60,600	42.5	38.2 - 46.7	45,400	31.9	28.0 - 35.7	21,200	14.9	11.8 - 18.0	7,900	5.5	3.6 - 7.4	4,300	3.0	1.3 - 4.7
\$50,000 to \$74,999	2,300	1.5	0.7 - 2.3	53,200	35.4	31.5 - 39.3	58,800	39.1	35.0 - 43.3	24,600	16.4	12.7 - 20.0	8,100	5.4	3.3 - 7.5	3,300	2.2	1.1 - 3.3
\$75,000 or more	3,400	1.1	0.6 - 1.5	129,900	41.6	38.7 - 44.6	113,700	36.4	33.6 - 39.3	48,700	15.6	13.2 - 18.0	11,600	3.7	2.6 - 4.8	4,700	1.5	0.8 - 2.2

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	Estimated Population
	#
Less than \$10,000	48,300
\$10,000 to \$14,999	38,800
\$15,000 to \$19,999	68,600
\$20,000 to \$24,999	75,100
\$25,000 to \$34,999	115,500
\$35,000 to \$49,999	142,600
\$50,000 to \$74,999	150,200
\$75,000 or more	312,000

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
0-130%	4,100	3.4	1.4 - 5.4	47,500	39.3	33.7 - 44.9	40,200	33.3	28.0 - 38.6	18,600	15.4	11.6 - 19.2	6,500	5.4	2.9 - 7.8	4,000	3.3	1.6 - 4.9
131-185%	n/r	n/r	n/r	32,700	44.6	37.8 - 51.5	22,400	30.6	24.6 - 36.6	13,400	18.4	13.2 - 23.5	n/r	n/r	n/r	n/r	n/r	n/r
186+%	5,700	1.9	1.2 - 2.6	134,800	44.3	41.4 - 47.2	108,100	35.5	32.8 - 38.2	39,200	12.9	10.7 - 15.1	12,700	4.2	3.0 - 5.4	3,800	1.3	0.7 - 1.9

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Married	9,100	1.6	1.1 - 2.1	226,400	40.6	38.4 - 42.8	203,400	36.5	34.3 - 38.7	84,600	15.2	13.5 - 16.9	23,300	4.2	3.3 - 5.0	10,900	1.9	1.4 - 2.5
Unmarried Couple	n/r	n/r	n/r	13,800	39.8	30.0 - 49.5	10,300	29.6	21.3 - 37.9	7,100	20.5	12.7 - 28.4	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	3,900	5.7	2.7 - 8.8	31,900	46.4	40.3 - 52.5	21,700	31.5	25.9 - 37.1	7,900	11.4	7.5 - 15.3	2,600	3.7	1.8 - 5.7	n/r	n/r	n/r
Other	11,500	2.9	1.9 - 3.8	176,500	44.1	41.4 - 46.9	120,700	30.2	27.8 - 32.6	57,200	14.3	12.2 - 16.4	21,300	5.3	4.0 - 6.6	12,500	3.1	2.3 - 4.0

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Poverty Level	Estimated Population
	#
0-130%	120,800
131-185%	73,200
186+%	304,400

Marital Status (Grouped)	Estimated Population
	#
Married	557,700
Unmarried Couple	34,800
Widowed	68,800
Other	399,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2013

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	9,600	1.7	1.2 - 2.2	230,500	40.2	38.1 - 42.4	211,200	36.9	34.7 - 39.0	86,600	15.1	13.4 - 16.8	23,800	4.2	3.3 - 5.0	11,200	2.0	1.4 - 2.5
No	15,200	3.1	2.2 - 4.0	217,300	44.7	42.2 - 47.2	144,500	29.7	27.6 - 31.8	70,100	14.4	12.5 - 16.3	25,200	5.2	4.0 - 6.3	14,000	2.9	2.1 - 3.6

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	22,900	2.4	1.9 - 2.9	411,600	42.4	40.6 - 44.1	327,600	33.7	32.1 - 35.3	144,600	14.9	13.6 - 16.2	43,700	4.5	3.8 - 5.2	21,200	2.2	1.7 - 2.6
No	n/r	n/r	n/r	36,000	41.5	36.2 - 46.8	27,500	31.7	26.7 - 36.6	12,000	13.8	9.6 - 18.0	5,400	6.3	3.5 - 9.0	3,800	4.4	2.1 - 6.7

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Married	Estimated Population
	#
Yes	572,800
No	486,300

Health Care Coverage	Estimated Population
	#
Yes	971,600
No	86,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Totals	28,700	2.7	2.1 - 3.4	432,700	41.2	39.5 - 43.0	340,700	32.5	30.9 - 34.1	162,500	15.5	14.1 - 16.8	53,700	5.1	4.3 - 6.0	30,900	2.9	2.3 - 3.6

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	2,700	1.9	1.0 - 2.9	55,600	39.3	35.6 - 43.1	47,900	33.9	30.3 - 37.5	22,200	15.7	12.7 - 18.7	8,900	6.3	4.5 - 8.1	4,000	2.8	1.6 - 4.1
Honolulu	21,600	3.0	2.1 - 3.8	299,500	41.1	38.9 - 43.3	233,500	32.0	30.0 - 34.1	113,000	15.5	13.8 - 17.2	39,400	5.4	4.3 - 6.5	22,300	3.1	2.1 - 4.0
Kauai	n/r	n/r	n/r	25,400	49.7	43.7 - 55.7	13,800	27.0	22.2 - 31.8	7,800	15.2	10.8 - 19.6	1,300	2.6	1.2 - 4.1	n/r	n/r	n/r
Maui	3,100	2.7	1.6 - 3.7	46,700	39.9	35.7 - 44.1	42,400	36.2	31.9 - 40.5	18,300	15.7	12.4 - 19.0	3,800	3.2	1.8 - 4.6	2,800	2.4	1.3 - 3.4

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

State	Estimated Population
	#
Totals	1,049,200

County	Estimated Population
	#
Hawaii	141,200
Honolulu	729,300
Kauai	51,200
Maui	117,100

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	2,700	1.9	1.0 - 2.9	55,600	39.3	35.6 - 43.1	47,900	33.9	30.3 - 37.5	22,200	15.7	12.7 - 18.7	8,900	6.3	4.5 - 8.1	4,000	2.8	1.6 - 4.1
Kauai	n/r	n/r	n/r	25,400	49.7	43.7 - 55.7	13,800	27.0	22.2 - 31.8	7,800	15.2	10.8 - 19.6	1,300	2.6	1.2 - 4.1	n/r	n/r	n/r
Lanai	<50	n/r	n/r	700	23.9	12.7 - 35.1	1,600	54.2	37.8 - 70.6	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r
Maui	3,100	2.9	1.7 - 4.0	43,500	40.6	36.2 - 45.1	37,700	35.2	30.7 - 39.7	17,000	15.8	12.3 - 19.4	3,300	3.1	1.6 - 4.5	2,600	2.4	1.2 - 3.5
Molokai	<50	n/r	n/r	2,500	34.8	19.7 - 49.8	3,100	44.1	25.9 - 62.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	21,600	3.0	2.1 - 3.8	299,500	41.1	38.9 - 43.3	233,500	32.0	30.0 - 34.1	113,000	15.5	13.8 - 17.2	39,400	5.4	4.3 - 6.5	22,300	3.1	2.1 - 4.0

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Aiea/ Pearl City	n/r	n/r	n/r	24,700	35.5	28.4 - 42.6	24,100	34.7	27.5 - 41.8	13,000	18.7	12.7 - 24.8	3,200	4.6	2.0 - 7.2	n/r	n/r	n/r
Ala Moana	n/r	n/r	n/r	19,800	56.8	47.1 - 66.5	10,300	29.6	21.7 - 37.5	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	Estimated Population
	#
Hawaii	141,200
Kauai	51,200
Lanai	2,900
Maui	107,100
Molokai	7,100
Oahu	729,300

Community	Estimated Population
	#
Aiea/ Pearl City	69,500
Ala Moana	34,900

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hanalei/ Kapaa	n/r	n/r	n/r	12,700	54.4	45.3 - 63.6	5,300	22.9	16.3 - 29.4	3,000	13.0	8.0 - 18.1	n/r	n/r	n/r	n/r	n/r	n/r
Hilo	n/r	n/r	n/r	16,200	40.1	33.1 - 47.1	12,500	31.1	24.8 - 37.4	6,500	16.2	11.0 - 21.5	2,700	6.8	3.5 - 10.1	n/r	n/r	n/r
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	19,900	39.2	31.2 - 47.2	19,000	37.4	29.6 - 45.1	7,800	15.4	10.0 - 20.9	n/r	n/r	n/r	n/r	n/r	n/r
Kahului	n/r	n/r	n/r	11,900	35.2	27.4 - 43.0	14,300	42.1	32.9 - 51.2	5,800	17.2	10.5 - 23.8	n/r	n/r	n/r	n/r	n/r	n/r
Kailua/ Waimanalo	n/r	n/r	n/r	20,600	39.0	31.7 - 46.4	19,400	36.8	28.6 - 45.0	9,400	17.8	10.7 - 24.9	1,800	3.3	1.5 - 5.1	n/r	n/r	n/r
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	35,800	53.4	46.4 - 60.4	16,000	23.8	18.0 - 29.7	8,000	11.9	7.3 - 16.4	n/r	n/r	n/r	n/r	n/r	n/r
Kona	n/r	n/r	n/r	12,300	39.7	32.8 - 46.7	12,200	39.3	31.9 - 46.6	3,900	12.6	8.0 - 17.1	n/r	n/r	n/r	n/r	n/r	n/r
Lahaina/ Wailuku	n/r	n/r	n/r	15,900	41.0	34.0 - 48.0	13,000	33.6	26.9 - 40.2	6,000	15.6	9.8 - 21.4	n/r	n/r	n/r	n/r	n/r	n/r
Lanai	<50	n/r	n/r	700	23.9	12.7 - 35.1	1,600	54.2	37.8 - 70.6	n/r	n/r	n/r	n/r	n/r	n/r	<50	n/r	n/r
Lihue-Waimea	n/r	n/r	n/r	12,700	45.7	38.0 - 53.4	8,500	30.5	23.6 - 37.3	4,700	17.0	10.3 - 23.8	n/r	n/r	n/r	n/r	n/r	n/r
Manoa/ Upper Makiki	n/r	n/r	n/r	23,300	47.0	39.7 - 54.3	16,600	33.6	26.6 - 40.6	5,100	10.3	5.4 - 15.2	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Hanalei/ Kapaa	23,400
Hilo	40,300
Kaaawa/ Kahaluu/ Kaneohe	50,800
Kahului	33,900
Kailua/ Waimanalo	52,800
Kaimuki/ Palolo/ Waikiki	67,100
Kona	31,100
Lahaina/ Wailuku	38,800
Lanai	2,900
Lihue-Waimea	27,800
Manoa/ Upper Makiki	49,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Mililani/ Wahiawa	n/r	n/r	n/r	27,700	37.7	30.3 - 45.0	23,100	31.4	24.9 - 37.8	9,500	12.8	8.4 - 17.2	9,600	13.0	6.1 - 19.9	2,700	3.7	1.5 - 5.8
Molokai	<50	n/r	n/r	2,500	34.8	19.7 - 49.8	3,100	44.1	25.9 - 62.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Nanakuli/ Waianae	n/r	n/r	n/r	9,400	23.6	13.0 - 34.1	11,500	28.8	18.4 - 39.3	11,800	29.6	18.1 - 41.0	n/r	n/r	n/r	n/r	n/r	n/r
N.Hawaii	n/r	n/r	n/r	9,500	34.8	26.9 - 42.7	10,200	37.4	29.2 - 45.7	4,500	16.3	10.3 - 22.4	1,700	6.4	3.0 - 9.8	n/r	n/r	n/r
N.Shore/ Laie	n/r	n/r	n/r	9,400	40.7	29.6 - 51.9	7,500	32.6	21.7 - 43.5	3,500	15.0	7.7 - 22.3	n/r	n/r	n/r	n/r	n/r	n/r
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	27,300	43.8	36.3 - 51.3	17,800	28.5	22.3 - 34.8	9,000	14.5	8.5 - 20.5	n/r	n/r	n/r	n/r	n/r	n/r
Puna/ Kau	n/r	n/r	n/r	17,600	41.3	33.4 - 49.2	12,900	30.3	23.3 - 37.4	7,300	17.1	10.3 - 23.9	2,400	5.6	2.7 - 8.4	1,400	3.3	1.4 - 5.1
Salt Lake/ Foster Village	n/r	n/r	n/r	14,500	47.6	37.7 - 57.5	8,700	28.3	20.2 - 36.5	5,500	18.0	9.8 - 26.1	n/r	n/r	n/r	n/r	n/r	n/r
Upcountry/ Hana	n/r	n/r	n/r	15,700	45.6	37.7 - 53.5	10,400	30.3	23.6 - 37.0	5,100	14.8	8.9 - 20.8	n/r	n/r	n/r	n/r	n/r	n/r
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	20,900	47.4	39.3 - 55.4	16,200	36.8	29.0 - 44.6	3,700	8.5	4.7 - 12.2	n/r	n/r	n/r	n/r	n/r	n/r
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	46,200	35.2	29.9 - 40.5	43,300	33.0	27.6 - 38.3	24,100	18.4	13.6 - 23.2	6,900	5.3	3.2 - 7.3	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Mililani/ Wahiawa	73,600
Molokai	7,100
Nanakuli/ Waianae	40,000
N.Hawaii	27,300
N.Shore/ Laie	23,100
Nuuanu/ Kalihi/ Moanalua	62,300
Puna/ Kau	42,600
Salt Lake/ Foster Village	30,600
Upcountry/ Hana	34,400
Waialae/ Kahala/ Hawaii Kai	44,100
Waipahu/ Kapolei/ Ewa	131,100

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
18-24	5,300	4.1	2.0 - 6.3	72,400	57.0	51.2 - 62.9	27,400	21.6	16.9 - 26.3	12,900	10.2	6.4 - 13.9	4,400	3.5	1.9 - 5.0	n/r	n/r	n/r
25-34	n/r	n/r	n/r	75,400	42.5	38.0 - 47.0	54,100	30.5	26.5 - 34.6	26,600	15.0	11.9 - 18.2	8,200	4.7	2.9 - 6.4	8,900	5.0	2.4 - 7.7
35-44	2,500	1.5	0.7 - 2.3	57,900	34.0	29.9 - 38.1	55,300	32.5	28.3 - 36.7	35,500	20.8	16.9 - 24.8	12,900	7.6	4.5 - 10.7	6,000	3.6	1.9 - 5.2
45-54	n/r	n/r	n/r	66,700	35.9	31.8 - 40.0	62,900	33.9	29.9 - 37.8	36,100	19.4	15.6 - 23.2	10,900	5.9	3.6 - 8.2	4,400	2.4	1.5 - 3.2
55-64	n/r	n/r	n/r	62,700	35.7	32.1 - 39.2	64,100	36.4	32.8 - 40.1	30,500	17.4	14.4 - 20.3	9,800	5.6	3.8 - 7.4	5,200	3.0	1.6 - 4.3
65-74	2,900	2.6	1.5 - 3.7	43,100	37.8	33.6 - 42.0	47,800	42.0	37.5 - 46.5	12,800	11.2	8.6 - 13.8	6,000	5.3	3.3 - 7.2	n/r	n/r	n/r
75+	5,700	6.0	3.6 - 8.4	52,100	54.8	49.9 - 59.7	27,800	29.3	24.8 - 33.8	7,900	8.4	5.6 - 11.1	1,100	1.2	0.5 - 1.8	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	Estimated Population
	#
18-24	127,000
25-34	177,200
35-44	170,100
45-54	185,700
55-64	175,900
65-74	113,800
75+	95,000

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Caucasian	9,300	2.8	1.7 - 3.9	143,100	44.0	41.3 - 46.8	106,300	32.7	30.2 - 35.2	44,500	13.7	11.6 - 15.8	13,000	4.0	3.0 - 5.0	9,000	2.8	1.6 - 3.9
Native Hawaiian	n/r	n/r	n/r	25,800	21.0	16.9 - 25.2	40,300	32.8	28.0 - 37.7	29,800	24.3	19.7 - 28.9	14,900	12.1	8.5 - 15.8	10,100	8.3	5.0 - 11.6
Chinese	3,300	4.9	2.5 - 7.2	37,300	54.6	47.6 - 61.5	17,300	25.3	19.7 - 30.9	6,400	9.4	5.2 - 13.6	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	67,700	41.7	36.6 - 46.7	54,700	33.6	28.9 - 38.3	27,000	16.6	12.3 - 21.0	5,400	3.3	1.6 - 5.0	n/r	n/r	n/r
Japanese	7,200	3.1	1.8 - 4.4	105,700	45.1	41.5 - 48.7	82,100	35.0	31.5 - 38.6	30,500	13.0	10.5 - 15.5	6,900	3.0	1.7 - 4.2	n/r	n/r	n/r
Black	n/r	n/r	n/r	5,100	26.3	15.7 - 36.8	6,400	33.3	20.4 - 46.3	3,800	20.0	9.7 - 30.3	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	<50	n/r	n/r	2,500	48.4	27.8 - 69.1	1,400	26.5	11.0 - 42.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	17,600	59.7	48.8 - 70.6	6,600	22.3	14.6 - 30.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	n/r	n/r	n/r	4,900	23.6	10.7 - 36.6	5,400	26.2	13.7 - 38.6	5,400	26.2	16.5 - 35.8	n/r	n/r	n/r	2,400	11.6	5.8 - 17.5
Other	n/r	n/r	n/r	11,400	41.3	29.7 - 53.0	8,500	30.8	20.9 - 40.6	4,800	17.5	7.9 - 27.1	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Estimated Population
	#
Caucasian	325,100
Native Hawaiian	122,700
Chinese	68,400
Filipino	162,600
Japanese	234,100
Black	19,200
Native Alaskan/ American Indian	5,200
Other Asian	29,500
Other Pacific Islander	20,600
Other	27,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Male	7,600	1.4	0.7 - 2.2	177,100	33.3	30.9 - 35.6	205,100	38.5	36.1 - 40.9	97,800	18.4	16.3 - 20.5	28,100	5.3	4.1 - 6.5	16,500	3.1	2.0 - 4.3
Female	21,100	4.1	3.1 - 5.1	255,600	49.4	47.0 - 51.9	135,600	26.2	24.1 - 28.4	64,700	12.5	10.9 - 14.1	25,700	5.0	3.8 - 6.1	14,400	2.8	2.1 - 3.5

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	5,600	36.1	20.9 - 51.4	6,600	42.3	24.6 - 60.0	n/r	n/r	n/r	n/r	n/r	n/r	0	0.0	0.0 - 0.0
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	33,900	39.8	31.4 - 48.1	23,900	28.0	20.4 - 35.7	15,600	18.3	11.6 - 24.9	n/r	n/r	n/r	3,100	3.7	1.5 - 5.8
Grades 12 or GED (High School Grad)	9,300	2.9	1.7 - 4.1	120,800	38.0	34.9 - 41.1	99,400	31.3	28.4 - 34.1	57,500	18.1	15.5 - 20.7	17,800	5.6	4.1 - 7.1	13,200	4.2	2.5 - 5.8
College 1 to 3 years (Some College/ Tech)	11,000	3.2	1.9 - 4.5	140,400	40.5	37.4 - 43.7	113,600	32.8	29.8 - 35.7	52,900	15.3	12.9 - 17.6	19,900	5.7	4.2 - 7.3	8,800	2.5	1.4 - 3.6
College 4 years or more (College Grad)	5,100	1.8	1.3 - 2.3	131,900	46.6	44.1 - 49.1	96,800	34.2	31.8 - 36.6	34,400	12.2	10.5 - 13.9	9,100	3.2	2.4 - 4.1	5,800	2.0	1.2 - 2.9

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Gender	Estimated Population
	#
Male	532,100
Female	517,000

Education Level	Estimated Population
	#
Never attended school/ Only Kindergarten to Grades 8	15,600
Grades 9 thru 11 (Some High School)	85,200
Grades 12 or GED (High School Grad)	318,000
College 1 to 3 years (Some College/ Tech)	346,600
College 4 years or more (College Grad)	283,100

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Employed	11,400	1.8	1.1 - 2.5	246,300	39.6	37.4 - 41.8	210,900	33.9	31.8 - 36.0	102,400	16.5	14.6 - 18.3	32,400	5.2	4.2 - 6.3	18,900	3.0	2.1 - 4.0
Unemployed	n/r	n/r	n/r	24,400	32.1	24.7 - 39.5	20,800	27.5	20.6 - 34.3	15,800	20.9	14.7 - 27.0	7,300	9.7	4.5 - 14.8	n/r	n/r	n/r
Retired/Unable to work	9,000	3.7	2.6 - 4.8	101,000	41.6	38.5 - 44.8	84,600	34.9	31.8 - 38.0	34,300	14.2	11.7 - 16.6	8,500	3.5	2.5 - 4.5	5,100	2.1	1.4 - 2.8
Student/Homemaker	4,400	4.1	2.1 - 6.1	60,500	56.6	50.7 - 62.5	23,800	22.2	17.5 - 26.9	9,500	8.9	6.1 - 11.7	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Employment Status (Grouped)	Estimated Population
	#
Employed	622,300
Unemployed	75,900
Retired/Unable to work	242,600
Student/Homemaker	106,900

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Less than \$10,000	2,900	5.6	2.6 - 8.6	19,800	37.8	29.9 - 45.8	16,300	31.2	23.1 - 39.4	5,300	10.2	6.5 - 13.8	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	11,600	31.2	23.2 - 39.2	11,900	31.9	21.9 - 41.9	4,800	13.0	7.0 - 19.0	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	26,100	43.2	36.3 - 50.0	18,600	30.8	24.0 - 37.6	7,800	12.9	8.3 - 17.5	3,700	6.1	3.2 - 9.0	3,000	4.9	2.5 - 7.4
\$20,000 to \$24,999	n/r	n/r	n/r	29,400	41.2	34.6 - 47.7	21,600	30.2	24.4 - 35.9	12,100	17.0	11.1 - 22.9	2,800	4.0	2.2 - 5.7	n/r	n/r	n/r
\$25,000 to \$34,999	3,300	3.1	1.6 - 4.5	44,500	41.4	36.1 - 46.7	34,200	31.8	27.0 - 36.7	18,100	16.8	12.0 - 21.7	6,100	5.7	3.2 - 8.1	1,300	1.2	0.6 - 1.9
\$35,000 to \$49,999	3,400	2.3	1.3 - 3.3	61,500	42.2	37.5 - 46.9	44,600	30.6	26.6 - 34.5	22,600	15.5	11.7 - 19.2	9,400	6.4	4.1 - 8.8	n/r	n/r	n/r
\$50,000 to \$74,999	n/r	n/r	n/r	59,600	40.0	35.7 - 44.3	51,800	34.8	30.5 - 39.0	25,200	16.9	13.3 - 20.4	6,200	4.2	2.7 - 5.7	4,000	2.7	1.1 - 4.2
\$75,000 or more	7,400	2.4	1.2 - 3.5	125,300	39.8	36.8 - 42.8	110,200	35.0	32.1 - 37.9	53,200	16.9	14.5 - 19.3	12,600	4.0	2.8 - 5.2	6,200	2.0	1.2 - 2.7

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	Estimated Population
	#
Less than \$10,000	52,300
\$10,000 to \$14,999	37,300
\$15,000 to \$19,999	60,600
\$20,000 to \$24,999	71,500
\$25,000 to \$34,999	107,600
\$35,000 to \$49,999	145,800
\$50,000 to \$74,999	149,100
\$75,000 or more	315,000

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
0-130%	n/r	n/r	n/r	55,900	36.9	31.1 - 42.7	45,200	29.8	24.4 - 35.2	27,300	18.0	12.9 - 23.1	9,300	6.1	2.8 - 9.4	n/r	n/r	n/r
131-185%	2,400	2.8	1.2 - 4.3	38,400	43.6	36.9 - 50.4	27,200	30.9	24.8 - 37.1	12,900	14.7	9.0 - 20.3	6,700	7.6	4.3 - 10.9	n/r	n/r	n/r
186+%	10,100	2.8	1.6 - 4.0	148,200	40.7	37.9 - 43.5	128,000	35.1	32.4 - 37.9	56,300	15.5	13.3 - 17.6	14,200	3.9	2.8 - 5.0	7,400	2.0	1.2 - 2.9

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Married	10,400	2.0	1.3 - 2.8	199,800	39.1	36.8 - 41.4	180,000	35.2	32.9 - 37.5	87,400	17.1	15.2 - 19.0	23,600	4.6	3.7 - 5.6	10,100	2.0	1.4 - 2.5
Unmarried Couple	n/r	n/r	n/r	14,300	40.5	30.9 - 50.2	9,500	27.0	19.4 - 34.6	4,900	13.8	7.0 - 20.5	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	4,000	5.3	3.1 - 7.6	38,600	51.5	45.4 - 57.6	20,700	27.6	22.5 - 32.7	7,600	10.1	5.5 - 14.7	2,900	3.8	1.9 - 5.8	n/r	n/r	n/r
Other	13,400	3.1	2.0 - 4.3	180,000	42.1	39.2 - 45.0	130,400	30.5	27.9 - 33.1	62,600	14.6	12.6 - 16.7	23,400	5.5	4.0 - 7.0	17,700	4.1	2.8 - 5.5

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Poverty Level	Estimated Population
	#
0-130%	151,600
131-185%	88,000
186+%	364,300

Marital Status (Grouped)	Estimated Population
	#
Married	511,300
Unmarried Couple	35,300
Widowed	75,000
Other	427,600

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2012

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	10,600	2.0	1.3 - 2.8	203,700	39.0	36.7 - 41.2	184,000	35.2	33.0 - 37.5	89,100	17.1	15.1 - 19.0	23,900	4.6	3.6 - 5.5	11,200	2.1	1.6 - 2.7
No	18,100	3.4	2.4 - 4.5	228,400	43.5	40.9 - 46.1	155,600	29.6	27.3 - 32.0	73,300	14.0	12.1 - 15.8	29,800	5.7	4.3 - 7.1	19,600	3.7	2.5 - 5.0

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	26,600	2.8	2.1 - 3.5	386,800	41.2	39.4 - 43.0	307,900	32.8	31.1 - 34.5	146,100	15.6	14.2 - 17.0	47,800	5.1	4.2 - 5.9	23,700	2.5	1.9 - 3.2
No	1,900	1.8	0.9 - 2.7	45,400	41.7	35.8 - 47.6	32,500	29.8	24.3 - 35.3	16,100	14.8	10.4 - 19.3	n/r	n/r	n/r	7,000	6.4	3.0 - 9.8

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Married	Estimated Population
	#
Yes	522,500
No	524,800

Health Care Coverage	Estimated Population
	#
Yes	938,900
No	108,800

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Totals	28,300	2.8	2.2 - 3.4	424,300	41.6	39.8 - 43.3	345,000	33.8	32.1 - 35.5	141,800	13.9	12.7 - 15.1	51,000	5.0	4.2 - 5.8	30,200	3.0	2.3 - 3.6

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	3,100	2.2	1.0 - 3.4	55,500	39.1	35.3 - 42.9	49,300	34.7	31.1 - 38.4	19,600	13.8	11.4 - 16.2	10,400	7.3	5.1 - 9.5	4,000	2.8	1.7 - 4.0
Honolulu	22,000	3.1	2.3 - 3.9	290,300	41.1	38.9 - 43.4	240,200	34.0	31.9 - 36.2	100,100	14.2	12.6 - 15.8	33,700	4.8	3.8 - 5.8	19,600	2.8	2.0 - 3.6
Kauai	1,200	2.4	1.1 - 3.7	23,200	45.5	39.4 - 51.6	17,000	33.4	27.7 - 39.0	6,600	13.0	9.5 - 16.4	1,500	2.9	1.5 - 4.2	1,500	3.0	1.3 - 4.6
Maui	1,700	1.5	0.8 - 2.2	51,500	45.4	41.4 - 49.4	35,200	31.1	27.6 - 34.6	14,700	13.0	10.7 - 15.4	5,200	4.6	3.1 - 6.2	4,900	4.3	2.7 - 6.0

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

State	Estimated Population
	#
Totals	1,020,500

County	Estimated Population
	#
Hawaii	142,000
Honolulu	705,900
Kauai	51,000
Maui	113,300

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hawaii	3,100	2.2	1.0 - 3.4	55,500	39.1	35.3 - 42.9	49,300	34.7	31.1 - 38.4	19,600	13.8	11.4 - 16.2	10,400	7.3	5.1 - 9.5	4,000	2.8	1.7 - 4.0
Kauai	1,200	2.4	1.1 - 3.7	23,200	45.5	39.4 - 51.6	17,000	33.4	27.7 - 39.0	6,600	13.0	9.5 - 16.4	1,500	2.9	1.5 - 4.2	1,500	3.0	1.3 - 4.6
Lanai	n/r	n/r	n/r	1,200	32.3	24.0 - 40.5	1,700	44.5	34.8 - 54.3	500	13.9	8.6 - 19.1	n/r	n/r	n/r	n/r	n/r	n/r
Maui	1,600	1.6	0.8 - 2.4	46,500	46.4	42.0 - 50.8	30,600	30.5	26.7 - 34.4	12,900	12.8	10.3 - 15.4	4,600	4.6	2.9 - 6.2	4,100	4.1	2.3 - 5.9
Molokai	n/r	n/r	n/r	3,700	40.3	31.2 - 49.5	2,900	31.6	23.2 - 40.1	1,300	14.4	8.4 - 20.4	n/r	n/r	n/r	n/r	n/r	n/r
Oahu	22,000	3.1	2.3 - 3.9	290,300	41.1	38.9 - 43.4	240,200	34.0	31.9 - 36.2	100,100	14.2	12.6 - 15.8	33,700	4.8	3.8 - 5.8	19,600	2.8	2.0 - 3.6

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Aiea/ Pearl City	n/r	n/r	n/r	22,100	36.4	29.7 - 43.1	22,000	36.1	29.2 - 43.0	10,100	16.6	11.4 - 21.9	4,400	7.2	3.0 - 11.5	n/r	n/r	n/r
Ala Moana	n/r	n/r	n/r	15,800	53.3	44.0 - 62.6	7,700	25.9	17.5 - 34.2	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Island	Estimated Population
	#
Hawaii	142,000
Kauai	51,000
Lanai	3,800
Maui	100,300
Molokai	9,200
Oahu	705,900

Community	Estimated Population
	#
Aiea/ Pearl City	60,800
Ala Moana	29,600

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Hanalei/ Kapaa	n/r	n/r	n/r	11,100	47.4	38.2 - 56.6	8,100	34.6	25.5 - 43.6	2,600	11.2	6.4 - 15.9	n/r	n/r	n/r	n/r	n/r	n/r
Hilo	n/r	n/r	n/r	13,100	33.2	26.6 - 39.8	14,900	37.5	30.7 - 44.4	6,200	15.8	10.9 - 20.6	n/r	n/r	n/r	n/r	n/r	n/r
Kaaawa/ Kahaluu/ Kaneohe	n/r	n/r	n/r	20,000	40.3	32.0 - 48.7	18,600	37.5	29.1 - 45.8	6,800	13.8	7.8 - 19.8	n/r	n/r	n/r	n/r	n/r	n/r
Kahului	n/r	n/r	n/r	18,400	50.9	43.5 - 58.3	10,500	29.1	22.9 - 35.3	3,700	10.1	6.4 - 13.8	n/r	n/r	n/r	n/r	n/r	n/r
Kailua/ Waimanalo	n/r	n/r	n/r	21,300	40.4	31.5 - 49.3	17,700	33.6	25.0 - 42.1	5,100	9.7	5.1 - 14.2	n/r	n/r	n/r	n/r	n/r	n/r
Kaimuki/ Palolo/ Waikiki	n/r	n/r	n/r	31,800	50.4	43.2 - 57.7	20,700	32.8	26.2 - 39.3	6,000	9.5	5.1 - 14.0	n/r	n/r	n/r	n/r	n/r	n/r
Kona	n/r	n/r	n/r	12,600	44.0	36.0 - 52.0	9,000	31.6	24.2 - 38.9	3,100	10.7	5.6 - 15.8	n/r	n/r	n/r	n/r	n/r	n/r
Lahaina/ Wailuku	n/r	n/r	n/r	12,800	39.8	31.9 - 47.7	10,200	31.8	24.9 - 38.6	5,300	16.4	11.1 - 21.7	n/r	n/r	n/r	n/r	n/r	n/r
Lanai	n/r	n/r	n/r	1,200	32.3	24.0 - 40.5	1,700	44.5	34.8 - 54.3	500	13.9	8.6 - 19.1	n/r	n/r	n/r	n/r	n/r	n/r
Lihue-Waimea	n/r	n/r	n/r	12,100	43.9	35.6 - 52.1	8,900	32.3	25.4 - 39.3	4,000	14.5	9.7 - 19.3	1,000	3.7	1.5 - 5.9	1,000	3.6	1.5 - 5.7
Manoa/ Upper Makiki	2,700	6.1	2.9 - 9.4	22,100	49.5	42.3 - 56.7	12,300	27.5	21.5 - 33.6	4,500	10.1	5.7 - 14.5	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Hanalei/ Kapaa	23,400
Hilo	39,600
Kaaawa/ Kahaluu/ Kaneohe	49,600
Kahului	36,200
Kailua/ Waimanalo	52,800
Kaimuki/ Palolo/ Waikiki	63,000
Kona	28,600
Lahaina/ Wailuku	32,200
Lanai	3,800
Lihue-Waimea	27,500
Manoa/ Upper Makiki	44,600

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Mililani/ Wahiawa	n/r	n/r	n/r	26,200	38.9	31.4 - 46.3	22,000	32.6	25.9 - 39.3	11,400	16.9	11.3 - 22.5	n/r	n/r	n/r	n/r	n/r	n/r
Molokai	n/r	n/r	n/r	3,700	40.3	31.2 - 49.5	2,900	31.6	23.2 - 40.1	1,300	14.4	8.4 - 20.4	n/r	n/r	n/r	n/r	n/r	n/r
Nanakuli/ Waianae	n/r	n/r	n/r	8,400	27.3	16.9 - 37.8	10,800	34.9	24.9 - 45.0	6,700	21.7	12.6 - 30.8	n/r	n/r	n/r	n/r	n/r	n/r
N.Hawaii	n/r	n/r	n/r	13,000	42.0	34.1 - 49.9	11,600	37.5	29.3 - 45.7	3,700	11.9	7.3 - 16.6	2,200	7.2	3.7 - 10.7	n/r	n/r	n/r
N.Shore/ Laie	<50	n/r	n/r	9,100	38.5	25.2 - 51.8	11,200	47.3	33.8 - 60.8	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Nuuanu/ Kalihi/ Moanalua	n/r	n/r	n/r	27,500	40.8	33.3 - 48.3	20,500	30.5	23.4 - 37.5	11,200	16.7	10.2 - 23.2	n/r	n/r	n/r	n/r	n/r	n/r
Puna/ Kau	n/r	n/r	n/r	16,800	39.2	31.6 - 46.7	13,800	32.3	25.4 - 39.1	6,600	15.4	10.7 - 20.1	3,200	7.4	3.1 - 11.7	n/r	n/r	n/r
Salt Lake/ Foster Village	n/r	n/r	n/r	16,100	44.4	34.0 - 54.8	14,900	41.0	31.0 - 51.0	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Upcountry/ Hana	n/r	n/r	n/r	15,300	47.9	40.4 - 55.4	9,900	31.0	23.9 - 38.0	3,900	12.3	8.0 - 16.7	1,500	4.7	2.1 - 7.4	n/r	n/r	n/r
Waialae/ Kahala/ Hawaii Kai	n/r	n/r	n/r	21,900	52.9	44.6 - 61.3	13,600	32.9	25.3 - 40.5	4,600	11.1	5.4 - 16.9	n/r	n/r	n/r	n/r	n/r	n/r
Waipahu/ Kapolei/ Ewa	n/r	n/r	n/r	48,000	34.6	29.2 - 40.0	48,500	34.9	29.3 - 40.5	26,100	18.8	14.4 - 23.3	8,400	6.0	3.0 - 9.1	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Estimated Population
	#
Mililani/ Wahiawa	67,400
Molokai	9,200
Nanakuli/ Waianae	30,800
N.Hawaii	30,900
N.Shore/ Laie	23,600
Nuuanu/ Kalihi/ Moanalua	67,300
Puna/ Kau	42,900
Salt Lake/ Foster Village	36,300
Upcountry/ Hana	31,800
Waialae/ Kahala/ Hawaii Kai	41,300
Waipahu/ Kapolei/ Ewa	138,800

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
18-24	n/r	n/r	n/r	72,300	59.0	51.9 - 66.1	31,900	26.0	19.6 - 32.4	5,400	4.4	2.0 - 6.8	n/r	n/r	n/r	n/r	n/r	n/r
25-34	4,900	2.6	1.2 - 4.0	72,600	38.9	34.3 - 43.5	64,900	34.8	30.2 - 39.3	31,900	17.1	13.3 - 20.9	6,700	3.6	1.9 - 5.3	n/r	n/r	n/r
35-44	n/r	n/r	n/r	62,100	36.3	32.1 - 40.5	54,800	32.0	27.9 - 36.2	28,600	16.7	13.4 - 20.0	16,200	9.5	6.4 - 12.5	7,500	4.4	2.7 - 6.0
45-54	3,000	1.7	0.9 - 2.5	66,500	37.4	33.7 - 41.1	63,400	35.7	32.0 - 39.5	27,500	15.5	12.6 - 18.4	9,700	5.4	3.7 - 7.2	7,500	4.2	2.8 - 5.7
55-64	4,400	2.8	1.7 - 3.9	61,700	38.9	35.8 - 42.1	55,800	35.2	32.1 - 38.3	23,700	15.0	12.7 - 17.3	8,200	5.1	3.8 - 6.5	4,700	2.9	1.8 - 4.1
65-74	2,200	2.2	1.3 - 3.0	34,900	35.2	31.7 - 38.8	38,300	38.7	34.7 - 42.6	16,300	16.5	13.2 - 19.7	5,500	5.5	3.7 - 7.3	1,900	1.9	1.1 - 2.8
75+	4,800	4.7	3.1 - 6.4	51,200	50.8	46.4 - 55.1	34,800	34.5	30.4 - 38.7	8,100	8.0	5.3 - 10.7	1,600	1.6	0.7 - 2.5	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

BRFSS Age Group	Estimated Population
	#
18-24	122,500
25-34	186,600
35-44	171,100
45-54	177,500
55-64	158,400
65-74	99,200
75+	100,800

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Caucasian	10,600	3.1	1.9 - 4.2	147,600	42.8	39.9 - 45.7	115,500	33.5	30.9 - 36.1	44,900	13.0	11.0 - 15.0	17,000	4.9	3.8 - 6.1	9,300	2.7	1.6 - 3.7
Native Hawaiian	n/r	n/r	n/r	26,800	24.7	20.4 - 29.1	36,400	33.5	28.6 - 38.3	22,100	20.3	16.5 - 24.1	12,800	11.8	8.8 - 14.7	9,400	8.7	5.9 - 11.4
Chinese	n/r	n/r	n/r	36,400	59.1	51.7 - 66.4	19,600	31.8	24.6 - 38.9	3,000	4.9	2.3 - 7.5	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	n/r	n/r	n/r	81,300	44.4	39.6 - 49.2	59,800	32.6	28.1 - 37.1	28,300	15.4	11.9 - 19.0	n/r	n/r	n/r	n/r	n/r	n/r
Japanese	8,300	3.9	2.7 - 5.1	95,500	45.0	41.6 - 48.4	74,100	34.9	31.6 - 38.2	22,500	10.6	8.7 - 12.6	9,100	4.3	2.5 - 6.0	2,600	1.2	0.6 - 1.8
Black	n/r	n/r	n/r	2,500	17.0	7.6 - 26.4	5,200	35.9	20.3 - 51.5	3,900	26.8	12.1 - 41.5	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	n/r	n/r	n/r	13,100	48.9	38.1 - 59.6	8,800	32.8	22.4 - 43.3	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	0	0.0	0.0 - 0.0	6,300	24.7	11.8 - 37.7	8,900	34.9	21.3 - 48.6	6,100	24.1	13.8 - 34.4	n/r	n/r	n/r	2,600	10.2	4.5 - 15.9
Other	n/r	n/r	n/r	11,400	33.1	23.3 - 42.8	12,300	35.7	24.9 - 46.5	7,100	20.5	11.2 - 29.8	n/r	n/r	n/r	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Estimated Population
	#
Caucasian	344,900
Native Hawaiian	108,600
Chinese	61,600
Filipino	183,400
Japanese	212,100
Black	14,400
Native Alaskan/ American Indian	4,800
Other Asian	26,900
Other Pacific Islander	25,400
Other	34,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Male	7,100	1.4	0.6 - 2.1	179,800	34.5	32.0 - 37.0	207,300	39.8	37.2 - 42.3	82,800	15.9	14.0 - 17.8	28,200	5.4	4.2 - 6.6	15,900	3.0	2.1 - 4.0
Female	21,100	4.2	3.3 - 5.2	244,500	49.0	46.6 - 51.3	137,700	27.6	25.5 - 29.7	59,000	11.8	10.3 - 13.3	22,700	4.5	3.6 - 5.5	14,300	2.9	2.0 - 3.7

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Never attended school/ Only Kindergarten to Grades 8	n/r	n/r	n/r	11,900	49.8	36.7 - 62.9	7,800	32.6	21.2 - 44.1	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	n/r	n/r	n/r	31,300	39.5	30.9 - 48.1	22,100	27.8	20.5 - 35.2	16,000	20.2	13.1 - 27.4	5,100	6.5	3.1 - 9.9	n/r	n/r	n/r
Grades 12 or GED (High School Grad)	7,300	2.3	1.2 - 3.5	119,300	38.0	34.8 - 41.3	108,900	34.7	31.4 - 38.0	46,700	14.9	12.6 - 17.1	17,700	5.6	4.2 - 7.0	13,800	4.4	2.9 - 5.9
College 1 to 3 years (Some College/ Tech)	10,100	3.1	1.9 - 4.2	132,800	40.2	37.1 - 43.3	112,300	34.0	31.0 - 36.9	48,400	14.7	12.4 - 16.9	19,000	5.7	4.1 - 7.4	7,800	2.4	1.6 - 3.1
College 4 years or more (College Grad)	8,700	3.2	2.2 - 4.1	128,500	47.2	44.6 - 49.7	93,800	34.4	32.0 - 36.8	28,000	10.3	8.8 - 11.7	9,100	3.3	2.4 - 4.2	4,500	1.7	1.1 - 2.2

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Gender	Estimated Population
	#
Male	521,100
Female	499,400

Education Level	Estimated Population
	#
Never attended school/ Only Kindergarten to Grades 8	24,000
Grades 9 thru 11 (Some High School)	79,300
Grades 12 or GED (High School Grad)	313,800
College 1 to 3 years (Some College/ Tech)	330,500
College 4 years or more (College Grad)	272,500

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Employed	12,200	2.0	1.4 - 2.6	240,400	40.0	37.8 - 42.3	209,300	34.9	32.7 - 37.1	87,200	14.5	12.9 - 16.2	32,200	5.4	4.2 - 6.5	19,100	3.2	2.3 - 4.1
Unemployed	n/r	n/r	n/r	30,100	39.2	32.0 - 46.4	25,500	33.2	26.2 - 40.2	12,400	16.1	10.9 - 21.3	5,200	6.7	3.4 - 10.1	2,700	3.6	1.5 - 5.6
Retired/Unable to work	7,000	3.0	2.3 - 3.8	92,200	40.0	37.1 - 42.8	84,000	36.4	33.6 - 39.3	32,500	14.1	11.9 - 16.3	8,000	3.5	2.6 - 4.4	6,900	3.0	1.8 - 4.2
Student/Homemaker	8,100	7.2	3.2 - 11.2	61,400	54.7	48.2 - 61.1	26,200	23.3	17.6 - 29.0	9,700	8.6	5.6 - 11.6	5,400	4.8	2.5 - 7.2	n/r	n/r	n/r

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Employment Status (Grouped)	Estimated Population
	#
Employed	600,300
Unemployed	76,900
Retired/Unable to work	230,600
Student/Homemaker	112,300

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Less than \$10,000	n/r	n/r	n/r	17,500	39.8	31.5 - 48.0	14,400	32.7	25.1 - 40.2	5,400	12.3	6.3 - 18.3	n/r	n/r	n/r	n/r	n/r	n/r
\$10,000 to \$14,999	n/r	n/r	n/r	14,200	41.1	32.3 - 49.9	11,600	33.8	24.9 - 42.6	5,200	15.2	8.3 - 22.1	n/r	n/r	n/r	n/r	n/r	n/r
\$15,000 to \$19,999	n/r	n/r	n/r	27,800	46.8	38.8 - 54.7	15,100	25.5	19.5 - 31.5	8,800	14.7	8.9 - 20.6	n/r	n/r	n/r	n/r	n/r	n/r
\$20,000 to \$24,999	n/r	n/r	n/r	30,400	40.6	33.9 - 47.3	28,900	38.5	31.8 - 45.2	8,600	11.4	7.7 - 15.1	n/r	n/r	n/r	2,100	2.8	1.3 - 4.3
\$25,000 to \$34,999	1,700	1.7	0.8 - 2.7	46,800	45.6	40.4 - 50.9	31,500	30.8	26.0 - 35.5	15,500	15.1	11.5 - 18.7	3,900	3.8	2.1 - 5.6	3,000	2.9	1.5 - 4.4
\$35,000 to \$49,999	5,100	3.7	2.1 - 5.3	57,700	41.4	36.9 - 46.0	48,800	35.0	30.5 - 39.5	16,200	11.7	9.1 - 14.2	7,500	5.4	3.4 - 7.4	3,900	2.8	1.6 - 4.0
\$50,000 to \$74,999	6,000	3.5	1.4 - 5.5	61,400	35.7	31.6 - 39.7	56,200	32.7	28.6 - 36.8	28,900	16.8	13.1 - 20.5	13,600	7.9	5.1 - 10.7	n/r	n/r	n/r
\$75,000 or more	5,500	1.9	1.1 - 2.6	119,800	40.4	37.2 - 43.5	109,100	36.8	33.7 - 39.9	45,000	15.2	12.8 - 17.5	12,000	4.1	2.8 - 5.3	5,300	1.8	1.1 - 2.5

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Household Income	Estimated Population
	#
Less than \$10,000	44,100
\$10,000 to \$14,999	34,400
\$15,000 to \$19,999	59,400
\$20,000 to \$24,999	75,000
\$25,000 to \$34,999	102,500
\$35,000 to \$49,999	139,300
\$50,000 to \$74,999	172,000
\$75,000 or more	296,700

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
0-130%	n/r	n/r	n/r	61,300	38.0	33.0 - 43.0	58,200	36.1	31.3 - 40.9	24,400	15.2	11.6 - 18.7	8,400	5.2	3.0 - 7.4	5,400	3.4	1.9 - 4.8
131-185%	3,600	3.2	1.6 - 4.9	47,200	42.1	36.8 - 47.4	36,300	32.4	27.1 - 37.7	15,900	14.2	10.5 - 17.9	6,900	6.2	3.1 - 9.3	2,100	1.9	1.0 - 2.8
186+%	13,100	3.0	2.0 - 3.9	179,000	40.5	38.0 - 43.0	153,900	34.8	32.4 - 37.2	62,400	14.1	12.3 - 16.0	22,700	5.1	4.0 - 6.3	11,000	2.5	1.5 - 3.5

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Married	10,000	2.0	1.4 - 2.6	194,500	39.5	37.3 - 41.7	174,100	35.4	33.2 - 37.5	75,100	15.3	13.5 - 17.0	26,600	5.4	4.3 - 6.5	11,800	2.4	1.8 - 3.0
Unmarried Couple	n/r	n/r	n/r	18,800	41.1	31.6 - 50.7	13,400	29.3	21.1 - 37.5	10,100	22.1	14.5 - 29.8	n/r	n/r	n/r	n/r	n/r	n/r
Widowed	3,200	4.3	2.5 - 6.1	35,300	46.9	41.9 - 51.9	25,600	34.0	29.3 - 38.7	7,700	10.2	7.1 - 13.2	2,500	3.3	1.8 - 4.8	1,000	1.4	0.6 - 2.1
Other	14,500	3.6	2.3 - 4.8	175,700	43.1	39.9 - 46.3	131,900	32.4	29.4 - 35.4	48,900	12.0	10.0 - 14.0	19,800	4.9	3.6 - 6.1	16,700	4.1	2.7 - 5.4

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Poverty Level	Estimated Population
	#
0-130%	161,300
131-185%	112,100
186+%	442,100

Marital Status (Grouped)	Estimated Population
	#
Married	492,100
Unmarried Couple	45,700
Widowed	75,200
Other	407,600

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2011

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	10,200	2.0	1.4 - 2.6	199,200	39.3	37.1 - 41.5	177,700	35.1	32.9 - 37.2	77,600	15.3	13.6 - 17.0	28,600	5.6	4.5 - 6.8	13,600	2.7	2.0 - 3.4
No	18,000	3.5	2.5 - 4.6	224,000	43.7	41.0 - 46.5	167,100	32.6	30.0 - 35.2	64,100	12.5	10.8 - 14.2	22,400	4.4	3.3 - 5.4	16,700	3.3	2.2 - 4.3

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)		
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)
Yes	26,200	2.9	2.2 - 3.5	376,800	41.0	39.2 - 42.8	311,200	33.8	32.1 - 35.6	130,600	14.2	12.9 - 15.5	48,100	5.2	4.4 - 6.1	27,000	2.9	2.3 - 3.6
No	n/r	n/r	n/r	45,700	46.7	40.3 - 53.0	33,100	33.8	27.7 - 39.8	11,200	11.4	7.7 - 15.1	n/r	n/r	n/r	3,200	3.3	1.6 - 5.0

Weight - Expanded BMI, by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2011, 2012, 2013, 2014

Note: Weighted numbers (#) rounded to nearest 100, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 or if the relative standard error is >0.3 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Married	Estimated Population
	#
Yes	507,000
No	512,200

Health Care Coverage	Estimated Population
	#
Yes	920,000
No	98,000