

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI >=30)			Estimated Population (5-yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	23,400	2.7	2.3 - 3.0	401,700	45.7	44.8 - 46.7	298,300	34.0	33.0 - 34.9	154,900	17.6	16.8 - 18.4	878,300
2001-2005	23,200	2.6	2.3 - 2.9	405,300	45.2	44.3 - 46.2	302,100	33.7	32.8 - 34.6	165,400	18.5	17.7 - 19.3	896,000
2002-2006	22,900	2.5	2.2 - 2.8	403,800	44.3	43.4 - 45.3	310,900	34.1	33.3 - 35.0	173,300	19.0	18.2 - 19.8	911,000
2003-2007	23,200	2.5	2.2 - 2.8	405,400	43.6	42.7 - 44.5	315,800	33.9	33.1 - 34.8	185,800	20.0	19.2 - 20.8	930,100
2004-2008	24,700	2.6	2.3 - 2.9	398,800	42.0	41.2 - 42.9	323,400	34.1	33.3 - 34.9	201,500	21.2	20.5 - 22.0	948,400
2005-2009	24,500	2.5	2.3 - 2.8	399,800	41.2	40.5 - 42.0	335,700	34.6	33.9 - 35.3	209,900	21.6	21.0 - 22.3	969,800
2006-2010	25,800	2.6	2.4 - 2.9	394,400	40.3	39.5 - 41.1	340,100	34.8	34.0 - 35.5	218,400	22.3	21.6 - 23.0	978,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,800	2.6	2.4 - 2.9	394,400	40.3	39.5 - 41.1	340,100	34.8	34.0 - 35.5	218,400	22.3	21.6 - 23.0	978,600

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,000	2.2	1.8 - 2.7	51,000	38.8	37.3 - 40.2	46,400	35.3	33.9 - 36.7	31,200	23.7	22.4 - 25.0	131,500
Honolulu	19,400	2.8	2.5 - 3.1	280,900	40.7	39.7 - 41.7	240,500	34.8	33.8 - 35.8	150,100	21.7	20.8 - 22.6	690,900
Kauai	900	1.8	1.3 - 2.3	19,800	41.5	39.3 - 43.8	16,300	34.2	32.0 - 36.3	10,800	22.5	20.5 - 24.5	47,800
Maui	2,600	2.4	1.9 - 2.9	42,700	39.3	37.7 - 41.0	36,900	34.0	32.5 - 35.6	26,300	24.2	22.7 - 25.7	108,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,000	2.2	1.8 - 2.7	51,000	38.8	37.3 - 40.2	46,400	35.3	33.9 - 36.7	31,200	23.7	22.4 - 25.0	131,500
Kauai	900	1.8	1.3 - 2.3	19,800	41.5	39.3 - 43.8	16,300	34.2	32.0 - 36.3	10,800	22.5	20.5 - 24.5	47,800
Lanai	<50	1.6	0.7 - 2.5	700	37.8	33.7 - 41.9	700	39.7	35.6 - 43.7	400	20.9	17.5 - 24.2	1,900
Maui	2,400	2.5	2.0 - 3.0	39,900	40.2	38.5 - 42.0	33,700	34.1	32.3 - 35.8	23,000	23.2	21.6 - 24.9	99,100
Molokai	100	1.9	0.7 - 3.1	2,100	27.6	24.5 - 30.8	2,500	32.5	29.2 - 35.9	2,900	37.9	34.3 - 41.5	7,600
Oahu	19,400	2.8	2.5 - 3.1	280,900	40.7	39.7 - 41.7	240,500	34.8	33.8 - 35.8	150,100	21.7	20.8 - 22.6	690,900

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,500	2.3	1.3 - 3.2	26,200	40.8	37.5 - 44.1	22,700	35.4	32.3 - 38.6	13,800	21.4	18.5 - 24.4	64,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,100	4.0	2.4 - 5.7	13,400	47.5	43.2 - 51.9	8,500	30.2	26.2 - 34.3	5,100	18.2	14.9 - 21.5	28,100
Hanalei/ Kapaa	400	2.1	1.2 - 2.9	8,900	44.9	41.6 - 48.2	6,500	32.6	29.5 - 35.7	4,100	20.4	17.6 - 23.3	19,900
Hilo	800	2.2	1.4 - 3.0	14,900	38.4	35.7 - 41.1	13,300	34.5	31.9 - 37.1	9,600	24.9	22.4 - 27.5	38,700
Kaaawa/ Kahaluu/ Kaneohe	1,200	2.5	1.3 - 3.8	17,500	36.0	32.4 - 39.6	17,200	35.3	31.7 - 38.8	12,800	26.2	22.8 - 29.6	48,700
Kahului	800	2.3	1.5 - 3.0	13,600	40.5	37.4 - 43.6	11,700	35.0	31.9 - 38.0	7,400	22.2	19.4 - 25.1	33,500
Kailua/ Waimanalo	800	1.6	0.9 - 2.4	19,200	38.2	34.7 - 41.7	19,000	37.9	34.4 - 41.4	11,200	22.3	19.2 - 25.4	50,300
Kaimuki/ Palolo/ Waikiki	2,600	4.6	3.2 - 6.0	26,200	47.0	43.8 - 50.3	19,000	34.1	31.1 - 37.2	7,900	14.2	12.0 - 16.5	55,600
Kona	700	2.3	1.3 - 3.3	12,200	41.9	39.0 - 44.9	10,000	34.3	31.4 - 37.1	6,200	21.5	18.8 - 24.1	29,100
Lahaina/ Wailuku	800	2.6	1.6 - 3.6	12,600	38.7	35.5 - 42.0	11,100	34.1	31.0 - 37.3	8,000	24.5	21.5 - 27.5	32,400
Lanai	<50	1.6	0.7 - 2.5	700	37.8	33.7 - 41.9	700	39.7	35.6 - 43.7	400	20.9	17.5 - 24.2	1,900
Lihue-Waimea	400	1.6	0.9 - 2.3	10,900	39.1	36.0 - 42.3	9,800	35.3	32.3 - 38.2	6,700	24.0	21.2 - 26.8	27,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	2,300	4.8	3.2 - 6.4	21,700	45.8	42.2 - 49.3	15,400	32.5	29.1 - 35.9	8,000	16.9	14.1 - 19.7	47,400
Mililani/ Wahiawa	1,200	1.6	0.7 - 2.5	26,300	36.6	33.6 - 39.5	27,800	38.6	35.6 - 41.6	16,700	23.2	20.6 - 25.9	72,100
Molokai	100	1.9	0.7 - 3.1	2,100	27.6	24.5 - 30.8	2,500	32.5	29.2 - 35.9	2,900	37.9	34.3 - 41.5	7,600
Nanakuli/ Waianae	600	1.7	0.6 - 2.9	8,600	25.0	20.4 - 29.7	10,400	30.3	25.1 - 35.6	14,800	42.9	37.0 - 48.7	34,400
N.Hawaii	500	1.9	1.0 - 2.8	10,500	39.0	35.7 - 42.3	9,800	36.2	32.9 - 39.5	6,200	22.9	19.9 - 25.8	26,900
N.Shore/ Laie	500	2.3	0.1 - 4.4	9,000	39.9	34.1 - 45.7	7,500	33.1	27.6 - 38.6	5,600	24.8	19.6 - 29.9	22,600
Nuuanu/ Kalihi/ Moanalua	1,900	2.8	1.8 - 3.8	30,400	44.5	40.9 - 48.0	23,100	33.7	30.4 - 37.0	13,000	19.0	16.1 - 21.9	68,300
Puna/ Kau	900	2.5	1.8 - 3.2	13,400	36.4	33.6 - 39.2	13,300	36.2	33.6 - 38.9	9,100	24.9	22.3 - 27.4	36,700
Salt Lake/ Foster Village	1,200	3.4	1.7 - 5.1	15,300	44.9	40.3 - 49.5	12,100	35.4	31.0 - 39.8	5,600	16.3	13.1 - 19.6	34,200
Upcountry/ Hana	800	2.5	1.7 - 3.3	13,800	41.5	38.6 - 44.3	11,000	33.0	30.3 - 35.8	7,600	23.0	20.4 - 25.7	33,200
Wailae/ Kahala/ Hawaii Kai	1,700	4.0	2.6 - 5.4	21,800	50.1	46.3 - 53.8	14,000	32.2	28.6 - 35.8	6,000	13.8	11.1 - 16.5	43,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,800	2.3	1.5 - 3.1	45,200	37.2	34.7 - 39.8	43,700	36.0	33.5 - 38.6	29,700	24.5	22.2 - 26.8	121,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,700	4.7	3.4 - 6.0	61,800	51.0	47.9 - 54.2	31,600	26.0	23.3 - 28.8	22,100	18.3	15.7 - 20.8	121,200
25-34	3,600	2.1	1.5 - 2.7	62,600	36.9	34.7 - 39.1	58,200	34.3	32.1 - 36.5	45,300	26.7	24.6 - 28.8	169,600
35-44	3,400	2.0	1.4 - 2.5	63,100	36.3	34.6 - 38.0	63,000	36.2	34.5 - 38.0	44,400	25.5	23.9 - 27.1	173,900
45-54	2,800	1.6	1.2 - 1.9	65,300	36.9	35.4 - 38.4	67,200	37.9	36.4 - 39.5	41,800	23.6	22.3 - 25.0	177,200
55-64	2,200	1.5	1.1 - 1.8	54,300	36.3	34.8 - 37.8	56,100	37.5	36.0 - 39.1	36,800	24.7	23.3 - 26.1	149,300
65-74	2,300	2.6	2.1 - 3.1	34,800	39.6	37.8 - 41.4	33,200	37.8	36.0 - 39.6	17,600	20.0	18.6 - 21.5	87,900
75+	5,700	5.9	5.0 - 6.8	50,600	52.9	50.9 - 54.9	29,700	31.0	29.2 - 32.9	9,700	10.1	8.9 - 11.4	95,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,500	2.4	2.0 - 2.8	131,700	41.8	40.6 - 42.9	112,100	35.6	34.4 - 36.7	64,000	20.3	19.3 - 21.2	315,400
Native Hawaiian	1,400	1.1	0.6 - 1.5	29,700	23.2	21.3 - 25.1	40,600	31.8	29.7 - 33.8	56,300	43.9	41.6 - 46.2	128,000
Chinese	2,600	4.5	3.3 - 5.8	27,800	49.0	45.7 - 52.2	19,600	34.5	31.4 - 37.6	6,800	12.0	9.9 - 14.1	56,800
Filipino	2,800	1.8	1.1 - 2.4	68,400	43.4	41.1 - 45.7	57,800	36.6	34.4 - 38.9	28,700	18.2	16.4 - 20.0	157,700
Japanese	8,800	4.0	3.4 - 4.6	104,800	47.6	46.0 - 49.2	76,900	34.9	33.4 - 36.4	29,900	13.6	12.5 - 14.7	220,300
Black	300	2.2	0.0 - 4.6	5,000	33.7	27.3 - 40.2	5,300	35.7	29.5 - 41.9	4,200	28.3	22.2 - 34.4	14,700
Native Alaskan/ American Indian	200	4.3	1.3 - 7.4	1,800	35.8	27.0 - 44.5	1,600	32.5	23.5 - 41.5	1,400	27.4	18.7 - 36.1	5,000
Other Asian	1,200	4.9	2.9 - 6.9	13,400	54.3	48.9 - 59.8	6,700	27.1	22.5 - 31.7	3,400	13.6	9.5 - 17.7	24,700
Other Pacific Islander	600	2.1	0.1 - 4.1	3,300	12.2	8.7 - 15.8	8,100	29.8	24.0 - 35.5	15,300	55.9	49.6 - 62.3	27,300
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	1,200	24.7	14.7 - 34.6	4,800
Other	200	1.2	0.1 - 2.2	5,900	27.8	22.6 - 33.1	8,100	38.3	32.8 - 43.9	6,900	32.6	27.5 - 37.7	21,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	5,800	1.2	0.9 - 1.5	155,600	31.8	30.6 - 32.9	208,500	42.6	41.4 - 43.8	119,800	24.5	23.4 - 25.5	489,700
Female	20,000	4.1	3.7 - 4.5	238,800	48.8	47.8 - 49.8	131,600	26.9	26.0 - 27.8	98,500	20.2	19.3 - 21.0	488,900

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	5.2	2.8 - 7.6	5,600	42.8	36.8 - 48.8	4,500	34.3	28.2 - 40.4	2,300	17.7	13.5 - 21.9	13,100
Grades 9 thru 11 (Some High School)	1,800	4.5	2.8 - 6.2	14,000	35.6	31.6 - 39.7	11,600	29.6	25.8 - 33.4	11,800	30.2	25.9 - 34.5	39,200
Grades 12 or GED (High School Grad)	7,900	2.7	2.2 - 3.2	105,100	36.2	34.7 - 37.7	100,000	34.5	33.0 - 35.9	77,400	26.6	25.3 - 28.0	290,300
College 1 to 3 years (Some College/ Tech)	6,700	2.4	2.0 - 2.8	108,700	38.5	37.0 - 39.9	97,700	34.6	33.2 - 36.0	69,500	24.6	23.3 - 25.9	282,700
College 4 years or more (College Grad)	8,700	2.5	2.1 - 2.9	160,800	45.6	44.4 - 46.7	126,000	35.7	34.6 - 36.9	57,400	16.3	15.3 - 17.2	352,800

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,400	1.7	1.4 - 2.0	233,200	38.1	37.1 - 39.0	226,100	36.9	35.9 - 37.9	143,100	23.3	22.5 - 24.2	612,900
Unemployed	1,100	2.3	1.2 - 3.3	17,600	35.2	31.4 - 39.1	15,600	31.1	27.3 - 34.9	15,700	31.4	27.4 - 35.3	50,000
Retired/Unable to work	8,600	4.0	3.5 - 4.4	93,600	43.2	41.9 - 44.5	73,400	33.9	32.6 - 35.1	41,100	19.0	17.9 - 20.1	216,600
Student/Homemaker	5,600	5.7	4.3 - 7.1	49,700	50.5	47.6 - 53.4	24,900	25.3	22.8 - 27.7	18,200	18.5	16.3 - 20.8	98,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	4.2	2.6 - 5.8	11,300	38.4	34.0 - 42.7	7,600	25.8	22.1 - 29.5	9,300	31.6	27.3 - 35.9	29,400
\$10,000 to \$14,999	900	3.6	2.4 - 4.8	10,200	39.1	34.7 - 43.5	8,400	32.2	27.8 - 36.6	6,500	25.2	20.5 - 29.8	26,000
\$15,000 to \$19,999	1,800	3.8	2.5 - 5.1	18,800	40.4	37.0 - 43.9	14,900	32.1	28.8 - 35.4	11,000	23.6	20.7 - 26.6	46,400
\$20,000 to \$24,999	1,600	2.7	1.9 - 3.5	24,000	39.6	36.4 - 42.7	18,700	30.7	27.8 - 33.7	16,400	27.0	24.1 - 30.0	60,800
\$25,000 to \$34,999	2,900	2.8	2.1 - 3.5	41,600	40.1	37.7 - 42.4	35,400	34.1	31.8 - 36.4	23,900	23.1	21.0 - 25.1	103,700
\$35,000 to \$49,999	3,800	2.6	1.9 - 3.2	53,900	36.7	34.8 - 38.6	51,700	35.2	33.3 - 37.1	37,500	25.5	23.8 - 27.3	147,000
\$50,000 to \$74,999	3,000	1.8	1.3 - 2.3	66,300	39.5	37.7 - 41.4	60,500	36.1	34.3 - 37.8	37,900	22.6	21.0 - 24.2	167,800
\$75,000 or more	6,000	2.1	1.7 - 2.4	118,400	40.5	39.2 - 41.9	110,700	37.9	36.5 - 39.3	57,000	19.5	18.4 - 20.7	292,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,400	2.7	2.1 - 3.3	73,400	37.0	35.1 - 39.0	62,600	31.6	29.8 - 33.5	56,700	28.6	26.8 - 30.5	198,100
131-185%	4,000	3.2	2.4 - 3.9	46,700	36.8	34.6 - 39.0	43,500	34.2	32.1 - 36.4	32,700	25.8	23.7 - 27.8	126,900
186+%	11,800	2.2	1.9 - 2.4	224,300	40.9	40.0 - 41.9	201,800	36.8	35.9 - 37.7	110,100	20.1	19.3 - 20.9	547,900

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,800	1.9	1.6 - 2.1	222,000	38.6	37.7 - 39.5	214,500	37.3	36.4 - 38.2	127,900	22.2	21.4 - 23.1	575,200
Unmarried Couple	600	2.1	0.8 - 3.4	10,700	35.1	30.4 - 39.7	11,300	37.1	32.2 - 42.1	7,800	25.7	20.8 - 30.7	30,500
Widowed	3,000	5.2	4.3 - 6.2	28,300	49.7	47.3 - 52.0	16,300	28.7	26.5 - 30.8	9,400	16.4	14.6 - 18.3	56,900
Other	11,400	3.6	3.0 - 4.2	133,500	42.2	40.7 - 43.8	98,000	31.0	29.5 - 32.5	73,200	23.2	21.8 - 24.5	316,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,100	1.9	1.7 - 2.1	226,100	38.6	37.7 - 39.5	217,800	37.2	36.3 - 38.1	131,000	22.4	21.5 - 23.2	586,000
No	14,600	3.7	3.2 - 4.2	167,600	42.8	41.5 - 44.2	121,900	31.1	29.9 - 32.4	87,300	22.3	21.1 - 23.5	391,500

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	24,300	2.7	2.4 - 2.9	366,900	40.3	39.5 - 41.1	317,300	34.9	34.1 - 35.6	201,500	22.1	21.5 - 22.8	910,000
No	1,400	2.1	1.3 - 2.8	26,500	39.8	36.3 - 43.3	22,200	33.3	30.0 - 36.7	16,500	24.8	21.5 - 28.2	66,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	24,500	2.5	2.3 - 2.8	399,800	41.2	40.5 - 42.0	335,700	34.6	33.9 - 35.3	209,900	21.6	21.0 - 22.3	969,800

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	2.2	1.8 - 2.6	49,900	39.2	37.8 - 40.6	45,300	35.6	34.2 - 37.0	29,300	23.0	21.7 - 24.3	127,400
Honolulu	18,000	2.6	2.3 - 2.9	285,900	41.5	40.5 - 42.5	238,700	34.7	33.7 - 35.6	146,100	21.2	20.3 - 22.1	688,700
Kauai	900	2.0	1.5 - 2.6	19,500	41.4	39.2 - 43.6	16,300	34.6	32.4 - 36.7	10,400	22.0	20.0 - 24.0	47,100
Maui	2,600	2.5	2.0 - 3.0	44,500	41.7	40.1 - 43.4	35,400	33.2	31.6 - 34.7	24,100	22.6	21.2 - 24.0	106,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	2.2	1.8 - 2.6	49,900	39.2	37.8 - 40.6	45,300	35.6	34.2 - 37.0	29,300	23.0	21.7 - 24.3	127,400
Kauai	900	2.0	1.5 - 2.6	19,500	41.4	39.2 - 43.6	16,300	34.6	32.4 - 36.7	10,400	22.0	20.0 - 24.0	47,100
Lanai	<50	1.6	0.8 - 2.5	800	40.0	36.0 - 44.1	800	39.8	35.8 - 43.7	400	18.6	15.6 - 21.5	2,100
Maui	2,500	2.5	2.0 - 3.0	41,600	42.7	41.0 - 44.5	32,300	33.2	31.5 - 34.9	21,000	21.6	20.0 - 23.1	97,300
Molokai	200	2.2	0.9 - 3.5	2,100	28.6	25.3 - 31.9	2,200	31.2	27.7 - 34.7	2,700	38.0	34.3 - 41.7	7,200
Oahu	18,000	2.6	2.3 - 2.9	285,900	41.5	40.5 - 42.5	238,700	34.7	33.7 - 35.6	146,100	21.2	20.3 - 22.1	688,700

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	1.8	1.1 - 2.6	25,800	40.1	36.9 - 43.4	23,200	36.1	33.0 - 39.3	14,100	21.9	19.0 - 24.8	64,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,300	4.3	2.6 - 6.0	13,900	45.5	41.3 - 49.7	9,700	31.8	27.8 - 35.9	5,600	18.3	15.1 - 21.6	30,500
Hanalei/ Kapaa	400	2.0	1.2 - 2.9	9,000	45.5	42.2 - 48.8	6,500	32.9	29.9 - 35.9	3,800	19.5	16.8 - 22.3	19,700
Hilo	900	2.5	1.7 - 3.4	14,500	38.9	36.2 - 41.5	13,200	35.2	32.6 - 37.7	8,800	23.4	21.1 - 25.8	37,400
Kaaawa/ Kahaluu/ Kaneohe	1,300	2.7	1.4 - 4.0	17,500	36.1	32.5 - 39.6	17,200	35.3	31.8 - 38.7	12,600	26.0	22.7 - 29.3	48,600
Kahului	800	2.3	1.5 - 3.1	14,600	43.7	40.6 - 46.9	11,300	33.8	30.9 - 36.8	6,700	20.2	17.5 - 22.8	33,500
Kailua/ Waimanalo	900	1.7	1.0 - 2.4	19,600	39.4	36.0 - 42.9	18,200	36.5	33.1 - 40.0	11,100	22.3	19.1 - 25.5	49,700
Kaimuki/ Palolo/ Waikiki	2,100	3.6	2.7 - 4.6	27,700	48.3	45.1 - 51.4	19,000	33.1	30.1 - 36.0	8,600	15.0	12.6 - 17.4	57,400
Kona	500	1.9	1.1 - 2.6	12,100	42.1	39.2 - 45.0	10,100	35.2	32.4 - 38.1	6,000	20.8	18.3 - 23.3	28,800
Lahaina/ Wailuku	800	2.6	1.5 - 3.6	12,500	39.3	36.2 - 42.4	10,700	33.8	30.7 - 36.8	7,700	24.3	21.5 - 27.2	31,700
Lanai	<50	1.6	0.8 - 2.5	800	40.0	36.0 - 44.1	800	39.8	35.8 - 43.7	400	18.6	15.6 - 21.5	2,100
Lihue-Waimea	500	2.0	1.2 - 2.7	10,600	38.5	35.5 - 41.4	9,800	35.7	32.8 - 38.7	6,500	23.8	21.1 - 26.6	27,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,700	3.9	2.7 - 5.0	20,700	45.7	42.1 - 49.2	15,100	33.4	30.0 - 36.8	7,700	17.1	14.4 - 19.8	45,300
Mililani/ Wahiawa	1,200	1.7	0.9 - 2.5	27,600	38.3	35.4 - 41.3	27,000	37.5	34.6 - 40.5	16,100	22.4	19.8 - 25.0	72,100
Molokai	200	2.2	0.9 - 3.5	2,100	28.6	25.3 - 31.9	2,200	31.2	27.7 - 34.7	2,700	38.0	34.3 - 41.7	7,200
Nanakuli/ Waianae	600	1.7	0.5 - 2.9	8,500	26.0	21.3 - 30.7	9,900	30.4	25.4 - 35.5	13,600	41.8	36.3 - 47.3	32,600
N.Hawaii	500	1.7	0.9 - 2.6	10,400	39.1	36.0 - 42.2	9,600	35.8	32.7 - 38.9	6,200	23.3	20.4 - 26.3	26,700
N.Shore/ Laie	500	2.1	0.2 - 3.9	8,500	39.3	33.8 - 44.8	7,100	32.6	27.3 - 37.9	5,600	26.0	20.8 - 31.2	21,700
Nuuanu/ Kalihi/ Moanalua	1,800	2.6	1.6 - 3.6	31,700	46.0	42.5 - 49.5	23,100	33.5	30.3 - 36.8	12,300	17.9	15.1 - 20.7	68,800
Puna/ Kau	900	2.6	1.8 - 3.3	12,800	37.2	34.3 - 40.0	12,400	36.1	33.4 - 38.8	8,300	24.2	21.6 - 26.7	34,500
Salt Lake/ Foster Village	1,100	3.2	1.5 - 4.8	16,300	48.3	43.7 - 53.0	11,100	33.0	28.7 - 37.3	5,200	15.5	12.3 - 18.6	33,700
Upcountry/ Hana	900	2.7	1.8 - 3.5	14,500	45.1	42.1 - 48.0	10,300	32.0	29.2 - 34.7	6,500	20.3	17.8 - 22.7	32,100
Waialae/ Kahala/ Hawaii Kai	1,500	3.3	2.2 - 4.5	22,700	51.3	47.5 - 55.0	14,800	33.4	29.9 - 37.0	5,300	12.0	9.5 - 14.5	44,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	3,000	2.5	1.7 - 3.3	45,400	37.9	35.4 - 40.4	43,300	36.2	33.7 - 38.7	28,100	23.4	21.2 - 25.6	119,800

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,500	3.8	2.7 - 4.8	62,100	51.5	48.4 - 54.6	32,100	26.6	23.8 - 29.3	22,000	18.2	15.7 - 20.7	120,700
25-34	3,500	2.1	1.5 - 2.7	64,700	38.9	36.7 - 41.0	56,000	33.6	31.5 - 35.7	42,300	25.4	23.5 - 27.4	166,500
35-44	4,000	2.3	1.8 - 2.8	65,800	37.5	35.8 - 39.2	63,000	35.9	34.2 - 37.6	42,600	24.3	22.7 - 25.8	175,400
45-54	2,800	1.6	1.2 - 1.9	68,400	38.5	37.0 - 40.0	66,200	37.3	35.7 - 38.8	40,300	22.7	21.3 - 24.0	177,600
55-64	2,100	1.5	1.1 - 1.8	52,500	35.7	34.1 - 37.2	56,300	38.3	36.7 - 39.9	36,200	24.6	23.1 - 26.0	147,100
65-74	2,200	2.6	2.1 - 3.2	34,400	40.0	38.1 - 41.9	32,200	37.5	35.6 - 39.4	17,000	19.8	18.3 - 21.4	85,900
75+	5,200	5.6	4.8 - 6.5	50,100	54.0	51.9 - 56.0	28,700	30.9	29.0 - 32.8	8,800	9.5	8.3 - 10.7	92,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,000	2.2	1.9 - 2.5	135,200	42.6	41.5 - 43.8	112,100	35.4	34.2 - 36.5	62,800	19.8	18.8 - 20.8	317,100
Native Hawaiian	1,200	0.9	0.5 - 1.3	29,800	23.8	21.9 - 25.8	39,300	31.4	29.4 - 33.4	54,900	43.8	41.6 - 46.1	125,200
Chinese	2,400	4.3	3.1 - 5.6	28,700	50.8	47.6 - 54.1	18,500	32.8	29.7 - 35.9	6,800	12.1	9.9 - 14.2	56,400
Filipino	2,800	1.8	1.2 - 2.4	70,400	45.0	42.7 - 47.3	56,900	36.4	34.2 - 38.6	26,400	16.9	15.2 - 18.5	156,500
Japanese	8,200	3.8	3.3 - 4.4	102,800	47.9	46.3 - 49.5	75,900	35.4	33.9 - 36.9	27,600	12.9	11.8 - 13.9	214,600
Black	500	3.2	0.7 - 5.7	5,300	33.9	27.8 - 40.1	5,300	33.8	28.0 - 39.7	4,500	29.0	23.0 - 35.0	15,600
Native Alaskan/ American Indian	200	4.6	1.6 - 7.6	1,900	37.6	28.9 - 46.3	1,700	32.7	24.0 - 41.4	1,300	25.1	17.1 - 33.0	5,200
Other Asian	1,200	5.2	3.1 - 7.4	12,800	54.3	48.9 - 59.7	6,700	28.3	23.4 - 33.2	2,900	12.1	8.2 - 16.1	23,600
Other Pacific Islander	400	1.5	0.0 - 3.2	3,900	15.5	11.3 - 19.8	7,000	28.0	22.6 - 33.4	13,700	54.9	48.7 - 61.1	25,000
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	1,200	24.7	14.7 - 34.6	4,800
Other	300	1.4	0.1 - 2.7	6,500	28.2	23.7 - 32.7	8,800	38.5	33.5 - 43.6	7,300	31.8	27.1 - 36.6	22,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,900	1.0	0.8 - 1.3	158,500	32.7	31.5 - 33.8	205,600	42.4	41.2 - 43.5	116,300	24.0	22.9 - 25.0	485,300
Female	19,600	4.0	3.7 - 4.4	241,300	49.8	48.8 - 50.8	130,000	26.8	26.0 - 27.7	93,600	19.3	18.5 - 20.1	484,500

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	5.5	3.1 - 7.8	6,400	43.4	37.2 - 49.6	4,800	32.4	26.5 - 38.4	2,800	18.7	14.1 - 23.3	14,800
Grades 9 thru 11 (Some High School)	1,700	4.3	2.8 - 5.8	13,900	36.3	32.5 - 40.1	11,500	30.1	26.5 - 33.6	11,300	29.3	25.5 - 33.1	38,400
Grades 12 or GED (High School Grad)	6,800	2.4	1.9 - 2.8	106,700	37.2	35.7 - 38.6	99,400	34.6	33.2 - 36.0	74,300	25.9	24.5 - 27.2	287,200
College 1 to 3 years (Some College/ Tech)	6,300	2.2	1.9 - 2.6	111,500	39.6	38.1 - 41.0	95,800	34.0	32.7 - 35.4	68,000	24.1	22.8 - 25.4	281,600
College 4 years or more (College Grad)	8,900	2.6	2.2 - 2.9	161,000	46.4	45.2 - 47.6	123,800	35.6	34.5 - 36.8	53,600	15.4	14.5 - 16.3	347,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,500	1.7	1.4 - 1.9	242,200	39.2	38.2 - 40.2	226,500	36.6	35.7 - 37.6	139,000	22.5	21.6 - 23.3	618,300
Unemployed	1,200	3.1	1.8 - 4.4	13,800	34.6	30.5 - 38.8	12,200	30.7	26.6 - 34.8	12,500	31.6	27.2 - 35.9	39,700
Retired/Unable to work	8,400	3.8	3.4 - 4.3	95,900	43.9	42.5 - 45.2	73,300	33.5	32.3 - 34.8	41,000	18.8	17.6 - 19.9	218,600
Student/Homemaker	4,400	4.8	3.6 - 6.0	47,600	51.5	48.6 - 54.3	23,400	25.4	22.9 - 27.9	17,000	18.4	16.2 - 20.6	92,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	4.5	2.7 - 6.2	10,100	38.3	34.1 - 42.6	6,700	25.4	21.8 - 29.0	8,400	31.8	27.6 - 36.0	26,500
\$10,000 to \$14,999	900	3.6	2.3 - 4.8	10,200	38.9	34.5 - 43.2	8,200	31.2	26.9 - 35.5	6,900	26.4	22.2 - 30.6	26,200
\$15,000 to \$19,999	1,500	3.4	2.2 - 4.5	19,300	42.5	39.2 - 45.9	13,900	30.6	27.5 - 33.6	10,700	23.5	20.6 - 26.5	45,400
\$20,000 to \$24,999	1,500	2.5	1.7 - 3.3	24,900	41.5	38.5 - 44.5	19,000	31.6	28.8 - 34.4	14,600	24.4	21.7 - 27.0	60,000
\$25,000 to \$34,999	2,700	2.6	1.9 - 3.3	41,500	40.1	37.8 - 42.5	35,900	34.7	32.4 - 36.9	23,400	22.6	20.6 - 24.7	103,500
\$35,000 to \$49,999	3,600	2.4	1.8 - 3.0	58,100	39.0	37.1 - 40.9	52,600	35.3	33.5 - 37.2	34,600	23.3	21.6 - 24.9	148,900
\$50,000 to \$74,999	2,800	1.6	1.2 - 2.0	69,700	40.4	38.6 - 42.2	61,000	35.3	33.6 - 37.1	39,100	22.6	21.1 - 24.2	172,600
\$75,000 or more	5,600	2.0	1.7 - 2.4	111,900	40.6	39.3 - 42.0	104,900	38.1	36.7 - 39.5	52,800	19.2	18.0 - 20.4	275,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,000	2.7	2.1 - 3.3	71,500	38.6	36.7 - 40.6	58,700	31.7	29.9 - 33.5	49,900	27.0	25.2 - 28.7	185,100
131-185%	3,300	2.8	2.1 - 3.5	43,700	37.5	35.2 - 39.8	40,000	34.3	32.0 - 36.6	29,600	25.4	23.2 - 27.5	116,600
186+%	11,600	2.1	1.8 - 2.3	230,500	41.4	40.5 - 42.3	203,500	36.6	35.7 - 37.5	111,100	20.0	19.2 - 20.7	556,700

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	11,300	2.0	1.7 - 2.2	227,300	39.5	38.6 - 40.5	213,500	37.2	36.2 - 38.1	122,600	21.3	20.5 - 22.1	574,700
Unmarried Couple	500	1.6	0.6 - 2.6	10,700	37.5	32.9 - 42.1	10,300	35.8	31.1 - 40.6	7,200	25.1	20.4 - 29.7	28,700
Widowed	2,800	4.9	4.0 - 5.8	28,200	50.0	47.7 - 52.4	15,800	28.1	26.0 - 30.2	9,600	17.0	15.1 - 18.9	56,300
Other	10,000	3.2	2.7 - 3.7	133,600	43.1	41.5 - 44.6	96,000	31.0	29.5 - 32.4	70,500	22.7	21.4 - 24.0	310,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,600	2.0	1.7 - 2.2	231,000	39.5	38.6 - 40.4	216,900	37.1	36.2 - 38.0	125,800	21.5	20.7 - 22.3	585,200
No	12,900	3.4	2.9 - 3.8	168,300	43.9	42.5 - 45.2	118,400	30.9	29.7 - 32.1	84,000	21.9	20.8 - 23.0	383,600

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,700	2.5	2.3 - 2.8	370,200	41.2	40.4 - 41.9	313,200	34.8	34.1 - 35.6	193,500	21.5	20.8 - 22.2	899,600
No	1,700	2.4	1.7 - 3.2	28,700	42.1	38.8 - 45.5	21,900	32.1	29.0 - 35.2	15,900	23.3	20.3 - 26.3	68,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	24,700	2.6	2.3 - 2.9	398,800	42.0	41.2 - 42.9	323,400	34.1	33.3 - 34.9	201,500	21.2	20.5 - 22.0	948,400

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,900	2.3	1.9 - 2.8	49,500	39.7	38.1 - 41.4	44,700	35.8	34.3 - 37.4	27,500	22.1	20.6 - 23.5	124,600
Honolulu	18,300	2.7	2.3 - 3.1	285,800	42.4	41.2 - 43.5	228,300	33.8	32.7 - 34.9	142,200	21.1	20.1 - 22.1	674,600
Kauai	900	1.9	1.4 - 2.5	19,200	42.4	40.0 - 44.8	15,500	34.3	31.9 - 36.6	9,700	21.4	19.3 - 23.4	45,300
Maui	2,700	2.6	1.9 - 3.2	44,300	42.6	40.6 - 44.6	34,900	33.6	31.7 - 35.5	22,000	21.2	19.5 - 22.9	103,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,900	2.3	1.9 - 2.8	49,500	39.7	38.1 - 41.4	44,700	35.8	34.3 - 37.4	27,500	22.1	20.6 - 23.5	124,600
Kauai	900	1.9	1.4 - 2.5	19,200	42.4	40.0 - 44.8	15,500	34.3	31.9 - 36.6	9,700	21.4	19.3 - 23.4	45,300
Lanai	<50	1.5	0.7 - 2.3	800	38.8	34.4 - 43.1	800	40.9	36.5 - 45.3	400	18.8	15.7 - 22.0	2,000
Maui	2,400	2.5	1.9 - 3.2	41,500	43.6	41.5 - 45.8	32,100	33.7	31.7 - 35.8	19,100	20.1	18.3 - 21.9	95,200
Molokai	200	3.1	0.9 - 5.3	2,000	29.4	25.4 - 33.5	2,000	29.7	25.6 - 33.9	2,500	37.8	33.4 - 42.2	6,700
Oahu	18,300	2.7	2.3 - 3.1	285,800	42.4	41.2 - 43.5	228,300	33.8	32.7 - 34.9	142,200	21.1	20.1 - 22.1	674,600

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,500	2.3	0.9 - 3.8	28,800	44.6	40.8 - 48.4	22,300	34.5	31.0 - 38.0	11,900	18.5	15.8 - 21.2	64,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,400	4.4	2.5 - 6.3	14,600	47.3	42.3 - 52.4	8,900	28.8	24.5 - 33.1	6,000	19.5	15.6 - 23.4	30,800
Hanalei/ Kapaa	400	2.2	1.3 - 3.1	8,300	43.9	40.4 - 47.5	6,400	34.0	30.6 - 37.5	3,800	19.8	16.8 - 22.8	18,900
Hilo	1,100	2.9	2.0 - 3.9	14,300	39.7	36.7 - 42.7	12,500	34.7	31.9 - 37.6	8,200	22.7	20.0 - 25.3	36,100
Kaaawa/ Kahaluu/ Kaneohe	1,600	3.4	1.3 - 5.5	16,800	35.5	31.4 - 39.6	17,700	37.3	32.8 - 41.7	11,300	23.9	20.2 - 27.6	47,400
Kahului	800	2.5	1.1 - 3.9	14,300	43.9	40.1 - 47.7	11,400	34.9	31.4 - 38.5	6,100	18.7	15.9 - 21.5	32,500
Kailua/ Waimanalo	900	1.8	0.9 - 2.8	19,100	39.8	35.9 - 43.7	17,400	36.4	32.5 - 40.3	10,500	21.9	18.2 - 25.6	47,900
Kaimuki/ Palolo/ Waikiki	2,100	3.6	2.5 - 4.8	27,900	47.7	44.0 - 51.4	19,200	32.7	29.3 - 36.2	9,300	16.0	12.9 - 19.0	58,500
Kona	700	2.4	1.3 - 3.5	11,800	42.1	38.8 - 45.3	10,100	36.0	32.7 - 39.3	5,500	19.6	16.8 - 22.3	28,000
Lahaina/ Wailuku	700	2.1	1.2 - 3.1	12,500	40.2	36.4 - 44.0	10,500	33.8	30.1 - 37.4	7,400	23.9	20.2 - 27.7	31,100
Lanai	<50	1.5	0.7 - 2.3	800	38.8	34.4 - 43.1	800	40.9	36.5 - 45.3	400	18.8	15.7 - 22.0	2,000
Lihue-Waimea	500	1.8	1.1 - 2.4	10,900	41.3	38.1 - 44.5	9,100	34.4	31.3 - 37.6	5,900	22.5	19.7 - 25.2	26,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	3.2	2.1 - 4.4	21,300	46.6	42.4 - 50.7	14,400	31.6	27.6 - 35.5	8,500	18.6	15.1 - 22.2	45,600
Mililani/ Wahiawa	1,000	1.5	0.7 - 2.3	26,100	38.5	34.8 - 42.2	25,100	37.1	33.5 - 40.7	15,500	22.9	19.2 - 26.6	67,800
Molokai	200	3.1	0.9 - 5.3	2,000	29.4	25.4 - 33.5	2,000	29.7	25.6 - 33.9	2,500	37.8	33.4 - 42.2	6,700
Nanakuli/ Waianae	400	1.1	0.3 - 1.8	8,200	24.3	19.3 - 29.3	10,500	31.3	25.7 - 36.9	14,600	43.3	37.1 - 49.5	33,700
N.Hawaii	400	1.5	0.7 - 2.2	10,300	40.3	36.9 - 43.8	9,400	36.7	33.2 - 40.2	5,500	21.5	18.4 - 24.6	25,700
N.Shore/ Laie	500	2.3	0.2 - 4.3	8,700	39.6	33.3 - 45.8	7,000	31.7	25.6 - 37.9	5,800	26.4	20.6 - 32.3	21,900
Nuuanu/ Kalihi/ Moanalua	1,700	2.5	1.4 - 3.6	30,500	45.8	41.8 - 49.8	22,200	33.5	29.9 - 37.1	12,100	18.2	14.9 - 21.5	66,400
Puna/ Kau	800	2.3	1.5 - 3.0	13,100	37.6	34.3 - 40.9	12,700	36.3	33.1 - 39.5	8,300	23.9	20.9 - 26.8	34,900
Salt Lake/ Foster Village	1,000	2.9	1.1 - 4.7	15,500	47.5	42.1 - 52.8	11,200	34.3	29.2 - 39.5	5,000	15.3	11.6 - 19.0	32,700
Upcountry/ Hana	900	3.0	2.0 - 4.0	14,700	46.7	43.2 - 50.3	10,200	32.4	29.2 - 35.7	5,600	17.9	15.2 - 20.6	31,500
Wailae/ Kahala/ Hawaii Kai	1,600	4.0	2.2 - 5.9	21,500	53.4	49.0 - 57.8	12,900	32.1	28.0 - 36.1	4,200	10.5	7.9 - 13.1	40,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Community	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	3,300	2.8	1.7 - 3.9	47,000	40.1	37.1 - 43.2	39,600	33.7	31.0 - 36.5	27,400	23.4	20.8 - 25.9	117,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,400	4.6	3.1 - 6.1	60,600	51.6	48.1 - 55.1	29,900	25.5	22.6 - 28.4	21,400	18.3	15.3 - 21.3	117,400
25-34	3,700	2.2	1.6 - 2.9	65,300	39.8	37.4 - 42.2	55,900	34.1	31.7 - 36.4	39,200	23.9	21.8 - 26.0	164,000
35-44	3,500	2.0	1.5 - 2.5	68,700	39.3	37.3 - 41.4	61,800	35.4	33.4 - 37.3	40,600	23.2	21.4 - 25.1	174,600
45-54	2,600	1.5	1.1 - 1.9	68,500	39.2	37.3 - 41.0	64,300	36.8	35.0 - 38.6	39,500	22.6	21.0 - 24.2	174,800
55-64	2,100	1.5	1.0 - 1.9	51,400	36.6	34.7 - 38.5	51,700	36.8	34.9 - 38.7	35,300	25.1	23.4 - 26.9	140,500
65-74	2,100	2.5	1.9 - 3.2	34,100	40.8	38.3 - 43.2	31,500	37.7	35.2 - 40.1	16,000	19.1	17.1 - 21.0	83,700
75+	5,400	6.0	4.7 - 7.4	47,600	53.7	51.2 - 56.3	26,900	30.3	28.0 - 32.6	8,800	10.0	8.4 - 11.5	88,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,300	2.3	1.9 - 2.8	133,100	42.7	41.3 - 44.0	110,100	35.3	34.0 - 36.7	61,200	19.6	18.5 - 20.8	311,700
Native Hawaiian	1,500	1.2	0.4 - 1.9	30,900	24.8	22.6 - 27.0	39,700	31.8	29.4 - 34.1	52,800	42.3	39.7 - 44.9	124,900
Chinese	2,900	5.3	3.2 - 7.4	27,700	51.1	47.2 - 54.9	17,600	32.5	28.9 - 36.1	6,000	11.1	8.9 - 13.4	54,300
Filipino	3,000	2.0	1.3 - 2.7	71,900	47.6	44.9 - 50.2	53,100	35.1	32.6 - 37.6	23,200	15.3	13.6 - 17.1	151,200
Japanese	7,100	3.5	2.9 - 4.1	99,800	48.8	47.0 - 50.7	70,900	34.7	32.9 - 36.4	26,600	13.0	11.8 - 14.3	204,500
Black	400	2.9	0.3 - 5.5	5,200	37.1	30.0 - 44.2	4,700	33.2	26.7 - 39.8	3,800	26.7	20.3 - 33.2	14,100
Native Alaskan/ American Indian	200	3.9	1.1 - 6.7	2,300	41.5	30.2 - 52.8	1,900	34.5	24.5 - 44.4	1,100	20.2	13.0 - 27.3	5,600
Other Asian	1,200	5.2	3.0 - 7.4	13,400	57.9	51.5 - 64.3	6,200	26.7	21.2 - 32.2	2,400	10.2	6.3 - 14.2	23,200
Other Pacific Islander	400	1.6	0.0 - 3.3	3,600	15.0	10.1 - 20.0	5,600	23.5	17.9 - 29.2	14,300	59.8	52.4 - 67.2	24,000
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	1,200	24.7	14.7 - 34.6	4,800
Other	400	1.7	0.2 - 3.3	6,800	29.2	24.3 - 34.0	8,600	37.3	31.9 - 42.8	7,400	31.8	26.5 - 37.1	23,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,700	1.0	0.7 - 1.3	159,400	33.6	32.3 - 34.9	197,100	41.6	40.2 - 42.9	113,000	23.8	22.6 - 25.1	474,200
Female	20,000	4.2	3.7 - 4.7	239,400	50.5	49.3 - 51.6	126,300	26.6	25.6 - 27.6	88,500	18.7	17.7 - 19.6	474,200

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	5.2	2.6 - 7.9	6,300	44.5	38.0 - 51.1	4,000	28.2	22.4 - 34.1	3,100	22.0	16.4 - 27.7	14,100
Grades 9 thru 11 (Some High School)	1,600	4.4	2.8 - 6.0	14,500	39.0	34.2 - 43.8	11,500	30.9	26.6 - 35.1	9,600	25.8	21.9 - 29.6	37,200
Grades 12 or GED (High School Grad)	7,300	2.6	2.0 - 3.2	108,600	38.1	36.4 - 39.8	96,700	33.9	32.2 - 35.6	72,500	25.4	23.8 - 27.0	285,100
College 1 to 3 years (Some College/ Tech)	6,900	2.5	1.9 - 3.0	112,400	40.1	38.5 - 41.8	96,000	34.3	32.7 - 35.9	64,800	23.1	21.6 - 24.6	280,100
College 4 years or more (College Grad)	8,100	2.5	2.1 - 2.9	156,800	47.3	45.9 - 48.7	114,900	34.7	33.4 - 36.0	51,400	15.5	14.5 - 16.6	331,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,200	1.7	1.4 - 2.0	242,400	39.8	38.7 - 41.0	219,300	36.0	35.0 - 37.1	136,500	22.4	21.4 - 23.4	608,300
Unemployed	1,100	3.6	1.9 - 5.4	12,400	39.8	34.3 - 45.3	8,800	28.3	23.2 - 33.4	8,800	28.3	23.2 - 33.4	31,000
Retired/Unable to work	8,300	3.8	3.2 - 4.5	95,600	44.0	42.4 - 45.7	71,800	33.1	31.6 - 34.6	41,300	19.0	17.7 - 20.4	217,100
Student/Homemaker	5,100	5.6	3.9 - 7.3	48,000	52.7	49.5 - 55.9	23,400	25.6	22.8 - 28.5	14,600	16.1	13.9 - 18.3	91,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,500	6.2	2.6 - 9.8	9,300	38.4	33.3 - 43.4	6,000	24.9	20.9 - 28.8	7,400	30.6	26.0 - 35.2	24,300
\$10,000 to \$14,999	1,100	4.0	2.0 - 6.0	10,500	39.5	34.8 - 44.2	8,200	31.0	26.2 - 35.7	6,800	25.6	21.2 - 29.9	26,600
\$15,000 to \$19,999	1,300	3.0	1.9 - 4.0	19,000	42.3	38.2 - 46.3	14,000	31.2	27.5 - 34.8	10,600	23.6	19.8 - 27.3	44,900
\$20,000 to \$24,999	1,400	2.3	1.5 - 3.1	26,600	43.1	39.6 - 46.6	20,200	32.8	29.3 - 36.2	13,500	21.9	19.1 - 24.6	61,700
\$25,000 to \$34,999	2,800	2.6	1.8 - 3.4	42,800	40.4	37.7 - 43.2	36,900	34.8	32.2 - 37.4	23,500	22.1	19.9 - 24.4	105,900
\$35,000 to \$49,999	3,500	2.4	1.6 - 3.2	60,700	41.5	39.2 - 43.8	48,800	33.3	31.2 - 35.5	33,200	22.7	20.8 - 24.7	146,200
\$50,000 to \$74,999	4,300	2.3	1.5 - 3.0	79,100	41.3	39.2 - 43.4	64,400	33.6	31.6 - 35.6	43,800	22.9	20.8 - 24.9	191,500
\$75,000 or more	4,800	1.9	1.5 - 2.3	105,600	41.5	39.8 - 43.1	96,400	37.8	36.2 - 39.5	47,900	18.8	17.4 - 20.2	254,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.0	2.2 - 3.8	68,800	39.4	37.1 - 41.7	55,400	31.7	29.5 - 33.8	45,300	25.9	23.9 - 28.0	174,800
131-185%	3,400	3.0	2.0 - 4.1	42,200	38.1	35.1 - 41.1	37,000	33.4	30.5 - 36.3	28,200	25.4	22.5 - 28.4	110,700
186+%	12,100	2.1	1.8 - 2.4	242,600	42.5	41.5 - 43.6	202,500	35.5	34.5 - 36.5	113,100	19.8	18.9 - 20.7	570,300

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,800	1.9	1.7 - 2.2	228,200	40.6	39.5 - 41.7	206,000	36.7	35.6 - 37.8	116,500	20.7	19.8 - 21.7	561,500
Unmarried Couple	400	1.7	0.7 - 2.7	10,300	38.9	33.8 - 44.1	9,100	34.2	29.1 - 39.3	6,700	25.2	20.0 - 30.4	26,500
Widowed	3,300	5.9	4.1 - 7.7	26,800	48.3	45.2 - 51.3	15,400	27.7	25.0 - 30.3	10,100	18.2	15.7 - 20.6	55,600
Other	10,200	3.3	2.7 - 4.0	133,500	43.8	42.0 - 45.5	93,000	30.5	28.9 - 32.1	68,200	22.4	20.8 - 23.9	304,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,200	2.0	1.7 - 2.2	232,200	40.6	39.5 - 41.7	209,200	36.6	35.5 - 37.7	119,100	20.8	19.9 - 21.8	571,700
No	13,500	3.6	3.0 - 4.2	165,900	44.2	42.7 - 45.7	113,800	30.3	28.9 - 31.7	82,200	21.9	20.6 - 23.2	375,500

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,200	2.5	2.2 - 2.8	366,200	41.8	40.9 - 42.7	301,600	34.4	33.6 - 35.3	185,900	21.2	20.4 - 22.0	875,800
No	2,400	3.4	2.2 - 4.7	31,400	44.7	40.9 - 48.5	21,300	30.3	27.0 - 33.6	15,200	21.6	18.5 - 24.6	70,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,200	2.5	2.2 - 2.8	405,400	43.6	42.7 - 44.5	315,800	33.9	33.1 - 34.8	185,800	20.0	19.2 - 20.8	930,100

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.4	49,400	41.0	39.4 - 42.7	43,000	35.8	34.1 - 37.4	25,400	21.1	19.7 - 22.6	120,200
Honolulu	17,500	2.6	2.2 - 3.0	292,000	43.9	42.7 - 45.1	223,300	33.6	32.5 - 34.7	131,700	19.8	18.8 - 20.8	664,500
Kauai	1,000	2.2	1.5 - 2.8	19,200	43.5	41.0 - 46.0	15,400	34.8	32.4 - 37.2	8,600	19.5	17.5 - 21.5	44,200
Maui	2,300	2.3	1.7 - 2.9	44,800	44.3	42.2 - 46.4	34,000	33.6	31.7 - 35.6	20,000	19.8	18.0 - 21.5	101,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.4	49,400	41.0	39.4 - 42.7	43,000	35.8	34.1 - 37.4	25,400	21.1	19.7 - 22.6	120,200
Kauai	1,000	2.2	1.5 - 2.8	19,200	43.5	41.0 - 46.0	15,400	34.8	32.4 - 37.2	8,600	19.5	17.5 - 21.5	44,200
Lanai	<50	2.0	0.7 - 3.4	900	41.2	35.4 - 47.1	900	41.2	35.3 - 47.1	300	15.5	12.2 - 18.9	2,100
Maui	2,100	2.3	1.6 - 2.9	41,800	45.1	42.9 - 47.4	31,300	33.8	31.7 - 35.9	17,500	18.8	17.0 - 20.7	92,700
Molokai	200	2.9	0.8 - 5.0	2,100	33.6	28.8 - 38.4	1,900	29.1	24.5 - 33.7	2,200	34.4	29.8 - 39.1	6,400
Oahu	17,500	2.6	2.2 - 3.0	292,000	43.9	42.7 - 45.1	223,300	33.6	32.5 - 34.7	131,700	19.8	18.8 - 20.8	664,500

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,400	2.3	0.7 - 3.8	28,100	45.3	41.4 - 49.2	21,500	34.7	31.0 - 38.5	11,000	17.7	14.9 - 20.5	62,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,400	4.5	2.5 - 6.5	14,900	49.0	43.8 - 54.1	8,600	28.4	23.9 - 32.9	5,500	18.1	14.1 - 22.1	30,400
Hanalei/ Kapaa	500	2.6	1.4 - 3.8	8,000	43.3	39.7 - 47.0	6,300	34.1	30.6 - 37.6	3,700	20.0	16.9 - 23.1	18,500
Hilo	900	2.5	1.7 - 3.3	14,100	41.1	38.0 - 44.3	11,800	34.4	31.4 - 37.4	7,500	22.0	19.3 - 24.7	34,300
Kaaawa/ Kahaluu/ Kaneohe	1,400	2.9	1.0 - 4.8	17,600	37.4	33.2 - 41.6	17,800	37.8	33.3 - 42.3	10,300	21.9	18.1 - 25.6	47,000
Kahului	800	2.5	1.0 - 3.9	14,500	44.9	41.0 - 48.8	11,200	34.8	31.1 - 38.4	5,800	17.9	15.0 - 20.7	32,300
Kailua/ Waimanalo	900	1.9	1.0 - 2.8	19,800	41.5	37.5 - 45.5	16,500	34.6	30.7 - 38.5	10,500	22.0	18.3 - 25.8	47,800
Kaimuki/ Palolo/ Waikiki	2,200	3.7	2.5 - 4.9	28,300	47.5	43.8 - 51.3	20,000	33.7	30.1 - 37.2	9,000	15.1	12.1 - 18.2	59,500
Kona	600	2.2	1.1 - 3.3	12,000	42.2	38.9 - 45.6	10,100	35.9	32.6 - 39.2	5,600	19.7	16.9 - 22.5	28,300
Lahaina/ Wailuku	600	1.9	1.0 - 2.7	12,200	41.1	37.0 - 45.1	10,000	33.7	29.7 - 37.7	6,900	23.4	19.4 - 27.3	29,700
Lanai	<50	2.0	0.7 - 3.4	900	41.2	35.4 - 47.1	900	41.2	35.3 - 47.1	300	15.5	12.2 - 18.9	2,100
Lihue-Waimea	500	1.9	1.2 - 2.6	11,200	43.6	40.3 - 47.0	9,100	35.3	32.1 - 38.6	4,900	19.2	16.6 - 21.8	25,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	3.1	2.0 - 4.2	22,500	48.2	43.9 - 52.5	14,400	30.9	26.9 - 34.8	8,300	17.8	14.3 - 21.4	46,600
Mililani/ Wahiawa	1,400	2.0	1.1 - 3.0	27,700	41.6	37.7 - 45.5	23,800	35.6	32.0 - 39.3	13,800	20.7	17.0 - 24.5	66,700
Molokai	200	2.9	0.8 - 5.0	2,100	33.6	28.8 - 38.4	1,900	29.1	24.5 - 33.7	2,200	34.4	29.8 - 39.1	6,400
Nanakuli/ Waianae	100	0.4	0.0 - 0.9	8,200	26.1	20.9 - 31.4	10,100	32.1	26.3 - 37.9	13,000	41.4	35.1 - 47.6	31,500
N.Hawaii	400	1.6	0.7 - 2.4	10,200	41.2	37.7 - 44.8	9,000	36.4	32.8 - 40.0	5,100	20.8	17.8 - 23.8	24,700
N.Shore/ Laie	400	1.9	0.3 - 3.6	9,300	42.1	35.9 - 48.3	6,600	29.8	23.9 - 35.8	5,800	26.1	20.3 - 32.0	22,100
Nuuanu/ Kalihi/ Moanalua	1,900	2.8	1.7 - 4.0	32,100	48.0	44.0 - 51.9	22,100	33.0	29.5 - 36.6	10,800	16.2	12.9 - 19.4	67,000
Puna/ Kau	600	1.8	1.1 - 2.4	13,100	39.8	36.3 - 43.3	12,100	36.7	33.3 - 40.1	7,100	21.8	18.7 - 24.8	32,900
Salt Lake/ Foster Village	1,000	2.8	1.0 - 4.5	16,900	49.4	44.1 - 54.6	11,300	33.1	28.0 - 38.1	5,100	14.8	11.1 - 18.4	34,300
Upcountry/ Hana	700	2.4	1.6 - 3.3	15,100	49.2	45.5 - 53.0	10,100	32.8	29.4 - 36.2	4,800	15.5	12.9 - 18.1	30,700
Wailae/ Kahala/ Hawaii Kai	1,400	3.6	1.8 - 5.5	20,500	53.5	48.8 - 58.1	12,500	32.8	28.5 - 37.1	3,900	10.1	7.3 - 12.9	38,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,600	2.4	1.3 - 3.5	46,000	41.4	38.2 - 44.5	37,900	34.1	31.2 - 37.0	24,700	22.2	19.6 - 24.8	111,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,300	3.8	2.4 - 5.2	60,900	52.9	49.4 - 56.4	29,800	25.9	23.0 - 28.8	20,100	17.4	14.4 - 20.4	115,100
25-34	3,800	2.4	1.7 - 3.1	67,800	42.3	40.0 - 44.7	54,100	33.8	31.4 - 36.1	34,400	21.5	19.5 - 23.5	160,200
35-44	3,200	1.8	1.3 - 2.3	70,300	40.3	38.2 - 42.3	62,700	35.9	33.9 - 37.9	38,300	22.0	20.1 - 23.8	174,500
45-54	2,600	1.5	1.1 - 1.9	69,800	40.1	38.3 - 42.0	63,200	36.3	34.5 - 38.2	38,400	22.0	20.4 - 23.7	173,900
55-64	1,900	1.4	1.0 - 1.9	51,900	38.5	36.4 - 40.5	48,800	36.2	34.1 - 38.2	32,300	24.0	22.1 - 25.8	134,900
65-74	2,200	2.7	2.0 - 3.4	35,400	42.9	40.3 - 45.6	30,600	37.1	34.6 - 39.7	14,200	17.2	15.2 - 19.3	82,400
75+	5,100	6.1	4.6 - 7.5	47,200	55.7	53.0 - 58.4	25,100	29.6	27.1 - 32.0	7,400	8.7	7.1 - 10.3	84,800

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,400	2.4	1.9 - 2.8	137,100	43.8	42.4 - 45.2	110,100	35.2	33.8 - 36.5	58,500	18.7	17.5 - 19.8	313,100
Native Hawaiian	1,400	1.2	0.4 - 2.0	29,500	26.1	23.7 - 28.4	36,600	32.4	29.9 - 34.9	45,700	40.4	37.6 - 43.1	113,200
Chinese	3,300	5.4	3.5 - 7.4	31,600	51.6	47.9 - 55.3	20,100	32.8	29.3 - 36.3	6,200	10.2	8.0 - 12.3	61,300
Filipino	2,600	1.7	1.0 - 2.4	73,100	48.5	45.8 - 51.2	52,700	35.0	32.5 - 37.5	22,200	14.8	13.0 - 16.5	150,500
Japanese	6,300	3.3	2.7 - 3.9	98,100	50.7	48.8 - 52.7	65,200	33.7	31.9 - 35.6	23,700	12.3	11.0 - 13.5	193,300
Black	500	3.3	0.5 - 6.0	5,300	38.4	31.1 - 45.7	4,600	33.4	26.7 - 40.0	3,500	24.9	18.5 - 31.4	13,900
Native Alaskan/ American Indian	100	1.2	0.2 - 2.3	2,300	42.9	30.7 - 55.2	1,700	33.2	22.7 - 43.7	1,200	22.6	13.2 - 32.1	5,200
Other Asian	900	4.3	2.2 - 6.4	12,700	59.3	52.6 - 66.0	6,100	28.5	22.6 - 34.5	1,700	7.9	4.3 - 11.6	21,400
Other Pacific Islander	<50	0.0	0.0 - 0.1	3,100	14.4	9.2 - 19.5	5,300	24.7	18.6 - 30.8	13,200	60.9	53.2 - 68.7	21,600
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	1,200	24.7	14.7 - 34.6	4,800
Other	400	1.9	0.3 - 3.4	7,900	33.5	28.4 - 38.5	8,200	34.6	29.3 - 39.9	7,100	30.0	24.8 - 35.3	23,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,100	0.9	0.6 - 1.2	162,200	34.9	33.5 - 36.2	194,900	41.9	40.5 - 43.3	103,900	22.3	21.1 - 23.6	465,100
Female	19,100	4.1	3.6 - 4.6	243,200	52.3	51.1 - 53.5	120,900	26.0	25.0 - 27.0	81,800	17.6	16.7 - 18.5	465,000

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	4.7	2.2 - 7.3	6,600	44.2	37.6 - 50.8	4,700	31.5	25.4 - 37.6	2,900	19.6	13.9 - 25.2	14,800
Grades 9 thru 11 (Some High School)	1,300	3.6	2.1 - 5.0	13,900	38.1	33.3 - 43.0	12,300	34.0	29.4 - 38.5	8,800	24.3	20.5 - 28.2	36,300
Grades 12 or GED (High School Grad)	6,900	2.4	1.8 - 3.0	111,300	39.6	37.9 - 41.4	93,200	33.2	31.5 - 34.9	69,500	24.7	23.1 - 26.4	280,900
College 1 to 3 years (Some College/ Tech)	7,000	2.5	2.0 - 3.1	116,200	42.2	40.5 - 43.9	93,300	33.9	32.2 - 35.5	59,100	21.4	19.9 - 22.9	275,600
College 4 years or more (College Grad)	7,300	2.3	1.9 - 2.7	157,000	48.8	47.4 - 50.3	111,800	34.8	33.4 - 36.1	45,400	14.1	13.1 - 15.2	321,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,400	1.6	1.3 - 1.9	248,700	41.4	40.2 - 42.6	215,100	35.8	34.7 - 36.9	127,600	21.2	20.2 - 22.3	600,800
Unemployed	900	3.2	1.7 - 4.7	11,300	39.9	34.2 - 45.5	8,700	30.5	25.1 - 35.9	7,500	26.5	21.6 - 31.3	28,400
Retired/Unable to work	8,300	4.0	3.3 - 4.6	96,900	46.2	44.4 - 47.9	68,300	32.5	30.9 - 34.2	36,400	17.3	15.9 - 18.7	210,000
Student/Homemaker	4,600	5.1	3.5 - 6.6	48,000	53.2	49.9 - 56.4	23,500	26.0	23.1 - 28.9	14,200	15.8	13.6 - 17.9	90,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,700	5.9	2.8 - 9.0	12,100	42.5	37.7 - 47.3	7,300	25.5	21.7 - 29.4	7,400	26.0	22.0 - 30.1	28,500
\$10,000 to \$14,999	1,300	3.9	2.1 - 5.7	13,500	42.4	37.8 - 47.0	9,800	30.7	26.1 - 35.4	7,300	23.0	19.0 - 26.9	32,000
\$15,000 to \$19,999	1,300	2.9	1.8 - 3.9	20,500	44.0	39.9 - 48.0	14,000	30.1	26.5 - 33.8	10,700	23.0	19.3 - 26.8	46,500
\$20,000 to \$24,999	1,300	2.1	1.3 - 2.9	27,600	45.0	41.4 - 48.5	20,100	32.8	29.3 - 36.3	12,400	20.2	17.5 - 22.9	61,300
\$25,000 to \$34,999	2,700	2.6	1.8 - 3.5	43,300	42.6	39.7 - 45.4	34,900	34.3	31.6 - 37.0	20,800	20.4	18.1 - 22.8	101,800
\$35,000 to \$49,999	3,100	2.1	1.3 - 2.9	61,600	42.7	40.4 - 45.1	47,700	33.1	31.0 - 35.3	31,700	22.0	20.0 - 24.1	144,200
\$50,000 to \$74,999	4,500	2.5	1.7 - 3.3	75,200	41.4	39.2 - 43.7	62,400	34.4	32.3 - 36.5	39,400	21.7	19.6 - 23.8	181,500
\$75,000 or more	3,800	1.7	1.3 - 2.1	96,000	43.1	41.3 - 44.9	84,200	37.8	36.0 - 39.6	38,700	17.4	15.9 - 18.8	222,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.0	2.2 - 3.7	73,500	42.0	39.7 - 44.3	54,100	30.9	28.7 - 33.0	42,400	24.2	22.3 - 26.2	175,200
131-185%	3,300	3.2	2.0 - 4.3	40,200	38.8	35.7 - 42.0	35,200	34.0	30.9 - 37.0	24,900	24.0	20.9 - 27.1	103,500
186+%	11,100	2.1	1.7 - 2.4	236,100	43.7	42.6 - 44.9	191,300	35.4	34.4 - 36.5	101,200	18.8	17.8 - 19.7	539,700

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,400	1.9	1.6 - 2.2	231,600	42.2	41.1 - 43.4	198,000	36.1	35.0 - 37.2	108,300	19.7	18.8 - 20.7	548,300
Unmarried Couple	400	1.6	0.6 - 2.7	10,300	41.7	36.1 - 47.3	8,100	32.8	27.5 - 38.0	5,900	23.9	18.4 - 29.5	24,600
Widowed	3,400	6.0	4.2 - 7.9	28,000	49.2	46.1 - 52.3	16,000	28.0	25.3 - 30.8	9,500	16.7	14.3 - 19.2	57,000
Other	9,000	3.0	2.4 - 3.6	135,500	45.1	43.4 - 46.9	93,700	31.2	29.6 - 32.8	62,000	20.7	19.2 - 22.2	300,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,600	1.9	1.6 - 2.2	235,600	42.2	41.1 - 43.3	201,600	36.1	35.0 - 37.2	110,600	19.8	18.8 - 20.8	558,400
No	12,500	3.4	2.8 - 4.0	169,200	45.7	44.1 - 47.2	113,700	30.7	29.3 - 32.1	75,100	20.3	18.9 - 21.6	370,600

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,800	2.4	2.1 - 2.7	370,000	43.2	42.3 - 44.2	293,600	34.3	33.4 - 35.2	171,200	20.0	19.2 - 20.8	855,600
No	2,300	3.1	1.9 - 4.4	34,100	47.1	43.5 - 50.8	21,800	30.1	26.8 - 33.3	14,200	19.6	16.7 - 22.5	72,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	22,900	2.5	2.2 - 2.8	403,800	44.3	43.4 - 45.3	310,900	34.1	33.3 - 35.0	173,300	19.0	18.2 - 19.8	911,000

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.5	48,500	41.8	40.1 - 43.5	41,600	35.8	34.1 - 37.5	23,600	20.3	18.9 - 21.8	116,100
Honolulu	17,300	2.7	2.3 - 3.0	291,800	44.7	43.5 - 45.9	220,700	33.8	32.6 - 34.9	123,600	18.9	17.9 - 19.9	653,400
Kauai	900	2.2	1.5 - 2.9	18,900	44.0	41.5 - 46.4	15,400	35.8	33.4 - 38.2	7,800	18.0	16.1 - 20.0	43,000
Maui	2,300	2.3	1.7 - 2.9	44,500	45.3	43.1 - 47.4	33,200	33.8	31.8 - 35.8	18,400	18.6	16.9 - 20.4	98,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.5	48,500	41.8	40.1 - 43.5	41,600	35.8	34.1 - 37.5	23,600	20.3	18.9 - 21.8	116,100
Kauai	900	2.2	1.5 - 2.9	18,900	44.0	41.5 - 46.4	15,400	35.8	33.4 - 38.2	7,800	18.0	16.1 - 20.0	43,000
Lanai	<50	1.6	0.5 - 2.8	1,100	43.4	37.4 - 49.3	1,000	40.6	34.7 - 46.5	400	14.4	9.5 - 19.3	2,500
Maui	2,100	2.3	1.7 - 3.0	41,300	46.1	43.8 - 48.4	30,400	33.9	31.8 - 36.1	15,800	17.7	15.8 - 19.5	89,700
Molokai	100	2.3	0.2 - 4.4	2,100	34.1	29.1 - 39.2	1,800	29.1	24.2 - 34.0	2,200	34.5	29.6 - 39.3	6,200
Oahu	17,300	2.7	2.3 - 3.0	291,800	44.7	43.5 - 45.9	220,700	33.8	32.6 - 34.9	123,600	18.9	17.9 - 19.9	653,400

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	2.0	0.4 - 3.5	28,700	46.7	42.8 - 50.7	20,900	34.0	30.3 - 37.7	10,700	17.4	14.5 - 20.2	61,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,500	4.9	2.9 - 6.8	14,800	46.9	41.9 - 52.0	9,900	31.5	27.0 - 36.0	5,200	16.7	12.8 - 20.5	31,400
Hanalei/ Kapaa	500	2.8	1.6 - 4.1	7,800	43.1	39.4 - 46.8	6,400	35.4	31.9 - 39.0	3,400	18.6	15.6 - 21.7	18,000
Hilo	800	2.4	1.6 - 3.1	14,200	41.7	38.6 - 44.9	11,800	34.8	31.8 - 37.8	7,200	21.1	18.4 - 23.8	34,000
Kaaawa/ Kahaluu/ Kaneohe	1,400	3.1	1.1 - 5.1	16,500	36.6	32.3 - 40.8	17,100	38.0	33.3 - 42.7	10,100	22.4	18.5 - 26.2	45,000
Kahului	800	2.6	1.2 - 4.1	14,500	46.3	42.3 - 50.2	10,900	34.6	30.9 - 38.2	5,200	16.6	13.7 - 19.4	31,400
Kailua/ Waimanalo	1,000	2.1	1.1 - 3.1	19,800	42.6	38.5 - 46.6	15,900	34.2	30.2 - 38.1	9,800	21.1	17.3 - 25.0	46,500
Kaimuki/ Palolo/ Waikiki	2,400	3.9	2.7 - 5.1	30,400	49.2	45.6 - 52.8	20,100	32.5	29.1 - 35.9	8,900	14.4	11.5 - 17.4	61,800
Kona	600	2.3	1.2 - 3.4	12,400	43.4	40.1 - 46.7	10,100	35.5	32.2 - 38.7	5,400	18.8	16.1 - 21.6	28,500
Lahaina/ Wailuku	500	1.8	0.9 - 2.7	12,200	41.9	37.9 - 45.9	9,600	33.1	29.2 - 37.1	6,700	23.2	19.2 - 27.2	29,100
Lanai	<50	1.6	0.5 - 2.8	1,100	43.4	37.4 - 49.3	1,000	40.6	34.7 - 46.5	400	14.4	9.5 - 19.3	2,500
Lihue-Waimea	400	1.7	1.0 - 2.4	11,100	44.6	41.2 - 47.9	9,000	36.1	32.8 - 39.3	4,400	17.6	15.1 - 20.2	25,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	3.0	1.9 - 4.1	23,800	48.9	44.7 - 53.1	15,300	31.5	27.5 - 35.4	8,100	16.7	13.3 - 20.1	48,600
Mililani/ Wahiawa	1,200	1.9	1.0 - 2.8	27,900	43.6	39.5 - 47.6	22,200	34.5	30.8 - 38.3	12,800	20.0	16.1 - 23.9	64,100
Molokai	100	2.3	0.2 - 4.4	2,100	34.1	29.1 - 39.2	1,800	29.1	24.2 - 34.0	2,200	34.5	29.6 - 39.3	6,200
Nanakuli/ Waianae	300	1.1	0.3 - 2.0	6,800	23.8	18.5 - 29.0	9,200	32.2	26.2 - 38.2	12,300	42.9	36.4 - 49.3	28,700
N.Hawaii	400	1.5	0.7 - 2.3	9,600	41.0	37.4 - 44.6	8,900	37.9	34.2 - 41.6	4,600	19.5	16.5 - 22.6	23,500
N.Shore/ Laie	500	2.3	0.5 - 4.2	8,900	41.8	35.5 - 48.0	6,700	31.5	25.4 - 37.6	5,200	24.4	18.6 - 30.2	21,300
Nuuanu/ Kalihi/ Moanalua	1,800	2.6	1.5 - 3.8	32,500	48.8	44.9 - 52.7	22,300	33.5	29.9 - 37.1	10,000	15.1	12.0 - 18.2	66,500
Puna/ Kau	600	1.9	1.1 - 2.7	12,300	41.0	37.3 - 44.6	10,800	35.7	32.1 - 39.3	6,500	21.4	18.3 - 24.6	30,100
Salt Lake/ Foster Village	900	2.6	1.0 - 4.2	17,200	47.7	42.6 - 52.9	12,500	34.6	29.7 - 39.6	5,400	15.0	11.4 - 18.6	36,000
Upcountry/ Hana	700	2.5	1.6 - 3.5	14,600	50.1	46.3 - 54.0	9,900	34.0	30.5 - 37.5	3,900	13.3	10.8 - 15.9	29,200
Wailae/ Kahala/ Hawaii Kai	1,200	3.1	1.4 - 4.8	21,200	53.0	48.5 - 57.6	14,100	35.2	31.0 - 39.4	3,500	8.7	6.2 - 11.1	39,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,400	2.4	1.2 - 3.5	43,500	42.6	39.3 - 45.9	34,600	33.9	30.9 - 36.9	21,500	21.1	18.4 - 23.8	102,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,700	4.1	2.7 - 5.6	60,400	53.6	50.2 - 57.1	29,600	26.3	23.4 - 29.2	17,900	15.9	13.0 - 18.9	112,600
25-34	4,000	2.5	1.8 - 3.2	70,600	44.1	41.8 - 46.5	53,000	33.1	30.8 - 35.4	32,400	20.2	18.3 - 22.2	159,900
35-44	3,300	1.9	1.4 - 2.3	71,900	41.0	39.0 - 43.0	63,700	36.3	34.3 - 38.3	36,500	20.8	19.0 - 22.6	175,300
45-54	2,300	1.4	1.0 - 1.8	68,600	40.1	38.2 - 42.0	63,500	37.1	35.2 - 39.0	36,700	21.5	19.8 - 23.2	171,200
55-64	1,900	1.5	1.0 - 2.0	49,600	39.3	37.1 - 41.5	45,400	35.9	33.8 - 38.1	29,400	23.3	21.3 - 25.2	126,200
65-74	2,300	2.8	2.0 - 3.6	35,400	43.5	40.8 - 46.2	30,600	37.6	34.9 - 40.2	13,100	16.1	14.1 - 18.2	81,300
75+	4,600	5.7	4.2 - 7.1	45,200	56.1	53.3 - 58.9	24,100	29.9	27.4 - 32.4	6,700	8.4	6.7 - 10.0	80,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,800	2.5	2.0 - 3.0	138,200	44.3	42.9 - 45.7	108,900	34.9	33.6 - 36.3	56,900	18.3	17.1 - 19.4	311,900
Native Hawaiian	1,300	1.2	0.4 - 2.1	27,900	25.7	23.3 - 28.1	37,000	34.0	31.4 - 36.7	42,400	39.0	36.3 - 41.8	108,600
Chinese	3,500	5.5	3.6 - 7.4	33,200	52.7	49.1 - 56.3	20,000	31.7	28.4 - 35.1	6,400	10.1	8.1 - 12.1	63,100
Filipino	2,600	1.8	1.1 - 2.5	71,300	49.9	47.2 - 52.6	50,600	35.4	32.9 - 38.0	18,400	12.9	11.3 - 14.5	143,000
Japanese	5,900	3.2	2.6 - 3.7	96,200	51.4	49.4 - 53.4	63,800	34.1	32.2 - 35.9	21,200	11.3	10.1 - 12.6	187,100
Black	300	2.2	0.4 - 4.0	5,400	38.8	31.6 - 45.9	4,700	33.9	27.4 - 40.4	3,500	25.1	19.0 - 31.3	13,900
Native Alaskan/ American Indian	100	1.3	0.1 - 2.5	2,000	44.5	31.2 - 57.7	1,400	30.0	19.3 - 40.7	1,100	24.2	13.7 - 34.7	4,600
Other Asian	600	3.0	1.4 - 4.7	13,000	61.9	55.3 - 68.5	6,300	30.0	23.8 - 36.1	1,100	5.1	2.1 - 8.1	21,000
Other Pacific Islander	<50	0.0	0.0 - 0.1	3,000	14.4	9.0 - 19.8	4,900	23.4	17.5 - 29.3	13,100	62.1	54.4 - 69.9	21,100
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	1,200	24.7	14.7 - 34.6	4,800
Other	500	1.9	0.3 - 3.5	8,800	36.6	31.4 - 41.7	8,500	35.4	30.1 - 40.7	6,300	26.1	21.1 - 31.1	24,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,100	0.9	0.6 - 1.2	161,000	35.3	33.9 - 36.7	193,200	42.4	41.0 - 43.8	97,900	21.4	20.2 - 22.7	456,200
Female	18,800	4.1	3.6 - 4.6	242,800	53.4	52.2 - 54.6	117,700	25.9	24.9 - 26.9	75,400	16.6	15.7 - 17.5	454,700

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	4.6	2.2 - 7.0	7,200	46.6	40.1 - 53.1	4,700	30.5	24.7 - 36.4	2,800	18.3	12.8 - 23.8	15,400
Grades 9 thru 11 (Some High School)	1,400	3.8	2.3 - 5.3	13,900	39.3	34.4 - 44.2	12,200	34.5	29.9 - 39.1	7,900	22.3	18.6 - 26.0	35,500
Grades 12 or GED (High School Grad)	7,200	2.6	1.9 - 3.2	112,000	39.9	38.2 - 41.7	95,500	34.1	32.4 - 35.7	65,700	23.4	21.9 - 25.0	280,500
College 1 to 3 years (Some College/ Tech)	6,900	2.5	2.0 - 3.1	117,900	43.7	42.0 - 45.4	90,500	33.5	31.9 - 35.2	54,500	20.2	18.7 - 21.7	269,700
College 4 years or more (College Grad)	6,800	2.2	1.8 - 2.6	152,400	49.3	47.8 - 50.8	107,700	34.8	33.4 - 36.3	42,300	13.7	12.6 - 14.7	309,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,700	1.7	1.4 - 1.9	247,700	42.0	40.9 - 43.2	212,500	36.1	34.9 - 37.2	119,400	20.3	19.2 - 21.3	589,300
Unemployed	900	3.1	1.4 - 4.7	12,300	41.5	36.0 - 47.0	9,200	31.1	26.0 - 36.3	7,200	24.3	20.0 - 28.7	29,600
Retired/Unable to work	7,600	3.8	3.1 - 4.5	93,500	46.8	45.0 - 48.6	65,900	33.0	31.3 - 34.7	32,800	16.4	15.0 - 17.8	199,800
Student/Homemaker	4,600	5.1	3.5 - 6.6	49,900	54.5	51.3 - 57.7	23,200	25.3	22.5 - 28.1	13,900	15.1	13.1 - 17.2	91,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,900	6.3	3.2 - 9.5	12,800	43.1	38.6 - 47.7	8,200	27.8	23.9 - 31.6	6,700	22.8	19.1 - 26.4	29,600
\$10,000 to \$14,999	1,400	4.2	2.4 - 6.0	14,300	43.7	39.2 - 48.1	10,000	30.6	26.1 - 35.1	7,100	21.5	17.8 - 25.2	32,800
\$15,000 to \$19,999	1,100	2.5	1.5 - 3.5	20,700	45.2	41.0 - 49.5	14,200	31.1	27.3 - 35.0	9,600	21.1	17.3 - 24.9	45,700
\$20,000 to \$24,999	1,300	2.3	1.4 - 3.2	26,500	45.7	42.1 - 49.4	19,300	33.2	29.6 - 36.8	10,900	18.8	16.1 - 21.4	58,000
\$25,000 to \$34,999	2,400	2.6	1.8 - 3.4	41,000	43.7	40.7 - 46.6	31,100	33.1	30.4 - 35.9	19,400	20.6	18.2 - 23.0	93,900
\$35,000 to \$49,999	2,600	1.9	1.2 - 2.7	60,400	44.6	42.2 - 47.1	45,700	33.8	31.6 - 36.0	26,600	19.7	17.6 - 21.7	135,300
\$50,000 to \$74,999	4,700	2.7	1.9 - 3.6	72,500	42.1	39.7 - 44.4	59,500	34.5	32.4 - 36.7	35,700	20.7	18.5 - 22.8	172,400
\$75,000 or more	3,000	1.6	1.1 - 2.0	83,100	43.3	41.3 - 45.3	72,300	37.7	35.7 - 39.6	33,400	17.4	15.8 - 19.0	191,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.2	2.4 - 4.0	70,100	43.3	40.9 - 45.7	50,100	30.9	28.7 - 33.2	36,600	22.6	20.6 - 24.6	161,900
131-185%	2,800	3.0	1.8 - 4.2	37,900	40.3	37.0 - 43.6	32,200	34.3	31.1 - 37.5	21,000	22.4	19.1 - 25.6	94,000
186+%	10,500	2.1	1.7 - 2.4	223,400	44.3	43.1 - 45.5	178,100	35.4	34.2 - 36.5	91,800	18.2	17.2 - 19.2	503,800

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,200	1.9	1.6 - 2.2	229,200	42.8	41.6 - 44.0	193,700	36.2	35.0 - 37.3	102,500	19.1	18.2 - 20.1	535,700
Unmarried Couple	400	1.5	0.5 - 2.5	10,000	42.5	36.7 - 48.2	7,500	31.9	26.6 - 37.2	5,700	24.1	18.4 - 29.9	23,500
Widowed	3,200	5.7	3.8 - 7.5	27,800	49.2	46.0 - 52.4	16,100	28.5	25.7 - 31.4	9,400	16.6	14.0 - 19.2	56,600
Other	9,100	3.1	2.5 - 3.7	136,800	46.4	44.6 - 48.1	93,500	31.7	30.1 - 33.3	55,700	18.9	17.4 - 20.3	295,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,500	1.9	1.6 - 2.2	233,600	42.8	41.6 - 43.9	197,300	36.1	35.0 - 37.3	104,600	19.2	18.2 - 20.1	546,000
No	12,400	3.4	2.8 - 4.0	169,700	46.6	45.1 - 48.2	113,200	31.1	29.7 - 32.5	68,600	18.9	17.6 - 20.1	363,900

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,300	2.4	2.1 - 2.7	366,400	44.0	43.0 - 45.0	286,700	34.4	33.5 - 35.3	159,200	19.1	18.3 - 19.9	832,700
No	2,400	3.2	2.0 - 4.4	36,200	47.6	44.1 - 51.1	23,700	31.2	28.1 - 34.4	13,700	18.0	15.4 - 20.6	76,100

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,200	2.6	2.3 - 2.9	405,300	45.2	44.3 - 46.2	302,100	33.7	32.8 - 34.6	165,400	18.5	17.7 - 19.3	896,000

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,300	2.0	1.5 - 2.4	47,800	42.1	40.4 - 43.9	40,400	35.6	33.9 - 37.3	23,000	20.3	18.8 - 21.7	113,400
Honolulu	18,100	2.8	2.4 - 3.2	293,300	45.5	44.3 - 46.8	214,700	33.3	32.2 - 34.5	118,000	18.3	17.3 - 19.4	644,200
Kauai	800	2.0	1.4 - 2.7	18,900	45.3	42.8 - 47.8	14,900	35.7	33.2 - 38.1	7,100	17.0	15.1 - 18.9	41,700
Maui	1,900	2.0	1.4 - 2.6	45,300	46.9	44.6 - 49.1	32,200	33.3	31.2 - 35.3	17,300	17.9	15.9 - 19.9	96,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,300	2.0	1.5 - 2.4	47,800	42.1	40.4 - 43.9	40,400	35.6	33.9 - 37.3	23,000	20.3	18.8 - 21.7	113,400
Kauai	800	2.0	1.4 - 2.7	18,900	45.3	42.8 - 47.8	14,900	35.7	33.2 - 38.1	7,100	17.0	15.1 - 18.9	41,700
Lanai	<50	1.5	0.4 - 2.6	1,100	45.3	39.0 - 51.5	1,000	39.6	33.5 - 45.8	300	13.6	8.6 - 18.6	2,500
Maui	1,800	2.0	1.4 - 2.7	42,100	47.7	45.3 - 50.1	29,300	33.2	31.0 - 35.4	15,100	17.1	15.0 - 19.3	88,400
Molokai	100	2.0	0.0 - 4.2	2,100	35.1	29.7 - 40.6	1,900	31.8	26.4 - 37.2	1,800	31.0	25.9 - 36.0	5,900
Oahu	18,100	2.8	2.4 - 3.2	293,300	45.5	44.3 - 46.8	214,700	33.3	32.2 - 34.5	118,000	18.3	17.3 - 19.4	644,200

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	900	1.4	0.0 - 2.9	28,900	47.6	43.5 - 51.6	20,700	34.1	30.2 - 37.9	10,300	16.9	14.0 - 19.9	60,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,600	5.2	3.1 - 7.2	14,300	47.5	42.3 - 52.8	9,200	30.7	26.0 - 35.5	5,000	16.6	12.5 - 20.6	30,000
Hanalei/ Kapaa	400	2.5	1.3 - 3.7	8,000	46.3	42.5 - 50.2	6,000	34.3	30.6 - 38.0	2,900	16.9	14.0 - 19.7	17,400
Hilo	800	2.3	1.5 - 3.1	13,400	40.0	36.8 - 43.2	12,000	36.0	32.9 - 39.1	7,200	21.6	18.9 - 24.4	33,400
Kaaawa/ Kahaluu/ Kaneohe	1,400	3.1	1.0 - 5.3	16,100	36.9	32.4 - 41.3	16,900	38.8	33.9 - 43.7	9,300	21.2	17.3 - 25.2	43,600
Kahului	700	2.1	0.7 - 3.5	14,900	47.2	42.9 - 51.4	10,600	33.5	29.7 - 37.3	5,400	17.2	13.1 - 21.3	31,600
Kailua/ Waimanalo	1,100	2.3	1.1 - 3.4	20,800	44.7	40.5 - 48.9	15,600	33.7	29.6 - 37.7	9,000	19.4	15.5 - 23.3	46,500
Kaimuki/ Palolo/ Waikiki	3,000	4.7	3.3 - 6.1	32,400	50.3	46.6 - 54.0	19,600	30.4	27.0 - 33.7	9,400	14.7	11.7 - 17.6	64,500
Kona	600	2.1	1.1 - 3.2	12,600	43.9	40.5 - 47.3	10,400	36.1	32.8 - 39.4	5,200	17.9	15.3 - 20.6	28,800
Lahaina/ Wailuku	400	1.5	0.8 - 2.2	12,600	43.9	39.7 - 48.1	9,500	33.1	29.1 - 37.1	6,200	21.5	17.5 - 25.6	28,700
Lanai	<50	1.5	0.4 - 2.6	1,100	45.3	39.0 - 51.5	1,000	39.6	33.5 - 45.8	300	13.6	8.6 - 18.6	2,500
Lihue-Waimea	400	1.7	1.0 - 2.4	10,800	44.6	41.2 - 47.9	8,900	36.7	33.4 - 40.0	4,200	17.1	14.6 - 19.6	24,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,400	2.9	1.8 - 4.0	24,900	49.6	45.4 - 53.9	15,800	31.5	27.5 - 35.5	8,100	16.0	12.6 - 19.5	50,300
Mililani/ Wahiawa	1,100	1.8	0.9 - 2.6	28,800	46.2	41.9 - 50.5	20,900	33.6	29.7 - 37.5	11,500	18.5	14.5 - 22.5	62,400
Molokai	100	2.0	0.0 - 4.2	2,100	35.1	29.7 - 40.6	1,900	31.8	26.4 - 37.2	1,800	31.0	25.9 - 36.0	5,900
Nanakuli/ Waianae	300	1.0	0.2 - 1.8	6,900	23.7	18.2 - 29.1	10,400	35.7	29.4 - 42.0	11,500	39.6	33.1 - 46.2	29,100
N.Hawaii	300	1.3	0.6 - 2.0	9,900	43.0	39.3 - 46.7	8,400	36.2	32.5 - 40.0	4,500	19.5	16.5 - 22.5	23,100
N.Shore/ Laie	500	2.5	0.6 - 4.3	9,800	45.2	38.7 - 51.8	5,900	27.0	20.9 - 33.0	5,500	25.3	19.2 - 31.4	21,700
Nuuanu/ Kalihi/ Moanalua	2,200	3.3	2.0 - 4.7	31,600	48.5	44.5 - 52.6	21,400	32.8	29.1 - 36.5	10,000	15.3	12.2 - 18.5	65,200
Puna/ Kau	600	2.0	1.1 - 2.9	11,800	42.1	38.3 - 46.0	9,600	34.2	30.4 - 37.9	6,100	21.7	18.3 - 25.0	28,100
Salt Lake/ Foster Village	900	2.5	1.0 - 4.0	15,900	44.3	39.1 - 49.4	13,400	37.5	32.3 - 42.6	5,700	15.8	12.2 - 19.4	35,900
Upcountry/ Hana	700	2.4	1.5 - 3.4	14,700	52.1	48.2 - 56.0	9,300	32.9	29.3 - 36.5	3,500	12.6	10.0 - 15.1	28,100
Wailae/ Kahala/ Hawaii Kai	1,300	3.5	1.6 - 5.4	21,100	55.0	50.3 - 59.8	12,900	33.6	29.2 - 38.0	3,000	7.9	5.3 - 10.4	38,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,500	2.6	1.3 - 3.9	41,800	43.5	40.0 - 47.0	31,900	33.3	30.1 - 36.4	19,800	20.6	17.8 - 23.4	96,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,600	4.2	2.7 - 5.7	60,300	55.2	51.6 - 58.7	27,900	25.5	22.6 - 28.4	16,500	15.1	12.1 - 18.1	109,300
25-34	4,200	2.6	1.9 - 3.3	70,900	44.0	41.6 - 46.3	54,200	33.6	31.3 - 35.9	31,900	19.8	17.9 - 21.7	161,200
35-44	3,300	1.9	1.4 - 2.4	74,300	42.1	40.0 - 44.2	63,100	35.7	33.7 - 37.8	35,800	20.3	18.4 - 22.1	176,500
45-54	2,400	1.5	1.0 - 1.9	69,300	41.5	39.5 - 43.5	60,900	36.4	34.5 - 38.4	34,500	20.7	18.9 - 22.4	167,200
55-64	2,400	2.0	1.3 - 2.6	47,800	39.5	37.1 - 41.9	43,400	35.8	33.5 - 38.2	27,500	22.7	20.6 - 24.8	121,200
65-74	2,000	2.4	1.7 - 3.2	37,500	45.4	42.5 - 48.3	30,400	36.8	34.1 - 39.6	12,700	15.3	13.2 - 17.5	82,600
75+	4,200	5.7	4.1 - 7.2	42,900	57.7	54.7 - 60.8	21,100	28.4	25.7 - 31.1	6,100	8.2	6.4 - 10.0	74,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,700	2.5	2.0 - 3.0	141,000	45.8	44.3 - 47.2	105,100	34.1	32.7 - 35.5	54,200	17.6	16.4 - 18.8	308,000
Native Hawaiian	1,700	1.6	0.6 - 2.5	28,800	26.8	24.3 - 29.3	36,300	33.7	31.1 - 36.4	40,800	37.9	35.1 - 40.8	107,600
Chinese	3,800	5.9	3.9 - 7.8	34,300	53.0	49.4 - 56.6	19,900	30.8	27.4 - 34.2	6,700	10.3	8.2 - 12.4	64,800
Filipino	2,600	1.9	1.1 - 2.6	70,600	51.0	48.2 - 53.9	47,800	34.6	31.9 - 37.2	17,300	12.5	10.7 - 14.3	138,300
Japanese	5,200	2.9	2.3 - 3.4	94,300	51.4	49.4 - 53.5	63,200	34.5	32.6 - 36.5	20,500	11.2	9.9 - 12.5	183,300
Black	300	2.1	0.3 - 3.8	5,200	36.3	29.4 - 43.3	5,200	35.7	29.1 - 42.3	3,700	25.9	19.4 - 32.4	14,400
Native Alaskan/ American Indian	100	1.2	0.1 - 2.4	2,200	46.5	33.2 - 59.7	1,400	30.8	19.9 - 41.6	1,000	21.5	11.0 - 32.0	4,600
Other Asian	1,100	5.4	2.5 - 8.2	12,700	61.0	54.1 - 67.9	6,200	29.9	23.6 - 36.3	800	3.6	0.8 - 6.5	20,700
Other Pacific Islander	<50	0.0	0.0 - 0.1	3,000	14.7	9.1 - 20.3	4,700	23.7	17.4 - 29.9	12,400	61.6	53.4 - 69.8	20,100
Other	500	1.8	0.4 - 3.2	9,900	37.4	32.4 - 42.5	9,600	36.3	31.0 - 41.7	6,400	24.5	19.5 - 29.4	26,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	3,800	0.8	0.5 - 1.1	164,000	36.4	35.0 - 37.8	188,500	41.8	40.4 - 43.3	94,400	20.9	19.7 - 22.2	450,700
Female	19,400	4.4	3.8 - 4.9	241,200	54.2	52.9 - 55.4	113,600	25.5	24.5 - 26.6	71,000	15.9	15.0 - 16.9	445,300

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	3.8	1.6 - 5.9	7,700	49.0	42.4 - 55.5	4,800	30.3	24.5 - 36.2	2,700	17.0	11.6 - 22.3	15,700
Grades 9 thru 11 (Some High School)	1,200	3.4	1.7 - 5.1	13,900	39.9	34.6 - 45.2	12,100	34.7	29.9 - 39.5	7,700	22.0	18.1 - 25.9	34,800
Grades 12 or GED (High School Grad)	7,400	2.6	2.0 - 3.2	115,400	40.8	39.1 - 42.6	96,200	34.1	32.4 - 35.7	63,500	22.5	20.9 - 24.0	282,400
College 1 to 3 years (Some College/ Tech)	7,300	2.7	2.1 - 3.3	120,800	45.0	43.2 - 46.8	87,300	32.6	30.9 - 34.2	52,800	19.7	18.1 - 21.2	268,100
College 4 years or more (College Grad)	6,600	2.3	1.8 - 2.7	147,000	50.0	48.4 - 51.6	101,400	34.5	33.0 - 36.0	38,800	13.2	12.1 - 14.3	293,900

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,800	1.9	1.5 - 2.2	250,700	43.0	41.8 - 44.2	207,200	35.6	34.4 - 36.7	113,900	19.6	18.5 - 20.6	582,600
Unemployed	700	2.5	1.0 - 4.0	11,400	40.1	34.5 - 45.7	9,700	34.3	28.8 - 39.8	6,500	23.1	18.7 - 27.5	28,300
Retired/Unable to work	7,100	3.7	2.9 - 4.4	93,400	48.2	46.3 - 50.1	62,500	32.2	30.4 - 34.0	30,900	15.9	14.4 - 17.5	193,800
Student/Homemaker	4,500	5.0	3.4 - 6.6	49,300	54.4	51.2 - 57.6	22,800	25.2	22.3 - 28.0	14,000	15.4	13.2 - 17.7	90,700

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,800	5.5	2.6 - 8.4	14,400	44.9	40.3 - 49.5	8,800	27.5	23.6 - 31.4	7,100	22.1	18.3 - 25.9	32,000
\$10,000 to \$14,999	1,600	4.6	2.7 - 6.4	16,200	45.0	40.7 - 49.4	10,400	29.1	24.8 - 33.4	7,600	21.3	17.5 - 25.0	35,900
\$15,000 to \$19,999	1,100	2.5	1.5 - 3.5	21,200	47.2	42.7 - 51.7	12,700	28.2	24.3 - 32.1	9,900	22.1	18.2 - 26.0	44,800
\$20,000 to \$24,999	1,100	1.9	1.1 - 2.7	24,900	44.0	40.1 - 47.9	19,100	33.8	29.9 - 37.6	11,400	20.3	16.9 - 23.7	56,400
\$25,000 to \$34,999	2,000	2.2	1.4 - 3.1	40,300	44.5	41.4 - 47.5	31,400	34.7	31.7 - 37.6	16,900	18.7	16.3 - 21.0	90,600
\$35,000 to \$49,999	2,600	1.9	1.1 - 2.7	63,700	46.9	44.4 - 49.3	44,500	32.8	30.5 - 35.0	25,100	18.5	16.4 - 20.6	136,000
\$50,000 to \$74,999	5,100	3.1	2.1 - 4.0	71,900	43.2	40.7 - 45.6	56,200	33.8	31.5 - 36.0	33,300	20.0	17.8 - 22.2	166,500
\$75,000 or more	2,500	1.5	1.0 - 1.9	74,100	44.1	41.9 - 46.3	63,200	37.6	35.4 - 39.8	28,300	16.9	15.1 - 18.6	168,200

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,000	3.2	2.4 - 4.1	68,100	43.8	41.3 - 46.3	47,000	30.2	27.9 - 32.5	35,400	22.8	20.6 - 24.9	155,600
131-185%	2,200	2.4	1.3 - 3.5	39,600	42.6	39.1 - 46.1	31,300	33.7	30.4 - 36.9	19,800	21.3	18.0 - 24.6	92,900
186+%	10,500	2.2	1.8 - 2.6	218,800	45.4	44.1 - 46.7	168,000	34.9	33.7 - 36.1	84,600	17.5	16.5 - 18.6	481,900

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,000	1.9	1.6 - 2.2	229,700	44.0	42.7 - 45.2	186,700	35.7	34.5 - 36.9	96,100	18.4	17.4 - 19.4	522,500
Unmarried Couple	300	1.5	0.5 - 2.4	8,700	45.6	39.1 - 52.1	5,900	30.7	24.9 - 36.5	4,200	22.2	16.0 - 28.4	19,100
Widowed	3,200	5.9	4.0 - 7.8	27,700	50.2	46.7 - 53.6	15,100	27.4	24.5 - 30.4	9,100	16.6	13.9 - 19.3	55,100
Other	9,700	3.2	2.6 - 3.9	139,300	46.5	44.8 - 48.3	94,400	31.6	30.0 - 33.1	55,900	18.7	17.2 - 20.1	299,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,300	1.9	1.6 - 2.2	233,900	43.8	42.6 - 45.0	190,700	35.7	34.5 - 36.9	99,300	18.6	17.6 - 19.6	534,300
No	12,900	3.6	3.0 - 4.2	170,900	47.4	45.8 - 48.9	111,000	30.8	29.4 - 32.2	66,000	18.3	17.0 - 19.6	360,700

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,900	2.4	2.1 - 2.7	369,800	45.1	44.1 - 46.0	279,000	34.0	33.1 - 34.9	152,100	18.5	17.7 - 19.4	820,800
No	3,100	4.2	2.8 - 5.7	34,400	46.9	43.3 - 50.5	22,800	31.1	27.9 - 34.4	13,000	17.7	15.0 - 20.5	73,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,400	2.7	2.3 - 3.0	401,700	45.7	44.8 - 46.7	298,300	34.0	33.0 - 34.9	154,900	17.6	16.8 - 18.4	878,300

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,200	2.0	1.5 - 2.4	47,500	43.2	41.4 - 45.0	39,600	36.0	34.2 - 37.7	20,700	18.8	17.4 - 20.3	110,000
Honolulu	18,300	2.9	2.5 - 3.3	291,400	46.0	44.7 - 47.2	212,900	33.6	32.4 - 34.8	111,400	17.6	16.5 - 18.6	634,000
Kauai	1,000	2.4	1.6 - 3.2	19,000	46.6	44.1 - 49.1	14,300	35.1	32.7 - 37.5	6,500	15.8	14.0 - 17.7	40,800
Maui	1,900	2.1	1.4 - 2.7	43,800	46.8	44.6 - 49.1	31,400	33.6	31.5 - 35.7	16,300	17.5	15.5 - 19.5	93,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,200	2.0	1.5 - 2.4	47,500	43.2	41.4 - 45.0	39,600	36.0	34.2 - 37.7	20,700	18.8	17.4 - 20.3	110,000
Kauai	1,000	2.4	1.6 - 3.2	19,000	46.6	44.1 - 49.1	14,300	35.1	32.7 - 37.5	6,500	15.8	14.0 - 17.7	40,800
Lanai	<50	1.6	0.4 - 2.8	1,100	42.9	36.7 - 49.2	1,000	42.0	35.7 - 48.3	300	13.5	8.4 - 18.5	2,500
Maui	1,800	2.1	1.4 - 2.7	40,600	47.7	45.3 - 50.2	28,400	33.4	31.2 - 35.6	14,300	16.8	14.6 - 19.0	85,100
Molokai	100	2.0	0.0 - 4.3	2,100	35.6	30.2 - 41.0	2,000	33.3	27.9 - 38.6	1,700	29.0	24.1 - 34.0	5,900
Oahu	18,300	2.9	2.5 - 3.3	291,400	46.0	44.7 - 47.2	212,900	33.6	32.4 - 34.8	111,400	17.6	16.5 - 18.6	634,000

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,000	1.7	0.1 - 3.2	27,800	46.7	42.6 - 50.8	21,300	35.8	31.9 - 39.7	9,400	15.8	12.9 - 18.7	59,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,500	5.0	3.0 - 7.0	14,600	49.6	44.3 - 55.0	8,500	29.1	24.5 - 33.7	4,800	16.3	12.1 - 20.4	29,400
Hanalei/ Kapaa	500	2.8	1.5 - 4.2	8,100	47.7	43.9 - 51.5	5,600	33.2	29.6 - 36.9	2,800	16.2	13.3 - 19.1	17,000
Hilo	700	2.2	1.5 - 3.0	13,600	40.8	37.6 - 44.0	12,200	36.7	33.6 - 39.7	6,700	20.3	17.6 - 23.0	33,200
Kaaawa/ Kahaluu/ Kaneohe	1,100	2.7	0.5 - 4.9	15,300	37.0	32.4 - 41.6	16,500	39.9	34.8 - 45.0	8,500	20.5	16.4 - 24.5	41,400
Kahului	700	2.3	0.8 - 3.7	14,000	45.8	41.5 - 50.1	10,300	33.6	29.7 - 37.4	5,600	18.4	14.2 - 22.6	30,500
Kailua/ Waimanalo	900	1.9	0.9 - 3.0	20,900	45.0	40.8 - 49.2	16,200	34.9	30.9 - 39.0	8,400	18.1	14.4 - 21.9	46,400
Kaimuki/ Palolo/ Waikiki	2,900	4.6	3.2 - 6.0	32,300	51.2	47.4 - 54.9	19,600	31.0	27.6 - 34.4	8,400	13.3	10.4 - 16.1	63,100
Kona	600	2.1	1.0 - 3.1	12,800	45.0	41.6 - 48.4	10,300	36.3	32.9 - 39.6	4,700	16.7	14.1 - 19.3	28,500
Lahaina/ Wailuku	400	1.5	0.8 - 2.2	13,000	46.8	42.5 - 51.2	9,200	33.2	29.1 - 37.2	5,100	18.5	14.4 - 22.6	27,700
Lanai	<50	1.6	0.4 - 2.8	1,100	42.9	36.7 - 49.2	1,000	42.0	35.7 - 48.3	300	13.5	8.4 - 18.5	2,500
Lihue-Waimea	500	2.1	1.1 - 3.1	10,900	45.9	42.5 - 49.2	8,700	36.5	33.2 - 39.7	3,700	15.6	13.3 - 17.9	23,800

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	2.9	1.8 - 4.0	27,000	51.7	47.6 - 55.8	16,000	30.7	26.8 - 34.5	7,700	14.8	11.5 - 18.1	52,200
Mililani/ Wahiawa	1,000	1.7	0.8 - 2.6	28,200	46.5	42.1 - 50.8	20,300	33.5	29.5 - 37.4	11,100	18.4	14.3 - 22.5	60,600
Molokai	100	2.0	0.0 - 4.3	2,100	35.6	30.2 - 41.0	2,000	33.3	27.9 - 38.6	1,700	29.0	24.1 - 34.0	5,900
Nanakuli/ Waianae	500	1.6	0.4 - 2.7	6,700	23.6	18.3 - 28.9	11,100	39.0	32.6 - 45.4	10,200	35.8	29.4 - 42.3	28,400
N.Hawaii	300	1.3	0.6 - 2.1	9,900	44.1	40.3 - 48.0	8,200	36.5	32.6 - 40.3	4,000	18.1	15.1 - 21.1	22,400
N.Shore/ Laie	400	1.7	0.2 - 3.2	9,900	44.9	38.3 - 51.5	6,400	28.9	22.8 - 35.0	5,400	24.5	18.4 - 30.5	22,000
Nuuanu/ Kalihi/ Moanalua	2,600	4.0	2.4 - 5.5	30,300	46.8	42.8 - 50.9	21,500	33.2	29.5 - 36.9	10,300	16.0	12.6 - 19.4	64,600
Puna/ Kau	600	2.1	1.2 - 3.1	11,300	43.5	39.5 - 47.5	9,000	34.4	30.5 - 38.4	5,200	20.0	16.6 - 23.3	26,000
Salt Lake/ Foster Village	1,000	2.8	1.1 - 4.5	16,300	44.0	39.1 - 48.9	13,800	37.3	32.3 - 42.2	5,900	15.9	12.4 - 19.5	37,100
Upcountry/ Hana	600	2.4	1.4 - 3.4	13,600	50.8	46.9 - 54.8	9,000	33.4	29.8 - 37.1	3,600	13.3	10.7 - 15.9	26,800
Wailae/ Kahala/ Hawaii Kai	1,600	4.2	2.1 - 6.4	21,300	55.7	51.0 - 60.4	12,100	31.6	27.3 - 35.8	3,300	8.5	5.9 - 11.1	38,300

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,300	2.6	1.3 - 3.9	40,900	44.9	41.3 - 48.6	29,700	32.7	29.4 - 35.9	18,000	19.8	16.9 - 22.8	91,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,300	5.0	3.3 - 6.6	58,800	55.1	51.6 - 58.6	27,500	25.8	22.9 - 28.6	15,100	14.2	11.2 - 17.2	106,700
25-34	4,700	2.9	2.2 - 3.6	72,100	44.4	42.1 - 46.8	55,700	34.4	32.1 - 36.6	29,700	18.3	16.5 - 20.1	162,200
35-44	2,800	1.6	1.1 - 2.1	76,700	43.4	41.3 - 45.4	62,900	35.6	33.5 - 37.6	34,500	19.5	17.7 - 21.3	177,000
45-54	2,400	1.5	1.0 - 1.9	66,700	41.3	39.2 - 43.3	59,900	37.1	35.1 - 39.1	32,600	20.2	18.4 - 22.0	161,500
55-64	2,200	1.9	1.2 - 2.6	46,300	40.0	37.5 - 42.5	41,500	35.8	33.4 - 38.3	25,700	22.3	20.0 - 24.5	115,700
65-74	2,100	2.5	1.7 - 3.2	38,800	46.2	43.3 - 49.1	31,200	37.2	34.4 - 40.0	11,900	14.1	12.0 - 16.3	84,000
75+	3,900	5.8	4.1 - 7.4	39,900	59.1	55.9 - 62.3	18,700	27.6	24.8 - 30.4	5,100	7.5	5.6 - 9.5	67,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese (BMI ≥ 30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,600	2.6	2.0 - 3.1	139,300	47.0	45.5 - 48.4	99,900	33.7	32.2 - 35.1	49,900	16.8	15.6 - 18.0	296,700
Native Hawaiian	1,700	1.5	0.6 - 2.4	31,200	27.9	25.5 - 30.3	39,500	35.3	32.7 - 37.9	39,500	35.3	32.6 - 38.1	111,900
Chinese	3,800	6.0	4.0 - 8.1	33,700	53.7	50.1 - 57.4	19,500	31.1	27.6 - 34.5	5,700	9.1	7.1 - 11.2	62,600
Filipino	2,700	2.0	1.2 - 2.8	68,700	51.3	48.4 - 54.2	46,700	34.8	32.2 - 37.5	15,800	11.8	9.9 - 13.7	134,000
Japanese	5,500	3.0	2.4 - 3.6	92,200	50.9	48.8 - 52.9	63,300	34.9	32.9 - 36.9	20,300	11.2	9.8 - 12.6	181,300
Black	200	1.6	0.0 - 3.6	5,800	42.5	35.2 - 49.9	4,400	32.6	26.0 - 39.1	3,100	23.3	16.9 - 29.7	13,500
Native Alaskan/ American Indian	<50	0.4	0.0 - 1.0	1,900	46.5	32.0 - 61.0	1,300	32.5	20.4 - 44.6	900	20.6	9.3 - 31.9	4,100
Other Asian	1,200	5.9	2.9 - 8.8	11,900	59.4	52.4 - 66.5	5,900	29.3	22.9 - 35.6	1,100	5.5	2.1 - 8.8	20,000
Other Pacific Islander	<50	0.2	0.0 - 0.5	2,400	13.6	7.8 - 19.3	4,400	25.2	18.1 - 32.3	10,600	61.0	52.0 - 70.1	17,400
Mixed Ethnicity	100	1.3	0.0 - 2.7	2,100	46.9	37.0 - 56.8	1,800	39.6	29.8 - 49.5	500	12.1	6.3 - 18.0	4,400
Other	400	1.8	0.3 - 3.2	9,300	37.7	32.4 - 42.9	9,300	37.7	32.0 - 43.4	5,600	22.9	17.8 - 27.9	24,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,000	0.9	0.6 - 1.2	163,200	36.9	35.5 - 38.3	187,500	42.4	41.0 - 43.9	87,500	19.8	18.5 - 21.0	442,200
Female	19,400	4.4	3.9 - 5.0	238,500	54.7	53.4 - 56.0	110,800	25.4	24.3 - 26.5	67,500	15.5	14.5 - 16.4	436,100

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	3.6	1.5 - 5.7	7,400	48.2	41.9 - 54.4	5,100	33.0	27.2 - 38.9	2,300	15.2	9.9 - 20.4	15,400
Grades 9 thru 11 (Some High School)	1,700	4.8	2.7 - 6.9	15,400	42.2	37.0 - 47.5	12,300	33.8	29.1 - 38.6	7,000	19.2	15.2 - 23.1	36,400
Grades 12 or GED (High School Grad)	7,700	2.7	2.1 - 3.4	117,000	41.2	39.5 - 42.9	99,300	35.0	33.3 - 36.6	59,900	21.1	19.6 - 22.6	283,900
College 1 to 3 years (Some College/ Tech)	6,800	2.6	2.0 - 3.2	120,900	46.0	44.2 - 47.8	86,500	32.9	31.2 - 34.6	48,900	18.6	17.0 - 20.2	263,100
College 4 years or more (College Grad)	6,500	2.3	1.9 - 2.8	140,500	50.4	48.8 - 52.1	94,900	34.1	32.5 - 35.6	36,700	13.2	12.0 - 14.3	278,500

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,300	2.0	1.6 - 2.3	251,900	43.7	42.5 - 44.8	205,500	35.6	34.5 - 36.8	108,400	18.8	17.7 - 19.8	577,100
Unemployed	700	2.2	0.8 - 3.6	12,400	41.0	35.5 - 46.5	10,800	35.8	30.4 - 41.2	6,300	21.0	16.8 - 25.2	30,100
Retired/Unable to work	6,600	3.6	2.9 - 4.4	89,800	49.1	47.1 - 51.1	59,300	32.4	30.6 - 34.3	27,200	14.9	13.3 - 16.5	183,000
Student/Homemaker	4,700	5.4	3.7 - 7.1	47,100	53.9	50.7 - 57.2	22,700	25.9	23.0 - 28.8	12,900	14.8	12.5 - 17.0	87,400

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,000	5.8	3.1 - 8.6	15,700	45.0	40.8 - 49.3	10,100	28.9	25.1 - 32.7	7,000	20.2	16.7 - 23.7	34,800
\$10,000 to \$14,999	2,100	5.3	3.5 - 7.1	18,100	46.2	42.1 - 50.3	11,600	29.7	25.7 - 33.7	7,400	18.8	15.5 - 22.1	39,100
\$15,000 to \$19,999	1,000	2.4	1.4 - 3.4	20,300	47.0	42.4 - 51.5	13,000	30.0	26.0 - 34.0	8,900	20.6	16.6 - 24.5	43,200
\$20,000 to \$24,999	1,200	2.0	1.2 - 2.9	24,900	43.6	39.7 - 47.5	20,200	35.4	31.5 - 39.2	10,800	19.0	15.7 - 22.3	57,100
\$25,000 to \$34,999	2,000	2.1	1.3 - 2.9	42,700	45.9	42.9 - 48.8	32,400	34.8	31.9 - 37.6	16,100	17.3	15.0 - 19.5	93,200
\$35,000 to \$49,999	2,400	1.8	1.0 - 2.5	63,800	46.8	44.3 - 49.3	44,800	32.9	30.6 - 35.1	25,300	18.6	16.4 - 20.7	136,300
\$50,000 to \$74,999	5,000	3.2	2.2 - 4.2	67,200	43.3	40.7 - 45.8	53,900	34.8	32.4 - 37.1	29,100	18.7	16.4 - 21.0	155,200
\$75,000 or more	2,200	1.5	1.0 - 2.0	67,300	45.3	42.8 - 47.7	54,500	36.7	34.3 - 39.1	24,600	16.5	14.6 - 18.5	148,600

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.6	2.6 - 4.6	63,000	43.7	41.1 - 46.3	44,800	31.1	28.6 - 33.5	31,200	21.7	19.4 - 23.9	144,200
131-185%	2,500	2.6	1.5 - 3.7	42,300	43.4	40.1 - 46.7	33,800	34.6	31.5 - 37.7	19,000	19.4	16.3 - 22.5	97,600
186+%	10,200	2.2	1.8 - 2.6	214,500	46.1	44.8 - 47.4	162,000	34.8	33.6 - 36.0	79,000	17.0	15.9 - 18.0	465,700

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,800	1.9	1.6 - 2.3	226,900	44.6	43.3 - 45.8	182,900	35.9	34.7 - 37.2	89,300	17.6	16.5 - 18.6	508,900
Unmarried Couple	300	1.8	0.6 - 3.1	7,600	47.1	40.0 - 54.2	5,100	31.3	24.8 - 37.7	3,200	19.8	13.3 - 26.4	16,200
Widowed	3,200	6.1	4.1 - 8.1	27,200	51.0	47.4 - 54.6	14,500	27.2	24.2 - 30.2	8,400	15.7	13.0 - 18.4	53,200
Other	10,000	3.3	2.7 - 4.0	140,100	46.7	45.0 - 48.4	95,800	31.9	30.4 - 33.5	54,000	18.0	16.6 - 19.5	300,000

Weight - BMI status by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,000	1.9	1.6 - 2.2	231,200	44.4	43.2 - 45.6	187,000	35.9	34.7 - 37.1	92,400	17.8	16.7 - 18.8	520,700
No	13,400	3.7	3.1 - 4.4	170,000	47.7	46.1 - 49.2	110,800	31.1	29.7 - 32.5	62,400	17.5	16.2 - 18.8	356,500

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese (BMI>=30)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,900	2.5	2.1 - 2.8	367,900	45.6	44.6 - 46.6	275,000	34.1	33.2 - 35.1	143,200	17.8	16.9 - 18.6	806,000
No	3,300	4.7	3.2 - 6.3	32,800	46.5	42.8 - 50.1	22,900	32.4	29.1 - 35.7	11,600	16.4	13.7 - 19.1	70,600