

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

The trend analysis report shows the trend for the selected health variable over selected years in a table and a graph. Estimated Population: This number is a weighted representation of the population who responded to a particular question in the survey. For most questions the eligible population will be the entire adult population. For some secondary questions only a subset of the population was asked the question. For example, all survey participants were asked if they had diabetes, but only those who answered yes were asked if they use insulin. If a dimension value is unknown for a particular survey record, that record will not be included in the counts for that particular dimension.

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org

(855) 946-5899 x15


Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2000-2004	23,400	2.7	2.3 - 3.0	401,700	45.7	44.8 - 46.7	298,300	34.0	33.0 - 34.9	102,400	11.7	11.0 - 12.3	35,800	4.1	3.6 - 4.5	16,700	1.9	1.5 - 2.3	878,300
2001-2005	23,200	2.6	2.3 - 2.9	405,300	45.2	44.3 - 46.2	302,100	33.7	32.8 - 34.6	107,600	12.0	11.4 - 12.6	38,300	4.3	3.8 - 4.7	19,600	2.2	1.8 - 2.6	896,000
2002-2006	22,900	2.5	2.2 - 2.8	403,800	44.3	43.4 - 45.3	310,900	34.1	33.3 - 35.0	111,500	12.2	11.6 - 12.8	39,900	4.4	3.9 - 4.8	21,900	2.4	2.0 - 2.8	911,000
2003-2007	23,200	2.5	2.2 - 2.8	405,400	43.6	42.7 - 44.5	315,800	33.9	33.1 - 34.8	116,200	12.5	11.9 - 13.1	44,200	4.7	4.3 - 5.2	25,400	2.7	2.3 - 3.1	930,100
2004-2008	24,700	2.6	2.3 - 2.9	398,800	42.0	41.2 - 42.9	323,400	34.1	33.3 - 34.9	126,300	13.3	12.7 - 13.9	47,800	5.0	4.6 - 5.5	27,400	2.9	2.5 - 3.3	948,400
2005-2009	24,500	2.5	2.3 - 2.8	399,800	41.2	40.5 - 42.0	335,700	34.6	33.9 - 35.3	131,800	13.6	13.0 - 14.1	49,000	5.1	4.7 - 5.4	29,000	3.0	2.7 - 3.3	969,800
2006-2010	25,800	2.6	2.4 - 2.9	394,400	40.3	39.5 - 41.1	340,100	34.8	34.0 - 35.5	137,700	14.1	13.5 - 14.6	51,400	5.3	4.9 - 5.6	29,300	3.0	2.7 - 3.3	978,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents



Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

State	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	25,800	2.6	2.4 - 2.9	394,400	40.3	39.5 - 41.1	340,100	34.8	34.0 - 35.5	137,700	14.1	13.5 - 14.6	51,400	5.3	4.9 - 5.6	29,300	3.0	2.7 - 3.3	978,600

County	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,000	2.2	1.8 - 2.7	51,000	38.8	37.3 - 40.2	46,400	35.3	33.9 - 36.7	19,800	15.1	14.0 - 16.2	7,000	5.3	4.6 - 6.0	4,400	3.3	2.7 - 3.9	131,500
Honolulu	19,400	2.8	2.5 - 3.1	280,900	40.7	39.7 - 41.7	240,500	34.8	33.8 - 35.8	95,200	13.8	13.0 - 14.5	35,400	5.1	4.6 - 5.6	19,600	2.8	2.5 - 3.2	690,900
Kauai	900	1.8	1.3 - 2.3	19,800	41.5	39.3 - 43.8	16,300	34.2	32.0 - 36.3	6,600	13.9	12.2 - 15.6	2,800	6.0	4.8 - 7.1	1,300	2.7	1.8 - 3.5	47,800
Maui	2,600	2.4	1.9 - 2.9	42,700	39.3	37.7 - 41.0	36,900	34.0	32.5 - 35.6	16,100	14.8	13.6 - 16.1	6,200	5.7	4.9 - 6.5	4,000	3.7	3.0 - 4.4	108,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	3,000	2.2	1.8 - 2.7	51,000	38.8	37.3 - 40.2	46,400	35.3	33.9 - 36.7	19,800	15.1	14.0 - 16.2	7,000	5.3	4.6 - 6.0	4,400	3.3	2.7 - 3.9	131,500
Kauai	900	1.8	1.3 - 2.3	19,800	41.5	39.3 - 43.8	16,300	34.2	32.0 - 36.3	6,600	13.9	12.2 - 15.6	2,800	6.0	4.8 - 7.1	1,300	2.7	1.8 - 3.5	47,800
Lanai	<50	1.6	0.7 - 2.5	700	37.8	33.7 - 41.9	700	39.7	35.6 - 43.7	200	12.7	9.9 - 15.5	100	4.5	2.9 - 6.1	100	3.7	2.2 - 5.2	1,900
Maui	2,400	2.5	2.0 - 3.0	39,900	40.2	38.5 - 42.0	33,700	34.1	32.3 - 35.8	14,300	14.4	13.0 - 15.7	5,400	5.4	4.6 - 6.3	3,400	3.4	2.7 - 4.2	99,100
Molokai	100	1.9	0.7 - 3.1	2,100	27.6	24.5 - 30.8	2,500	32.5	29.2 - 35.9	1,600	21.2	18.1 - 24.3	700	9.5	7.3 - 11.8	500	7.2	5.3 - 9.1	7,600
Oahu	19,400	2.8	2.5 - 3.1	280,900	40.7	39.7 - 41.7	240,500	34.8	33.8 - 35.8	95,200	13.8	13.0 - 14.5	35,400	5.1	4.6 - 5.6	19,600	2.8	2.5 - 3.2	690,900

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,500	2.3	1.3 - 3.2	26,200	40.8	37.5 - 44.1	22,700	35.4	32.3 - 38.6	9,500	14.8	12.4 - 17.3	2,700	4.3	3.0 - 5.5	1,500	2.4	0.8 - 3.9	64,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,100	4.0	2.4 - 5.7	13,400	47.5	43.2 - 51.9	8,500	30.2	26.2 - 34.3	3,500	12.6	9.8 - 15.4	700	2.6	1.5 - 3.7	900	3.0	1.4 - 4.7	28,100
Hanalei/ Kapaa	400	2.1	1.2 - 2.9	8,900	44.9	41.6 - 48.2	6,500	32.6	29.5 - 35.7	2,300	11.7	9.5 - 13.8	1,200	6.1	4.3 - 8.0	500	2.7	1.4 - 4.0	19,900
Hilo	800	2.2	1.4 - 3.0	14,900	38.4	35.7 - 41.1	13,300	34.5	31.9 - 37.1	6,000	15.6	13.4 - 17.7	2,300	6.0	4.6 - 7.5	1,300	3.3	2.2 - 4.4	38,700
Kaaawa/ Kahaluu/ Kaneohe	1,200	2.5	1.3 - 3.8	17,500	36.0	32.4 - 39.6	17,200	35.3	31.7 - 38.8	7,100	14.6	12.0 - 17.1	4,000	8.2	5.8 - 10.5	1,700	3.5	1.8 - 5.1	48,700
Kahului	800	2.3	1.5 - 3.0	13,600	40.5	37.4 - 43.6	11,700	35.0	31.9 - 38.0	4,900	14.6	12.1 - 17.0	1,800	5.3	3.8 - 6.8	800	2.4	1.4 - 3.4	33,500
Kailua/ Waimanalo	800	1.6	0.9 - 2.4	19,200	38.2	34.7 - 41.7	19,000	37.9	34.4 - 41.4	7,400	14.7	12.1 - 17.4	2,200	4.4	3.0 - 5.8	1,600	3.1	1.6 - 4.7	50,300
Kaimuki/ Palolo/ Waikiki	2,600	4.6	3.2 - 6.0	26,200	47.0	43.8 - 50.3	19,000	34.1	31.1 - 37.2	5,600	10.0	8.1 - 12.0	1,600	3.0	2.0 - 3.9	700	1.2	0.6 - 1.9	55,600
Kona	700	2.3	1.3 - 3.3	12,200	41.9	39.0 - 44.9	10,000	34.3	31.4 - 37.1	4,400	15.1	12.8 - 17.4	1,200	4.3	2.8 - 5.7	600	2.1	1.2 - 3.1	29,100
Lahaina/ Wailuku	800	2.6	1.6 - 3.6	12,600	38.7	35.5 - 42.0	11,100	34.1	31.0 - 37.3	4,600	14.3	11.9 - 16.6	2,000	6.2	4.7 - 7.8	1,300	4.0	2.3 - 5.7	32,400
Lanai	<50	1.6	0.7 - 2.5	700	37.8	33.7 - 41.9	700	39.7	35.6 - 43.7	200	12.7	9.9 - 15.5	100	4.5	2.9 - 6.1	100	3.7	2.2 - 5.2	1,900
Lihue-Waimea	400	1.6	0.9 - 2.3	10,900	39.1	36.0 - 42.3	9,800	35.3	32.3 - 38.2	4,300	15.5	13.0 - 17.9	1,600	5.8	4.4 - 7.3	700	2.7	1.6 - 3.8	27,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	2,300	4.8	3.2 - 6.4	21,700	45.8	42.2 - 49.3	15,400	32.5	29.1 - 35.9	5,200	11.0	8.6 - 13.3	2,000	4.2	2.7 - 5.7	800	1.7	0.8 - 2.7	47,400
Mililani/ Wahiawa	1,200	1.6	0.7 - 2.5	26,300	36.6	33.6 - 39.5	27,800	38.6	35.6 - 41.6	11,200	15.6	13.3 - 17.8	3,700	5.1	3.8 - 6.4	1,800	2.5	1.4 - 3.6	72,100
Molokai	100	1.9	0.7 - 3.1	2,100	27.6	24.5 - 30.8	2,500	32.5	29.2 - 35.9	1,600	21.2	18.1 - 24.3	700	9.5	7.3 - 11.8	500	7.2	5.3 - 9.1	7,600
Nanakuli/ Waianae	600	1.7	0.6 - 2.9	8,600	25.0	20.4 - 29.7	10,400	30.3	25.1 - 35.6	7,400	21.6	16.4 - 26.7	4,800	14.1	9.5 - 18.6	2,500	7.2	4.7 - 9.7	34,400
N.Hawaii	500	1.9	1.0 - 2.8	10,500	39.0	35.7 - 42.3	9,800	36.2	32.9 - 39.5	3,700	13.8	11.4 - 16.2	1,500	5.7	4.2 - 7.2	900	3.4	1.9 - 4.9	26,900
N.Shore/ Laie	500	2.3	0.1 - 4.4	9,000	39.9	34.1 - 45.7	7,500	33.1	27.6 - 38.6	3,800	16.7	12.1 - 21.2	1,000	4.5	1.9 - 7.2	800	3.6	1.9 - 5.2	22,600
Nuuanu/ Kalihi/ Moanalua	1,900	2.8	1.8 - 3.8	30,400	44.5	40.9 - 48.0	23,100	33.7	30.4 - 37.0	7,700	11.2	8.9 - 13.5	3,600	5.3	3.5 - 7.1	1,600	2.4	1.3 - 3.5	68,300
Puna/ Kau	900	2.5	1.8 - 3.2	13,400	36.4	33.6 - 39.2	13,300	36.2	33.6 - 38.9	5,700	15.5	13.4 - 17.6	1,900	5.1	3.9 - 6.4	1,500	4.2	2.9 - 5.5	36,700
Salt Lake/ Foster Village	1,200	3.4	1.7 - 5.1	15,300	44.9	40.3 - 49.5	12,100	35.4	31.0 - 39.8	4,100	12.1	9.1 - 15.0	900	2.6	1.3 - 3.9	600	1.7	0.6 - 2.8	34,200
Upcountry/ Hana	800	2.5	1.7 - 3.3	13,800	41.5	38.6 - 44.3	11,000	33.0	30.3 - 35.8	4,700	14.3	12.1 - 16.5	1,600	4.8	3.5 - 6.1	1,300	4.0	2.7 - 5.3	33,200
Wailae/ Kahala/ Hawaii Kai	1,700	4.0	2.6 - 5.4	21,800	50.1	46.3 - 53.8	14,000	32.2	28.6 - 35.8	4,800	11.0	8.5 - 13.5	900	2.0	1.0 - 2.9	400	0.9	0.0 - 1.7	43,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,800	2.3	1.5 - 3.1	45,200	37.2	34.7 - 39.8	43,700	36.0	33.5 - 38.6	17,900	14.7	12.8 - 16.6	7,100	5.8	4.5 - 7.1	4,800	3.9	3.0 - 4.9	121,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,700	4.7	3.4 - 6.0	61,800	51.0	47.9 - 54.2	31,600	26.0	23.3 - 28.8	12,900	10.7	8.7 - 12.7	6,200	5.1	3.6 - 6.7	3,000	2.5	1.3 - 3.6	121,200
25-34	3,600	2.1	1.5 - 2.7	62,600	36.9	34.7 - 39.1	58,200	34.3	32.1 - 36.5	26,800	15.8	14.0 - 17.6	11,800	7.0	5.8 - 8.2	6,600	3.9	3.0 - 4.8	169,600
35-44	3,400	2.0	1.4 - 2.5	63,100	36.3	34.6 - 38.0	63,000	36.2	34.5 - 38.0	27,900	16.0	14.7 - 17.4	9,700	5.6	4.7 - 6.4	6,800	3.9	3.2 - 4.7	173,900
45-54	2,800	1.6	1.2 - 1.9	65,300	36.9	35.4 - 38.4	67,200	37.9	36.4 - 39.5	25,500	14.4	13.3 - 15.5	10,800	6.1	5.3 - 6.9	5,500	3.1	2.5 - 3.7	177,200
55-64	2,200	1.5	1.1 - 1.8	54,300	36.3	34.8 - 37.8	56,100	37.5	36.0 - 39.1	24,900	16.7	15.4 - 17.9	7,000	4.7	4.0 - 5.3	4,900	3.3	2.7 - 3.9	149,300
65-74	2,300	2.6	2.1 - 3.1	34,800	39.6	37.8 - 41.4	33,200	37.8	36.0 - 39.6	12,200	13.9	12.6 - 15.2	3,600	4.1	3.4 - 4.8	1,800	2.0	1.5 - 2.6	87,900
75+	5,700	5.9	5.0 - 6.8	50,600	52.9	50.9 - 54.9	29,700	31.0	29.2 - 32.9	7,000	7.3	6.2 - 8.4	2,100	2.2	1.6 - 2.9	600	0.6	0.3 - 0.9	95,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,500	2.4	2.0 - 2.8	131,700	41.8	40.6 - 42.9	112,100	35.6	34.4 - 36.7	43,100	13.7	12.9 - 14.5	13,800	4.4	3.9 - 4.9	7,000	2.2	1.9 - 2.6	315,400
Native Hawaiian	1,400	1.1	0.6 - 1.5	29,700	23.2	21.3 - 25.1	40,600	31.8	29.7 - 33.8	30,500	23.8	21.8 - 25.9	14,500	11.4	9.9 - 12.8	11,200	8.8	7.5 - 10.0	128,000
Chinese	2,600	4.5	3.3 - 5.8	27,800	49.0	45.7 - 52.2	19,600	34.5	31.4 - 37.6	5,000	8.9	7.0 - 10.7	1,400	2.4	1.4 - 3.4	400	0.7	0.3 - 1.2	56,800
Filipino	2,800	1.8	1.1 - 2.4	68,400	43.4	41.1 - 45.7	57,800	36.6	34.4 - 38.9	19,800	12.6	11.0 - 14.1	5,700	3.6	2.8 - 4.5	3,200	2.0	1.4 - 2.7	157,700
Japanese	8,800	4.0	3.4 - 4.6	104,800	47.6	46.0 - 49.2	76,900	34.9	33.4 - 36.4	21,100	9.6	8.7 - 10.5	6,900	3.1	2.5 - 3.7	1,900	0.8	0.6 - 1.1	220,300
Black	300	2.2	0.0 - 4.6	5,000	33.7	27.3 - 40.2	5,300	35.7	29.5 - 41.9	2,300	15.6	10.7 - 20.5	1,000	6.9	3.6 - 10.2	900	5.9	2.5 - 9.3	14,700
Native Alaskan/ American Indian	200	4.3	1.3 - 7.4	1,800	35.8	27.0 - 44.5	1,600	32.5	23.5 - 41.5	1,100	21.8	13.6 - 29.9	200	3.9	0.0 - 7.9	100	1.7	0.0 - 3.9	5,000
Other Asian	1,200	4.9	2.9 - 6.9	13,400	54.3	48.9 - 59.8	6,700	27.1	22.5 - 31.7	2,500	10.2	6.4 - 14.0	500	2.2	0.9 - 3.5	300	1.3	0.0 - 2.6	24,700
Other Pacific Islander	600	2.1	0.1 - 4.1	3,300	12.2	8.7 - 15.8	8,100	29.8	24.0 - 35.5	7,300	26.8	21.0 - 32.6	5,000	18.2	12.8 - 23.7	3,000	10.9	6.4 - 15.4	27,300
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	800	16.3	7.4 - 25.2	300	6.8	1.5 - 12.1	100	1.5	0.0 - 3.9	4,800
Other	200	1.2	0.1 - 2.2	5,900	27.8	22.6 - 33.1	8,100	38.3	32.8 - 43.9	3,900	18.4	14.3 - 22.5	2,000	9.2	5.9 - 12.6	1,000	5.0	2.9 - 7.0	21,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	5,800	1.2	0.9 - 1.5	155,600	31.8	30.6 - 32.9	208,500	42.6	41.4 - 43.8	79,900	16.3	15.4 - 17.2	26,600	5.4	4.8 - 6.0	13,300	2.7	2.3 - 3.1	489,700
Female	20,000	4.1	3.7 - 4.5	238,800	48.8	47.8 - 49.8	131,600	26.9	26.0 - 27.8	57,800	11.8	11.2 - 12.5	24,800	5.1	4.6 - 5.5	15,900	3.3	2.8 - 3.7	488,900

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	5.2	2.8 - 7.6	5,600	42.8	36.8 - 48.8	4,500	34.3	28.2 - 40.4	1,500	11.6	8.0 - 15.3	500	3.6	1.9 - 5.4	300	2.5	1.0 - 3.9	13,100
Grades 9 thru 11 (Some High School)	1,800	4.5	2.8 - 6.2	14,000	35.6	31.6 - 39.7	11,600	29.6	25.8 - 33.4	6,600	16.7	13.0 - 20.5	3,100	7.9	5.6 - 10.3	2,200	5.5	3.4 - 7.6	39,200
Grades 12 or GED (High School Grad)	7,900	2.7	2.2 - 3.2	105,100	36.2	34.7 - 37.7	100,000	34.5	33.0 - 35.9	45,800	15.8	14.7 - 16.9	20,100	6.9	6.1 - 7.8	11,500	3.9	3.4 - 4.5	290,300
College 1 to 3 years (Some College/ Tech)	6,700	2.4	2.0 - 2.8	108,700	38.5	37.0 - 39.9	97,700	34.6	33.2 - 36.0	42,800	15.1	14.1 - 16.2	16,400	5.8	5.1 - 6.5	10,300	3.6	3.0 - 4.3	282,700
College 4 years or more (College Grad)	8,700	2.5	2.1 - 2.9	160,800	45.6	44.4 - 46.7	126,000	35.7	34.6 - 36.9	41,000	11.6	10.8 - 12.4	11,300	3.2	2.8 - 3.6	5,000	1.4	1.1 - 1.7	352,800

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,400	1.7	1.4 - 2.0	233,200	38.1	37.1 - 39.0	226,100	36.9	35.9 - 37.9	91,900	15.0	14.3 - 15.7	33,800	5.5	5.0 - 6.0	17,400	2.8	2.5 - 3.2	612,900
Unemployed	1,100	2.3	1.2 - 3.3	17,600	35.2	31.4 - 39.1	15,600	31.1	27.3 - 34.9	9,000	18.0	14.5 - 21.5	3,500	7.1	5.1 - 9.1	3,200	6.3	4.3 - 8.3	50,000
Retired/Unable to work	8,600	4.0	3.5 - 4.4	93,600	43.2	41.9 - 44.5	73,400	33.9	32.6 - 35.1	25,100	11.6	10.7 - 12.4	9,900	4.6	4.0 - 5.2	6,100	2.8	2.2 - 3.4	216,600
Student/Homemaker	5,600	5.7	4.3 - 7.1	49,700	50.5	47.6 - 53.4	24,900	25.3	22.8 - 27.7	11,700	11.9	10.1 - 13.6	4,000	4.0	2.7 - 5.3	2,600	2.6	1.7 - 3.6	98,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	4.2	2.6 - 5.8	11,300	38.4	34.0 - 42.7	7,600	25.8	22.1 - 29.5	4,500	15.3	11.9 - 18.7	2,500	8.4	5.7 - 11.0	2,300	8.0	5.4 - 10.5	29,400
\$10,000 to \$14,999	900	3.6	2.4 - 4.8	10,200	39.1	34.7 - 43.5	8,400	32.2	27.8 - 36.6	4,000	15.2	10.9 - 19.5	1,200	4.7	3.2 - 6.3	1,400	5.2	2.9 - 7.6	26,000
\$15,000 to \$19,999	1,800	3.8	2.5 - 5.1	18,800	40.4	37.0 - 43.9	14,900	32.1	28.8 - 35.4	5,900	12.7	10.5 - 14.9	3,500	7.5	5.4 - 9.6	1,600	3.4	2.4 - 4.5	46,400
\$20,000 to \$24,999	1,600	2.7	1.9 - 3.5	24,000	39.6	36.4 - 42.7	18,700	30.7	27.8 - 33.7	9,900	16.3	13.8 - 18.9	3,400	5.5	4.2 - 6.8	3,100	5.2	3.6 - 6.7	60,800
\$25,000 to \$34,999	2,900	2.8	2.1 - 3.5	41,600	40.1	37.7 - 42.4	35,400	34.1	31.8 - 36.4	14,000	13.5	11.9 - 15.1	6,300	6.1	4.8 - 7.4	3,600	3.5	2.6 - 4.4	103,700
\$35,000 to \$49,999	3,800	2.6	1.9 - 3.2	53,900	36.7	34.8 - 38.6	51,700	35.2	33.3 - 37.1	23,100	15.7	14.3 - 17.2	9,300	6.3	5.3 - 7.4	5,100	3.5	2.7 - 4.3	147,000
\$50,000 to \$74,999	3,000	1.8	1.3 - 2.3	66,300	39.5	37.7 - 41.4	60,500	36.1	34.3 - 37.8	24,600	14.7	13.3 - 16.0	8,800	5.2	4.4 - 6.1	4,500	2.7	2.1 - 3.3	167,800
\$75,000 or more	6,000	2.1	1.7 - 2.4	118,400	40.5	39.2 - 41.9	110,700	37.9	36.5 - 39.3	39,800	13.6	12.6 - 14.6	11,500	3.9	3.4 - 4.5	5,600	1.9	1.5 - 2.3	292,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,400	2.7	2.1 - 3.3	73,400	37.0	35.1 - 39.0	62,600	31.6	29.8 - 33.5	32,200	16.2	14.7 - 17.8	13,800	7.0	5.9 - 8.0	10,800	5.4	4.6 - 6.3	198,100
131-185%	4,000	3.2	2.4 - 3.9	46,700	36.8	34.6 - 39.0	43,500	34.2	32.1 - 36.4	19,900	15.6	14.0 - 17.3	8,100	6.4	5.2 - 7.5	4,800	3.8	2.9 - 4.7	126,900
186+%	11,800	2.2	1.9 - 2.4	224,300	40.9	40.0 - 41.9	201,800	36.8	35.9 - 37.7	73,700	13.5	12.8 - 14.1	24,600	4.5	4.1 - 4.9	11,800	2.1	1.9 - 2.4	547,900

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,800	1.9	1.6 - 2.1	222,000	38.6	37.7 - 39.5	214,500	37.3	36.4 - 38.2	85,800	14.9	14.2 - 15.6	27,000	4.7	4.3 - 5.1	15,200	2.6	2.3 - 3.0	575,200
Unmarried Couple	600	2.1	0.8 - 3.4	10,700	35.1	30.4 - 39.7	11,300	37.1	32.2 - 42.1	5,000	16.2	11.7 - 20.8	1,800	6.0	3.6 - 8.5	1,100	3.4	1.6 - 5.3	30,500
Widowed	3,000	5.2	4.3 - 6.2	28,300	49.7	47.3 - 52.0	16,300	28.7	26.5 - 30.8	5,500	9.7	8.2 - 11.2	2,500	4.5	3.4 - 5.5	1,300	2.3	1.4 - 3.2	56,900
Other	11,400	3.6	3.0 - 4.2	133,500	42.2	40.7 - 43.8	98,000	31.0	29.5 - 32.5	41,500	13.1	12.1 - 14.2	20,000	6.3	5.5 - 7.1	11,800	3.7	3.1 - 4.4	316,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2006-2010

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,100	1.9	1.7 - 2.1	226,100	38.6	37.7 - 39.5	217,800	37.2	36.3 - 38.1	87,500	14.9	14.2 - 15.6	27,800	4.8	4.3 - 5.2	15,700	2.7	2.4 - 3.0	586,000
No	14,600	3.7	3.2 - 4.2	167,600	42.8	41.5 - 44.2	121,900	31.1	29.9 - 32.4	50,200	12.8	11.9 - 13.8	23,500	6.0	5.3 - 6.7	13,600	3.5	2.9 - 4.0	391,500

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	24,300	2.7	2.4 - 2.9	366,900	40.3	39.5 - 41.1	317,300	34.9	34.1 - 35.6	129,400	14.2	13.6 - 14.8	46,500	5.1	4.7 - 5.5	25,600	2.8	2.5 - 3.1	910,000
No	1,400	2.1	1.3 - 2.8	26,500	39.8	36.3 - 43.3	22,200	33.3	30.0 - 36.7	8,100	12.2	9.7 - 14.7	4,700	7.0	5.0 - 9.0	3,700	5.6	3.5 - 7.6	66,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	24,500	2.5	2.3 - 2.8	399,800	41.2	40.5 - 42.0	335,700	34.6	33.9 - 35.3	131,800	13.6	13.0 - 14.1	49,000	5.1	4.7 - 5.4	29,000	3.0	2.7 - 3.3	969,800

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	2.2	1.8 - 2.6	49,900	39.2	37.8 - 40.6	45,300	35.6	34.2 - 37.0	18,700	14.7	13.6 - 15.8	6,800	5.3	4.6 - 6.1	3,800	3.0	2.4 - 3.5	127,400
Honolulu	18,000	2.6	2.3 - 2.9	285,900	41.5	40.5 - 42.5	238,700	34.7	33.7 - 35.6	91,600	13.3	12.6 - 14.0	34,000	4.9	4.5 - 5.4	20,400	3.0	2.6 - 3.3	688,700
Kauai	900	2.0	1.5 - 2.6	19,500	41.4	39.2 - 43.6	16,300	34.6	32.4 - 36.7	6,600	14.1	12.4 - 15.7	2,700	5.8	4.7 - 6.9	1,000	2.2	1.5 - 2.9	47,100
Maui	2,600	2.5	2.0 - 3.0	44,500	41.7	40.1 - 43.4	35,400	33.2	31.6 - 34.7	14,800	13.9	12.7 - 15.1	5,500	5.1	4.4 - 5.9	3,800	3.6	2.8 - 4.3	106,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,800	2.2	1.8 - 2.6	49,900	39.2	37.8 - 40.6	45,300	35.6	34.2 - 37.0	18,700	14.7	13.6 - 15.8	6,800	5.3	4.6 - 6.1	3,800	3.0	2.4 - 3.5	127,400
Kauai	900	2.0	1.5 - 2.6	19,500	41.4	39.2 - 43.6	16,300	34.6	32.4 - 36.7	6,600	14.1	12.4 - 15.7	2,700	5.8	4.7 - 6.9	1,000	2.2	1.5 - 2.9	47,100
Lanai	<50	1.6	0.8 - 2.5	800	40.0	36.0 - 44.1	800	39.8	35.8 - 43.7	200	11.0	8.7 - 13.4	100	4.5	3.0 - 6.1	100	3.0	1.8 - 4.3	2,100
Maui	2,500	2.5	2.0 - 3.0	41,600	42.7	41.0 - 44.5	32,300	33.2	31.5 - 34.9	13,200	13.5	12.3 - 14.8	4,600	4.8	4.0 - 5.6	3,200	3.3	2.5 - 4.1	97,300
Molokai	200	2.2	0.9 - 3.5	2,100	28.6	25.3 - 31.9	2,200	31.2	27.7 - 34.7	1,400	20.1	17.0 - 23.3	700	10.1	7.7 - 12.4	600	7.8	5.9 - 9.8	7,200
Oahu	18,000	2.6	2.3 - 2.9	285,900	41.5	40.5 - 42.5	238,700	34.7	33.7 - 35.6	91,600	13.3	12.6 - 14.0	34,000	4.9	4.5 - 5.4	20,400	3.0	2.6 - 3.3	688,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	1.8	1.1 - 2.6	25,800	40.1	36.9 - 43.4	23,200	36.1	33.0 - 39.3	9,300	14.4	12.1 - 16.8	3,300	5.2	3.8 - 6.6	1,500	2.3	0.7 - 3.8	64,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,300	4.3	2.6 - 6.0	13,900	45.5	41.3 - 49.7	9,700	31.8	27.8 - 35.9	3,700	12.0	9.3 - 14.8	900	3.0	1.8 - 4.2	1,000	3.3	1.6 - 4.9	30,500
Hanalei/ Kapaa	400	2.0	1.2 - 2.9	9,000	45.5	42.2 - 48.8	6,500	32.9	29.9 - 35.9	2,200	11.4	9.3 - 13.4	1,200	5.9	4.0 - 7.7	500	2.3	1.1 - 3.5	19,700
Hilo	900	2.5	1.7 - 3.4	14,500	38.9	36.2 - 41.5	13,200	35.2	32.6 - 37.7	5,400	14.5	12.6 - 16.4	2,200	5.8	4.5 - 7.2	1,200	3.1	2.0 - 4.2	37,400
Kaaawa/ Kahaluu/ Kaneohe	1,300	2.7	1.4 - 4.0	17,500	36.1	32.5 - 39.6	17,200	35.3	31.8 - 38.7	7,500	15.4	12.8 - 17.9	3,700	7.6	5.4 - 9.8	1,400	3.0	1.6 - 4.4	48,600
Kahului	800	2.3	1.5 - 3.1	14,600	43.7	40.6 - 46.9	11,300	33.8	30.9 - 36.8	4,600	13.8	11.5 - 16.2	1,400	4.2	2.9 - 5.6	700	2.1	1.2 - 3.0	33,500
Kailua/ Waimanalo	900	1.7	1.0 - 2.4	19,600	39.4	36.0 - 42.9	18,200	36.5	33.1 - 40.0	7,600	15.3	12.6 - 18.0	1,900	3.8	2.5 - 5.1	1,600	3.2	1.6 - 4.8	49,700
Kaimuki/ Palolo/ Waikiki	2,100	3.6	2.7 - 4.6	27,700	48.3	45.1 - 51.4	19,000	33.1	30.1 - 36.0	6,300	11.0	8.8 - 13.1	1,900	3.2	2.1 - 4.3	500	0.9	0.4 - 1.3	57,400
Kona	500	1.9	1.1 - 2.6	12,100	42.1	39.2 - 45.0	10,100	35.2	32.4 - 38.1	4,300	14.8	12.6 - 17.0	1,200	4.2	2.8 - 5.5	500	1.8	1.1 - 2.6	28,800
Lahaina/ Wailuku	800	2.6	1.5 - 3.6	12,500	39.3	36.2 - 42.4	10,700	33.8	30.7 - 36.8	4,400	13.8	11.6 - 15.9	2,000	6.3	4.7 - 7.9	1,300	4.2	2.5 - 6.0	31,700
Lanai	<50	1.6	0.8 - 2.5	800	40.0	36.0 - 44.1	800	39.8	35.8 - 43.7	200	11.0	8.7 - 13.4	100	4.5	3.0 - 6.1	100	3.0	1.8 - 4.3	2,100
Lihue-Waimea	500	2.0	1.2 - 2.7	10,600	38.5	35.5 - 41.4	9,800	35.7	32.8 - 38.7	4,400	16.0	13.5 - 18.5	1,600	5.8	4.3 - 7.2	600	2.1	1.3 - 2.9	27,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,700	3.9	2.7 - 5.0	20,700	45.7	42.1 - 49.2	15,100	33.4	30.0 - 36.8	4,600	10.2	8.1 - 12.4	2,100	4.7	3.2 - 6.3	1,000	2.1	1.0 - 3.2	45,300
Mililani/ Wahiawa	1,200	1.7	0.9 - 2.5	27,600	38.3	35.4 - 41.3	27,000	37.5	34.6 - 40.5	11,000	15.2	13.0 - 17.5	3,600	5.0	3.8 - 6.3	1,500	2.1	1.1 - 3.2	72,100
Molokai	200	2.2	0.9 - 3.5	2,100	28.6	25.3 - 31.9	2,200	31.2	27.7 - 34.7	1,400	20.1	17.0 - 23.3	700	10.1	7.7 - 12.4	600	7.8	5.9 - 9.8	7,200
Nanakuli/ Waianae	600	1.7	0.5 - 2.9	8,500	26.0	21.3 - 30.7	9,900	30.4	25.4 - 35.5	6,300	19.2	14.6 - 23.7	3,800	11.7	8.2 - 15.2	3,600	11.0	7.4 - 14.6	32,600
N.Hawaii	500	1.7	0.9 - 2.6	10,400	39.1	36.0 - 42.2	9,600	35.8	32.7 - 38.9	3,800	14.2	11.8 - 16.5	1,600	5.9	4.3 - 7.6	900	3.2	1.8 - 4.7	26,700
N.Shore/ Laie	500	2.1	0.2 - 3.9	8,500	39.3	33.8 - 44.8	7,100	32.6	27.3 - 37.9	3,500	15.9	11.5 - 20.4	1,200	5.3	2.5 - 8.1	1,000	4.8	2.5 - 7.0	21,700
Nuuanu/ Kalihi/ Moanalua	1,800	2.6	1.6 - 3.6	31,700	46.0	42.5 - 49.5	23,100	33.5	30.3 - 36.8	7,100	10.3	8.1 - 12.4	3,500	5.1	3.3 - 6.9	1,700	2.5	1.4 - 3.6	68,800
Puna/ Kau	900	2.6	1.8 - 3.3	12,800	37.2	34.3 - 40.0	12,400	36.1	33.4 - 38.8	5,200	15.2	13.1 - 17.4	1,800	5.3	4.0 - 6.7	1,200	3.6	2.6 - 4.6	34,500
Salt Lake/ Foster Village	1,100	3.2	1.5 - 4.8	16,300	48.3	43.7 - 53.0	11,100	33.0	28.7 - 37.3	3,800	11.2	8.4 - 13.9	900	2.5	1.3 - 3.8	600	1.8	0.6 - 2.9	33,700
Upcountry/ Hana	900	2.7	1.8 - 3.5	14,500	45.1	42.1 - 48.0	10,300	32.0	29.2 - 34.7	4,100	12.9	10.9 - 14.9	1,200	3.8	2.7 - 4.9	1,100	3.6	2.3 - 4.8	32,100
Waiialae/ Kahala/ Hawaii Kai	1,500	3.3	2.2 - 4.5	22,700	51.3	47.5 - 55.0	14,800	33.4	29.9 - 37.0	4,000	8.9	6.7 - 11.1	900	2.0	0.9 - 3.1	500	1.1	0.2 - 2.0	44,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	3,000	2.5	1.7 - 3.3	45,400	37.9	35.4 - 40.4	43,300	36.2	33.7 - 38.7	17,200	14.4	12.5 - 16.2	6,300	5.3	4.1 - 6.5	4,500	3.8	2.9 - 4.7	119,800

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,500	3.8	2.7 - 4.8	62,100	51.5	48.4 - 54.6	32,100	26.6	23.8 - 29.3	13,100	10.8	8.9 - 12.8	6,000	4.9	3.5 - 6.3	2,900	2.4	1.3 - 3.6	120,700
25-34	3,500	2.1	1.5 - 2.7	64,700	38.9	36.7 - 41.0	56,000	33.6	31.5 - 35.7	24,200	14.5	12.9 - 16.1	11,000	6.6	5.5 - 7.7	7,200	4.3	3.3 - 5.3	166,500
35-44	4,000	2.3	1.8 - 2.8	65,800	37.5	35.8 - 39.2	63,000	35.9	34.2 - 37.6	26,000	14.8	13.6 - 16.1	10,000	5.7	4.9 - 6.6	6,600	3.7	3.0 - 4.4	175,400
45-54	2,800	1.6	1.2 - 1.9	68,400	38.5	37.0 - 40.0	66,200	37.3	35.7 - 38.8	24,800	14.0	12.9 - 15.1	10,300	5.8	5.0 - 6.6	5,200	2.9	2.4 - 3.5	177,600
55-64	2,100	1.5	1.1 - 1.8	52,500	35.7	34.1 - 37.2	56,300	38.3	36.7 - 39.9	25,100	17.1	15.8 - 18.4	6,300	4.3	3.6 - 4.9	4,800	3.2	2.7 - 3.8	147,100
65-74	2,200	2.6	2.1 - 3.2	34,400	40.0	38.1 - 41.9	32,200	37.5	35.6 - 39.4	11,700	13.6	12.3 - 15.0	3,400	4.0	3.2 - 4.7	2,000	2.3	1.7 - 2.9	85,900
75+	5,200	5.6	4.8 - 6.5	50,100	54.0	51.9 - 56.0	28,700	30.9	29.0 - 32.8	6,400	6.9	5.8 - 7.9	2,100	2.2	1.6 - 2.9	400	0.4	0.1 - 0.7	92,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,000	2.2	1.9 - 2.5	135,200	42.6	41.5 - 43.8	112,100	35.4	34.2 - 36.5	42,400	13.4	12.6 - 14.2	13,300	4.2	3.7 - 4.7	7,000	2.2	1.8 - 2.6	317,100
Native Hawaiian	1,200	0.9	0.5 - 1.3	29,800	23.8	21.9 - 25.8	39,300	31.4	29.4 - 33.4	29,200	23.3	21.3 - 25.3	14,300	11.4	10.0 - 12.8	11,500	9.1	7.8 - 10.5	125,200
Chinese	2,400	4.3	3.1 - 5.6	28,700	50.8	47.6 - 54.1	18,500	32.8	29.7 - 35.9	5,200	9.2	7.3 - 11.2	1,300	2.2	1.2 - 3.2	300	0.6	0.2 - 1.0	56,400
Filipino	2,800	1.8	1.2 - 2.4	70,400	45.0	42.7 - 47.3	56,900	36.4	34.2 - 38.6	18,600	11.9	10.5 - 13.4	5,000	3.2	2.4 - 4.0	2,700	1.7	1.2 - 2.3	156,500
Japanese	8,200	3.8	3.3 - 4.4	102,800	47.9	46.3 - 49.5	75,900	35.4	33.9 - 36.9	19,800	9.2	8.3 - 10.2	6,300	2.9	2.3 - 3.5	1,500	0.7	0.5 - 1.0	214,600
Black	500	3.2	0.7 - 5.7	5,300	33.9	27.8 - 40.1	5,300	33.8	28.0 - 39.7	2,800	17.7	12.6 - 22.7	900	5.8	2.9 - 8.7	900	5.6	2.3 - 8.8	15,600
Native Alaskan/ American Indian	200	4.6	1.6 - 7.6	1,900	37.6	28.9 - 46.3	1,700	32.7	24.0 - 41.4	1,000	19.9	12.3 - 27.4	100	2.5	0.2 - 4.8	100	2.6	0.2 - 5.1	5,200
Other Asian	1,200	5.2	3.1 - 7.4	12,800	54.3	48.9 - 59.7	6,700	28.3	23.4 - 33.2	2,200	9.2	5.6 - 12.9	500	2.1	0.8 - 3.4	200	0.8	0.0 - 1.9	23,600
Other Pacific Islander	400	1.5	0.0 - 3.2	3,900	15.5	11.3 - 19.8	7,000	28.0	22.6 - 33.4	5,300	21.3	16.3 - 26.4	4,800	19.2	14.1 - 24.3	3,600	14.4	9.4 - 19.4	25,000
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	800	16.3	7.4 - 25.2	300	6.8	1.5 - 12.1	100	1.5	0.0 - 3.9	4,800
Other	300	1.4	0.1 - 2.7	6,500	28.2	23.7 - 32.7	8,800	38.5	33.5 - 43.6	4,200	18.3	14.5 - 22.1	2,200	9.5	6.1 - 13.0	900	4.0	2.4 - 5.7	22,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,900	1.0	0.8 - 1.3	158,500	32.7	31.5 - 33.8	205,600	42.4	41.2 - 43.5	77,500	16.0	15.1 - 16.8	25,800	5.3	4.8 - 5.9	13,000	2.7	2.3 - 3.1	485,300
Female	19,600	4.0	3.7 - 4.4	241,300	49.8	48.8 - 50.8	130,000	26.8	26.0 - 27.7	54,300	11.2	10.6 - 11.8	23,300	4.8	4.4 - 5.2	16,000	3.3	2.9 - 3.7	484,500

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	800	5.5	3.1 - 7.8	6,400	43.4	37.2 - 49.6	4,800	32.4	26.5 - 38.4	1,900	12.9	8.6 - 17.1	500	3.2	1.6 - 4.7	400	2.7	1.3 - 4.1	14,800
Grades 9 thru 11 (Some High School)	1,700	4.3	2.8 - 5.8	13,900	36.3	32.5 - 40.1	11,500	30.1	26.5 - 33.6	6,000	15.6	12.6 - 18.6	3,200	8.4	6.0 - 10.7	2,100	5.4	3.4 - 7.3	38,400
Grades 12 or GED (High School Grad)	6,800	2.4	1.9 - 2.8	106,700	37.2	35.7 - 38.6	99,400	34.6	33.2 - 36.0	43,400	15.1	14.0 - 16.2	19,400	6.8	6.0 - 7.5	11,500	4.0	3.4 - 4.6	287,200
College 1 to 3 years (Some College/ Tech)	6,300	2.2	1.9 - 2.6	111,500	39.6	38.1 - 41.0	95,800	34.0	32.7 - 35.4	42,900	15.2	14.2 - 16.3	14,700	5.2	4.6 - 5.9	10,300	3.7	3.0 - 4.3	281,600
College 4 years or more (College Grad)	8,900	2.6	2.2 - 2.9	161,000	46.4	45.2 - 47.6	123,800	35.6	34.5 - 36.8	37,600	10.8	10.0 - 11.6	11,200	3.2	2.8 - 3.7	4,800	1.4	1.1 - 1.7	347,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,500	1.7	1.4 - 1.9	242,200	39.2	38.2 - 40.2	226,500	36.6	35.7 - 37.6	88,800	14.4	13.7 - 15.1	33,200	5.4	4.9 - 5.8	17,000	2.8	2.4 - 3.1	618,300
Unemployed	1,200	3.1	1.8 - 4.4	13,800	34.6	30.5 - 38.8	12,200	30.7	26.6 - 34.8	6,900	17.4	13.6 - 21.3	2,900	7.2	5.0 - 9.4	2,800	6.9	4.6 - 9.2	39,700
Retired/Unable to work	8,400	3.8	3.4 - 4.3	95,900	43.9	42.5 - 45.2	73,300	33.5	32.3 - 34.8	25,200	11.5	10.7 - 12.4	9,700	4.4	3.8 - 5.0	6,100	2.8	2.2 - 3.4	218,600
Student/Homemaker	4,400	4.8	3.6 - 6.0	47,600	51.5	48.6 - 54.3	23,400	25.4	22.9 - 27.9	10,800	11.7	9.9 - 13.5	3,100	3.3	2.3 - 4.4	3,100	3.4	2.3 - 4.5	92,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,200	4.5	2.7 - 6.2	10,100	38.3	34.1 - 42.6	6,700	25.4	21.8 - 29.0	4,400	16.8	13.3 - 20.2	2,100	7.8	5.2 - 10.3	1,900	7.3	4.9 - 9.6	26,500
\$10,000 to \$14,999	900	3.6	2.3 - 4.8	10,200	38.9	34.5 - 43.2	8,200	31.2	26.9 - 35.5	3,400	13.0	9.7 - 16.4	1,900	7.3	5.1 - 9.6	1,600	6.0	3.5 - 8.5	26,200
\$15,000 to \$19,999	1,500	3.4	2.2 - 4.5	19,300	42.5	39.2 - 45.9	13,900	30.6	27.5 - 33.6	5,400	11.9	9.9 - 14.0	3,000	6.6	4.7 - 8.5	2,300	5.0	3.4 - 6.5	45,400
\$20,000 to \$24,999	1,500	2.5	1.7 - 3.3	24,900	41.5	38.5 - 44.5	19,000	31.6	28.8 - 34.4	8,400	13.9	11.9 - 16.0	3,200	5.3	4.0 - 6.7	3,100	5.1	3.6 - 6.6	60,000
\$25,000 to \$34,999	2,700	2.6	1.9 - 3.3	41,500	40.1	37.8 - 42.5	35,900	34.7	32.4 - 36.9	13,800	13.4	11.8 - 15.0	6,500	6.2	4.9 - 7.5	3,100	3.0	2.2 - 3.8	103,500
\$35,000 to \$49,999	3,600	2.4	1.8 - 3.0	58,100	39.0	37.1 - 40.9	52,600	35.3	33.5 - 37.2	21,500	14.4	13.1 - 15.8	8,900	6.0	5.0 - 6.9	4,300	2.9	2.2 - 3.5	148,900
\$50,000 to \$74,999	2,800	1.6	1.2 - 2.0	69,700	40.4	38.6 - 42.2	61,000	35.3	33.6 - 37.1	25,600	14.8	13.5 - 16.2	8,800	5.1	4.3 - 5.9	4,700	2.7	2.1 - 3.4	172,600
\$75,000 or more	5,600	2.0	1.7 - 2.4	111,900	40.6	39.3 - 42.0	104,900	38.1	36.7 - 39.5	37,100	13.5	12.4 - 14.5	10,000	3.6	3.1 - 4.2	5,800	2.1	1.6 - 2.6	275,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,000	2.7	2.1 - 3.3	71,500	38.6	36.7 - 40.6	58,700	31.7	29.9 - 33.5	26,700	14.4	13.0 - 15.8	13,000	7.0	6.0 - 8.0	10,300	5.5	4.7 - 6.4	185,100
131-185%	3,300	2.8	2.1 - 3.5	43,700	37.5	35.2 - 39.8	40,000	34.3	32.0 - 36.6	18,000	15.4	13.7 - 17.2	7,200	6.1	4.9 - 7.3	4,500	3.8	2.8 - 4.9	116,600
186+%	11,600	2.1	1.8 - 2.3	230,500	41.4	40.5 - 42.3	203,500	36.6	35.7 - 37.5	74,900	13.5	12.8 - 14.1	24,200	4.3	4.0 - 4.7	12,000	2.2	1.9 - 2.4	556,700

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	11,300	2.0	1.7 - 2.2	227,300	39.5	38.6 - 40.5	213,500	37.2	36.2 - 38.1	81,400	14.2	13.5 - 14.8	25,700	4.5	4.1 - 4.9	15,500	2.7	2.4 - 3.0	574,700
Unmarried Couple	500	1.6	0.6 - 2.6	10,700	37.5	32.9 - 42.1	10,300	35.8	31.1 - 40.6	4,400	15.3	11.2 - 19.4	1,900	6.6	4.0 - 9.1	900	3.2	1.3 - 5.1	28,700
Widowed	2,800	4.9	4.0 - 5.8	28,200	50.0	47.7 - 52.4	15,800	28.1	26.0 - 30.2	5,600	10.0	8.5 - 11.5	2,500	4.4	3.3 - 5.5	1,500	2.6	1.6 - 3.5	56,300
Other	10,000	3.2	2.7 - 3.7	133,600	43.1	41.5 - 44.6	96,000	31.0	29.5 - 32.4	40,400	13.0	12.0 - 14.1	18,900	6.1	5.4 - 6.8	11,100	3.6	3.0 - 4.2	310,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2005-2009

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,600	2.0	1.7 - 2.2	231,000	39.5	38.6 - 40.4	216,900	37.1	36.2 - 38.0	83,200	14.2	13.5 - 14.9	26,700	4.6	4.1 - 5.0	15,900	2.7	2.4 - 3.1	585,200
No	12,900	3.4	2.9 - 3.8	168,300	43.9	42.5 - 45.2	118,400	30.9	29.7 - 32.1	48,600	12.7	11.7 - 13.6	22,300	5.8	5.2 - 6.5	13,100	3.4	2.9 - 4.0	383,600

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,700	2.5	2.3 - 2.8	370,200	41.2	40.4 - 41.9	313,200	34.8	34.1 - 35.6	123,400	13.7	13.2 - 14.3	44,500	4.9	4.6 - 5.3	25,600	2.9	2.6 - 3.1	899,600
No	1,700	2.4	1.7 - 3.2	28,700	42.1	38.8 - 45.5	21,900	32.1	29.0 - 35.2	8,100	11.9	9.7 - 14.1	4,500	6.5	4.9 - 8.2	3,300	4.9	3.0 - 6.8	68,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	24,700	2.6	2.3 - 2.9	398,800	42.0	41.2 - 42.9	323,400	34.1	33.3 - 34.9	126,300	13.3	12.7 - 13.9	47,800	5.0	4.6 - 5.5	27,400	2.9	2.5 - 3.3	948,400

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,900	2.3	1.9 - 2.8	49,500	39.7	38.1 - 41.4	44,700	35.8	34.3 - 37.4	18,100	14.5	13.3 - 15.8	6,200	4.9	4.2 - 5.7	3,200	2.6	2.1 - 3.1	124,600
Honolulu	18,300	2.7	2.3 - 3.1	285,800	42.4	41.2 - 43.5	228,300	33.8	32.7 - 34.9	88,100	13.1	12.3 - 13.9	34,100	5.0	4.5 - 5.6	20,100	3.0	2.5 - 3.5	674,600
Kauai	900	1.9	1.4 - 2.5	19,200	42.4	40.0 - 44.8	15,500	34.3	31.9 - 36.6	6,400	14.2	12.4 - 15.9	2,400	5.3	4.2 - 6.4	900	2.0	1.3 - 2.6	45,300
Maui	2,700	2.6	1.9 - 3.2	44,300	42.6	40.6 - 44.6	34,900	33.6	31.7 - 35.5	13,700	13.2	11.9 - 14.5	5,200	5.0	4.2 - 5.8	3,200	3.1	2.1 - 4.1	103,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Island	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,900	2.3	1.9 - 2.8	49,500	39.7	38.1 - 41.4	44,700	35.8	34.3 - 37.4	18,100	14.5	13.3 - 15.8	6,200	4.9	4.2 - 5.7	3,200	2.6	2.1 - 3.1	124,600
Kauai	900	1.9	1.4 - 2.5	19,200	42.4	40.0 - 44.8	15,500	34.3	31.9 - 36.6	6,400	14.2	12.4 - 15.9	2,400	5.3	4.2 - 6.4	900	2.0	1.3 - 2.6	45,300
Lanai	<50	1.5	0.7 - 2.3	800	38.8	34.4 - 43.1	800	40.9	36.5 - 45.3	200	11.4	8.9 - 13.9	100	4.5	2.8 - 6.3	100	2.9	1.6 - 4.1	2,000
Maui	2,400	2.5	1.9 - 3.2	41,500	43.6	41.5 - 45.8	32,100	33.7	31.7 - 35.8	12,000	12.6	11.2 - 14.0	4,400	4.7	3.8 - 5.5	2,800	2.9	1.8 - 4.0	95,200
Molokai	200	3.1	0.9 - 5.3	2,000	29.4	25.4 - 33.5	2,000	29.7	25.6 - 33.9	1,500	22.0	18.1 - 25.9	700	9.8	7.2 - 12.3	400	6.0	4.2 - 7.8	6,700
Oahu	18,300	2.7	2.3 - 3.1	285,800	42.4	41.2 - 43.5	228,300	33.8	32.7 - 34.9	88,100	13.1	12.3 - 13.9	34,100	5.0	4.5 - 5.6	20,100	3.0	2.5 - 3.5	674,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,500	2.3	0.9 - 3.8	28,800	44.6	40.8 - 48.4	22,300	34.5	31.0 - 38.0	7,800	12.1	9.9 - 14.3	3,200	5.0	3.5 - 6.6	900	1.4	0.7 - 2.2	64,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,400	4.4	2.5 - 6.3	14,600	47.3	42.3 - 52.4	8,900	28.8	24.5 - 33.1	4,000	12.9	9.5 - 16.3	900	3.1	1.6 - 4.5	1,100	3.5	1.7 - 5.3	30,800
Hanalei/ Kapaa	400	2.2	1.3 - 3.1	8,300	43.9	40.4 - 47.5	6,400	34.0	30.6 - 37.5	2,400	12.5	10.1 - 14.9	900	5.0	3.3 - 6.7	400	2.3	1.1 - 3.6	18,900
Hilo	1,100	2.9	2.0 - 3.9	14,300	39.7	36.7 - 42.7	12,500	34.7	31.9 - 37.6	5,400	15.0	12.7 - 17.3	1,800	5.0	3.7 - 6.4	1,000	2.7	1.6 - 3.8	36,100
Kaaawa/ Kahaluu/ Kaneohe	1,600	3.4	1.3 - 5.5	16,800	35.5	31.4 - 39.6	17,700	37.3	32.8 - 41.7	6,900	14.6	11.5 - 17.6	2,900	6.0	4.0 - 8.1	1,600	3.3	1.8 - 4.9	47,400
Kahului	800	2.5	1.1 - 3.9	14,300	43.9	40.1 - 47.7	11,400	34.9	31.4 - 38.5	4,200	13.0	10.6 - 15.4	1,300	4.1	2.7 - 5.5	500	1.6	0.7 - 2.4	32,500
Kailua/ Waimanalo	900	1.8	0.9 - 2.8	19,100	39.8	35.9 - 43.7	17,400	36.4	32.5 - 40.3	7,200	15.0	11.8 - 18.1	2,300	4.8	2.6 - 6.9	1,100	2.2	1.1 - 3.3	47,900
Kaimuki/ Palolo/ Waikiki	2,100	3.6	2.5 - 4.8	27,900	47.7	44.0 - 51.4	19,200	32.7	29.3 - 36.2	6,300	10.7	8.2 - 13.3	2,400	4.1	2.3 - 5.9	700	1.2	0.4 - 2.0	58,500
Kona	700	2.4	1.3 - 3.5	11,800	42.1	38.8 - 45.3	10,100	36.0	32.7 - 39.3	3,900	13.9	11.5 - 16.3	1,000	3.7	2.5 - 4.9	600	2.0	1.0 - 3.0	28,000
Lahaina/ Wailuku	700	2.1	1.2 - 3.1	12,500	40.2	36.4 - 44.0	10,500	33.8	30.1 - 37.4	4,200	13.5	10.9 - 16.1	2,000	6.3	4.6 - 8.1	1,300	4.1	1.2 - 7.0	31,100
Lanai	<50	1.5	0.7 - 2.3	800	38.8	34.4 - 43.1	800	40.9	36.5 - 45.3	200	11.4	8.9 - 13.9	100	4.5	2.8 - 6.3	100	2.9	1.6 - 4.1	2,000
Lihue-Waimea	500	1.8	1.1 - 2.4	10,900	41.3	38.1 - 44.5	9,100	34.4	31.3 - 37.6	4,100	15.4	12.9 - 17.8	1,400	5.5	4.0 - 6.9	400	1.7	1.0 - 2.4	26,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	3.2	2.1 - 4.4	21,300	46.6	42.4 - 50.7	14,400	31.6	27.6 - 35.5	5,000	11.0	8.5 - 13.5	2,400	5.3	2.6 - 7.9	1,100	2.4	1.1 - 3.7	45,600
Mililani/ Wahiawa	1,000	1.5	0.7 - 2.3	26,100	38.5	34.8 - 42.2	25,100	37.1	33.5 - 40.7	9,700	14.4	12.0 - 16.8	3,300	4.9	3.3 - 6.4	2,500	3.7	0.6 - 6.8	67,800
Molokai	200	3.1	0.9 - 5.3	2,000	29.4	25.4 - 33.5	2,000	29.7	25.6 - 33.9	1,500	22.0	18.1 - 25.9	700	9.8	7.2 - 12.3	400	6.0	4.2 - 7.8	6,700
Nanakuli/ Waianae	400	1.1	0.3 - 1.8	8,200	24.3	19.3 - 29.3	10,500	31.3	25.7 - 36.9	6,300	18.7	13.8 - 23.6	4,200	12.6	8.1 - 17.1	4,000	12.0	7.7 - 16.3	33,700
N.Hawaii	400	1.5	0.7 - 2.2	10,300	40.3	36.9 - 43.8	9,400	36.7	33.2 - 40.2	3,500	13.8	11.1 - 16.4	1,300	5.1	3.5 - 6.6	700	2.7	1.4 - 4.1	25,700
N.Shore/ Laie	500	2.3	0.2 - 4.3	8,700	39.6	33.3 - 45.8	7,000	31.7	25.6 - 37.9	3,800	17.1	12.0 - 22.3	1,100	4.9	2.1 - 7.7	1,000	4.4	2.0 - 6.8	21,900
Nuuanu/ Kalihi/ Moanalua	1,700	2.5	1.4 - 3.6	30,500	45.8	41.8 - 49.8	22,200	33.5	29.9 - 37.1	7,300	11.0	8.4 - 13.6	3,500	5.3	3.0 - 7.6	1,300	1.9	0.9 - 2.8	66,400
Puna/ Kau	800	2.3	1.5 - 3.0	13,100	37.6	34.3 - 40.9	12,700	36.3	33.1 - 39.5	5,300	15.2	12.7 - 17.8	2,000	5.7	4.0 - 7.5	1,000	2.9	2.0 - 3.8	34,900
Salt Lake/ Foster Village	1,000	2.9	1.1 - 4.7	15,500	47.5	42.1 - 52.8	11,200	34.3	29.2 - 39.5	3,300	10.1	7.1 - 13.0	1,100	3.3	1.1 - 5.4	600	2.0	0.6 - 3.3	32,700
Upcountry/ Hana	900	3.0	2.0 - 4.0	14,700	46.7	43.2 - 50.3	10,200	32.4	29.2 - 35.7	3,500	11.2	9.0 - 13.5	1,100	3.5	2.3 - 4.8	1,000	3.1	1.8 - 4.3	31,500
Waiialae/ Kahala/ Hawaii Kai	1,600	4.0	2.2 - 5.9	21,500	53.4	49.0 - 57.8	12,900	32.1	28.0 - 36.1	3,300	8.3	5.9 - 10.6	600	1.5	0.5 - 2.5	300	0.7	0.1 - 1.4	40,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	3,300	2.8	1.7 - 3.9	47,000	40.1	37.1 - 43.2	39,600	33.7	31.0 - 36.5	17,300	14.7	12.6 - 16.9	6,200	5.3	3.8 - 6.7	3,900	3.4	2.5 - 4.2	117,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,400	4.6	3.1 - 6.1	60,600	51.6	48.1 - 55.1	29,900	25.5	22.6 - 28.4	12,600	10.8	8.7 - 12.9	6,000	5.1	3.4 - 6.8	2,800	2.4	0.5 - 4.3	117,400
25-34	3,700	2.2	1.6 - 2.9	65,300	39.8	37.4 - 42.2	55,900	34.1	31.7 - 36.4	21,600	13.2	11.5 - 14.8	10,900	6.6	5.4 - 7.9	6,700	4.1	3.0 - 5.2	164,000
35-44	3,500	2.0	1.5 - 2.5	68,700	39.3	37.3 - 41.4	61,800	35.4	33.4 - 37.3	24,600	14.1	12.6 - 15.5	9,100	5.2	4.1 - 6.3	6,900	4.0	3.1 - 4.8	174,600
45-54	2,600	1.5	1.1 - 1.9	68,500	39.2	37.3 - 41.0	64,300	36.8	35.0 - 38.6	25,400	14.6	13.2 - 15.9	9,600	5.5	4.5 - 6.5	4,400	2.5	2.0 - 3.1	174,800
55-64	2,100	1.5	1.0 - 1.9	51,400	36.6	34.7 - 38.5	51,700	36.8	34.9 - 38.7	24,100	17.2	15.6 - 18.7	6,600	4.7	3.8 - 5.5	4,600	3.3	2.6 - 4.0	140,500
65-74	2,100	2.5	1.9 - 3.2	34,100	40.8	38.3 - 43.2	31,500	37.7	35.2 - 40.1	11,100	13.2	11.5 - 15.0	3,400	4.0	3.1 - 5.0	1,500	1.8	1.2 - 2.3	83,700
75+	5,400	6.0	4.7 - 7.4	47,600	53.7	51.2 - 56.3	26,900	30.3	28.0 - 32.6	6,300	7.1	5.7 - 8.5	2,100	2.4	1.7 - 3.1	400	0.4	0.0 - 0.8	88,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,300	2.3	1.9 - 2.8	133,100	42.7	41.3 - 44.0	110,100	35.3	34.0 - 36.7	42,000	13.5	12.5 - 14.5	12,500	4.0	3.4 - 4.6	6,700	2.2	1.7 - 2.6	311,700
Native Hawaiian	1,500	1.2	0.4 - 1.9	30,900	24.8	22.6 - 27.0	39,700	31.8	29.4 - 34.1	28,300	22.7	20.5 - 24.9	14,200	11.3	9.6 - 13.1	10,300	8.3	6.8 - 9.8	124,900
Chinese	2,900	5.3	3.2 - 7.4	27,700	51.1	47.2 - 54.9	17,600	32.5	28.9 - 36.1	4,800	8.9	6.8 - 11.0	900	1.7	0.8 - 2.6	300	0.6	0.2 - 1.0	54,300
Filipino	3,000	2.0	1.3 - 2.7	71,900	47.6	44.9 - 50.2	53,100	35.1	32.6 - 37.6	16,000	10.6	9.1 - 12.1	4,700	3.1	2.3 - 3.9	2,500	1.6	1.1 - 2.2	151,200
Japanese	7,100	3.5	2.9 - 4.1	99,800	48.8	47.0 - 50.7	70,900	34.7	32.9 - 36.4	19,400	9.5	8.4 - 10.5	5,700	2.8	2.2 - 3.4	1,600	0.8	0.5 - 1.1	204,500
Black	400	2.9	0.3 - 5.5	5,200	37.1	30.0 - 44.2	4,700	33.2	26.7 - 39.8	2,500	18.1	12.4 - 23.8	300	2.5	0.7 - 4.2	900	6.2	2.6 - 9.8	14,100
Native Alaskan/ American Indian	200	3.9	1.1 - 6.7	2,300	41.5	30.2 - 52.8	1,900	34.5	24.5 - 44.4	900	15.2	8.7 - 21.6	100	2.6	0.4 - 4.8	100	2.4	0.1 - 4.7	5,600
Other Asian	1,200	5.2	3.0 - 7.4	13,400	57.9	51.5 - 64.3	6,200	26.7	21.2 - 32.2	1,900	8.1	4.5 - 11.8	300	1.4	0.3 - 2.5	200	0.7	0.0 - 1.8	23,200
Other Pacific Islander	400	1.6	0.0 - 3.3	3,600	15.0	10.1 - 20.0	5,600	23.5	17.9 - 29.2	5,200	21.8	15.7 - 27.9	5,600	23.3	16.4 - 30.1	3,500	14.8	6.5 - 23.1	24,000
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	800	16.3	7.4 - 25.2	300	6.8	1.5 - 12.1	100	1.5	0.0 - 3.9	4,800
Other	400	1.7	0.2 - 3.3	6,800	29.2	24.3 - 34.0	8,600	37.3	31.9 - 42.8	4,200	18.0	14.1 - 22.0	2,200	9.4	5.5 - 13.3	1,000	4.3	2.0 - 6.7	23,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,700	1.0	0.7 - 1.3	159,400	33.6	32.3 - 34.9	197,100	41.6	40.2 - 42.9	75,000	15.8	14.8 - 16.8	24,800	5.2	4.6 - 5.9	13,200	2.8	2.2 - 3.4	474,200
Female	20,000	4.2	3.7 - 4.7	239,400	50.5	49.3 - 51.6	126,300	26.6	25.6 - 27.6	51,300	10.8	10.1 - 11.5	23,000	4.8	4.3 - 5.4	14,200	3.0	2.6 - 3.4	474,200

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	5.2	2.6 - 7.9	6,300	44.5	38.0 - 51.1	4,000	28.2	22.4 - 34.1	2,100	14.8	9.7 - 19.9	500	3.8	1.8 - 5.7	500	3.5	0.9 - 6.0	14,100
Grades 9 thru 11 (Some High School)	1,600	4.4	2.8 - 6.0	14,500	39.0	34.2 - 43.8	11,500	30.9	26.6 - 35.1	5,400	14.5	11.4 - 17.5	2,700	7.3	5.1 - 9.4	1,500	4.0	2.3 - 5.7	37,200
Grades 12 or GED (High School Grad)	7,300	2.6	2.0 - 3.2	108,600	38.1	36.4 - 39.8	96,700	33.9	32.2 - 35.6	41,700	14.6	13.4 - 15.8	20,000	7.0	6.0 - 8.1	10,900	3.8	3.1 - 4.5	285,100
College 1 to 3 years (Some College/ Tech)	6,900	2.5	1.9 - 3.0	112,400	40.1	38.5 - 41.8	96,000	34.3	32.7 - 35.9	42,100	15.0	13.8 - 16.2	13,300	4.8	4.1 - 5.4	9,400	3.3	2.5 - 4.2	280,100
College 4 years or more (College Grad)	8,100	2.5	2.1 - 2.9	156,800	47.3	45.9 - 48.7	114,900	34.7	33.4 - 36.0	35,100	10.6	9.7 - 11.5	11,200	3.4	2.8 - 4.0	5,200	1.6	1.1 - 2.0	331,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,200	1.7	1.4 - 2.0	242,400	39.8	38.7 - 41.0	219,300	36.0	35.0 - 37.1	85,600	14.1	13.3 - 14.9	33,400	5.5	4.9 - 6.1	17,600	2.9	2.4 - 3.4	608,300
Unemployed	1,100	3.6	1.9 - 5.4	12,400	39.8	34.3 - 45.3	8,800	28.3	23.2 - 33.4	5,200	16.8	12.2 - 21.5	1,900	6.2	4.0 - 8.4	1,600	5.3	3.2 - 7.3	31,000
Retired/Unable to work	8,300	3.8	3.2 - 4.5	95,600	44.0	42.4 - 45.7	71,800	33.1	31.6 - 34.6	26,000	12.0	10.9 - 13.1	9,900	4.6	3.8 - 5.3	5,400	2.5	1.9 - 3.1	217,100
Student/Homemaker	5,100	5.6	3.9 - 7.3	48,000	52.7	49.5 - 55.9	23,400	25.6	22.8 - 28.5	9,500	10.4	8.6 - 12.1	2,400	2.6	1.7 - 3.6	2,800	3.0	2.0 - 4.1	91,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,500	6.2	2.6 - 9.8	9,300	38.4	33.3 - 43.4	6,000	24.9	20.9 - 28.8	3,800	15.8	12.2 - 19.3	1,700	7.2	4.6 - 9.7	1,800	7.6	5.0 - 10.2	24,300
\$10,000 to \$14,999	1,100	4.0	2.0 - 6.0	10,500	39.5	34.8 - 44.2	8,200	31.0	26.2 - 35.7	3,300	12.6	9.1 - 16.0	2,200	8.5	5.7 - 11.2	1,200	4.5	2.6 - 6.4	26,600
\$15,000 to \$19,999	1,300	3.0	1.9 - 4.0	19,000	42.3	38.2 - 46.3	14,000	31.2	27.5 - 34.8	5,700	12.6	9.9 - 15.3	3,000	6.6	3.7 - 9.4	2,000	4.4	2.9 - 6.0	44,900
\$20,000 to \$24,999	1,400	2.3	1.5 - 3.1	26,600	43.1	39.6 - 46.6	20,200	32.8	29.3 - 36.2	8,200	13.3	11.0 - 15.5	3,100	5.1	3.7 - 6.4	2,200	3.5	2.3 - 4.7	61,700
\$25,000 to \$34,999	2,800	2.6	1.8 - 3.4	42,800	40.4	37.7 - 43.2	36,900	34.8	32.2 - 37.4	13,700	12.9	11.2 - 14.7	6,100	5.8	4.5 - 7.1	3,600	3.4	2.3 - 4.5	105,900
\$35,000 to \$49,999	3,500	2.4	1.6 - 3.2	60,700	41.5	39.2 - 43.8	48,800	33.3	31.2 - 35.5	20,900	14.3	12.7 - 15.9	8,500	5.8	4.5 - 7.1	3,900	2.6	2.0 - 3.3	146,200
\$50,000 to \$74,999	4,300	2.3	1.5 - 3.0	79,100	41.3	39.2 - 43.4	64,400	33.6	31.6 - 35.6	27,900	14.6	13.0 - 16.1	10,000	5.2	4.2 - 6.2	5,900	3.1	1.8 - 4.4	191,500
\$75,000 or more	4,800	1.9	1.5 - 2.3	105,600	41.5	39.8 - 43.1	96,400	37.8	36.2 - 39.5	32,800	12.9	11.7 - 14.0	9,800	3.9	3.1 - 4.6	5,300	2.1	1.5 - 2.6	254,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.0	2.2 - 3.8	68,800	39.4	37.1 - 41.7	55,400	31.7	29.5 - 33.8	24,900	14.2	12.7 - 15.8	11,900	6.8	5.6 - 8.0	8,600	4.9	4.0 - 5.8	174,800
131-185%	3,400	3.0	2.0 - 4.1	42,200	38.1	35.1 - 41.1	37,000	33.4	30.5 - 36.3	15,900	14.3	12.4 - 16.2	6,900	6.2	4.5 - 7.9	5,400	4.9	2.6 - 7.1	110,700
186+%	12,100	2.1	1.8 - 2.4	242,600	42.5	41.5 - 43.6	202,500	35.5	34.5 - 36.5	75,500	13.2	12.5 - 14.0	25,700	4.5	4.0 - 5.0	11,900	2.1	1.8 - 2.4	570,300

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,800	1.9	1.7 - 2.2	228,200	40.6	39.5 - 41.7	206,000	36.7	35.6 - 37.8	76,900	13.7	12.9 - 14.5	25,200	4.5	3.9 - 5.0	14,400	2.6	2.2 - 2.9	561,500
Unmarried Couple	400	1.7	0.7 - 2.7	10,300	38.9	33.8 - 44.1	9,100	34.2	29.1 - 39.3	4,200	15.9	11.0 - 20.7	1,500	5.8	3.6 - 8.0	900	3.5	1.4 - 5.6	26,500
Widowed	3,300	5.9	4.1 - 7.7	26,800	48.3	45.2 - 51.3	15,400	27.7	25.0 - 30.3	5,900	10.6	8.6 - 12.6	2,600	4.8	3.5 - 6.0	1,600	2.8	1.7 - 3.9	55,600
Other	10,200	3.3	2.7 - 4.0	133,500	43.8	42.0 - 45.5	93,000	30.5	28.9 - 32.1	39,300	12.9	11.7 - 14.0	18,400	6.0	5.2 - 6.9	10,500	3.4	2.6 - 4.3	304,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2004-2008

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	11,200	2.0	1.7 - 2.2	232,200	40.6	39.5 - 41.7	209,200	36.6	35.5 - 37.7	78,400	13.7	12.9 - 14.5	26,000	4.5	4.0 - 5.1	14,700	2.6	2.2 - 3.0	571,700
No	13,500	3.6	3.0 - 4.2	165,900	44.2	42.7 - 45.7	113,800	30.3	28.9 - 31.7	47,800	12.7	11.7 - 13.8	21,800	5.8	5.0 - 6.6	12,700	3.4	2.6 - 4.1	375,500

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	22,200	2.5	2.2 - 2.8	366,200	41.8	40.9 - 42.7	301,600	34.4	33.6 - 35.3	117,000	13.4	12.7 - 14.0	44,100	5.0	4.6 - 5.5	24,900	2.8	2.5 - 3.2	875,800
No	2,400	3.4	2.2 - 4.7	31,400	44.7	40.9 - 48.5	21,300	30.3	27.0 - 33.6	9,000	12.8	10.2 - 15.3	3,700	5.2	3.8 - 6.7	2,500	3.5	2.2 - 4.9	70,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,200	2.5	2.2 - 2.8	405,400	43.6	42.7 - 44.5	315,800	33.9	33.1 - 34.8	116,200	12.5	11.9 - 13.1	44,200	4.7	4.3 - 5.2	25,400	2.7	2.3 - 3.1	930,100

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.4	49,400	41.0	39.4 - 42.7	43,000	35.8	34.1 - 37.4	17,000	14.1	12.9 - 15.4	5,400	4.5	3.8 - 5.2	3,000	2.5	2.0 - 3.0	120,200
Honolulu	17,500	2.6	2.2 - 3.0	292,000	43.9	42.7 - 45.1	223,300	33.6	32.5 - 34.7	81,000	12.2	11.4 - 13.0	32,000	4.8	4.2 - 5.4	18,700	2.8	2.3 - 3.3	664,500
Kauai	1,000	2.2	1.5 - 2.8	19,200	43.5	41.0 - 46.0	15,400	34.8	32.4 - 37.2	5,800	13.2	11.4 - 14.9	2,000	4.4	3.4 - 5.5	900	2.0	1.3 - 2.6	44,200
Maui	2,300	2.3	1.7 - 2.9	44,800	44.3	42.2 - 46.4	34,000	33.6	31.7 - 35.6	12,400	12.3	11.0 - 13.6	4,800	4.7	3.8 - 5.6	2,800	2.8	1.8 - 3.8	101,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.4	49,400	41.0	39.4 - 42.7	43,000	35.8	34.1 - 37.4	17,000	14.1	12.9 - 15.4	5,400	4.5	3.8 - 5.2	3,000	2.5	2.0 - 3.0	120,200
Kauai	1,000	2.2	1.5 - 2.8	19,200	43.5	41.0 - 46.0	15,400	34.8	32.4 - 37.2	5,800	13.2	11.4 - 14.9	2,000	4.4	3.4 - 5.5	900	2.0	1.3 - 2.6	44,200
Lanai	<50	2.0	0.7 - 3.4	900	41.2	35.4 - 47.1	900	41.2	35.3 - 47.1	200	10.2	7.4 - 12.9	100	3.2	1.8 - 4.7	<50	2.2	1.1 - 3.3	2,100
Maui	2,100	2.3	1.6 - 2.9	41,800	45.1	42.9 - 47.4	31,300	33.8	31.7 - 35.9	10,800	11.7	10.3 - 13.0	4,200	4.5	3.5 - 5.4	2,500	2.7	1.6 - 3.8	92,700
Molokai	200	2.9	0.8 - 5.0	2,100	33.6	28.8 - 38.4	1,900	29.1	24.5 - 33.7	1,400	21.6	17.4 - 25.8	500	8.3	6.0 - 10.6	300	4.5	2.9 - 6.1	6,400
Oahu	17,500	2.6	2.2 - 3.0	292,000	43.9	42.7 - 45.1	223,300	33.6	32.5 - 34.7	81,000	12.2	11.4 - 13.0	32,000	4.8	4.2 - 5.4	18,700	2.8	2.3 - 3.3	664,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,400	2.3	0.7 - 3.8	28,100	45.3	41.4 - 49.2	21,500	34.7	31.0 - 38.5	7,200	11.6	9.3 - 13.8	2,900	4.7	3.0 - 6.3	900	1.5	0.6 - 2.4	62,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,400	4.5	2.5 - 6.5	14,900	49.0	43.8 - 54.1	8,600	28.4	23.9 - 32.9	3,500	11.4	8.1 - 14.6	1,200	3.9	1.7 - 6.1	900	2.8	1.2 - 4.4	30,400
Hanalei/ Kapaa	500	2.6	1.4 - 3.8	8,000	43.3	39.7 - 47.0	6,300	34.1	30.6 - 37.6	2,400	12.8	10.3 - 15.4	900	4.9	3.2 - 6.6	400	2.3	1.0 - 3.5	18,500
Hilo	900	2.5	1.7 - 3.3	14,100	41.1	38.0 - 44.3	11,800	34.4	31.4 - 37.4	4,900	14.4	12.1 - 16.7	1,600	4.7	3.3 - 6.0	1,000	2.9	1.8 - 4.1	34,300
Kaaawa/ Kahaluu/ Kaneohe	1,400	2.9	1.0 - 4.8	17,600	37.4	33.2 - 41.6	17,800	37.8	33.3 - 42.3	6,600	14.1	11.0 - 17.3	2,500	5.2	3.2 - 7.3	1,200	2.5	1.2 - 3.8	47,000
Kahului	800	2.5	1.0 - 3.9	14,500	44.9	41.0 - 48.8	11,200	34.8	31.1 - 38.4	3,900	12.1	9.7 - 14.4	1,300	4.0	2.5 - 5.5	600	1.9	0.9 - 2.9	32,300
Kailua/ Waimanalo	900	1.9	1.0 - 2.8	19,800	41.5	37.5 - 45.5	16,500	34.6	30.7 - 38.5	7,200	15.0	11.8 - 18.3	2,500	5.2	2.9 - 7.4	900	1.8	0.8 - 2.8	47,800
Kaimuki/ Palolo/ Waikiki	2,200	3.7	2.5 - 4.9	28,300	47.5	43.8 - 51.3	20,000	33.7	30.1 - 37.2	5,700	9.6	7.1 - 12.1	2,300	3.9	2.1 - 5.7	1,000	1.6	0.5 - 2.8	59,500
Kona	600	2.2	1.1 - 3.3	12,000	42.2	38.9 - 45.6	10,100	35.9	32.6 - 39.2	4,200	14.8	12.3 - 17.3	800	2.7	1.7 - 3.7	600	2.3	1.0 - 3.5	28,300
Lahaina/ Wailuku	600	1.9	1.0 - 2.7	12,200	41.1	37.0 - 45.1	10,000	33.7	29.7 - 37.7	4,000	13.3	10.7 - 16.0	1,800	6.2	4.1 - 8.3	1,100	3.8	0.8 - 6.9	29,700
Lanai	<50	2.0	0.7 - 3.4	900	41.2	35.4 - 47.1	900	41.2	35.3 - 47.1	200	10.2	7.4 - 12.9	100	3.2	1.8 - 4.7	<50	2.2	1.1 - 3.3	2,100
Lihue-Waimea	500	1.9	1.2 - 2.6	11,200	43.6	40.3 - 47.0	9,100	35.3	32.1 - 38.6	3,400	13.4	11.1 - 15.7	1,100	4.1	2.8 - 5.4	400	1.7	1.0 - 2.4	25,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	3.1	2.0 - 4.2	22,500	48.2	43.9 - 52.5	14,400	30.9	26.9 - 34.8	4,900	10.5	8.0 - 13.0	2,500	5.4	2.8 - 8.0	900	1.9	0.7 - 3.1	46,600
Mililani/ Wahiawa	1,400	2.0	1.1 - 3.0	27,700	41.6	37.7 - 45.5	23,800	35.6	32.0 - 39.3	8,200	12.3	10.1 - 14.6	3,500	5.2	3.4 - 6.9	2,100	3.2	0.0 - 6.4	66,700
Molokai	200	2.9	0.8 - 5.0	2,100	33.6	28.8 - 38.4	1,900	29.1	24.5 - 33.7	1,400	21.6	17.4 - 25.8	500	8.3	6.0 - 10.6	300	4.5	2.9 - 6.1	6,400
Nanakuli/ Waianae	100	0.4	0.0 - 0.9	8,200	26.1	20.9 - 31.4	10,100	32.1	26.3 - 37.9	5,300	16.7	12.3 - 21.1	3,700	11.6	7.0 - 16.2	4,100	13.1	8.6 - 17.6	31,500
N.Hawaii	400	1.6	0.7 - 2.4	10,200	41.2	37.7 - 44.8	9,000	36.4	32.8 - 40.0	3,300	13.3	10.6 - 15.9	1,200	4.9	3.4 - 6.5	600	2.6	1.6 - 3.7	24,700
N.Shore/ Laie	400	1.9	0.3 - 3.6	9,300	42.1	35.9 - 48.3	6,600	29.8	23.9 - 35.8	3,300	14.8	10.0 - 19.6	1,300	6.0	2.8 - 9.2	1,200	5.4	2.3 - 8.4	22,100
Nuuanu/ Kalihi/ Moanalua	1,900	2.8	1.7 - 4.0	32,100	48.0	44.0 - 51.9	22,100	33.0	29.5 - 36.6	6,900	10.2	7.7 - 12.8	2,800	4.1	2.0 - 6.2	1,200	1.8	0.9 - 2.7	67,000
Puna/ Kau	600	1.8	1.1 - 2.4	13,100	39.8	36.3 - 43.3	12,100	36.7	33.3 - 40.1	4,600	14.0	11.4 - 16.6	1,800	5.6	3.8 - 7.4	700	2.2	1.4 - 3.0	32,900
Salt Lake/ Foster Village	1,000	2.8	1.0 - 4.5	16,900	49.4	44.1 - 54.6	11,300	33.1	28.0 - 38.1	3,200	9.5	6.6 - 12.4	1,000	3.0	1.0 - 5.0	800	2.3	0.8 - 3.8	34,300
Upcountry/ Hana	700	2.4	1.6 - 3.3	15,100	49.2	45.5 - 53.0	10,100	32.8	29.4 - 36.2	3,000	9.7	7.5 - 11.8	1,000	3.4	2.1 - 4.7	800	2.5	1.3 - 3.6	30,700
Waiialae/ Kahala/ Hawaii Kai	1,400	3.6	1.8 - 5.5	20,500	53.5	48.8 - 58.1	12,500	32.8	28.5 - 37.1	3,200	8.3	5.7 - 10.8	400	1.1	0.2 - 2.1	300	0.7	0.0 - 1.4	38,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,600	2.4	1.3 - 3.5	46,000	41.4	38.2 - 44.5	37,900	34.1	31.2 - 37.0	16,000	14.3	12.1 - 16.5	5,500	5.0	3.5 - 6.4	3,200	2.9	2.1 - 3.7	111,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,300	3.8	2.4 - 5.2	60,900	52.9	49.4 - 56.4	29,800	25.9	23.0 - 28.8	11,600	10.0	8.0 - 12.1	5,500	4.8	3.0 - 6.5	3,000	2.6	0.7 - 4.5	115,100
25-34	3,800	2.4	1.7 - 3.1	67,800	42.3	40.0 - 44.7	54,100	33.8	31.4 - 36.1	19,000	11.8	10.4 - 13.3	9,600	6.0	4.8 - 7.2	5,800	3.6	2.6 - 4.7	160,200
35-44	3,200	1.8	1.3 - 2.3	70,300	40.3	38.2 - 42.3	62,700	35.9	33.9 - 37.9	23,200	13.3	11.8 - 14.7	8,900	5.1	4.0 - 6.3	6,200	3.6	2.7 - 4.4	174,500
45-54	2,600	1.5	1.1 - 1.9	69,800	40.1	38.3 - 42.0	63,200	36.3	34.5 - 38.2	24,700	14.2	12.8 - 15.6	9,200	5.3	4.3 - 6.3	4,500	2.6	2.0 - 3.2	173,900
55-64	1,900	1.4	1.0 - 1.9	51,900	38.5	36.4 - 40.5	48,800	36.2	34.1 - 38.2	21,600	16.0	14.4 - 17.6	6,600	4.9	4.0 - 5.8	4,200	3.1	2.3 - 3.8	134,900
65-74	2,200	2.7	2.0 - 3.4	35,400	42.9	40.3 - 45.6	30,600	37.1	34.6 - 39.7	10,200	12.4	10.5 - 14.2	2,700	3.3	2.4 - 4.2	1,300	1.6	1.0 - 2.1	82,400
75+	5,100	6.1	4.6 - 7.5	47,200	55.7	53.0 - 58.4	25,100	29.6	27.1 - 32.0	5,600	6.5	5.1 - 8.0	1,500	1.8	1.2 - 2.4	300	0.4	0.0 - 0.8	84,800

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,400	2.4	1.9 - 2.8	137,100	43.8	42.4 - 45.2	110,100	35.2	33.8 - 36.5	40,600	13.0	12.0 - 14.0	11,900	3.8	3.2 - 4.4	6,000	1.9	1.5 - 2.3	313,100
Native Hawaiian	1,400	1.2	0.4 - 2.0	29,500	26.1	23.7 - 28.4	36,600	32.4	29.9 - 34.9	23,800	21.0	18.8 - 23.2	13,000	11.5	9.5 - 13.4	8,900	7.9	6.3 - 9.5	113,200
Chinese	3,300	5.4	3.5 - 7.4	31,600	51.6	47.9 - 55.3	20,100	32.8	29.3 - 36.3	5,200	8.5	6.5 - 10.5	800	1.3	0.5 - 2.1	200	0.4	0.1 - 0.7	61,300
Filipino	2,600	1.7	1.0 - 2.4	73,100	48.5	45.8 - 51.2	52,700	35.0	32.5 - 37.5	14,900	9.9	8.5 - 11.4	4,700	3.1	2.2 - 4.0	2,600	1.7	1.1 - 2.3	150,500
Japanese	6,300	3.3	2.7 - 3.9	98,100	50.7	48.8 - 52.7	65,200	33.7	31.9 - 35.6	17,400	9.0	7.9 - 10.1	4,400	2.3	1.7 - 2.9	2,000	1.0	0.6 - 1.5	193,300
Black	500	3.3	0.5 - 6.0	5,300	38.4	31.1 - 45.7	4,600	33.4	26.7 - 40.0	2,400	17.5	11.7 - 23.2	300	2.1	0.6 - 3.5	800	5.4	1.9 - 9.0	13,900
Native Alaskan/ American Indian	100	1.2	0.2 - 2.3	2,300	42.9	30.7 - 55.2	1,700	33.2	22.7 - 43.7	600	11.7	5.9 - 17.6	400	8.4	0.4 - 16.3	100	2.6	0.1 - 5.0	5,200
Other Asian	900	4.3	2.2 - 6.4	12,700	59.3	52.6 - 66.0	6,100	28.5	22.6 - 34.5	1,200	5.6	2.6 - 8.6	400	1.7	0.0 - 3.7	100	0.6	0.0 - 1.7	21,400
Other Pacific Islander	<50	0.0	0.0 - 0.1	3,100	14.4	9.2 - 19.5	5,300	24.7	18.6 - 30.8	4,600	21.4	14.9 - 27.8	5,000	23.2	15.8 - 30.6	3,500	16.3	7.2 - 25.4	21,600
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	800	16.3	7.4 - 25.2	300	6.8	1.5 - 12.1	100	1.5	0.0 - 3.9	4,800
Other	400	1.9	0.3 - 3.4	7,900	33.5	28.4 - 38.5	8,200	34.6	29.3 - 39.9	4,300	18.0	13.8 - 22.1	2,000	8.4	4.6 - 12.2	900	3.7	1.6 - 5.9	23,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,100	0.9	0.6 - 1.2	162,200	34.9	33.5 - 36.2	194,900	41.9	40.5 - 43.3	68,700	14.8	13.8 - 15.8	23,300	5.0	4.3 - 5.7	11,800	2.5	1.9 - 3.2	465,100
Female	19,100	4.1	3.6 - 4.6	243,200	52.3	51.1 - 53.5	120,900	26.0	25.0 - 27.0	47,500	10.2	9.5 - 10.9	20,800	4.5	3.9 - 5.0	13,500	2.9	2.5 - 3.3	465,000

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	4.7	2.2 - 7.3	6,600	44.2	37.6 - 50.8	4,700	31.5	25.4 - 37.6	1,900	13.1	8.0 - 18.3	500	3.1	1.4 - 4.9	500	3.3	0.9 - 5.7	14,800
Grades 9 thru 11 (Some High School)	1,300	3.6	2.1 - 5.0	13,900	38.1	33.3 - 43.0	12,300	34.0	29.4 - 38.5	5,400	14.8	11.7 - 17.9	2,200	6.0	4.0 - 8.1	1,300	3.5	1.9 - 5.1	36,300
Grades 12 or GED (High School Grad)	6,900	2.4	1.8 - 3.0	111,300	39.6	37.9 - 41.4	93,200	33.2	31.5 - 34.9	40,500	14.4	13.2 - 15.7	19,400	6.9	5.8 - 8.0	9,600	3.4	2.8 - 4.1	280,900
College 1 to 3 years (Some College/ Tech)	7,000	2.5	2.0 - 3.1	116,200	42.2	40.5 - 43.9	93,300	33.9	32.2 - 35.5	37,700	13.7	12.5 - 14.8	12,200	4.4	3.7 - 5.1	9,200	3.4	2.4 - 4.3	275,600
College 4 years or more (College Grad)	7,300	2.3	1.9 - 2.7	157,000	48.8	47.4 - 50.3	111,800	34.8	33.4 - 36.1	30,700	9.6	8.7 - 10.4	9,900	3.1	2.5 - 3.7	4,700	1.5	1.0 - 1.9	321,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,400	1.6	1.3 - 1.9	248,700	41.4	40.2 - 42.6	215,100	35.8	34.7 - 36.9	79,500	13.2	12.4 - 14.0	31,600	5.3	4.6 - 5.9	16,400	2.7	2.2 - 3.2	600,800
Unemployed	900	3.2	1.7 - 4.7	11,300	39.9	34.2 - 45.5	8,700	30.5	25.1 - 35.9	4,500	15.7	11.6 - 19.7	1,800	6.4	3.8 - 9.0	1,300	4.4	2.5 - 6.3	28,400
Retired/Unable to work	8,300	4.0	3.3 - 4.6	96,900	46.2	44.4 - 47.9	68,300	32.5	30.9 - 34.2	23,400	11.2	10.0 - 12.3	8,200	3.9	3.2 - 4.7	4,700	2.2	1.6 - 2.9	210,000
Student/Homemaker	4,600	5.1	3.5 - 6.6	48,000	53.2	49.9 - 56.4	23,500	26.0	23.1 - 28.9	8,800	9.7	8.0 - 11.4	2,500	2.8	1.7 - 3.8	3,000	3.3	2.2 - 4.4	90,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,700	5.9	2.8 - 9.0	12,100	42.5	37.7 - 47.3	7,300	25.5	21.7 - 29.4	3,900	13.6	10.4 - 16.7	1,800	6.4	4.1 - 8.6	1,700	6.1	3.9 - 8.3	28,500
\$10,000 to \$14,999	1,300	3.9	2.1 - 5.7	13,500	42.4	37.8 - 47.0	9,800	30.7	26.1 - 35.4	3,700	11.5	8.3 - 14.7	2,400	7.6	5.2 - 10.0	1,200	3.8	2.3 - 5.4	32,000
\$15,000 to \$19,999	1,300	2.9	1.8 - 3.9	20,500	44.0	39.9 - 48.0	14,000	30.1	26.5 - 33.8	5,900	12.8	10.0 - 15.5	2,900	6.1	3.4 - 8.9	1,900	4.1	2.6 - 5.6	46,500
\$20,000 to \$24,999	1,300	2.1	1.3 - 2.9	27,600	45.0	41.4 - 48.5	20,100	32.8	29.3 - 36.3	7,500	12.2	10.0 - 14.3	2,900	4.7	3.4 - 6.1	2,000	3.3	2.1 - 4.5	61,300
\$25,000 to \$34,999	2,700	2.6	1.8 - 3.5	43,300	42.6	39.7 - 45.4	34,900	34.3	31.6 - 37.0	12,400	12.2	10.4 - 13.9	5,200	5.1	3.8 - 6.4	3,200	3.2	2.0 - 4.3	101,800
\$35,000 to \$49,999	3,100	2.1	1.3 - 2.9	61,600	42.7	40.4 - 45.1	47,700	33.1	31.0 - 35.3	19,700	13.7	12.1 - 15.3	8,600	6.0	4.6 - 7.4	3,400	2.4	1.7 - 3.0	144,200
\$50,000 to \$74,999	4,500	2.5	1.7 - 3.3	75,200	41.4	39.2 - 43.7	62,400	34.4	32.3 - 36.5	25,600	14.1	12.5 - 15.7	8,700	4.8	3.7 - 5.9	5,100	2.8	1.5 - 4.1	181,500
\$75,000 or more	3,800	1.7	1.3 - 2.1	96,000	43.1	41.3 - 44.9	84,200	37.8	36.0 - 39.6	26,600	11.9	10.8 - 13.1	7,800	3.5	2.7 - 4.3	4,300	1.9	1.3 - 2.5	222,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.0	2.2 - 3.7	73,500	42.0	39.7 - 44.3	54,100	30.9	28.7 - 33.0	22,400	12.8	11.3 - 14.3	11,800	6.8	5.5 - 8.0	8,100	4.6	3.7 - 5.6	175,200
131-185%	3,300	3.2	2.0 - 4.3	40,200	38.8	35.7 - 42.0	35,200	34.0	30.9 - 37.0	13,900	13.5	11.5 - 15.4	6,300	6.0	4.2 - 7.9	4,700	4.5	2.2 - 6.9	103,500
186+%	11,100	2.1	1.7 - 2.4	236,100	43.7	42.6 - 44.9	191,300	35.4	34.4 - 36.5	68,800	12.8	12.0 - 13.5	22,300	4.1	3.6 - 4.6	10,100	1.9	1.6 - 2.2	539,700

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,400	1.9	1.6 - 2.2	231,600	42.2	41.1 - 43.4	198,000	36.1	35.0 - 37.2	70,900	12.9	12.1 - 13.7	23,900	4.4	3.8 - 4.9	13,500	2.5	2.1 - 2.9	548,300
Unmarried Couple	400	1.6	0.6 - 2.7	10,300	41.7	36.1 - 47.3	8,100	32.8	27.5 - 38.0	3,900	15.7	10.5 - 21.0	1,200	5.0	2.9 - 7.2	800	3.1	1.1 - 5.2	24,600
Widowed	3,400	6.0	4.2 - 7.9	28,000	49.2	46.1 - 52.3	16,000	28.0	25.3 - 30.8	6,100	10.8	8.7 - 12.8	2,100	3.7	2.5 - 4.9	1,300	2.3	1.4 - 3.2	57,000
Other	9,000	3.0	2.4 - 3.6	135,500	45.1	43.4 - 46.9	93,700	31.2	29.6 - 32.8	35,300	11.8	10.7 - 12.8	16,900	5.6	4.7 - 6.5	9,800	3.3	2.4 - 4.2	300,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2003-2007

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,600	1.9	1.6 - 2.2	235,600	42.2	41.1 - 43.3	201,600	36.1	35.0 - 37.2	72,300	12.9	12.2 - 13.7	24,600	4.4	3.8 - 5.0	13,700	2.5	2.1 - 2.8	558,400
No	12,500	3.4	2.8 - 4.0	169,200	45.7	44.1 - 47.2	113,700	30.7	29.3 - 32.1	43,900	11.8	10.9 - 12.8	19,600	5.3	4.5 - 6.0	11,700	3.1	2.4 - 3.9	370,600

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,800	2.4	2.1 - 2.7	370,000	43.2	42.3 - 44.2	293,600	34.3	33.4 - 35.2	107,500	12.6	11.9 - 13.2	41,200	4.8	4.3 - 5.3	22,600	2.6	2.2 - 3.0	855,600
No	2,300	3.1	1.9 - 4.4	34,100	47.1	43.5 - 50.8	21,800	30.1	26.8 - 33.3	8,500	11.8	9.3 - 14.2	3,000	4.1	2.8 - 5.3	2,700	3.8	2.4 - 5.1	72,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	22,900	2.5	2.2 - 2.8	403,800	44.3	43.4 - 45.3	310,900	34.1	33.3 - 35.0	111,500	12.2	11.6 - 12.8	39,900	4.4	3.9 - 4.8	21,900	2.4	2.0 - 2.8	911,000

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.5	48,500	41.8	40.1 - 43.5	41,600	35.8	34.1 - 37.5	16,100	13.8	12.6 - 15.1	4,900	4.3	3.5 - 5.0	2,600	2.2	1.7 - 2.7	116,100
Honolulu	17,300	2.7	2.3 - 3.0	291,800	44.7	43.5 - 45.9	220,700	33.8	32.6 - 34.9	78,100	12.0	11.2 - 12.7	29,100	4.5	3.9 - 5.0	16,300	2.5	2.0 - 3.0	653,400
Kauai	900	2.2	1.5 - 2.9	18,900	44.0	41.5 - 46.4	15,400	35.8	33.4 - 38.2	5,500	12.8	11.1 - 14.5	1,600	3.8	2.8 - 4.8	700	1.5	0.9 - 2.1	43,000
Maui	2,300	2.3	1.7 - 2.9	44,500	45.3	43.1 - 47.4	33,200	33.8	31.8 - 35.8	11,800	12.0	10.7 - 13.3	4,200	4.2	3.4 - 5.1	2,400	2.4	1.4 - 3.4	98,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,400	2.0	1.6 - 2.5	48,500	41.8	40.1 - 43.5	41,600	35.8	34.1 - 37.5	16,100	13.8	12.6 - 15.1	4,900	4.3	3.5 - 5.0	2,600	2.2	1.7 - 2.7	116,100
Kauai	900	2.2	1.5 - 2.9	18,900	44.0	41.5 - 46.4	15,400	35.8	33.4 - 38.2	5,500	12.8	11.1 - 14.5	1,600	3.8	2.8 - 4.8	700	1.5	0.9 - 2.1	43,000
Lanai	<50	1.6	0.5 - 2.8	1,100	43.4	37.4 - 49.3	1,000	40.6	34.7 - 46.5	300	10.2	5.4 - 15.0	100	2.4	1.1 - 3.8	<50	1.7	0.7 - 2.7	2,500
Maui	2,100	2.3	1.7 - 3.0	41,300	46.1	43.8 - 48.4	30,400	33.9	31.8 - 36.1	10,200	11.4	10.0 - 12.7	3,500	4.0	3.0 - 4.9	2,100	2.4	1.3 - 3.4	89,700
Molokai	100	2.3	0.2 - 4.4	2,100	34.1	29.1 - 39.2	1,800	29.1	24.2 - 34.0	1,400	21.9	17.6 - 26.2	600	9.1	6.6 - 11.5	200	3.5	1.9 - 5.0	6,200
Oahu	17,300	2.7	2.3 - 3.0	291,800	44.7	43.5 - 45.9	220,700	33.8	32.6 - 34.9	78,100	12.0	11.2 - 12.7	29,100	4.5	3.9 - 5.0	16,300	2.5	2.0 - 3.0	653,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,200	2.0	0.4 - 3.5	28,700	46.7	42.8 - 50.7	20,900	34.0	30.3 - 37.7	6,900	11.2	8.9 - 13.4	3,000	4.9	3.2 - 6.6	800	1.2	0.4 - 2.1	61,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,500	4.9	2.9 - 6.8	14,800	46.9	41.9 - 52.0	9,900	31.5	27.0 - 36.0	3,300	10.6	7.4 - 13.8	1,100	3.6	1.5 - 5.7	800	2.4	1.1 - 3.8	31,400
Hanalei/ Kapaa	500	2.8	1.6 - 4.1	7,800	43.1	39.4 - 46.8	6,400	35.4	31.9 - 39.0	2,300	12.8	10.2 - 15.5	700	3.9	2.3 - 5.4	300	1.9	0.9 - 3.0	18,000
Hilo	800	2.4	1.6 - 3.1	14,200	41.7	38.6 - 44.9	11,800	34.8	31.8 - 37.8	4,700	13.8	11.4 - 16.1	1,600	4.7	3.4 - 6.0	900	2.7	1.7 - 3.7	34,000
Kaaawa/ Kahaluu/ Kaneohe	1,400	3.1	1.1 - 5.1	16,500	36.6	32.3 - 40.8	17,100	38.0	33.3 - 42.7	7,100	15.8	12.5 - 19.2	1,800	4.1	2.1 - 6.0	1,100	2.5	1.2 - 3.7	45,000
Kahului	800	2.6	1.2 - 4.1	14,500	46.3	42.3 - 50.2	10,900	34.6	30.9 - 38.2	3,600	11.6	9.2 - 14.0	1,100	3.6	2.1 - 5.1	400	1.4	0.6 - 2.2	31,400
Kailua/ Waimanalo	1,000	2.1	1.1 - 3.1	19,800	42.6	38.5 - 46.6	15,900	34.2	30.2 - 38.1	7,000	15.0	11.7 - 18.4	2,200	4.8	2.5 - 7.1	600	1.3	0.4 - 2.2	46,500
Kaimuki/ Palolo/ Waikiki	2,400	3.9	2.7 - 5.1	30,400	49.2	45.6 - 52.8	20,100	32.5	29.1 - 35.9	5,700	9.2	6.8 - 11.6	2,200	3.6	1.9 - 5.3	1,000	1.6	0.5 - 2.8	61,800
Kona	600	2.3	1.2 - 3.4	12,400	43.4	40.1 - 46.7	10,100	35.5	32.2 - 38.7	4,100	14.5	12.0 - 17.0	700	2.5	1.6 - 3.4	500	1.8	0.7 - 2.9	28,500
Lahaina/ Wailuku	500	1.8	0.9 - 2.7	12,200	41.9	37.9 - 45.9	9,600	33.1	29.2 - 37.1	3,900	13.5	10.8 - 16.2	1,700	5.9	3.8 - 8.0	1,100	3.7	0.6 - 6.8	29,100
Lanai	<50	1.6	0.5 - 2.8	1,100	43.4	37.4 - 49.3	1,000	40.6	34.7 - 46.5	300	10.2	5.4 - 15.0	100	2.4	1.1 - 3.8	<50	1.7	0.7 - 2.7	2,500
Lihue-Waimea	400	1.7	1.0 - 2.4	11,100	44.6	41.2 - 47.9	9,000	36.1	32.8 - 39.3	3,200	12.7	10.5 - 15.0	900	3.7	2.4 - 5.0	300	1.2	0.6 - 1.8	25,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	3.0	1.9 - 4.1	23,800	48.9	44.7 - 53.1	15,300	31.5	27.5 - 35.4	5,400	11.1	8.5 - 13.6	2,000	4.1	1.7 - 6.5	700	1.5	0.4 - 2.5	48,600
Mililani/ Wahiawa	1,200	1.9	1.0 - 2.8	27,900	43.6	39.5 - 47.6	22,200	34.5	30.8 - 38.3	7,500	11.6	9.4 - 13.9	3,500	5.4	3.4 - 7.4	1,900	3.0	0.0 - 6.2	64,100
Molokai	100	2.3	0.2 - 4.4	2,100	34.1	29.1 - 39.2	1,800	29.1	24.2 - 34.0	1,400	21.9	17.6 - 26.2	600	9.1	6.6 - 11.5	200	3.5	1.9 - 5.0	6,200
Nanakuli/ Waianae	300	1.1	0.3 - 2.0	6,800	23.8	18.5 - 29.0	9,200	32.2	26.2 - 38.2	5,100	17.9	13.4 - 22.4	3,400	11.8	7.0 - 16.7	3,800	13.1	8.5 - 17.8	28,700
N.Hawaii	400	1.5	0.7 - 2.3	9,600	41.0	37.4 - 44.6	8,900	37.9	34.2 - 41.6	3,200	13.4	10.7 - 16.1	900	3.8	2.5 - 5.1	500	2.3	1.3 - 3.4	23,500
N.Shore/ Laie	500	2.3	0.5 - 4.2	8,900	41.8	35.5 - 48.0	6,700	31.5	25.4 - 37.6	2,600	12.4	8.0 - 16.8	1,300	6.1	2.8 - 9.5	1,300	5.9	2.6 - 9.2	21,300
Nuuanu/ Kalihi/ Moanalua	1,800	2.6	1.5 - 3.8	32,500	48.8	44.9 - 52.7	22,300	33.5	29.9 - 37.1	6,600	9.9	7.4 - 12.4	2,600	3.9	1.8 - 5.9	900	1.4	0.6 - 2.2	66,500
Puna/ Kau	600	1.9	1.1 - 2.7	12,300	41.0	37.3 - 44.6	10,800	35.7	32.1 - 39.3	4,100	13.6	10.9 - 16.3	1,700	5.8	3.9 - 7.6	600	2.0	1.2 - 2.9	30,100
Salt Lake/ Foster Village	900	2.6	1.0 - 4.2	17,200	47.7	42.6 - 52.9	12,500	34.6	29.7 - 39.6	3,600	10.1	7.2 - 13.0	1,200	3.4	1.4 - 5.3	600	1.5	0.3 - 2.8	36,000
Upcountry/ Hana	700	2.5	1.6 - 3.5	14,600	50.1	46.3 - 54.0	9,900	34.0	30.5 - 37.5	2,600	8.9	6.8 - 11.1	700	2.4	1.2 - 3.6	600	2.0	1.0 - 3.0	29,200
Waiialae/ Kahala/ Hawaii Kai	1,200	3.1	1.4 - 4.8	21,200	53.0	48.5 - 57.6	14,100	35.2	31.0 - 39.4	2,700	6.8	4.6 - 9.0	500	1.2	0.2 - 2.1	300	0.7	0.0 - 1.4	39,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,400	2.4	1.2 - 3.5	43,500	42.6	39.3 - 45.9	34,600	33.9	30.9 - 36.9	14,600	14.3	12.0 - 16.6	4,300	4.2	2.8 - 5.7	2,700	2.6	1.8 - 3.4	102,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,700	4.1	2.7 - 5.6	60,400	53.6	50.2 - 57.1	29,600	26.3	23.4 - 29.2	10,600	9.4	7.5 - 11.4	4,600	4.1	2.5 - 5.7	2,700	2.4	0.5 - 4.4	112,600
25-34	4,000	2.5	1.8 - 3.2	70,600	44.1	41.8 - 46.5	53,000	33.1	30.8 - 35.4	19,800	12.4	10.9 - 13.9	8,200	5.1	4.0 - 6.3	4,400	2.7	1.8 - 3.6	159,900
35-44	3,300	1.9	1.4 - 2.3	71,900	41.0	39.0 - 43.0	63,700	36.3	34.3 - 38.3	21,900	12.5	11.1 - 13.9	9,100	5.2	4.0 - 6.4	5,400	3.1	2.3 - 3.9	175,300
45-54	2,300	1.4	1.0 - 1.8	68,600	40.1	38.2 - 42.0	63,500	37.1	35.2 - 39.0	24,800	14.5	13.1 - 15.9	7,800	4.6	3.6 - 5.6	4,100	2.4	1.8 - 3.0	171,200
55-64	1,900	1.5	1.0 - 2.0	49,600	39.3	37.1 - 41.5	45,400	35.9	33.8 - 38.1	19,300	15.3	13.6 - 17.0	6,200	4.9	3.9 - 5.9	3,800	3.0	2.2 - 3.8	126,200
65-74	2,300	2.8	2.0 - 3.6	35,400	43.5	40.8 - 46.2	30,600	37.6	34.9 - 40.2	9,400	11.6	9.7 - 13.4	2,500	3.0	2.1 - 3.9	1,200	1.5	0.9 - 2.0	81,300
75+	4,600	5.7	4.2 - 7.1	45,200	56.1	53.3 - 58.9	24,100	29.9	27.4 - 32.4	5,100	6.3	4.9 - 7.8	1,400	1.7	0.9 - 2.5	300	0.3	0.0 - 0.7	80,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,800	2.5	2.0 - 3.0	138,200	44.3	42.9 - 45.7	108,900	34.9	33.6 - 36.3	39,800	12.8	11.7 - 13.8	11,600	3.7	3.1 - 4.3	5,500	1.8	1.4 - 2.1	311,900
Native Hawaiian	1,300	1.2	0.4 - 2.1	27,900	25.7	23.3 - 28.1	37,000	34.0	31.4 - 36.7	23,500	21.7	19.4 - 23.9	11,700	10.7	8.7 - 12.7	7,200	6.6	5.1 - 8.2	108,600
Chinese	3,500	5.5	3.6 - 7.4	33,200	52.7	49.1 - 56.3	20,000	31.7	28.4 - 35.1	5,600	8.9	7.0 - 10.7	600	0.9	0.2 - 1.5	200	0.4	0.1 - 0.7	63,100
Filipino	2,600	1.8	1.1 - 2.5	71,300	49.9	47.2 - 52.6	50,600	35.4	32.9 - 38.0	13,100	9.2	7.7 - 10.6	3,300	2.3	1.6 - 3.0	2,000	1.4	0.9 - 1.9	143,000
Japanese	5,900	3.2	2.6 - 3.7	96,200	51.4	49.4 - 53.4	63,800	34.1	32.2 - 35.9	16,000	8.5	7.4 - 9.7	3,600	1.9	1.4 - 2.5	1,600	0.9	0.4 - 1.3	187,100
Black	300	2.2	0.4 - 4.0	5,400	38.8	31.6 - 45.9	4,700	33.9	27.4 - 40.4	2,500	17.8	12.4 - 23.2	300	2.4	0.8 - 4.0	700	5.0	1.5 - 8.4	13,900
Native Alaskan/ American Indian	100	1.3	0.1 - 2.5	2,000	44.5	31.2 - 57.7	1,400	30.0	19.3 - 40.7	600	13.0	6.4 - 19.6	400	8.7	0.0 - 17.6	100	2.5	0.0 - 5.1	4,600
Other Asian	600	3.0	1.4 - 4.7	13,000	61.9	55.3 - 68.5	6,300	30.0	23.8 - 36.1	700	3.6	1.2 - 5.9	300	1.4	0.0 - 3.4	<50	0.1	0.0 - 0.2	21,000
Other Pacific Islander	<50	0.0	0.0 - 0.1	3,000	14.4	9.0 - 19.8	4,900	23.4	17.5 - 29.3	5,100	24.1	17.4 - 30.8	4,700	22.3	14.8 - 29.8	3,300	15.7	6.4 - 25.0	21,100
Mixed Ethnicity	100	1.7	0.0 - 3.5	1,300	27.5	16.5 - 38.5	2,200	46.2	34.5 - 57.8	800	16.3	7.4 - 25.2	300	6.8	1.5 - 12.1	100	1.5	0.0 - 3.9	4,800
Other	500	1.9	0.3 - 3.5	8,800	36.6	31.4 - 41.7	8,500	35.4	30.1 - 40.7	3,300	13.7	10.2 - 17.2	2,000	8.4	4.6 - 12.2	900	3.9	1.8 - 6.1	24,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,100	0.9	0.6 - 1.2	161,000	35.3	33.9 - 36.7	193,200	42.4	41.0 - 43.8	66,500	14.6	13.6 - 15.5	21,300	4.7	4.0 - 5.4	10,100	2.2	1.6 - 2.8	456,200
Female	18,800	4.1	3.6 - 4.6	242,800	53.4	52.2 - 54.6	117,700	25.9	24.9 - 26.9	45,000	9.9	9.2 - 10.6	18,500	4.1	3.5 - 4.6	11,900	2.6	2.2 - 3.0	454,700

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	700	4.6	2.2 - 7.0	7,200	46.6	40.1 - 53.1	4,700	30.5	24.7 - 36.4	2,000	12.8	7.8 - 17.8	400	2.7	1.0 - 4.4	400	2.8	0.5 - 5.1	15,400
Grades 9 thru 11 (Some High School)	1,400	3.8	2.3 - 5.3	13,900	39.3	34.4 - 44.2	12,200	34.5	29.9 - 39.1	4,700	13.2	10.3 - 16.1	2,200	6.1	4.0 - 8.2	1,100	3.0	1.5 - 4.6	35,500
Grades 12 or GED (High School Grad)	7,200	2.6	1.9 - 3.2	112,000	39.9	38.2 - 41.7	95,500	34.1	32.4 - 35.7	39,600	14.1	12.9 - 15.3	17,300	6.2	5.1 - 7.3	8,800	3.1	2.5 - 3.8	280,500
College 1 to 3 years (Some College/ Tech)	6,900	2.5	2.0 - 3.1	117,900	43.7	42.0 - 45.4	90,500	33.5	31.9 - 35.2	35,900	13.3	12.1 - 14.5	11,100	4.1	3.4 - 4.8	7,500	2.8	1.9 - 3.7	269,700
College 4 years or more (College Grad)	6,800	2.2	1.8 - 2.6	152,400	49.3	47.8 - 50.8	107,700	34.8	33.4 - 36.3	29,300	9.5	8.6 - 10.3	8,900	2.9	2.3 - 3.4	4,100	1.3	0.9 - 1.7	309,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	9,700	1.7	1.4 - 1.9	247,700	42.0	40.9 - 43.2	212,500	36.1	34.9 - 37.2	77,900	13.2	12.4 - 14.0	27,900	4.7	4.1 - 5.3	13,600	2.3	1.8 - 2.8	589,300
Unemployed	900	3.1	1.4 - 4.7	12,300	41.5	36.0 - 47.0	9,200	31.1	26.0 - 36.3	4,000	13.4	10.0 - 16.7	2,000	6.7	4.1 - 9.2	1,300	4.3	2.4 - 6.2	29,600
Retired/Unable to work	7,600	3.8	3.1 - 4.5	93,500	46.8	45.0 - 48.6	65,900	33.0	31.3 - 34.7	20,800	10.4	9.3 - 11.5	7,700	3.8	3.0 - 4.7	4,300	2.1	1.5 - 2.8	199,800
Student/Homemaker	4,600	5.1	3.5 - 6.6	49,900	54.5	51.3 - 57.7	23,200	25.3	22.5 - 28.1	8,800	9.6	8.0 - 11.3	2,300	2.5	1.7 - 3.4	2,700	3.0	2.0 - 4.0	91,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,900	6.3	3.2 - 9.5	12,800	43.1	38.6 - 47.7	8,200	27.8	23.9 - 31.6	3,800	12.7	9.8 - 15.5	1,700	5.7	3.7 - 7.7	1,300	4.4	2.5 - 6.2	29,600
\$10,000 to \$14,999	1,400	4.2	2.4 - 6.0	14,300	43.7	39.2 - 48.1	10,000	30.6	26.1 - 35.1	3,600	10.9	8.1 - 13.6	2,300	6.9	4.6 - 9.1	1,200	3.8	2.1 - 5.4	32,800
\$15,000 to \$19,999	1,100	2.5	1.5 - 3.5	20,700	45.2	41.0 - 49.5	14,200	31.1	27.3 - 35.0	5,500	12.1	9.4 - 14.9	2,300	5.1	2.4 - 7.8	1,800	3.9	2.4 - 5.4	45,700
\$20,000 to \$24,999	1,300	2.3	1.4 - 3.2	26,500	45.7	42.1 - 49.4	19,300	33.2	29.6 - 36.8	6,500	11.1	8.9 - 13.3	2,700	4.7	3.3 - 6.0	1,700	3.0	1.9 - 4.1	58,000
\$25,000 to \$34,999	2,400	2.6	1.8 - 3.4	41,000	43.7	40.7 - 46.6	31,100	33.1	30.4 - 35.9	11,700	12.5	10.6 - 14.3	4,900	5.2	3.8 - 6.6	2,800	2.9	1.8 - 4.1	93,900
\$35,000 to \$49,999	2,600	1.9	1.2 - 2.7	60,400	44.6	42.2 - 47.1	45,700	33.8	31.6 - 36.0	17,500	12.9	11.3 - 14.6	6,800	5.0	3.6 - 6.4	2,300	1.7	1.1 - 2.3	135,300
\$50,000 to \$74,999	4,700	2.7	1.9 - 3.6	72,500	42.1	39.7 - 44.4	59,500	34.5	32.4 - 36.7	23,600	13.7	12.1 - 15.3	7,500	4.3	3.3 - 5.4	4,500	2.6	1.3 - 4.0	172,400
\$75,000 or more	3,000	1.6	1.1 - 2.0	83,100	43.3	41.3 - 45.3	72,300	37.7	35.7 - 39.6	23,500	12.3	10.9 - 13.6	6,500	3.4	2.5 - 4.3	3,400	1.8	1.2 - 2.4	191,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.2	2.4 - 4.0	70,100	43.3	40.9 - 45.7	50,100	30.9	28.7 - 33.2	19,900	12.3	10.8 - 13.8	10,000	6.2	5.0 - 7.5	6,700	4.1	3.2 - 5.0	161,900
131-185%	2,800	3.0	1.8 - 4.2	37,900	40.3	37.0 - 43.6	32,200	34.3	31.1 - 37.5	11,700	12.4	10.5 - 14.3	5,700	6.1	4.1 - 8.0	3,700	3.9	1.4 - 6.4	94,000
186+%	10,500	2.1	1.7 - 2.4	223,400	44.3	43.1 - 45.5	178,100	35.4	34.2 - 36.5	64,200	12.7	11.9 - 13.6	18,900	3.8	3.2 - 4.3	8,700	1.7	1.4 - 2.0	503,800

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,200	1.9	1.6 - 2.2	229,200	42.8	41.6 - 44.0	193,700	36.2	35.0 - 37.3	68,400	12.8	12.0 - 13.6	22,400	4.2	3.6 - 4.7	11,700	2.2	1.8 - 2.6	535,700
Unmarried Couple	400	1.5	0.5 - 2.5	10,000	42.5	36.7 - 48.2	7,500	31.9	26.6 - 37.2	4,100	17.4	11.8 - 23.0	1,100	4.8	2.6 - 7.0	400	1.9	0.5 - 3.2	23,500
Widowed	3,200	5.7	3.8 - 7.5	27,800	49.2	46.0 - 52.4	16,100	28.5	25.7 - 31.4	5,900	10.4	8.2 - 12.5	2,300	4.1	2.6 - 5.6	1,200	2.1	1.2 - 3.1	56,600
Other	9,100	3.1	2.5 - 3.7	136,800	46.4	44.6 - 48.1	93,500	31.7	30.1 - 33.3	33,100	11.2	10.2 - 12.2	14,100	4.8	3.9 - 5.6	8,500	2.9	2.0 - 3.8	295,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2002-2006

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,500	1.9	1.6 - 2.2	233,600	42.8	41.6 - 43.9	197,300	36.1	35.0 - 37.3	69,500	12.7	12.0 - 13.5	22,900	4.2	3.6 - 4.8	12,100	2.2	1.8 - 2.6	546,000
No	12,400	3.4	2.8 - 4.0	169,700	46.6	45.1 - 48.2	113,200	31.1	29.7 - 32.5	41,900	11.5	10.6 - 12.5	16,900	4.7	3.9 - 5.4	9,800	2.7	2.0 - 3.4	363,900

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	20,300	2.4	2.1 - 2.7	366,400	44.0	43.0 - 45.0	286,700	34.4	33.5 - 35.3	102,400	12.3	11.7 - 12.9	36,900	4.4	4.0 - 4.9	20,000	2.4	2.0 - 2.8	832,700
No	2,400	3.2	2.0 - 4.4	36,200	47.6	44.1 - 51.1	23,700	31.2	28.1 - 34.4	8,800	11.6	9.4 - 13.9	3,000	3.9	2.7 - 5.1	1,900	2.5	1.5 - 3.5	76,100

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,200	2.6	2.3 - 2.9	405,300	45.2	44.3 - 46.2	302,100	33.7	32.8 - 34.6	107,600	12.0	11.4 - 12.6	38,300	4.3	3.8 - 4.7	19,600	2.2	1.8 - 2.6	896,000

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,300	2.0	1.5 - 2.4	47,800	42.1	40.4 - 43.9	40,400	35.6	33.9 - 37.3	15,600	13.7	12.5 - 15.0	5,100	4.5	3.7 - 5.2	2,300	2.0	1.5 - 2.5	113,400
Honolulu	18,100	2.8	2.4 - 3.2	293,300	45.5	44.3 - 46.8	214,700	33.3	32.2 - 34.5	75,200	11.7	10.9 - 12.5	27,900	4.3	3.7 - 4.9	15,000	2.3	1.8 - 2.8	644,200
Kauai	800	2.0	1.4 - 2.7	18,900	45.3	42.8 - 47.8	14,900	35.7	33.2 - 38.1	5,400	12.9	11.2 - 14.7	1,200	2.9	2.1 - 3.8	500	1.1	0.7 - 1.6	41,700
Maui	1,900	2.0	1.4 - 2.6	45,300	46.9	44.6 - 49.1	32,200	33.3	31.2 - 35.3	11,400	11.8	10.4 - 13.1	4,100	4.2	2.8 - 5.6	1,800	1.9	0.9 - 2.9	96,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,300	2.0	1.5 - 2.4	47,800	42.1	40.4 - 43.9	40,400	35.6	33.9 - 37.3	15,600	13.7	12.5 - 15.0	5,100	4.5	3.7 - 5.2	2,300	2.0	1.5 - 2.5	113,400
Kauai	800	2.0	1.4 - 2.7	18,900	45.3	42.8 - 47.8	14,900	35.7	33.2 - 38.1	5,400	12.9	11.2 - 14.7	1,200	2.9	2.1 - 3.8	500	1.1	0.7 - 1.6	41,700
Lanai	<50	1.5	0.4 - 2.6	1,100	45.3	39.0 - 51.5	1,000	39.6	33.5 - 45.8	200	9.6	4.8 - 14.5	100	3.0	1.2 - 4.7	<50	1.0	0.3 - 1.8	2,500
Maui	1,800	2.0	1.4 - 2.7	42,100	47.7	45.3 - 50.1	29,300	33.2	31.0 - 35.4	9,900	11.3	9.8 - 12.7	3,500	4.0	2.4 - 5.5	1,700	1.9	0.8 - 3.0	88,400
Molokai	100	2.0	0.0 - 4.2	2,100	35.1	29.7 - 40.6	1,900	31.8	26.4 - 37.2	1,200	20.5	16.0 - 25.1	500	8.0	5.5 - 10.5	100	2.4	1.0 - 3.9	5,900
Oahu	18,100	2.8	2.4 - 3.2	293,300	45.5	44.3 - 46.8	214,700	33.3	32.2 - 34.5	75,200	11.7	10.9 - 12.5	27,900	4.3	3.7 - 4.9	15,000	2.3	1.8 - 2.8	644,200

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	900	1.4	0.0 - 2.9	28,900	47.6	43.5 - 51.6	20,700	34.1	30.2 - 37.9	6,300	10.3	8.0 - 12.6	3,100	5.2	3.4 - 6.9	900	1.5	0.5 - 2.4	60,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,600	5.2	3.1 - 7.2	14,300	47.5	42.3 - 52.8	9,200	30.7	26.0 - 35.5	2,900	9.7	6.5 - 13.0	1,400	4.5	2.2 - 6.9	700	2.3	0.9 - 3.7	30,000
Hanalei/ Kapaa	400	2.5	1.3 - 3.7	8,000	46.3	42.5 - 50.2	6,000	34.3	30.6 - 38.0	2,200	12.9	10.3 - 15.6	500	2.7	1.6 - 3.8	200	1.2	0.6 - 1.9	17,400
Hilo	800	2.3	1.5 - 3.1	13,400	40.0	36.8 - 43.2	12,000	36.0	32.9 - 39.1	4,800	14.3	11.9 - 16.8	1,700	5.1	3.7 - 6.6	700	2.2	1.3 - 3.0	33,400
Kaaawa/ Kahaluu/ Kaneohe	1,400	3.1	1.0 - 5.3	16,100	36.9	32.4 - 41.3	16,900	38.8	33.9 - 43.7	7,000	16.1	12.5 - 19.7	1,300	2.9	1.4 - 4.4	1,000	2.3	1.0 - 3.5	43,600
Kahului	700	2.1	0.7 - 3.5	14,900	47.2	42.9 - 51.4	10,600	33.5	29.7 - 37.3	3,600	11.4	9.0 - 13.9	1,400	4.4	0.6 - 8.2	400	1.4	0.5 - 2.2	31,600
Kailua/ Waimanalo	1,100	2.3	1.1 - 3.4	20,800	44.7	40.5 - 48.9	15,600	33.7	29.6 - 37.7	6,500	14.0	10.7 - 17.4	2,100	4.5	2.2 - 6.8	400	0.9	0.2 - 1.6	46,500
Kaimuki/ Palolo/ Waikiki	3,000	4.7	3.3 - 6.1	32,400	50.3	46.6 - 54.0	19,600	30.4	27.0 - 33.7	5,900	9.1	6.8 - 11.4	2,300	3.6	1.9 - 5.3	1,300	1.9	0.8 - 3.1	64,500
Kona	600	2.1	1.1 - 3.2	12,600	43.9	40.5 - 47.3	10,400	36.1	32.8 - 39.4	4,000	13.9	11.6 - 16.3	700	2.3	1.4 - 3.2	500	1.7	0.6 - 2.8	28,800
Lahaina/ Wailuku	400	1.5	0.8 - 2.2	12,600	43.9	39.7 - 48.1	9,500	33.1	29.1 - 37.1	3,800	13.4	10.7 - 16.1	1,500	5.3	3.3 - 7.3	800	2.8	0.0 - 5.9	28,700
Lanai	<50	1.5	0.4 - 2.6	1,100	45.3	39.0 - 51.5	1,000	39.6	33.5 - 45.8	200	9.6	4.8 - 14.5	100	3.0	1.2 - 4.7	<50	1.0	0.3 - 1.8	2,500
Lihue-Waimea	400	1.7	1.0 - 2.4	10,800	44.6	41.2 - 47.9	8,900	36.7	33.4 - 40.0	3,100	12.9	10.7 - 15.2	800	3.1	1.9 - 4.4	300	1.0	0.5 - 1.6	24,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,400	2.9	1.8 - 4.0	24,900	49.6	45.4 - 53.9	15,800	31.5	27.5 - 35.5	5,600	11.2	8.5 - 13.9	1,600	3.3	1.0 - 5.5	800	1.6	0.5 - 2.7	50,300
Mililani/ Wahiawa	1,100	1.8	0.9 - 2.6	28,800	46.2	41.9 - 50.5	20,900	33.6	29.7 - 37.5	6,500	10.4	8.1 - 12.6	3,200	5.1	3.1 - 7.1	1,900	3.0	0.0 - 6.4	62,400
Molokai	100	2.0	0.0 - 4.2	2,100	35.1	29.7 - 40.6	1,900	31.8	26.4 - 37.2	1,200	20.5	16.0 - 25.1	500	8.0	5.5 - 10.5	100	2.4	1.0 - 3.9	5,900
Nanakuli/ Waianae	300	1.0	0.2 - 1.8	6,900	23.7	18.2 - 29.1	10,400	35.7	29.4 - 42.0	5,400	18.7	14.0 - 23.3	2,800	9.7	5.0 - 14.3	3,300	11.3	6.8 - 15.9	29,100
N.Hawaii	300	1.3	0.6 - 2.0	9,900	43.0	39.3 - 46.7	8,400	36.2	32.5 - 40.0	2,900	12.7	10.1 - 15.3	1,000	4.5	3.0 - 6.0	500	2.3	1.2 - 3.3	23,100
N.Shore/ Laie	500	2.5	0.6 - 4.3	9,800	45.2	38.7 - 51.8	5,900	27.0	20.9 - 33.0	3,000	14.0	8.9 - 19.1	1,400	6.4	3.2 - 9.6	1,100	5.0	1.8 - 8.1	21,700
Nuuanu/ Kalihi/ Moanalua	2,200	3.3	2.0 - 4.7	31,600	48.5	44.5 - 52.6	21,400	32.8	29.1 - 36.5	6,700	10.3	7.7 - 12.8	2,500	3.9	1.8 - 5.9	800	1.2	0.5 - 1.9	65,200
Puna/ Kau	600	2.0	1.1 - 2.9	11,800	42.1	38.3 - 46.0	9,600	34.2	30.4 - 37.9	3,900	13.7	10.8 - 16.6	1,700	5.9	3.9 - 7.9	600	2.1	1.1 - 3.0	28,100
Salt Lake/ Foster Village	900	2.5	1.0 - 4.0	15,900	44.3	39.1 - 49.4	13,400	37.5	32.3 - 42.6	3,600	10.0	7.2 - 12.9	1,600	4.5	2.4 - 6.7	400	1.2	0.0 - 2.4	35,900
Upcountry/ Hana	700	2.4	1.5 - 3.4	14,700	52.1	48.2 - 56.0	9,300	32.9	29.3 - 36.5	2,500	8.9	6.6 - 11.1	600	2.1	1.0 - 3.3	400	1.6	0.7 - 2.5	28,100
Waialae/ Kahala/ Hawaii Kai	1,300	3.5	1.6 - 5.4	21,100	55.0	50.3 - 59.8	12,900	33.6	29.2 - 38.0	2,300	5.9	3.7 - 8.2	600	1.5	0.4 - 2.7	200	0.4	0.0 - 1.0	38,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,500	2.6	1.3 - 3.9	41,800	43.5	40.0 - 47.0	31,900	33.3	30.1 - 36.4	13,500	14.0	11.6 - 16.4	4,000	4.2	2.7 - 5.7	2,300	2.4	1.4 - 3.4	96,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	4,600	4.2	2.7 - 5.7	60,300	55.2	51.6 - 58.7	27,900	25.5	22.6 - 28.4	10,300	9.4	7.5 - 11.4	3,800	3.5	1.7 - 5.3	2,400	2.2	0.2 - 4.1	109,300
25-34	4,200	2.6	1.9 - 3.3	70,900	44.0	41.6 - 46.3	54,200	33.6	31.3 - 35.9	19,800	12.3	10.9 - 13.8	7,800	4.8	3.7 - 6.0	4,300	2.7	1.7 - 3.6	161,200
35-44	3,300	1.9	1.4 - 2.4	74,300	42.1	40.0 - 44.2	63,100	35.7	33.7 - 37.8	22,000	12.5	11.0 - 13.9	9,000	5.1	3.9 - 6.3	4,800	2.7	1.9 - 3.5	176,500
45-54	2,400	1.5	1.0 - 1.9	69,300	41.5	39.5 - 43.5	60,900	36.4	34.5 - 38.4	23,200	13.9	12.4 - 15.4	7,400	4.4	3.4 - 5.4	3,900	2.3	1.7 - 3.0	167,200
55-64	2,400	2.0	1.3 - 2.6	47,800	39.5	37.1 - 41.9	43,400	35.8	33.5 - 38.2	17,900	14.7	13.0 - 16.5	6,800	5.6	4.5 - 6.8	2,900	2.4	1.6 - 3.1	121,200
65-74	2,000	2.4	1.7 - 3.2	37,500	45.4	42.5 - 48.3	30,400	36.8	34.1 - 39.6	9,500	11.5	9.6 - 13.5	2,100	2.6	1.7 - 3.5	1,000	1.2	0.7 - 1.7	82,600
75+	4,200	5.7	4.1 - 7.2	42,900	57.7	54.7 - 60.8	21,100	28.4	25.7 - 31.1	4,500	6.1	4.5 - 7.6	1,200	1.6	0.8 - 2.5	400	0.5	0.0 - 1.1	74,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,700	2.5	2.0 - 3.0	141,000	45.8	44.3 - 47.2	105,100	34.1	32.7 - 35.5	38,500	12.5	11.4 - 13.5	10,700	3.5	2.9 - 4.1	5,000	1.6	1.2 - 2.0	308,000
Native Hawaiian	1,700	1.6	0.6 - 2.5	28,800	26.8	24.3 - 29.3	36,300	33.7	31.1 - 36.4	22,900	21.3	19.1 - 23.6	12,000	11.1	9.1 - 13.2	5,900	5.5	4.0 - 7.0	107,600
Chinese	3,800	5.9	3.9 - 7.8	34,300	53.0	49.4 - 56.6	19,900	30.8	27.4 - 34.2	5,600	8.7	6.7 - 10.7	700	1.1	0.4 - 1.9	300	0.5	0.1 - 0.9	64,800
Filipino	2,600	1.9	1.1 - 2.6	70,600	51.0	48.2 - 53.9	47,800	34.6	31.9 - 37.2	11,900	8.6	7.2 - 10.0	3,500	2.5	1.4 - 3.6	2,000	1.4	0.9 - 2.0	138,300
Japanese	5,200	2.9	2.3 - 3.4	94,300	51.4	49.4 - 53.5	63,200	34.5	32.6 - 36.5	15,500	8.4	7.3 - 9.6	3,600	2.0	1.4 - 2.5	1,400	0.8	0.3 - 1.2	183,300
Black	300	2.1	0.3 - 3.8	5,200	36.3	29.4 - 43.3	5,200	35.7	29.1 - 42.3	3,100	21.5	15.2 - 27.7	300	1.8	0.4 - 3.3	400	2.6	0.1 - 5.1	14,400
Native Alaskan/ American Indian	100	1.2	0.1 - 2.4	2,200	46.5	33.2 - 59.7	1,400	30.8	19.9 - 41.6	500	10.6	4.4 - 16.9	400	7.8	0.0 - 16.5	100	3.1	0.0 - 6.7	4,600
Other Asian	1,100	5.4	2.5 - 8.2	12,700	61.0	54.1 - 67.9	6,200	29.9	23.6 - 36.3	400	2.1	0.1 - 4.2	300	1.4	0.0 - 3.4	<50	0.1	0.0 - 0.2	20,700
Other Pacific Islander	<50	0.0	0.0 - 0.1	3,000	14.7	9.1 - 20.3	4,700	23.7	17.4 - 29.9	4,900	24.2	16.9 - 31.5	4,000	20.1	12.6 - 27.6	3,500	17.3	7.4 - 27.2	20,100
Other	500	1.8	0.4 - 3.2	9,900	37.4	32.4 - 42.5	9,600	36.3	31.0 - 41.7	3,800	14.5	10.6 - 18.4	1,800	6.9	3.7 - 10.2	800	3.0	1.0 - 5.0	26,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	3,800	0.8	0.5 - 1.1	164,000	36.4	35.0 - 37.8	188,500	41.8	40.4 - 43.3	64,700	14.4	13.3 - 15.4	20,400	4.5	3.8 - 5.3	9,300	2.1	1.4 - 2.7	450,700
Female	19,400	4.4	3.8 - 4.9	241,200	54.2	52.9 - 55.4	113,600	25.5	24.5 - 26.6	42,900	9.6	8.9 - 10.4	17,800	4.0	3.4 - 4.6	10,300	2.3	1.9 - 2.7	445,300

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	3.8	1.6 - 5.9	7,700	49.0	42.4 - 55.5	4,800	30.3	24.5 - 36.2	1,900	12.4	7.5 - 17.3	300	2.1	0.6 - 3.6	400	2.4	0.1 - 4.8	15,700
Grades 9 thru 11 (Some High School)	1,200	3.4	1.7 - 5.1	13,900	39.9	34.6 - 45.2	12,100	34.7	29.9 - 39.5	5,000	14.4	11.1 - 17.6	1,900	5.3	3.4 - 7.2	800	2.3	1.0 - 3.7	34,800
Grades 12 or GED (High School Grad)	7,400	2.6	2.0 - 3.2	115,400	40.8	39.1 - 42.6	96,200	34.1	32.4 - 35.7	38,600	13.7	12.5 - 14.9	16,500	5.8	4.8 - 6.9	8,400	3.0	2.3 - 3.6	282,400
College 1 to 3 years (Some College/ Tech)	7,300	2.7	2.1 - 3.3	120,800	45.0	43.2 - 46.8	87,300	32.6	30.9 - 34.2	35,300	13.2	11.9 - 14.4	11,100	4.1	3.3 - 5.0	6,300	2.4	1.5 - 3.2	268,100
College 4 years or more (College Grad)	6,600	2.3	1.8 - 2.7	147,000	50.0	48.4 - 51.6	101,400	34.5	33.0 - 36.0	26,700	9.1	8.2 - 10.0	8,500	2.9	2.3 - 3.5	3,600	1.2	0.8 - 1.7	293,900

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	10,800	1.9	1.5 - 2.2	250,700	43.0	41.8 - 44.2	207,200	35.6	34.4 - 36.7	74,600	12.8	12.0 - 13.6	27,100	4.6	4.0 - 5.3	12,300	2.1	1.6 - 2.6	582,600
Unemployed	700	2.5	1.0 - 4.0	11,400	40.1	34.5 - 45.7	9,700	34.3	28.8 - 39.8	3,800	13.6	10.0 - 17.2	1,700	5.9	3.6 - 8.3	1,000	3.6	1.8 - 5.3	28,300
Retired/Unable to work	7,100	3.7	2.9 - 4.4	93,400	48.2	46.3 - 50.1	62,500	32.2	30.4 - 34.0	20,300	10.5	9.2 - 11.7	7,100	3.7	2.8 - 4.5	3,600	1.8	1.2 - 2.5	193,800
Student/Homemaker	4,500	5.0	3.4 - 6.6	49,300	54.4	51.2 - 57.6	22,800	25.2	22.3 - 28.0	8,800	9.8	7.9 - 11.6	2,400	2.7	1.8 - 3.5	2,700	3.0	1.9 - 4.1	90,700

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	1,800	5.5	2.6 - 8.4	14,400	44.9	40.3 - 49.5	8,800	27.5	23.6 - 31.4	4,300	13.5	10.2 - 16.7	1,600	4.9	3.1 - 6.7	1,200	3.7	2.1 - 5.4	32,000
\$10,000 to \$14,999	1,600	4.6	2.7 - 6.4	16,200	45.0	40.7 - 49.4	10,400	29.1	24.8 - 33.4	3,900	10.8	8.1 - 13.5	2,200	6.1	4.0 - 8.2	1,600	4.4	2.2 - 6.7	35,900
\$15,000 to \$19,999	1,100	2.5	1.5 - 3.5	21,200	47.2	42.7 - 51.7	12,700	28.2	24.3 - 32.1	5,900	13.2	10.3 - 16.1	2,300	5.2	2.4 - 8.0	1,700	3.7	2.2 - 5.3	44,800
\$20,000 to \$24,999	1,100	1.9	1.1 - 2.7	24,900	44.0	40.1 - 47.9	19,100	33.8	29.9 - 37.6	7,100	12.5	10.0 - 15.1	3,300	5.9	3.4 - 8.3	1,100	1.9	1.0 - 2.8	56,400
\$25,000 to \$34,999	2,000	2.2	1.4 - 3.1	40,300	44.5	41.4 - 47.5	31,400	34.7	31.7 - 37.6	11,000	12.1	10.2 - 14.0	3,700	4.1	2.9 - 5.2	2,300	2.5	1.3 - 3.6	90,600
\$35,000 to \$49,999	2,600	1.9	1.1 - 2.7	63,700	46.9	44.4 - 49.3	44,500	32.8	30.5 - 35.0	16,700	12.3	10.7 - 14.0	6,300	4.6	3.2 - 6.0	2,100	1.5	0.9 - 2.1	136,000
\$50,000 to \$74,999	5,100	3.1	2.1 - 4.0	71,900	43.2	40.7 - 45.6	56,200	33.8	31.5 - 36.0	22,200	13.3	11.7 - 15.0	7,100	4.3	3.2 - 5.4	4,000	2.4	1.0 - 3.8	166,500
\$75,000 or more	2,500	1.5	1.0 - 1.9	74,100	44.1	41.9 - 46.3	63,200	37.6	35.4 - 39.8	19,400	11.5	10.1 - 12.9	5,900	3.5	2.5 - 4.5	3,100	1.8	1.1 - 2.5	168,200

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,000	3.2	2.4 - 4.1	68,100	43.8	41.3 - 46.3	47,000	30.2	27.9 - 32.5	19,800	12.7	11.1 - 14.3	9,700	6.2	4.8 - 7.6	5,900	3.8	2.9 - 4.8	155,600
131-185%	2,200	2.4	1.3 - 3.5	39,600	42.6	39.1 - 46.1	31,300	33.7	30.4 - 36.9	11,300	12.2	10.2 - 14.1	5,200	5.6	3.6 - 7.6	3,300	3.5	1.0 - 6.1	92,900
186+%	10,500	2.2	1.8 - 2.6	218,800	45.4	44.1 - 46.7	168,000	34.9	33.7 - 36.1	59,300	12.3	11.5 - 13.2	17,500	3.6	3.1 - 4.2	7,700	1.6	1.3 - 1.9	481,900

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	10,000	1.9	1.6 - 2.2	229,700	44.0	42.7 - 45.2	186,700	35.7	34.5 - 36.9	64,200	12.3	11.5 - 13.1	22,400	4.3	3.7 - 4.9	9,600	1.8	1.5 - 2.2	522,500
Unmarried Couple	300	1.5	0.5 - 2.4	8,700	45.6	39.1 - 52.1	5,900	30.7	24.9 - 36.5	3,100	16.0	10.0 - 22.0	900	4.9	2.4 - 7.3	300	1.3	0.1 - 2.5	19,100
Widowed	3,200	5.9	4.0 - 7.8	27,700	50.2	46.7 - 53.6	15,100	27.4	24.5 - 30.4	5,600	10.2	8.0 - 12.4	2,400	4.4	2.8 - 6.0	1,100	2.0	1.0 - 2.9	55,100
Other	9,700	3.2	2.6 - 3.9	139,300	46.5	44.8 - 48.3	94,400	31.6	30.0 - 33.1	34,700	11.6	10.5 - 12.7	12,500	4.2	3.4 - 5.0	8,600	2.9	2.0 - 3.8	299,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2001-2005

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,300	1.9	1.6 - 2.2	233,900	43.8	42.6 - 45.0	190,700	35.7	34.5 - 36.9	65,600	12.3	11.5 - 13.1	23,200	4.3	3.7 - 5.0	10,500	2.0	1.6 - 2.3	534,300
No	12,900	3.6	3.0 - 4.2	170,900	47.4	45.8 - 48.9	111,000	30.8	29.4 - 32.2	41,800	11.6	10.6 - 12.6	15,000	4.2	3.5 - 4.9	9,100	2.5	1.8 - 3.3	360,700

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,900	2.4	2.1 - 2.7	369,800	45.1	44.1 - 46.0	279,000	34.0	33.1 - 34.9	98,100	12.0	11.3 - 12.6	35,600	4.3	3.8 - 4.8	18,300	2.2	1.8 - 2.6	820,800
No	3,100	4.2	2.8 - 5.7	34,400	46.9	43.3 - 50.5	22,800	31.1	27.9 - 34.4	9,200	12.5	10.0 - 15.0	2,600	3.6	2.5 - 4.7	1,200	1.7	0.8 - 2.5	73,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

State	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii State	23,400	2.7	2.3 - 3.0	401,700	45.7	44.8 - 46.7	298,300	34.0	33.0 - 34.9	102,400	11.7	11.0 - 12.3	35,800	4.1	3.6 - 4.5	16,700	1.9	1.5 - 2.3	878,300

County	Underweight (BMI < 18.5)			Recommended range (18.5 ≤ BMI < 25)			Overweight (25 ≤ BMI < 30)			Obese 1 (30 ≤ BMI < 35)			Obese 2 (35 ≤ BMI < 40)			Obese 3 (BMI ≥ 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,200	2.0	1.5 - 2.4	47,500	43.2	41.4 - 45.0	39,600	36.0	34.2 - 37.7	14,100	12.8	11.6 - 14.1	4,400	4.0	3.3 - 4.7	2,100	2.0	1.5 - 2.5	110,000
Honolulu	18,300	2.9	2.5 - 3.3	291,400	46.0	44.7 - 47.2	212,900	33.6	32.4 - 34.8	72,700	11.5	10.6 - 12.3	26,300	4.2	3.6 - 4.7	12,400	2.0	1.5 - 2.4	634,000
Kauai	1,000	2.4	1.6 - 3.2	19,000	46.6	44.1 - 49.1	14,300	35.1	32.7 - 37.5	4,900	12.0	10.3 - 13.6	1,100	2.8	2.0 - 3.6	400	1.1	0.6 - 1.5	40,800
Maui	1,900	2.1	1.4 - 2.7	43,800	46.8	44.6 - 49.1	31,400	33.6	31.5 - 35.7	10,700	11.4	10.1 - 12.8	3,900	4.2	2.8 - 5.7	1,700	1.8	0.8 - 2.8	93,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Island	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Hawaii	2,200	2.0	1.5 - 2.4	47,500	43.2	41.4 - 45.0	39,600	36.0	34.2 - 37.7	14,100	12.8	11.6 - 14.1	4,400	4.0	3.3 - 4.7	2,100	2.0	1.5 - 2.5	110,000
Kauai	1,000	2.4	1.6 - 3.2	19,000	46.6	44.1 - 49.1	14,300	35.1	32.7 - 37.5	4,900	12.0	10.3 - 13.6	1,100	2.8	2.0 - 3.6	400	1.1	0.6 - 1.5	40,800
Lanai	<50	1.6	0.4 - 2.8	1,100	42.9	36.7 - 49.2	1,000	42.0	35.7 - 48.3	200	9.4	4.5 - 14.3	100	3.3	1.4 - 5.1	<50	0.8	0.1 - 1.5	2,500
Maui	1,800	2.1	1.4 - 2.7	40,600	47.7	45.3 - 50.2	28,400	33.4	31.2 - 35.6	9,300	10.9	9.5 - 12.3	3,400	4.0	2.4 - 5.6	1,600	1.9	0.7 - 3.0	85,100
Molokai	100	2.0	0.0 - 4.3	2,100	35.6	30.2 - 41.0	2,000	33.3	27.9 - 38.6	1,200	19.6	15.2 - 24.1	500	7.7	5.2 - 10.2	100	1.7	0.4 - 3.0	5,900
Oahu	18,300	2.9	2.5 - 3.3	291,400	46.0	44.7 - 47.2	212,900	33.6	32.4 - 34.8	72,700	11.5	10.6 - 12.3	26,300	4.2	3.6 - 4.7	12,400	2.0	1.5 - 2.4	634,000

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Aiea/ Pearl City	1,000	1.7	0.1 - 3.2	27,800	46.7	42.6 - 50.8	21,300	35.8	31.9 - 39.7	6,200	10.4	8.0 - 12.7	2,500	4.2	2.5 - 5.9	700	1.2	0.3 - 2.1	59,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Ala Moana	1,500	5.0	3.0 - 7.0	14,600	49.6	44.3 - 55.0	8,500	29.1	24.5 - 33.7	2,700	9.1	5.9 - 12.4	1,500	5.2	2.5 - 7.9	600	1.9	0.6 - 3.2	29,400
Hanalei/ Kapaa	500	2.8	1.5 - 4.2	8,100	47.7	43.9 - 51.5	5,600	33.2	29.6 - 36.9	2,200	12.8	10.1 - 15.5	400	2.4	1.3 - 3.5	200	1.0	0.4 - 1.6	17,000
Hilo	700	2.2	1.5 - 3.0	13,600	40.8	37.6 - 44.0	12,200	36.7	33.6 - 39.7	4,400	13.4	11.0 - 15.7	1,600	4.8	3.4 - 6.2	700	2.1	1.2 - 3.0	33,200
Kaaawa/ Kahaluu/ Kaneohe	1,100	2.7	0.5 - 4.9	15,300	37.0	32.4 - 41.6	16,500	39.9	34.8 - 45.0	6,200	15.0	11.3 - 18.7	1,400	3.5	1.8 - 5.2	800	2.0	0.8 - 3.2	41,400
Kahului	700	2.3	0.8 - 3.7	14,000	45.8	41.5 - 50.1	10,300	33.6	29.7 - 37.4	3,700	12.1	9.6 - 14.5	1,500	4.9	1.0 - 8.8	400	1.4	0.5 - 2.3	30,500
Kailua/ Waimanalo	900	1.9	0.9 - 3.0	20,900	45.0	40.8 - 49.2	16,200	34.9	30.9 - 39.0	6,100	13.1	9.9 - 16.3	2,100	4.5	2.2 - 6.8	200	0.5	0.0 - 1.0	46,400
Kaimuki/ Palolo/ Waikiki	2,900	4.6	3.2 - 6.0	32,300	51.2	47.4 - 54.9	19,600	31.0	27.6 - 34.4	5,100	8.1	5.9 - 10.3	2,000	3.1	1.5 - 4.8	1,300	2.0	0.9 - 3.2	63,100
Kona	600	2.1	1.0 - 3.1	12,800	45.0	41.6 - 48.4	10,300	36.3	32.9 - 39.6	3,600	12.6	10.3 - 14.9	700	2.4	1.5 - 3.3	500	1.7	0.6 - 2.8	28,500
Lahaina/ Wailuku	400	1.5	0.8 - 2.2	13,000	46.8	42.5 - 51.2	9,200	33.2	29.1 - 37.2	3,200	11.4	8.8 - 14.0	1,300	4.7	2.7 - 6.7	600	2.3	0.0 - 5.5	27,700
Lanai	<50	1.6	0.4 - 2.8	1,100	42.9	36.7 - 49.2	1,000	42.0	35.7 - 48.3	200	9.4	4.5 - 14.3	100	3.3	1.4 - 5.1	<50	0.8	0.1 - 1.5	2,500
Lihue-Waimea	500	2.1	1.1 - 3.1	10,900	45.9	42.5 - 49.2	8,700	36.5	33.2 - 39.7	2,700	11.4	9.4 - 13.4	700	3.1	1.9 - 4.2	300	1.1	0.5 - 1.8	23,800

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Manoa/ Upper Makiki	1,500	2.9	1.8 - 4.0	27,000	51.7	47.6 - 55.8	16,000	30.7	26.8 - 34.5	5,600	10.7	8.1 - 13.3	1,500	2.9	0.8 - 5.0	600	1.1	0.2 - 2.1	52,200
Mililani/ Wahiawa	1,000	1.7	0.8 - 2.6	28,200	46.5	42.1 - 50.8	20,300	33.5	29.5 - 37.4	6,300	10.5	8.1 - 12.8	3,000	5.0	3.0 - 7.0	1,800	2.9	0.0 - 6.3	60,600
Molokai	100	2.0	0.0 - 4.3	2,100	35.6	30.2 - 41.0	2,000	33.3	27.9 - 38.6	1,200	19.6	15.2 - 24.1	500	7.7	5.2 - 10.2	100	1.7	0.4 - 3.0	5,900
Nanakuli/ Waianae	500	1.6	0.4 - 2.7	6,700	23.6	18.3 - 28.9	11,100	39.0	32.6 - 45.4	5,400	19.1	14.3 - 24.0	2,600	9.1	4.4 - 13.8	2,200	7.6	3.9 - 11.4	28,400
N.Hawaii	300	1.3	0.6 - 2.1	9,900	44.1	40.3 - 48.0	8,200	36.5	32.6 - 40.3	2,700	12.0	9.4 - 14.7	800	3.7	2.3 - 5.0	500	2.4	1.3 - 3.4	22,400
N.Shore/ Laie	400	1.7	0.2 - 3.2	9,900	44.9	38.3 - 51.5	6,400	28.9	22.8 - 35.0	3,200	14.6	9.5 - 19.8	1,200	5.3	2.4 - 8.2	1,000	4.5	1.6 - 7.5	22,000
Nuuanu/ Kalihi/ Moanalua	2,600	4.0	2.4 - 5.5	30,300	46.8	42.8 - 50.9	21,500	33.2	29.5 - 36.9	7,100	10.9	8.1 - 13.8	2,500	3.8	1.8 - 5.9	800	1.2	0.6 - 1.9	64,600
Puna/ Kau	600	2.1	1.2 - 3.1	11,300	43.5	39.5 - 47.5	9,000	34.4	30.5 - 38.4	3,400	13.1	10.2 - 16.0	1,300	5.2	3.3 - 7.1	400	1.7	0.7 - 2.6	26,000
Salt Lake/ Foster Village	1,000	2.8	1.1 - 4.5	16,300	44.0	39.1 - 48.9	13,800	37.3	32.3 - 42.2	3,900	10.5	7.7 - 13.4	1,600	4.3	2.2 - 6.3	400	1.1	0.0 - 2.2	37,100
Upcountry/ Hana	600	2.4	1.4 - 3.4	13,600	50.8	46.9 - 54.8	9,000	33.4	29.8 - 37.1	2,500	9.2	7.0 - 11.3	600	2.3	1.1 - 3.5	500	1.9	0.9 - 2.9	26,800
Waialae/ Kahala/ Hawaii Kai	1,600	4.2	2.1 - 6.4	21,300	55.7	51.0 - 60.4	12,100	31.6	27.3 - 35.8	2,500	6.6	4.2 - 9.0	700	1.7	0.7 - 2.7	100	0.2	0.0 - 0.4	38,300

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Community	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Waipahu/ Kapolei/ Ewa	2,300	2.6	1.3 - 3.9	40,900	44.9	41.3 - 48.6	29,700	32.7	29.4 - 35.9	12,300	13.5	11.1 - 16.0	3,800	4.1	2.6 - 5.7	2,000	2.2	1.1 - 3.3	91,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

BRFSS Age Group	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	5,300	5.0	3.3 - 6.6	58,800	55.1	51.6 - 58.6	27,500	25.8	22.9 - 28.6	9,600	9.0	7.0 - 10.9	3,400	3.2	1.4 - 5.0	2,200	2.0	0.1 - 4.0	106,700
25-34	4,700	2.9	2.2 - 3.6	72,100	44.4	42.1 - 46.8	55,700	34.4	32.1 - 36.6	19,100	11.8	10.4 - 13.2	7,500	4.7	3.5 - 5.8	3,000	1.9	1.1 - 2.6	162,200
35-44	2,800	1.6	1.1 - 2.1	76,700	43.4	41.3 - 45.4	62,900	35.6	33.5 - 37.6	21,800	12.3	10.9 - 13.7	8,400	4.7	3.6 - 5.8	4,400	2.5	1.7 - 3.3	177,000
45-54	2,400	1.5	1.0 - 1.9	66,700	41.3	39.2 - 43.3	59,900	37.1	35.1 - 39.1	22,800	14.1	12.6 - 15.6	6,300	3.9	2.9 - 4.9	3,500	2.1	1.5 - 2.8	161,500
55-64	2,200	1.9	1.2 - 2.6	46,300	40.0	37.5 - 42.5	41,500	35.8	33.4 - 38.3	16,500	14.2	12.3 - 16.2	6,700	5.8	4.6 - 7.0	2,600	2.2	1.4 - 3.0	115,700
65-74	2,100	2.5	1.7 - 3.2	38,800	46.2	43.3 - 49.1	31,200	37.2	34.4 - 40.0	8,700	10.4	8.5 - 12.3	2,500	2.9	1.9 - 4.0	700	0.8	0.4 - 1.2	84,000
75+	3,900	5.8	4.1 - 7.4	39,900	59.1	55.9 - 62.3	18,700	27.6	24.8 - 30.4	3,700	5.5	3.9 - 7.2	900	1.4	0.5 - 2.3	400	0.6	0.0 - 1.3	67,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

DOH Race-Ethnicity	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	7,600	2.6	2.0 - 3.1	139,300	47.0	45.5 - 48.4	99,900	33.7	32.2 - 35.1	35,300	11.9	10.8 - 13.0	10,500	3.5	2.9 - 4.1	4,200	1.4	1.1 - 1.7	296,700
Native Hawaiian	1,700	1.5	0.6 - 2.4	31,200	27.9	25.5 - 30.3	39,500	35.3	32.7 - 37.9	22,900	20.4	18.3 - 22.6	11,700	10.5	8.5 - 12.5	4,900	4.4	3.0 - 5.8	111,900
Chinese	3,800	6.0	4.0 - 8.1	33,700	53.7	50.1 - 57.4	19,500	31.1	27.6 - 34.5	5,000	7.9	6.0 - 9.9	400	0.6	0.2 - 1.1	300	0.6	0.1 - 1.0	62,600
Filipino	2,700	2.0	1.2 - 2.8	68,700	51.3	48.4 - 54.2	46,700	34.8	32.2 - 37.5	10,900	8.1	6.6 - 9.6	3,200	2.4	1.3 - 3.5	1,800	1.4	0.8 - 1.9	134,000
Japanese	5,500	3.0	2.4 - 3.6	92,200	50.9	48.8 - 52.9	63,300	34.9	32.9 - 36.9	15,300	8.4	7.2 - 9.6	3,300	1.8	1.3 - 2.4	1,700	0.9	0.5 - 1.4	181,300
Black	200	1.6	0.0 - 3.6	5,800	42.5	35.2 - 49.9	4,400	32.6	26.0 - 39.1	2,700	20.0	13.8 - 26.3	300	2.2	0.4 - 4.0	100	1.0	0.0 - 2.2	13,500
Native Alaskan/ American Indian	<50	0.4	0.0 - 1.0	1,900	46.5	32.0 - 61.0	1,300	32.5	20.4 - 44.6	400	9.6	3.6 - 15.6	400	8.8	0.0 - 18.6	100	2.2	0.0 - 6.1	4,100
Other Asian	1,200	5.9	2.9 - 8.8	11,900	59.4	52.4 - 66.5	5,900	29.3	22.9 - 35.6	800	3.8	1.2 - 6.5	300	1.6	0.0 - 3.6	<50	0.1	0.0 - 0.2	20,000
Other Pacific Islander	<50	0.2	0.0 - 0.5	2,400	13.6	7.8 - 19.3	4,400	25.2	18.1 - 32.3	4,800	27.5	19.3 - 35.7	3,200	18.6	10.4 - 26.9	2,600	14.9	3.7 - 26.2	17,400
Mixed Ethnicity	100	1.3	0.0 - 2.7	2,100	46.9	37.0 - 56.8	1,800	39.6	29.8 - 49.5	400	9.0	4.3 - 13.6	100	1.2	0.0 - 2.5	100	2.0	0.0 - 5.6	4,400
Other	400	1.8	0.3 - 3.2	9,300	37.7	32.4 - 42.9	9,300	37.7	32.0 - 43.4	3,400	13.9	9.8 - 17.9	1,500	6.1	2.9 - 9.3	700	2.9	0.8 - 5.0	24,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Gender	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Male	4,000	0.9	0.6 - 1.2	163,200	36.9	35.5 - 38.3	187,500	42.4	41.0 - 43.9	61,100	13.8	12.8 - 14.8	19,200	4.3	3.6 - 5.1	7,300	1.6	1.1 - 2.2	442,200
Female	19,400	4.4	3.9 - 5.0	238,500	54.7	53.4 - 56.0	110,800	25.4	24.3 - 26.5	41,300	9.5	8.7 - 10.2	16,700	3.8	3.3 - 4.4	9,500	2.2	1.7 - 2.6	436,100

Education Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	600	3.6	1.5 - 5.7	7,400	48.2	41.9 - 54.4	5,100	33.0	27.2 - 38.9	1,700	11.1	6.3 - 15.9	300	2.3	0.7 - 3.8	300	1.8	0.0 - 4.1	15,400
Grades 9 thru 11 (Some High School)	1,700	4.8	2.7 - 6.9	15,400	42.2	37.0 - 47.5	12,300	33.8	29.1 - 38.6	4,800	13.2	9.5 - 16.8	1,500	4.2	2.7 - 5.7	700	1.8	0.6 - 3.0	36,400
Grades 12 or GED (High School Grad)	7,700	2.7	2.1 - 3.4	117,000	41.2	39.5 - 42.9	99,300	35.0	33.3 - 36.6	37,300	13.1	12.0 - 14.3	16,200	5.7	4.7 - 6.8	6,400	2.2	1.7 - 2.8	283,900
College 1 to 3 years (Some College/ Tech)	6,800	2.6	2.0 - 3.2	120,900	46.0	44.2 - 47.8	86,500	32.9	31.2 - 34.6	32,700	12.4	11.2 - 13.6	10,300	3.9	3.1 - 4.7	6,000	2.3	1.4 - 3.1	263,100
College 4 years or more (College Grad)	6,500	2.3	1.9 - 2.8	140,500	50.4	48.8 - 52.1	94,900	34.1	32.5 - 35.6	25,800	9.3	8.3 - 10.2	7,500	2.7	2.1 - 3.3	3,400	1.2	0.8 - 1.7	278,500

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Employment Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Employed	11,300	2.0	1.6 - 2.3	251,900	43.7	42.5 - 44.8	205,500	35.6	34.5 - 36.8	72,500	12.6	11.8 - 13.4	25,100	4.4	3.7 - 5.0	10,800	1.9	1.4 - 2.3	577,100
Unemployed	700	2.2	0.8 - 3.6	12,400	41.0	35.5 - 46.5	10,800	35.8	30.4 - 41.2	4,100	13.5	9.9 - 17.0	1,400	4.8	2.7 - 6.8	800	2.8	1.3 - 4.3	30,100
Retired/Unable to work	6,600	3.6	2.9 - 4.4	89,800	49.1	47.1 - 51.1	59,300	32.4	30.6 - 34.3	17,400	9.5	8.3 - 10.7	6,700	3.7	2.7 - 4.6	3,100	1.7	1.0 - 2.4	183,000
Student/Homemaker	4,700	5.4	3.7 - 7.1	47,100	53.9	50.7 - 57.2	22,700	25.9	23.0 - 28.8	8,400	9.6	7.7 - 11.4	2,500	2.9	2.0 - 3.8	2,000	2.3	1.3 - 3.3	87,400

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Household Income	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Less than \$10,000	2,000	5.8	3.1 - 8.6	15,700	45.0	40.8 - 49.3	10,100	28.9	25.1 - 32.7	4,500	12.9	9.9 - 15.9	1,500	4.3	2.6 - 6.0	1,100	3.0	1.6 - 4.4	34,800
\$10,000 to \$14,999	2,100	5.3	3.5 - 7.1	18,100	46.2	42.1 - 50.3	11,600	29.7	25.7 - 33.7	4,300	11.0	8.5 - 13.5	1,700	4.3	2.7 - 5.9	1,400	3.5	1.6 - 5.5	39,100
\$15,000 to \$19,999	1,000	2.4	1.4 - 3.4	20,300	47.0	42.4 - 51.5	13,000	30.0	26.0 - 34.0	5,600	12.9	9.9 - 15.8	2,300	5.3	2.3 - 8.3	1,000	2.4	1.3 - 3.5	43,200
\$20,000 to \$24,999	1,200	2.0	1.2 - 2.9	24,900	43.6	39.7 - 47.5	20,200	35.4	31.5 - 39.2	6,500	11.4	8.9 - 13.9	3,300	5.8	3.4 - 8.2	1,000	1.8	0.9 - 2.7	57,100
\$25,000 to \$34,999	2,000	2.1	1.3 - 2.9	42,700	45.9	42.9 - 48.8	32,400	34.8	31.9 - 37.6	10,500	11.3	9.5 - 13.1	3,300	3.6	2.5 - 4.6	2,200	2.4	1.3 - 3.5	93,200
\$35,000 to \$49,999	2,400	1.8	1.0 - 2.5	63,800	46.8	44.3 - 49.3	44,800	32.9	30.6 - 35.1	17,000	12.5	10.8 - 14.2	6,200	4.5	3.1 - 6.0	2,100	1.5	0.9 - 2.2	136,300
\$50,000 to \$74,999	5,000	3.2	2.2 - 4.2	67,200	43.3	40.7 - 45.8	53,900	34.8	32.4 - 37.1	19,100	12.3	10.7 - 14.0	6,600	4.3	3.1 - 5.4	3,300	2.2	0.7 - 3.6	155,200
\$75,000 or more	2,200	1.5	1.0 - 2.0	67,300	45.3	42.8 - 47.7	54,500	36.7	34.3 - 39.1	17,500	11.8	10.2 - 13.4	5,000	3.4	2.3 - 4.4	2,100	1.4	0.8 - 2.0	148,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Poverty Level	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
0-130%	5,200	3.6	2.6 - 4.6	63,000	43.7	41.1 - 46.3	44,800	31.1	28.6 - 33.5	18,400	12.8	11.0 - 14.5	8,200	5.7	4.2 - 7.2	4,600	3.2	2.3 - 4.2	144,200
131-185%	2,500	2.6	1.5 - 3.7	42,300	43.4	40.1 - 46.7	33,800	34.6	31.5 - 37.7	10,600	10.9	9.1 - 12.6	5,500	5.7	3.8 - 7.6	2,800	2.9	0.6 - 5.2	97,600
186+%	10,200	2.2	1.8 - 2.6	214,500	46.1	44.8 - 47.4	162,000	34.8	33.6 - 36.0	56,000	12.0	11.1 - 12.9	16,100	3.5	2.9 - 4.0	6,800	1.5	1.1 - 1.8	465,700

Marital Status (Grouped)	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Married	9,800	1.9	1.6 - 2.3	226,900	44.6	43.3 - 45.8	182,900	35.9	34.7 - 37.2	60,900	12.0	11.1 - 12.8	21,000	4.1	3.5 - 4.7	7,400	1.5	1.1 - 1.8	508,900
Unmarried Couple	300	1.8	0.6 - 3.1	7,600	47.1	40.0 - 54.2	5,100	31.3	24.8 - 37.7	2,500	15.4	9.0 - 21.8	500	2.8	1.0 - 4.6	300	1.6	0.1 - 3.0	16,200
Widowed	3,200	6.1	4.1 - 8.1	27,200	51.0	47.4 - 54.6	14,500	27.2	24.2 - 30.2	4,900	9.3	7.1 - 11.4	2,300	4.4	2.8 - 6.0	1,100	2.1	1.1 - 3.1	53,200
Other	10,000	3.3	2.7 - 4.0	140,100	46.7	45.0 - 48.4	95,800	31.9	30.4 - 33.5	34,000	11.3	10.3 - 12.4	12,100	4.0	3.2 - 4.8	7,900	2.6	1.8 - 3.5	300,000

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents

Year: 2000-2004

Married	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	10,000	1.9	1.6 - 2.2	231,200	44.4	43.2 - 45.6	187,000	35.9	34.7 - 37.1	62,200	12.0	11.1 - 12.8	21,800	4.2	3.6 - 4.8	8,400	1.6	1.3 - 1.9	520,700
No	13,400	3.7	3.1 - 4.4	170,000	47.7	46.1 - 49.2	110,800	31.1	29.7 - 32.5	40,000	11.2	10.3 - 12.2	14,000	3.9	3.2 - 4.6	8,400	2.3	1.6 - 3.1	356,500

Health Care Coverage	Underweight (BMI < 18.5)			Recommended range (18.5 <= BMI < 25)			Overweight (25 <= BMI < 30)			Obese 1 (30 <= BMI < 35)			Obese 2 (35 <= BMI < 40)			Obese 3 (BMI >= 40)			Estimated Population (5-yr Avg)
	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Yes	19,900	2.5	2.1 - 2.8	367,900	45.6	44.6 - 46.6	275,000	34.1	33.2 - 35.1	93,500	11.6	11.0 - 12.3	33,800	4.2	3.7 - 4.7	15,900	2.0	1.6 - 2.4	806,000
No	3,300	4.7	3.2 - 6.3	32,800	46.5	42.8 - 50.1	22,900	32.4	29.1 - 35.7	8,700	12.4	9.9 - 14.9	2,000	2.9	1.9 - 3.9	800	1.1	0.5 - 1.8	70,600

Weight - Expanded BMI by State, County, Island, Community, BRFSS Age Group, DOH Race-Ethnicity, Gender, Education Level, Employment Status (Grouped), Household Income, Poverty Level, Marital Status (Grouped), Married, Health Care Coverage, for the Year(s) - 2000-2004, 2001-2005, 2002-2006, 2003-2007, 2004-2008, 2005-2009, 2006-2010

Note: Weighted numbers (#) represent 5-yr averages, percentages and 95% confidence intervals; Respondents aged 18 years and older; n/r (Not Reportable) - If the unweighted total responses for a dimension (row) is <50 that row will not be shown; n/a (Not Available) - Not asked of a subset of respondents