

Access to Health Care, for the State of Hawaii, for State and County, for the Year 2011

Note: Weighted numbers (#), percentages and 95% confidence intervals; n/r (Not Reportable) - Represents cell size restriction based on unweighted respondents; n/a (Not Available) - Not asked of a subset of respondents

The Leading Health Indicators were developed as part of the Healthy People 2010 initiative. The Leading Health Indicators (LHI) were selected to reflect the major public health concerns in the United States. Ten indicators were chosen based upon their ability to motivate action, the availability of data to measure their progress and their relevance as broad public health issues.

This report looks at Access to Health Care:

Adults of all ages with any health care coverage. (Source: BRFSS)

Adults of all ages without a specific source of ongoing primary care. (Source: BRFSS)

Females who receive prenatal care in the first trimester. (Source: PRAMS)

Suggested citation:

Hawaii Health Data Warehouse; Hawaii State Department of Health, Behavioral Risk Factor Surveillance System (BRFSS), Pregnancy Risk Assessment Monitoring Survey (PRAMS), (report title and years), Report Created: 10/15/2013

For documentation on other terms and coding in this report, please go to the following links

[Click here to access BRFSS documentation](#)

[Click here to access PRAMS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

**For questions about this report, please contact
The Hawaii Health Data Warehouse**

profiles@hhdw.org


(855) 946-5899 x15

Adults With Health Care Coverage, for State and County, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

| Year | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|------|--------------|-------------|---------|--------|-------------|---------|----------|-------------|---------|-------|-------------|--------|------|-------------|---------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| 2011 | 90.5 | 89.4 - 91.6 | 940,900 | 88.7 | 86.0 - 91.5 | 128,800 | 91.5 | 90.1 - 92.9 | 663,300 | 90.7 | 86.3 - 95.0 | 47,700 | 86.4 | 82.9 - 89.9 | 101,200 |



Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| State | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------|--------------|-------------|---------|--------|-------------|---------|----------|-------------|---------|-------|-------------|--------|------|-------------|---------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Totals | 90.5 | 89.4 - 91.6 | 940,900 | 88.7 | 86.0 - 91.5 | 128,800 | 91.5 | 90.1 - 92.9 | 663,300 | 90.7 | 86.3 - 95.0 | 47,700 | 86.4 | 82.9 - 89.9 | 101,200 |

| Gender | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|---------|-------|-------------|--------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Male | 88.6 | 86.7 - 90.4 | 459,300 | 86.3 | 81.6 - 91.0 | 61,800 | 89.7 | 87.5 - 91.9 | 324,900 | 89.4 | 82.1 - 96.7 | 23,100 | 84.0 | 78.2 - 89.8 | 49,400 |
| Female | 92.5 | 91.2 - 93.8 | 481,700 | 91.1 | 88.4 - 93.9 | 67,000 | 93.4 | 91.7 - 95.0 | 338,300 | 91.9 | 87.0 - 96.7 | 24,500 | 88.8 | 85.2 - 92.5 | 51,800 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| BRFSS Age Group | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------|--------------|-------------|---------|--------|--------------|--------|----------|-------------|---------|-------|--------------|-------|------|--------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 18-24 | 82.0 | 76.7 - 87.3 | 99,900 | n/r | n/r | n/r | 81.5 | 75.0 - 88.0 | 72,400 | n/r | n/r | n/r | n/r | n/r | n/r |
| 25-34 | 85.7 | 82.4 - 89.1 | 165,900 | 81.6 | 71.7 - 91.5 | 20,900 | 87.4 | 83.4 - 91.3 | 120,300 | n/r | n/r | n/r | 77.2 | 67.5 - 86.9 | 17,300 |
| 35-44 | 91.3 | 88.6 - 93.9 | 159,300 | 86.8 | 79.8 - 93.8 | 18,500 | 93.8 | 91.2 - 96.5 | 116,400 | n/r | n/r | n/r | 85.8 | 76.0 - 95.6 | 18,100 |
| 45-54 | 90.9 | 88.8 - 92.9 | 163,900 | 90.4 | 85.5 - 95.2 | 24,200 | 92.0 | 89.4 - 94.5 | 111,700 | 93.4 | 87.9 - 98.8 | 9,200 | 84.6 | 77.8 - 91.4 | 18,800 |
| 55-64 | 92.7 | 90.8 - 94.7 | 149,700 | 89.0 | 85.5 - 92.5 | 25,000 | 94.6 | 92.0 - 97.3 | 97,900 | 89.6 | 84.1 - 95.2 | 8,900 | 89.5 | 84.3 - 94.7 | 18,000 |
| 65-74 | 97.3 | 95.7 - 98.8 | 97,400 | 96.9 | 94.0 - 99.7 | 14,600 | 97.3 | 95.1 - 99.4 | 66,800 | 99.3 | 98.2 - 100.0 | 5,400 | 96.9 | 94.4 - 99.4 | 10,600 |
| 75+ | 97.7 | 96.0 - 99.5 | 99,400 | 99.1 | 97.9 - 100.0 | 12,500 | 97.2 | 94.9 - 99.5 | 73,100 | 99.7 | 99.3 - 100.0 | 5,200 | 99.2 | 98.1 - 100.0 | 8,600 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| DOH Race-Ethnicity | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------------------------|--------------|-------------|---------|--------|--------------|--------|----------|-------------|---------|-------|--------------|--------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Caucasian | 91.9 | 90.4 - 93.5 | 321,200 | 90.0 | 86.7 - 93.4 | 59,400 | 93.8 | 92.0 - 95.7 | 197,900 | 93.7 | 90.4 - 96.9 | 21,000 | 85.7 | 80.1 - 91.3 | 42,900 |
| Native Hawaiian | 85.8 | 81.7 - 89.9 | 93,900 | 87.3 | 80.6 - 94.0 | 19,600 | 85.8 | 79.9 - 91.6 | 57,300 | 84.2 | 66.3 - 100.0 | 4,800 | 84.2 | 76.2 - 92.2 | 12,200 |
| Chinese | 93.0 | 88.3 - 97.7 | 58,600 | n/r | n/r | n/r | 93.7 | 88.6 - 98.8 | 53,300 | n/r | n/r | n/r | n/r | n/r | n/r |
| Filipino | 89.4 | 86.1 - 92.7 | 168,000 | 88.7 | 77.0 - 100.0 | 13,800 | 89.9 | 85.8 - 94.0 | 121,700 | 91.0 | 81.3 - 100.0 | 10,600 | 86.4 | 78.9 - 93.9 | 21,900 |
| Japanese | 94.7 | 93.1 - 96.3 | 206,200 | 89.7 | 81.8 - 97.5 | 21,700 | 95.3 | 93.6 - 96.9 | 161,900 | 96.1 | 91.8 - 100.0 | 7,600 | 94.8 | 90.8 - 98.8 | 15,200 |
| Black | 91.8 | 85.2 - 98.3 | 13,200 | n/r | n/r | n/r | 92.3 | 85.5 - 99.2 | 11,500 | n/r | n/r | n/r | n/r | n/r | n/r |
| Native Alaskan/ American Indian | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| Other Asian | 86.5 | 78.6 - 94.4 | 23,300 | n/r | n/r | n/r | 86.7 | 78.1 - 95.3 | 20,900 | n/r | n/r | n/r | n/r | n/r | n/r |
| Other Pacific Islander | 75.3 | 63.7 - 86.9 | 19,100 | n/r | n/r | n/r | 72.9 | 59.4 - 86.5 | 15,500 | n/r | n/r | n/r | n/r | n/r | n/r |
| Other | 83.3 | 75.2 - 91.3 | 29,400 | n/r | n/r | n/r | 86.9 | 77.6 - 96.1 | 20,100 | n/r | n/r | n/r | n/r | n/r | n/r |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| Education Level | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|--|--------------|-------------|---------|--------|--------------|--------|----------|-------------|---------|-------|-------------|--------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Never attended school/ Only Kindergarten to Grades 8 | 84.0 | 72.0 - 95.9 | 20,500 | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| Grades 9 thru 11 (Some High School) | 86.0 | 79.7 - 92.4 | 67,900 | 97.1 | 92.5 - 100.0 | 12,300 | 87.0 | 79.5 - 94.4 | 48,500 | n/r | n/r | n/r | 64.4 | 37.2 - 91.5 | 4,700 |
| Grades 12 or GED (High School Grad) | 87.6 | 85.2 - 89.9 | 277,600 | 86.4 | 80.9 - 91.8 | 37,000 | 88.0 | 84.9 - 91.0 | 191,700 | 90.3 | 83.3 - 97.4 | 16,100 | 85.3 | 80.2 - 90.4 | 32,900 |
| College 1 to 3 years (Some College/ Tech) | 91.7 | 90.0 - 93.4 | 311,800 | 87.9 | 82.8 - 92.9 | 49,100 | 93.3 | 91.4 - 95.2 | 211,600 | 93.7 | 89.6 - 97.7 | 16,500 | 87.0 | 81.9 - 92.1 | 34,700 |
| College 4 years or more (College Grad) | 94.3 | 93.1 - 95.6 | 262,600 | 91.2 | 88.2 - 94.1 | 27,000 | 94.6 | 93.0 - 96.2 | 200,700 | 95.8 | 92.8 - 98.7 | 11,200 | 95.1 | 93.1 - 97.2 | 23,600 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| Employment Status | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------------------|--------------|-------------|---------|--------|--------------|--------|----------|-------------|---------|-------|--------------|--------|------|--------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed for wages | 93.6 | 92.3 - 95.0 | 481,500 | 93.8 | 90.3 - 97.3 | 54,400 | 93.9 | 92.3 - 95.5 | 349,000 | 97.1 | 94.8 - 99.5 | 24,200 | 90.6 | 86.0 - 95.2 | 53,900 |
| Self-Employed | 78.6 | 73.8 - 83.4 | 76,200 | 77.6 | 69.0 - 86.3 | 16,200 | 80.4 | 73.5 - 87.2 | 43,300 | 76.1 | 60.3 - 91.8 | 5,200 | 75.0 | 62.8 - 87.2 | 11,500 |
| Not Employed | 66.4 | 59.6 - 73.2 | 52,100 | 65.6 | 52.3 - 78.8 | 11,100 | 69.8 | 60.5 - 79.2 | 32,600 | n/r | n/r | n/r | 54.0 | 38.9 - 69.2 | 5,300 |
| Retired | 97.3 | 96.1 - 98.5 | 189,000 | 98.3 | 97.2 - 99.5 | 27,000 | 97.1 | 95.5 - 98.7 | 133,600 | 99.7 | 99.3 - 100.0 | 10,300 | 95.9 | 94.0 - 97.9 | 18,100 |
| Unable to work | 88.9 | 80.5 - 97.2 | 34,300 | 94.0 | 88.2 - 99.7 | 6,600 | 86.8 | 74.7 - 98.9 | 22,300 | n/r | n/r | n/r | 92.2 | 84.3 - 100.0 | 3,200 |
| Student | 89.4 | 84.0 - 94.8 | 52,200 | n/r | n/r | n/r | 87.7 | 80.6 - 94.8 | 37,600 | n/r | n/r | n/r | n/r | n/r | n/r |
| Homemaker | 94.9 | 92.4 - 97.5 | 55,200 | 89.9 | 79.4 - 100.0 | 5,400 | 97.4 | 95.2 - 99.6 | 44,700 | n/r | n/r | n/r | 78.8 | 62.1 - 95.5 | 3,300 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| Employment Status (Grouped) | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-------------------------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|---------|-------|--------------|--------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed | 91.3 | 89.9 - 92.6 | 557,700 | 89.5 | 86.0 - 93.0 | 70,600 | 92.2 | 90.5 - 93.8 | 392,300 | 92.6 | 88.3 - 96.9 | 29,400 | 87.4 | 82.9 - 91.9 | 65,400 |
| Unemployed | 66.4 | 59.6 - 73.2 | 52,100 | 65.6 | 52.3 - 78.8 | 11,100 | 69.8 | 60.5 - 79.2 | 32,600 | n/r | n/r | n/r | 54.0 | 38.9 - 69.2 | 5,300 |
| Retired/Unable to work | 95.9 | 94.2 - 97.7 | 223,200 | 97.5 | 96.0 - 98.9 | 33,600 | 95.5 | 93.0 - 97.9 | 155,900 | 98.1 | 95.9 - 100.0 | 12,400 | 95.4 | 93.3 - 97.4 | 21,300 |
| Student/Homemaker | 92.2 | 89.2 - 95.2 | 107,400 | 90.7 | 83.4 - 98.0 | 13,300 | 92.7 | 89.1 - 96.3 | 82,300 | n/r | n/r | n/r | 90.7 | 82.5 - 98.9 | 9,000 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| Marital Status | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-------------------------|--------------|--------------|---------|--------|--------------|--------|----------|-------------|---------|-------|--------------|--------|------|--------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Married | 94.3 | 93.2 - 95.5 | 477,600 | 93.7 | 91.5 - 95.9 | 62,000 | 95.2 | 93.8 - 96.5 | 340,100 | 94.3 | 91.1 - 97.4 | 24,200 | 89.8 | 85.4 - 94.3 | 51,200 |
| Unmarried Couple | 85.1 | 79.0 - 91.1 | 39,900 | 83.3 | 70.2 - 96.3 | 8,500 | 87.0 | 79.3 - 94.6 | 22,800 | n/r | n/r | n/r | 86.3 | 72.9 - 99.6 | 6,800 |
| Separated | 90.9 | 81.8 - 100.0 | 12,900 | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| Divorced | 86.4 | 82.8 - 90.0 | 82,200 | 85.5 | 78.0 - 93.0 | 13,600 | 88.1 | 83.6 - 92.6 | 53,100 | 80.9 | 58.7 - 100.0 | 4,700 | 82.1 | 74.0 - 90.2 | 10,800 |
| Widowed | 96.1 | 93.9 - 98.3 | 73,400 | 95.9 | 91.4 - 100.0 | 10,800 | 96.2 | 93.3 - 99.2 | 50,800 | 97.3 | 93.9 - 100.0 | 4,400 | 94.9 | 89.4 - 100.0 | 7,300 |
| Never Married | 84.7 | 81.8 - 87.6 | 253,100 | 80.7 | 72.9 - 88.6 | 30,600 | 85.8 | 82.3 - 89.3 | 186,700 | 89.1 | 79.8 - 98.5 | 11,600 | 79.7 | 70.9 - 88.5 | 24,300 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011

| Household Income | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|---------|-------|--------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Less than \$10,000 | 83.6 | 78.1 - 89.1 | 36,500 | 76.2 | 64.1 - 88.3 | 7,000 | 85.2 | 78.0 - 92.3 | 23,900 | n/r | n/r | n/r | 82.8 | 70.6 - 94.9 | 3,800 |
| \$10,000 to \$14,999 | 82.4 | 74.1 - 90.7 | 29,700 | 87.6 | 79.5 - 95.8 | 9,000 | 76.9 | 63.3 - 90.6 | 15,300 | n/r | n/r | n/r | 87.3 | 76.3 - 98.4 | 3,100 |
| \$15,000 to \$19,999 | 77.2 | 69.7 - 84.7 | 46,400 | 77.0 | 63.4 - 90.7 | 9,000 | 79.2 | 68.8 - 89.6 | 26,700 | n/r | n/r | n/r | 67.0 | 48.3 - 85.7 | 6,300 |
| \$20,000 to \$24,999 | 84.1 | 79.0 - 89.1 | 63,600 | 87.4 | 78.7 - 96.1 | 14,800 | 85.1 | 78.7 - 91.6 | 37,000 | 80.0 | 60.7 - 99.4 | 4,300 | 75.9 | 58.4 - 93.5 | 7,500 |
| \$25,000 to \$34,999 | 89.0 | 85.2 - 92.8 | 94,000 | 86.0 | 78.9 - 93.1 | 15,400 | 92.1 | 87.3 - 97.0 | 61,200 | 96.6 | 92.8 - 100.0 | 4,500 | 77.7 | 66.2 - 89.1 | 12,800 |
| \$35,000 to \$49,999 | 90.3 | 86.9 - 93.7 | 127,200 | 94.9 | 91.8 - 98.0 | 21,800 | 89.6 | 84.7 - 94.4 | 82,600 | 89.6 | 81.2 - 97.9 | 7,200 | 88.7 | 81.7 - 95.7 | 15,600 |
| \$50,000 to \$74,999 | 94.7 | 93.0 - 96.4 | 164,400 | 96.8 | 93.7 - 99.8 | 17,500 | 94.9 | 92.7 - 97.0 | 121,800 | 96.1 | 92.3 - 100.0 | 8,800 | 90.9 | 85.3 - 96.4 | 16,400 |
| \$75,000 or more | 97.7 | 96.9 - 98.6 | 294,600 | 97.5 | 95.8 - 99.1 | 24,100 | 97.7 | 96.7 - 98.7 | 235,200 | 98.9 | 97.2 - 100.0 | 9,700 | 97.8 | 95.8 - 99.8 | 25,600 |

Adults With Health Care Coverage, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages with any health care coverage.

Year: 2011


| Poverty Level | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|---------|-------|--------------|--------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 0-130% | 84.1 | 80.2 - 88.1 | 139,700 | 80.2 | 73.3 - 87.2 | 28,900 | 84.5 | 78.6 - 90.3 | 83,800 | 97.8 | 95.4 - 100.0 | 8,700 | 83.4 | 75.5 - 91.2 | 18,300 |
| 131-185% | 91.4 | 87.8 - 95.1 | 104,000 | 93.0 | 88.6 - 97.4 | 21,800 | 91.1 | 85.5 - 96.7 | 63,900 | 96.4 | 93.3 - 99.5 | 5,800 | 88.6 | 82.2 - 95.0 | 12,400 |
| 186+% | 96.6 | 95.7 - 97.4 | 435,600 | 96.5 | 95.1 - 98.0 | 48,000 | 97.0 | 95.9 - 98.0 | 326,400 | 93.9 | 90.2 - 97.6 | 19,400 | 95.0 | 92.4 - 97.5 | 41,800 |

Adults who do not Have a Personal Doctor, for State and County, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

| Year | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|---------|-------|------------|-------|------|-------------|--------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| 2011 | 16.9 | 15.4 - 18.4 | 175,900 | 21.0 | 17.4 - 24.5 | 30,500 | 15.6 | 13.8 - 17.5 | 113,300 | 12.8 | 8.2 - 17.5 | 6,700 | 21.7 | 17.9 - 25.4 | 25,300 |



Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| State | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|---------|-------|------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Totals | 16.9 | 15.4 - 18.4 | 175,900 | 21.0 | 17.4 - 24.5 | 30,500 | 15.6 | 13.8 - 17.5 | 113,300 | 12.8 | 8.2 - 17.5 | 6,700 | 21.7 | 17.9 - 25.4 | 25,300 |

| Gender | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Male | 21.3 | 19.0 - 23.7 | 110,700 | 25.2 | 19.6 - 30.7 | 18,000 | 20.1 | 17.2 - 23.0 | 72,700 | 16.0 | 7.9 - 24.2 | 4,100 | 27.0 | 21.0 - 33.0 | 15,900 |
| Female | 12.5 | 10.7 - 14.3 | 65,200 | 16.9 | 12.5 - 21.3 | 12,600 | 11.2 | 8.9 - 13.4 | 40,600 | 9.7 | 5.3 - 14.1 | 2,600 | 16.3 | 12.1 - 20.5 | 9,500 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| BRFSS Age Group | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|--------|-------|------------|-------|------|-------------|-------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 18-24 | 34.0 | 27.2 - 40.9 | 42,100 | 40.1 | 23.3 - 57.0 | 6,500 | 34.2 | 25.7 - 42.7 | 30,800 | n/r | n/r | n/r | n/r | n/r | n/r |
| 25-34 | 29.4 | 25.1 - 33.7 | 56,800 | 31.2 | 19.9 - 42.5 | 7,900 | 29.0 | 23.7 - 34.2 | 39,900 | n/r | n/r | n/r | 33.1 | 22.4 - 43.7 | 7,400 |
| 35-44 | 17.5 | 13.9 - 21.0 | 30,500 | 21.4 | 12.6 - 30.1 | 4,600 | 15.2 | 11.0 - 19.3 | 18,800 | n/r | n/r | n/r | 23.8 | 13.5 - 34.1 | 5,000 |
| 45-54 | 13.7 | 11.1 - 16.4 | 24,700 | 21.2 | 14.4 - 27.9 | 5,700 | 10.9 | 7.6 - 14.2 | 13,200 | 13.3 | 4.6 - 22.0 | 1,300 | 20.4 | 14.2 - 26.7 | 4,500 |
| 55-64 | 8.1 | 6.6 - 9.5 | 13,000 | 13.1 | 9.4 - 16.8 | 3,700 | 6.3 | 4.5 - 8.1 | 6,500 | 5.5 | 2.1 - 9.0 | 500 | 11.5 | 7.7 - 15.4 | 2,300 |
| 65-74 | 5.6 | 4.1 - 7.1 | 5,600 | 10.4 | 6.2 - 14.5 | 1,600 | 3.5 | 1.9 - 5.1 | 2,400 | 5.8 | 0.8 - 10.9 | 300 | 12.0 | 5.6 - 18.4 | 1,300 |
| 75+ | 2.9 | 1.1 - 4.7 | 2,900 | 4.6 | 1.3 - 7.9 | 600 | 2.2 | 0.0 - 4.4 | 1,600 | 2.1 | 0.2 - 3.9 | 100 | 7.3 | 0.7 - 13.8 | 600 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| DOH Race-Ethnicity | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------------------------|--------------|-------------|--------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|-------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Caucasian | 20.5 | 18.0 - 23.0 | 71,800 | 24.7 | 19.3 - 30.2 | 16,500 | 20.3 | 16.8 - 23.7 | 42,700 | 12.9 | 7.0 - 18.9 | 2,900 | 19.2 | 13.6 - 24.7 | 9,600 |
| Native Hawaiian | 18.6 | 14.3 - 22.9 | 20,500 | 17.0 | 9.5 - 24.4 | 3,800 | 20.2 | 13.9 - 26.5 | 13,600 | 4.8 | 0.0 - 10.1 | 300 | 19.1 | 10.8 - 27.4 | 2,800 |
| Chinese | 11.2 | 5.3 - 17.1 | 7,000 | n/r | n/r | n/r | 10.2 | 3.9 - 16.6 | 5,800 | n/r | n/r | n/r | n/r | n/r | n/r |
| Filipino | 14.4 | 10.8 - 18.0 | 27,100 | 14.6 | 2.7 - 26.5 | 2,300 | 12.6 | 8.1 - 17.0 | 17,000 | 14.2 | 3.4 - 25.1 | 1,600 | 24.4 | 16.0 - 32.8 | 6,200 |
| Japanese | 8.6 | 6.1 - 11.1 | 18,700 | 13.2 | 5.3 - 21.1 | 3,200 | 7.2 | 4.4 - 10.1 | 12,300 | 6.4 | 0.8 - 11.9 | 500 | 16.8 | 9.3 - 24.4 | 2,700 |
| Black | 27.1 | 9.5 - 44.8 | 3,900 | n/r | n/r | n/r | 22.3 | 2.2 - 42.4 | 2,800 | n/r | n/r | n/r | n/r | n/r | n/r |
| Native Alaskan/ American Indian | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| Other Asian | 21.9 | 12.8 - 31.1 | 5,900 | n/r | n/r | n/r | 21.8 | 11.8 - 31.8 | 5,300 | n/r | n/r | n/r | n/r | n/r | n/r |
| Other Pacific Islander | 33.5 | 20.6 - 46.3 | 8,500 | n/r | n/r | n/r | 35.7 | 20.9 - 50.5 | 7,600 | n/r | n/r | n/r | n/r | n/r | n/r |
| Other | 26.1 | 16.1 - 36.0 | 9,000 | n/r | n/r | n/r | 22.7 | 10.4 - 35.0 | 5,200 | n/r | n/r | n/r | n/r | n/r | n/r |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| Education Level | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|--|--------------|-------------|--------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|-------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Never attended school/ Only Kindergarten to Grades 8 | 13.9 | 5.6 - 22.3 | 3,400 | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| Grades 9 thru 11 (Some High School) | 18.9 | 11.9 - 25.9 | 15,100 | 20.4 | 5.3 - 35.4 | 2,800 | 16.6 | 8.4 - 24.8 | 9,300 | n/r | n/r | n/r | 39.1 | 12.6 - 65.6 | 2,800 |
| Grades 12 or GED (High School Grad) | 18.3 | 15.5 - 21.0 | 58,100 | 22.2 | 15.9 - 28.5 | 9,500 | 17.2 | 13.6 - 20.8 | 37,500 | 11.1 | 3.6 - 18.5 | 2,000 | 23.5 | 17.4 - 29.7 | 9,100 |
| College 1 to 3 years (Some College/ Tech) | 18.4 | 15.7 - 21.2 | 62,600 | 23.9 | 17.5 - 30.4 | 13,300 | 16.9 | 13.2 - 20.5 | 38,200 | 14.4 | 6.6 - 22.1 | 2,500 | 21.5 | 15.3 - 27.7 | 8,500 |
| College 4 years or more (College Grad) | 13.2 | 11.2 - 15.1 | 36,600 | 14.4 | 10.7 - 18.1 | 4,300 | 13.0 | 10.5 - 15.4 | 27,500 | 10.9 | 5.5 - 16.2 | 1,300 | 14.5 | 10.3 - 18.7 | 3,600 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| Employment Status | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------------------|--------------|-------------|--------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed for wages | 17.9 | 15.7 - 20.0 | 92,000 | 17.8 | 12.4 - 23.3 | 10,400 | 17.6 | 15.0 - 20.3 | 65,700 | 11.1 | 5.8 - 16.4 | 2,800 | 22.1 | 16.7 - 27.5 | 13,100 |
| Self-Employed | 22.6 | 17.7 - 27.6 | 21,900 | 28.4 | 18.6 - 38.2 | 6,000 | 19.8 | 12.9 - 26.7 | 10,700 | 21.6 | 4.5 - 38.6 | 1,500 | 25.1 | 13.0 - 37.1 | 3,800 |
| Not Employed | 36.6 | 29.5 - 43.6 | 28,800 | 42.1 | 28.3 - 56.0 | 7,100 | 34.9 | 25.0 - 44.7 | 16,400 | n/r | n/r | n/r | 37.0 | 22.3 - 51.7 | 3,700 |
| Retired | 4.7 | 3.4 - 6.0 | 9,100 | 8.5 | 5.7 - 11.4 | 2,300 | 3.1 | 1.6 - 4.6 | 4,200 | 4.2 | 1.3 - 7.1 | 400 | 11.3 | 6.5 - 16.2 | 2,100 |
| Unable to work | 12.7 | 6.3 - 19.1 | 4,900 | 21.2 | 5.1 - 37.4 | 1,500 | 11.9 | 3.7 - 20.1 | 3,100 | n/r | n/r | n/r | 5.2 | 0.3 - 10.1 | 200 |
| Student | 21.2 | 12.9 - 29.4 | 12,400 | n/r | n/r | n/r | 20.3 | 10.1 - 30.5 | 8,800 | n/r | n/r | n/r | n/r | n/r | n/r |
| Homemaker | 11.2 | 6.3 - 16.1 | 6,400 | 19.7 | 4.3 - 35.2 | 1,200 | 9.3 | 3.8 - 14.9 | 4,200 | n/r | n/r | n/r | 21.7 | 5.4 - 37.9 | 900 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| Employment Status (Grouped) | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-------------------------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Employed | 18.6 | 16.6 - 20.6 | 113,900 | 20.6 | 15.8 - 25.4 | 16,400 | 17.9 | 15.4 - 20.4 | 76,300 | 13.4 | 7.6 - 19.1 | 4,200 | 22.7 | 17.8 - 27.7 | 17,000 |
| Unemployed | 36.6 | 29.5 - 43.6 | 28,800 | 42.1 | 28.3 - 56.0 | 7,100 | 34.9 | 25.0 - 44.7 | 16,400 | n/r | n/r | n/r | 37.0 | 22.3 - 51.7 | 3,700 |
| Retired/Unable to work | 6.0 | 4.5 - 7.5 | 14,000 | 11.1 | 6.9 - 15.4 | 3,800 | 4.5 | 2.6 - 6.3 | 7,300 | 4.6 | 1.9 - 7.4 | 600 | 10.4 | 6.1 - 14.6 | 2,300 |
| Student/Homemaker | 16.2 | 11.4 - 21.1 | 18,900 | 21.6 | 9.3 - 33.9 | 3,200 | 14.7 | 8.9 - 20.5 | 13,000 | n/r | n/r | n/r | 24.5 | 10.5 - 38.4 | 2,400 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| Marital Status | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-------------------------|--------------|-------------|--------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Married | 10.6 | 9.2 - 12.0 | 53,500 | 10.6 | 8.0 - 13.2 | 7,000 | 9.7 | 8.0 - 11.5 | 34,700 | 11.5 | 6.1 - 17.0 | 3,000 | 15.5 | 11.0 - 20.0 | 8,800 |
| Unmarried Couple | 27.1 | 18.8 - 35.5 | 12,700 | 42.5 | 25.0 - 60.0 | 4,400 | 25.6 | 13.7 - 37.6 | 6,700 | n/r | n/r | n/r | 20.0 | 7.2 - 32.8 | 1,600 |
| Separated | 28.5 | 14.9 - 42.2 | 4,100 | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| Divorced | 18.8 | 14.3 - 23.2 | 17,900 | 29.9 | 18.6 - 41.2 | 4,800 | 14.3 | 8.7 - 19.9 | 8,600 | 19.7 | 0.0 - 41.9 | 1,200 | 25.4 | 16.3 - 34.4 | 3,300 |
| Widowed | 4.4 | 2.7 - 6.0 | 3,300 | 6.3 | 2.5 - 10.1 | 700 | 3.1 | 1.1 - 5.0 | 1,600 | 5.0 | 0.3 - 9.7 | 200 | 10.2 | 3.4 - 17.1 | 800 |
| Never Married | 28.1 | 24.4 - 31.8 | 84,300 | 33.8 | 24.6 - 43.1 | 13,000 | 26.9 | 22.3 - 31.5 | 58,700 | 16.3 | 5.5 - 27.0 | 2,100 | 34.9 | 25.2 - 44.6 | 10,500 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| Household Income | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|--------|-------|------------|-------|------|-------------|-------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Less than \$10,000 | 20.8 | 14.5 - 27.1 | 9,100 | 26.4 | 14.9 - 37.9 | 2,400 | 17.3 | 9.4 - 25.2 | 4,900 | n/r | n/r | n/r | 37.0 | 16.8 - 57.2 | 1,700 |
| \$10,000 to \$14,999 | 25.4 | 16.9 - 33.9 | 9,300 | 31.9 | 17.1 - 46.6 | 3,200 | 22.6 | 9.8 - 35.4 | 4,600 | n/r | n/r | n/r | 22.5 | 6.5 - 38.4 | 800 |
| \$15,000 to \$19,999 | 28.9 | 21.2 - 36.5 | 17,400 | 33.1 | 18.4 - 47.7 | 3,900 | 25.2 | 14.8 - 35.7 | 8,500 | n/r | n/r | n/r | 40.6 | 22.1 - 59.0 | 3,800 |
| \$20,000 to \$24,999 | 27.4 | 20.7 - 34.0 | 20,800 | 32.7 | 19.4 - 46.0 | 5,600 | 24.7 | 15.5 - 34.0 | 10,800 | 23.7 | 4.3 - 43.1 | 1,300 | 31.6 | 14.6 - 48.7 | 3,100 |
| \$25,000 to \$34,999 | 14.4 | 10.3 - 18.5 | 15,200 | 13.0 | 6.5 - 19.5 | 2,300 | 13.5 | 7.9 - 19.2 | 9,000 | 2.5 | 0.0 - 5.4 | 100 | 22.8 | 12.9 - 32.8 | 3,800 |
| \$35,000 to \$49,999 | 15.1 | 11.6 - 18.5 | 21,200 | 20.3 | 12.8 - 27.9 | 4,600 | 12.1 | 7.5 - 16.6 | 11,100 | 12.8 | 1.7 - 24.0 | 1,000 | 25.3 | 16.4 - 34.2 | 4,400 |
| \$50,000 to \$74,999 | 13.7 | 10.4 - 17.1 | 23,900 | 15.3 | 8.9 - 21.6 | 2,800 | 13.6 | 9.3 - 17.9 | 17,500 | 10.6 | 1.1 - 20.1 | 1,000 | 14.8 | 8.6 - 21.1 | 2,700 |
| \$75,000 or more | 13.9 | 11.1 - 16.6 | 41,800 | 10.1 | 2.8 - 17.4 | 2,600 | 15.2 | 11.9 - 18.5 | 36,600 | 2.9 | 0.1 - 5.8 | 300 | 9.0 | 5.1 - 13.0 | 2,300 |

Adults who do not Have a Personal Doctor, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

Note: Adults of all ages who do not have an ongoing source of primary care.

Year: 2011

| Poverty Level | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------|--------------|-------------|--------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|-------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| 0-130% | 20.4 | 16.1 - 24.7 | 33,900 | 31.0 | 22.5 - 39.6 | 11,200 | 17.8 | 11.6 - 24.0 | 17,700 | 9.7 | 2.4 - 17.0 | 900 | 19.0 | 11.6 - 26.4 | 4,200 |
| 131-185% | 11.8 | 8.2 - 15.5 | 13,500 | 15.8 | 8.7 - 23.0 | 3,700 | 9.6 | 4.5 - 14.7 | 6,800 | 4.0 | 0.3 - 7.7 | 200 | 19.8 | 11.2 - 28.4 | 2,800 |
| 186+% | 11.5 | 9.5 - 13.6 | 52,000 | 12.3 | 7.7 - 16.9 | 6,200 | 11.5 | 8.9 - 14.1 | 38,700 | 8.3 | 3.3 - 13.3 | 1,700 | 12.3 | 9.0 - 15.6 | 5,400 |


| Health Care Coverage | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|----------------------|--------------|-------------|---------|--------|-------------|--------|----------|-------------|--------|-------|------------|-------|------|-------------|--------|
| | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # | % | C.I. (95%) | # |
| Yes | 13.0 | 11.6 - 14.4 | 121,900 | 14.6 | 11.5 - 17.8 | 18,800 | 12.5 | 10.7 - 14.3 | 82,600 | 9.0 | 5.4 - 12.5 | 4,300 | 16.1 | 12.9 - 19.3 | 16,200 |
| No | 53.6 | 47.3 - 59.9 | 52,700 | 67.2 | 56.1 - 78.3 | 11,000 | 49.3 | 40.7 - 57.8 | 30,200 | n/r | n/r | n/r | 57.2 | 43.6 - 70.8 | 9,100 |

Females who Received Prenatal Care in First Trimester, for State and County, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 30; n/a (Not Available) - Not asked of a subset of respondents*

Note: Females of all ages who received prenatal care in the first trimester.

| Year | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|--------|-------|-------------|-----|------|-------------|-------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| 2011 | 86.0 | 83.6 - 88.0 | 15,800 | 82.0 | 77.7 - 85.6 | 2,000 | 87.0 | 83.8 - 89.7 | 11,500 | 89.2 | 84.7 - 92.5 | 800 | 82.2 | 78.3 - 85.5 | 1,600 |



Females who Received Prenatal Care in First Trimester, for State and County, by PRAMS Age Group, Infant Gender, DOH Race-Ethnicity, Married Indicator, Poverty Level, Income, Birthweight, Smoke 3rd Trimester, Smoke Before Pregnant, WIC During Pregnancy, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 30; n/a (Not Available) - Not asked of a subset of respondents*

Note: Females of all ages who received prenatal care in the first trimester.

Year: 2011

| State | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|--------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|--------|-------|-------------|-----|------|-------------|-------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Hawaii State | 86.0 | 83.6 - 88.0 | 15,800 | 82.0 | 77.7 - 85.6 | 2,000 | 87.0 | 83.8 - 89.7 | 11,500 | 89.2 | 84.7 - 92.5 | 800 | 82.2 | 78.3 - 85.5 | 1,600 |

| PRAMS Age Group | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------|--------------|-------------|-------|--------|-------------|-----|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| <20 | 62.6 | 49.5 - 74.1 | 700 | 72.1 | 57.4 - 83.3 | 200 | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r | n/r |
| 20-24 | 78.6 | 72.3 - 83.7 | 3,500 | 84.1 | 74.7 - 90.4 | 500 | 77.2 | 68.7 - 84.0 | 2,500 | 85.6 | 73.4 - 92.8 | 200 | 77.6 | 68.0 - 84.9 | 300 |
| 25-34 | 90.7 | 88.0 - 92.8 | 8,900 | 85.0 | 78.9 - 89.6 | 900 | 92.3 | 88.6 - 94.8 | 6,700 | 91.4 | 85.3 - 95.1 | 400 | 84.9 | 79.7 - 89.0 | 900 |
| 35+ | 89.4 | 84.2 - 93.0 | 2,800 | 78.8 | 67.2 - 87.1 | 300 | 91.5 | 83.8 - 95.7 | 2,000 | 91.9 | 80.0 - 97.0 | 100 | 86.8 | 78.3 - 92.3 | 400 |

Females who Received Prenatal Care in First Trimester, for State and County, by PRAMS Age Group, Infant Gender, DOH Race-Ethnicity, Married Indicator, Poverty Level, Income, Birthweight, Smoke 3rd Trimester, Smoke Before Pregnant, WIC During Pregnancy, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 30; n/a (Not Available) - Not asked of a subset of respondents*

Note: Females of all ages who received prenatal care in the first trimester.

Year: 2011

| Infant Gender | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------|--------------|-------------|-------|--------|-------------|-------|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Male | 84.9 | 81.4 - 87.8 | 8,000 | 80.4 | 74.0 - 85.5 | 1,000 | 86.2 | 81.4 - 89.9 | 5,900 | 87.0 | 79.6 - 91.9 | 400 | 80.3 | 74.6 - 85.0 | 800 |
| Female | 87.1 | 83.8 - 89.8 | 7,800 | 83.7 | 77.5 - 88.4 | 1,000 | 87.9 | 83.2 - 91.4 | 5,600 | 91.3 | 85.2 - 95.1 | 400 | 84.2 | 78.6 - 88.5 | 800 |

| DOH Race-Ethnicity | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|------------------------|--------------|-------------|-------|--------|-------------|-----|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Caucasian | 91.4 | 87.3 - 94.3 | 4,100 | 80.9 | 71.4 - 87.8 | 400 | 93.8 | 87.5 - 97.0 | 3,000 | 89.7 | 79.3 - 95.2 | 200 | 89.0 | 82.5 - 93.3 | 500 |
| Native Hawaiian | 80.5 | 75.5 - 84.7 | 4,200 | 82.0 | 75.0 - 87.3 | 800 | 79.2 | 71.4 - 85.3 | 2,600 | 90.3 | 82.4 - 94.9 | 300 | 79.9 | 72.3 - 85.8 | 500 |
| Chinese | 93.0 | 79.9 - 97.8 | 700 | n/r | n/r | n/r | 93.8 | 76.6 - 98.6 | 600 | n/r | n/r | n/r | n/r | n/r | n/r |
| Filipino | 90.5 | 85.1 - 94.1 | 3,000 | 94.3 | 84.7 - 98.0 | 300 | 90.9 | 82.9 - 95.3 | 2,100 | 90.4 | 79.0 - 95.9 | 200 | 85.0 | 76.0 - 91.0 | 300 |
| Japanese | 93.0 | 86.5 - 96.5 | 1,800 | n/r | n/r | n/r | 94.7 | 85.6 - 98.2 | 1,500 | n/r | n/r | n/r | n/r | n/r | n/r |
| Other | 75.3 | 66.8 - 82.2 | 2,100 | 57.3 | 40.8 - 72.4 | 100 | 77.7 | 67.2 - 85.5 | 1,700 | n/r | n/r | n/r | 68.9 | 55.1 - 80.0 | 200 |

Females who Received Prenatal Care in First Trimester, for State and County, by PRAMS Age Group, Infant Gender, DOH Race-Ethnicity, Married Indicator, Poverty Level, Income, Birthweight, Smoke 3rd Trimester, Smoke Before Pregnant, WIC During Pregnancy, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 30; n/a (Not Available) - Not asked of a subset of respondents*

Note: Females of all ages who received prenatal care in the first trimester.

Year: 2011

| Married | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Yes | 90.1 | 87.4 - 92.2 | 10,300 | 83.4 | 77.2 - 88.2 | 900 | 91.3 | 87.9 - 93.8 | 8,200 | 90.7 | 84.2 - 94.7 | 400 | 86.6 | 81.5 - 90.4 | 900 |
| No | 79.1 | 74.5 - 83.0 | 5,500 | 80.8 | 74.6 - 85.8 | 1,100 | 78.0 | 70.7 - 83.9 | 3,300 | 87.8 | 80.8 - 92.5 | 400 | 77.5 | 71.3 - 82.7 | 700 |

| Poverty Level | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------|--------------|-------------|-------|--------|-------------|-------|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| 0-130% | 75.7 | 70.8 - 80.0 | 5,000 | 78.0 | 71.3 - 83.4 | 1,000 | 74.5 | 67.1 - 80.8 | 3,100 | 83.5 | 74.9 - 89.6 | 300 | 75.2 | 68.1 - 81.1 | 600 |
| 131-185% | 85.9 | 78.9 - 90.8 | 2,400 | 89.9 | 77.1 - 95.9 | 200 | 85.3 | 76.1 - 91.4 | 1,800 | 93.1 | 79.0 - 97.9 | 100 | 82.4 | 70.9 - 90.0 | 200 |
| 186+% | 94.0 | 91.4 - 95.9 | 7,600 | 90.0 | 83.4 - 94.2 | 700 | 95.0 | 91.4 - 97.2 | 5,900 | 92.3 | 85.1 - 96.1 | 300 | 90.6 | 85.5 - 94.1 | 700 |

Females who Received Prenatal Care in First Trimester, for State and County, by PRAMS Age Group, Infant Gender, DOH Race-Ethnicity, Married Indicator, Poverty Level, Income, Birthweight, Smoke 3rd Trimester, Smoke Before Pregnant, WIC During Pregnancy, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 30; n/a (Not Available) - Not asked of a subset of respondents*

Note: Females of all ages who received prenatal care in the first trimester.

Year: 2011

| Income (2004-2011) | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|--------------------|--------------|-------------|-------|--------|-------------|-----|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| <\$10,000 | 73.1 | 65.8 - 79.3 | 2,400 | 77.8 | 69.0 - 84.7 | 600 | 70.8 | 59.4 - 80.1 | 1,400 | 84.9 | 72.3 - 92.4 | 200 | 70.4 | 59.1 - 79.6 | 200 |
| \$10,000-\$24,999 | 79.0 | 72.3 - 84.5 | 2,700 | 77.5 | 67.1 - 85.3 | 400 | 77.9 | 67.8 - 85.5 | 1,700 | 91.0 | 80.2 - 96.2 | 200 | 80.9 | 72.2 - 87.4 | 400 |
| \$25,000-\$49,999 | 88.7 | 84.3 - 92.0 | 4,000 | 85.8 | 76.4 - 91.9 | 400 | 90.5 | 84.4 - 94.3 | 3,100 | 82.7 | 69.9 - 90.8 | 100 | 80.9 | 72.4 - 87.2 | 400 |
| >=\$50,000 | 93.9 | 90.6 - 96.1 | 5,800 | 91.2 | 83.4 - 95.5 | 500 | 94.3 | 89.9 - 96.9 | 4,500 | 93.5 | 85.5 - 97.3 | 300 | 92.6 | 86.8 - 96.0 | 500 |

| Birthweight | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|--------|-------|-------------|-----|------|-------------|-------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Normal birth weight | 86.2 | 83.6 - 88.4 | 14,700 | 82.2 | 77.8 - 86.0 | 1,800 | 87.2 | 83.7 - 90.1 | 10,600 | 89.0 | 84.3 - 92.5 | 700 | 82.5 | 78.5 - 85.9 | 1,500 |
| Low birth weight | 83.1 | 78.5 - 86.8 | 1,100 | n/r | n/r | n/r | 83.9 | 78.9 - 87.8 | 800 | n/r | n/r | n/r | n/r | n/r | n/r |

Females who Received Prenatal Care in First Trimester, for State and County, by PRAMS Age Group, Infant Gender, DOH Race-Ethnicity, Married Indicator, Poverty Level, Income, Birthweight, Smoke 3rd Trimester, Smoke Before Pregnant, WIC During Pregnancy, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals;
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 30; n/a (Not Available) - Not asked of a subset of respondents*

Note: Females of all ages who received prenatal care in the first trimester.

Year: 2011

| Smoke 3rd Trimester | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|---------------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|--------|-------|-------------|-----|------|-------------|-------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Yes | 75.6 | 63.4 - 84.6 | 700 | n/r | n/r | n/r | 74.9 | 55.3 - 87.8 | 400 | n/r | n/r | n/r | n/r | n/r | n/r |
| No | 86.5 | 84.0 - 88.6 | 14,900 | 82.2 | 77.7 - 86.0 | 1,800 | 87.4 | 84.1 - 90.1 | 11,000 | 88.9 | 84.2 - 92.4 | 700 | 83.7 | 79.7 - 86.9 | 1,500 |

| Smoke Before Pregnant | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|-----------------------|--------------|-------------|--------|--------|-------------|-------|----------|-------------|-------|-------|-------------|-----|------|-------------|-------|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Yes | 79.9 | 73.8 - 84.9 | 2,800 | 78.8 | 69.0 - 86.2 | 500 | 81.3 | 72.4 - 87.9 | 2,000 | n/r | n/r | n/r | 70.4 | 60.3 - 78.8 | 300 |
| No | 87.3 | 84.7 - 89.5 | 12,800 | 82.7 | 77.7 - 86.7 | 1,400 | 88.2 | 84.6 - 91.0 | 9,400 | 89.3 | 84.4 - 92.8 | 700 | 85.6 | 81.4 - 88.9 | 1,300 |

| WIC During Pregnancy | Hawaii State | | | Hawaii | | | Honolulu | | | Kauai | | | Maui | | |
|----------------------|--------------|-------------|-------|--------|-------------|-------|----------|-------------|-------|-------|-------------|-----|------|-------------|-----|
| | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # | % | C.I.(95%) | # |
| Yes | 80.5 | 76.3 - 84.2 | 6,600 | 81.3 | 75.4 - 86.1 | 1,200 | 79.7 | 73.5 - 84.7 | 4,400 | 88.6 | 81.7 - 93.2 | 400 | 80.9 | 74.9 - 85.7 | 800 |
| No | 90.4 | 87.7 - 92.5 | 9,000 | 82.6 | 75.9 - 87.8 | 800 | 92.1 | 88.7 - 94.6 | 7,000 | 90.7 | 84.2 - 94.7 | 400 | 84.0 | 78.6 - 88.2 | 800 |