

## Mental Health, for the State of Hawaii, for State and County, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; n/r (Not Reportable) - Represents cell size restriction based on unweighted respondents; n/a (Not Available) - Not asked of a subset of respondents*

*The Leading Health Indicators were developed as part of the Healthy People 2010 initiative. The Leading Health Indicators (LHI) were selected to reflect the major public health concerns in the United States. Ten indicators were chosen based upon their ability to motivate action, the availability of data to measure their progress and their relevance as broad public health issues.*

*This report looks at Mental Health for youths and adults:*

*Youths in grades 9-12 who felt sad or hopeless almost every day for 2 or more weeks in a row so that they stopped doing some usual activities, during the past 12 months. (Source: YRBS)*

*Adults whose mental health was not good for 14 or more of the past 30 days. (Source: BRFSS)*

*Note: Question not asked of middle school students in 2011. Hawaii County High School data is not available in 2011.*

*Suggested citation:*

*Hawaii Health Data Warehouse; Hawaii State Department of Health, State of Hawaii, Hawaii School Health Survey: Youth Risk Behavior Survey Module (YRBS), Behavioral Risk Factor Surveillance System (BRFSS), (report title and years), Report Created: 10/15/2013*

*For documentation on other terms and coding in this report, please go to the following links*

[Click here to access BRFSS documentation](#)

[Click here to access YRBS documentation](#)

[Click here to access DOH Race-Ethnicity coding](#)

[Click here to access The Hawai'i Data Guide](#)

[Click here to access Poverty Level Methodology](#)

**For questions about this report, please contact  
The Hawaii Health Data Warehouse**

[profiles@hhdw.org](mailto:profiles@hhdw.org)

**(855) 946-5899 x15**


## Youth Depression in the Past 12 Months, for State and County, for Students in Grades 9-12, by School Type, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Students in grades 9-12; n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 100; n/a (Not Available) - Not asked of a subset of respondents; Question not asked of middle school students in 2011; Hawaii County High School data is not available in 2011.*

*Note: Youths in grades 9-12 who felt sad or hopeless almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the past 12 months.*

### High School

Year	Hawaii State			Honolulu			Kauai			Maui		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	29.5	27.4 - 31.6	12,700	30.2	27.2 - 33.2	8,900	24.4	20.9 - 27.9	600	27.7	24.4 - 30.9	1,500



## Youth Depression in the Past 12 Months, for State and County, for Students in Grades 9-12, by School Type, Grade Level, Gender, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Students in grades 9-12; n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 100; n/a (Not Available) - Not asked of a subset of respondents; Question not asked of middle school students in 2011; Hawaii County High School data is not available in 2011.*

*Note: Youths in grades 9-12 who felt sad or hopeless almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the past 12 months.*

### High School

**Year: 2011**

State	Hawaii State			Honolulu			Kauai			Maui		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Hawaii State	29.5	27.4 - 31.6	12,700	30.2	27.2 - 33.2	8,900	24.4	20.9 - 27.9	600	27.7	24.4 - 30.9	1,500

Grade Level	Hawaii State			Honolulu			Kauai			Maui		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
9th Grade	29.8	25.5 - 34.0	3,700	30.8	25.0 - 36.6	2,600	21.2	14.7 - 27.7	100	21.0	15.2 - 26.8	300
10th Grade	27.2	23.4 - 30.9	3,000	27.7	22.3 - 33.0	2,100	20.0	13.7 - 26.2	100	26.5	20.5 - 32.4	400
11th Grade	29.9	24.5 - 35.3	3,000	30.9	22.9 - 38.9	2,100	28.0	22.7 - 33.3	200	32.9	26.6 - 39.2	400
12th Grade	31.6	28.1 - 35.1	3,000	32.2	27.4 - 37.0	2,000	28.3	21.3 - 35.4	200	33.1	25.8 - 40.4	400

## Youth Depression in the Past 12 Months, for State and County, for Students in Grades 9-12, by School Type, Grade Level, Gender, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Students in grades 9-12; n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 100; n/a (Not Available) - Not asked of a subset of respondents; Question not asked of middle school students in 2011; Hawaii County High School data is not available in 2011.*

*Note: Youths in grades 9-12 who felt sad or hopeless almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the past 12 months.*

### High School

**Year: 2011**


Gender	Hawaii State			Honolulu			Kauai			Maui		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
Male	23.5	21.0 - 25.9	5,000	24.9	21.5 - 28.4	3,600	16.4	12.5 - 20.3	200	22.8	18.9 - 26.6	600
Female	35.2	31.7 - 38.7	7,700	35.4	30.4 - 40.5	5,300	32.1	27.2 - 37.1	400	32.1	27.2 - 37.0	900

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, Trend by Year, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

Year	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#	%	C.I.(95%)	#
2011	8.5	7.5 - 9.5	87,400	10.0	8.1 - 11.9	14,600	8.1	6.8 - 9.4	58,500	9.2	5.9 - 12.5	4,700	8.3	6.5 - 10.0	9,700



## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

State	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Totals</b>	8.5	7.5 - 9.5	87,400	10.0	8.1 - 11.9	14,600	8.1	6.8 - 9.4	58,500	9.2	5.9 - 12.5	4,700	8.3	6.5 - 10.0	9,700

Gender	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Male</b>	7.3	6.0 - 8.7	37,800	8.5	6.0 - 11.0	6,100	7.0	5.2 - 8.8	25,300	10.0	4.9 - 15.1	2,500	6.6	4.4 - 8.8	3,900
<b>Female</b>	9.6	8.1 - 11.0	49,600	11.5	8.6 - 14.3	8,500	9.2	7.2 - 11.1	33,100	8.5	4.2 - 12.8	2,200	10.0	7.3 - 12.7	5,800

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

BRFSS Age Group	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
18-24	6.7	3.5 - 9.8	8,200	4.1	0.0 - 8.9	700	7.5	3.4 - 11.6	6,700	n/r	n/r	n/r	n/r	n/r	n/r
25-34	10.4	7.5 - 13.3	20,200	12.1	6.2 - 18.0	3,100	10.0	6.2 - 13.8	13,800	n/r	n/r	n/r	8.2	3.1 - 13.2	1,800
35-44	10.1	6.9 - 13.2	17,400	10.7	5.0 - 16.4	2,300	10.5	6.2 - 14.7	12,900	n/r	n/r	n/r	9.6	4.9 - 14.4	2,000
45-54	10.0	7.6 - 12.3	17,800	12.9	7.8 - 18.0	3,500	9.5	6.3 - 12.7	11,400	9.7	2.8 - 16.7	900	9.1	5.3 - 12.8	2,000
55-64	9.5	7.8 - 11.2	15,200	13.3	9.6 - 17.0	3,700	8.1	5.8 - 10.4	8,400	11.9	6.3 - 17.6	1,100	9.8	6.3 - 13.4	2,000
65-74	4.3	3.0 - 5.7	4,300	5.7	2.8 - 8.5	800	3.5	1.8 - 5.3	2,400	9.0	1.9 - 16.1	500	5.0	1.8 - 8.3	500
75+	4.1	2.8 - 5.3	4,100	4.2	1.2 - 7.3	500	3.5	2.0 - 4.9	2,600	2.7	0.4 - 4.9	100	9.8	4.1 - 15.6	800

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

DOH Race-Ethnicity	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Caucasian	10.1	8.3 - 11.9	35,200	10.9	8.1 - 13.8	7,300	10.3	7.5 - 13.0	21,500	9.1	4.9 - 13.3	2,000	8.8	6.1 - 11.4	4,400
Native Hawaiian	13.6	10.2 - 17.1	14,900	17.8	10.7 - 24.9	4,000	11.6	7.0 - 16.2	7,700	26.2	7.6 - 44.9	1,500	11.7	5.7 - 17.6	1,700
Chinese	6.6	1.9 - 11.4	4,200	n/r	n/r	n/r	6.5	1.3 - 11.7	3,700	n/r	n/r	n/r	n/r	n/r	n/r
Filipino	4.6	2.6 - 6.6	8,600	4.6	1.2 - 7.9	700	4.4	1.8 - 7.0	5,900	2.7	0.1 - 5.3	300	6.8	3.2 - 10.4	1,700
Japanese	5.2	3.9 - 6.6	11,400	6.3	3.2 - 9.3	1,500	5.0	3.4 - 6.6	8,500	7.3	1.4 - 13.3	600	4.9	1.7 - 8.0	800
Black	7.4	0.9 - 14.0	1,100	n/r	n/r	n/r	5.0	0.0 - 10.9	600	n/r	n/r	n/r	n/r	n/r	n/r
Native Alaskan/ American Indian	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Other Asian	11.7	3.3 - 20.2	3,100	n/r	n/r	n/r	12.1	2.8 - 21.3	2,900	n/r	n/r	n/r	n/r	n/r	n/r
Other Pacific Islander	13.5	2.0 - 24.9	3,400	n/r	n/r	n/r	15.8	2.5 - 29.2	3,400	n/r	n/r	n/r	n/r	n/r	n/r
Other	12.0	5.7 - 18.2	4,200	n/r	n/r	n/r	15.4	6.1 - 24.7	3,600	n/r	n/r	n/r	n/r	n/r	n/r



## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

Education Level	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
Never attended school/ Only Kindergarten to Grades 8	4.3	1.1 - 7.5	1,000	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
Grades 9 thru 11 (Some High School)	13.4	8.1 - 18.8	10,600	14.3	4.1 - 24.6	1,900	14.1	7.2 - 21.1	7,800	n/r	n/r	n/r	5.6	0.0 - 12.8	400
Grades 12 or GED (High School Grad)	9.2	7.1 - 11.2	28,900	11.5	8.0 - 15.1	4,900	8.2	5.4 - 11.0	17,800	13.0	6.1 - 19.9	2,300	10.4	6.9 - 13.8	4,000
College 1 to 3 years (Some College/ Tech)	8.5	6.7 - 10.3	28,800	9.5	6.6 - 12.5	5,300	8.6	6.0 - 11.1	19,300	6.6	2.1 - 11.1	1,200	7.5	4.5 - 10.5	3,000
College 4 years or more (College Grad)	6.5	5.4 - 7.6	18,100	8.1	5.2 - 11.0	2,400	6.2	4.8 - 7.5	13,100	6.7	3.3 - 10.1	800	7.3	4.7 - 9.9	1,800

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

Employment Status	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed for wages</b>	6.9	5.6 - 8.2	35,400	10.0	6.8 - 13.2	5,900	6.3	4.7 - 8.0	23,500	8.2	3.3 - 13.1	2,000	6.7	4.5 - 8.9	4,000
<b>Self-Employed</b>	9.7	5.9 - 13.5	9,400	7.5	3.5 - 11.6	1,600	12.3	5.8 - 18.8	6,600	2.2	0.0 - 5.0	200	7.0	2.5 - 11.6	1,100
<b>Not Employed</b>	17.6	11.6 - 23.6	13,500	14.9	7.4 - 22.5	2,500	20.0	10.7 - 29.3	9,100	n/r	n/r	n/r	12.0	3.9 - 20.1	1,200
<b>Retired</b>	4.5	3.4 - 5.6	8,700	5.0	2.8 - 7.1	1,400	3.9	2.5 - 5.2	5,300	7.1	2.4 - 11.8	700	7.5	4.2 - 10.8	1,400
<b>Unable to work</b>	27.5	19.6 - 35.5	10,400	29.8	17.7 - 42.0	2,000	23.6	12.9 - 34.4	6,000	n/r	n/r	n/r	37.1	19.6 - 54.7	1,300
<b>Student</b>	6.1	2.9 - 9.4	3,600	n/r	n/r	n/r	6.6	2.5 - 10.7	2,900	n/r	n/r	n/r	n/r	n/r	n/r
<b>Homemaker</b>	10.9	5.9 - 16.0	6,300	11.2	0.0 - 23.5	700	11.1	5.0 - 17.1	5,100	n/r	n/r	n/r	12.6	0.0 - 25.9	500

**Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011**

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

Employment Status (Grouped)	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Employed</b>	7.3	6.1 - 8.6	44,800	9.4	6.8 - 11.9	7,500	7.1	5.5 - 8.7	30,100	6.9	3.0 - 10.8	2,200	6.8	4.8 - 8.7	5,000
<b>Unemployed</b>	17.6	11.6 - 23.6	13,500	14.9	7.4 - 22.5	2,500	20.0	10.7 - 29.3	9,100	n/r	n/r	n/r	12.0	3.9 - 20.1	1,200
<b>Retired/Unable to work</b>	8.3	6.7 - 10.0	19,100	9.9	6.9 - 12.9	3,400	7.0	4.8 - 9.1	11,300	14.6	8.2 - 21.1	1,800	12.2	8.2 - 16.1	2,700
<b>Student/Homemaker</b>	8.5	5.5 - 11.6	9,900	8.2	1.5 - 14.9	1,200	8.9	5.1 - 12.6	7,900	n/r	n/r	n/r	7.6	0.6 - 14.5	700

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

Marital Status	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Married</b>	7.6	6.2 - 8.9	38,100	8.0	5.8 - 10.1	5,300	7.3	5.5 - 9.1	26,000	7.6	3.4 - 11.7	1,900	8.6	6.1 - 11.1	4,900
<b>Unmarried Couple</b>	9.2	5.0 - 13.5	4,300	8.7	0.4 - 17.1	900	6.4	1.6 - 11.2	1,700	n/r	n/r	n/r	16.1	4.2 - 28.1	1,300
<b>Separated</b>	25.2	9.9 - 40.5	3,700	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r	n/r
<b>Divorced</b>	8.4	6.1 - 10.6	7,900	10.8	6.2 - 15.3	1,700	7.2	4.1 - 10.2	4,300	16.5	5.2 - 27.7	800	8.0	3.8 - 12.2	1,000
<b>Widowed</b>	6.2	4.5 - 7.9	4,700	11.7	5.8 - 17.6	1,300	4.9	2.9 - 6.9	2,500	6.5	1.3 - 11.6	300	7.2	3.2 - 11.1	500
<b>Never Married</b>	9.6	7.3 - 11.8	28,500	11.3	6.9 - 15.7	4,400	9.9	7.0 - 12.9	21,500	6.9	1.2 - 12.7	900	5.9	3.0 - 8.8	1,800

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

Household Income	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Less than \$10,000</b>	22.7	15.7 - 29.8	9,600	26.5	15.8 - 37.2	2,300	21.4	11.3 - 31.6	5,800	n/r	n/r	n/r	19.3	8.1 - 30.4	900
<b>\$10,000 to \$14,999</b>	18.8	12.4 - 25.3	6,800	24.9	13.1 - 36.6	2,500	16.2	7.2 - 25.1	3,300	n/r	n/r	n/r	11.0	0.0 - 22.3	400
<b>\$15,000 to \$19,999</b>	9.2	6.0 - 12.4	5,400	9.7	3.9 - 15.6	1,100	5.7	2.5 - 8.8	1,900	n/r	n/r	n/r	17.1	6.3 - 28.0	1,600
<b>\$20,000 to \$24,999</b>	10.3	7.1 - 13.5	7,800	8.4	3.0 - 13.8	1,400	10.1	5.5 - 14.7	4,400	14.7	3.4 - 26.0	800	12.1	4.1 - 20.1	1,200
<b>\$25,000 to \$34,999</b>	7.6	5.1 - 10.1	7,900	8.2	3.7 - 12.7	1,500	7.6	4.0 - 11.2	4,900	13.9	1.1 - 26.7	700	5.2	1.6 - 8.8	900
<b>\$35,000 to \$49,999</b>	8.1	5.4 - 10.8	11,400	9.5	4.3 - 14.7	2,200	8.4	4.6 - 12.2	7,700	6.6	0.3 - 12.8	500	5.8	2.0 - 9.5	1,000
<b>\$50,000 to \$74,999</b>	7.6	4.5 - 10.7	13,200	7.0	3.0 - 11.1	1,300	8.1	4.1 - 12.2	10,400	3.6	0.0 - 7.4	300	6.7	3.3 - 10.1	1,200
<b>\$75,000 or more</b>	6.5	4.8 - 8.3	19,700	5.0	2.0 - 7.9	1,300	6.8	4.7 - 9.0	16,400	3.0	0.3 - 5.6	300	6.6	3.6 - 9.5	1,700

## Adults whose Mental Health was Not Good 14+ of the Past 30 Days, for State and County, by Gender, BRFSS Age Group, DOH Race-Ethnicity, Education Level, Employment Status, Marital Status, Household Income, Poverty Level, Healthcare Coverage, for the Year 2011

*Note: Weighted numbers (#), percentages and 95% confidence intervals; Respondents aged 18 years and older;  
n/r (Not Reportable) - Represents cell size restriction of unweighted respondents < 50; n/a (Not Available) - Not asked of a subset of respondents*

*Survey question: "Now, thinking about your mental health, which includes stress, depression and problems with emotions, for how many days during the past 30 days was your mental health not good?"*

**Year: 2011**

Poverty Level	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>0-130%</b>	10.8	8.4 - 13.1	17,700	14.0	9.2 - 18.7	5,000	8.5	5.4 - 11.6	8,300	23.1	9.6 - 36.6	2,000	10.7	6.1 - 15.3	2,300
<b>131-185%</b>	10.3	6.4 - 14.1	11,700	8.3	3.4 - 13.2	2,000	10.9	5.1 - 16.8	7,700	9.3	0.3 - 18.2	600	10.4	4.9 - 15.8	1,400
<b>186+%</b>	6.6	5.1 - 8.1	29,700	6.4	4.0 - 8.7	3,200	6.9	5.0 - 8.9	23,300	3.8	1.7 - 5.9	800	5.5	3.7 - 7.3	2,400

Health Care Coverage	Hawaii State			Hawaii			Honolulu			Kauai			Maui		
	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#	%	C.I. (95%)	#
<b>Yes</b>	8.3	7.3 - 9.4	77,800	10.2	8.1 - 12.2	13,000	7.9	6.6 - 9.3	52,400	9.5	6.0 - 13.0	4,500	7.9	6.1 - 9.6	7,900
<b>No</b>	9.9	6.2 - 13.7	9,600	9.4	3.3 - 15.4	1,500	10.1	4.6 - 15.6	6,100	n/r	n/r	n/r	10.9	4.5 - 17.4	1,700